



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1195G	100.60	Inf	-Inf	-1.41	3	Vertical	325	2.55	102.01	36.78	5.81	44.00
AV	7.1255G	57.26	68.20	-10.94	-1.38	3	Vertical	325	2.55	58.64	36.80	5.81	43.99
PK	7.1085G	106.61	Inf	-Inf	-1.47	3	Vertical	325	2.55	108.08	36.73	5.81	44.01
PK	7.1255G	66.64	88.20	-21.56	-1.38	3	Vertical	325	2.55	68.02	36.80	5.81	43.99

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1215G	95.32	Inf	-Inf	-1.40	3	Horizontal	342	1.50	96.72	36.79	5.81	44.00
AV	7.1265G	52.10	68.20	-16.10	-1.37	3	Horizontal	342	1.50	53.47	36.81	5.81	43.99
PK	7.1115G	101.39	Inf	-Inf	-1.45	3	Horizontal	342	1.50	102.84	36.75	5.81	44.01
PK	7.1255G	59.66	88.20	-28.54	-1.38	3	Horizontal	342	1.50	61.04	36.80	5.81	43.99


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0799G	95.76	Inf	-Inf	-1.71	3	Vertical	325	2.98	97.47	36.54	5.80	44.05
AV	7.1252G	50.11	68.20	-18.09	-1.38	3	Vertical	325	2.98	51.49	36.80	5.81	43.99
PK	7.0802G	110.72	Inf	-Inf	-1.71	3	Vertical	325	2.98	112.43	36.54	5.80	44.05
PK	7.1255G	62.25	88.20	-25.95	-1.38	3	Vertical	325	2.98	63.63	36.80	5.81	43.99

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1015G	90.16	Inf	-Inf	-1.50	3	Horizontal	340	1.50	91.66	36.71	5.81	44.02
AV	7.2326G	48.36	68.20	-19.84	-0.74	3	Horizontal	340	1.50	49.10	37.23	5.88	43.85
PK	7.0808G	105.42	Inf	-Inf	-1.70	3	Horizontal	340	1.50	107.12	36.55	5.80	44.05
PK	7.2122G	61.74	88.20	-26.46	-0.87	3	Horizontal	340	1.50	62.61	37.15	5.86	43.88


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9881G	98.09	Inf	-Inf	-2.20	3	Vertical	309	1.91	100.29	36.20	5.76	44.16
AV	7.1282G	54.60	68.20	-13.60	-1.37	3	Vertical	309	1.91	55.97	36.81	5.81	43.99
PK	6.9929G	110.22	Inf	-Inf	-2.19	3	Vertical	309	1.91	112.41	36.20	5.77	44.16
PK	7.1276G	69.97	88.20	-18.23	-1.37	3	Vertical	309	1.91	71.34	36.81	5.81	43.99

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0601G	92.21	Inf	-Inf	-1.91	3	Horizontal	346	1.50	94.12	36.38	5.79	44.08
AV	7.1252G	50.13	68.20	-18.07	-1.38	3	Horizontal	346	1.50	51.51	36.80	5.81	43.99
PK	7.0397G	104.71	Inf	-Inf	-2.05	3	Horizontal	346	1.50	106.76	36.28	5.78	44.11
PK	7.1303G	63.87	88.20	-24.33	-1.35	3	Horizontal	346	1.50	65.22	36.82	5.82	43.99


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_3TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9535G	97.81	Inf	-Inf	-2.24	3	Vertical	336	1.28	100.05	36.20	5.74	44.18
AV	7.1285G	67.05	68.20	-1.15	-1.37	3	Vertical	336	1.28	68.42	36.81	5.81	43.99
PK	6.9485G	110.39	Inf	-Inf	-2.25	3	Vertical	336	1.28	112.64	36.20	5.73	44.18
PK	7.1275G	85.04	88.20	-3.16	-1.37	3	Vertical	336	1.28	86.41	36.81	5.81	43.99

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_3TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.951G	92.18	Inf	-Inf	-2.24	3	Horizontal	350	1.50	94.42	36.20	5.74	44.18
AV	7.1365G	63.76	68.20	-4.44	-1.31	3	Horizontal	350	1.50	65.07	36.85	5.82	43.98
PK	6.9465G	105.32	Inf	-Inf	-2.25	3	Horizontal	350	1.50	107.57	36.20	5.73	44.18
PK	7.1305G	80.08	88.20	-8.12	-1.35	3	Horizontal	350	1.50	81.43	36.82	5.82	43.99


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_3TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_3TX

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	AV	5.901G	52.44	68.20	-15.76	3	Vertical	0	1.26
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	AV	5.8993G	53.15	68.20	-15.05	3	Vertical	0	1.50
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	AV	5.922G	55.23	68.20	-12.97	3	Vertical	0	1.50
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	AV	5.925G	61.31	68.20	-6.89	3	Vertical	0	1.24
802.11be EHT320-BF_Nss1,(MCS0)_3TX	Pass	AV	5.925G	63.06	68.20	-5.14	3	Vertical	317	1.28
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	AV	13.02998G	38.29	68.20	-29.91	3	Horizontal	148	1.83
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	AV	13.05008G	38.52	68.20	-29.68	3	Vertical	355	2.13
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	AV	12.91164G	39.44	68.20	-28.76	3	Horizontal	353	2.25
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	AV	13.00112G	39.43	68.20	-28.77	3	Vertical	267	2.59
802.11be EHT320-BF_Nss1,(MCS0)_3TX	Pass	AV	13.15232G	38.78	68.20	-29.42	3	Vertical	113	1.99
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	AV	13.38016G	37.69	54.00	-16.31	3	Vertical	346	1.50
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	AV	13.37006G	38.77	54.00	-15.23	3	Vertical	295	2.08
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	PK	13.25812G	52.18	74.00	-21.82	3	Horizontal	133	2.28
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	AV	13.33428G	39.42	54.00	-14.58	3	Vertical	216	1.95
802.11be EHT320-BF_Nss1,(MCS0)_3TX	Pass	AV	7.1435G	56.22	68.20	-11.98	3	Vertical	319	2.54
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	AV	7.1255G	57.33	68.20	-10.87	3	Vertical	9	1.00
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	AV	7.229G	56.82	68.20	-11.38	3	Vertical	299	2.50
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	AV	7.1255G	56.91	68.20	-11.29	3	Vertical	332	2.78
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	AV	7.139G	62.41	68.20	-5.79	3	Vertical	308	1.93

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.901G	52.44	68.20	-15.76	3	Vertical	0	1.26
5955MHz	Pass	AV	5.9598G	97.34	Inf	-Inf	3	Vertical	0	1.26
5955MHz	Pass	PK	5.9121G	66.10	88.20	-22.10	3	Vertical	0	1.26
5955MHz	Pass	PK	5.9568G	110.39	Inf	-Inf	3	Vertical	0	1.26
5955MHz	Pass	AV	5.9046G	52.34	68.20	-15.86	3	Horizontal	35	1.88
5955MHz	Pass	AV	5.9637G	92.95	Inf	-Inf	3	Horizontal	35	1.88
5955MHz	Pass	PK	5.8521G	66.63	88.20	-21.57	3	Horizontal	35	1.88
5955MHz	Pass	PK	5.9628G	105.12	Inf	-Inf	3	Horizontal	35	1.88
5955MHz	Pass	AV	11.89623G	36.25	54.00	-17.75	3	Vertical	86	2.88
5955MHz	Pass	PK	11.90757G	49.83	74.00	-24.17	3	Vertical	86	2.88
5955MHz	Pass	AV	11.89638G	36.11	54.00	-17.89	3	Horizontal	354	1.50
5955MHz	Pass	PK	11.90169G	49.44	74.00	-24.56	3	Horizontal	354	1.50
6195MHz	Pass	AV	12.3804G	35.79	54.00	-18.21	3	Vertical	155	1.50
6195MHz	Pass	PK	12.38214G	49.60	74.00	-24.40	3	Vertical	155	1.50
6195MHz	Pass	AV	12.38016G	35.78	54.00	-18.22	3	Horizontal	225	3.00
6195MHz	Pass	PK	12.39162G	49.16	74.00	-24.84	3	Horizontal	225	3.00
6415MHz	Pass	AV	12.82626G	37.01	68.20	-31.19	3	Vertical	347	1.50
6415MHz	Pass	PK	12.83874G	50.74	88.20	-37.46	3	Vertical	347	1.50
6415MHz	Pass	AV	12.82754G	37.00	68.20	-31.20	3	Horizontal	33	2.83
6415MHz	Pass	PK	12.82018G	49.14	88.20	-39.06	3	Horizontal	33	2.83
6435MHz	Pass	AV	12.87582G	37.36	68.20	-30.84	3	Vertical	115	3.00
6435MHz	Pass	PK	12.8749G	50.12	88.20	-38.08	3	Vertical	115	3.00
6435MHz	Pass	AV	12.8758G	37.37	68.20	-30.83	3	Horizontal	222	2.36
6435MHz	Pass	PK	12.87856G	50.52	88.20	-37.68	3	Horizontal	222	2.36
6475MHz	Pass	AV	12.94992G	37.77	68.20	-30.43	3	Vertical	337	2.88
6475MHz	Pass	PK	12.9585G	51.84	88.20	-36.36	3	Vertical	337	2.88
6475MHz	Pass	AV	12.95002G	37.78	68.20	-30.42	3	Horizontal	7	1.13
6475MHz	Pass	PK	12.94046G	51.53	88.20	-36.67	3	Horizontal	7	1.13
6515MHz	Pass	AV	13.02996G	38.28	68.20	-29.92	3	Vertical	322	2.56
6515MHz	Pass	PK	13.03372G	51.65	88.20	-36.55	3	Vertical	322	2.56
6515MHz	Pass	AV	13.02998G	38.29	68.20	-29.91	3	Horizontal	148	1.83
6515MHz	Pass	PK	13.03898G	50.10	88.20	-38.10	3	Horizontal	148	1.83
6535MHz	Pass	AV	13.0698G	38.31	68.20	-29.89	3	Vertical	323	2.73
6535MHz	Pass	PK	13.06496G	52.08	88.20	-36.12	3	Vertical	323	2.73
6535MHz	Pass	AV	13.06988G	38.30	68.20	-29.90	3	Horizontal	205	1.51
6535MHz	Pass	PK	13.06278G	51.57	88.20	-36.63	3	Horizontal	205	1.51
6695MHz	Pass	AV	13.38016G	37.69	54.00	-16.31	3	Vertical	346	1.50
6695MHz	Pass	PK	13.38364G	51.41	74.00	-22.59	3	Vertical	346	1.50
6695MHz	Pass	AV	13.38062G	37.65	54.00	-16.35	3	Horizontal	21	2.99
6695MHz	Pass	PK	13.38292G	50.09	74.00	-23.91	3	Horizontal	21	2.99
6875MHz	Pass	AV	13.74514G	38.21	68.20	-29.99	3	Vertical	121	1.50
6875MHz	Pass	PK	13.75486G	51.72	88.20	-36.48	3	Vertical	121	1.50
6875MHz	Pass	AV	13.7466G	38.20	68.20	-30.00	3	Horizontal	91	3.00
6875MHz	Pass	PK	13.75448G	51.07	88.20	-37.13	3	Horizontal	91	3.00
6895MHz	Pass	AV	13.78036G	38.01	68.20	-30.19	3	Vertical	277	2.64
6895MHz	Pass	PK	13.7873G	50.60	88.20	-37.60	3	Vertical	277	2.64
6895MHz	Pass	AV	13.78084G	38.02	68.20	-30.18	3	Horizontal	49	2.72
6895MHz	Pass	PK	13.79536G	50.58	88.20	-37.62	3	Horizontal	49	2.72
6995MHz	Pass	AV	13.99236G	37.84	68.20	-30.36	3	Vertical	36	2.27
6995MHz	Pass	PK	13.98614G	50.73	88.20	-37.47	3	Vertical	36	2.27
6995MHz	Pass	AV	13.996G	37.84	68.20	-30.36	3	Horizontal	328	2.44
6995MHz	Pass	PK	13.9906G	50.30	88.20	-37.90	3	Horizontal	328	2.44
7095MHz	Pass	AV	7.086G	97.41	Inf	-Inf	3	Vertical	19	1.50
7095MHz	Pass	AV	7.2375G	56.07	68.20	-12.13	3	Vertical	19	1.50
7095MHz	Pass	PK	7.0866G	109.69	Inf	-Inf	3	Vertical	19	1.50
7095MHz	Pass	PK	7.2294G	69.68	88.20	-18.52	3	Vertical	19	1.50
7095MHz	Pass	AV	7.086G	96.86	Inf	-Inf	3	Horizontal	345	1.44
7095MHz	Pass	AV	7.2429G	53.99	68.20	-14.21	3	Horizontal	345	1.44
7095MHz	Pass	PK	7.0875G	109.79	Inf	-Inf	3	Horizontal	345	1.44
7095MHz	Pass	PK	7.2297G	68.09	88.20	-20.11	3	Horizontal	345	1.44

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.1989G	38.09	68.20	-30.11	3	Vertical	51	2.10
7095MHz	Pass	PK	14.1927G	50.89	88.20	-37.31	3	Vertical	51	2.10
7095MHz	Pass	AV	14.19722G	38.09	68.20	-30.11	3	Horizontal	188	1.64
7095MHz	Pass	PK	14.19988G	50.76	88.20	-37.44	3	Horizontal	188	1.64
7115MHz	Pass	AV	7.1095G	100.86	Inf	-Inf	3	Vertical	9	1.00
7115MHz	Pass	AV	7.1255G	57.33	68.20	-10.87	3	Vertical	9	1.00
7115MHz	Pass	PK	7.1105G	106.83	Inf	-Inf	3	Vertical	9	1.00
7115MHz	Pass	PK	7.1255G	65.48	88.20	-22.72	3	Vertical	9	1.00
7115MHz	Pass	AV	7.1095G	98.26	Inf	-Inf	3	Horizontal	345	1.50
7115MHz	Pass	AV	7.1255G	54.37	68.20	-13.83	3	Horizontal	345	1.50
7115MHz	Pass	PK	7.1095G	103.96	Inf	-Inf	3	Horizontal	345	1.50
7115MHz	Pass	PK	7.1255G	61.96	88.20	-26.24	3	Horizontal	345	1.50
7115MHz	Pass	AV	14.23944G	38.24	68.20	-29.96	3	Vertical	54	1.20
7115MHz	Pass	PK	14.23282G	51.04	88.20	-37.16	3	Vertical	54	1.20
7115MHz	Pass	AV	14.23976G	38.22	68.20	-29.98	3	Horizontal	321	2.50
7115MHz	Pass	PK	14.22962G	50.69	88.20	-37.51	3	Horizontal	321	2.50
802.11be EHT40-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8993G	53.15	68.20	-15.05	3	Vertical	0	1.50
5965MHz	Pass	AV	5.983G	97.95	Inf	-Inf	3	Vertical	0	1.50
5965MHz	Pass	PK	5.914G	66.47	88.20	-21.73	3	Vertical	0	1.50
5965MHz	Pass	PK	5.9818G	110.13	Inf	-Inf	3	Vertical	0	1.50
5965MHz	Pass	AV	5.9248G	51.24	68.20	-16.96	3	Horizontal	36	1.71
5965MHz	Pass	AV	5.9593G	92.85	Inf	-Inf	3	Horizontal	36	1.71
5965MHz	Pass	PK	5.8294G	64.61	88.20	-23.59	3	Horizontal	36	1.71
5965MHz	Pass	PK	5.9599G	105.65	Inf	-Inf	3	Horizontal	36	1.71
5965MHz	Pass	AV	11.93818G	37.07	54.00	-16.93	3	Vertical	209	2.47
5965MHz	Pass	PK	11.93468G	48.77	74.00	-25.23	3	Vertical	209	2.47
5965MHz	Pass	AV	11.931G	36.99	54.00	-17.01	3	Horizontal	278	2.36
5965MHz	Pass	PK	11.93006G	48.66	74.00	-25.34	3	Horizontal	278	2.36
6205MHz	Pass	AV	12.41388G	36.52	54.00	-17.48	3	Vertical	342	2.78
6205MHz	Pass	PK	12.40948G	48.19	74.00	-25.81	3	Vertical	342	2.78
6205MHz	Pass	AV	12.4073G	36.44	54.00	-17.56	3	Horizontal	246	2.49
6205MHz	Pass	PK	12.40392G	49.58	74.00	-24.42	3	Horizontal	246	2.49
6405MHz	Pass	AV	12.81096G	37.92	68.20	-30.28	3	Vertical	202	1.74
6405MHz	Pass	PK	12.8158G	49.95	88.20	-38.25	3	Vertical	202	1.74
6405MHz	Pass	AV	12.81662G	37.88	68.20	-30.32	3	Horizontal	54	1.24
6405MHz	Pass	PK	12.80844G	49.26	88.20	-38.94	3	Horizontal	54	1.24
6445MHz	Pass	AV	12.89908G	38.20	68.20	-30.00	3	Vertical	348	2.20
6445MHz	Pass	PK	12.88648G	49.74	88.20	-38.46	3	Vertical	348	2.20
6445MHz	Pass	AV	12.8992G	38.50	68.20	-29.70	3	Horizontal	0	2.71
6445MHz	Pass	PK	12.88362G	50.15	88.20	-38.05	3	Horizontal	0	2.71
6485MHz	Pass	AV	12.97954G	38.30	68.20	-29.90	3	Vertical	314	2.51
6485MHz	Pass	PK	12.96456G	50.13	88.20	-38.07	3	Vertical	314	2.51
6485MHz	Pass	AV	12.96248G	38.38	68.20	-29.82	3	Horizontal	128	2.47
6485MHz	Pass	PK	12.97534G	51.05	88.20	-37.15	3	Horizontal	128	2.47
6525MHz	Pass	AV	13.05008G	38.52	68.20	-29.68	3	Vertical	355	2.13
6525MHz	Pass	PK	13.05064G	50.78	88.20	-37.42	3	Vertical	355	2.13
6525MHz	Pass	AV	13.04832G	38.47	68.20	-29.73	3	Horizontal	21	1.76
6525MHz	Pass	PK	13.04956G	50.40	88.20	-37.80	3	Horizontal	21	1.76
6565MHz	Pass	AV	13.1367G	38.34	68.20	-29.86	3	Vertical	195	2.89
6565MHz	Pass	PK	13.13276G	50.85	88.20	-37.35	3	Vertical	195	2.89
6565MHz	Pass	AV	13.13882G	38.26	68.20	-29.94	3	Horizontal	220	2.86
6565MHz	Pass	PK	13.13614G	49.90	88.20	-38.30	3	Horizontal	220	2.86
6685MHz	Pass	AV	13.37006G	38.77	54.00	-15.23	3	Vertical	295	2.08
6685MHz	Pass	PK	13.37994G	52.31	74.00	-21.69	3	Vertical	295	2.08
6685MHz	Pass	AV	13.37494G	38.61	54.00	-15.39	3	Horizontal	30	1.83
6685MHz	Pass	PK	13.36492G	50.52	74.00	-23.48	3	Horizontal	30	1.83
6885MHz	Pass	AV	13.77272G	39.00	68.20	-29.20	3	Vertical	310	1.47
6885MHz	Pass	PK	13.7705G	51.18	88.20	-37.02	3	Vertical	310	1.47
6885MHz	Pass	AV	13.77848G	39.09	68.20	-29.11	3	Horizontal	243	1.57
6885MHz	Pass	PK	13.77704G	49.92	88.20	-38.28	3	Horizontal	243	1.57
6925MHz	Pass	AV	13.84138G	38.59	68.20	-29.61	3	Vertical	349	2.53


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.84596G	49.80	88.20	-38.40	3	Vertical	349	2.53
6925MHz	Pass	AV	13.84656G	38.50	68.20	-29.70	3	Horizontal	304	1.42
6925MHz	Pass	PK	13.8506G	51.04	88.20	-37.16	3	Horizontal	304	1.42
7005MHz	Pass	AV	14.00302G	38.73	68.20	-29.47	3	Vertical	305	2.10
7005MHz	Pass	PK	14.00578G	50.84	88.20	-37.36	3	Vertical	305	2.10
7005MHz	Pass	AV	14.00184G	38.66	68.20	-29.54	3	Horizontal	332	1.87
7005MHz	Pass	PK	14.00612G	50.80	88.20	-37.40	3	Horizontal	332	1.87
7085MHz	Pass	AV	7.0961G	97.88	Inf	-Inf	3	Vertical	299	2.50
7085MHz	Pass	AV	7.229G	56.82	68.20	-11.38	3	Vertical	299	2.50
7085MHz	Pass	PK	7.0976G	110.95	Inf	-Inf	3	Vertical	299	2.50
7085MHz	Pass	PK	7.1909G	70.23	88.20	-17.97	3	Vertical	299	2.50
7085MHz	Pass	AV	7.0676G	92.14	Inf	-Inf	3	Horizontal	338	1.50
7085MHz	Pass	AV	7.2323G	56.68	68.20	-11.52	3	Horizontal	338	1.50
7085MHz	Pass	PK	7.0733G	104.24	Inf	-Inf	3	Horizontal	338	1.50
7085MHz	Pass	PK	7.2332G	70.24	88.20	-17.96	3	Horizontal	338	1.50
7085MHz	Pass	AV	14.17044G	39.98	68.20	-28.22	3	Vertical	143	1.56
7085MHz	Pass	PK	14.1564G	52.98	88.20	-35.22	3	Vertical	143	1.56
7085MHz	Pass	AV	14.15956G	39.71	68.20	-28.49	3	Horizontal	133	2.78
7085MHz	Pass	PK	14.16992G	51.57	88.20	-36.63	3	Horizontal	133	2.78
802.11be EHT80-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.922G	55.23	68.20	-12.97	3	Vertical	0	1.50
5985MHz	Pass	AV	6.016G	98.19	Inf	-Inf	3	Vertical	0	1.50
5985MHz	Pass	PK	5.9185G	67.28	88.20	-20.92	3	Vertical	0	1.50
5985MHz	Pass	PK	6.017G	109.98	Inf	-Inf	3	Vertical	0	1.50
5985MHz	Pass	AV	5.9245G	52.14	68.20	-16.06	3	Horizontal	38	1.63
5985MHz	Pass	AV	6.0225G	93.21	Inf	-Inf	3	Horizontal	38	1.63
5985MHz	Pass	PK	5.9235G	64.99	88.20	-23.21	3	Horizontal	38	1.63
5985MHz	Pass	PK	6.022G	105.67	Inf	-Inf	3	Horizontal	38	1.63
5985MHz	Pass	AV	11.97432G	38.14	54.00	-15.86	3	Vertical	273	1.07
5985MHz	Pass	PK	11.97744G	50.14	74.00	-23.86	3	Vertical	273	1.07
5985MHz	Pass	AV	11.97272G	38.08	54.00	-15.92	3	Horizontal	229	2.58
5985MHz	Pass	PK	11.95208G	49.95	74.00	-24.05	3	Horizontal	229	2.58
6225MHz	Pass	AV	12.454G	37.39	54.00	-16.61	3	Vertical	353	2.51
6225MHz	Pass	PK	12.45384G	49.51	74.00	-24.49	3	Vertical	353	2.51
6225MHz	Pass	AV	12.45288G	37.36	54.00	-16.64	3	Horizontal	336	1.91
6225MHz	Pass	PK	12.45444G	48.86	74.00	-25.14	3	Horizontal	336	1.91
6385MHz	Pass	AV	12.77824G	38.69	68.20	-29.51	3	Vertical	142	2.13
6385MHz	Pass	PK	12.7806G	50.14	88.20	-38.06	3	Vertical	142	2.13
6385MHz	Pass	AV	12.77348G	38.47	68.20	-29.73	3	Horizontal	50	1.69
6385MHz	Pass	PK	12.76708G	50.13	88.20	-38.07	3	Horizontal	50	1.69
6465MHz	Pass	AV	12.94484G	39.25	68.20	-28.95	3	Vertical	271	2.27
6465MHz	Pass	PK	12.94888G	51.03	88.20	-37.17	3	Vertical	271	2.27
6465MHz	Pass	AV	12.91164G	39.44	68.20	-28.76	3	Horizontal	353	2.25
6465MHz	Pass	PK	12.93232G	51.00	88.20	-37.20	3	Horizontal	353	2.25
6545MHz	Pass	AV	13.09764G	39.39	68.20	-28.81	3	Vertical	1	1.25
6545MHz	Pass	PK	13.07952G	50.51	88.20	-37.69	3	Vertical	1	1.25
6545MHz	Pass	AV	13.0878G	39.39	68.20	-28.81	3	Horizontal	222	1.44
6545MHz	Pass	PK	13.09116G	50.28	88.20	-37.92	3	Horizontal	222	1.44
6625MHz	Pass	AV	13.24892G	39.46	68.20	-28.74	3	Vertical	187	2.85
6625MHz	Pass	PK	13.25316G	50.96	74.00	-23.04	3	Vertical	187	2.85
6625MHz	Pass	AV	13.24968G	39.28	68.20	-28.92	3	Horizontal	133	2.28
6625MHz	Pass	PK	13.25812G	52.18	74.00	-21.82	3	Horizontal	133	2.28
6705MHz	Pass	AV	13.4158G	39.82	68.20	-28.38	3	Vertical	131	2.29
6705MHz	Pass	PK	13.42404G	50.86	88.20	-37.34	3	Vertical	131	2.29
6705MHz	Pass	AV	13.42152G	39.86	68.20	-28.34	3	Horizontal	34	1.47
6705MHz	Pass	PK	13.4246G	51.43	88.20	-36.77	3	Horizontal	34	1.47
6785MHz	Pass	AV	13.55444G	40.29	68.20	-27.91	3	Vertical	315	1.92
6785MHz	Pass	PK	13.58908G	51.45	88.20	-36.75	3	Vertical	315	1.92
6785MHz	Pass	AV	13.55056G	40.40	68.20	-27.80	3	Horizontal	159	2.58
6785MHz	Pass	PK	13.55396G	51.53	88.20	-36.67	3	Horizontal	159	2.58
6865MHz	Pass	AV	13.74448G	39.92	68.20	-28.28	3	Vertical	325	2.74
6865MHz	Pass	PK	13.72608G	52.11	88.20	-36.09	3	Vertical	325	2.74

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.73064G	39.86	68.20	-28.34	3	Horizontal	266	2.73
6865MHz	Pass	PK	13.73444G	51.73	88.20	-36.47	3	Horizontal	266	2.73
6945MHz	Pass	AV	13.903G	39.61	68.20	-28.59	3	Vertical	190	1.26
6945MHz	Pass	PK	13.8934G	50.63	88.20	-37.57	3	Vertical	190	1.26
6945MHz	Pass	AV	13.8906G	39.73	68.20	-28.47	3	Horizontal	51	1.15
6945MHz	Pass	PK	13.88352G	50.49	88.20	-37.71	3	Horizontal	51	1.15
7025MHz	Pass	AV	7.0199G	98.58	Inf	-Inf	3	Vertical	332	2.78
7025MHz	Pass	AV	7.1255G	56.91	68.20	-11.29	3	Vertical	332	2.78
7025MHz	Pass	PK	7.0202G	110.79	Inf	-Inf	3	Vertical	332	2.78
7025MHz	Pass	PK	7.1258G	69.65	88.20	-18.55	3	Vertical	332	2.78
7025MHz	Pass	AV	7.0571G	93.11	Inf	-Inf	3	Horizontal	335	1.27
7025MHz	Pass	AV	7.1675G	54.89	68.20	-13.31	3	Horizontal	335	1.27
7025MHz	Pass	PK	7.061G	105.90	Inf	-Inf	3	Horizontal	335	1.27
7025MHz	Pass	PK	7.1603G	67.43	88.20	-20.77	3	Horizontal	335	1.27
7025MHz	Pass	AV	14.03584G	39.62	68.20	-28.58	3	Vertical	7	1.49
7025MHz	Pass	PK	14.0336G	51.70	88.20	-36.50	3	Vertical	7	1.49
7025MHz	Pass	AV	14.0688G	39.45	68.20	-28.75	3	Horizontal	142	2.55
7025MHz	Pass	PK	14.0642G	51.55	88.20	-36.65	3	Horizontal	142	2.55
802.11be EHT160-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	61.31	68.20	-6.89	3	Vertical	0	1.24
6025MHz	Pass	AV	6.045G	98.30	Inf	-Inf	3	Vertical	0	1.24
6025MHz	Pass	PK	5.922G	77.50	88.20	-10.70	3	Vertical	0	1.24
6025MHz	Pass	PK	6.049G	110.90	Inf	-Inf	3	Vertical	0	1.24
6025MHz	Pass	AV	5.923G	56.40	68.20	-11.80	3	Horizontal	39	1.50
6025MHz	Pass	AV	6.017G	92.66	Inf	-Inf	3	Horizontal	39	1.50
6025MHz	Pass	PK	5.91G	69.18	88.20	-19.02	3	Horizontal	39	1.50
6025MHz	Pass	PK	6.0185G	105.09	Inf	-Inf	3	Horizontal	39	1.50
6025MHz	Pass	AV	12.04936G	38.41	54.00	-15.59	3	Vertical	297	1.26
6025MHz	Pass	PK	12.05228G	50.42	74.00	-23.58	3	Vertical	297	1.26
6025MHz	Pass	AV	12.0636G	38.27	54.00	-15.73	3	Horizontal	260	1.30
6025MHz	Pass	PK	12.05876G	49.95	74.00	-24.05	3	Horizontal	260	1.30
6185MHz	Pass	AV	12.37652G	37.46	54.00	-16.54	3	Vertical	297	2.18
6185MHz	Pass	PK	12.37004G	49.51	74.00	-24.49	3	Vertical	297	2.18
6185MHz	Pass	AV	12.37436G	37.48	54.00	-16.52	3	Horizontal	199	2.63
6185MHz	Pass	PK	12.35276G	49.03	74.00	-24.97	3	Horizontal	199	2.63
6345MHz	Pass	AV	12.69428G	38.17	54.00	-15.83	3	Vertical	349	1.46
6345MHz	Pass	PK	12.69696G	50.97	74.00	-23.03	3	Vertical	349	1.46
6345MHz	Pass	AV	12.68228G	38.29	54.00	-15.71	3	Horizontal	315	1.77
6345MHz	Pass	PK	12.68512G	50.49	74.00	-23.51	3	Horizontal	315	1.77
6505MHz	Pass	AV	13.00112G	39.43	68.20	-28.77	3	Vertical	267	2.59
6505MHz	Pass	PK	13.01788G	51.53	88.20	-36.67	3	Vertical	267	2.59
6505MHz	Pass	AV	13.01836G	39.35	68.20	-28.85	3	Horizontal	352	2.13
6505MHz	Pass	PK	13.01568G	50.62	88.20	-37.58	3	Horizontal	352	2.13
6665MHz	Pass	AV	13.33428G	39.42	54.00	-14.58	3	Vertical	216	1.95
6665MHz	Pass	PK	13.333G	51.18	74.00	-22.82	3	Vertical	216	1.95
6665MHz	Pass	AV	13.33312G	39.37	54.00	-14.63	3	Horizontal	285	1.41
6665MHz	Pass	PK	13.33136G	51.12	74.00	-22.88	3	Horizontal	285	1.41
6825MHz	Pass	AV	13.67G	39.67	68.20	-28.53	3	Vertical	254	2.57
6825MHz	Pass	PK	13.65728G	50.87	88.20	-37.33	3	Vertical	254	2.57
6825MHz	Pass	AV	13.65192G	39.55	68.20	-28.65	3	Horizontal	235	1.16
6825MHz	Pass	PK	13.64824G	51.91	88.20	-36.29	3	Horizontal	235	1.16
6985MHz	Pass	AV	7.0225G	98.40	Inf	-Inf	3	Vertical	308	1.93
6985MHz	Pass	AV	7.139G	62.41	68.20	-5.79	3	Vertical	308	1.93
6985MHz	Pass	PK	7.0225G	110.89	Inf	-Inf	3	Vertical	308	1.93
6985MHz	Pass	PK	7.139G	79.97	88.20	-8.23	3	Vertical	308	1.93
6985MHz	Pass	AV	7.0185G	92.67	Inf	-Inf	3	Horizontal	338	1.50
6985MHz	Pass	AV	7.139G	58.98	68.20	-9.22	3	Horizontal	338	1.50
6985MHz	Pass	PK	7.015G	105.43	Inf	-Inf	3	Horizontal	338	1.50
6985MHz	Pass	PK	7.1305G	75.86	88.20	-12.34	3	Horizontal	338	1.50
6985MHz	Pass	AV	13.98864G	39.54	68.20	-28.66	3	Vertical	274	1.07
6985MHz	Pass	PK	13.9662G	51.15	88.20	-37.05	3	Vertical	274	1.07
6985MHz	Pass	AV	13.98332G	39.57	68.20	-28.63	3	Horizontal	238	2.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.98324G	51.77	88.20	-36.43	3	Horizontal	238	2.28
802.11be EHT320-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	63.06	68.20	-5.14	3	Vertical	317	1.28
6105MHz	Pass	AV	6.236G	96.22	Inf	-Inf	3	Vertical	317	1.28
6105MHz	Pass	PK	5.916G	76.53	88.20	-11.67	3	Vertical	317	1.28
6105MHz	Pass	PK	6.236G	110.34	Inf	-Inf	3	Vertical	317	1.28
6105MHz	Pass	AV	5.925G	60.75	68.20	-7.45	3	Horizontal	35	1.89
6105MHz	Pass	AV	6.055G	91.80	Inf	-Inf	3	Horizontal	35	1.89
6105MHz	Pass	PK	5.925G	72.95	88.20	-15.25	3	Horizontal	35	1.89
6105MHz	Pass	PK	6.055G	105.13	Inf	-Inf	3	Horizontal	35	1.89
6105MHz	Pass	AV	12.21096G	37.85	54.00	-16.15	3	Vertical	215	2.84
6105MHz	Pass	PK	12.20572G	49.48	74.00	-24.52	3	Vertical	215	2.84
6105MHz	Pass	AV	12.20248G	37.84	54.00	-16.16	3	Horizontal	209	1.35
6105MHz	Pass	PK	12.19056G	49.23	74.00	-24.77	3	Horizontal	209	1.35
6265MHz	Pass	AV	12.5496G	36.75	54.00	-17.25	3	Vertical	34	1.06
6265MHz	Pass	PK	12.5142G	48.50	74.00	-25.50	3	Vertical	34	1.06
6265MHz	Pass	AV	12.53852G	36.75	54.00	-17.25	3	Horizontal	72	1.33
6265MHz	Pass	PK	12.51144G	48.87	74.00	-25.13	3	Horizontal	72	1.33
6425MHz	Pass	AV	12.86196G	38.49	68.20	-29.71	3	Vertical	224	2.18
6425MHz	Pass	PK	12.86572G	51.15	88.20	-37.05	3	Vertical	224	2.18
6425MHz	Pass	AV	12.85884G	38.49	68.20	-29.71	3	Horizontal	222	1.57
6425MHz	Pass	PK	12.8544G	50.46	88.20	-37.74	3	Horizontal	222	1.57
6585MHz	Pass	AV	13.15232G	38.78	68.20	-29.42	3	Vertical	113	1.99
6585MHz	Pass	PK	13.18176G	51.50	88.20	-36.70	3	Vertical	113	1.99
6585MHz	Pass	AV	13.15488G	38.78	68.20	-29.42	3	Horizontal	263	2.52
6585MHz	Pass	PK	13.1512G	50.99	88.20	-37.21	3	Horizontal	263	2.52
6745MHz	Pass	AV	13.47368G	39.24	68.20	-28.96	3	Vertical	207	1.83
6745MHz	Pass	PK	13.48184G	52.53	88.20	-35.67	3	Vertical	207	1.83
6745MHz	Pass	AV	13.47316G	39.46	68.20	-28.74	3	Horizontal	15	2.94
6745MHz	Pass	PK	13.47976G	51.17	88.20	-37.03	3	Horizontal	15	2.94
6905MHz	Pass	AV	6.7875G	92.24	Inf	-Inf	3	Vertical	319	2.54
6905MHz	Pass	AV	7.1435G	56.22	68.20	-11.98	3	Vertical	319	2.54
6905MHz	Pass	PK	6.7865G	105.19	Inf	-Inf	3	Vertical	319	2.54
6905MHz	Pass	PK	7.1265G	69.05	88.20	-19.15	3	Vertical	319	2.54
6905MHz	Pass	AV	6.8305G	87.43	Inf	-Inf	3	Horizontal	353	1.34
6905MHz	Pass	AV	7.141G	56.22	68.20	-11.98	3	Horizontal	353	1.34
6905MHz	Pass	PK	6.827G	100.34	Inf	-Inf	3	Horizontal	353	1.34
6905MHz	Pass	PK	7.125G	68.70	88.20	-19.50	3	Horizontal	353	1.34
6905MHz	Pass	AV	13.79664G	39.13	68.20	-29.07	3	Vertical	52	1.53
6905MHz	Pass	PK	13.79284G	50.66	88.20	-37.54	3	Vertical	52	1.53
6905MHz	Pass	AV	13.8006G	39.13	68.20	-29.07	3	Horizontal	209	1.19
6905MHz	Pass	PK	13.79892G	51.69	88.20	-36.51	3	Horizontal	209	1.19

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	52.44	68.20	-15.76	12.28	3	Vertical	0	1.26	40.16	34.50	5.12	27.34
AV	5.9598G	97.34	Inf	-Inf	12.13	3	Vertical	0	1.26	85.21	34.40	5.09	27.36
PK	5.9121G	66.10	88.20	-22.10	12.25	3	Vertical	0	1.26	53.85	34.48	5.12	27.35
PK	5.9568G	110.39	Inf	-Inf	12.13	3	Vertical	0	1.26	98.26	34.40	5.09	27.36

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	52.34	68.20	-15.86	12.27	3	Horizontal	35	1.88	40.07	34.49	5.12	27.34
AV	5.9637G	92.95	Inf	-Inf	12.12	3	Horizontal	35	1.88	80.83	34.40	5.09	27.37
PK	5.8521G	66.63	88.20	-21.57	12.14	3	Horizontal	35	1.88	54.49	34.31	5.15	27.32
PK	5.9628G	105.12	Inf	-Inf	12.12	3	Horizontal	35	1.88	93.00	34.40	5.09	27.37


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.8993G	53.15	68.20	-15.05	12.29	3	Vertical	0	1.50	40.86	34.50	5.13	27.34
AV	5.983G	97.95	Inf	-Inf	12.11	3	Vertical	0	1.50	85.84	34.40	5.08	27.37
PK	5.914G	66.47	88.20	-21.73	12.24	3	Vertical	0	1.50	54.23	34.47	5.12	27.35
PK	5.9818G	110.13	Inf	-Inf	12.11	3	Vertical	0	1.50	98.02	34.40	5.08	27.37

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9248G	51.24	68.20	-16.96	12.21	3	Horizontal	36	1.71	39.03	34.45	5.11	27.35
AV	5.9593G	92.85	Inf	-Inf	12.13	3	Horizontal	36	1.71	80.72	34.40	5.09	27.36
PK	5.8294G	64.61	88.20	-23.59	12.10	3	Horizontal	36	1.71	52.51	34.26	5.16	27.32
PK	5.9599G	105.65	Inf	-Inf	12.13	3	Horizontal	36	1.71	93.52	34.40	5.09	27.36


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	55.23	68.20	-12.97	12.22	3	Vertical	0	1.50	43.01	34.46	5.11	27.35
AV	6.016G	98.19	Inf	-Inf	12.08	3	Vertical	0	1.50	86.11	34.40	5.08	27.40
PK	5.9185G	67.28	88.20	-20.92	12.22	3	Vertical	0	1.50	55.06	34.46	5.11	27.35
PK	6.017G	109.98	Inf	-Inf	12.08	3	Vertical	0	1.50	97.90	34.40	5.08	27.40

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	52.14	68.20	-16.06	12.21	3	Horizontal	38	1.63	39.93	34.45	5.11	27.35
AV	6.0225G	93.21	Inf	-Inf	12.08	3	Horizontal	38	1.63	81.13	34.40	5.09	27.41
PK	5.9235G	64.99	88.20	-23.21	12.21	3	Horizontal	38	1.63	52.78	34.45	5.11	27.35
PK	6.022G	105.67	Inf	-Inf	12.08	3	Horizontal	38	1.63	93.59	34.40	5.09	27.41


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	61.31	68.20	-6.89	12.21	3	Vertical	0	1.24	49.10	34.45	5.11	27.35
AV	6.045G	98.30	Inf	-Inf	12.07	3	Vertical	0	1.24	86.23	34.40	5.11	27.44
PK	5.922G	77.50	88.20	-10.70	12.22	3	Vertical	0	1.24	65.28	34.46	5.11	27.35
PK	6.049G	110.90	Inf	-Inf	12.07	3	Vertical	0	1.24	98.83	34.40	5.11	27.44

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	56.40	68.20	-11.80	12.21	3	Horizontal	39	1.50	44.19	34.45	5.11	27.35
AV	6.017G	92.66	Inf	-Inf	12.08	3	Horizontal	39	1.50	80.58	34.40	5.08	27.40
PK	5.91G	69.18	88.20	-19.02	12.25	3	Horizontal	39	1.50	56.93	34.48	5.12	27.35
PK	6.0185G	105.09	Inf	-Inf	12.08	3	Horizontal	39	1.50	93.01	34.40	5.08	27.40


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	63.06	68.20	-5.14	12.21	3	Vertical	317	1.28	50.85	34.45	5.11	27.35
AV	6.236G	96.22	Inf	-Inf	12.16	3	Vertical	317	1.28	84.06	34.57	5.27	27.68
PK	5.916G	76.53	88.20	-11.67	12.24	3	Vertical	317	1.28	64.29	34.47	5.12	27.35
PK	6.236G	110.34	Inf	-Inf	12.16	3	Vertical	317	1.28	98.18	34.57	5.27	27.68

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	60.75	68.20	-7.45	12.21	3	Horizontal	35	1.89	48.54	34.45	5.11	27.35
AV	6.055G	91.80	Inf	-Inf	12.05	3	Horizontal	35	1.89	79.75	34.39	5.11	27.45
PK	5.925G	72.95	88.20	-15.25	12.21	3	Horizontal	35	1.89	60.74	34.45	5.11	27.35
PK	6.055G	105.13	Inf	-Inf	12.05	3	Horizontal	35	1.89	93.08	34.39	5.11	27.45


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7875G	92.24	Inf	-Inf	13.59	3	Vertical	319	2.54	78.65	36.27	5.62	28.30
AV	7.1435G	56.22	68.20	-11.98	14.13	3	Vertical	319	2.54	42.09	36.87	5.82	28.56
PK	6.7865G	105.19	Inf	-Inf	13.59	3	Vertical	319	2.54	91.60	36.27	5.62	28.30
PK	7.1265G	69.05	88.20	-19.15	14.07	3	Vertical	319	2.54	54.98	36.81	5.81	28.55

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8305G	87.43	Inf	-Inf	13.49	3	Horizontal	353	1.34	73.94	36.18	5.65	28.34
AV	7.141G	56.22	68.20	-11.98	14.12	3	Horizontal	353	1.34	42.10	36.86	5.82	28.56
PK	6.827G	100.34	Inf	-Inf	13.50	3	Horizontal	353	1.34	86.84	36.19	5.65	28.34
PK	7.125G	68.70	88.20	-19.50	14.06	3	Horizontal	353	1.34	54.64	36.80	5.81	28.55


6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0961G	97.88	Inf	-Inf	13.93	3	Vertical	299	2.50	83.95	36.67	5.80	28.54
AV	7.229G	56.82	68.20	-11.38	14.51	3	Vertical	299	2.50	42.31	37.22	5.88	28.59
PK	7.0976G	110.95	Inf	-Inf	13.94	3	Vertical	299	2.50	97.01	36.68	5.80	28.54
PK	7.1909G	70.23	88.20	-17.97	14.33	3	Vertical	299	2.50	55.90	37.06	5.84	28.57

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0676G	92.14	Inf	-Inf	13.70	3	Horizontal	338	1.50	78.44	36.44	5.79	28.53
AV	7.2323G	56.68	68.20	-11.52	14.52	3	Horizontal	338	1.50	42.16	37.23	5.88	28.59
PK	7.0733G	104.24	Inf	-Inf	13.76	3	Horizontal	338	1.50	90.48	36.49	5.80	28.53
PK	7.2332G	70.24	88.20	-17.96	14.52	3	Horizontal	338	1.50	55.72	37.23	5.88	28.59


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0199G	98.58	Inf	-Inf	13.50	3	Vertical	332	2.78	85.08	36.24	5.78	28.52
AV	7.1255G	56.91	68.20	-11.29	14.06	3	Vertical	332	2.78	42.85	36.80	5.81	28.55
PK	7.0202G	110.79	Inf	-Inf	13.50	3	Vertical	332	2.78	97.29	36.24	5.78	28.52
PK	7.1258G	69.65	88.20	-18.55	14.06	3	Vertical	332	2.78	55.59	36.80	5.81	28.55

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0571G	93.11	Inf	-Inf	13.62	3	Horizontal	335	1.27	79.49	36.36	5.79	28.53
AV	7.1675G	54.89	68.20	-13.31	14.23	3	Horizontal	335	1.27	40.66	36.97	5.83	28.57
PK	7.061G	105.90	Inf	-Inf	13.65	3	Horizontal	335	1.27	92.25	36.39	5.79	28.53
PK	7.1603G	67.43	88.20	-20.77	14.21	3	Horizontal	335	1.27	53.22	36.94	5.83	28.56


6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0225G	98.40	Inf	-Inf	13.50	3	Vertical	308	1.93	84.90	36.24	5.78	28.52
AV	7.139G	62.41	68.20	-5.79	14.12	3	Vertical	308	1.93	48.29	36.86	5.82	28.56
PK	7.0225G	110.89	Inf	-Inf	13.50	3	Vertical	308	1.93	97.39	36.24	5.78	28.52
PK	7.139G	79.97	88.20	-8.23	14.12	3	Vertical	308	1.93	65.85	36.86	5.82	28.56

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0185G	92.67	Inf	-Inf	13.50	3	Horizontal	338	1.50	79.17	36.24	5.78	28.52
AV	7.139G	58.98	68.20	-9.22	14.12	3	Horizontal	338	1.50	44.86	36.86	5.82	28.56
PK	7.015G	105.43	Inf	-Inf	13.49	3	Horizontal	338	1.50	91.94	36.23	5.78	28.52
PK	7.1305G	75.86	88.20	-12.34	14.09	3	Horizontal	338	1.50	61.77	36.82	5.82	28.55


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

6985MHz_TX



Antenna Gain (dBi)											
Min. gain											
4.4											

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-68.40	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-72.40	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-72.40	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-71.40	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-73.40	OFF	10	100	90	Pass
				Center	6105	-71.40	OFF	10	100	90	Pass
				High edge	6260	-70.40	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-72.40	OFF	10	100	90	Pass
				Center	6425	-69.40	OFF	10	100	90	Pass
				High edge	6580	-72.40	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-72.40	OFF	10	100	90	Pass
				Center	6585	-69.40	OFF	10	100	90	Pass
				High edge	6740	-72.40	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-71.40	OFF	10	100	90	Pass
				Center	6905	-69.40	OFF	10	100	90	Pass
				High edge	7060	-72.40	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-64.00	4.40	-68.40	≤ -62
						Minimal	-65.00	4.40	-69.40	≤ -62
						ON	-67.00	4.40	-71.40	≤ -62
6	101	20	6455	Center	6455	OFF	-68.00	4.40	-72.40	≤ -62
						Minimal	-69.00	4.40	-73.40	≤ -62
						ON	-70.00	4.40	-74.40	≤ -62
7	149	20	6695	Center	6695	OFF	-68.00	4.40	-72.40	≤ -62
						Minimal	-69.00	4.40	-73.40	≤ -62
						ON	-70.00	4.40	-74.40	≤ -62
8	213	20	7015	Center	7015	OFF	-67.00	4.40	-71.40	≤ -62
						Minimal	-68.00	4.40	-72.40	≤ -62
						ON	-69.00	4.40	-73.40	≤ -62

Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-69.00	4.40	-73.40	≤ -62
						Minimal	-70.00	4.40	-74.40	≤ -62
						ON	-71.00	4.40	-75.40	≤ -62
				Center	6105	OFF	-64.00	4.40	-68.40	≤ -62
						Minimal	-65.00	4.40	-69.40	≤ -62
						ON	-66.00	4.40	-70.40	≤ -62
				High edge	6260	OFF	-66.00	4.40	-70.40	≤ -62
						Minimal	-67.00	4.40	-71.40	≤ -62
						ON	-68.00	4.40	-72.40	≤ -62
5,6,7	95	320	6425	Low edge	6270	OFF	-68.00	4.40	-72.40	≤ -62
						Minimal	-69.00	4.40	-73.40	≤ -62
						ON	-70.00	4.40	-74.40	≤ -62
				Center	6425	OFF	-65.00	4.40	-69.40	≤ -62
						Minimal	-66.00	4.40	-70.40	≤ -62
						ON	-67.00	4.40	-71.40	≤ -62
				High edge	6580	OFF	-68.00	4.40	-72.40	≤ -62
						Minimal	-69.00	4.40	-73.40	≤ -62
						ON	-70.00	4.40	-74.40	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-68.00	4.40	-72.40	≤ -62
						Minimal	-69.00	4.40	-73.40	≤ -62
						ON	-70.00	4.40	-74.40	≤ -62
				Center	6585	OFF	-65.00	4.40	-69.40	≤ -62
						Minimal	-66.00	4.40	-70.40	≤ -62
						ON	-67.00	4.40	-71.40	≤ -62
				High edge	6740	OFF	-68.00	4.40	-72.40	≤ -62
						Minimal	-69.00	4.40	-73.40	≤ -62
						ON	-70.00	4.40	-74.40	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-67.00	4.40	-71.40	≤ -62
						Minimal	-68.00	4.40	-72.40	≤ -62
						ON	-69.00	4.40	-73.40	≤ -62
				Center	6905	OFF	-65.00	4.40	-69.40	≤ -62
						Minimal	-66.00	4.40	-70.40	≤ -62
						ON	-67.00	4.40	-71.40	≤ -62
				High edge	7060	OFF	-68.00	4.40	-72.40	≤ -62
						Minimal	-69.00	4.40	-73.40	≤ -62
						ON	-70.00	4.40	-74.40	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



09/10/2024

Sample Time

12.5us

All TX Time

96.75ms

All TX Sample

7740

Duty Cycle

0.967379

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



09/10/2024

Sample Time

12.5us

All TX Time

96.275ms

All TX Sample

7702

Duty Cycle

0.96263

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



09/10/2024

Sample Time

12.5us

All TX Time

96.4625ms

All TX Sample

7717

Duty Cycle

0.964504

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



09/10/2024

Sample Time

12.5us

All TX Time

97.25ms

All TX Sample

7780

Duty Cycle

0.972378

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



09/10/2024

Sample Time

12.5us

All TX Time

92.7125ms

All TX Sample

7417

Duty Cycle

0.927009

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



09/10/2024

Sample Time

12.5us

All TX Time

94.6875ms

All TX Sample

7575

Duty Cycle

0.946757

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



09/10/2024

Sample Time

12.5us

All TX Time

92.1625ms

All TX Sample

7373

Duty Cycle

0.92151

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



09/10/2024

Sample Time

12.5us

All TX Time

93.9125ms

All TX Sample

7513

Duty Cycle

0.939008


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 9.OCT.2024 09:49:00

AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz




Date: 9.OCT.2024 09:50:12

AWGN Bandwidth: 10MHz

802.11be EHT320


Frequency (MHz): 5950 MHz



Date: 9.OCT.2024 09:52:46

AWGN Bandwidth: 10MHz


Frequency (MHz): 6105 MHz



Date: 9.OCT.2024 09:53:56

AWGN Bandwidth: 10MHz


Frequency (MHz): 6260 MHz



Date: 9.OCT.2024 09:54:58

AWGN Bandwidth: 10MHz


Frequency (MHz): 6270 MHz



Date: 9.OCT.2024 09:55:49

AWGN Bandwidth: 10MHz


Frequency (MHz): 6425 MHz



Date: 9.OCT.2024 09:56:40

AWGN Bandwidth: 10MHz


Frequency (MHz): 6430 MHz



Date: 9.OCT.2024 09:58:48

AWGN Bandwidth: 10MHz


Frequency (MHz): 6580 MHz



Date: 9.OCT.2024 09:57:29

AWGN Bandwidth: 10MHz


Frequency (MHz): 6585 MHz



Date: 9.OCT.2024 09:59:36

AWGN Bandwidth: 10MHz


Frequency (MHz): 6740 MHz



Date: 9.OCT.2024 10:00:35

AWGN Bandwidth: 10MHz


Frequency (MHz): 6750 MHz



Date: 9.OCT.2024 10:01:31

AWGN Bandwidth: 10MHz


Frequency (MHz): 6905 MHz



Date: 9.OCT.2024 10:02:20

AWGN Bandwidth: 10MHz


Frequency (MHz): 7060 MHz




Date: 9.OCT.2024 10:03:12

AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -64 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -65dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -67 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -70dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -71dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -64dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -65dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 6105 MHz (Threshold Level: -66dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -67dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -68dBm)

Time Analysis






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.30659G	54.81	68.20	-13.39	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.38141G	23.09	54.00	-30.91	3	Vertical	117	1.78
Mode 1	Pass	AV	5.30659G	54.81	68.20	-13.39	3	Vertical	119	1.74
Mode 1	Pass	AV	7.31782G	31.14	54.00	-22.86	3	Vertical	326	2.88
Mode 1	Pass	PK	4.38141G	35.12	74.00	-38.88	3	Vertical	117	1.78
Mode 1	Pass	PK	5.30659G	73.73	88.20	-14.47	3	Vertical	119	1.74
Mode 1	Pass	PK	7.31782G	43.10	74.00	-30.90	3	Vertical	326	2.88
Mode 1	Pass	AV	4.43447G	23.32	68.20	-44.88	3	Horizontal	99	2.27
Mode 1	Pass	AV	5.28231G	34.53	68.20	-33.67	3	Horizontal	360	1.50
Mode 1	Pass	AV	7.29072G	30.76	54.00	-23.24	3	Horizontal	81	1.45
Mode 1	Pass	PK	4.43447G	34.92	88.20	-53.28	3	Horizontal	99	2.27
Mode 1	Pass	PK	5.28231G	67.59	88.20	-20.61	3	Horizontal	360	1.50
Mode 1	Pass	PK	7.29072G	42.26	74.00	-31.74	3	Horizontal	81	1.45

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.38141G	23.09	54.00	-30.91	5.08	3	Vertical	117	1.78	-	18.01	31.44	7.55	33.91
AV	5.30659G	54.81	68.20	-13.39	6.90	3	Vertical	119	1.74	-	47.91	32.71	8.18	33.99
AV	7.31782G	31.14	54.00	-22.86	11.91	3	Vertical	326	2.88	-	19.23	36.66	9.54	34.29
PK	4.38141G	35.12	74.00	-38.88	5.08	3	Vertical	117	1.78	-	30.04	31.44	7.55	33.91
PK	5.30659G	73.73	88.20	-14.47	6.90	3	Vertical	119	1.74	-	66.83	32.71	8.18	33.99
PK	7.31782G	43.10	74.00	-30.90	11.91	3	Vertical	326	2.88	-	31.19	36.66	9.54	34.29

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.43447G	23.32	68.20	-44.88	5.01	3	Horizontal	99	2.27	-	18.31	31.33	7.60	33.92
AV	5.28231G	34.53	68.20	-33.67	6.92	3	Horizontal	360	1.50	-	27.61	32.74	8.17	33.99
AV	7.29072G	30.76	54.00	-23.24	11.94	3	Horizontal	81	1.45	-	18.82	36.70	9.55	34.31
PK	4.43447G	34.92	88.20	-53.28	5.01	3	Horizontal	99	2.27	-	29.91	31.33	7.60	33.92
PK	5.28231G	67.59	88.20	-20.61	6.92	3	Horizontal	360	1.50	-	60.67	32.74	8.17	33.99
PK	7.29072G	42.26	74.00	-31.74	11.94	3	Horizontal	81	1.45	-	30.32	36.70	9.55	34.31