





11AX20MIMO_Ant8_5785




11AX20MIMO_Ant9_5785






11AX20MIMO_Ant8_5825




11AX20MIMO_Ant9_5825






11AX40MIMO_Ant8_5190




11AX40MIMO_Ant9_5190






11AX40MIMO_Ant8_5230




11AX40MIMO_Ant9_5230






11AX40MIMO_Ant8_5270




11AX40MIMO_Ant9_5270






11AX40MIMO_Ant8_5310




11AX40MIMO_Ant9_5310






11AX40MIMO_Ant8_5510




11AX40MIMO_Ant9_5510






11AX40MIMO_Ant8_5550




11AX40MIMO_Ant9_5550







11AX40MIMO_Ant8_5670




11AX40MIMO_Ant9_5670








11AX40MIMO_Ant8_5795



Date: 7.DEC.2024 21:06:13


11AX40MIMO_Ant9_5795




Date: 7.DEC.2024 21:06:29



11AX80MIMO_Ant8_5210




11AX80MIMO_Ant9_5210






11AX80MIMO_Ant8_5290



Date: 23.JAN.2025 09:29:09


11AX80MIMO_Ant9_5290




Date: 23.JAN.2025 09:29:25



11AX80MIMO_Ant8_5530




11AX80MIMO_Ant9_5530







11AX80MIMO_Ant8_5610




11AX80MIMO_Ant9_5610








11AX160MIMO_Ant8_5250_UNII-1



Date: 23.JAN.2025 09:30:38


11AX160MIMO_Ant9_5250_UNII-1



Date: 23.JAN.2025 09:31:03




11AX160MIMO_Ant8_5250_UNII-2A



Date: 23.JAN.2025 09:30:47


11AX160MIMO_Ant9_5250_UNII-2A



Date: 23.JAN.2025 09:31:13



11AX160MIMO_Ant8_5570



Date: 23.JAN.2025 09:31:35

11AX160MIMO_Ant9_5570



Date: 23.JAN.2025 09:31:51



< Partial RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant8	5180	26Tone	RU0	6.97	≤11.00	PASS
			52Tone	RU37	6.85	≤11.00	PASS
			106Tone	RU53	7.05	≤11.00	PASS
	Ant9	5180	26Tone	RU0	6.37	≤11.00	PASS
			52Tone	RU37	6.87	≤11.00	PASS
			106Tone	RU53	6.73	≤11.00	PASS
	total	5180	26Tone	RU0	9.69	≤11.00	PASS
			52Tone	RU37	9.87	≤11.00	PASS
			106Tone	RU53	9.90	≤11.00	PASS
	Ant8	5220	26Tone	RU0	6.46	≤11.00	PASS
			52Tone	RU37	6.24	≤11.00	PASS
			106Tone	RU53	6.45	≤11.00	PASS
	Ant9	5220	26Tone	RU0	6.39	≤11.00	PASS
			52Tone	RU37	6.31	≤11.00	PASS
			106Tone	RU53	6.26	≤11.00	PASS
	total	5220	26Tone	RU0	9.44	≤11.00	PASS
			52Tone	RU37	9.29	≤11.00	PASS
			106Tone	RU53	9.37	≤11.00	PASS
	Ant8	5240	26Tone	RU8	7.24	≤11.00	PASS
			52Tone	RU40	7.33	≤11.00	PASS
			106Tone	RU54	7.02	≤11.00	PASS
	Ant9	5240	26Tone	RU8	7.60	≤11.00	PASS
			52Tone	RU40	7.53	≤11.00	PASS
			106Tone	RU54	6.77	≤11.00	PASS
	total	5240	26Tone	RU8	10.43	≤11.00	PASS
			52Tone	RU40	10.44	≤11.00	PASS
			106Tone	RU54	9.91	≤11.00	PASS
	Ant8	5260	26Tone	RU0	6.96	≤11.00	PASS
			52Tone	RU37	6.72	≤11.00	PASS
			106Tone	RU53	6.93	≤11.00	PASS
	Ant9	5260	26Tone	RU0	6.96	≤11.00	PASS
			52Tone	RU37	6.91	≤11.00	PASS
			106Tone	RU53	6.81	≤11.00	PASS
	total	5260	26Tone	RU0	9.97	≤11.00	PASS
			52Tone	RU37	9.83	≤11.00	PASS
			106Tone	RU53	9.88	≤11.00	PASS
	Ant8	5300	26Tone	RU0	6.99	≤11.00	PASS
			52Tone	RU37	7.25	≤11.00	PASS
			106Tone	RU53	7.50	≤11.00	PASS
	Ant9	5300	26Tone	RU0	7.24	≤11.00	PASS
			52Tone	RU37	7.57	≤11.00	PASS
			106Tone	RU53	7.44	≤11.00	PASS
	total	5300	26Tone	RU0	10.13	≤11.00	PASS



			52Tone	RU37	10.42	≤11.00	PASS
			106Tone	RU53	10.48	≤11.00	PASS
	Ant8	5320	26Tone	RU8	6.42	≤11.00	PASS
			52Tone	RU40	6.64	≤11.00	PASS
			106Tone	RU54	6.94	≤11.00	PASS
	Ant9	5320	26Tone	RU8	6.79	≤11.00	PASS
			52Tone	RU40	7.04	≤11.00	PASS
			106Tone	RU54	6.94	≤11.00	PASS
	total	5320	26Tone	RU8	9.62	≤11.00	PASS
			52Tone	RU40	9.85	≤11.00	PASS
			106Tone	RU54	9.95	≤11.00	PASS
	Ant8	5500	26Tone	RU0	6.29	≤11.00	PASS
			52Tone	RU37	6.92	≤11.00	PASS
			106Tone	RU53	7.00	≤11.00	PASS
	Ant9	5500	26Tone	RU0	6.87	≤11.00	PASS
			52Tone	RU37	7.36	≤11.00	PASS
			106Tone	RU53	7.26	≤11.00	PASS
	total	5500	26Tone	RU0	9.60	≤11.00	PASS
			52Tone	RU37	10.16	≤11.00	PASS
			106Tone	RU53	10.14	≤11.00	PASS
	Ant8	5580	26Tone	RU0	6.20	≤11.00	PASS
			52Tone	RU37	6.25	≤11.00	PASS
			106Tone	RU53	6.27	≤11.00	PASS
	Ant9	5580	26Tone	RU0	5.85	≤11.00	PASS
			52Tone	RU37	6.43	≤11.00	PASS
			106Tone	RU53	5.98	≤11.00	PASS
	total	5580	26Tone	RU0	9.04	≤11.00	PASS
			52Tone	RU37	9.35	≤11.00	PASS
			106Tone	RU53	9.14	≤11.00	PASS
	Ant8	5700	26Tone	RU8	5.84	≤11.00	PASS
			52Tone	RU40	6.47	≤11.00	PASS
			106Tone	RU54	6.68	≤11.00	PASS
	Ant9	5700	26Tone	RU8	6.15	≤11.00	PASS
			52Tone	RU40	6.41	≤11.00	PASS
			106Tone	RU54	6.08	≤11.00	PASS
	total	5700	26Tone	RU8	9.01	≤11.00	PASS
			52Tone	RU40	9.45	≤11.00	PASS
			106Tone	RU54	9.40	≤11.00	PASS
	Ant8	5745	26Tone	RU0	3.77	≤30.00	PASS
			52Tone	RU37	3.50	≤30.00	PASS
			106Tone	RU53	3.67	≤30.00	PASS
	Ant9	5745	26Tone	RU0	2.77	≤30.00	PASS
			52Tone	RU37	3.44	≤30.00	PASS
			106Tone	RU53	3.17	≤30.00	PASS
	total	5745	26Tone	RU0	6.31	≤30.00	PASS
			52Tone	RU37	6.48	≤30.00	PASS
			106Tone	RU53	6.44	≤30.00	PASS
	Ant8	5785	26Tone	RU0	3.90	≤30.00	PASS
			52Tone	RU37	4.13	≤30.00	PASS
			106Tone	RU53	3.80	≤30.00	PASS




	Ant9	5785	26Tone	RU0	3.83	≤30.00	PASS
			52Tone	RU37	3.85	≤30.00	PASS
			106Tone	RU53	3.44	≤30.00	PASS
	total	5785	26Tone	RU0	6.88	≤30.00	PASS
			52Tone	RU37	7.00	≤30.00	PASS
			106Tone	RU53	6.63	≤30.00	PASS
	Ant8	5825	26Tone	RU8	3.65	≤30.00	PASS
			52Tone	RU40	3.89	≤30.00	PASS
			106Tone	RU54	3.65	≤30.00	PASS
	Ant9	5825	26Tone	RU8	3.61	≤30.00	PASS
			52Tone	RU40	3.59	≤30.00	PASS
			106Tone	RU54	3.33	≤30.00	PASS
	total	5825	26Tone	RU8	6.64	≤30.00	PASS
			52Tone	RU40	6.75	≤30.00	PASS
			106Tone	RU54	6.50	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20MIMO_Ant8_5180_106Tone_RU53




11AX20MIMO_Ant9_5180_26Tone_RU0






11AX20MIMO_Ant9_5180_52Tone_RU37




11AX20MIMO_Ant9_5180_106Tone_RU53






11AX20MIMO_Ant8_5220_26Tone_RU0




11AX20MIMO_Ant8_5220_52Tone_RU37






11AX20MIMO_Ant8_5220_106Tone_RU53




11AX20MIMO_Ant9_5220_26Tone_RU0






11AX20MIMO_Ant9_5220_52Tone_RU37




11AX20MIMO_Ant9_5220_106Tone_RU53






11AX20MIMO_Ant8_5240_26Tone_RU8




11AX20MIMO_Ant8_5240_52Tone_RU40






11AX20MIMO_Ant8_5240_106Tone_RU54




11AX20MIMO_Ant9_5240_26Tone_RU8






11AX20MIMO_Ant9_5240_52Tone_RU40




11AX20MIMO_Ant9_5240_106Tone_RU54






11AX20MIMO_Ant8_5260_26Tone_RU0




11AX20MIMO_Ant8_5260_52Tone_RU37






11AX20MIMO_Ant8_5260_106Tone_RU53




11AX20MIMO_Ant9_5260_26Tone_RU0






11AX20MIMO_Ant9_5260_52Tone_RU37




11AX20MIMO_Ant9_5260_106Tone_RU53






11AX20MIMO_Ant8_5300_26Tone_RU0




11AX20MIMO_Ant8_5300_52Tone_RU37






11AX20MIMO_Ant8_5300_106Tone_RU53




11AX20MIMO_Ant9_5300_26Tone_RU0






11AX20MIMO_Ant9_5300_52Tone_RU37




11AX20MIMO_Ant9_5300_106Tone_RU53






11AX20MIMO_Ant8_5320_26Tone_RU8




11AX20MIMO_Ant8_5320_52Tone_RU40






11AX20MIMO_Ant8_5320_106Tone_RU54




11AX20MIMO_Ant9_5320_26Tone_RU8






11AX20MIMO_Ant9_5320_52Tone_RU40




11AX20MIMO_Ant9_5320_106Tone_RU54






11AX20MIMO_Ant8_5500_26Tone_RU0




11AX20MIMO_Ant8_5500_52Tone_RU37






11AX20MIMO_Ant8_5500_106Tone_RU53




11AX20MIMO_Ant9_5500_26Tone_RU0






11AX20MIMO_Ant9_5500_52Tone_RU37




11AX20MIMO_Ant9_5500_106Tone_RU53






11AX20MIMO_Ant8_5580_26Tone_RU0




11AX20MIMO_Ant8_5580_52Tone_RU37






11AX20MIMO_Ant8_5580_106Tone_RU53




11AX20MIMO_Ant9_5580_26Tone_RU0






11AX20MIMO_Ant9_5580_52Tone_RU37




11AX20MIMO_Ant9_5580_106Tone_RU53






11AX20MIMO_Ant8_5700_26Tone_RU8




11AX20MIMO_Ant8_5700_52Tone_RU40






11AX20MIMO_Ant8_5700_106Tone_RU54




11AX20MIMO_Ant9_5700_26Tone_RU8







11AX20MIMO_Ant9_5700_52Tone_RU40




11AX20MIMO_Ant9_5700_106Tone_RU54








11AX20MIMO_Ant8_5745_106Tone_RU53




11AX20MIMO_Ant9_5745_26Tone_RU0






11AX20MIMO_Ant9_5745_52Tone_RU37




11AX20MIMO_Ant9_5745_106Tone_RU53






11AX20MIMO_Ant8_5785_26Tone_RU0




11AX20MIMO_Ant8_5785_52Tone_RU37






11AX20MIMO_Ant8_5785_106Tone_RU53




11AX20MIMO_Ant9_5785_26Tone_RU0






11AX20MIMO_Ant9_5785_52Tone_RU37




11AX20MIMO_Ant9_5785_106Tone_RU53






11AX20MIMO_Ant8_5825_26Tone_RU8




11AX20MIMO_Ant8_5825_52Tone_RU40







11AX20MIMO_Ant8_5825_106Tone_RU54



11AX20MIMO_Ant9_5825_26Tone_RU8








Appendix B. AC Conducted Emission Test Results

Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15E_QP LISN_2024-L-1 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	36.68	-19.19	55.87	17.00	9.67	10.01	Average
2	0.15	48.18	-17.69	65.87	28.50	9.67	10.01	QP
3	0.21	31.10	-22.26	53.36	11.40	9.68	10.02	Average
4	0.21	44.10	-19.26	63.36	24.40	9.68	10.02	QP
5	0.52	23.24	-22.76	46.00	3.50	9.63	10.11	Average
6	0.52	37.54	-18.46	56.00	17.80	9.63	10.11	QP
7	0.60	31.88	-14.12	46.00	12.10	9.65	10.13	Average
8 *	0.60	44.78	-11.22	56.00	25.00	9.65	10.13	QP
9	1.30	21.40	-24.60	46.00	1.50	9.65	10.25	Average
10	1.30	34.50	-21.50	56.00	14.60	9.65	10.25	QP
11	3.35	19.96	-26.04	46.00	0.01	9.66	10.29	Average
12	3.35	31.26	-24.74	56.00	11.31	9.66	10.29	QP



Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15E_QP LISN_2024-N-1 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	39.84	-16.12	55.96	20.09	9.74	10.01	Average
2	0.15	52.04	-13.92	65.96	32.29	9.74	10.01	QP
3	0.20	33.51	-20.11	53.62	13.80	9.69	10.02	Average
4	0.20	46.41	-17.21	63.62	26.70	9.69	10.02	QP
5	0.25	27.71	-23.98	51.69	7.99	9.68	10.04	Average
6	0.25	39.01	-22.68	61.69	19.29	9.68	10.04	QP
7	0.60	34.52	-11.48	46.00	14.70	9.69	10.13	Average
8 *	0.60	44.62	-11.38	56.00	24.80	9.69	10.13	QP
9	1.73	22.38	-23.62	46.00	2.39	9.69	10.30	Average
10	1.73	33.78	-22.22	56.00	13.79	9.69	10.30	QP
11	8.11	21.25	-28.75	50.00	1.20	9.63	10.42	Average
12	8.11	27.55	-32.45	60.00	7.50	9.63	10.42	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	8+9	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	8+9	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	8+9	802.11a	48	5240	6Mbps	-	-
Mode 11	U-NII-1	5.15-5.25	8+9	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 12	U-NII-1	5.15-5.25	8+9	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 13	U-NII-1	5.15-5.25	8+9	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 14	U-NII-1	5.15-5.25	8+9	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 15	U-NII-1	5.15-5.25	8+9	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 16	U-NII-1	5.15-5.25	8+9	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 17	U-NII-1	5.15-5.25	8+9	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 18	U-NII-1	5.15-5.25	8+9	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 19	U-NII-1	5.15-5.25	8+9	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 20	U-NII-1	5.15-5.25	8+9	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 21	U-NII-2A	5.25-5.35	8+9	802.11a	52	5260	6Mbps	-	-
Mode 22	U-NII-2A	5.25-5.35	8+9	802.11a	60	5300	6Mbps	-	-
Mode 23	U-NII-2A	5.25-5.35	8+9	802.11a	64	5320	6Mbps	-	-
Mode 30	U-NII-2A	5.25-5.35	8+9	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 31	U-NII-2A	5.25-5.35	8+9	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 32	U-NII-2A	5.25-5.35	8+9	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 33	U-NII-2A	5.25-5.35	8+9	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 34	U-NII-2A	5.25-5.35	8+9	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 35	U-NII-2A	5.25-5.35	8+9	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 36	U-NII-2A	5.25-5.35	8+9	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 37	U-NII-2A	5.25-5.35	8+9	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 38	U-NII-2A	5.25-5.35	8+9	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 39	U-NII-2C	5.47-5.725	8+9	802.11a	100	5500	6Mbps	-	-
Mode 40	U-NII-2C	5.47-5.725	8+9	802.11a	116	5580	6Mbps	-	-
Mode 41	U-NII-2C	5.47-5.725	8+9	802.11a	140	5700	6Mbps	-	-
Mode 51	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 52	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 53	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 54	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 55	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 56	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 57	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 58	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 59	U-NII-2C	5.47-5.725	8+9	802.11ax HE20	140	5700	MCS0	RU106/54	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 60	U-NII-2C	5.47-5.725	8+9	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 61	U-NII-2C	5.47-5.725	8+9	802.11ax HE40	110	5550	MCS0	Full RU	-
Mode 62	U-NII-2C	5.47-5.725	8+9	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 63	U-NII-2C	5.47-5.725	8+9	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 64	U-NII-2C	5.47-5.725	8+9	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 65	U-NII-2C	5.47-5.725	8+9	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 66	U-NII-3	5.725-5.85	8+9	802.11a	149	5745	6Mbps	-	-
Mode 67	U-NII-3	5.725-5.85	8+9	802.11a	157	5785	6Mbps	-	-
Mode 68	U-NII-3	5.725-5.85	8+9	802.11a	165	5825	6Mbps	-	-
Mode 69	U-NII-3	5.725-5.85	8+9	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 70	U-NII-3	5.725-5.85	8+9	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 71	U-NII-3	5.725-5.85	8+9	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 72	U-NII-3	5.725-5.85	8+9	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 73	U-NII-3	5.725-5.85	8+9	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 74	U-NII-3	5.725-5.85	8+9	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 75	U-NII-3	5.725-5.85	8+9	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 76	U-NII-3	5.725-5.85	8+9	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 77	U-NII-3	5.725-5.85	8+9	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 78	U-NII-3	5.725-5.85	8+9	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 79	U-NII-3	5.725-5.85	8+9	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 80	U-NII-3	5.725-5.85	8+9	802.11ax HE20	165	5825	MCS0	RU106/54	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5146.41	52.96	54.00	-1.04	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.08	68.20	-22.12	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.31	68.20	-21.89	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	45.94	68.20	-22.26	V	PEAK	Pass	Harmonic
11	802.11ax HE20	36	5150.00	53.34	54.00	-0.66	H	AVERAGE	Pass	Band Edge
11	802.11ax HE20	36	10360.00	45.26	68.20	-22.94	V	PEAK	Pass	Harmonic
12	802.11ax HE20	36	5136.70	44.02	54.00	-9.98	H	AVERAGE	Pass	Band Edge
12	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	36	5149.90	44.42	54.00	-9.58	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20	36	5142.10	47.86	54.00	-6.14	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	44	10440.00	46.34	68.20	-21.86	H	PEAK	Pass	Harmonic
16	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	48	10480.00	45.93	68.20	-22.27	V	PEAK	Pass	Harmonic
17	802.11ax HE40	38	5150.00	51.04	54.00	-2.96	H	AVERAGE	Pass	Band Edge
17	802.11ax HE40	38	10380.00	45.69	68.20	-22.51	H	PEAK	Pass	Harmonic
18	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE40	46	10460.00	46.48	68.20	-21.72	V	PEAK	Pass	Harmonic
19	802.11ax HE80	42	5143.45	52.28	54.00	-1.72	H	AVERAGE	Pass	Band Edge
19	802.11ax HE80	42	10420.00	46.90	68.20	-21.30	V	PEAK	Pass	Harmonic
20	802.11ax HE160	50	5382.82	53.38	54.00	-0.62	H	AVERAGE	Pass	Band Edge
20	802.11ax HE160	50	10500.00	46.82	68.20	-21.38	H	PEAK	Pass	Harmonic
21	802.11a	52	-	-	-	-	-	-	-	Band Edge
21	802.11a	52	10520.00	46.00	68.20	-22.20	H	PEAK	Pass	Harmonic
22	802.11a	60	-	-	-	-	-	-	-	Band Edge
22	802.11a	60	7066.65	49.21	68.20	-18.99	V	PEAK	Pass	Harmonic
23	802.11a	64	5350.55	50.01	54.00	-3.99	H	AVERAGE	Pass	Band Edge
23	802.11a	64	7093.32	48.82	68.20	-19.38	V	PEAK	Pass	Harmonic
30	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	52	7013.32	47.35	68.20	-20.85	V	PEAK	Pass	Harmonic
31	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE20	60	7066.65	48.68	68.20	-19.52	V	PEAK	Pass	Harmonic
32	802.11ax HE20	64	5350.95	50.44	54.00	-3.56	H	AVERAGE	Pass	Band Edge
32	802.11ax HE20	64	7093.32	48.59	68.20	-19.61	V	PEAK	Pass	Harmonic
33	802.11ax HE20	64	5361.40	42.48	54.00	-11.52	V	AVERAGE	Pass	Band Edge
33	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
34	802.11ax HE20	64	5353.70	43.23	54.00	-10.77	H	AVERAGE	Pass	Band Edge
34	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE20	64	5354.90	65.79	74.00	-8.21	V	PEAK	Pass	Band Edge
35	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
36	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	54	7026.65	46.27	68.20	-21.93	V	PEAK	Pass	Harmonic
37	802.11ax HE40	62	5352.19	53.24	54.00	-0.76	H	AVERAGE	Pass	Band Edge
37	802.11ax HE40	62	7079.98	48.85	68.20	-19.35	V	PEAK	Pass	Harmonic
38	802.11ax HE80	58	5351.23	53.37	54.00	-0.63	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	58	7053.32	47.30	68.20	-20.90	V	PEAK	Pass	Harmonic
39	802.11a	100	5457.39	45.55	54.00	-8.45	H	AVERAGE	Pass	Band Edge
39	802.11a	100	11000.00	47.22	74.00	-26.78	V	PEAK	Pass	Harmonic
40	802.11a	116	-	-	-	-	-	-	-	Band Edge
40	802.11a	116	11160.00	47.48	74.00	-26.52	H	PEAK	Pass	Harmonic
41	802.11a	140	5726.96	59.25	68.20	-8.95	H	PEAK	Pass	Band Edge
41	802.11a	140	11400.00	46.77	74.00	-27.23	H	PEAK	Pass	Harmonic
51	802.11ax HE20	100	5459.53	47.32	54.00	-6.68	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	100	7701.80	44.41	54.00	-9.59	V	Average	Pass	Harmonic
52	802.11ax HE20	100	5455.12	42.74	54.00	-11.26	H	AVERAGE	Pass	Band Edge
52	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	100	5459.76	43.28	54.00	-10.72	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	100	5466.80	65.87	68.20	-2.33	H	PEAK	Pass	Band Edge
54	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE20	116	7812.00	48.11	68.20	-20.09	H	PEAK	Pass	Harmonic
56	802.11ax HE20	140	5726.16	60.53	68.20	-7.67	V	PEAK	Pass	Band Edge
56	802.11ax HE20	140	7980.00	45.15	68.20	-23.05	H	PEAK	Pass	Harmonic
57	802.11ax HE20	140	5751.24	55.63	68.20	-12.57	H	PEAK	Pass	Band Edge
57	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	140	5756.92	56.63	68.20	-11.57	V	PEAK	Pass	Band Edge
58	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	140	5734.36	64.29	68.20	-3.91	V	PEAK	Pass	Band Edge
59	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE40	102	5454.25	47.71	54.00	-6.29	H	AVERAGE	Pass	Band Edge
60	802.11ax HE40	102	7714.00	47.30	74.00	-26.70	H	PEAK	Pass	Harmonic
61	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE40	110	7770.00	45.50	68.20	-22.70	H	PEAK	Pass	Harmonic
62	802.11ax HE40	134	5452.01	45.61	54.00	-8.39	V	AVERAGE	Pass	Band Edge
62	802.11ax HE40	134	7938.00	44.71	68.20	-23.49	H	PEAK	Pass	Harmonic
63	802.11ax HE80	106	5453.73	52.83	54.00	-1.17	H	AVERAGE	Pass	Band Edge
63	802.11ax HE80	106	11060.00	47.36	74.00	-26.64	H	PEAK	Pass	Harmonic
64	802.11ax HE80	122	5454.89	46.66	54.00	-7.34	H	AVERAGE	Pass	Band Edge
64	802.11ax HE80	122	7854.00	45.38	68.20	-22.82	H	PEAK	Pass	Harmonic
65	802.11ax HE160	114	5453.08	52.93	54.00	-1.07	H	AVERAGE	Pass	Band Edge
65	802.11ax HE160	114	7798.00	43.03	68.20	-25.17	H	PEAK	Pass	Harmonic
66	802.11a	149	5614.40	57.36	68.20	-10.84	H	PEAK	Pass	Band Edge
66	802.11a	149	11490.00	47.16	74.00	-26.84	V	PEAK	Pass	Harmonic
67	802.11a	157	-	-	-	-	-	-	-	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
67	802.11a	157	11570.00	47.83	74.00	-26.17	H	PEAK	Pass	Harmonic
68	802.11a	165	5969.60	57.81	68.20	-10.39	V	PEAK	Pass	Band Edge
68	802.11a	165	11650.00	46.77	74.00	-27.23	H	PEAK	Pass	Harmonic
69	802.11ax HE20	149	5617.20	56.72	68.20	-11.48	H	PEAK	Pass	Band Edge
69	802.11ax HE20	149	11490.00	47.01	74.00	-26.99	V	PEAK	Pass	Harmonic
70	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
70	802.11ax HE20	157	11570.00	47.69	74.00	-26.31	H	PEAK	Pass	Harmonic
71	802.11ax HE20	165	5947.60	57.81	68.20	-10.39	V	PEAK	Pass	Band Edge
71	802.11ax HE20	165	11650.00	47.61	74.00	-26.39	H	PEAK	Pass	Harmonic
72	802.11ax HE40	151	5621.86	57.72	68.20	-10.48	H	PEAK	Pass	Band Edge
72	802.11ax HE40	151	11510.00	47.45	74.00	-26.55	H	PEAK	Pass	Harmonic
73	802.11ax HE40	159	5928.40	57.69	68.20	-10.51	V	PEAK	Pass	Band Edge
73	802.11ax HE40	159	11590.00	46.97	74.00	-27.03	V	PEAK	Pass	Harmonic
74	802.11ax HE80	155	5650.00	61.21	68.20	-6.99	H	PEAK	Pass	Band Edge
74	802.11ax HE80	155	11550.00	46.61	74.00	-27.39	V	PEAK	Pass	Harmonic
75	802.11ax HE20	149	5606.00	55.23	68.20	-12.97	H	PEAK	Pass	Band Edge
75	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
76	802.11ax HE20	165	5952.40	55.70	68.20	-12.50	V	PEAK	Pass	Band Edge
76	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
77	802.11ax HE20	149	5609.20	55.52	68.20	-12.68	V	PEAK	Pass	Band Edge
77	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
78	802.11ax HE20	165	5929.60	55.72	68.20	-12.48	V	PEAK	Pass	Band Edge
78	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
79	802.11ax HE20	149	5642.40	53.84	68.20	-14.36	H	PEAK	Pass	Band Edge
79	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
80	802.11ax HE20	165	5929.60	56.19	68.20	-12.01	H	PEAK	Pass	Band Edge
80	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	8+9																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.45</td><td>63.59</td><td>74.00</td><td>-10.41</td><td>47.27</td><td>34.15</td><td>12.03</td><td>29.86</td><td>0.00</td><td>106</td><td>35</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.45	63.59	74.00	-10.41	47.27	34.15	12.03	29.86	0.00	106	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5136.45	63.59	74.00	-10.41	47.27	34.15	12.03	29.86	0.00	106	35	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.74</td><td>-----</td><td>-----</td><td>97.38</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>106</td><td>35</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.74	-----	-----	97.38	34.19	12.05	29.88	0.00	106	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	113.74	-----	-----	97.38	34.19	12.05	29.88	0.00	106	35	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.41</td><td>52.96</td><td>54.00</td><td>-1.04</td><td>36.69</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>106</td><td>35</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.41	52.96	54.00	-1.04	36.69	34.11	12.03	29.87	0.00	106	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.41	52.96	54.00	-1.04	36.69	34.11	12.03	29.87	0.00	106	35	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.30</td><td>-----</td><td>-----</td><td>90.90</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>106</td><td>35</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.30	-----	-----	90.90	34.22	12.06	29.88	0.00	106	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	107.30	-----	-----	90.90	34.22	12.06	29.88	0.00	106	35	AVERAGE																																											





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	8+9																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.95</td><td>57.44</td><td>74.00</td><td>-16.56</td><td>41.17</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.95	57.44	74.00	-16.56	41.17	34.11	12.03	29.87	0.00	100	252	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.52</td><td>-----</td><td>-----</td><td>90.16</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	106.52	-----	-----	90.16	34.19	12.05	29.88	0.00	100	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5147.95	57.44	74.00	-16.56	41.17	34.11	12.03	29.87	0.00	100	252	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5180.00	106.52	-----	-----	90.16	34.19	12.05	29.88	0.00	100	252	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.68</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>30.69</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>252</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.68	46.96	54.00	-7.04	30.69	34.11	12.03	29.87	0.00	100	252	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.45</td><td>-----</td><td>-----</td><td>83.05</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>252</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	99.45	-----	-----	83.05	34.22	12.06	29.88	0.00	100	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5147.68	46.96	54.00	-7.04	30.69	34.11	12.03	29.87	0.00	100	252	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5180.00	99.45	-----	-----	83.05	34.22	12.06	29.88	0.00	100	252	AVERAGE																																																																																							





Mode	1																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	8+9																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.46</td><td>68.20</td><td>-22.74</td><td>57.00</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.46	68.20	-22.74	57.00	37.46	17.54	66.54	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.08</td><td>68.20</td><td>-22.12</td><td>57.62</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.08	68.20	-22.12	57.62	37.46	17.54	66.54	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	45.46	68.20	-22.74	57.00	37.46	17.54	66.54	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	46.08	68.20	-22.12	57.62	37.46	17.54	66.54	0.00	--	PEAK																																																																																							







Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																	
ANT	8+9																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.37</td><td>68.20</td><td>-22.83</td><td>56.78</td><td>37.53</td><td>17.61</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	45.37	68.20	-22.83	56.78	37.53	17.61	66.55	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>46.31</td><td>68.20</td><td>-21.89</td><td>57.71</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.31	68.20	-21.89	57.71	37.54	17.61	66.55	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10440.00	45.37	68.20	-22.83	56.78	37.53	17.61	66.55	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10440.00	46.31	68.20	-21.89	57.71	37.54	17.61	66.55	0.00	--	PEAK																																																																																							



Mode	3																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																									
ANT	8+9																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>45.72</td><td>68.20</td><td>-22.48</td><td>59.16</td><td>37.66</td><td>14.21</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10400.00	45.72	68.20	-22.48	59.16	37.66	14.21	65.31	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>45.94</td><td>68.20</td><td>-22.26</td><td>59.39</td><td>37.65</td><td>14.21</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10400.00	45.94	68.20	-22.26	59.39	37.65	14.21	65.31	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10400.00	45.72	68.20	-22.48	59.16	37.66	14.21	65.31	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10400.00	45.94	68.20	-22.26	59.39	37.65	14.21	65.31	0.00	---	---	PEAK																																																																																														



Mode	11																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																														
ANT	8+9																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.15</td><td>67.62</td><td>74.00</td><td>-6.38</td><td>51.34</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>105</td><td>208</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.15	67.62	74.00	-6.38	51.34	34.12	12.03	29.87	0.00	105	208	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>114.16</td><td>-----</td><td>-----</td><td>97.76</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>105</td><td>208</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	114.16	-----	-----	97.76	34.22	12.06	29.88	0.00	105	208
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5144.15	67.62	74.00	-6.38	51.34	34.12	12.03	29.87	0.00	105	208	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	114.16	-----	-----	97.76	34.22	12.06	29.88	0.00	105	208	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>53.34</td><td>54.00</td><td>-0.66</td><td>37.08</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>105</td><td>208</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	53.34	54.00	-0.66	37.08	34.10	12.03	29.87	0.00	105	208	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.73</td><td>-----</td><td>-----</td><td>89.33</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>105</td><td>208</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.73	-----	-----	89.33	34.22	12.06	29.88	0.00	105	208
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	53.34	54.00	-0.66	37.08	34.10	12.03	29.87	0.00	105	208	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	105.73	-----	-----	89.33	34.22	12.06	29.88	0.00	105	208	AVERAGE																																																																																																			