











Mode	66																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																							
ANT	8+9																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5614.40</td><td>57.36</td><td>68.20 -10.84</td><td>40.06</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr><tr><td>2 5650.00</td><td>53.77</td><td>68.20 -14.43</td><td>36.45</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr><tr><td>3 5700.80</td><td>56.27</td><td>105.52 -49.25</td><td>39.02</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr><tr><td>4 5720.40</td><td>58.23</td><td>111.81 -53.58</td><td>40.87</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5614.40	57.36	68.20 -10.84	40.06	34.53	12.54	29.77	0.00	100	221 PEAK	2 5650.00	53.77	68.20 -14.43	36.45	34.60	12.58	29.86	0.00	100	221 PEAK	3 5700.80	56.27	105.52 -49.25	39.02	34.60	12.65	30.00	0.00	100	221 PEAK	4 5720.40	58.23	111.81 -53.58	40.87	34.64	12.67	29.95	0.00	100	221 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>114.18</td><td>-----</td><td>96.71</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	114.18	-----	96.71	34.68	12.69	29.90	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5614.40	57.36	68.20 -10.84	40.06	34.53	12.54	29.77	0.00	100	221 PEAK																																																																																																															
2 5650.00	53.77	68.20 -14.43	36.45	34.60	12.58	29.86	0.00	100	221 PEAK																																																																																																															
3 5700.80	56.27	105.52 -49.25	39.02	34.60	12.65	30.00	0.00	100	221 PEAK																																																																																																															
4 5720.40	58.23	111.81 -53.58	40.87	34.64	12.67	29.95	0.00	100	221 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 5745.00	114.18	-----	96.71	34.68	12.69	29.90	0.00	100	221 PEAK																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>106.97</td><td>-----</td><td>89.47</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>221 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	106.97	-----	89.47	34.69	12.70	29.89	0.00	100	221 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 5745.00	106.97	-----	89.47	34.69	12.70	29.89	0.00	100	221 AVERAGE																																																																																																															







Mode	66																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	8+9																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>56.37</td><td>68.20</td><td>-11.83</td><td>39.08</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.50</td><td>68.00</td><td>-12.30</td><td>39.19</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>62.89</td><td>110.56</td><td>-47.67</td><td>45.53</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.01</td><td>110.90</td><td>-53.89</td><td>39.65</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5606.00	56.37	68.20	-11.83	39.08	34.51	12.53	29.75	0.00	100	113	PEAK	2	5650.00	56.50	68.00	-12.30	39.19	34.60	12.58	29.87	0.00	100	113	PEAK	3	5718.00	62.89	110.56	-47.67	45.53	34.64	12.67	29.95	0.00	100	113	PEAK	4	5720.00	57.01	110.90	-53.89	39.65	34.64	12.67	29.95	0.00	100	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.74</td><td>-----</td><td>-----</td><td>94.24</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.74	-----	-----	94.24	34.69	12.70	29.89	0.00	100	113	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5606.00	56.37	68.20	-11.83	39.08	34.51	12.53	29.75	0.00	100	113	PEAK																																																																																																																															
2	5650.00	56.50	68.00	-12.30	39.19	34.60	12.58	29.87	0.00	100	113	PEAK																																																																																																																															
3	5718.00	62.89	110.56	-47.67	45.53	34.64	12.67	29.95	0.00	100	113	PEAK																																																																																																																															
4	5720.00	57.01	110.90	-53.89	39.65	34.64	12.67	29.95	0.00	100	113	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	111.74	-----	-----	94.24	34.69	12.70	29.89	0.00	100	113	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.33</td><td>-----</td><td>-----</td><td>86.83</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.33	-----	-----	86.83	34.69	12.70	29.89	0.00	100	113	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	104.33	-----	-----	86.83	34.69	12.70	29.89	0.00	100	113	AVERAGE																																																																																																																															






Mode	66																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	8+9																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8043.00</td><td>42.47</td><td>74.00</td><td>-31.53</td><td>60.83</td><td>35.80</td><td>12.44</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.00</td><td>74.00</td><td>-26.92</td><td>58.10</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8043.00	42.47	74.00	-31.53	60.83	35.80	12.44	66.60	0.00	---	---	PEAK	2	11490.00	47.00	74.00	-26.92	58.10	38.19	14.91	64.12	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8043.00</td><td>42.18</td><td>74.00</td><td>-31.82</td><td>60.54</td><td>35.80</td><td>12.44</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>58.18</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8043.00	42.18	74.00	-31.82	60.54	35.80	12.44	66.60	0.00	---	---	PEAK	2	11490.00	47.16	74.00	-26.84	58.18	38.19	14.91	64.12	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8043.00	42.47	74.00	-31.53	60.83	35.80	12.44	66.60	0.00	---	---	PEAK																																																																																																																		
2	11490.00	47.00	74.00	-26.92	58.10	38.19	14.91	64.12	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8043.00	42.18	74.00	-31.82	60.54	35.80	12.44	66.60	0.00	---	---	PEAK																																																																																																																		
2	11490.00	47.16	74.00	-26.84	58.18	38.19	14.91	64.12	0.00	---	---	PEAK																																																																																																																		



Mode	67																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																					
ANT	8+9																																																																					
Pol.	Horizontal												Vertical																																																									
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8099.00</td><td>43.25</td><td>74.00</td><td>-30.75</td><td>61.64</td><td>35.80</td><td>12.44</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>58.82</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8099.00	43.25	74.00	-30.75	61.64	35.80	12.44	66.63	0.00	---	---	PEAK	2	11570.00	47.83	74.00	-26.17	58.82	38.27	14.97	64.23	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	8099.00	43.25	74.00	-30.75	61.64	35.80	12.44	66.63	0.00	---	---	PEAK																																																										
2	11570.00	47.83	74.00	-26.17	58.82	38.27	14.97	64.23	0.00	---	---	PEAK																																																										
																																																																						
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8099.00</td><td>42.92</td><td>74.00</td><td>-31.08</td><td>61.31</td><td>35.80</td><td>12.44</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>57.24</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8099.00	42.92	74.00	-31.08	61.31	35.80	12.44	66.63	0.00	---	---	PEAK	2	11570.00	46.25	74.00	-27.75	57.24	38.27	14.97	64.23	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	8099.00	42.92	74.00	-31.08	61.31	35.80	12.44	66.63	0.00	---	---	PEAK																																																										
2	11570.00	46.25	74.00	-27.75	57.24	38.27	14.97	64.23	0.00	---	---	PEAK																																																										




Mode	68																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	8+9																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>57.90</td><td>111.36</td><td>-53.46</td><td>40.03</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>218</td><td>PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>57.87</td><td>107.03</td><td>-49.16</td><td>39.90</td><td>34.91</td><td>12.89</td><td>29.83</td><td>0.00</td><td>100</td><td>218</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.50</td><td>68.94</td><td>-13.44</td><td>37.27</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>218</td><td>PEAK</td></tr><tr><td>4</td><td>5954.00</td><td>57.28</td><td>68.20</td><td>-10.92</td><td>38.98</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>100</td><td>218</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	57.90	111.36	-53.46	40.03	34.83	12.86	29.82	0.00	100	218	PEAK	2	5868.00	57.87	107.03	-49.16	39.90	34.91	12.89	29.83	0.00	100	218	PEAK	3	5924.00	55.50	68.94	-13.44	37.27	35.10	12.98	29.85	0.00	100	218	PEAK	4	5954.00	57.28	68.20	-10.92	38.98	35.10	13.03	29.83	0.00	100	218	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.60</td><td>-----</td><td>-----</td><td>95.77</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>218</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	113.60	-----	-----	95.77	34.80	12.81	29.78	0.00	100	218	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.00	57.90	111.36	-53.46	40.03	34.83	12.86	29.82	0.00	100	218	PEAK																																																																																																																															
2	5868.00	57.87	107.03	-49.16	39.90	34.91	12.89	29.83	0.00	100	218	PEAK																																																																																																																															
3	5924.00	55.50	68.94	-13.44	37.27	35.10	12.98	29.85	0.00	100	218	PEAK																																																																																																																															
4	5954.00	57.28	68.20	-10.92	38.98	35.10	13.03	29.83	0.00	100	218	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	113.60	-----	-----	95.77	34.80	12.81	29.78	0.00	100	218	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.45</td><td>-----</td><td>-----</td><td>88.62</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>218</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.45	-----	-----	88.62	34.80	12.81	29.78	0.00	100	218	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	106.45	-----	-----	88.62	34.80	12.81	29.78	0.00	100	218	AVERAGE																																																																																																																															






Mode	68																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																							
ANT	8+9																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>61.06</td><td>112.27</td><td>-51.21</td><td>43.19</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>2 5874.40</td><td>56.86</td><td>105.47</td><td>-48.61</td><td>38.85</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>3 5924.40</td><td>56.13</td><td>68.64</td><td>-12.51</td><td>37.90</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>4 5969.60</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>39.46</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	61.06	112.27	-51.21	43.19	34.83	12.86	29.82	0.00	100	289 PEAK	2 5874.40	56.86	105.47	-48.61	38.85	34.95	12.90	29.84	0.00	100	289 PEAK	3 5924.40	56.13	68.64	-12.51	37.90	35.10	12.98	29.85	0.00	100	289 PEAK	4 5969.60	57.81	68.20	-10.39	39.46	35.10	13.06	29.81	0.00	100	289 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	61.06	112.27	-51.21	43.19	34.83	12.86	29.82	0.00	100	289 PEAK																																																																														
2 5874.40	56.86	105.47	-48.61	38.85	34.95	12.90	29.84	0.00	100	289 PEAK																																																																														
3 5924.40	56.13	68.64	-12.51	37.90	35.10	12.98	29.85	0.00	100	289 PEAK																																																																														
4 5969.60	57.81	68.20	-10.39	39.46	35.10	13.06	29.81	0.00	100	289 PEAK																																																																														
Avg	Blank																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.33</td><td>-----</td><td>-----</td><td>94.50</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.33	-----	-----	94.50	34.80	12.81	29.78	0.00	100	289 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	112.33	-----	-----	94.50	34.80	12.81	29.78	0.00	100	289 PEAK																																																																														






Mode	68																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																					
ANT	8+9																																																																					
Pol.	Horizontal												Vertical																																																									
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8155.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>60.66</td><td>35.80</td><td>12.45</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>57.76</td><td>38.35</td><td>15.02</td><td>64.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8155.00	42.26	74.00	-31.74	60.66	35.80	12.45	66.65	0.00	---	---	PEAK	2	11650.00	46.77	74.00	-27.23	57.76	38.35	15.02	64.36	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	8155.00	42.26	74.00	-31.74	60.66	35.80	12.45	66.65	0.00	---	---	PEAK																																																										
2	11650.00	46.77	74.00	-27.23	57.76	38.35	15.02	64.36	0.00	---	---	PEAK																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8155.00</td><td>42.32</td><td>74.00</td><td>-31.68</td><td>60.72</td><td>35.80</td><td>12.45</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>57.41</td><td>38.35</td><td>15.02</td><td>64.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8155.00	42.32	74.00	-31.68	60.72	35.80	12.45	66.65	0.00	---	---	PEAK	2	11650.00	46.42	74.00	-27.58	57.41	38.35	15.02	64.36	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	8155.00	42.32	74.00	-31.68	60.72	35.80	12.45	66.65	0.00	---	---	PEAK																																																										
2	11650.00	46.42	74.00	-27.58	57.41	38.35	15.02	64.36	0.00	---	---	PEAK																																																										





Mode	69																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																						
ANT	8+9																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.20</td><td>56.72</td><td>68.20</td><td>-11.48</td><td>39.43</td><td>34.53</td><td>12.54</td><td>29.78</td><td>0.00</td><td>100</td><td>220</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.22</td><td>68.50</td><td>-13.28</td><td>37.91</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>220</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>55.94</td><td>105.41</td><td>-49.47</td><td>38.69</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>220</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.85</td><td>110.90</td><td>-53.05</td><td>40.49</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>220</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5617.20	56.72	68.20	-11.48	39.43	34.53	12.54	29.78	0.00	100	220	PEAK	2	5650.40	55.22	68.50	-13.28	37.91	34.60	12.58	29.87	0.00	100	220	PEAK	3	5700.40	55.94	105.41	-49.47	38.69	34.60	12.65	30.00	0.00	100	220	PEAK	4	5720.00	57.85	110.90	-53.05	40.49	34.64	12.67	29.95	0.00	100	220	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.00</td><td>-----</td><td>-----</td><td>96.30</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>220</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	113.00	-----	-----	96.30	34.69	12.70	29.89	0.00	100	220
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5617.20	56.72	68.20	-11.48	39.43	34.53	12.54	29.78	0.00	100	220	PEAK																																																																																																											
2	5650.40	55.22	68.50	-13.28	37.91	34.60	12.58	29.87	0.00	100	220	PEAK																																																																																																											
3	5700.40	55.94	105.41	-49.47	38.69	34.60	12.65	30.00	0.00	100	220	PEAK																																																																																																											
4	5720.00	57.85	110.90	-53.05	40.49	34.64	12.67	29.95	0.00	100	220	PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5745.00	113.00	-----	-----	96.30	34.69	12.70	29.89	0.00	100	220	PEAK																																																																																																											
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.00</td><td>-----</td><td>-----</td><td>87.58</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>220</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	105.00	-----	-----	87.58	34.69	12.70	29.89	0.00	100	220	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5745.00	105.00	-----	-----	87.58	34.69	12.70	29.89	0.00	100	220	AVERAGE																																																																																																											





Mode	69																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																				
ANT	8+9																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5617.60</td><td>56.65</td><td>68.20</td><td>-11.55</td><td>39.35</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.11</td><td>68.20</td><td>-14.09</td><td>36.79</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.38</td><td>105.30</td><td>-50.92</td><td>37.13</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.39</td><td>110.90</td><td>-55.51</td><td>38.03</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.60	56.65	68.20	-11.55	39.35	34.54	12.54	29.78	0.00	100	114 PEAK	2	5650.00	54.11	68.20	-14.09	36.79	34.60	12.58	29.86	0.00	100	114 PEAK	3	5700.00	54.38	105.30	-50.92	37.13	34.60	12.65	30.00	0.00	100	114 PEAK	4	5720.00	55.39	110.90	-55.51	38.03	34.64	12.67	29.95	0.00	100	114 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.55</td><td>-----</td><td>-----</td><td>96.05</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.55	-----	-----	96.05	34.69	12.70	29.89	0.00	100	114 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5617.60	56.65	68.20	-11.55	39.35	34.54	12.54	29.78	0.00	100	114 PEAK																																																																																																																										
2	5650.00	54.11	68.20	-14.09	36.79	34.60	12.58	29.86	0.00	100	114 PEAK																																																																																																																										
3	5700.00	54.38	105.30	-50.92	37.13	34.60	12.65	30.00	0.00	100	114 PEAK																																																																																																																										
4	5720.00	55.39	110.90	-55.51	38.03	34.64	12.67	29.95	0.00	100	114 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	113.55	-----	-----	96.05	34.69	12.70	29.89	0.00	100	114 PEAK																																																																																																																										
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.42</td><td>-----</td><td>-----</td><td>85.92</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.42	-----	-----	85.92	34.69	12.70	29.89	0.00	100	114 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	103.42	-----	-----	85.92	34.69	12.70	29.89	0.00	100	114 AVERAGE																																																																																																																										







Mode	69																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																													
ANT	8+9																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8043.00</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>60.46</td><td>35.80</td><td>12.44</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>57.66</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8043.00	42.10	74.00	-31.90	60.46	35.80	12.44	66.60	0.00	---	---	PEAK	2	11490.00	46.64	74.00	-27.36	57.66	38.19	14.91	64.12	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8043.00</td><td>42.77</td><td>74.00</td><td>-31.23</td><td>61.13</td><td>35.80</td><td>12.44</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>58.03</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8043.00	42.77	74.00	-31.23	61.13	35.80	12.44	66.60	0.00	---	---	PEAK	2	11490.00	47.01	74.00	-26.99	58.03	38.19	14.91	64.12	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8043.00	42.10	74.00	-31.90	60.46	35.80	12.44	66.60	0.00	---	---	PEAK																																																																																																																		
2	11490.00	46.64	74.00	-27.36	57.66	38.19	14.91	64.12	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8043.00	42.77	74.00	-31.23	61.13	35.80	12.44	66.60	0.00	---	---	PEAK																																																																																																																		
2	11490.00	47.01	74.00	-26.99	58.03	38.19	14.91	64.12	0.00	---	---	PEAK																																																																																																																		





Mode	70																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																													
ANT	8+9																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8099.00</td><td>41.97</td><td>74.00</td><td>-32.03</td><td>60.36</td><td>35.80</td><td>12.44</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>58.68</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8099.00	41.97	74.00	-32.03	60.36	35.80	12.44	66.63	0.00	---	---	PEAK	2	11570.00	47.69	74.00	-26.31	58.68	38.27	14.97	64.23	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8099.00</td><td>41.99</td><td>74.00</td><td>-32.01</td><td>60.38</td><td>35.80</td><td>12.44</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>58.36</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8099.00	41.99	74.00	-32.01	60.38	35.80	12.44	66.63	0.00	---	---	PEAK	2	11570.00	47.37	74.00	-26.63	58.36	38.27	14.97	64.23	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8099.00	41.97	74.00	-32.03	60.36	35.80	12.44	66.63	0.00	---	---	PEAK																																																																																																																		
2	11570.00	47.69	74.00	-26.31	58.68	38.27	14.97	64.23	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8099.00	41.99	74.00	-32.01	60.38	35.80	12.44	66.63	0.00	---	---	PEAK																																																																																																																		
2	11570.00	47.37	74.00	-26.63	58.36	38.27	14.97	64.23	0.00	---	---	PEAK																																																																																																																		





Mode	71																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																									
ANT	8+9																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>55.06</td><td>111.36</td><td>-56.30</td><td>37.19</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>56.28</td><td>105.36</td><td>-49.08</td><td>38.27</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.60</td><td>68.35</td><td>-14.75</td><td>35.37</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr><tr><td>4</td><td>5937.60</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>38.87</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.06	111.36	-56.30	37.19	34.83	12.86	29.82	0.00	100	221	PEAK	2	5874.80	56.28	105.36	-49.08	38.27	34.95	12.90	29.84	0.00	100	221	PEAK	3	5924.80	53.60	68.35	-14.75	35.37	35.10	12.98	29.85	0.00	100	221	PEAK	4	5937.60	57.13	68.20	-11.07	38.87	35.10	13.00	29.84	0.00	100	221	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.04</td><td>-----</td><td>-----</td><td>96.21</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	114.04	-----	-----	96.21	34.80	12.81	29.78	0.00	100	221
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.80	55.06	111.36	-56.30	37.19	34.83	12.86	29.82	0.00	100	221	PEAK																																																																																																																														
2	5874.80	56.28	105.36	-49.08	38.27	34.95	12.90	29.84	0.00	100	221	PEAK																																																																																																																														
3	5924.80	53.60	68.35	-14.75	35.37	35.10	12.98	29.85	0.00	100	221	PEAK																																																																																																																														
4	5937.60	57.13	68.20	-11.07	38.87	35.10	13.00	29.84	0.00	100	221	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	114.04	-----	-----	96.21	34.80	12.81	29.78	0.00	100	221	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.32</td><td>-----</td><td>-----</td><td>86.49</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>100</td><td>221</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.32	-----	-----	86.49	34.80	12.82	29.79	0.00	100	221	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.32</td><td>-----</td><td>-----</td><td>86.49</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>100</td><td>221</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.32	-----	-----	86.49	34.80	12.82	29.79	0.00	100	221	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	104.32	-----	-----	86.49	34.80	12.82	29.79	0.00	100	221	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	104.32	-----	-----	86.49	34.80	12.82	29.79	0.00	100	221	AVERAGE																																																																																																																														






Mode	71																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																							
ANT	8+9																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5853.60</td><td>58.06</td><td>114.09</td><td>-56.03</td><td>40.19</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>106</td><td>113 PEAK</td></tr><tr><td>2 5874.40</td><td>56.66</td><td>105.47</td><td>-48.81</td><td>38.65</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>106</td><td>113 PEAK</td></tr><tr><td>3 5924.80</td><td>55.63</td><td>68.35</td><td>-12.72</td><td>37.40</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>106</td><td>113 PEAK</td></tr><tr><td>4 5947.60</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>39.52</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>106</td><td>113 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.60	58.06	114.09	-56.03	40.19	34.82	12.86	29.81	0.00	106	113 PEAK	2 5874.40	56.66	105.47	-48.81	38.65	34.95	12.90	29.84	0.00	106	113 PEAK	3 5924.80	55.63	68.35	-12.72	37.40	35.10	12.98	29.85	0.00	106	113 PEAK	4 5947.60	57.81	68.20	-10.39	39.52	35.10	13.02	29.83	0.00	106	113 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5853.60	58.06	114.09	-56.03	40.19	34.82	12.86	29.81	0.00	106	113 PEAK																																																																														
2 5874.40	56.66	105.47	-48.81	38.65	34.95	12.90	29.84	0.00	106	113 PEAK																																																																														
3 5924.80	55.63	68.35	-12.72	37.40	35.10	12.98	29.85	0.00	106	113 PEAK																																																																														
4 5947.60	57.81	68.20	-10.39	39.52	35.10	13.02	29.83	0.00	106	113 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>114.16</td><td>-----</td><td>-----</td><td>96.33</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>106</td><td>113 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	114.16	-----	-----	96.33	34.80	12.81	29.78	0.00	106	113 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	114.16	-----	-----	96.33	34.80	12.81	29.78	0.00	106	113 PEAK																																																																														




Mode	71																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																													
ANT	8+9																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8155.00</td><td>42.00</td><td>74.00</td><td>-32.00</td><td>60.40</td><td>35.80</td><td>12.45</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>58.60</td><td>38.35</td><td>15.02</td><td>64.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8155.00	42.00	74.00	-32.00	60.40	35.80	12.45	66.65	0.00	---	---	PEAK	2	11650.00	47.61	74.00	-26.39	58.60	38.35	15.02	64.36	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8155.00</td><td>42.95</td><td>74.00</td><td>-31.05</td><td>61.35</td><td>35.80</td><td>12.45</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>57.88</td><td>38.35</td><td>15.02</td><td>64.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8155.00	42.95	74.00	-31.05	61.35	35.80	12.45	66.65	0.00	---	---	PEAK	2	11650.00	46.89	74.00	-27.11	57.88	38.35	15.02	64.36	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	8155.00	42.00	74.00	-32.00	60.40	35.80	12.45	66.65	0.00	---	---	PEAK																																																																																																																		
2	11650.00	47.61	74.00	-26.39	58.60	38.35	15.02	64.36	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	8155.00	42.95	74.00	-31.05	61.35	35.80	12.45	66.65	0.00	---	---	PEAK																																																																																																																		
2	11650.00	46.89	74.00	-27.11	57.88	38.35	15.02	64.36	0.00	---	---	PEAK																																																																																																																		






Mode	72																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																										
ANT	8+9																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.86</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>40.42</td><td>34.54</td><td>12.55</td><td>29.79</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>56.58</td><td>68.83</td><td>-12.25</td><td>39.27</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr><tr><td>3</td><td>5708.19</td><td>60.98</td><td>107.60</td><td>-46.62</td><td>43.68</td><td>34.62</td><td>12.66</td><td>29.98</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>65.19</td><td>111.89</td><td>-46.70</td><td>47.83</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5621.86	57.72	68.20	-10.48	40.42	34.54	12.55	29.79	0.00	100	222	PEAK	2	5650.84	56.58	68.83	-12.25	39.27	34.60	12.58	29.87	0.00	100	222	PEAK	3	5708.19	60.98	107.60	-46.62	43.68	34.62	12.66	29.98	0.00	100	222	PEAK	4	5720.44	65.19	111.89	-46.70	47.83	34.64	12.67	29.95	0.00	100	222	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.51</td><td>-----</td><td>-----</td><td>91.92</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.51	-----	-----	91.92	34.72	12.72	29.85	0.00	100	222	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5621.86	57.72	68.20	-10.48	40.42	34.54	12.55	29.79	0.00	100	222	PEAK																																																																																																																															
2	5650.84	56.58	68.83	-12.25	39.27	34.60	12.58	29.87	0.00	100	222	PEAK																																																																																																																															
3	5708.19	60.98	107.60	-46.62	43.68	34.62	12.66	29.98	0.00	100	222	PEAK																																																																																																																															
4	5720.44	65.19	111.89	-46.70	47.83	34.64	12.67	29.95	0.00	100	222	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	109.51	-----	-----	91.92	34.72	12.72	29.85	0.00	100	222	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.52</td><td>-----</td><td>-----</td><td>83.93</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>222</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.52	-----	-----	83.93	34.72	12.72	29.85	0.00	100	222	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	101.52	-----	-----	83.93	34.72	12.72	29.85	0.00	100	222	AVERAGE																																																																																																																															




Mode	72																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	8+9																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>54.49</td><td>111.71</td><td>-57.22</td><td>36.62</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>55.95</td><td>105.81</td><td>-49.86</td><td>37.96</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr><tr><td>3</td><td>5923.89</td><td>56.91</td><td>69.61</td><td>-12.70</td><td>38.68</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr><tr><td>4</td><td>5943.96</td><td>57.39</td><td>68.20</td><td>-10.81</td><td>39.11</td><td>35.10</td><td>13.01</td><td>29.83</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	54.49	111.71	-57.22	36.62	34.83	12.86	29.82	0.00	100	222	PEAK	2	5873.17	55.95	105.81	-49.86	37.96	34.94	12.89	29.84	0.00	100	222	PEAK	3	5923.89	56.91	69.61	-12.70	38.68	35.10	12.98	29.85	0.00	100	222	PEAK	4	5943.96	57.39	68.20	-10.81	39.11	35.10	13.01	29.83	0.00	100	222	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.65	54.49	111.71	-57.22	36.62	34.83	12.86	29.82	0.00	100	222	PEAK																																																																																			
2	5873.17	55.95	105.81	-49.86	37.96	34.94	12.89	29.84	0.00	100	222	PEAK																																																																																			
3	5923.89	56.91	69.61	-12.70	38.68	35.10	12.98	29.85	0.00	100	222	PEAK																																																																																			
4	5943.96	57.39	68.20	-10.81	39.11	35.10	13.01	29.83	0.00	100	222	PEAK																																																																																			





Mode	72																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																									
ANT	8+9																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.14</td><td>56.40</td><td>68.20</td><td>-11.80</td><td>39.08</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>54.43</td><td>68.94</td><td>-14.51</td><td>37.12</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5706.33</td><td>58.87</td><td>107.07</td><td>-48.20</td><td>41.59</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>59.35</td><td>111.19</td><td>-51.84</td><td>41.99</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.14	56.40	68.20	-11.80	39.08	34.60	12.58	29.86	0.00	102	113	PEAK	2	5651.00	54.43	68.94	-14.51	37.12	34.60	12.58	29.87	0.00	102	113	PEAK	3	5706.33	58.87	107.07	-48.20	41.59	34.61	12.65	29.98	0.00	102	113	PEAK	4	5720.13	59.35	111.19	-51.84	41.99	34.64	12.67	29.95	0.00	102	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>108.24</td><td>-----</td><td>-----</td><td>90.65</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	108.24	-----	-----	90.65	34.72	12.72	29.85	0.00	102	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5649.14	56.40	68.20	-11.80	39.08	34.60	12.58	29.86	0.00	102	113	PEAK																																																																																																																														
2	5651.00	54.43	68.94	-14.51	37.12	34.60	12.58	29.87	0.00	102	113	PEAK																																																																																																																														
3	5706.33	58.87	107.07	-48.20	41.59	34.61	12.65	29.98	0.00	102	113	PEAK																																																																																																																														
4	5720.13	59.35	111.19	-51.84	41.99	34.64	12.67	29.95	0.00	102	113	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	108.24	-----	-----	90.65	34.72	12.72	29.85	0.00	102	113	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.58</td><td>-----</td><td>-----</td><td>81.99</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>102</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.58	-----	-----	81.99	34.72	12.72	29.85	0.00	102	113	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	99.58	-----	-----	81.99	34.72	12.72	29.85	0.00	102	113	AVERAGE																																																																																																																														



Mode	72																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	8+9																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>53.52</td><td>111.26</td><td>-57.74</td><td>35.65</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5872.39</td><td>55.77</td><td>106.03</td><td>-50.26</td><td>37.79</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5919.97</td><td>57.93</td><td>71.92</td><td>-13.99</td><td>39.71</td><td>35.10</td><td>12.97</td><td>29.85</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5945.32</td><td>56.82</td><td>68.20</td><td>-11.38</td><td>38.53</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>102</td><td>113</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	53.52	111.26	-57.74	35.65	34.83	12.86	29.82	0.00	102	113	PEAK	2	5872.39	55.77	106.03	-50.26	37.79	34.93	12.89	29.84	0.00	102	113	PEAK	3	5919.97	57.93	71.92	-13.99	39.71	35.10	12.97	29.85	0.00	102	113	PEAK	4	5945.32	56.82	68.20	-11.38	38.53	35.10	13.02	29.83	0.00	102	113	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.84	53.52	111.26	-57.74	35.65	34.83	12.86	29.82	0.00	102	113	PEAK																																																																																			
2	5872.39	55.77	106.03	-50.26	37.79	34.93	12.89	29.84	0.00	102	113	PEAK																																																																																			
3	5919.97	57.93	71.92	-13.99	39.71	35.10	12.97	29.85	0.00	102	113	PEAK																																																																																			
4	5945.32	56.82	68.20	-11.38	38.53	35.10	13.02	29.83	0.00	102	113	PEAK																																																																																			




Mode	72																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																													
ANT	8+9																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8057.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>60.86</td><td>35.80</td><td>12.44</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>58.45</td><td>38.21</td><td>14.92</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8057.00	42.49	74.00	-31.51	60.86	35.80	12.44	66.61	0.00	---	---	PEAK	2	11510.00	47.45	74.00	-26.55	58.45	38.21	14.92	64.13	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8057.00</td><td>41.53</td><td>74.00</td><td>-32.47</td><td>59.90</td><td>35.80</td><td>12.44</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>58.28</td><td>38.21</td><td>14.92</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8057.00	41.53	74.00	-32.47	59.90	35.80	12.44	66.61	0.00	---	---	PEAK	2	11510.00	47.28	74.00	-26.72	58.28	38.21	14.92	64.13	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8057.00	42.49	74.00	-31.51	60.86	35.80	12.44	66.61	0.00	---	---	PEAK																																																																																																																		
2	11510.00	47.45	74.00	-26.55	58.45	38.21	14.92	64.13	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8057.00	41.53	74.00	-32.47	59.90	35.80	12.44	66.61	0.00	---	---	PEAK																																																																																																																		
2	11510.00	47.28	74.00	-26.72	58.28	38.21	14.92	64.13	0.00	---	---	PEAK																																																																																																																		







Mode	73																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																										
ANT	8+9																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.00</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>38.93</td><td>34.53</td><td>12.54</td><td>29.78</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>55.97</td><td>69.99</td><td>-14.02</td><td>38.65</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr><tr><td>3</td><td>5782.40</td><td>55.45</td><td>105.97</td><td>-50.52</td><td>38.19</td><td>34.60</td><td>12.65</td><td>29.99</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.36</td><td>110.90</td><td>-57.54</td><td>36.00</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5616.00	56.22	68.20	-11.98	38.93	34.53	12.54	29.78	0.00	114	227	PEAK	2	5652.40	55.97	69.99	-14.02	38.65	34.60	12.59	29.87	0.00	114	227	PEAK	3	5782.40	55.45	105.97	-50.52	38.19	34.60	12.65	29.99	0.00	114	227	PEAK	4	5720.00	53.36	110.90	-57.54	36.00	34.64	12.67	29.95	0.00	114	227	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>109.69</td><td>-----</td><td>-----</td><td>91.90</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.69	-----	-----	91.90	34.79	12.76	29.76	0.00	114	227	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5616.00	56.22	68.20	-11.98	38.93	34.53	12.54	29.78	0.00	114	227	PEAK																																																																																																																															
2	5652.40	55.97	69.99	-14.02	38.65	34.60	12.59	29.87	0.00	114	227	PEAK																																																																																																																															
3	5782.40	55.45	105.97	-50.52	38.19	34.60	12.65	29.99	0.00	114	227	PEAK																																																																																																																															
4	5720.00	53.36	110.90	-57.54	36.00	34.64	12.67	29.95	0.00	114	227	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	109.69	-----	-----	91.90	34.79	12.76	29.76	0.00	114	227	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.07</td><td>-----</td><td>-----</td><td>83.25</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>114</td><td>227</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.07	-----	-----	83.25	34.80	12.77	29.75	0.00	114	227	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	101.07	-----	-----	83.25	34.80	12.77	29.75	0.00	114	227	AVERAGE																																																																																																																															




Mode	73																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																														
ANT	8+9																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.67</td><td>111.36</td><td>-57.69</td><td>35.00</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.86</td><td>105.58</td><td>-49.72</td><td>37.86</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.97</td><td>68.35</td><td>-13.38</td><td>36.74</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr><tr><td>4</td><td>5954.00</td><td>56.95</td><td>68.20</td><td>-11.25</td><td>38.65</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>114</td><td>227</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.67	111.36	-57.69	35.00	34.83	12.86	29.82	0.00	114	227	PEAK	2	5874.00	55.86	105.58	-49.72	37.86	34.94	12.90	29.84	0.00	114	227	PEAK	3	5924.00	54.97	68.35	-13.38	36.74	35.10	12.98	29.85	0.00	114	227	PEAK	4	5954.00	56.95	68.20	-11.25	38.65	35.10	13.03	29.83	0.00	114	227	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	53.67	111.36	-57.69	35.00	34.83	12.86	29.82	0.00	114	227	PEAK																																																																																			
2	5874.00	55.86	105.58	-49.72	37.86	34.94	12.90	29.84	0.00	114	227	PEAK																																																																																			
3	5924.00	54.97	68.35	-13.38	36.74	35.10	12.98	29.85	0.00	114	227	PEAK																																																																																			
4	5954.00	56.95	68.20	-11.25	38.65	35.10	13.03	29.83	0.00	114	227	PEAK																																																																																			





Mode	73																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																			
ANT	8+9																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5604.40</td><td>57.44</td><td>68.20</td><td>-10.76</td><td>40.14</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>2 5650.00</td><td>54.89</td><td>68.20</td><td>-13.31</td><td>37.57</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>3 5700.80</td><td>54.77</td><td>105.52</td><td>-50.75</td><td>37.52</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>4 5720.00</td><td>55.85</td><td>112.72</td><td>-56.87</td><td>38.49</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5604.40	57.44	68.20	-10.76	40.14	34.51	12.53	29.74	0.00	100	112 PEAK	2 5650.00	54.89	68.20	-13.31	37.57	34.60	12.58	29.86	0.00	100	112 PEAK	3 5700.80	54.77	105.52	-50.75	37.52	34.60	12.65	30.00	0.00	100	112 PEAK	4 5720.00	55.85	112.72	-56.87	38.49	34.64	12.67	29.95	0.00	100	112 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>107.73</td><td>-----</td><td>-----</td><td>89.94</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	107.73	-----	-----	89.94	34.79	12.76	29.76	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5604.40	57.44	68.20	-10.76	40.14	34.51	12.53	29.74	0.00	100	112 PEAK																																																																																																																										
2 5650.00	54.89	68.20	-13.31	37.57	34.60	12.58	29.86	0.00	100	112 PEAK																																																																																																																										
3 5700.80	54.77	105.52	-50.75	37.52	34.60	12.65	30.00	0.00	100	112 PEAK																																																																																																																										
4 5720.00	55.85	112.72	-56.87	38.49	34.64	12.67	29.95	0.00	100	112 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	107.73	-----	-----	89.94	34.79	12.76	29.76	0.00	100	112 PEAK																																																																																																																										
Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>99.58</td><td>-----</td><td>-----</td><td>81.79</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	99.58	-----	-----	81.79	34.79	12.76	29.76	0.00	100	112 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>99.58</td><td>-----</td><td>-----</td><td>81.79</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	99.58	-----	-----	81.79	34.79	12.76	29.76	0.00	100	112 AVERAGE																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	99.58	-----	-----	81.79	34.79	12.76	29.76	0.00	100	112 AVERAGE																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	99.58	-----	-----	81.79	34.79	12.76	29.76	0.00	100	112 AVERAGE																																																																																																																										






Mode	73																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																													
ANT	8+9																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.97</td><td>111.36</td><td>-55.39</td><td>38.10</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>56.02</td><td>105.47</td><td>-49.45</td><td>38.01</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.25</td><td>68.64</td><td>-14.39</td><td>36.02</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5928.40</td><td>57.69</td><td>68.20</td><td>-10.51</td><td>39.45</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.97	111.36	-55.39	38.10	34.83	12.86	29.82	0.00	100	112	PEAK	2	5874.40	56.02	105.47	-49.45	38.01	34.95	12.90	29.84	0.00	100	112	PEAK	3	5924.40	54.25	68.64	-14.39	36.02	35.10	12.98	29.85	0.00	100	112	PEAK	4	5928.40	57.69	68.20	-10.51	39.45	35.10	12.99	29.85	0.00	100	112	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.80	55.97	111.36	-55.39	38.10	34.83	12.86	29.82	0.00	100	112	PEAK																																																																																		
2	5874.40	56.02	105.47	-49.45	38.01	34.95	12.90	29.84	0.00	100	112	PEAK																																																																																		
3	5924.40	54.25	68.64	-14.39	36.02	35.10	12.98	29.85	0.00	100	112	PEAK																																																																																		
4	5928.40	57.69	68.20	-10.51	39.45	35.10	12.99	29.85	0.00	100	112	PEAK																																																																																		




Mode	73																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																		
ANT	8+9																																																																																																		
Pol.	Horizontal												Vertical																																																																																						
Peak Avg																																																																																																			
	Limit Over Read Ant Cable Preamp Aux APos TPos												Limit Over Read Ant Cable Preamp Aux APos TPos																																																																																						
	Freq Level Line Limit Level Factor Loss Factor Factor Factor cm deg Remark												Freq Level Line Limit Level Factor Loss Factor Factor Factor cm deg Remark																																																																																						
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8113.00</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>60.52</td><td>35.80</td><td>12.45</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>57.93</td><td>38.29</td><td>14.98</td><td>64.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8113.00	42.14	74.00	-31.86	60.52	35.80	12.45	66.63	0.00	---	---	PEAK	2	11590.00	46.94	74.00	-27.06	57.93	38.29	14.98	64.26	0.00	---	---	PEAK	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8113.00</td><td>42.50</td><td>74.00</td><td>-31.50</td><td>60.88</td><td>35.80</td><td>12.45</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>57.96</td><td>38.29</td><td>14.98</td><td>64.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8113.00	42.50	74.00	-31.50	60.88	35.80	12.45	66.63	0.00	---	---	PEAK	2	11590.00	46.97	74.00	-27.03	57.96	38.29	14.98	64.26	0.00	---	---	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	8113.00	42.14	74.00	-31.86	60.52	35.80	12.45	66.63	0.00	---	---	PEAK																																																																																							
2	11590.00	46.94	74.00	-27.06	57.93	38.29	14.98	64.26	0.00	---	---	PEAK																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	8113.00	42.50	74.00	-31.50	60.88	35.80	12.45	66.63	0.00	---	---	PEAK																																																																																							
2	11590.00	46.97	74.00	-27.03	57.96	38.29	14.98	64.26	0.00	---	---	PEAK																																																																																							






Mode	74																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																			
ANT	8+9																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5650.00</td><td>61.21</td><td>68.20</td><td>-6.99</td><td>43.89</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.21</td><td>68.20</td><td>-6.99</td><td>43.89</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>68.47</td><td>105.30</td><td>-36.83</td><td>51.22</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.13</td><td>110.90</td><td>-42.77</td><td>50.77</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5650.00	61.21	68.20	-6.99	43.89	34.60	12.58	29.86	0.00	100	221 PEAK	2	5650.00	61.21	68.20	-6.99	43.89	34.60	12.58	29.86	0.00	100	221 PEAK	3	5700.00	68.47	105.30	-36.83	51.22	34.60	12.65	30.00	0.00	100	221 PEAK	4	5720.00	68.13	110.90	-42.77	50.77	34.64	12.67	29.95	0.00	100	221 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>110.27</td><td>-----</td><td>-----</td><td>92.59</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	110.27	-----	-----	92.59	34.75	12.74	29.81	0.00	100	221 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
	1	5650.00	61.21	68.20	-6.99	43.89	34.60	12.58	29.86	0.00	100	221 PEAK																																																																																																								
2	5650.00	61.21	68.20	-6.99	43.89	34.60	12.58	29.86	0.00	100	221 PEAK																																																																																																									
3	5700.00	68.47	105.30	-36.83	51.22	34.60	12.65	30.00	0.00	100	221 PEAK																																																																																																									
4	5720.00	68.13	110.90	-42.77	50.77	34.64	12.67	29.95	0.00	100	221 PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																										
1	5775.00	110.27	-----	-----	92.59	34.75	12.74	29.81	0.00	100	221 PEAK																																																																																																									
Avg	Blank																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.73</td><td>-----</td><td>-----</td><td>83.05</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>100</td><td>221 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	100.73	-----	-----	83.05	34.75	12.74	29.81	0.00	100	221 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
	1	5775.00	100.73	-----	-----	83.05	34.75	12.74	29.81	0.00	100	221 AVERAGE																																																																																																								




Mode	74																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	8+9																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>61.00</td><td>111.36</td><td>-50.28</td><td>43.21</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>65.86</td><td>110.06</td><td>-44.20</td><td>47.96</td><td>34.85</td><td>12.87</td><td>29.82</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>56.82</td><td>68.64</td><td>-11.82</td><td>38.59</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr><tr><td>4</td><td>5944.00</td><td>58.14</td><td>68.20</td><td>-10.06</td><td>39.86</td><td>35.10</td><td>13.01</td><td>29.83</td><td>0.00</td><td>100</td><td>221</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	61.00	111.36	-50.28	43.21	34.83	12.86	29.82	0.00	100	221	PEAK	2	5858.00	65.86	110.06	-44.20	47.96	34.85	12.87	29.82	0.00	100	221	PEAK	3	5924.40	56.82	68.64	-11.82	38.59	35.10	12.98	29.85	0.00	100	221	PEAK	4	5944.00	58.14	68.20	-10.06	39.86	35.10	13.01	29.83	0.00	100	221	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	61.00	111.36	-50.28	43.21	34.83	12.86	29.82	0.00	100	221	PEAK																																																																									
2	5858.00	65.86	110.06	-44.20	47.96	34.85	12.87	29.82	0.00	100	221	PEAK																																																																									
3	5924.40	56.82	68.64	-11.82	38.59	35.10	12.98	29.85	0.00	100	221	PEAK																																																																									
4	5944.00	58.14	68.20	-10.06	39.86	35.10	13.01	29.83	0.00	100	221	PEAK																																																																									




Mode	74																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																		
ANT	8+9																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.40</td><td>60.28</td><td>68.20</td><td>-7.92</td><td>42.96</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2 5650.00</td><td>58.46</td><td>68.20</td><td>-9.74</td><td>41.14</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>3 5700.40</td><td>67.54</td><td>107.65</td><td>-40.11</td><td>50.24</td><td>34.62</td><td>12.66</td><td>29.98</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>4 5720.80</td><td>66.57</td><td>112.72</td><td>-46.15</td><td>49.21</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.40	60.28	68.20	-7.92	42.96	34.60	12.58	29.86	0.00	100	111 PEAK	2 5650.00	58.46	68.20	-9.74	41.14	34.60	12.58	29.86	0.00	100	111 PEAK	3 5700.40	67.54	107.65	-40.11	50.24	34.62	12.66	29.98	0.00	100	111 PEAK	4 5720.80	66.57	112.72	-46.15	49.21	34.64	12.67	29.95	0.00	100	111 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>104.54</td><td>-----</td><td>-----</td><td>86.86</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	104.54	-----	-----	86.86	34.75	12.74	29.81	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5648.40	60.28	68.20	-7.92	42.96	34.60	12.58	29.86	0.00	100	111 PEAK																																																																																																																									
2 5650.00	58.46	68.20	-9.74	41.14	34.60	12.58	29.86	0.00	100	111 PEAK																																																																																																																									
3 5700.40	67.54	107.65	-40.11	50.24	34.62	12.66	29.98	0.00	100	111 PEAK																																																																																																																									
4 5720.80	66.57	112.72	-46.15	49.21	34.64	12.67	29.95	0.00	100	111 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	104.54	-----	-----	86.86	34.75	12.74	29.81	0.00	100	111 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.63</td><td>-----</td><td>-----</td><td>78.95</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.63	-----	-----	78.95	34.75	12.74	29.81	0.00	100	111 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	96.63	-----	-----	78.95	34.75	12.74	29.81	0.00	100	111 AVERAGE																																																																																																																									






Mode	74																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																														
ANT	8+9																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>63.36</td><td>111.36</td><td>-48.00</td><td>45.49</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>61.92</td><td>105.69</td><td>-43.77</td><td>43.92</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>57.12</td><td>69.23</td><td>-12.11</td><td>38.89</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>39.25</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	63.36	111.36	-48.00	45.49	34.83	12.86	29.82	0.00	100	111	PEAK	2	5873.60	61.92	105.69	-43.77	43.92	34.94	12.90	29.84	0.00	100	111	PEAK	3	5923.60	57.12	69.23	-12.11	38.89	35.10	12.98	29.85	0.00	100	111	PEAK	4	5948.40	57.54	68.20	-10.66	39.25	35.10	13.02	29.83	0.00	100	111	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.80	63.36	111.36	-48.00	45.49	34.83	12.86	29.82	0.00	100	111	PEAK																																																																																			
2	5873.60	61.92	105.69	-43.77	43.92	34.94	12.90	29.84	0.00	100	111	PEAK																																																																																			
3	5923.60	57.12	69.23	-12.11	38.89	35.10	12.98	29.85	0.00	100	111	PEAK																																																																																			
4	5948.40	57.54	68.20	-10.66	39.25	35.10	13.02	29.83	0.00	100	111	PEAK																																																																																			






		74																																																																				
Mode		Harmonic																																																																				
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																				
ANT		8+9																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8085.00</td><td>41.34</td><td>74.00</td><td>-32.66</td><td>59.72</td><td>35.80</td><td>12.44</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>57.31</td><td>38.25</td><td>14.95</td><td>64.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8085.00	41.34	74.00	-32.66	59.72	35.80	12.44	66.62	0.00	---	PEAK	2	11550.00	46.32	74.00	-27.68	57.31	38.25	14.95	64.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	8085.00	41.34	74.00	-32.66	59.72	35.80	12.44	66.62	0.00	---	PEAK																																																											
2	11550.00	46.32	74.00	-27.68	57.31	38.25	14.95	64.19	0.00	---	PEAK																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8085.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>59.81</td><td>35.80</td><td>12.44</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>57.60</td><td>38.25</td><td>14.95</td><td>64.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8085.00	41.43	74.00	-32.57	59.81	35.80	12.44	66.62	0.00	---	PEAK	2	11550.00	46.61	74.00	-27.39	57.60	38.25	14.95	64.19	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	8085.00	41.43	74.00	-32.57	59.81	35.80	12.44	66.62	0.00	---	PEAK																																																											
2	11550.00	46.61	74.00	-27.39	57.60	38.25	14.95	64.19	0.00	---	PEAK																																																											






	75																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																									
ANT	8+9																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>55.23</td><td>68.20</td><td>-12.97</td><td>42.03</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>114</td><td>222 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.14</td><td>68.50</td><td>-16.36</td><td>38.92</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>114</td><td>222 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>52.11</td><td>105.41</td><td>-53.30</td><td>38.97</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>114</td><td>222 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.00</td><td>110.90</td><td>-58.90</td><td>38.89</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>114</td><td>222 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.00	55.23	68.20	-12.97	42.03	34.60	10.25	31.65	0.00	114	222 PEAK	2	5650.40	52.14	68.50	-16.36	38.92	34.60	10.28	31.66	0.00	114	222 PEAK	3	5700.40	52.11	105.41	-53.30	38.97	34.60	10.32	31.78	0.00	114	222 PEAK	4	5720.00	52.00	110.90	-58.90	38.89	34.60	10.34	31.83	0.00	114	222 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.49</td><td>-----</td><td>-----</td><td>97.40</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>114</td><td>222 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.49	-----	-----	97.40	34.60	10.35	31.86	0.00	114	222 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5606.00	55.23	68.20	-12.97	42.03	34.60	10.25	31.65	0.00	114	222 PEAK																																																																																																																															
2	5650.40	52.14	68.50	-16.36	38.92	34.60	10.28	31.66	0.00	114	222 PEAK																																																																																																																															
3	5700.40	52.11	105.41	-53.30	38.97	34.60	10.32	31.78	0.00	114	222 PEAK																																																																																																																															
4	5720.00	52.00	110.90	-58.90	38.89	34.60	10.34	31.83	0.00	114	222 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	110.49	-----	-----	97.40	34.60	10.35	31.86	0.00	114	222 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.06</td><td>-----</td><td>-----</td><td>89.97</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>114</td><td>222 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.06	-----	-----	89.97	34.60	10.35	31.86	0.00	114	222 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.06	-----	-----	89.97	34.60	10.35	31.86	0.00	114	222 AVERAGE																																																																																																																															






Mode	75																																																																																										
	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																										
ANT	8+9																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.40</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>41.73</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>52.60</td><td>69.39</td><td>-16.79</td><td>39.37</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>53.14</td><td>105.41</td><td>-52.27</td><td>40.00</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.15</td><td>110.90</td><td>-58.75</td><td>39.04</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.40	54.95	68.20	-13.25	41.73	34.60	10.26	31.64	0.00	100	118 PEAK	2	5651.60	52.60	69.39	-16.79	39.37	34.60	10.29	31.66	0.00	100	118 PEAK	3	5700.40	53.14	105.41	-52.27	40.00	34.60	10.32	31.78	0.00	100	118 PEAK	4	5720.00	52.15	110.90	-58.75	39.04	34.60	10.34	31.83	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5618.40	54.95	68.20	-13.25	41.73	34.60	10.26	31.64	0.00	100	118 PEAK																																																																																
2	5651.60	52.60	69.39	-16.79	39.37	34.60	10.29	31.66	0.00	100	118 PEAK																																																																																
3	5700.40	53.14	105.41	-52.27	40.00	34.60	10.32	31.78	0.00	100	118 PEAK																																																																																
4	5720.00	52.15	110.90	-58.75	39.04	34.60	10.34	31.83	0.00	100	118 PEAK																																																																																
Fundamental																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.88</td><td>-----</td><td>-----</td><td>96.80</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.88	-----	-----	96.80	34.60	10.36	31.88	0.00	100	118 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	109.88	-----	-----	96.80	34.60	10.36	31.88	0.00	100	118 PEAK																																																																																
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.58</td><td>-----</td><td>-----</td><td>88.49</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>118 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.58	-----	-----	88.49	34.60	10.35	31.86	0.00	100	118 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	101.58	-----	-----	88.49	34.60	10.35	31.86	0.00	100	118 AVERAGE																																																																																






Mode	76																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																											
ANT	8+9																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>53.31</td><td>112.27</td><td>-58.96</td><td>40.30</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>313 PEAK</td></tr><tr><td>2</td><td>5869.60</td><td>55.10</td><td>106.81</td><td>-51.71</td><td>42.01</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>313 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.63</td><td>68.64</td><td>-16.01</td><td>39.22</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>313 PEAK</td></tr><tr><td>4</td><td>5959.20</td><td>55.06</td><td>68.20</td><td>-13.14</td><td>41.44</td><td>35.24</td><td>10.55</td><td>32.17</td><td>0.00</td><td>100</td><td>313 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	53.31	112.27	-58.96	40.30	34.72	10.45	32.16	0.00	100	313 PEAK	2	5869.60	55.10	106.81	-51.71	42.01	34.78	10.47	32.16	0.00	100	313 PEAK	3	5924.40	52.63	68.64	-16.01	39.22	35.05	10.52	32.16	0.00	100	313 PEAK	4	5959.20	55.06	68.20	-13.14	41.44	35.24	10.55	32.17	0.00	100	313 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	53.31	112.27	-58.96	40.30	34.72	10.45	32.16	0.00	100	313 PEAK																																																																																	
2	5869.60	55.10	106.81	-51.71	42.01	34.78	10.47	32.16	0.00	100	313 PEAK																																																																																	
3	5924.40	52.63	68.64	-16.01	39.22	35.05	10.52	32.16	0.00	100	313 PEAK																																																																																	
4	5959.20	55.06	68.20	-13.14	41.44	35.24	10.55	32.17	0.00	100	313 PEAK																																																																																	
Fundamental																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.02</td><td>-----</td><td>-----</td><td>98.02</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>313 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.02	-----	-----	98.02	34.67	10.44	32.11	0.00	100	313 PEAK																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5825.00	111.02	-----	-----	98.02	34.67	10.44	32.11	0.00	100	313 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.32</td><td>-----</td><td>-----</td><td>91.32</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>313 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.32	-----	-----	91.32	34.67	10.44	32.11	0.00	100	313 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5825.00	104.32	-----	-----	91.32	34.67	10.44	32.11	0.00	100	313 AVERAGE																																																																																	







Mode	76																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																													
ANT	8+9																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.53</td><td>111.36</td><td>-57.83</td><td>40.52</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>128</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>54.09</td><td>105.80</td><td>-51.71</td><td>40.99</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>128</td><td>298</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.08</td><td>68.94</td><td>-15.86</td><td>39.69</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>128</td><td>298</td><td>PEAK</td></tr><tr><td>4</td><td>5952.40</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>42.12</td><td>35.21</td><td>10.54</td><td>32.17</td><td>0.00</td><td>128</td><td>298</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.53	111.36	-57.83	40.52	34.72	10.45	32.16	0.00	128	298	PEAK	2	5873.20	54.09	105.80	-51.71	40.99	34.79	10.47	32.16	0.00	128	298	PEAK	3	5924.00	53.08	68.94	-15.86	39.69	35.04	10.51	32.16	0.00	128	298	PEAK	4	5952.40	55.70	68.20	-12.50	42.12	35.21	10.54	32.17	0.00	128	298	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.79</td><td>-----</td><td>-----</td><td>98.79</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>128</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.79	-----	-----	98.79	34.67	10.44	32.11	0.00	128	298
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5854.00	53.53	111.36	-57.83	40.52	34.72	10.45	32.16	0.00	128	298	PEAK																																																																																																																																		
2	5873.20	54.09	105.80	-51.71	40.99	34.79	10.47	32.16	0.00	128	298	PEAK																																																																																																																																		
3	5924.00	53.08	68.94	-15.86	39.69	35.04	10.51	32.16	0.00	128	298	PEAK																																																																																																																																		
4	5952.40	55.70	68.20	-12.50	42.12	35.21	10.54	32.17	0.00	128	298	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5825.00	111.79	-----	-----	98.79	34.67	10.44	32.11	0.00	128	298	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.48</td><td>-----</td><td>-----</td><td>90.48</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>128</td><td>298</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.48	-----	-----	90.48	34.67	10.44	32.11	0.00	128	298	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5825.00	103.48	-----	-----	90.48	34.67	10.44	32.11	0.00	128	298	AVERAGE																																																																																																																																		






Mode	77																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																															
ANT	8+9																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5606.40</td><td>53.74</td><td>68.20</td><td>-14.46</td><td>40.54</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>53.21</td><td>69.09</td><td>-15.88</td><td>39.98</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>54.20</td><td>105.64</td><td>-51.44</td><td>41.05</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.82</td><td>110.90</td><td>-59.08</td><td>38.71</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.40	53.74	68.20	-14.46	40.54	34.60	10.25	31.65	0.00	100	241	PEAK	2	5651.20	53.21	69.09	-15.88	39.98	34.60	10.29	31.66	0.00	100	241	PEAK	3	5701.20	54.20	105.64	-51.44	41.05	34.60	10.33	31.78	0.00	100	241	PEAK	4	5720.00	51.82	110.90	-59.08	38.71	34.60	10.34	31.83	0.00	100	241	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.01</td><td>-----</td><td>-----</td><td>100.93</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.01	-----	-----	100.93	34.60	10.36	31.88	0.00	100	241	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	5606.40	53.74	68.20	-14.46	40.54	34.60	10.25	31.65	0.00	100	241	PEAK																																																																																																																																				
2	5651.20	53.21	69.09	-15.88	39.98	34.60	10.29	31.66	0.00	100	241	PEAK																																																																																																																																				
3	5701.20	54.20	105.64	-51.44	41.05	34.60	10.33	31.78	0.00	100	241	PEAK																																																																																																																																				
4	5720.00	51.82	110.90	-59.08	38.71	34.60	10.34	31.83	0.00	100	241	PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	114.01	-----	-----	100.93	34.60	10.36	31.88	0.00	100	241	PEAK																																																																																																																																				
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.90</td><td>-----</td><td>-----</td><td>92.82</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.90	-----	-----	92.82	34.60	10.36	31.88	0.00	100	241	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	105.90	-----	-----	92.82	34.60	10.36	31.88	0.00	100	241	AVERAGE																																																																																																																																				






Mode	77																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																									
ANT	8+9																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.20</td><td>55.52</td><td>68.20</td><td>-12.68</td><td>42.32</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.98</td><td>68.00</td><td>-16.02</td><td>38.75</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.32</td><td>105.30</td><td>-49.98</td><td>42.18</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.99</td><td>111.81</td><td>-59.82</td><td>38.88</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5609.20	55.52	68.20	-12.68	42.32	34.60	10.25	31.65	0.00	100	119 PEAK	2	5650.00	51.98	68.00	-16.02	38.75	34.60	10.29	31.66	0.00	100	119 PEAK	3	5700.00	55.32	105.30	-49.98	42.18	34.60	10.32	31.78	0.00	100	119 PEAK	4	5720.40	51.99	111.81	-59.82	38.88	34.60	10.34	31.83	0.00	100	119 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.24</td><td>-----</td><td>-----</td><td>97.16</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.24	-----	-----	97.16	34.60	10.36	31.88	0.00	100	119 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5609.20	55.52	68.20	-12.68	42.32	34.60	10.25	31.65	0.00	100	119 PEAK																																																																																																																															
2	5650.00	51.98	68.00	-16.02	38.75	34.60	10.29	31.66	0.00	100	119 PEAK																																																																																																																															
3	5700.00	55.32	105.30	-49.98	42.18	34.60	10.32	31.78	0.00	100	119 PEAK																																																																																																																															
4	5720.40	51.99	111.81	-59.82	38.88	34.60	10.34	31.83	0.00	100	119 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	110.24	-----	-----	97.16	34.60	10.36	31.88	0.00	100	119 PEAK																																																																																																																															
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.13</td><td>-----</td><td>-----</td><td>90.04</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>119 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.13	-----	-----	90.04	34.60	10.35	31.86	0.00	100	119 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.24</td><td>-----</td><td>-----</td><td>97.16</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.24	-----	-----	97.16	34.60	10.36	31.88	0.00	100	119 PEAK																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.13	-----	-----	90.04	34.60	10.35	31.86	0.00	100	119 AVERAGE																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	110.24	-----	-----	97.16	34.60	10.36	31.88	0.00	100	119 PEAK																																																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.24</td><td>-----</td><td>-----</td><td>97.16</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.24	-----	-----	97.16	34.60	10.36	31.88	0.00	100	119 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.24</td><td>-----</td><td>-----</td><td>97.16</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.24	-----	-----	97.16	34.60	10.36	31.88	0.00	100	119 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	110.24	-----	-----	97.16	34.60	10.36	31.88	0.00	100	119 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	110.24	-----	-----	97.16	34.60	10.36	31.88	0.00	100	119 PEAK																																																																																																																															






Mode	78																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																									
ANT	8+9																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.15</td><td>111.36</td><td>-59.21</td><td>39.14</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>54.44</td><td>105.58</td><td>-51.14</td><td>41.33</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.08</td><td>68.64</td><td>-15.56</td><td>39.67</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>4</td><td>5996.00</td><td>54.74</td><td>68.20</td><td>-13.46</td><td>40.94</td><td>35.39</td><td>10.58</td><td>32.17</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.15	111.36	-59.21	39.14	34.72	10.45	32.16	0.00	100	307 PEAK	2	5874.00	54.44	105.58	-51.14	41.33	34.00	10.47	32.16	0.00	100	307 PEAK	3	5924.40	53.08	68.64	-15.56	39.67	35.05	10.52	32.16	0.00	100	307 PEAK	4	5996.00	54.74	68.20	-13.46	40.94	35.39	10.58	32.17	0.00	100	307 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.77</td><td>-----</td><td>-----</td><td>99.78</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.77	-----	-----	99.78	34.66	10.43	32.10	0.00	100	307 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	52.15	111.36	-59.21	39.14	34.72	10.45	32.16	0.00	100	307 PEAK																																																																																																																															
2	5874.00	54.44	105.58	-51.14	41.33	34.00	10.47	32.16	0.00	100	307 PEAK																																																																																																																															
3	5924.40	53.08	68.64	-15.56	39.67	35.05	10.52	32.16	0.00	100	307 PEAK																																																																																																																															
4	5996.00	54.74	68.20	-13.46	40.94	35.39	10.58	32.17	0.00	100	307 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	112.77	-----	-----	99.78	34.66	10.43	32.10	0.00	100	307 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.89</td><td>-----</td><td>-----</td><td>90.89</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>307 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.89	-----	-----	90.89	34.67	10.44	32.11	0.00	100	307 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.89	-----	-----	90.89	34.67	10.44	32.11	0.00	100	307 AVERAGE																																																																																																																															






Mode	78																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																								
ANT	8+9																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>52.66</td><td>111.36</td><td>-58.70</td><td>39.65</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>54.00</td><td>106.36</td><td>-52.36</td><td>40.91</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>54.70</td><td>69.83</td><td>-15.13</td><td>41.31</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>55.72</td><td>68.20</td><td>-12.48</td><td>42.28</td><td>35.08</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	52.66	111.36	-58.70	39.65	34.72	10.45	32.16	0.00	100	298 PEAK	2	5871.20	54.00	106.36	-52.36	40.91	34.78	10.47	32.16	0.00	100	298 PEAK	3	5922.80	54.70	69.83	-15.13	41.31	35.04	10.51	32.16	0.00	100	298 PEAK	4	5929.60	55.72	68.20	-12.48	42.28	35.08	10.52	32.16	0.00	100	298 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.96</td><td>-----</td><td>-----</td><td>97.96</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.96	-----	-----	97.96	34.67	10.44	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.80	52.66	111.36	-58.70	39.65	34.72	10.45	32.16	0.00	100	298 PEAK																																																																																																																														
2	5871.20	54.00	106.36	-52.36	40.91	34.78	10.47	32.16	0.00	100	298 PEAK																																																																																																																														
3	5922.80	54.70	69.83	-15.13	41.31	35.04	10.51	32.16	0.00	100	298 PEAK																																																																																																																														
4	5929.60	55.72	68.20	-12.48	42.28	35.08	10.52	32.16	0.00	100	298 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	110.96	-----	-----	97.96	34.67	10.44	32.11	0.00	100	298 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.39</td><td>-----</td><td>-----</td><td>90.39</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>298 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.39	-----	-----	90.39	34.67	10.44	32.11	0.00	100	298 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	103.39	-----	-----	90.39	34.67	10.44	32.11	0.00	100	298 AVERAGE																																																																																																																														






Mode	79																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																											
ANT	8+9																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.40</td><td>53.84</td><td>68.20</td><td>-14.36</td><td>40.60</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>101</td><td>245 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.20</td><td>68.50</td><td>-16.30</td><td>38.98</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>101</td><td>245 PEAK</td></tr><tr><td>3</td><td>5706.80</td><td>56.38</td><td>107.21</td><td>-50.83</td><td>43.24</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>101</td><td>245 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.29</td><td>110.90</td><td>-52.61</td><td>45.18</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>101</td><td>245 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.40	53.84	68.20	-14.36	40.60	34.60	10.28	31.64	0.00	101	245 PEAK	2	5650.40	52.20	68.50	-16.30	38.98	34.60	10.28	31.66	0.00	101	245 PEAK	3	5706.80	56.38	107.21	-50.83	43.24	34.60	10.33	31.79	0.00	101	245 PEAK	4	5720.00	58.29	110.90	-52.61	45.18	34.60	10.34	31.83	0.00	101	245 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5642.40	53.84	68.20	-14.36	40.60	34.60	10.28	31.64	0.00	101	245 PEAK																																																																																	
2	5650.40	52.20	68.50	-16.30	38.98	34.60	10.28	31.66	0.00	101	245 PEAK																																																																																	
3	5706.80	56.38	107.21	-50.83	43.24	34.60	10.33	31.79	0.00	101	245 PEAK																																																																																	
4	5720.00	58.29	110.90	-52.61	45.18	34.60	10.34	31.83	0.00	101	245 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.38</td><td>-----</td><td>-----</td><td>101.30</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>101</td><td>245 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	114.38	-----	-----	101.30	34.60	10.36	31.88	0.00	101	245 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	114.38	-----	-----	101.30	34.60	10.36	31.88	0.00	101	245 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.71</td><td>-----</td><td>-----</td><td>92.63</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>101</td><td>245 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.71	-----	-----	92.63	34.60	10.36	31.88	0.00	101	245 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	105.71	-----	-----	92.63	34.60	10.36	31.88	0.00	101	245 AVERAGE																																																																																	







Mode	79																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																								
ANT	8+9																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.60</td><td>53.58</td><td>68.20</td><td>-14.62</td><td>40.36</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>52.21</td><td>69.39</td><td>-17.18</td><td>38.98</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>3</td><td>5705.20</td><td>66.62</td><td>106.76</td><td>-40.14</td><td>53.48</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>62.96</td><td>116.37</td><td>-53.41</td><td>49.85</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.60	53.58	68.20	-14.62	40.36	34.60	10.26	31.64	0.00	100	112 PEAK	2	5651.60	52.21	69.39	-17.18	38.98	34.60	10.29	31.66	0.00	100	112 PEAK	3	5705.20	66.62	106.76	-40.14	53.48	34.60	10.33	31.79	0.00	100	112 PEAK	4	5722.40	62.96	116.37	-53.41	49.85	34.60	10.34	31.83	0.00	100	112 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.13</td><td>-----</td><td>-----</td><td>98.04</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.13	-----	-----	98.04	34.60	10.35	31.86	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5625.60	53.58	68.20	-14.62	40.36	34.60	10.26	31.64	0.00	100	112 PEAK																																																																																																																														
2	5651.60	52.21	69.39	-17.18	38.98	34.60	10.29	31.66	0.00	100	112 PEAK																																																																																																																														
3	5705.20	66.62	106.76	-40.14	53.48	34.60	10.33	31.79	0.00	100	112 PEAK																																																																																																																														
4	5722.40	62.96	116.37	-53.41	49.85	34.60	10.34	31.83	0.00	100	112 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	111.13	-----	-----	98.04	34.60	10.35	31.86	0.00	100	112 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.32</td><td>-----</td><td>-----</td><td>90.23</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.32	-----	-----	90.23	34.60	10.35	31.86	0.00	100	112 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	103.32	-----	-----	90.23	34.60	10.35	31.86	0.00	100	112 AVERAGE																																																																																																																														





Mode	80																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																								
ANT	8+9																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>54.52</td><td>111.36</td><td>-56.84</td><td>41.51</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>222 PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>61.73</td><td>108.71</td><td>-46.98</td><td>48.68</td><td>34.75</td><td>10.46</td><td>32.16</td><td>0.00</td><td>100</td><td>222 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.55</td><td>68.35</td><td>-14.80</td><td>40.14</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>222 PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>56.19</td><td>68.20</td><td>-12.01</td><td>42.75</td><td>35.08</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>222 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	54.52	111.36	-56.84	41.51	34.72	10.45	32.16	0.00	100	222 PEAK	2	5862.80	61.73	108.71	-46.98	48.68	34.75	10.46	32.16	0.00	100	222 PEAK	3	5924.80	53.55	68.35	-14.80	40.14	35.05	10.52	32.16	0.00	100	222 PEAK	4	5929.60	56.19	68.20	-12.01	42.75	35.08	10.52	32.16	0.00	100	222 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.73</td><td>-----</td><td>-----</td><td>98.73</td><td>34.65</td><td>10.43</td><td>32.08</td><td>0.00</td><td>100</td><td>222 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.73	-----	-----	98.73	34.65	10.43	32.08	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.80	54.52	111.36	-56.84	41.51	34.72	10.45	32.16	0.00	100	222 PEAK																																																																																																																														
2	5862.80	61.73	108.71	-46.98	48.68	34.75	10.46	32.16	0.00	100	222 PEAK																																																																																																																														
3	5924.80	53.55	68.35	-14.80	40.14	35.05	10.52	32.16	0.00	100	222 PEAK																																																																																																																														
4	5929.60	56.19	68.20	-12.01	42.75	35.08	10.52	32.16	0.00	100	222 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	111.73	-----	-----	98.73	34.65	10.43	32.08	0.00	100	222 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.68</td><td>-----</td><td>-----</td><td>92.69</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>222 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.68	-----	-----	92.69	34.66	10.43	32.10	0.00	100	222 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	105.68	-----	-----	92.69	34.66	10.43	32.10	0.00	100	222 AVERAGE																																																																																																																														





Mode	80																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																								
ANT	8+9																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>51.78</td><td>111.36</td><td>-59.58</td><td>38.77</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>55.02</td><td>106.14</td><td>-51.12</td><td>41.92</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.30</td><td>68.35</td><td>-16.05</td><td>38.89</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>4</td><td>5946.00</td><td>55.83</td><td>68.20</td><td>-12.37</td><td>42.29</td><td>35.18</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	51.78	111.36	-59.58	38.77	34.72	10.45	32.16	0.00	100	111 PEAK	2	5872.00	55.02	106.14	-51.12	41.92	34.79	10.47	32.16	0.00	100	111 PEAK	3	5924.00	52.30	68.35	-16.05	38.89	35.05	10.52	32.16	0.00	100	111 PEAK	4	5946.00	55.83	68.20	-12.37	42.29	35.18	10.53	32.17	0.00	100	111 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.23</td><td>-----</td><td>-----</td><td>97.23</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.23	-----	-----	97.23	34.67	10.44	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	51.78	111.36	-59.58	38.77	34.72	10.45	32.16	0.00	100	111 PEAK																																																																																																																														
2	5872.00	55.02	106.14	-51.12	41.92	34.79	10.47	32.16	0.00	100	111 PEAK																																																																																																																														
3	5924.00	52.30	68.35	-16.05	38.89	35.05	10.52	32.16	0.00	100	111 PEAK																																																																																																																														
4	5946.00	55.83	68.20	-12.37	42.29	35.18	10.53	32.17	0.00	100	111 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	110.23	-----	-----	97.23	34.67	10.44	32.11	0.00	100	111 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.74</td><td>-----</td><td>-----</td><td>90.74</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.74	-----	-----	90.74	34.67	10.44	32.11	0.00	100	111 AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	103.74	-----	-----	90.74	34.67	10.44	32.11	0.00	100	111 AVERAGE																																																																																																																														



Mode	74	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	8+9	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	74																																																																																																												
	30-1G																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																												
ANT	8+9																																																																																																												
Pol.	Horizontal																																																																																																												
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>160.95</td><td>21.68</td><td>43.50</td><td>-21.82</td><td>35.66</td><td>16.16</td><td>1.93</td><td>32.07</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>205.57</td><td>27.43</td><td>43.50</td><td>-16.07</td><td>42.47</td><td>14.84</td><td>2.18</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>490.75</td><td>23.42</td><td>46.00</td><td>-22.58</td><td>28.48</td><td>23.69</td><td>3.38</td><td>32.13</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>623.64</td><td>25.60</td><td>46.00</td><td>-20.40</td><td>27.65</td><td>26.18</td><td>3.81</td><td>32.04</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>850.62</td><td>30.09</td><td>46.00</td><td>-15.91</td><td>27.48</td><td>29.66</td><td>4.43</td><td>31.48</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>953.44</td><td>30.68</td><td>46.00</td><td>-15.32</td><td>26.17</td><td>30.50</td><td>4.70</td><td>30.69</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	160.95	21.68	43.50	-21.82	35.66	16.16	1.93	32.07	0.00	--- Peak	2	205.57	27.43	43.50	-16.07	42.47	14.84	2.18	32.06	0.00	--- Peak	3	490.75	23.42	46.00	-22.58	28.48	23.69	3.38	32.13	0.00	--- Peak	4	623.64	25.60	46.00	-20.40	27.65	26.18	3.81	32.04	0.00	--- Peak	5	850.62	30.09	46.00	-15.91	27.48	29.66	4.43	31.48	0.00	--- Peak	6	953.44	30.68	46.00	-15.32	26.17	30.50	4.70	30.69	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	160.95	21.68	43.50	-21.82	35.66	16.16	1.93	32.07	0.00	--- Peak																																																																																																			
2	205.57	27.43	43.50	-16.07	42.47	14.84	2.18	32.06	0.00	--- Peak																																																																																																			
3	490.75	23.42	46.00	-22.58	28.48	23.69	3.38	32.13	0.00	--- Peak																																																																																																			
4	623.64	25.60	46.00	-20.40	27.65	26.18	3.81	32.04	0.00	--- Peak																																																																																																			
5	850.62	30.09	46.00	-15.91	27.48	29.66	4.43	31.48	0.00	--- Peak																																																																																																			
6	953.44	30.68	46.00	-15.32	26.17	30.50	4.70	30.69	0.00	--- Peak																																																																																																			
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>48.43</td><td>21.38</td><td>40.00</td><td>-18.62</td><td>37.50</td><td>14.93</td><td>1.06</td><td>32.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>96.93</td><td>24.73</td><td>43.50</td><td>-18.77</td><td>39.74</td><td>15.51</td><td>1.51</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>188.11</td><td>27.13</td><td>43.50</td><td>-16.37</td><td>42.41</td><td>14.72</td><td>2.08</td><td>32.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>211.39</td><td>27.16</td><td>43.50</td><td>-16.34</td><td>42.04</td><td>14.94</td><td>2.21</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>785.63</td><td>26.00</td><td>46.00</td><td>-19.20</td><td>26.43</td><td>27.83</td><td>4.26</td><td>31.72</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>930.16</td><td>29.87</td><td>46.00</td><td>-16.13</td><td>26.82</td><td>29.44</td><td>4.63</td><td>31.02</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	48.43	21.38	40.00	-18.62	37.50	14.93	1.06	32.11	0.00	--- Peak	2	96.93	24.73	43.50	-18.77	39.74	15.51	1.51	32.03	0.00	--- Peak	3	188.11	27.13	43.50	-16.37	42.41	14.72	2.08	32.00	0.00	--- Peak	4	211.39	27.16	43.50	-16.34	42.04	14.94	2.21	32.03	0.00	--- Peak	5	785.63	26.00	46.00	-19.20	26.43	27.83	4.26	31.72	0.00	--- Peak	6	930.16	29.87	46.00	-16.13	26.82	29.44	4.63	31.02	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	48.43	21.38	40.00	-18.62	37.50	14.93	1.06	32.11	0.00	--- Peak																																																																																																			
2	96.93	24.73	43.50	-18.77	39.74	15.51	1.51	32.03	0.00	--- Peak																																																																																																			
3	188.11	27.13	43.50	-16.37	42.41	14.72	2.08	32.00	0.00	--- Peak																																																																																																			
4	211.39	27.16	43.50	-16.34	42.04	14.94	2.21	32.03	0.00	--- Peak																																																																																																			
5	785.63	26.00	46.00	-19.20	26.43	27.83	4.26	31.72	0.00	--- Peak																																																																																																			
6	930.16	29.87	46.00	-16.13	26.82	29.44	4.63	31.02	0.00	--- Peak																																																																																																			



<Co-location>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 82	2400-2483.5	2400-2483.5	8	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
	U-NII-1	5.15-5.25	8+9	802.11ax HE160	50	5250	MCS0	Full RU	-
	Part 27D N30								





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
82	Bluetooth-LE_GFSK	39	2494.48	46.49	54.00	-7.51	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GFSK	39	4844.00	40.74	74.00	-33.26	H	PEAK	Pass	Harmonic
	802.11ax HE160	50	5092.25	50.59	54.00	-3.41	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	50	10500.00	46.17	68.20	-22.03	V	PEAK	Pass	Harmonic





WWAN RSE

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
82	N30	462000	6916.80	50.25	55.20	-4.95	H	PEAK	Pass	Harmonic
		462000	6916.80	51.54	55.20	-3.66	V	PEAK	Pass	Harmonic



		82																																																																																																		
Mode		Co-location Band Edge																																																																																																		
		Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT		8																																																																																																		
Pol.	Horizontal										Fundamental																																																																																									
Peak																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.00	56.38	74.00	-17.62	43.20	32.67	6.75	32.24	6.00	100	86 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>120.73</td><td>-----</td><td>108.91</td><td>31.56</td><td>6.47</td><td>32.21</td><td>6.00</td><td>100</td><td>86 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>94.82</td><td>-----</td><td>81.74</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>86 Peak</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	120.73	-----	108.91	31.56	6.47	32.21	6.00	100	86 Peak	2	2480.00	94.82	-----	81.74	32.58	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2495.00	56.38	74.00	-17.62	43.20	32.67	6.75	32.24	6.00	100	86 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2306.00	120.73	-----	108.91	31.56	6.47	32.21	6.00	100	86 Peak																																																																																										
2	2480.00	94.82	-----	81.74	32.58	6.73	32.23	6.00	100	86 Peak																																																																																										
Avg																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.48	46.49	54.00	-7.51	33.31	32.67	6.75	32.24	6.00	100	86 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>117.33</td><td>-----</td><td>105.51</td><td>31.56</td><td>6.47</td><td>32.21</td><td>6.00</td><td>100</td><td>86 Average</td></tr><tr><td>2</td><td>2480.00</td><td>92.56</td><td>-----</td><td>79.48</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>86 Average</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	117.33	-----	105.51	31.56	6.47	32.21	6.00	100	86 Average	2	2480.00	92.56	-----	79.48	32.58	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2494.48	46.49	54.00	-7.51	33.31	32.67	6.75	32.24	6.00	100	86 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2306.00	117.33	-----	105.51	31.56	6.47	32.21	6.00	100	86 Average																																																																																										
2	2480.00	92.56	-----	79.48	32.58	6.73	32.23	6.00	100	86 Average																																																																																										







Mode	82																																																																	
	Co-location Band Edge																																																																	
	Bluetooth-LE_GFSK_CH39_2480MHz																																																																	
ANT	8																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.12</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>44.29</td><td>32.63</td><td>6.74</td><td>32.24</td><td>6.00</td><td>290</td><td>32 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.12	57.42	74.00	-16.58	44.29	32.63	6.74	32.24	6.00	290	32 PEAK										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2488.12	57.42	74.00	-16.58	44.29	32.63	6.74	32.24	6.00	290	32 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>111.20</td><td>-----</td><td>99.38</td><td>31.56</td><td>6.47</td><td>32.21</td><td>6.00</td><td>290</td><td>32 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>90.57</td><td>-----</td><td>77.49</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>290</td><td>32 Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	111.20	-----	99.38	31.56	6.47	32.21	6.00	290	32 Peak	2	2480.00	90.57	-----	77.49	32.58	6.73	32.23	6.00	290	32 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2306.00	111.20	-----	99.38	31.56	6.47	32.21	6.00	290	32 Peak																																																								
2	2480.00	90.57	-----	77.49	32.58	6.73	32.23	6.00	290	32 Peak																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.64</td><td>46.27</td><td>54.00</td><td>-7.73</td><td>33.06</td><td>32.70</td><td>6.75</td><td>32.24</td><td>6.00</td><td>290</td><td>32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.64	46.27	54.00	-7.73	33.06	32.70	6.75	32.24	6.00	290	32 AVERAGE										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2499.64	46.27	54.00	-7.73	33.06	32.70	6.75	32.24	6.00	290	32 AVERAGE																																																							
Average																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>107.95</td><td>-----</td><td>96.13</td><td>31.56</td><td>6.47</td><td>32.21</td><td>6.00</td><td>290</td><td>32 Average</td></tr><tr><td>2</td><td>2480.00</td><td>88.28</td><td>-----</td><td>75.20</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>290</td><td>32 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	107.95	-----	96.13	31.56	6.47	32.21	6.00	290	32 Average	2	2480.00	88.28	-----	75.20	32.58	6.73	32.23	6.00	290	32 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2306.00	107.95	-----	96.13	31.56	6.47	32.21	6.00	290	32 Average																																																								
2	2480.00	88.28	-----	75.20	32.58	6.73	32.23	6.00	290	32 Average																																																								





Mode	82																																																																																																																																																																				
	Co-location Harmonic																																																																																																																																																																				
	Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																				
ANT	8																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4844.00</td><td>40.74</td><td>74.00</td><td>-33.26</td><td>62.97</td><td>34.20</td><td>9.49</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>80.28</td><td>34.30</td><td>9.86</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>6916.80</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>66.93</td><td>35.67</td><td>11.42</td><td>63.77</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4844.00	40.74	74.00	-33.26	62.97	34.20	9.49	65.92	0.00	---	---	PEAK	2	5250.00	58.51	74.00	-15.49	80.28	34.30	9.86	65.93	0.00	---	---	Peak	3	6916.80	50.25	74.00	-23.75	66.93	35.67	11.42	63.77	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4844.00</td><td>40.64</td><td>74.00</td><td>-33.36</td><td>62.87</td><td>34.20</td><td>9.49</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>78.65</td><td>34.30</td><td>9.86</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>6916.80</td><td>51.54</td><td>74.00</td><td>-22.46</td><td>68.22</td><td>35.67</td><td>11.42</td><td>63.77</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4844.00	40.64	74.00	-33.36	62.87	34.20	9.49	65.92	0.00	---	---	PEAK	2	5250.00	56.88	74.00	-17.12	78.65	34.30	9.86	65.93	0.00	---	---	Peak	3	6916.80	51.54	74.00	-22.46	68.22	35.67	11.42	63.77	0.00	---	---
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4844.00	40.74	74.00	-33.26	62.97	34.20	9.49	65.92	0.00	---	---	PEAK																																																																																																																																																									
2	5250.00	58.51	74.00	-15.49	80.28	34.30	9.86	65.93	0.00	---	---	Peak																																																																																																																																																									
3	6916.80	50.25	74.00	-23.75	66.93	35.67	11.42	63.77	0.00	---	---	Peak																																																																																																																																																									
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4844.00	40.64	74.00	-33.36	62.87	34.20	9.49	65.92	0.00	---	---	PEAK																																																																																																																																																									
2	5250.00	56.88	74.00	-17.12	78.65	34.30	9.86	65.93	0.00	---	---	Peak																																																																																																																																																									
3	6916.80	51.54	74.00	-22.46	68.22	35.67	11.42	63.77	0.00	---	---	Peak																																																																																																																																																									







		82																																																																																																																								
Mode		Co-location Band Edge																																																																																																																								
		802.11ax HE160_CH50_5250MHz_Full RU																																																																																																																								
ANT		CDD 8+9																																																																																																																								
Pol.		Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5101.25</td><td>61.43</td><td>74.00</td><td>-12.57</td><td>49.51</td><td>34.10</td><td>9.74</td><td>31.92</td><td>0.00</td><td>100</td><td>214 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5101.25	61.43	74.00	-12.57	49.51	34.10	9.74	31.92	0.00	100	214 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2308.00</td><td>96.12</td><td>-----</td><td>90.27</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>100</td><td>214 Peak</td></tr><tr><td>2</td><td>2482.00</td><td>78.69</td><td>-----</td><td>71.60</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>100</td><td>214 Peak</td></tr><tr><td>3</td><td>5250.00</td><td>103.92</td><td>-----</td><td>91.57</td><td>34.32</td><td>9.86</td><td>31.83</td><td>0.00</td><td>100</td><td>214 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2308.00	96.12	-----	90.27	31.58	6.48	32.21	0.00	100	214 Peak	2	2482.00	78.69	-----	71.60	32.59	6.73	32.23	0.00	100	214 Peak	3	5250.00	103.92	-----	91.57	34.32	9.86	31.83	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5101.25	61.43	74.00	-12.57	49.51	34.10	9.74	31.92	0.00	100	214 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2308.00	96.12	-----	90.27	31.58	6.48	32.21	0.00	100	214 Peak																																																																																																																
2	2482.00	78.69	-----	71.60	32.59	6.73	32.23	0.00	100	214 Peak																																																																																																																
3	5250.00	103.92	-----	91.57	34.32	9.86	31.83	0.00	100	214 PEAK																																																																																																																
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5092.25</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>38.69</td><td>34.08</td><td>9.74</td><td>31.92</td><td>0.00</td><td>100</td><td>214 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5092.25	50.59	54.00	-3.41	38.69	34.08	9.74	31.92	0.00	100	214 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2308.00</td><td>90.07</td><td>-----</td><td>84.22</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>100</td><td>214 Average</td></tr><tr><td>2</td><td>2482.00</td><td>73.64</td><td>-----</td><td>66.55</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>100</td><td>214 Average</td></tr><tr><td>3</td><td>5250.00</td><td>94.28</td><td>-----</td><td>81.93</td><td>34.32</td><td>9.86</td><td>31.83</td><td>0.00</td><td>100</td><td>214 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2308.00	90.07	-----	84.22	31.58	6.48	32.21	0.00	100	214 Average	2	2482.00	73.64	-----	66.55	32.59	6.73	32.23	0.00	100	214 Average	3	5250.00	94.28	-----	81.93	34.32	9.86	31.83	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5092.25	50.59	54.00	-3.41	38.69	34.08	9.74	31.92	0.00	100	214 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2308.00	90.07	-----	84.22	31.58	6.48	32.21	0.00	100	214 Average																																																																																																																
2	2482.00	73.64	-----	66.55	32.59	6.73	32.23	0.00	100	214 Average																																																																																																																
3	5250.00	94.28	-----	81.93	34.32	9.86	31.83	0.00	100	214 AVERAGE																																																																																																																





Mode	82																																																									
	Co-location Band Edge																																																									
	802.11ax HE160_CH50_5250MHz_Full RU																																																									
ANT	CDD 8+9																																																									
Pol.	Horizontal						Fundamental																																																			
Peak							Blank																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.00</td><td>61.28</td><td>74.00</td><td>-12.72</td><td>48.41</td><td>34.69</td><td>9.94</td><td>31.76</td><td>0.00</td><td>100</td><td>214</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5397.00	61.28	74.00	-12.72	48.41	34.69	9.94	31.76	0.00	100	214
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5397.00	61.28	74.00	-12.72	48.41	34.69	9.94	31.76	0.00	100	214	PEAK																																														
Avg							Blank																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.59</td><td>50.21</td><td>54.00</td><td>-3.79</td><td>37.35</td><td>34.69</td><td>9.93</td><td>31.76</td><td>0.00</td><td>100</td><td>214</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5392.59	50.21	54.00	-3.79	37.35	34.69	9.93	31.76	0.00	100	214
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5392.59	50.21	54.00	-3.79	37.35	34.69	9.93	31.76	0.00	100	214	AVERAGE																																														





		82																																																																																																																								
Mode	Co-location Band Edge																																																																																																																									
	802.11ax HE160_CH50_5250MHz_Full RU																																																																																																																									
ANT	CDD 8+9																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5052.00</td><td>57.25</td><td>74.00</td><td>-16.75</td><td>45.49</td><td>34.00</td><td>9.70</td><td>31.94</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5052.00	57.25	74.00	-16.75	45.49	34.00	9.70	31.94	0.00	100	272 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2308.00</td><td>95.04</td><td>-----</td><td>89.19</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>100</td><td>272 Peak</td></tr><tr><td>2</td><td>2482.00</td><td>80.59</td><td>-----</td><td>73.50</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>100</td><td>272 Peak</td></tr><tr><td>3</td><td>5250.00</td><td>100.90</td><td>-----</td><td>88.61</td><td>34.28</td><td>9.85</td><td>31.84</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	95.04	-----	89.19	31.58	6.48	32.21	0.00	100	272 Peak	2	2482.00	80.59	-----	73.50	32.59	6.73	32.23	0.00	100	272 Peak	3	5250.00	100.90	-----	88.61	34.28	9.85	31.84	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5052.00	57.25	74.00	-16.75	45.49	34.00	9.70	31.94	0.00	100	272 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2308.00	95.04	-----	89.19	31.58	6.48	32.21	0.00	100	272 Peak																																																																																																																
2	2482.00	80.59	-----	73.50	32.59	6.73	32.23	0.00	100	272 Peak																																																																																																																
3	5250.00	100.90	-----	88.61	34.28	9.85	31.84	0.00	100	272 PEAK																																																																																																																
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.25</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>34.61</td><td>34.11</td><td>9.75</td><td>31.91</td><td>0.00</td><td>100</td><td>272 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.25	46.56	54.00	-7.44	34.61	34.11	9.75	31.91	0.00	100	272 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2308.00</td><td>87.79</td><td>-----</td><td>81.94</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>100</td><td>272 AVERAGE</td></tr><tr><td>2</td><td>2482.00</td><td>76.43</td><td>-----</td><td>69.34</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>100</td><td>272 Average</td></tr><tr><td>3</td><td>5250.00</td><td>90.98</td><td>-----</td><td>78.69</td><td>34.28</td><td>9.85</td><td>31.84</td><td>0.00</td><td>100</td><td>272 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	87.79	-----	81.94	31.58	6.48	32.21	0.00	100	272 AVERAGE	2	2482.00	76.43	-----	69.34	32.59	6.73	32.23	0.00	100	272 Average	3	5250.00	90.98	-----	78.69	34.28	9.85	31.84	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5103.25	46.56	54.00	-7.44	34.61	34.11	9.75	31.91	0.00	100	272 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2308.00	87.79	-----	81.94	31.58	6.48	32.21	0.00	100	272 AVERAGE																																																																																																																
2	2482.00	76.43	-----	69.34	32.59	6.73	32.23	0.00	100	272 Average																																																																																																																
3	5250.00	90.98	-----	78.69	34.28	9.85	31.84	0.00	100	272 AVERAGE																																																																																																																



Mode	82																																																		
	Co-location Band Edge																																																		
	802.11ax HE160_CH50_5250MHz_Full RU																																																		
ANT	CDD 8+9																																																		
Pol.	Vertical						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.38</td><td>59.88</td><td>74.00</td><td>-14.12</td><td>47.03</td><td>34.68</td><td>9.93</td><td>31.76</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.38	59.88	74.00	-14.12	47.03	34.68
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5392.38	59.88	74.00	-14.12	47.03	34.68	9.93	31.76	0.00	100	272	PEAK																																							
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5382.72</td><td>48.19</td><td>54.00</td><td>-5.81</td><td>35.36</td><td>34.67</td><td>9.93</td><td>31.77</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5382.72	48.19	54.00	-5.81	35.36	34.67
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5382.72	48.19	54.00	-5.81	35.36	34.67	9.93	31.77	0.00	100	272	AVERAGE																																							




		82																																																						
Mode		Co-location Harmonic																																																						
		802.11ax HE160_CH50_5250MHz_Full RU																																																						
ANT		CDD 8+9																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.50</td><td>68.20</td><td>-22.70</td><td>58.53</td><td>37.87</td><td>14.28</td><td>65.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.50	68.20	-22.70	58.53	37.87	14.28	65.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10580.00	45.50	68.20	-22.70	58.53	37.87	14.28	65.18	0.00	---	---	PEAK																																												
		Vertical																																																						
																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>46.17</td><td>68.20</td><td>-22.03</td><td>59.22</td><td>37.86</td><td>14.28</td><td>65.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	46.17	68.20	-22.03	59.22	37.86	14.28	65.19	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10580.00	46.17	68.20	-22.03	59.22	37.86	14.28	65.19	0.00	---	---	PEAK																																												

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20_RU26	100	-	-	10Hz
802.11ax HE20_RU52	100	-	-	10Hz
802.11ax HE20_RU106	100	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE40







802.11ax HE80




802.11ax HE160



802.11ax HE20_26RU



802.11ax HE20_52RU



802.11ax HE20_106RU

