





11AX20MIMO_Ant9_6415_52Tone_RU40




11AX20MIMO_Ant9_6415_106Tone_RU54






11AX20MIMO_Ant8_6435_26Tone_RU0




11AX20MIMO_Ant8_6435_52Tone_RU37






11AX20MIMO_Ant8_6435_106Tone_RU53




11AX20MIMO_Ant9_6435_26Tone_RU0






11AX20MIMO_Ant9_6435_52Tone_RU37




11AX20MIMO_Ant9_6435_106Tone_RU53






11AX20MIMO_Ant8_6475_26Tone_RU0




11AX20MIMO_Ant8_6475_52Tone_RU37






11AX20MIMO_Ant8_6475_106Tone_RU53




11AX20MIMO_Ant9_6475_26Tone_RU0






11AX20MIMO_Ant9_6475_52Tone_RU37




11AX20MIMO_Ant9_6475_106Tone_RU53






11AX20MIMO_Ant8_6515_26Tone_RU8




11AX20MIMO_Ant8_6515_52Tone_RU40






11AX20MIMO_Ant8_6515_106Tone_RU54




11AX20MIMO_Ant9_6515_26Tone_RU8






11AX20MIMO_Ant9_6515_52Tone_RU40




11AX20MIMO_Ant9_6515_106Tone_RU54






11AX20MIMO_Ant8_6535_26Tone_RU0




11AX20MIMO_Ant8_6535_52Tone_RU37






11AX20MIMO_Ant8_6535_106Tone_RU53




11AX20MIMO_Ant9_6535_26Tone_RU0






11AX20MIMO_Ant9_6535_52Tone_RU37




11AX20MIMO_Ant9_6535_106Tone_RU53






11AX20MIMO_Ant8_6695_26Tone_RU0




11AX20MIMO_Ant8_6695_52Tone_RU37






11AX20MIMO_Ant8_6695_106Tone_RU53




11AX20MIMO_Ant9_6695_26Tone_RU0






11AX20MIMO_Ant9_6695_52Tone_RU37




11AX20MIMO_Ant9_6695_106Tone_RU53






11AX20MIMO_Ant8_6855_26Tone_RU8




11AX20MIMO_Ant8_6855_52Tone_RU40






11AX20MIMO_Ant8_6855_106Tone_RU54




11AX20MIMO_Ant9_6855_26Tone_RU8






11AX20MIMO_Ant9_6855_52Tone_RU40




11AX20MIMO_Ant9_6855_106Tone_RU54






11AX20MIMO_Ant8_6875_26Tone_RU8




11AX20MIMO_Ant8_6875_52Tone_RU40






11AX20MIMO_Ant8_6875_106Tone_RU54




11AX20MIMO_Ant9_6875_26Tone_RU8






11AX20MIMO_Ant9_6875_52Tone_RU40




11AX20MIMO_Ant9_6875_106Tone_RU54






11AX20MIMO_Ant8_6895_26Tone_RU0




11AX20MIMO_Ant8_6895_52Tone_RU37






11AX20MIMO_Ant8_6895_106Tone_RU53




11AX20MIMO_Ant9_6895_26Tone_RU0






11AX20MIMO_Ant9_6895_52Tone_RU37




11AX20MIMO_Ant9_6895_106Tone_RU53






11AX20MIMO_Ant8_6995_26Tone_RU0




11AX20MIMO_Ant8_6995_52Tone_RU37






11AX20MIMO_Ant8_6995_106Tone_RU53




11AX20MIMO_Ant9_6995_26Tone_RU0






11AX20MIMO_Ant9_6995_52Tone_RU37




11AX20MIMO_Ant9_6995_106Tone_RU53






11AX20MIMO_Ant8_7095_26Tone_RU8




11AX20MIMO_Ant8_7095_52Tone_RU40






11AX20MIMO_Ant8_7095_106Tone_RU54




11AX20MIMO_Ant9_7095_26Tone_RU8






11AX20MIMO_Ant9_7095_52Tone_RU40



11AX20MIMO_Ant9_7095_106Tone_RU54





In-Band Emissions Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20 MIMO	Ant8	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant8	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6475	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6475	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6515	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	6515	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant8	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6695	26Tone	RU0	See test graph	See test graph	PASS



			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant9	6855	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant8	6875	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant9	6875	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
	Ant8	6895	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
	Ant9	6895	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
	Ant8	6995	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
	Ant9	6995	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant8	7095	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant9	7095	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS




Test Graphs






11AX20MIMO_Ant8_5955_106Tone_RU53




11AX20MIMO_Ant9_5955_26Tone_RU0






11AX20MIMO_Ant9_5955_52Tone_RU37



Date: 22.NOV.2024 01:09:17


11AX20MIMO_Ant9_5955_106Tone_RU53



Date: 22.NOV.2024 01:15:14




11AX20MIMO_Ant8_6175_26Tone_RU0



Date: 22.NOV.2024 01:34:18


11AX20MIMO_Ant8_6175_52Tone_RU37




Date: 22.NOV.2024 01:36:45



11AX20MIMO_Ant8_6175_106Tone_RU53




11AX20MIMO_Ant9_6175_26Tone_RU0






11AX20MIMO_Ant9_6175_52Tone_RU37



Date: 22.NOV.2024 01:37:46


11AX20MIMO_Ant9_6175_106Tone_RU53



Date: 22.NOV.2024 01:40:02




11AX20MIMO_Ant8_6415_26Tone_RU8



Date: 22.NOV.2024 01:42:43


11AX20MIMO_Ant8_6415_52Tone_RU40



Date: 22.NOV.2024 01:46:23




11AX20MIMO_Ant8_6415_106Tone_RU54



Date: 22.NOV.2024 01:49:07


11AX20MIMO_Ant9_6415_26Tone_RU6



Date: 22.NOV.2024 01:43:56




11AX20MIMO_Ant9_6415_52Tone_RU40



Date: 22.NOV.2024 01:47:37


11AX20MIMO_Ant9_6415_106Tone_RU54



Date: 22.NOV.2024 01:50:35




11AX20MIMO_Ant8_6435_26Tone_RU0



Date: 22.NOV.2024 01:52:18


11AX20MIMO_Ant8_6435_52Tone_RU37




Date: 22.NOV.2024 20:44:00



11AX20MIMO_Ant8_6435_106Tone_RU53




11AX20MIMO_Ant9_6435_26Tone_RU60






11AX20MIMO_Ant9_6435_52Tone_RU37



Date: 22.NOV.2024 20:45:02


11AX20MIMO_Ant9_6435_106Tone_RU53



Date: 22.NOV.2024 20:48:26




11AX20MIMO_Ant8_6475_26Tone_RU0



Date: 22.NOV.2024 20:51:47


11AX20MIMO_Ant8_6475_52Tone_RU37




Date: 22.NOV.2024 20:54:02



11AX20MIMO_Ant8_6475_106Tone_RU53




11AX20MIMO_Ant9_6475_26Tone_RU0






11AX20MIMO_Ant9_6475_52Tone_RU37



Date: 22.NOV.2024 20:54:59


11AX20MIMO_Ant9_6475_106Tone_RU53



Date: 22.NOV.2024 20:57:49




11AX20MIMO_Ant8_6515_26Tone_RU8



Date: 22.NOV.2024 21:00:25


11AX20MIMO_Ant8_6515_52Tone_RU40




Date: 22.NOV.2024 21:12:00



11AX20MIMO_Ant8_6515_106Tone_RU54




11AX20MIMO_Ant9_6515_26Tone_RU6






11AX20MIMO_Ant9_6515_52Tone_RU40




11AX20MIMO_Ant9_6515_106Tone_RU54






11AX20MIMO_Ant8_6535_26Tone_RU0



Date: 22.NOV.2024 21:23:44


11AX20MIMO_Ant8_6535_52Tone_RU37




Date: 22.NOV.2024 21:44:20



11AX20MIMO_Ant8_6535_106Tone_RU53




11AX20MIMO_Ant9_6535_26Tone_RU0






11AX20MIMO_Ant9_6535_52Tone_RU37




11AX20MIMO_Ant9_6535_106Tone_RU53






11AX20MIMO_Ant8_6695_26Tone_RU0



Date: 22.NOV.2024 21:56:52


11AX20MIMO_Ant8_6695_52Tone_RU37



Date: 22.NOV.2024 22:33:47




11AX20MIMO_Ant8_6695_106Tone_RU53



Date: 22.NOV.2024 22:41:26


11AX20MIMO_Ant9_6695_26Tone_RU0



Date: 22.NOV.2024 21:58:56




11AX20MIMO_Ant9_6695_52Tone_RU37



Date: 22.NOV.2024 22:35:41


11AX20MIMO_Ant9_6695_106Tone_RU53



Date: 22.NOV.2024 22:44:28




11AX20MIMO_Ant8_6855_26Tone_RU8



Date: 22.NOV.2024 22:46:36


11AX20MIMO_Ant8_6855_52Tone_RU40



Date: 22.NOV.2024 22:54:02




11AX20MIMO_Ant8_6855_106Tone_RU54



Date: 22.NOV.2024 23:01:39


11AX20MIMO_Ant9_6855_26Tone_RU6



Date: 22.NOV.2024 22:49:17




11AX20MIMO_Ant9_6855_52Tone_RU40



Date: 22.NOV.2024 22:58:27


11AX20MIMO_Ant9_6855_106Tone_RU54



Date: 22.NOV.2024 23:02:34




11AX20MIMO_Ant8_6875_26Tone_RU8



Date: 22.NOV.2024 23:06:45


11AX20MIMO_Ant8_6875_52Tone_RU40



Date: 22.NOV.2024 23:09:50




11AX20MIMO_Ant8_6875_106Tone_RU54



Date: 22.NOV.2024 23:15:16


11AX20MIMO_Ant9_6875_26Tone_RU6




Date: 22.NOV.2024 23:08:07



11AX20MIMO_Ant9_6875_52Tone_RU40




11AX20MIMO_Ant9_6875_106Tone_RU54






11AX20MIMO_Ant8_6895_26Tone_RU0



Date: 22.NOV.2024 23:25:17


11AX20MIMO_Ant8_6895_52Tone_RU37



Date: 22.NOV.2024 23:31:13




11AX20MIMO_Ant8_6895_106Tone_RU53



Date: 22.NOV.2024 23:37:38


11AX20MIMO_Ant9_6895_26Tone_RU60



Date: 22.NOV.2024 23:27:11




11AX20MIMO_Ant9_6895_52Tone_RU37



Date: 22.NOV.2024 23:33:37


11AX20MIMO_Ant9_6895_106Tone_RU53



Date: 22.NOV.2024 23:38:31




11AX20MIMO_Ant8_6995_26Tone_RU0



Date: 22.NOV.2024 23:53:13


11AX20MIMO_Ant8_6995_52Tone_RU37



Date: 22.NOV.2024 23:55:37




11AX20MIMO_Ant8_6995_106Tone_RU53



Date: 22.NOV.2024 23:57:56


11AX20MIMO_Ant9_6995_26Tone_RU60




Date: 22.NOV.2024 23:54:09



11AX20MIMO_Ant9_6995_52Tone_RU37




11AX20MIMO_Ant9_6995_106Tone_RU53






11AX20MIMO_Ant8_7095_26Tone_RU8



Date: 23.NOV.2024 00:03:04


11AX20MIMO_Ant8_7095_52Tone_RU40




Date: 23.NOV.2024 00:10:07



11AX20MIMO_Ant8_7095_106Tone_RU54




11AX20MIMO_Ant9_7095_26Tone_RU54






11AX20MIMO_Ant9_7095_52Tone_RU40



Date: 23.NOV.2024 00:12:15

11AX20MIMO_Ant9_7095_106Tone_RU54




Date: 23.NOV.2024 00:16:20



Appendix B. AC Conducted Emission Test Results

Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15E_QP LISN_2024-L-1 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	30.27	-25.73	56.00	10.59	9.67	10.01	Average
2	0.15	42.28	-23.72	66.00	22.60	9.67	10.01	QP
3	0.20	28.70	-24.84	53.54	9.00	9.68	10.02	Average
4	0.20	40.70	-22.84	63.54	21.00	9.68	10.02	QP
5	0.25	24.04	-27.69	51.73	4.30	9.70	10.04	Average
6	0.25	34.44	-27.29	61.73	14.70	9.70	10.04	QP
7	0.61	32.78	-13.22	46.00	13.00	9.65	10.13	Average
8 *	0.61	44.98	-11.02	56.00	25.20	9.65	10.13	QP
9	1.29	21.00	-25.00	46.00	1.11	9.65	10.24	Average
10	1.29	33.90	-22.10	56.00	14.01	9.65	10.24	QP
11	3.14	20.27	-25.73	46.00	0.30	9.67	10.30	Average
12	3.14	31.37	-24.63	56.00	11.40	9.67	10.30	QP



Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN_2024-N-1 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	37.84	-17.98	55.82	18.09	9.74	10.01	Average
2	0.15	49.44	-16.38	65.82	29.69	9.74	10.01	QP
3	0.21	33.61	-19.79	53.40	13.90	9.69	10.02	Average
4	0.21	45.11	-18.29	63.40	25.40	9.69	10.02	QP
5	0.35	30.25	-18.75	49.00	10.50	9.69	10.06	Average
6	0.35	37.85	-21.15	59.00	18.10	9.69	10.06	QP
7	0.61	34.52	-11.48	46.00	14.70	9.69	10.13	Average
8 *	0.61	44.82	-11.18	56.00	25.00	9.69	10.13	QP
9	1.50	23.05	-22.95	46.00	3.10	9.68	10.27	Average
10	1.50	34.55	-21.45	56.00	14.60	9.68	10.27	QP
11	3.19	22.47	-23.53	46.00	2.49	9.68	10.30	Average
12	3.19	31.17	-24.83	56.00	11.19	9.68	10.30	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	8+9	802.11a	1	5955	MCS0	-	-
Mode 2	U-NII-5	5.925-6.425	8+9	802.11a	45	6195	MCS0	-	-
Mode 3	U-NII-5	5.925-6.425	8+9	802.11a	93	6415	MCS0	-	-
Mode 4	U-NII-5	5.925-6.425	8+9	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	8+9	802.11ax HE20	45	6195	MCS0	Full RU	-
Mode 6	U-NII-5	5.925-6.425	8+9	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	8+9	802.11ax HE20	1	5955	MCS0	Partial_26/0RU	-
Mode 8	U-NII-5	5.925-6.425	8+9	802.11ax HE20	1	5955	MCS0	Partial_52/37RU	-
Mode 9	U-NII-5	5.925-6.425	8+9	802.11ax HE20	1	5955	MCS0	Partial_106/53RU	-
Mode 10	U-NII-5	5.925-6.425	8+9	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	8+9	802.11ax HE40	43	6205	MCS0	Full RU	-
Mode 12	U-NII-5	5.925-6.425	8+9	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	8+9	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	8+9	802.11ax HE80	39	6225	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	8+9	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	8+9	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	8+9	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	8+9	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 19	U-NII-6	6.425-6.525	8+9	802.11a	97	6435	MCS0	-	-
Mode 20	U-NII-6	6.425-6.525	8+9	802.11a	105	6475	MCS0	-	-
Mode 21	U-NII-6	6.425-6.525	8+9	802.11a	113	6515	MCS0	-	-
Mode 22	U-NII-6	6.425-6.525	8+9	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 23	U-NII-6	6.425-6.525	8+9	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 24	U-NII-6	6.425-6.525	8+9	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 25	U-NII-6	6.425-6.525	8+9	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 26	U-NII-6	6.425-6.525	8+9	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	8+9	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	8+9	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	8+9	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	8+9	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	8+9	802.11a	117	6535	MCS0	-	-
Mode 32	U-NII-7	6.525-6.875	8+9	802.11a	149	6695	MCS0	-	-
Mode 33	U-NII-7	6.525-6.875	8+9	802.11a	181	6855	MCS0	-	-
Mode 34	U-NII-7-8	6.875	8+9	802.11a	185	6875	MCS0	-	-
Mode 35	U-NII-7	6.525-6.875	8+9	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	8+9	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	8+9	802.11ax HE20	181	6855	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 38	U-NII-7-8	6.875	8+9	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	8+9	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	8+9	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	8+9	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	8+9	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	8+9	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	8+9	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	8+9	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 46	U-NII-7	6.525-6.875	8+9	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 47	U-NII-7	6.525-6.875	8+9	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	8+9	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	8+9	802.11a	189	6895	MCS0	-	-
Mode 50	U-NII-8	6.875-7.125	8+9	802.11a	209	6995	MCS0	-	-
Mode 51	U-NII-8	6.875-7.125	8+9	802.11a	229	7095	MCS0	-	-
Mode 52	U-NII-8	6.875-7.125	8+9	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 53	U-NII-8	6.875-7.125	8+9	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 54	U-NII-8	6.875-7.125	8+9	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	8+9	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	8+9	802.11ax HE40	203	6925	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	8+9	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	8+9	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	8+9	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	8+9	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 61	U-NII-8	6.875-7.125	8+9	802.11ax HE20	229	7095	MCS0	Partial_26/0RU	-
Mode 62	U-NII-8	6.875-7.125	8+9	802.11ax HE20	229	7095	MCS0	Partial_52/37RU	-
Mode 63	U-NII-8	6.875-7.125	8+9	802.11ax HE20	229	7095	MCS0	Partial_106/53RU	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	51.73	68.20	-16.47	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	37.05	54.00	-16.95	V	AVERAGE	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12390.00	36.54	54.00	-17.46	H	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.26	88.20	-40.94	V	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5920.68	50.06	68.20	-18.14	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	37.40	54.00	-16.60	V	AVERAGE	Pass	Harmonic
5	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	45	12390.00	36.59	54.00	-17.41	V	AVERAGE	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	47.46	88.20	-40.74	V	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5911.58	45.89	68.20	-22.31	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE20	1	5911.97	46.20	68.20	-22.00	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
9	802.11ax HE20	1	5922.63	46.54	68.20	-21.66	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	3	5922.02	50.03	68.20	-18.17	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	11930.00	37.07	54.00	-16.93	V	AVERAGE	Pass	Harmonic
11	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	43	12410.00	36.97	54.00	-17.03	V	AVERAGE	Pass	Harmonic
12	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE40	91	12810.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
13	802.11ax HE80	7	5919.40	60.12	68.20	-8.08	H	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	11970.00	36.64	54.00	-17.36	V	AVERAGE	Pass	Harmonic
14	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	39	12450.00	46.14	74.00	-27.86	V	PEAK	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	46.56	88.20	-41.64	V	PEAK	Pass	Harmonic
16	802.11ax HE160	15	5920.00	67.66	68.20	-0.54	V	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	46.59	74.00	-27.41	V	PEAK	Pass	Harmonic
17	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE160	47	12370.00	46.62	74.00	-27.38	V	PEAK	Pass	Harmonic
18	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE160	79	12690.00	37.12	54.00	-16.88	V	AVERAGE	Pass	Harmonic
19	802.11a	97	-	-	-	-	-	-	-	Band Edge
19	802.11a	97	12870.00	48.78	88.20	-39.42	H	PEAK	Pass	Harmonic
20	802.11a	105	-	-	-	-	-	-	-	Band Edge
20	802.11a	105	12950.00	47.17	88.20	-41.03	H	PEAK	Pass	Harmonic
21	802.11a	113	-	-	-	-	-	-	-	Band Edge
21	802.11a	113	13030.00	47.60	88.20	-40.60	H	PEAK	Pass	Harmonic
22	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	97	12870.00	47.13	88.20	-41.07	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	105	12950.00	47.36	88.20	-40.84	H	PEAK	Pass	Harmonic
24	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	113	13030.00	46.64	88.20	-41.56	V	PEAK	Pass	Harmonic
25	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE40	99	12890.00	47.10	88.20	-41.10	H	PEAK	Pass	Harmonic
26	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	107	12970.00	47.59	88.20	-40.61	H	PEAK	Pass	Harmonic
27	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	115	13050.00	47.14	88.20	-41.06	H	PEAK	Pass	Harmonic
28	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE80	103	12930.00	47.70	88.20	-40.50	V	PEAK	Pass	Harmonic
29	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE80	119	13090.00	47.02	88.20	-41.18	H	PEAK	Pass	Harmonic
30	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE160	111	13010.00	46.88	88.20	-41.32	H	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	47.54	88.20	-40.66	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	36.91	54.00	-17.09	V	AVERAGE	Pass	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	Band Edge
33	802.11a	181	13710.00	46.96	88.20	-41.24	H	PEAK	Pass	Harmonic
34	802.11a	185	-	-	-	-	-	-	-	Band Edge
34	802.11a	185	13750.00	46.22	88.20	-41.98	V	PEAK	Pass	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	117	13070.00	48.38	88.20	-39.82	H	PEAK	Pass	Harmonic
36	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	149	13390.00	47.32	74.00	-26.68	H	PEAK	Pass	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	181	13710.00	46.65	88.20	-41.55	V	PEAK	Pass	Harmonic
38	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	185	13750.00	46.61	88.20	-41.59	V	PEAK	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	47.09	88.20	-41.11	V	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	47.01	74.00	-26.99	V	PEAK	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	46.29	88.20	-41.91	V	PEAK	Pass	Harmonic
42	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	187	13770.00	47.84	88.20	-40.36	V	PEAK	Pass	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	135	13250.00	46.90	74.00	-27.10	H	PEAK	Pass	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	151	13410.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
45	802.11ax HE80	167	13570.00	46.95	88.20	-41.25	V	PEAK	Pass	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE80	183	13730.00	45.85	88.20	-42.35	V	PEAK	Pass	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	143	13330.00	46.94	74.00	-27.06	H	PEAK	Pass	Harmonic
48	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	175	13650.00	46.04	88.20	-42.16	V	PEAK	Pass	Harmonic
49	802.11a	189	-	-	-	-	-	-	-	Band Edge
49	802.11a	189	13790.00	47.13	88.20	-41.07	H	PEAK	Pass	Harmonic
50	802.11a	209	-	-	-	-	-	-	-	Band Edge
50	802.11a	209	13990.00	46.97	88.20	-41.23	V	PEAK	Pass	Harmonic
51	802.11a	229	7125.00	62.79	68.20	-5.41	V	AVERAGE	Pass	Band Edge
51	802.11a	229	14190.00	47.93	88.20	-40.27	V	PEAK	Pass	Harmonic
52	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	189	13790.00	47.14	88.20	-41.06	V	PEAK	Pass	Harmonic
53	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE20	209	13990.00	46.61	88.20	-41.59	H	PEAK	Pass	Harmonic
54	802.11ax HE20	229	7130.44	54.89	68.20	-13.31	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	229	14190.00	47.92	88.20	-40.28	H	PEAK	Pass	Harmonic
55	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	187	13770.00	47.06	88.20	-41.14	V	PEAK	Pass	Harmonic
56	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE40	203	13850.00	46.16	88.20	-42.04	V	PEAK	Pass	Harmonic
57	802.11ax HE40	227	7131.08	53.95	68.20	-14.25	H	AVERAGE	Pass	Band Edge
57	802.11ax HE40	227	14170.00	47.17	88.20	-41.03	V	PEAK	Pass	Harmonic
58	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE80	199	13890.00	45.61	88.20	-42.59	V	PEAK	Pass	Harmonic
59	802.11ax HE80	215	7132.80	58.80	68.20	-9.40	H	AVERAGE	Pass	Band Edge
59	802.11ax HE80	215	14050.00	47.84	88.20	-40.36	V	PEAK	Pass	Harmonic
60	802.11ax HE160	207	7132.52	48.23	68.20	-19.97	H	AVERAGE	Pass	Band Edge
60	802.11ax HE160	207	13970.00	46.28	88.20	-41.92	H	PEAK	Pass	Harmonic
61	802.11ax HE20	229	7184.04	47.15	68.20	-21.05	V	AVERAGE	Pass	Band Edge
61	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	229	7190.12	47.16	68.20	-21.04	V	AVERAGE	Pass	Band Edge
62	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	229	7125.00	49.99	68.20	-18.21	V	AVERAGE	Pass	Band Edge
63	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic





Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																	
ANT	8+9																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak)						 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak)																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.11</td><td>62.83</td><td>88.20</td><td>-25.37</td><td>44.60</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>104 241 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.11	62.83	88.20	-25.37	44.60	35.10	12.98	29.85	0.00	104 241 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.97</td><td>-----</td><td>-----</td><td>96.68</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>104 241 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	114.97	-----	-----	96.68	35.10	13.02	29.83	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5922.11	62.83	88.20	-25.37	44.60	35.10	12.98	29.85	0.00	104 241 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5955.00	114.97	-----	-----	96.68	35.10	13.02	29.83	0.00	104 241 PEAK																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG)						 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG)																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>51.73</td><td>68.20</td><td>-16.47</td><td>33.50</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>104 241 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.97	51.73	68.20	-16.47	33.50	35.10	12.98	29.85	0.00	104 241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.10</td><td>-----</td><td>-----</td><td>87.81</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>104 241 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	106.10	-----	-----	87.81	35.10	13.02	29.83	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5924.97	51.73	68.20	-16.47	33.50	35.10	12.98	29.85	0.00	104 241 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5955.00	106.10	-----	-----	87.81	35.10	13.02	29.83	0.00	104 241 AVERAGE																																																																																								





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	8+9																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.38</td><td>62.08</td><td>88.20</td><td>-26.12</td><td>43.89</td><td>35.10</td><td>12.95</td><td>29.86</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5906.38	62.08	88.20	-26.12	43.89	35.10	12.95	29.86	0.00	100	295	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.76</td><td>-----</td><td>-----</td><td>93.44</td><td>35.10</td><td>13.04</td><td>29.82</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.76	-----	-----	93.44	35.10	13.04	29.82	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5906.38	62.08	88.20	-26.12	43.89	35.10	12.95	29.86	0.00	100	295	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	111.76	-----	-----	93.44	35.10	13.04	29.82	0.00	100	295	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>51.03</td><td>68.20</td><td>-17.17</td><td>32.80</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	51.03	68.20	-17.17	32.80	35.10	12.98	29.85	0.00	100	295	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.23</td><td>-----</td><td>-----</td><td>85.94</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.23	-----	-----	85.94	35.10	13.02	29.83	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	51.03	68.20	-17.17	32.80	35.10	12.98	29.85	0.00	100	295	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	104.23	-----	-----	85.94	35.10	13.02	29.83	0.00	100	295	AVERAGE																																																																																							





Mode	1																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																							
ANT	8+9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>11910.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>54.13</td><td>38.51</td><td>18.95</td><td>64.28</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>37.01</td><td>54.00</td><td>-16.99</td><td>43.83</td><td>38.51</td><td>18.95</td><td>64.28</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	11910.00	47.31	74.00	-26.69	54.13	38.51	18.95	64.28	0.00	100	360 PEAK	2	11910.00	37.01	54.00	-16.99	43.83	38.51	18.95	64.28	0.00	100	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>11910.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>54.36</td><td>38.51</td><td>18.95</td><td>64.28</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>37.05</td><td>54.00</td><td>-16.95</td><td>43.87</td><td>38.51</td><td>18.95</td><td>64.28</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	11910.00	47.54	74.00	-26.46	54.36	38.51	18.95	64.28	0.00	300	360 PEAK	2	11910.00	37.05	54.00	-16.95	43.87	38.51	18.95	64.28	0.00	300	360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																																																													
1	11910.00	47.31	74.00	-26.69	54.13	38.51	18.95	64.28	0.00	100	360 PEAK																																																																																																													
2	11910.00	37.01	54.00	-16.99	43.83	38.51	18.95	64.28	0.00	100	360 AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																																																													
1	11910.00	47.54	74.00	-26.46	54.36	38.51	18.95	64.28	0.00	300	360 PEAK																																																																																																													
2	11910.00	37.05	54.00	-16.95	43.87	38.51	18.95	64.28	0.00	300	360 AVERAGE																																																																																																													







Mode	2																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH45_6195MHz																																																																																																									
ANT	8+9																																																																																																									
Pol.	Horizontal												Vertical																																																																																													
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>52.76</td><td>38.81</td><td>19.26</td><td>63.73</td><td>0.00 100 360 PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>36.54</td><td>54.00</td><td>-17.46</td><td>42.20</td><td>38.82</td><td>19.26</td><td>63.74</td><td>0.00 100 360 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	12390.00	47.10	74.00	-26.90	52.76	38.81	19.26	63.73	0.00 100 360 PEAK	2	12390.00	36.54	54.00	-17.46	42.20	38.82	19.26	63.74	0.00 100 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>52.53</td><td>38.81</td><td>19.26</td><td>63.73</td><td>0.00 -- -- PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	12390.00	46.87	74.00	-27.13	52.53	38.81	19.26	63.73	0.00 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	12390.00	47.10	74.00	-26.90	52.76	38.81	19.26	63.73	0.00 100 360 PEAK																																																																																																	
2	12390.00	36.54	54.00	-17.46	42.20	38.82	19.26	63.74	0.00 100 360 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	12390.00	46.87	74.00	-27.13	52.53	38.81	19.26	63.73	0.00 -- -- PEAK																																																																																																	







Mode	3																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>51.39</td><td>39.20</td><td>19.53</td><td>63.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.92	88.20	-41.28	51.39	39.20	19.53	63.20	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>51.73</td><td>39.20</td><td>19.53</td><td>63.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	47.26	88.20	-40.94	51.73	39.20	19.53	63.20	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12830.00	46.92	88.20	-41.28	51.39	39.20	19.53	63.20	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	12830.00	47.26	88.20	-40.94	51.73	39.20	19.53	63.20	0.00	--	--	PEAK																																																																																								



Mode	4																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																														
ANT	8+9																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.03</td><td>60.05</td><td>88.20</td><td>-28.15</td><td>41.83</td><td>35.10</td><td>12.97</td><td>29.85</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.03	60.05	88.20	-28.15	41.83	35.10	12.97	29.85	0.00	100	243	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.11</td><td>-----</td><td>-----</td><td>95.82</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.11	-----	-----	95.82	35.10	13.02	29.83	0.00	100	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5920.03	60.05	88.20	-28.15	41.83	35.10	12.97	29.85	0.00	100	243	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	114.11	-----	-----	95.82	35.10	13.02	29.83	0.00	100	243	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.68</td><td>50.06</td><td>68.20</td><td>-18.14</td><td>31.83</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>243</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.68	50.06	68.20	-18.14	31.83	35.10	12.98	29.85	0.00	100	243	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.55</td><td>-----</td><td>-----</td><td>85.26</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>243</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.55	-----	-----	85.26	35.10	13.02	29.83	0.00	100	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5920.68	50.06	68.20	-18.14	31.83	35.10	12.98	29.85	0.00	100	243	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	103.55	-----	-----	85.26	35.10	13.02	29.83	0.00	100	243	AVERAGE																																																																																																			




Mode	4																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																
ANT	8+9																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5922.63</td><td>58.94</td><td>88.20</td><td>-29.26</td><td>40.71</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5922.63	58.94	88.20	-29.26	40.71	35.10	12.98	29.85	0.00	100	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>111.26</td><td>-----</td><td>-----</td><td>92.97</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	111.26	-----	-----	92.97	35.10	13.02	29.83	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5922.63	58.94	88.20	-29.26	40.71	35.10	12.98	29.85	0.00	100	295	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5955.00	111.26	-----	-----	92.97	35.10	13.02	29.83	0.00	100	295	PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5922.76</td><td>49.73</td><td>68.20</td><td>-18.47</td><td>31.50</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5922.76	49.73	68.20	-18.47	31.50	35.10	12.98	29.85	0.00	100	295	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>102.31</td><td>-----</td><td>-----</td><td>84.02</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	102.31	-----	-----	84.02	35.10	13.02	29.83	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5922.76	49.73	68.20	-18.47	31.50	35.10	12.98	29.85	0.00	100	295	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 5955.00	102.31	-----	-----	84.02	35.10	13.02	29.83	0.00	100	295	AVERAGE																																																																																						





Mode	4																																																										
	Harmonic																																																										
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																										
ANT	8+9																																																										
Pol.	Horizontal							Vertical																																																			
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11910.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>54.73</td><td>38.51</td><td>18.95</td><td>64.28</td></tr><tr><td>2</td><td>11910.00</td><td>37.00</td><td>54.00</td><td>-17.00</td><td>43.82</td><td>38.51</td><td>18.95</td><td>64.28</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11910.00	47.91	74.00	-26.09	54.73	38.51	18.95	64.28	2	11910.00	37.00	54.00	-17.00	43.82	38.51	18.95	64.28
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	11910.00	47.91	74.00	-26.09	54.73	38.51	18.95	64.28																																																			
2	11910.00	37.00	54.00	-17.00	43.82	38.51	18.95	64.28																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11910.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>54.64</td><td>38.51</td><td>18.95</td><td>64.28</td></tr><tr><td>2</td><td>11910.00</td><td>37.40</td><td>54.00</td><td>-16.60</td><td>44.22</td><td>38.51</td><td>18.95</td><td>64.28</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11910.00	47.82	74.00	-26.18	54.64	38.51	18.95	64.28	2	11910.00	37.40	54.00	-16.60	44.22	38.51	18.95	64.28
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	11910.00	47.82	74.00	-26.18	54.64	38.51	18.95	64.28																																																			
2	11910.00	37.40	54.00	-16.60	44.22	38.51	18.95	64.28																																																			







Mode	5																																																															
	Harmonic																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_6195MHz																																																															
ANT	8+9																																																															
Pol.	Horizontal																																																															
Peak Avg																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>53.32</td><td>38.81</td><td>19.26</td><td>63.73</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>36.52</td><td>54.00</td><td>-17.48</td><td>42.18</td><td>38.82</td><td>19.26</td><td>63.74</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.66	74.00	-26.34	53.32	38.81	19.26	63.73	0.00	300	0 PEAK	2	12390.00	36.52	54.00	-17.48	42.18	38.82	19.26	63.74	0.00	300	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	12390.00	47.66	74.00	-26.34	53.32	38.81	19.26	63.73	0.00	300	0 PEAK																																																					
2	12390.00	36.52	54.00	-17.48	42.18	38.82	19.26	63.74	0.00	300	0 AVERAGE																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>53.11</td><td>38.81</td><td>19.26</td><td>63.73</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>36.59</td><td>54.00</td><td>-17.41</td><td>42.25</td><td>38.82</td><td>19.26</td><td>63.74</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.45	74.00	-26.55	53.11	38.81	19.26	63.73	0.00	100	0 PEAK	2	12390.00	36.59	54.00	-17.41	42.25	38.82	19.26	63.74	0.00	100	0 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	12390.00	47.45	74.00	-26.55	53.11	38.81	19.26	63.73	0.00	100	0 PEAK																																																					
2	12390.00	36.59	54.00	-17.41	42.25	38.82	19.26	63.74	0.00	100	0 AVERAGE																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>53.11</td><td>38.81</td><td>19.26</td><td>63.73</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>36.59</td><td>54.00</td><td>-17.41</td><td>42.25</td><td>38.82</td><td>19.26</td><td>63.74</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.45	74.00	-26.55	53.11	38.81	19.26	63.73	0.00	100	0 PEAK	2	12390.00	36.59	54.00	-17.41	42.25	38.82	19.26	63.74	0.00	100	0 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	12390.00	47.45	74.00	-26.55	53.11	38.81	19.26	63.73	0.00	100	0 PEAK																																																					
2	12390.00	36.59	54.00	-17.41	42.25	38.82	19.26	63.74	0.00	100	0 AVERAGE																																																					



Mode	6																																																																																																																
	Harmonic																																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																																																																
ANT	8+9																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>51.81</td><td>39.20</td><td>19.53</td><td>63.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12830.00	47.34	88.20	-40.86	51.81	39.20	19.53	63.20	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>47.46</td><td>88.20</td><td>-40.74</td><td>51.93</td><td>39.20</td><td>19.53</td><td>63.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12830.00	47.46	88.20	-40.74	51.93	39.20	19.53	63.20	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	12830.00	47.34	88.20	-40.86	51.81	39.20	19.53	63.20	0.00	--	--	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	12830.00	47.46	88.20	-40.74	51.93	39.20	19.53	63.20	0.00	--	--	PEAK																																																																																																					



Mode	7																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_26/0RU_5955MHz																																																						
ANT	8+9																																																						
Pol.	Horizontal						Fundamental																																																
Peak	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5875.31</td><td>58.13</td><td>88.20</td><td>-30.07</td><td>40.12</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>217</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5875.31	58.13	88.20	-30.07	40.12	34.95	12.90	29.84	0.00	100	217	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5875.31	58.13	88.20	-30.07	40.12	34.95	12.90	29.84	0.00	100	217	PEAK																																											
Avg	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5911.58</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>27.69</td><td>35.10</td><td>12.96</td><td>29.86</td><td>0.00</td><td>100</td><td>217</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5911.58	45.89	68.20	-22.31	27.69	35.10	12.96	29.86	0.00	100	217	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5911.58	45.89	68.20	-22.31	27.69	35.10	12.96	29.86	0.00	100	217	AVERAGE																																											
Peak	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>111.61</td><td>-----</td><td>-----</td><td>93.32</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>217</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	111.61	-----	-----	93.32	35.10	13.02	29.83	0.00	100	217	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5955.00	111.61	-----	-----	93.32	35.10	13.02	29.83	0.00	100	217	PEAK																																											
Avg	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.99</td><td>-----</td><td>-----</td><td>84.70</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>217</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	102.99	-----	-----	84.70	35.10	13.02	29.83	0.00	100	217	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5955.00	102.99	-----	-----	84.70	35.10	13.02	29.83	0.00	100	217	AVERAGE																																											