





11AX40MIMO_Ant8_6845




11AX40MIMO_Ant9_6845






11AX80MIMO_Ant8_5985




11AX80MIMO_Ant9_5985






11AX80MIMO_Ant8_6145




11AX80MIMO_Ant9_6145






11AX80MIMO_Ant8_6385




11AX80MIMO_Ant9_6385






11AX80MIMO_Ant8_6625




11AX80MIMO_Ant9_6625






11AX80MIMO_Ant8_6705




11AX80MIMO_Ant9_6705






11AX80MIMO_Ant8_6785




11AX80MIMO_Ant9_6785






11AX160MIMO_Ant8_6025




11AX160MIMO_Ant9_6025






11AX160MIMO_Ant8_6185




11AX160MIMO_Ant9_6185






11AX160MIMO_Ant8_6345




11AX160MIMO_Ant9_6345






11AX160MIMO_Ant8_6665



11AX160MIMO_Ant9_6665





In-Band Emissions Test Result


TestMode	Antenna	Freq(MHz)	Result	Limit	Verdict
11A	Ant8	5955	See test graph	See test graph	PASS
	Ant9	5955	See test graph	See test graph	PASS
	Ant8	6175	See test graph	See test graph	PASS
	Ant9	6175	See test graph	See test graph	PASS
	Ant8	6415	See test graph	See test graph	PASS
	Ant9	6415	See test graph	See test graph	PASS
	Ant8	6535	See test graph	See test graph	PASS
	Ant9	6535	See test graph	See test graph	PASS
	Ant8	6695	See test graph	See test graph	PASS
	Ant9	6695	See test graph	See test graph	PASS
	Ant8	6855	See test graph	See test graph	PASS
	Ant9	6855	See test graph	See test graph	PASS
11AX20MIMO	Ant8	5955	See test graph	See test graph	PASS
	Ant9	5955	See test graph	See test graph	PASS
	Ant8	6175	See test graph	See test graph	PASS
	Ant9	6175	See test graph	See test graph	PASS
	Ant8	6415	See test graph	See test graph	PASS
	Ant9	6415	See test graph	See test graph	PASS
	Ant8	6535	See test graph	See test graph	PASS
	Ant9	6535	See test graph	See test graph	PASS
	Ant8	6695	See test graph	See test graph	PASS
	Ant9	6695	See test graph	See test graph	PASS
	Ant8	6855	See test graph	See test graph	PASS
	Ant9	6855	See test graph	See test graph	PASS
11AX40MIMO	Ant8	5965	See test graph	See test graph	PASS
	Ant9	5965	See test graph	See test graph	PASS
	Ant8	6165	See test graph	See test graph	PASS
	Ant9	6165	See test graph	See test graph	PASS
	Ant8	6405	See test graph	See test graph	PASS
	Ant9	6405	See test graph	See test graph	PASS
	Ant8	6565	See test graph	See test graph	PASS
	Ant9	6565	See test graph	See test graph	PASS
	Ant8	6685	See test graph	See test graph	PASS
	Ant9	6685	See test graph	See test graph	PASS
	Ant8	6845	See test graph	See test graph	PASS
	Ant9	6845	See test graph	See test graph	PASS
11AX80MIMO	Ant8	5985	See test graph	See test graph	PASS
	Ant9	5985	See test graph	See test graph	PASS
	Ant8	6145	See test graph	See test graph	PASS
	Ant9	6145	See test graph	See test graph	PASS
	Ant8	6385	See test graph	See test graph	PASS
	Ant9	6385	See test graph	See test graph	PASS
	Ant8	6625	See test graph	See test graph	PASS
	Ant9	6625	See test graph	See test graph	PASS
	Ant8	6705	See test graph	See test graph	PASS
	Ant9	6705	See test graph	See test graph	PASS



	Ant8	6785	See test graph	See test graph	PASS
	Ant9	6785	See test graph	See test graph	PASS
11AX160MIMO	Ant8	6025	See test graph	See test graph	PASS
	Ant9	6025	See test graph	See test graph	PASS
	Ant8	6185	See test graph	See test graph	PASS
	Ant9	6185	See test graph	See test graph	PASS
	Ant8	6345	See test graph	See test graph	PASS
	Ant9	6345	See test graph	See test graph	PASS
	Ant8	6665	See test graph	See test graph	PASS
	Ant9	6665	See test graph	See test graph	PASS




Test Graphs






11A_Ant8_6175



Date: 20.NOV.2024 04:32:25


11A_Ant9_6175



Date: 20.NOV.2024 04:33:33




11A_Ant8_6415



Date: 10.DEC.2024 22:09:58


11A_Ant9_6415



Date: 20.NOV.2024 04:36:01




11A_Ant8_6535



Date: 20.NOV.2024 04:45:03


11A_Ant9_6535



Date: 20.NOV.2024 04:46:10




11A_Ant8_6695



Date: 10.DEC.2024 22:13:07


11A_Ant9_6695



Date: 20.NOV.2024 04:48:29




11A_Ant8_6855



Date: 10.DEC.2024 22:08:00


11A_Ant9_6855




Date: 10.DEC.2024 22:14:03



11AX20MIMO_Ant8_5955




11AX20MIMO_Ant9_5955






11AX20MIMO_Ant8_6175



Date: 20.NOV.2024 06:03:03


11AX20MIMO_Ant9_6175



Date: 20.NOV.2024 06:04:11




11AX20MIMO_Ant8_6415



Date: 20.NOV.2024 06:05:24


11AX20MIMO_Ant9_6415



Date: 20.NOV.2024 06:06:31




11AX20MIMO_Ant8_6535



Date: 21.NOV.2024 11:38:14


11AX20MIMO_Ant9_6535



Date: 21.NOV.2024 11:39:22




11AX20MIMO_Ant8_6695



Date: 21.NOV.2024 11:40:40


11AX20MIMO_Ant9_6695



Date: 21.NOV.2024 11:41:48




11AX20MIMO_Ant8_6855



Date: 21.NOV.2024 11:44:46


11AX20MIMO_Ant9_6855



Date: 21.NOV.2024 11:45:53




11AX40MIMO_Ant8_5965



Date: 21.NOV.2024 11:49:50


11AX40MIMO_Ant9_5965



Date: 21.NOV.2024 11:51:12




11AX40MIMO_Ant8_6165



Date: 21.NOV.2024 11:53:12


11AX40MIMO_Ant9_6165



Date: 21.NOV.2024 11:54:19




11AX40MIMO_Ant8_6405



Date: 21.NOV.2024 11:55:47


11AX40MIMO_Ant9_6405



Date: 21.NOV.2024 11:56:55




11AX40MIMO_Ant8_6565



Date: 21.NOV.2024 12:05:29


11AX40MIMO_Ant9_6565



Date: 21.NOV.2024 12:06:36




11AX40MIMO_Ant8_6685



Date: 21.NOV.2024 12:07:57


11AX40MIMO_Ant9_6685



Date: 21.NOV.2024 12:09:05




11AX40MIMO_Ant8_6845



Date: 21.NOV.2024 12:10:36


11AX40MIMO_Ant9_6845



Date: 21.NOV.2024 12:11:43




11AX80MIMO_Ant8_5985



Date: 21.NOV.2024 12:16:33


11AX80MIMO_Ant9_5985



Date: 21.NOV.2024 12:18:22




11AX80MIMO_Ant8_6145



Date: 21.NOV.2024 12:19:30


11AX80MIMO_Ant9_6145



Date: 21.NOV.2024 12:20:36




11AX80MIMO_Ant8_6385



Date: 21.NOV.2024 12:21:46


11AX80MIMO_Ant9_6385



Date: 21.NOV.2024 12:22:53




11AX80MIMO_Ant8_6625



Date: 21.NOV.2024 12:29:33


11AX80MIMO_Ant9_6625



Date: 21.NOV.2024 12:30:40




11AX80MIMO_Ant8_6705



Date: 21.NOV.2024 12:32:00


11AX80MIMO_Ant9_6705



Date: 21.NOV.2024 12:33:07




11AX80MIMO_Ant8_6785



Date: 21.NOV.2024 12:34:27


11AX80MIMO_Ant9_6785



Date: 21.NOV.2024 12:35:34




11AX160MIMO_Ant8_6025



Date: 21.NOV.2024 12:36:59


11AX160MIMO_Ant9_6025



Date: 21.NOV.2024 12:38:20




11AX160MIMO_Ant8_6185



Date: 21.NOV.2024 12:39:31


11AX160MIMO_Ant9_6185



Date: 21.NOV.2024 12:40:38




11AX160MIMO_Ant8_6345



Date: 21.NOV.2024 12:41:49


11AX160MIMO_Ant9_6345



Date: 21.NOV.2024 12:42:56




11AX160MIMO_Ant8_6665



Date: 21.NOV.2024 12:47:13

11AX160MIMO_Ant9_6665



Date: 21.NOV.2024 12:48:20



< Partial RU>
Maximum power spectral density
Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20 MIMO	Ant8	5955	26Tone	RU0	7.81	-1.00	6.81	≤17.00	PASS
			52Tone	RU37	7.82	-1.00	6.82	≤17.00	PASS
			106Tone	RU53	7.52	-1.00	6.52	≤17.00	PASS
	Ant9	5955	26Tone	RU0	7.72	-1.00	6.72	≤17.00	PASS
			52Tone	RU37	7.66	-1.00	6.66	≤17.00	PASS
			106Tone	RU53	7.44	-1.00	6.44	≤17.00	PASS
	total	5955	26Tone	RU0	10.78	-1.00	9.78	≤17.00	PASS
			52Tone	RU37	10.75	-1.00	9.75	≤17.00	PASS
			106Tone	RU53	10.49	-1.00	9.49	≤17.00	PASS
	Ant8	6175	26Tone	RU0	6.95	-1.00	5.95	≤17.00	PASS
			52Tone	RU37	6.91	-1.00	5.91	≤17.00	PASS
			106Tone	RU53	6.71	-1.00	5.71	≤17.00	PASS
	Ant9	6175	26Tone	RU0	7.33	-1.00	6.33	≤17.00	PASS
			52Tone	RU37	7.36	-1.00	6.36	≤17.00	PASS
			106Tone	RU53	6.91	-1.00	5.91	≤17.00	PASS
	total	6175	26Tone	RU0	10.15	-1.00	9.15	≤17.00	PASS
			52Tone	RU37	10.15	-1.00	9.15	≤17.00	PASS
			106Tone	RU53	9.82	-1.00	8.82	≤17.00	PASS
	Ant8	6415	26Tone	RU8	6.77	-1.00	5.77	≤17.00	PASS
			52Tone	RU40	6.86	-1.00	5.86	≤17.00	PASS
			106Tone	RU54	6.89	-1.00	5.89	≤17.00	PASS
	Ant9	6415	26Tone	RU8	7.67	-1.00	6.67	≤17.00	PASS
			52Tone	RU40	7.33	-1.00	6.33	≤17.00	PASS
			106Tone	RU54	7.44	-1.00	6.44	≤17.00	PASS
	total	6415	26Tone	RU8	10.25	-1.00	9.25	≤17.00	PASS
			52Tone	RU40	10.11	-1.00	9.11	≤17.00	PASS
			106Tone	RU54	10.18	-1.00	9.18	≤17.00	PASS
	Ant8	6535	26Tone	RU0	7.13	-1.00	6.13	≤17.00	PASS
			52Tone	RU37	7.11	-1.00	6.11	≤17.00	PASS
			106Tone	RU53	7.00	-1.00	6.00	≤17.00	PASS
	Ant9	6535	26Tone	RU0	7.20	-1.00	6.20	≤17.00	PASS
			52Tone	RU37	6.66	-1.00	5.66	≤17.00	PASS
			106Tone	RU53	6.74	-1.00	5.74	≤17.00	PASS
	total	6535	26Tone	RU0	10.18	-1.00	9.18	≤17.00	PASS
			52Tone	RU37	9.90	-1.00	8.90	≤17.00	PASS
			106Tone	RU53	9.88	-1.00	8.88	≤17.00	PASS
	Ant8	6695	26Tone	RU0	6.87	-1.00	5.87	≤17.00	PASS
			52Tone	RU37	7.04	-1.00	6.04	≤17.00	PASS
			106Tone	RU53	6.91	-1.00	5.91	≤17.00	PASS
	Ant9	6695	26Tone	RU0	7.28	-1.00	6.28	≤17.00	PASS
			52Tone	RU37	6.86	-1.00	5.86	≤17.00	PASS
			106Tone	RU53	6.85	-1.00	5.85	≤17.00	PASS
	total	6695	26Tone	RU0	10.09	-1.00	9.09	≤17.00	PASS
			52Tone	RU37	9.96	-1.00	8.96	≤17.00	PASS




	Ant8	6855	106Tone	RU53	9.89	-1.00	8.89	≤17.00	PASS
			26Tone	RU8	7.01	-1.00	6.01	≤17.00	PASS
			52Tone	RU40	7.03	-1.00	6.03	≤17.00	PASS
			106Tone	RU54	6.96	-1.00	5.96	≤17.00	PASS
	Ant9	6855	26Tone	RU8	7.64	-1.00	6.64	≤17.00	PASS
			52Tone	RU40	7.17	-1.00	6.17	≤17.00	PASS
			106Tone	RU54	7.25	-1.00	6.25	≤17.00	PASS
	total	6855	26Tone	RU8	10.35	-1.00	9.35	≤17.00	PASS
			52Tone	RU40	10.11	-1.00	9.11	≤17.00	PASS
			106Tone	RU54	10.12	-1.00	9.12	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20MIMO_Ant8_5955_106Tone_RU53




11AX20MIMO_Ant9_5955_26Tone_RU0






11AX20MIMO_Ant9_5955_52Tone_RU37




11AX20MIMO_Ant9_5955_106Tone_RU53






11AX20MIMO_Ant8_6175_26Tone_RU0




11AX20MIMO_Ant8_6175_52Tone_RU37






11AX20MIMO_Ant8_6175_106Tone_RU53




11AX20MIMO_Ant9_6175_26Tone_RU0






11AX20MIMO_Ant9_6175_52Tone_RU37




11AX20MIMO_Ant9_6175_106Tone_RU53






11AX20MIMO_Ant8_6415_26Tone_RU8




11AX20MIMO_Ant8_6415_52Tone_RU40






11AX20MIMO_Ant8_6415_106Tone_RU54




11AX20MIMO_Ant9_6415_26Tone_RU8






11AX20MIMO_Ant9_6415_52Tone_RU40




11AX20MIMO_Ant9_6415_106Tone_RU54






11AX20MIMO_Ant8_6535_26Tone_RU0




11AX20MIMO_Ant8_6535_52Tone_RU37






11AX20MIMO_Ant8_6535_106Tone_RU53




11AX20MIMO_Ant9_6535_26Tone_RU0






11AX20MIMO_Ant9_6535_52Tone_RU37




11AX20MIMO_Ant9_6535_106Tone_RU53






11AX20MIMO_Ant8_6695_26Tone_RU0




11AX20MIMO_Ant8_6695_52Tone_RU37






11AX20MIMO_Ant8_6695_106Tone_RU53




11AX20MIMO_Ant9_6695_26Tone_RU0






11AX20MIMO_Ant9_6695_52Tone_RU37




11AX20MIMO_Ant9_6695_106Tone_RU53






11AX20MIMO_Ant8_6855_26Tone_RU8




11AX20MIMO_Ant8_6855_52Tone_RU40






11AX20MIMO_Ant8_6855_106Tone_RU54




11AX20MIMO_Ant9_6855_26Tone_RU8






11AX20MIMO_Ant9_6855_52Tone_RU40



11AX20MIMO_Ant9_6855_106Tone_RU54






In-Band Emissions Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20 MIMO	Ant8	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant8	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant8	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS




Test Graphs






11AX20MIMO_Ant8_5955_106Tone_RU53




11AX20MIMO_Ant9_5955_26Tone_RU0






11AX20MIMO_Ant9_5955_52Tone_RU37



Date: 4.DEC.2024 07:16:07


11AX20MIMO_Ant9_5955_106Tone_RU53



Date: 4.DEC.2024 07:22:20




11AX20MIMO_Ant8_6175_26Tone_RU0



Date: 4.DEC.2024 07:23:37


11AX20MIMO_Ant8_6175_52Tone_RU37



Date: 4.DEC.2024 07:25:43




11AX20MIMO_Ant8_6175_106Tone_RU53



Date: 4.DEC.2024 07:27:59


11AX20MIMO_Ant9_6175_26Tone_RU60




Date: 4.DEC.2024 07:24:37



11AX20MIMO_Ant9_6175_52Tone_RU37




11AX20MIMO_Ant9_6175_106Tone_RU53






11AX20MIMO_Ant8_6415_26Tone_RU8



Date: 4.DEC.2024 07:30:18


11AX20MIMO_Ant8_6415_52Tone_RU40



Date: 4.DEC.2024 07:33:12




11AX20MIMO_Ant8_6415_106Tone_RU54



Date: 4.DEC.2024 07:35:56


11AX20MIMO_Ant9_6415_26Tone_RU6




Date: 4.DEC.2024 07:31:43



11AX20MIMO_Ant9_6415_52Tone_RU40




11AX20MIMO_Ant9_6415_106Tone_RU54






11AX20MIMO_Ant8_6535_26Tone_RU0



Date: 4.DEC.2024 07:59:55


11AX20MIMO_Ant8_6535_52Tone_RU37




Date: 4.DEC.2024 08:01:54



11AX20MIMO_Ant8_6535_106Tone_RU53




11AX20MIMO_Ant9_6535_26Tone_RU60






11AX20MIMO_Ant9_6535_52Tone_RU37




11AX20MIMO_Ant9_6535_106Tone_RU53






11AX20MIMO_Ant8_6695_26Tone_RU0



Date: 4.DEC.2024 08:08:04


11AX20MIMO_Ant8_6695_52Tone_RU37




Date: 4.DEC.2024 08:10:08



11AX20MIMO_Ant8_6695_106Tone_RU53




11AX20MIMO_Ant9_6695_26Tone_RU0






11AX20MIMO_Ant9_6695_52Tone_RU37




11AX20MIMO_Ant9_6695_106Tone_RU53






11AX20MIMO_Ant8_6855_26Tone_RU8



Date: 4.DEC.2024 08:14:07


11AX20MIMO_Ant8_6855_52Tone_RU40



Date: 4.DEC.2024 08:16:05




11AX20MIMO_Ant8_6855_106Tone_RU54



Date: 4.DEC.2024 08:18:07


11AX20MIMO_Ant9_6855_26Tone_RU8



Date: 4.DEC.2024 08:15:03




11AX20MIMO_Ant9_6855_52Tone_RU40



Date: 4.DEC.2024 08:17:01

11AX20MIMO_Ant9_6855_106Tone_RU54




Date: 4.DEC.2024 08:19:00



Appendix B. AC Conducted Emission Test Results

Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15E_QP LISN_2024-L-1 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	30.27	-25.73	56.00	10.59	9.67	10.01	Average
2	0.15	42.28	-23.72	66.00	22.60	9.67	10.01	QP
3	0.20	28.70	-24.84	53.54	9.00	9.68	10.02	Average
4	0.20	40.70	-22.84	63.54	21.00	9.68	10.02	QP
5	0.25	24.04	-27.69	51.73	4.30	9.70	10.04	Average
6	0.25	34.44	-27.29	61.73	14.70	9.70	10.04	QP
7	0.61	32.78	-13.22	46.00	13.00	9.65	10.13	Average
8 *	0.61	44.98	-11.02	56.00	25.20	9.65	10.13	QP
9	1.29	21.00	-25.00	46.00	1.11	9.65	10.24	Average
10	1.29	33.90	-22.10	56.00	14.01	9.65	10.24	QP
11	3.14	20.27	-25.73	46.00	0.30	9.67	10.30	Average
12	3.14	31.37	-24.63	56.00	11.40	9.67	10.30	QP



Test Engineer :	TaoZhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN_2024-N-1 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	37.84	-17.98	55.82	18.09	9.74	10.01	Average
2	0.15	49.44	-16.38	65.82	29.69	9.74	10.01	QP
3	0.21	33.61	-19.79	53.40	13.90	9.69	10.02	Average
4	0.21	45.11	-18.29	63.40	25.40	9.69	10.02	QP
5	0.35	30.25	-18.75	49.00	10.50	9.69	10.06	Average
6	0.35	37.85	-21.15	59.00	18.10	9.69	10.06	QP
7	0.61	34.52	-11.48	46.00	14.70	9.69	10.13	Average
8 *	0.61	44.82	-11.18	56.00	25.00	9.69	10.13	QP
9	1.50	23.05	-22.95	46.00	3.10	9.68	10.27	Average
10	1.50	34.55	-21.45	56.00	14.60	9.68	10.27	QP
11	3.19	22.47	-23.53	46.00	2.49	9.68	10.30	Average
12	3.19	31.17	-24.83	56.00	11.19	9.68	10.30	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	8+9	802.11a	1	5955	MCS0	-	-
Mode 2	U-NII-5	5.925-6.425	8+9	802.11a	45	6195	MCS0	-	-
Mode 3	U-NII-5	5.925-6.425	8+9	802.11a	93	6415	MCS0	-	-
Mode 4	U-NII-5	5.925-6.425	8+9	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	8+9	802.11ax HE20	45	6195	MCS0	Full RU	-
Mode 6	U-NII-5	5.925-6.425	8+9	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	8+9	802.11ax HE20	1	5955	MCS0	Partial_26/0RU	-
Mode 8	U-NII-5	5.925-6.425	8+9	802.11ax HE20	1	5955	MCS0	Partial_52/37RU	-
Mode 9	U-NII-5	5.925-6.425	8+9	802.11ax HE20	1	5955	MCS0	Partial_106/53RU	-
Mode 10	U-NII-5	5.925-6.425	8+9	802.11ax HE40	3	5965	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	8+9	802.11ax HE40	43	6205	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	8+9	802.11ax HE40	91	6405	MCS0	-	-
Mode 13	U-NII-5	5.925-6.425	8+9	802.11ax HE80	7	5985	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	8+9	802.11ax HE80	39	6225	MCS0	-	-
Mode 15	U-NII-5	5.925-6.425	8+9	802.11ax HE80	87	6385	MCS0	-	-
Mode 16	U-NII-5	5.925-6.425	8+9	802.11ax HE160	15	6025	MCS0	-	-
Mode 17	U-NII-5	5.925-6.425	8+9	802.11ax HE160	47	6185	MCS0	-	-
Mode 18	U-NII-5	5.925-6.425	8+9	802.11ax HE160	79	6345	MCS0	-	-
Mode 31	U-NII-7	6.525-6.875	8+9	802.11a	117	6535	MCS0	-	-
Mode 32	U-NII-7	6.525-6.875	8+9	802.11a	149	6695	MCS0	-	-
Mode 33	U-NII-7	6.525-6.875	8+9	802.11a	181	6855	MCS0	-	-
Mode 35	U-NII-7	6.525-6.875	8+9	802.11ax HE20	117	6535	MCS0	-	-
Mode 36	U-NII-7	6.525-6.875	8+9	802.11ax HE20	149	6695	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	8+9	802.11ax HE20	181	6855	MCS0	-	-
Mode 39	U-NII-7	6.525-6.875	8+9	802.11ax HE40	123	6565	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	8+9	802.11ax HE40	147	6685	MCS0	-	-
Mode 41	U-NII-7	6.525-6.875	8+9	802.11ax HE40	179	6845	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	8+9	802.11ax HE80	135	6625	MCS0	-	-
Mode 44	U-NII-7	6.525-6.875	8+9	802.11ax HE80	151	6705	MCS0	-	-
Mode 45	U-NII-7	6.525-6.875	8+9	802.11ax HE80	167	6785	MCS0	-	-
Mode 47	U-NII-7	6.525-6.875	8+9	802.11ax HE160	143	6665	MCS0	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	51.73	68.20	-16.47	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	37.05	54.00	-16.95	V	AVERAGE	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12390.00	36.54	54.00	-17.46	H	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.26	88.20	-40.94	V	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5920.68	50.06	68.20	-18.14	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	37.40	54.00	-16.60	V	AVERAGE	Pass	Harmonic
5	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	45	12390.00	36.59	54.00	-17.41	V	AVERAGE	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	47.46	88.20	-40.74	V	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5911.58	45.89	68.20	-22.31	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE20	1	5911.97	46.20	68.20	-22.00	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
9	802.11ax HE20	1	5922.63	46.54	68.20	-21.66	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	3	5922.02	50.03	68.20	-18.17	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	11930.00	37.07	54.00	-16.93	V	AVERAGE	Pass	Harmonic
11	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	43	12410.00	36.97	54.00	-17.03	V	AVERAGE	Pass	Harmonic
12	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE40	91	12810.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
13	802.11ax HE80	7	5919.40	60.12	68.20	-8.08	H	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	11970.00	36.64	54.00	-17.36	V	AVERAGE	Pass	Harmonic
14	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	39	12450.00	46.14	74.00	-27.86	V	PEAK	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	46.56	88.20	-41.64	V	PEAK	Pass	Harmonic
16	802.11ax HE160	15	5920.00	67.66	68.20	-0.54	V	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	46.59	74.00	-27.41	V	PEAK	Pass	Harmonic
17	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE160	47	12370.00	46.62	74.00	-27.38	V	PEAK	Pass	Harmonic
18	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE160	79	12690.00	37.12	54.00	-16.88	V	AVERAGE	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	47.54	88.20	-40.66	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	36.91	54.00	-17.09	V	AVERAGE	Pass	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	Band Edge
33	802.11a	181	13710.00	46.96	88.20	-41.24	H	PEAK	Pass	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	117	13070.00	48.38	88.20	-39.82	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
36	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	149	13390.00	47.32	74.00	-26.68	H	PEAK	Pass	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	181	13710.00	46.65	88.20	-41.55	V	PEAK	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	47.09	88.20	-41.11	V	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	47.01	74.00	-26.99	V	PEAK	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	46.29	88.20	-41.91	V	PEAK	Pass	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	135	13250.00	46.90	74.00	-27.10	H	PEAK	Pass	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	151	13410.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	167	13570.00	46.95	88.20	-41.25	V	PEAK	Pass	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	143	13330.00	46.94	74.00	-27.06	H	PEAK	Pass	Harmonic






Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																														
ANT	8+9																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.11</td><td>62.83</td><td>88.20</td><td>-25.37</td><td>44.60</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>104</td><td>241</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.11	62.83	88.20	-25.37	44.60	35.10	12.98	29.85	0.00	104	241	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.97</td><td>-----</td><td>-----</td><td>96.68</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>104</td><td>241</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.97	-----	-----	96.68	35.10	13.02	29.83	0.00	104	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5922.11	62.83	88.20	-25.37	44.60	35.10	12.98	29.85	0.00	104	241	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	114.97	-----	-----	96.68	35.10	13.02	29.83	0.00	104	241	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>51.73</td><td>68.20</td><td>-16.47</td><td>33.50</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>104</td><td>241</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	51.73	68.20	-16.47	33.50	35.10	12.98	29.85	0.00	104	241	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.10</td><td>-----</td><td>-----</td><td>87.81</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>104</td><td>241</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.10	-----	-----	87.81	35.10	13.02	29.83	0.00	104	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.97	51.73	68.20	-16.47	33.50	35.10	12.98	29.85	0.00	104	241	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	106.10	-----	-----	87.81	35.10	13.02	29.83	0.00	104	241	AVERAGE																																																																																																			





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																														
ANT	8+9																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.38</td><td>62.08</td><td>88.20</td><td>-26.12</td><td>43.89</td><td>35.10</td><td>12.95</td><td>29.86</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5906.38	62.08	88.20	-26.12	43.89	35.10	12.95	29.86	0.00	100	295	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.76</td><td>-----</td><td>-----</td><td>93.44</td><td>35.10</td><td>13.04</td><td>29.82</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.76	-----	-----	93.44	35.10	13.04	29.82	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5906.38	62.08	88.20	-26.12	43.89	35.10	12.95	29.86	0.00	100	295	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	111.76	-----	-----	93.44	35.10	13.04	29.82	0.00	100	295	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>51.03</td><td>68.20</td><td>-17.17</td><td>32.80</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	51.03	68.20	-17.17	32.80	35.10	12.98	29.85	0.00	100	295	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.23</td><td>-----</td><td>-----</td><td>85.94</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.23	-----	-----	85.94	35.10	13.02	29.83	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.97	51.03	68.20	-17.17	32.80	35.10	12.98	29.85	0.00	100	295	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	104.23	-----	-----	85.94	35.10	13.02	29.83	0.00	100	295	AVERAGE																																																																																																			







Mode	1																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																													
ANT	8+9																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>54.13</td><td>38.51</td><td>18.95</td><td>64.28</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>37.01</td><td>54.00</td><td>-16.99</td><td>43.83</td><td>38.51</td><td>18.95</td><td>64.28</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.31	74.00	-26.69	54.13	38.51	18.95	64.28	0.00	100	360	PEAK	2	11910.00	37.01	54.00	-16.99	43.83	38.51	18.95	64.28	0.00	100	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>54.36</td><td>38.51</td><td>18.95</td><td>64.28</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>37.05</td><td>54.00</td><td>-16.95</td><td>43.87</td><td>38.51</td><td>18.95</td><td>64.28</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.54	74.00	-26.46	54.36	38.51	18.95	64.28	0.00	300	360	PEAK	2	11910.00	37.05	54.00	-16.95	43.87	38.51	18.95	64.28	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11910.00	47.31	74.00	-26.69	54.13	38.51	18.95	64.28	0.00	100	360	PEAK																																																																																																																		
2	11910.00	37.01	54.00	-16.99	43.83	38.51	18.95	64.28	0.00	100	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11910.00	47.54	74.00	-26.46	54.36	38.51	18.95	64.28	0.00	300	360	PEAK																																																																																																																		
2	11910.00	37.05	54.00	-16.95	43.87	38.51	18.95	64.28	0.00	300	360	AVERAGE																																																																																																																		









Mode	3																																																							
	Harmonic																																																							
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																							
ANT	8+9																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>51.39</td><td>39.20</td><td>19.53</td><td>63.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.92	88.20	-41.28	51.39	39.20	19.53	63.20	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	12830.00	46.92	88.20	-41.28	51.39	39.20	19.53	63.20	0.00	--	--	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>51.73</td><td>39.20</td><td>19.53</td><td>63.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	47.26	88.20	-40.94	51.73	39.20	19.53	63.20	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	12830.00	47.26	88.20	-40.94	51.73	39.20	19.53	63.20	0.00	--	--	PEAK																																												



Mode	4																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																			
ANT	8+9																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.03</td><td>60.05</td><td>88.20</td><td>-28.15</td><td>41.83</td><td>35.10</td><td>12.97</td><td>29.85</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5920.03	60.05	88.20	-28.15	41.83	35.10	12.97	29.85	0.00	100	243	PEAK	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.11</td><td>-----</td><td>-----</td><td>95.82</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	114.11	-----	-----	95.82	35.10	13.02	29.83	0.00	100	243	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5920.03	60.05	88.20	-28.15	41.83	35.10	12.97	29.85	0.00	100	243	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5955.00	114.11	-----	-----	95.82	35.10	13.02	29.83	0.00	100	243	PEAK																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.68</td><td>50.06</td><td>68.20</td><td>-18.14</td><td>31.83</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5920.68	50.06	68.20	-18.14	31.83	35.10	12.98	29.85	0.00	100	243	AVERAGE	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.55</td><td>-----</td><td>-----</td><td>85.26</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	103.55	-----	-----	85.26	35.10	13.02	29.83	0.00	100	243	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5920.68	50.06	68.20	-18.14	31.83	35.10	12.98	29.85	0.00	100	243	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5955.00	103.55	-----	-----	85.26	35.10	13.02	29.83	0.00	100	243	AVERAGE																																																																																								



Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	8+9																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.63</td><td>58.94</td><td>88.20</td><td>-29.26</td><td>40.71</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.63	58.94	88.20	-29.26	40.71	35.10	12.98	29.85	0.00	100	295	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.26</td><td>-----</td><td>-----</td><td>92.97</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.26	-----	-----	92.97	35.10	13.02	29.83	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.63	58.94	88.20	-29.26	40.71	35.10	12.98	29.85	0.00	100	295	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	111.26	-----	-----	92.97	35.10	13.02	29.83	0.00	100	295	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.76</td><td>49.73</td><td>68.20</td><td>-18.47</td><td>31.50</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.76	49.73	68.20	-18.47	31.50	35.10	12.98	29.85	0.00	100	295	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.31</td><td>-----</td><td>-----</td><td>84.02</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.31	-----	-----	84.02	35.10	13.02	29.83	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.76	49.73	68.20	-18.47	31.50	35.10	12.98	29.85	0.00	100	295	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	102.31	-----	-----	84.02	35.10	13.02	29.83	0.00	100	295	AVERAGE																																																																																							