



RF Exposure Report

No. 24T04Z102483-001

For

Datalogic S.r.l.

MOBILE COMPUTER / BARCODE READER

Model Name: AELWF

With

Hardware Version: V3

Software Version: 1.15.000.20241025 release-keys

FCC ID: U4G-AELWF

Issued Date: 2024-11-28

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504



Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Front side of the sample




Picture 2: Back side of the sample

Test positions for Head:**Picture 3: Left Cheek Position****Picture 4: Left Tilt 15° Position**



Picture 5: Right Cheek Position



Picture 6: Right Tilt 15° Position

Test positions for Body:



Picture 7: Front Side (10mm)



Picture 8: Rear Side with (10mm)

Test positions for Extremity:



Picture 9: Front Side (0mm)




Picture 10: Rear Side with (0mm)



Picture 11: Left Side (0mm)




Picture 12: Right Side (0mm)



Picture 13: Top Side (0mm)

Test positions for Power Density:




Picture 14: Front Side



Picture 15: Rear Side



Picture 16: Left Side



Picture 17: Right Side



Picture 18: Top Side