

---

# FCC Test Report

---

Report No.: AGC02415221001FE10

**FCC ID** : U7G-FLEX-R

**APPLICATION PURPOSE** : Original Equipment

**PRODUCT DESIGNATION** : SFR digital mobile radio,SFR repeater

**BRAND NAME** : Blackbox

**MODEL NAME** : Flex-repeater

**APPLICANT** : Klein Electronics, Inc.

**DATE OF ISSUE** : Dec. 13, 2022

**STANDARD(S)** : FCC Part 90 Rules

**REPORT VERSION** : V 1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



**REPORT REVISE RECORD**

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Dec. 13, 2022	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

## TABLE OF CONTENTS

<b>1. GENERAL INFORMATION .....</b>	<b>5</b>
<b>2. PRODUCT INFORMATION .....</b>	<b>6</b>
2.1 PRODUCT TECHNICAL DESCRIPTION .....	6
2.2 TEST FREQUENCY LIST .....	7
2.3 RELATED SUBMITTAL(S) / GRANT (S) .....	8
2.4 TEST METHODOLOGY .....	8
2.5 CALCULATION OF EMISSION INDICATORS .....	8
2.6 SPECIAL ACCESSORIES .....	8
2.7 EQUIPMENT MODIFICATIONS .....	9
<b>3. TEST ENVIRONMENT .....</b>	<b>10</b>
3.1 ADDRESS OF THE TEST LABORATORY .....	10
3.2 TEST FACILITY .....	10
3.3 ENVIRONMENTAL CONDITIONS .....	10
3.4 MEASUREMENT UNCERTAINTY .....	11
3.5 LIST OF EQUIPMENTS USED .....	12
<b>4.SYSTEM TEST CONFIGURATION .....</b>	<b>13</b>
4.1 EUT CONFIGURATION .....	13
4.2 EUT EXERCISE .....	13
4.3 CONFIGURATION OF TESTED SYSTEM .....	13
4.4 EQUIPMENT USED IN TESTED SYSTEM .....	13
4.5 SUMMARY OF TEST RESULTS .....	14
<b>5.DESRIPTION OF TEST MODES .....</b>	<b>15</b>
<b>6.FREQUENCY TOLERANCE .....</b>	<b>16</b>
6.1 PROVISIONS APPLICABLE .....	16
6.2 MEASUREMENT PROCEDURE .....	16
6.3 MEASUREMENT SETUP .....	16
6.4 MEASUREMENT RESULTS .....	17
<b>7. EMISSION BANDWIDTH .....</b>	<b>17</b>
7.1 PROVISIONS APPLICABLE .....	19
7.2 MEASUREMENT PROCEDURE .....	19
7.3 MEASUREMENT SETUP .....	19
7.4 MEASUREMENT RESULTS .....	20
<b>8. SPURIOUS RADIATED EMISSION .....</b>	<b>24</b>
8.1 PROVISIONS APPLICABLE .....	24
8.2 MEASUREMENT PROCEDURE .....	24

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8.3 MEASUREMENT SETUP .....	25
8.4 MEASUREMENT RESULTS.....	25
8.5 EMISSION MASK PLOT .....	41
<b>9.MODULATION CHARACTERISTICS .....</b>	<b>42</b>
9.1 PROVISIONS APPLICABLE.....	45
9.2 MEASUREMENT METHOD .....	45
9.3 MEASUREMENT SETUP .....	45
9.4 MEASUREMENT RESULTS.....	46
<b>10. MAXIMUM TRANSMITTER POWER .....</b>	<b>50</b>
10.1 PROVISIONS APPLICABLE.....	50
10.2 MEASUREMENT METHOD .....	50
10.3 MEASUREMENT METHOD .....	50
10.4 MEASUREMENT RESULTS .....	50
<b>11. SPURIOUS EMISSION ON ANTENNA PORT .....</b>	<b>55</b>
11.1 PROVISIONS APPLICABLE .....	55
11.2 MEASUREMENT METHOD.....	55
11.3 MEASUREMENT SETUP .....	55
11.4 MEASUREMENT RESULTS.....	56
<b>12.TRANSMITTER FREQUENCY BEHAVIOR.....</b>	<b>62</b>
12.1 PROVISIONS APPLICABLE.....	62
13.2 MEASUREMENT SETUP .....	62
12.3 MEASUREMENT METHOD .....	63
12.4 MEASURET RESULTS.....	65
<b>13. AUDIO LOW PASS FILTER RESPONSE .....</b>	<b>67</b>
13.1 PROVISIONS APPLICABLE.....	67
13.2 MEASUREMENT METHOD .....	68
13.3 MEASUREMENT SETUP .....	68
13.4 MEASURET RESULTS.....	69
<b>APPENDIX I: PHOTOGRAPHS OF TEST SETUP .....</b>	<b>71</b>
<b>APPENDIX II: PHOTOGRAPHS OF TEST EUT .....</b>	<b>71</b>

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


## 1. GENERAL INFORMATION

Applicant	Klein Electronics, Inc.
Address	349 N. Vinewood St, Escondido, CA 92029 United States
Manufacturer	Klein Electronics, Inc.
Address	349 N. Vinewood St, Escondido, CA 92029 United States
Factory	Klein Electronics, Inc.
Address	349 N. Vinewood St, Escondido, CA 92029 United States
Product Designation	SFR digital mobile radio,SFR repeater
Brand Name	Blackbox
Test Model	Flex-repeater
Deviation from Standard	None
Date of receipt of test item	Oct. 19, 2022
Date of Test	Oct. 19, 2022~Dec. 13, 2022
Test Result	Pass

### WE HEREBY CERTIFY THAT:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI/TIA-603-E-2016. The sample tested as described in this report is in compliance with the FCC Rules Part 90. The test results of this report relate only to the tested sample identified in this report.

Prepared By



Bibo Zhang  
(Project Engineer)

Dec. 13, 2022

Reviewed By



Calvin Liu  
(Reviewer)

Dec. 13, 2022

Approved By



Max Zhang  
Authorized Officer

Dec. 13, 2022

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

## 2. PRODUCT INFORMATION

### 2.1 PRODUCT TECHNICAL DESCRIPTION

Hardware Version	C7MESH86UV-BS-1.0	
Software Version	V22.9.21	
Power Supply	DC 7.4V 3000mAh by battery	
Adapter Information	Input: AC 100-240V 50/60Hz, 2.6A Output: DC 12V 10A	
Communication Type	Voice / Data(Voice /Tone only)	
Operation Frequency Range	From 136MHz to 174MHz--VHF From 400MHz to 480MHz--UHF	
Modulation Type	Analog Voice:	FM
	Digital Voice/Digital Data:	4FSK
Digital Type	DMR	
Channel Separation	Analog Voice:	12.5 kHz
	Digital Voice/Digital Data:	12.5 kHz
Support Data Rate	9600bps	
Emission Designator	Analog Voice:	11K0F3E
	Digital Voice/Digital Data:	<input checked="" type="checkbox"/> VHF:7K86F1D-10W-12.5kHz
		<input checked="" type="checkbox"/> VHF:7K86F1W-10W-12.5kHz
		<input checked="" type="checkbox"/> UHF:7K90F1D-10W-12.5kHz <input checked="" type="checkbox"/> UHF:7K90F1W-10W-12.5kHz
Rated Output Power	10W(It was fixed by the manufacturer, any individual can't arbitrarily change it.)	
Maximum Transmitter Power	VHF: 39.10dBm(10W-12.5kHz)-Analog    VHF: 39.12dBm(10W-12.5kHz)- Digital	
	UHF: 39.05dBm(10W-12.5kHz)- Analog    UHF: 39.65dBm(10W-12.5kHz) -Digital	
Antenna Designation	Detachable Antenna	
Antenna Gain	1.5dBi	

#### Note:

1. The product has the same digital working characters when operating in both two digitized voice/data mode. So only one set of test results for digital modulation modes are provided in this test report.
2. This equipment is capable of supporting a minimum data rate of 4800 bits per second per 6.25 kHz of channel bandwidth. DMR interphone's bandwidth is 12.5 kHz, and it has a double time slot, one is the speech time slot, one is the data time slot, just language sequence is satisfied with 4800 bps/6.25 kHz BW.
3. The actual working frequency band of the device is UHF: 400-480MHz. According to the frequency division requirements of KDB634817 and the federal frequency allocation requirements, the working frequency band that the device needs to meet is UHF: 406.1-480MHz

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## 2.2 TEST FREQUENCY LIST

Operation mode	Channel Separation	Operation Frequency Range	Test channel	Test Frequency
Analog/ Digital	12.5 kHz	400-480MHz	Bottom	406.125 MHz
	12.5 kHz	400-480MHz	Middle	453.2125 MHz
	12.5 kHz	400-480MHz	Middle	458.2125 MHz
	12.5 kHz	400-480MHz	Top	479.975 MHz
Analog/ Digital	12.5 kHz	136-174MHz	Bottom	136.025 MHz
	12.5 kHz	136-174MHz	Middle	155.025 MHz
	12.5 kHz	136-174MHz	Top	173.975 MHz

### Note:

In section KDB 634817 D01 Sections II) (f) (1) and (2):

Test at least one frequency in each band for each rule part applied under and ensure the device is capable of operating on the frequency under each rule part. This requirement may result in testing on multiple frequencies. Testing on one frequency may be acceptable if multiple listed bands for a rule part with a continuous frequency range are split to remove a conflict with other rules and the technical requirements in the split bands are the same. Additional requirements for RF exposure may apply.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



## 2.3 RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for FCC ID: **U7G-FLEX-R**, filing to comply with Part 2, Part 90 of the Federal Communication Commission rules.

## 2.4 TEST METHODOLOGY

The tests were performed according to following standards:

No.	Identity	Document Title
1	FCC 47 CFR Part 90	Private Land Mobile Radio Services
2	FCC 47 CFR Part 2	Frequency allocations and radio treaty matters; general rules and regulations
3	ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards
4	ANSI C63.26-2015	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services
5	KDB 971168 D01	KDB 971168 D01 Power Meas License Digital Systems v03r01
6	KDB 579009 D03	KDB 579009 D03 Applications Part 90 Refarming Bands v01
7	KDB 634817 D01	KDB 634817 D01 Freq Range Listing for Grants v04r01

## 2.5 CALCULATION OF EMISSION INDICATORS

FCC Rules and Regulations Part 2.202: Necessary Bandwidth and Emission Bandwidth

### For FM Mode (Channel Spacing: 12.5kHz)

Emission Designator 11K0F3E

In this case, the maximum modulating frequency is 3.0 kHz with a 2.5 kHz deviation.

$$BW = 2(M+D) = 2*(3.0 \text{ kHz} + 2.5 \text{ kHz}) = 11 \text{ kHz} = 11K0$$

F3E portion of the designator represents an FM voice transmission.

Therefore, the entire designator for 12.5 kHz channel spacing FM mode is 11K0F3E.

### For FM Mode (Channel Spacing: 25kHz)

Emission Designator 16K0F3E

In this case, the maximum modulating frequency is 3.0 kHz with a 5.0 kHz deviation.

$$BW = 2(M+D) = 2*(3.0 \text{ kHz} + 5.0 \text{ kHz}) = 16 \text{ kHz} = 16K0$$

F3E portion of the designator represents an FM voice transmission.

Therefore, the entire designator for 25 kHz channel spacing FM mode is 16K0F3E.

### For Digital Mode (Channel Spacing: 12.5 kHz)

Emission Designator 7K60F1D and 7K60F1W

The 99% energy rule was used for digital mode. It basically states that 99% of the modulation energy falls within X kHz, in this case, 7.60 kHz.

F1D and F1W portion of the designator indicates digital information.

Therefore, the entire designator for 12.5 kHz channel spacing digital mode is 7K60F1D and 7K60F1W.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



## 2.6 SPECIAL ACCESSORIES

Not available for this EUT intended for grant.

## 2.7 EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: [agc@agccert.com](mailto:agc@agccert.com) Web: <http://www.agccert.com/>

### 3. TEST ENVIRONMENT

#### 3.1 ADDRESS OF THE TEST LABORATORY

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd.

Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

#### 3.2 TEST FACILITY

The test facility is recognized, certified, or accredited by the following organizations:

##### **CNAS-Lab Code: L5488**

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to be in compliance with CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements) for the Competence of Testing and Calibration Laboratories.

##### **A2LA-Lab Cert. No.: 5054.02**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

##### **FCC-Registration No.: 975832**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

##### **IC-Registration No.: 24842**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

### 3.3 ENVIRONMENTAL CONDITIONS

	NORMAL CONDITIONS	EXTREME CONDITIONS
Temperature range (°C)	15 - 35	-20 - 50
Relative humidity range	20 % - 75 %	20 % - 75 %
Pressure range (kPa)	86 - 106	86 - 106
Power supply	DC 7.4V	LV:DC 6.29V/HV: DC 8.51V
Note: The Extreme Temperature and Extreme Voltages declared by the manufacturer.		

### 3.4 MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement  $y \pm U$ , where expanded uncertainty  $U$  is based on a standard uncertainty multiplied by a coverage factor of  $k=2$ , providing a level of confidence of approximately 95%.

Test Items	Measurement Uncertainty
Frequency stability	$\pm 0.5\%$
Transmitter power conducted	$\pm 0.8\text{dB}$
Transmitter power Radiated	$\pm 1.3\text{dB}$
Conducted spurious emission 9kHz-40 GHz	$\pm 2.7\text{dB}$
Conducted Emission	$\pm 3.2\text{ dB}$
Radiated Emission below 1GHz	$\pm 3.9\text{ dB}$
Radiated Emission above 1GHz	$\pm 4.8\text{ dB}$
Occupied Channel Bandwidth	$\pm 2\%$
FM deviation	$\pm 2\%$
Audio level	$\pm 0.98\text{dB}$
Low Pass Filter Response	$\pm 0.65\text{dB}$
Modulation Limiting	0.42 %
Transient Frequency Behavior	6.8 %

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

### 3.5 LIST OF EQUIPMENTS USED

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESCI	10096	Mar. 28, 2022	Mar. 27, 2023
EXA Signal Analyzer	Aglient	N9020A	W1312-60196	Aug. 16, 2022	Aug. 15, 2023
EXA Signal Analyzer	Aglient	N9020A	MY52090123	Aug. 04, 2022	Aug. 03, 2023
Horn antenna	SCHWARZBECK	BBHA 9170	#768	Oct. 31, 2021	Oct. 30, 2023
preamplifier	ChengYi	EMC184045SE	980508	Oct. 29, 2021	Oct. 28, 2023
Double-Ridged Waveguide Horn	ETS LINDGREN	3117	00034609	Apr. 23, 2021	Apr. 22, 2023
Broadband Preamplifier	SCHWARZBECK	BBV 9718	9718-205	Jun. 05, 2022	Jun. 04, 2023
HORN ANTENNA	EM	EM-AH-10180	/	Feb.24, 2022	Feb.23, 2023
SIGNAL GENERATOR	AGILENT	E4421B	MY43351603	Mar. 04, 2022	Mar. 03, 2023
SIGNAL GENERATOR	R&S	SMT03	A0304261	Jun. 05, 2022	Jun. 04, 2023
ANTENNA	SCHWARZBECK	VULB9168	VULB9168-494	Jan. 08, 2021	Jan. 07, 2023
ANTENNA	SCHWARZBECK	VULB9168	D69250	Apr. 28, 2021	Apr. 27, 2023
Active loop antenna (9K-30MHz)	ZHINAN	ZN30900C	18051	Mar. 12, 2022	Mar. 11, 2023
Modulation Domain Analyzer	HP	53310A	3121A02467	Jun. 08, 2022	Jun. 07, 2023
Small environmental tester	ESPEC	SH-242	--	Aug. 03, 2022	Aug. 02, 2023
RF Communication Test Set	HP	8920B	US35010161	Aug. 03, 2022	Aug. 02, 2023
Attenuator	Weinachel Corp	58-30-33	ML030	Oct. 22, 2022	Oct. 21, 2023
RF Cable	R&S	1#	--	Each time	N/A
RF Cable	R&S	2#	--	Each time	N/A
Fliter-UHF	Microwave	N25155M2	498705	May 07, 2022	May 06, 2023

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## 4.SYSTEM TEST CONFIGURATION

### 4.1 EUT CONFIGURATION

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 4.2 EUT EXERCISE

The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

### 4.3 CONFIGURATION OF TESTED SYSTEM

Fig. 2-1 Configuration of Tested System



Table 2-1 Equipment Used in Tested System

### 4.4 EQUIPMENT USED IN TESTED SYSTEM

The Following Peripheral Devices And Interface Cables Were Connected During The Measurement:

- ☐ Test Accessories Come From The Laboratory  
☒ Test Accessories Come From The Manufacturer

Item	Equipment	Model No.	Identifier	Note
1	SFR digital mobile radio,SFR repeater	Flex-repeater	FCC ID: U7G-FLEX-R	EUT
2	Battery	BAT-880	DC 8.4V 3000mAh	Accessories
3	Adapter	EADP-120GRA	Input: 100-240V, 50/60Hz, 2.6A Output: DC 12V 10A	Accessories
4	Hand microphone	N/A	N/A	Accessories

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

#### 4.5 SUMMARY OF TEST RESULTS

Item	FCC Rules	Description Of Test	Result
1	FCC PART 90	Antenna Equipment	Pass
2	§90.205& 2.1046	Maximum Transmitter Power	Pass
3	§90.207& 2.1047	Modulation Characteristic	Pass
4	§2.1047	Audio Low Pass Filter Response	Pass
5	§90.209& 2.1049	Occupied Bandwidth	Pass
6	§90.210& 2.1049	Emission Mask	Pass
7	§90.213& 2.1055	Frequency Tolerance	Pass
8	§90.214	Transmitter Frequency Behavior	Pass
9	§90.210& 2.1051	Spurious Emission on Antenna Port	Pass
10	§90.210& 2.1053	Spurious Radiated Emission	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## 5.DESCRPTION OF TEST MODES

The EUT (**SFR digital mobile radio,SFR repeater** ) has been tested under normal operating condition. (The top channel, the middle channel and the bottom channel) are chosen for testing at each channel separation.

NO.	TEST MODE DESCRIPTION	CHANNEL SEPARATION
1	TX Bottom channel-UHF	12.5 kHz
2	TX Middle channel-UHF	12.5 kHz
3	TX Middle channel-UHF	12.5 kHz
4	TX Top channel-UHF	12.5 kHz
5	TX Bottom channel-VHF	12.5 kHz
6	TX Middle channel-VHF	12.5 kHz
7	TX Middle channel-VHF	12.5 kHz

Note:

1. Only the result of the worst case was recorded in the report, if no other cases.
2. The battery is full-charged during the test.
3. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
4. For Conducted Test method, a temporary antenna connector is provided by the manufacture.
5. Manufacturers use computer PC programming software to switch and operate frequency points, refer to the instructions for details

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



## 6.FREQUENCY TOLERANCE

### 6.1 PROVISIONS APPLICABLE

- According to FCC §2.1055,§90.213, the frequency stability shall be measured with variation of ambient temperature from  $-30^{\circ}\text{C}$  to  $+50^{\circ}\text{C}$  centigrade.
- According to FCC Part 2 Section 2.1055(d)(2), for battery powered equipment, the frequency stability shall be measured with reducing primary supply voltage to the battery operating end point, which is specified by the manufacturer.
- According to FCC Part 90 Section 90.213, the frequency tolerance must be maintained within 0.00025% for 12.5 kHz channel separation and 0.0001% for 6.25 kHz channel separation.

### 6.2 MEASUREMENT PROCEDURE


#### 6.2.1 Frequency stability versus environmental temperature

- Setup the configuration per figure 1 for frequencies measurement inside an environment chamber, Install new battery in the EUT.
- Turn on EUT and set SA center frequency to the EUT radiated frequency. Set SA Resolution Bandwidth to 1kHz and Video Resolution Bandwidth to 1kHz and Frequency Span to 50kHz. Record this frequency as reference frequency.
- Set the temperature of chamber to  $50^{\circ}\text{C}$ . Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize. While maintaining a constant temperature inside the chamber, turn the EUT on and measure the EUT operating frequency.
- Repeat step 2 with a  $10^{\circ}\text{C}$  decreased per stage until the lowest temperature  $-30^{\circ}\text{C}$  is measured, record all measured frequencies on each temperature step.

#### 6.2.2 Frequency stability versus input voltage

- Setup the configuration per figure 1 for frequencies measured at temperature if it is within  $15^{\circ}\text{C}$  to  $25^{\circ}\text{C}$ . Otherwise, an environment chamber set for a temperature of  $20^{\circ}\text{C}$  shall be used. The EUT shall be powered by DC 7.4V.
- Set SA center frequency to the EUT radiated frequency. Set SA Resolution Bandwidth to 1 kHz and Video Resolution Bandwidth to 1kHz. Record this frequency as reference frequency.
- Supply the EUT primary voltage at the operating end point which is specified by manufacturer and record the frequency.

### 6.3 MEASUREMENT SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

## 6.4 MEASUREMENT RESULTS

12.5 kHz Channel Separation, Analog modulation, Assigned Frequency For VHF-10W						
Test conditions		Frequency error (ppm)			Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)				
		136.025	155.7525	173.975		
7.40	-30	0.805	0.653	0.826	2.5	Pass
	-20	0.526	1.089	0.961		
	-10	0.726	0.779	1.020		
	0	0.806	0.609	0.776		
	10	0.907	0.966	0.749		
	20	0.758	0.690	0.505		
	30	0.715	0.872	0.705		
	40	1.079	0.780	0.549		
	50	0.697	0.859	1.092		
8.51	20	0.897	0.735	0.796		
6.29	20	0.698	0.668	1.036		

12.5 kHz Channel Separation, Digital modulation, Assigned Frequency For VHF-10W						
Test conditions		Frequency error (ppm)			Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)				
		136.025	155.7525	173.975		
7.40	-30	1.063	0.829	0.788	2.5	Pass
	-20	0.546	0.940	0.560		
	-10	1.056	0.753	1.038		
	0	0.885	0.528	1.023		
	10	0.814	0.982	0.954		
	20	0.866	0.984	0.655		
	30	0.911	0.822	1.075		
	40	1.054	0.580	0.901		
	50	0.922	0.786	1.096		
8.51	20	0.982	0.801	0.881		
6.29	20	0.954	1.080	1.048		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

12.5 kHz Channel Separation, Analog modulation, Assigned Frequency For UHF-10W							
Test conditions		Frequency error (ppm)				Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)					
		406.125	453.2125	458.2125	479.975		
7.40	-30	1.040	0.553	0.802	0.829	2.5	Pass
	-20	0.942	0.660	0.946	0.417		
	-10	0.516	0.729	0.585	0.429		
	0	0.910	0.973	0.897	0.551		
	10	0.821	0.889	1.052	0.633		
	20	1.099	0.556	1.029	0.368		
	30	0.675	1.068	0.756	0.572		
	40	0.915	0.758	0.950	0.540		
	50	0.554	0.574	0.685	0.934		
8.51	20	0.650	0.599	0.858	0.385	2.5	Pass
6.29	20	0.764	0.689	0.667	0.575		

12.5 kHz Channel Separation,Digital modulation, Assigned Frequency For UHF-10W							
Test conditions		Frequency error (ppm)				Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)					
		406.125	453.2125	458.2125	479.975		
7.40	-30	1.042	0.661	1.095	0.460	2.5	Pass
	-20	0.692	0.704	1.040	0.994		
	-10	0.583	1.050	0.739	0.400		
	0	0.689	0.896	0.825	0.453		
	10	1.013	0.539	0.673	0.702		
	20	0.757	0.966	0.591	0.762		
	30	0.860	0.916	0.624	0.498		
	40	0.904	0.795	0.655	0.801		
	50	0.550	0.554	0.680	0.673		
8.51	20	0.778	0.647	0.627	0.978	2.5	Pass
6.29	20	1.029	0.787	0.993	0.570		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## 7. EMISSION BANDWIDTH

### 7.1 PROVISIONS APPLICABLE

FCC Part 90.209 & FCC Part 2.1049:

The authorized bandwidth shall be 11.25 kHz for 12.5 kHz channel separation and 6 kHz for 6.25 kHz channel separation.

### 7.2 MEASUREMENT PROCEDURE

1.The EUT was modulated by 2.5kHz sine wave audio signal; the level of the audio signal employed is 16dB greater than that necessary to produce 50% of rated system deviation.

Rated system deviation is 2.5 kHz for 12.5kHz channel spacing).

2.Spectrum set as follow:


Centre frequency = fundamental frequency, span=50kHz for 12.5kHz channel spacing, RBW=100Hz, VBW=300Hz, Sweep = auto,

Detector function = peak, Trace = max hold

3.Set 99% Occupied Bandwidth and 26dB Occupied Bandwidth.

4.Measure and record the results in the test report.

### 7.3 MEASUREMENT SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

#### 7.4 MEASUREMENT RESULTS

Measurement Result of VHF-Analog Modulation-10W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth	Emission Bandwidth	Limits	Result
136.025MHz	9.670 kHz	10.52 kHz	11.25 kHz	Pass
155.7525MHz	9.670 kHz	10.52 kHz	11.25 kHz	Pass
173.975MHz	9.952 kHz	11.31Hz	11.25 kHz	Pass

Measurement Result of UHF-Analog Modulation-10W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth	Emission Bandwidth	Limits	Result
406.125MHz	9.932 kHz	10.16 kHz	11.25 kHz	Pass
453.2125MHz	9.956 kHz	10.17 kHz	11.25 kHz	Pass
458.2125MHz	9.939 kHz	10.17 kHz	11.25 kHz	Pass
479.975MHz	9.923 kHz	10.16 kHz	11.25 kHz	Pass


Measurement Result of VHF-Digital Modulation-10W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth	Emission Bandwidth	Limits	Result
136.025MHz	7.578 kHz	9.667 kHz	11.25 kHz	Pass
155.7525MHz	7.477 kHz	9.342 kHz	11.25 kHz	Pass
173.975MHz	7.856 kHz	9.685 kHz	11.25 kHz	Pass

Measurement Result of UHF-Digital Modulation-10W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth	Emission Bandwidth	Limits	Result
406.125MHz	7.733 kHz	10.52 kHz	11.25 kHz	Pass
453.2125MHz	7.631 kHz	10.39 kHz	11.25 kHz	Pass
458.2125MHz	7.778 kHz	10.18 kHz	11.25 kHz	Pass
479.975MHz	7.903 kHz	10.39 kHz	11.25 kHz	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Test plot as follows:




Any report having not been signed by authorized approver, or having been altered without approval, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


### 12.5kHz, FM Modulation:479.975MHz-10W




### 12.5kHz, 4FSK Modulation:136.025MHz-10W




### 12.5kHz, 4FSK Modulation:155.7525MHz-10W




### 12.5kHz, 4FSK Modulation:173.975MHz-10W



### 12.5kHz, 4FSK Modulation:406.125MHz-10W




### 12.5kHz, 4FSK Modulation:453.2125MHz-10W



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## 8. SPURIOUS RADIATED EMISSION

### 8.1 PROVISIONS APPLICABLE

According to FCC §2.1053 and §90.210, the power of each unwanted emission shall be less than Transmitted Power as specified below for transmitters designed to operate with each channel separation.

Emission Mask D -for 12.5 kHz Channel Separation:

- (1) On any frequency removed from the center of the authorized bandwidth  $f_0$  to 5.625 kHz removed from  $f_0$ : Zero dB.
- (2) On any frequency removed from the center of the authorized bandwidth by a displacement Frequency ( $f_d$  in kHz)  $f_0$  of more than 5.625 kHz but no more than 12.5 kHz: At least  $7.27(f_d - 2.88 \text{ kHz})$  dB
- (3) On any frequency removed from the center of the authorized bandwidth by a displacement Frequency ( $f_d$  in kHz)  $f_0$  of more than 12.5 kHz: At least  $50 + 10 \log(P)$  dB or 70 dB, whichever is lesser attenuation.


### 8.2 MEASUREMENT PROCEDURE

- (1) On a test site, the EUT shall be placed on a turntable, and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13) If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15) The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

### 8.3 MEASUREMENT SETUP

#### Radiated Emissions 30MHz to 1GHz Test setup



#### Radiated Emissions Above 1GHz Test setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

#### 8.4 MEASUREMENT RESULTS

The RF output of the EUT was connected to a spectrum analyzer through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 100 kHz for below 1GHz, and 1MHz for above 1GHz. Sufficient scans were taken to show any out of band emissions up to 10 harmonic.

In the semi-anechoic chamber, setup as illustrated above the DUT placed on the 0.8m height of Turn Table, rotated the table 45 degree each interval to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power for each degree interval. The "Read Value" is the spectrum reading of maximum power value.

The substitution antenna is substituted for DUT at the same position and signals generator (S.G) export the CW signal to the substitution antenna via a TX cable. The receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum radiation power. Record the power level of maximum radiation power from spectrum. So, the Measured substitution value = Ref level of S.G + TX cables loss – Substituted Antenna Gain.


EIRP = "Read Value" + Measured substitution value + 2.15.

Test limit calculation:

Preliminary calculation	Final Result
At least $50 + 10 \log(P) = 50 + 10 \log(10) = 60.00$ (dB)	Limit = P- Preliminary calculation = $40.00 - 60.00 = -20$ dBm


**Note:** In this case, Part 22 (-13 dBm) is greater than the limit of Part 90 (-20 dBm), so we do not need to test Part 22 meeting the spurious limits of PART 90+22.

Test Mode:	TX:136.025MHz-4FSK	Polarity:	Horizontal
------------	--------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	408.3	-64.36	-29.78	-20.00	9.78	34.58	175	Horizontal
2	1224.4474	-37.33	-41.12	-20.00	21.12	-3.79	34	Horizontal
3	1360.7611	-27.11	-30.61	-20.00	10.61	-3.50	303	Horizontal
4	1497.0747	-33.59	-36.81	-20.00	16.81	-3.22	119	Horizontal
5	1632.2132	-40.03	-42.25	-20.00	22.25	-2.22	92	Horizontal
6	7261.0261	-52.13	-39.43	-20.00	19.43	12.70	0	Horizontal

Test Mode:	TX:136.025MHz-4FSK	Polarity:	Vertical
------------	--------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	408.3	-66.29	-31.18	-20.00	11.18	35.11	210	Vertical
2	1088.1338	-44.96	-45.53	-20.00	25.53	-0.57	360	Vertical
3	1224.4474	-40.81	-40.48	-20.00	20.48	0.33	349	Vertical
4	1360.7611	-31.58	-30.34	-20.00	10.34	1.24	9	Vertical
5	1495.8996	-36.93	-34.80	-20.00	14.80	2.13	312	Vertical
6	1632.2132	-43.13	-41.43	-20.00	21.43	1.70	349	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Test Mode:	TX:155.7525MHz-4FSK	Polarity:	Horizontal
------------	---------------------	-----------	------------



FCC Part 90 OPER TX


Level [dBm]

Frequency [Hz]

— Limit    ■ Final Test    — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	465.53	-58.41	-22.74	-20.00	2.74	35.67	107	Horizontal
2	620.73	-90.89	-50.98	-20.00	30.98	39.91	153	Horizontal
3	1085.7836	-44.44	-48.52	-20.00	28.52	-4.08	8	Horizontal
4	1240.8991	-36.37	-40.12	-20.00	20.12	-3.75	299	Horizontal
5	1394.8395	-30.54	-33.97	-20.00	13.97	-3.43	324	Horizontal
6	1549.955	-40.76	-43.60	-20.00	23.60	-2.84	117	Horizontal

Test Mode:	TX:155.7525MHz-4FSK	Polarity:	Vertical
------------	---------------------	-----------	----------



FCC Part 90 OPER TX

Level [dBm]


Frequency [Hz]

— Limit    ■ Final Test    — Vertical

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	465.53	-66.27	-30.36	-20.00	10.36	35.91	151	Vertical
2	620.73	-93.45	-54.38	-20.00	34.38	39.07	360	Vertical
3	1239.724	-38.14	-37.71	-20.00	17.71	0.43	1	Vertical
4	1396.0146	-34.56	-33.09	-20.00	13.09	1.47	301	Vertical
5	1549.955	-39.85	-37.86	-20.00	17.86	1.99	209	Vertical
6	2413.6664	-44.51	-45.34	-20.00	25.34	-0.83	35	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX:173.975MHz-4FSK	Polarity:	Horizontal
------------	--------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.16	-71.07	-37.93	-20.00	17.93	33.14	268	Horizontal
2	521.79	-86.24	-49.14	-20.00	29.14	37.10	359	Horizontal
3	1392.4892	-39.96	-43.40	-20.00	23.40	-3.44	143	Horizontal
4	1566.4066	-40.43	-43.14	-20.00	23.14	-2.71	124	Horizontal
5	2416.0166	-45.26	-46.37	-20.00	26.37	-1.11	359	Horizontal
6	5766.2766	-50.16	-40.24	-20.00	20.24	9.92	163	Horizontal

Test Mode:	TX:173.975MHz-4FSK	Polarity:	Vertical
------------	--------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.16	-73.31	-40.42	-20.00	20.42	32.89	223	Vertical
2	521.79	-88.60	-51.70	-20.00	31.70	36.90	93	Vertical
3	1305.5306	-44.39	-43.52	-20.00	23.52	0.87	113	Vertical
4	1392.4892	-39.57	-38.12	-20.00	18.12	1.45	333	Vertical
5	1566.4066	-45.27	-43.34	-20.00	23.34	1.93	131	Vertical
6	2412.4912	-44.11	-44.94	-20.00	24.94	-0.83	359	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Test Mode:	TX:136.025MHz-FM	Polarity:	Horizontal
------------	------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	408.3	-69.05	-34.47	-20.00	14.47	34.58	38	Horizontal
2	679.9	-93.32	-53.25	-20.00	33.25	40.07	164	Horizontal
3	1224.4474	-37.62	-41.41	-20.00	21.41	-3.79	38	Horizontal
4	1360.7611	-28.05	-31.55	-20.00	11.55	-3.50	314	Horizontal
5	1497.0747	-34.85	-38.07	-20.00	18.07	-3.22	116	Horizontal
6	5763.9264	-50.11	-40.20	-20.00	20.20	9.91	359	Horizontal


Test Mode:	TX:136.025MHz-FM	Polarity:	Vertical
------------	------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	280.26	-86.81	-56.08	-20.00	36.08	30.73	160	Vertical
2	408.3	-66.51	-31.40	-20.00	11.40	35.11	215	Vertical
3	1224.4474	-41.81	-41.48	-20.00	21.48	0.33	349	Vertical
4	1360.7611	-31.97	-30.73	-20.00	10.73	1.24	18	Vertical
5	1495.8996	-37.70	-35.57	-20.00	15.57	2.13	314	Vertical
6	6037.7288	-52.33	-41.35	-20.00	21.35	10.98	250	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX:155.7525MHz-FM	Polarity:	Horizontal
------------	-------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.33	-79.41	-47.20	-20.00	27.20	32.21	139	Horizontal
2	465.53	-59.13	-23.46	-20.00	3.46	35.67	110	Horizontal
3	620.73	-90.13	-50.22	-20.00	30.22	39.91	156	Horizontal
4	1240.8991	-36.50	-40.25	-20.00	20.25	-3.75	30	Horizontal
5	1394.8395	-31.24	-34.67	-20.00	14.67	-3.43	322	Horizontal
6	1549.955	-41.75	-44.59	-20.00	24.59	-2.84	110	Horizontal

Test Mode:	TX:155.7525MHz-FM	Polarity:	Vertical
------------	-------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.33	-82.25	-50.90	-20.00	30.90	31.35	140	Vertical
2	465.53	-66.51	-30.60	-20.00	10.60	35.91	158	Vertical
3	620.73	-94.96	-55.89	-20.00	35.89	39.07	130	Vertical
4	1240.8991	-38.35	-37.91	-20.00	17.91	0.44	358	Vertical
5	1396.0146	-34.88	-33.41	-20.00	13.41	1.47	304	Vertical
6	1549.955	-41.22	-39.23	-20.00	19.23	1.99	214	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test Mode:	TX:173.975MHz-FM	Polarity:	Horizontal
------------	------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.16	-71.40	-38.26	-20.00	18.26	33.14	28	Horizontal
2	521.79	-86.63	-49.53	-20.00	29.53	37.10	350	Horizontal
3	1391.3141	-39.12	-42.56	-20.00	22.56	-3.44	146	Horizontal
4	2417.1917	-44.01	-45.12	-20.00	25.12	-1.11	312	Horizontal
5	5820.332	-51.04	-40.92	-20.00	20.92	10.12	224	Horizontal
6	7285.7036	-53.18	-40.38	-20.00	20.38	12.80	350	Horizontal


Test Mode:	TX:173.975MHz-FM	Polarity:	Vertical
------------	------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.16	-73.51	-40.62	-20.00	20.62	32.89	217	Vertical
2	521.79	-88.50	-51.60	-20.00	31.60	36.90	102	Vertical
3	1392.4892	-43.35	-41.90	-20.00	21.90	1.45	291	Vertical
4	1566.4066	-45.72	-43.79	-20.00	23.79	1.93	209	Vertical
5	5879.0879	-51.46	-41.70	-20.00	21.70	9.76	282	Vertical
6	10048.4048	-55.62	-39.47	-20.00	19.47	16.15	9	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX:406.125MHz-4FSK	Polarity:	Horizontal
------------	--------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	829.28	-101.25	-57.97	-20.00	37.97	43.28	360	Horizontal
2	1625.1625	-47.33	-49.60	-20.00	29.60	-2.27	360	Horizontal
3	2030.5781	-44.90	-44.49	-20.00	24.49	0.41	44	Horizontal
4	2417.1917	-45.89	-47.00	-20.00	27.00	-1.11	354	Horizontal
5	4061.1811	-45.84	-41.25	-20.00	21.25	4.59	156	Horizontal
6	10560.7561	-54.27	-38.66	-20.00	18.66	15.61	36	Horizontal

Test Mode:	TX:406.125MHz-4FSK	Polarity:	Vertical
------------	--------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	779.81	-101.51	-59.52	-20.00	39.52	41.99	160	Vertical
2	1623.9874	-46.51	-44.78	-20.00	24.78	1.73	3	Vertical
3	2413.6664	-45.51	-46.34	-20.00	26.34	-0.83	351	Vertical
4	5880.263	-50.48	-40.71	-20.00	20.71	9.77	234	Vertical
5	9963.7964	-54.74	-38.70	-20.00	18.70	16.04	0	Vertical
6	12196.5197	-56.38	-38.53	-20.00	18.53	17.85	288	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX:453.2125MHz-4FSK	Polarity:	Horizontal
------------	---------------------	-----------	------------

FCC Part 90 OPER TX




— Limit   ■ Final Test   — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	638.19	-101.51	-61.56	-20.00	41.56	39.95	138	Horizontal
2	819.58	-101.21	-57.88	-20.00	37.88	43.33	312	Horizontal
3	1359.586	-43.31	-46.81	-20.00	26.81	-3.50	74	Horizontal
4	2524.1274	-46.35	-47.56	-20.00	27.56	-1.21	166	Horizontal
5	4078.8079	-45.64	-41.09	-20.00	21.09	4.55	148	Horizontal
6	9407.9658	-54.14	-39.54	-20.00	19.54	14.60	302	Horizontal

Test Mode:	TX:453.2125MHz-4FSK	Polarity:	Vertical
------------	---------------------	-----------	----------

FCC Part 90 OPER TX



— Limit   ■ Final Test   — Vertical

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	597.45	-101.36	-62.71	-20.00	42.71	38.65	241	Vertical
2	890.39	-99.69	-56.47	-20.00	36.47	43.22	65	Vertical
3	1359.586	-43.28	-42.05	-20.00	22.05	1.23	73	Vertical
4	4078.8079	-46.00	-42.75	-20.00	22.75	3.25	139	Vertical
5	5989.549	-51.20	-40.37	-20.00	20.37	10.83	259	Vertical
6	12747.6498	-55.81	-38.25	-20.00	18.25	17.56	0	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




Test Mode:	TX:458.2125MHz-4FSK	Polarity:	Horizontal
------------	---------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	847.71	-100.44	-57.25	-20.00	37.25	43.19	220	Horizontal
2	1374.8625	-42.11	-45.58	-20.00	25.58	-3.47	73	Horizontal
3	2417.1917	-45.38	-46.49	-20.00	26.49	-1.11	1	Horizontal
4	5666.3916	-50.22	-40.67	-20.00	20.67	9.55	246	Horizontal
5	9997.8748	-55.37	-39.44	-20.00	19.44	15.93	9	Horizontal
6	12055.5056	-55.88	-38.45	-20.00	18.45	17.43	212	Horizontal

Test Mode:	TX:458.2125MHz-4FSK	Polarity:	Vertical
------------	---------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	141.55	-100.88	-66.60	-20.00	46.60	34.28	118	Vertical
2	849.65	-101.66	-58.82	-20.00	38.82	42.84	351	Vertical
3	1374.8625	-46.91	-45.58	-20.00	25.58	1.33	322	Vertical
4	2291.4541	-44.94	-45.40	-20.00	25.40	-0.46	153	Vertical
5	3758.0008	-47.85	-44.67	-20.00	24.67	3.18	227	Vertical
6	8385.6136	-51.93	-38.95	-20.00	18.95	12.98	82	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX:479.975MHz-4FSK	Polarity:	Horizontal
------------	--------------------	-----------	------------

FCC Part 90 OPER TX




— Limit   ■ Final Test   — Horizontal

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	860.32	-101.35	-58.22	-20.00	38.22	43.13	282	Horizontal
2	1440.6691	-39.85	-43.18	-20.00	23.18	-3.33	336	Horizontal
3	2412.4912	-46.05	-47.15	-20.00	27.15	-1.10	262	Horizontal
4	3676.9177	-47.63	-43.25	-20.00	23.25	4.38	308	Horizontal
5	4726.2976	-46.71	-43.11	-20.00	23.11	3.60	336	Horizontal
6	5783.9034	-50.33	-40.34	-20.00	20.34	9.99	228	Horizontal

Test Mode:	TX:453.2125MHz-4FSK	Polarity:	Vertical
------------	---------------------	-----------	----------

FCC Part 90 OPER TX




— Limit   ■ Final Test   — Vertical

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	144.46	-101.18	-67.10	-20.00	47.10	34.08	3	Vertical
2	850.62	-100.73	-57.88	-20.00	37.88	42.85	187	Vertical
3	1440.6691	-40.68	-38.91	-20.00	18.91	1.77	323	Vertical
4	3656.9407	-47.16	-44.03	-20.00	24.03	3.13	123	Vertical
5	5937.8438	-51.35	-41.02	-20.00	21.02	10.33	350	Vertical
6	12173.0173	-56.88	-39.04	-20.00	19.04	17.84	350	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Test Mode:	TX:406.125MHz-FM	Polarity:	Horizontal
------------	------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	813.76	-101.38	-58.03	-20.00	38.03	43.35	184	Horizontal
2	1218.5719	-48.22	-52.02	-20.00	32.02	-3.80	298	Horizontal
3	1623.9874	-46.82	-49.10	-20.00	29.10	-2.28	112	Horizontal
4	2030.5781	-44.26	-43.85	-20.00	23.85	0.41	46	Horizontal
5	4061.1811	-46.77	-42.18	-20.00	22.18	4.59	150	Horizontal
6	5802.7053	-50.81	-40.75	-20.00	20.75	10.06	360	Horizontal


Test Mode:	TX:406.125MHz-FM	Polarity:	Vertical
------------	------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	799.21	-100.75	-58.40	-20.00	38.40	42.35	0	Vertical
2	1625.1625	-45.98	-44.26	-20.00	24.26	1.72	22	Vertical
3	2030.5781	-46.57	-46.25	-20.00	26.25	0.32	169	Vertical
4	3591.1341	-47.68	-44.58	-20.00	24.58	3.10	240	Vertical
5	6069.4569	-51.80	-40.77	-20.00	20.77	11.03	0	Vertical
6	12071.9572	-56.07	-38.28	-20.00	18.28	17.79	0	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX:453.2125MHz-FM	Polarity:	Horizontal
------------	-------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	605.21	-101.44	-61.58	-20.00	41.58	39.86	18	Horizontal
2	859.35	-100.28	-57.14	-20.00	37.14	43.14	164	Horizontal
3	1359.586	-41.32	-44.82	-20.00	24.82	-3.50	128	Horizontal
4	2416.0166	-44.26	-45.37	-20.00	25.37	-1.11	9	Horizontal
5	5801.5302	-50.70	-40.65	-20.00	20.65	10.05	354	Horizontal
6	10151.8152	-55.90	-40.06	-20.00	20.06	15.84	74	Horizontal


Test Mode:	TX:453.2125MHz-FM	Polarity:	Vertical
------------	-------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	143.49	-101.47	-67.32	-20.00	47.32	34.15	45	Vertical
2	655.65	-101.02	-61.33	-20.00	41.33	39.69	262	Vertical
3	1359.586	-41.11	-39.88	-20.00	19.88	1.23	108	Vertical
4	2416.0166	-44.44	-45.28	-20.00	25.28	-0.84	0	Vertical
5	5886.1386	-49.30	-39.47	-20.00	19.47	9.83	163	Vertical
6	12623.0873	-56.76	-38.98	-20.00	18.98	17.78	45	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX:458.2125MHz-FM	Polarity:	Horizontal
------------	-------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	51.34	-96.86	-63.59	-20.00	43.59	33.27	129	Horizontal
2	801.15	-101.47	-58.06	-20.00	38.06	43.41	259	Horizontal
3	1374.8625	-41.91	-45.38	-20.00	25.38	-3.47	121	Horizontal
4	2413.6664	-45.38	-46.48	-20.00	26.48	-1.10	353	Horizontal
5	5910.8161	-51.29	-40.83	-20.00	20.83	10.46	224	Horizontal
6	12077.8328	-56.12	-38.67	-20.00	18.67	17.45	102	Horizontal


Test Mode:	TX:458.2125MHz-FM	Polarity:	Vertical
------------	-------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	144.46	-101.28	-67.20	-20.00	47.20	34.08	341	Vertical
2	821.52	-101.08	-58.51	-20.00	38.51	42.57	32	Vertical
3	1374.8625	-46.66	-45.33	-20.00	25.33	1.33	331	Vertical
4	3198.6449	-48.05	-44.90	-20.00	24.90	3.15	134	Vertical
5	5924.9175	-51.38	-41.18	-20.00	21.18	10.20	350	Vertical
6	12149.515	-56.32	-38.50	-20.00	18.50	17.82	341	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX:479.975MHz-FM	Polarity:	Horizontal
------------	------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	256.01	-101.04	-68.72	-20.00	48.72	32.32	134	Horizontal
2	888.45	-100.20	-57.20	-20.00	37.20	43.00	161	Horizontal
3	1440.6691	-39.85	-43.18	-20.00	23.18	-3.33	335	Horizontal
4	4108.1858	-46.06	-41.58	-20.00	21.58	4.48	99	Horizontal
5	5830.9081	-50.87	-40.71	-20.00	20.71	10.16	9	Horizontal
6	12733.5484	-56.78	-39.29	-20.00	19.29	17.49	38	Horizontal

Test Mode:	TX:453.2125MHz-FM	Polarity:	Vertical
------------	-------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	134.76	-100.80	-66.76	-20.00	46.76	34.04	113	Vertical
2	893.3	-100.85	-57.60	-20.00	37.60	43.25	351	Vertical
3	1439.4939	-39.07	-37.31	-20.00	17.31	1.76	322	Vertical
4	2416.0166	-45.44	-46.28	-20.00	26.28	-0.84	74	Vertical
5	5900.24	-51.09	-41.13	-20.00	21.13	9.96	359	Vertical
6	9827.4827	-54.51	-38.82	-20.00	18.82	15.69	252	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


## 8.5 EMISSION MASK PLOT

The detailed procedure employed for Emission Mask measurements are specified as following:

-Connect the equipment as illustrated.

-Spectrum set as follow:

1. Centre frequency = fundamental frequency, Span=50kHz for 12.5kHz and 25kHz channel spacing, RBW=100Hz, VBW=300Hz for 12.5kHz, RBW=300Hz, VBW=1000Hz for 25kHz, Sweep = auto, Detector function = peak, Trace = max hold
2. Key the transmitter, and set the level of the unmodulated carrier to a fullscale reference line. This is the 0dB reference for the measurement.
3. Modulate the transmitter with a 2500 Hz sine wave at an input level 16 dB greater than that necessary to produce 50% of rated system deviation (Rated system deviation is 2.5 kHz for 12.5kHz channel spacing). The input level shall be established at the frequency of maximum response of the audio modulating circuit.
4. Transmitters employing digital modulation techniques that bypass the limiter and the audio low-pass filter shall be modulated as specified by the manufacturer.
5. Measure and record the results in the test report.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).