

Product Code: MAX-BR1-MINI-LTEA-US-DC-T-PRM

Serial No.:192E-D5B6-0335

LAN MAC:10-56-CA-83-79-C0

AP Password: CA8379C0

Default Access Username: admin

https://192.168.50.1 Password: admin

Input: 10-30V DC, 18W max (Power Port)

Input: 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: N7NEM74B

Made in Taiwan



PEPWAVE

Product Code: MAX-BR1-MINI-LTEA-US-DC-T-PRM

Serial No.:192E-D5B6-0335

LAN MAC:10-56-CA-83-79-C0

AP Password:CA8379C0

Default Access Username: admin https://192.168.50.1 Password: admin

Input: 10-30V DC, 18W max (Power Port)

Input: 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: N7NEM74B

Made in Taiwan





Product Code: MAX-BR1-MINI-LTEA-W-DC-T-PRM

Serial No.:2931-D8D2-A59A

LAN MAC:00-1A-DD-E3-DD-40

AP Password: DDE3DD40

Default Access Username: admin

https://192.168.50.1 Password: admin

Input: 10-30V DC, 18W max (Power Port)

Input: 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: N7NMC7455

Made in Taiwan



M8 HW1

PEPWAVE

Product Code: MAX-BR1-MINI-LTEA-W-DC-T-PRM

Serial No.:2931-D8D2-A59A

LAN MAC:00-1A-DD-E3-DD-40

AP Password: DDE3DD40

Default Access Username: admin

https://192.168.50.1 Password: admin

Input: 10-30V DC, 18W max (Power Port)

Input: 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: N7NMC7455

Made in Taiwan



M8 HW1



Product Code: MAX-BR1-MINI-LTE-US-DC-T-PRM

Serial No.:192E-D5D2-6577

LAN MAC:10-56-CA-83-7D-40

AP Password:CA837D40

Default Access Username: admin

https://192.168.50.1 Password: admin

Input: 10-30V DC, 18W max (Power Port)

Input: 802.3at (LÁN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: RI7LE910CXNF

Made in Taiwan



PEPWAVE

Product Code: MAX-BR1-MINI-LTE-US-DC-T-PRM

Serial No.:192E-D5D2-6577

LAN MAC:10-56-CA-83-7D-40

AP Password:CA837D40

Default Access

Username: admin

https://192.168.50.1

Password: admin

Input: 10-30V DC, 18W max (Power Port)

Input: 802.3at (LAN 1)

FCC ID: U8G-P1MT01

Contains FCC ID: RI7LE910CXNF

Made in Taiwan



M8 HW3