

Model: BPL-SDX-C1

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-SDX-F1

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-SDX-LR1

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-SDX

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-SDX

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-SDX-C1

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-SDX-F1

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-SDX-LR1

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: EBX

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: EBX

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: EXM-3LTEA-R

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: EXM-3LTEA-R

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: Peplink Balance SDX

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: Peplink Balance SDX

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: PismoX03

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: PismoX03

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: SDX Main Chassis (BPL-SDX)

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: SDX Main Chassis (BPL-SDX)

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: SDX Main Chassis (BPL-SDX-C1)

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: SDX Main Chassis (BPL-SDX-C1) PEPWAVE

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: SDX Main Chassis (BPL-SDX-F1)

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access	Username: admin
https://192.168.1.1	Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: SDX Main Chassis (BPL-SDX-F1) PEPWAVE

Product Code:BPL-SDX-LR1



Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: SDX Main Chassis (BPL-SDX-LR1)

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: SDX Main Chassis (BPL-SDX-LR1)

Product Code:BPL-SDX-LR1

Serial No.:182C-6B44-702D

LAN MAC:10-56-CA-65-C4-40

PEPWAVE



Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Input : 100-240V AC, 6.5-3.25A, 50-60Hz

FCC ID: U8G-P1X03

Contains FCC ID: N7NEM75S

IC: 20682-P1X03

Contains IC: 2417C-EM75S

CAN ICES-3(A)/NMB-3(A)

Made in Taiwan



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Balance SDX

Front panel

Label location



Rear Side