

# **MiniCard 8775 Partial Test Report**

For

**FCC** Certification

IC: 2417C-MC8775 FCC ID: N7NMC8775

Prepared by SIERRA WIRELESS INC. 13811 WIRELESS WAY RICHMOND, BC V6V 3A4 CANADA

Test Date(s): July 6, 2006, July 13, 2006

© 2006 Sierra Wireless, Inc.

This document contains information which is proprietary and confidential to Sierra Wireless, Inc. Disclosure to persons other than the officers, employees, agents, or subcontractors of the Company or licensee of this document without the prior written permission of Sierra Wireless, Inc. is strictly prohibited.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 2 of 72

# **Table of Contents**

1 Introduction and Purpose	3
2 Test Summary	
3 Description of Equipment Under Test	
4 RF Power Output	
4.1 Test Procedure.	
4.2 Test Equipment.	
4.3 Test Results GSM/EDGE.	6
4.4 Test Results UMTS	
4.5 Test Settings for UMTS Mode on the CMU210	6
4.6 Test Setting Notes for GMSK and 8PSK Tests	<u></u> 7
5 Occupied Bandwidth	8
5.1 Test Procedure	
5.2 Test Results.	8
5.3 Test Plots.	
6 Out of Band Emissions at Antenna Terminals	<u></u> 18
6.1 Test Procedure.	18
6.2 Test Equipment.	
6.3 Test Results.	
6.4 Test Plots.	
7 Block Edge Compliance	<u>56</u>
7.1 Test Procedure.	5 <i>6</i>
7.2 Test Equipment.	
7.3 Test Results.	
7.4 Test Plots.	
8 Frequency Stability Versus Temperature	<u>63</u>
8.1 Summary of Results.	<u>63</u>
8.2 Test Procedure.	<u>63</u>
8.3 Test Equipment.	
8.4 Test Results.	
9 Frequency Stability Versus Voltage	69
9.1 Summary of Results.	<u> 69</u>
9.2 Test Procedure.	
9.3 Test Equipment.	
0 4 Tost Possilts	70

# 1 Introduction and Purpose

This document provides the FCC test data for the MC8775 wireless modem. The tests included in this report are limited to all conducted tests required. The radiated tests were performed at an external test facility.

# 2 Test Summary

FCC RULE	DESCRIPTION OF TEST	RESULT	PAGE
2.1046	RF Power Output	Complies	6
2.1049	Occupied Bandwidth	Complies	8
2.1051, 22.901(d)	Out of Band Emissions at Antenna	Complies	19
22.917, 24.238(a)	Terminals		
FCC part 22H/24E	Block Edge Requirements	Complies	56
2.1053	Field Strength of Spurious Radiation	Complies	See CCS
			Report
2.1055	Frequency Stability versus Temperature	Complies	63
2.1055	Frequency Stability versus Voltage	Complies	69

The tests described in this report were performed by Mr. Philip Wright at:

Sierra Wireless, Inc. 13811 Wireless Way Richmond, B.C. V6V 3A4 Canada

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 4 of 72
1 0 0 1 mil == 00 = 1 1 000 100 poil	1.1207,70	0001	1

# 3 Description of Equipment Under Test

The Sierra Wireless Inc. model MiniCard MC8775 is a Seven-band wireless modem operating on the GSM/GPRS/EDGE/UMTS network. In the US and Canada, only cellular and PCS bands are used for GSM/GPRS/UMTS operation, so this test report only contains data for these two bands (850MHz and 1900MHz). The EUT was tested in both modes of operation: GMSK modulation, 8-PSK, and WCDMA modulation. The EUT is a production sample and the serial number is: X281866002510-0D




# 4 RF Power Output

FCC 2.1046

#### 4.1 Test Procedure

The transmitter output was connected to a Rohde & Schwarz CMU200 Test Set and configured to operate at maximum power in a call. The power was measured using the spectrum analyzer at three equally spaced operating frequencies for each band. The RBW was set to 300 KHz for the GSM and EDGE measurements, and 5MHz for the WCDMA measurements. The spectrum analyzer was set to measure the RF output power with the cable and coupler losses accounted for.

#### **Test Setup**



#### 4.2 Test Equipment

#### **Instrument List**

EQUIPMENT	MANUFACTURER	MODEL NO.	SERIAL NO.	CAL. DATE
Control Computer	TC	Generic PC	100488	N/A
Wireless Test Set	Rohde & Schwarz	CMU200	836766/030	N/A
Spectrum Analyzer	Agilent	PSA E4440A	US41421268	Sept. 29, 2004
DC Power Supply	HP	6632A	3530A	N/A
Interface Board	Shop built	Minnow	N/A	N/A
Directional Coupler	Mini-Circuits	ZA3PD-2	N/A	N/A

© 2006 Sierra Wireless, Inc.

#### 4.3 Test Results GSM/EDGE

Frequency		Power (dBm)	
(MHz)	Channel	GMSK Mode	8-PSK Mode
824.2	128	31.76	26.9
836.6	190	32	27.1
848.8	251	31.96	27.1
1850.2	512	29.54	26.7
1880.0	661	29.32	25.6
1909.8	810	29.47	26.6

#### 4.4 Test Results UMTS

Frequency		Power (dBm)
(MHz)	Channel	
826.4	4132	22.41
836.4	4182	22.89
846.6	4233	22.97
1852.4	9262	23.26
1880.0	9400	23.0
1907.5	9538	23.23

# 4.5 Test Settings for UMTS Mode on the CMU210

# Node B Settings

Primary Scrambling Code = 9

Output Channel Power = -51.7 dBm

OCNS = Off

Total Output Power (Ior+Ioc) = -51.7 dBm

# **RMC Settings**

Reference Channel Type: 12.2 kbps Downlink/Uplink DL DTCH Transport Format: 12.2 kbps DL Resources in Use: 100 % UL CRC (Sym. Loop Mode 2): Off Test Mode: Loop

Mode 2 Channel Data Source DTCH: PRBS9

# Voice Settings

Voice Source: Echo Loopback Type: Off

# Adaptive Multirate Settings

Active Code Set: Selection A Codec Mode: 12.2 kbps

#### © 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 7 of 72
	14100775	July 13, 4000	1 4 5 / 01 / 2

Signaling RAB Settings SRB Cell DCH: 3.4 kbps

#### BS Down Link Physical Channels Settings

Ior = -51.7 dBm P-CPICH = -3.3 dB

P-SCH = -8.3 dB

S-SCH = -8.3 dB

P-CCPCH = -5.3 dB

S-CCPCH = -5.3 dB

S-CCPCH Channel Code = 2

PICH = -8.3 dB

PICH Channel Code = 3

AICH = -8.3 dB

AICH Channel Code = 6

DPDCH = -10.3 dB

DPDCH Channel Code = 96

Power Offset (DPCCH/DPDCH) = 0.0 dB

DL DPCH Timing Offset = 0

Secondary Scrambling Code = 0

Secondary Scrambling Code (HSDPA) = 0

HSDPA Channels = Off

#### **TPC Settings**

Algorithm = 2

TPC Step Size = 1dB

TPC Pattern Setup = Set 1 (All 1, after linked to get maximum power)

**UMTS** presents the highest TX power, however HSDPA may back off the power for different gain factors. In terms of in band and out of band HSDPA is "quieter", and so in this test report, all results are for UMTS mode of operation.

#### 4.6 Test Setting Notes for GMSK and 8PSK Tests

Both GMSK and 8PSK were tested and reported in this document. The device is multislot Class-12. The highest GMSK GSM/GPRS power is for one timeslot, increasing the number of timeslots the TX power is reduced accordingly. The output power for EDGE is the same for one to four timeslots. The relevant power levels are given in the results.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 8 of 72
------------------------------	--------	---------------	--------------


# 5 Occupied Bandwidth

FCC 2.1049

#### 5.1 Test Procedure

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth (defined as the 99% Power Bandwidth) was measured with the spectrum analyzer at the 3 frequencies in each band. The –26dB bandwidth was also measured and recorded.

#### **Test Setup**



#### 5.2 Test Results

The performance of the GSM 850 MHz cellular band is shown in plots 5.3.1 to 5.3.6. Performance of the GSM 1900 MHz PCS band is shown in plots 5.3.7 to 5.3.12. Performance of the UMTS 850 cellular band is shown in plots 5.3.13 to 5.3.15 Performance of the UMTS 1900 PCS band is shown in plots 5.3.16 to 5.3.18


Frequency (MHz)		99% Occupied B	andwidth (kHz)	-26dBc Occupied	Bandwidth (kHz)
	Channel	GMSK Mode	8-PSK Mode	GMSK Mode	8-PSK Mode
824.2	128	242.5	241	310.8	306
836.6	190	243.2	245.6	315.4	304.1
848.8	251	242.5	244.8	317.2	301.6
1850.2	512	243.8	242.2	314.5	298.3
1880.0	661	247.6	242.1	317.3	304.8
1909.8	810	246.2 242.6		321.4	290.9
Frequency (MHz)	Channel	99% Occupied Bandwidth (MHz)		-26dBc Occupied	Bandwidth (MHz)
826.4	4132	4.15		4.	63
836.4	4182	4.17		4.63	
846.6	4233	4.13		4.65	
1852.4	9262	4.15		4.62	
1880.0	9400	4.14		4.6	
1907.5	9538	4.1	13	4.	61

© 2006 Sierra Wireless, Inc.

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 9 of 72
--	------------------------------	--------	---------------	--------------


#### 5.3 Test Plots

# **5.3.1) GMSK Occupied Bandwidth**, Cellular Low channel, 824.2 MHz, 99% bandwidth



Transmit Freq Error 301.107 Hz x dB Bandwidth 310.855 kHz

# 5.3.2) GMSK Occupied Bandwidth, Middle channel, 836.6 MHz, 99% bandwidth \*\* Agilent 17:04:57 Jul 6, 2006 L




Transmit Freq Error -306.511 Hz Occupied Bandwidth 315.374 kHz

© 2006 Sierra Wireless, Inc.


FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 10 of 72
	14100773	July 13, 2000	1 420 10 01 /2

# 5.3.3) GMSK Occupied Bandwidth, High channel, 848.8 MHz, 99% bandwidth R L Agilent 17:05:57 Jul 6, 2006 R L



Transmit Freq Error 338.549 Hz Occupied Bandwidth 317.200 kHz

# **5.3.4) 8-PSK Occupied Bandwidth**, Cellular Low channel, 824.2 MHz, 99% bandwidth




Transmit Freq Error -1.063 kHz x dB Bandwidth 306.012 kHz

© 2006 Sierra Wireless, Inc.


FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 11 of 72
	14100773	July 13, 2000	I ago II oi /2

# **5.3.5) 8-PSK Occupied Bandwidth**, Middle channel, 836.6 MHz, 99% bandwidth \*\* Agilent 11:28:48 Jul 10, 2006 L



Transmit Freq Error -334.714 Hz x dB Bandwidth 304.061 kHz

# **5.3.6) 8-PSK Occupied Bandwidth**, High channel, 848.8 MHz, 99% bandwidth \*\* Agilent 11:29:39 Jul 10, 2006 L




Transmit Freq Error -749.937 Hz Occupied Bandwidth 301.652 kHz

FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 12 of 72
1 1 CC 1 art 22 & 27 1 CSt Report	14100//3	July 13, 4000	1 420 12 01 /2


# **5.3.7) GMSK Occupied Bandwidth**, PCS Low channel, 1850.2 MHz, 99% bandwidth





Transmit Freq Error 14.400 kHz x dB Bandwidth 314.459 kHz

# **5.3.8) GMSK Occupied Bandwidth**, PCS Middle channel, 1880.0 MHz, 99% bandwidth




Transmit Freq Error -1.137 kHz Occupied Bandwidth 317.304 kHz

© 2006 Sierra Wireless, Inc.


FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 13 of 72
	14100773	July 15, 2000	1 450 13 01 12

# **5.3.9) GMSK Occupied Bandwidth**, PCS High channel, 1909.8 MHz, 99% bandwidth



Transmit Freq Error -272.530 Hz Occupied Bandwidth 321.402 kHz

# **5.3.10) 8-PSK Occupied Bandwidth**, PCS Low channel, 1850.2 MHz, 99% bandwidth




Transmit Freq Error -1.983 kHz Occupied Bandwidth 298.313 kHz

© 2006 Sierra Wireless, Inc.


FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 14 of 72
	14100773	July 13, 2000	1 420 17 01 /2

# **5.3.11) 8-PSK Occupied Bandwidth**, PCS Middle channel, 1880.0 MHz, 99% bandwidth



Transmit Freq Error -1.583 kHz x dB Bandwidth 304.855 kHz

# **5.3.12) 8-PSK Occupied Bandwidth**, PCS High channel, 1909.8 MHz, 99% bandwidth




Transmit Freq Error -749.756 Hz Occupied Bandwidth 290.950 kHz

© 2006 Sierra Wireless, Inc.


FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 15 of 72
	14100773	July 13, 2000	1 4 5 0 1 7 0 1 7 2

# **5.3.13) WCDMA Occupied Bandwidth**, Cellular Low channel, 826.4 MHz, 99% bandwidth



Transmit Freq Error 195.179 kHz x dB Bandwidth 4.628 MHz

# **5.3.14) WCDMA Occupied Bandwidth**, Cellular Middle channel, 836.4 MHz, 99% bandwidth




Transmit Freq Error -199.856 kHz x dB Bandwidth 4.628 MHz

© 2006 Sierra Wireless, Inc.


11 CC 1 alt 22 & 27 1 CSt Nebolt   14 CO / /3   1 July 13, 2000   1 age 10 01 /	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 16 of 72
---	------------------------------	--------	---------------	---------------

# **5.3.15) WCDMA Occupied Bandwidth**, Cellular High channel, 846.6 MHz, 99% bandwidth



Transmit Freq Error -3.731 kHz x dB Bandwidth 4.645 MHz

# **5.3.16) WCDMA Occupied Bandwidth**, PCS Low channel, 1852.4 MHz, 99% bandwidth




Transmit Freq Error 10.329 kHz x dB Bandwidth 4.622 MHz

© 2006 Sierra Wireless, Inc.


FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 17 of 72
	11100773	July 15, 2000	1 450 1 / 01 / 2

# **5.3.17) WCDMA Occupied Bandwidth**, PCS Middle channel, 1880 MHz, 99% bandwidth



Transmit Freq Error 3.400 kHz x dB Bandwidth 4.613 MHz

# **5.3.18) WCDMA Occupied Bandwidth**, PCS High channel, 1907.6 MHz, 99% bandwidth



Transmit Freq Error -10.562 kHz x dB Bandwidth 4.612 MHz

© 2006 Sierra Wireless, Inc.

#### **6 Out of Band Emissions at Antenna Terminals**

FCC 22.901(d), 22.917, 24.238(a)


#### Out of Band Emissions:

The mean power of emissions must be attenuated below the mean power of the unmodulated carrier (P) on any frequency outside the frequency band by at least  $(43 + 10 \log P) dB$ , in this case, -13dBm.

#### 6.1 Test Procedure

The RF output of the transmitter was connected to a spectrum analyzer through a calibrated coaxial cable. Sufficient scans were taken to show the out-of-band Emissions, if any, up to 10<sup>th</sup> harmonic. The EUT was scanned for spurious emissions from 1MHz to 20GHz with sufficient bandwidth and video resolution. Data plots are included. The measurement cable path loss at 20GHz (including an attenuator) was 13dB (11dB at lower frequencies). The larger path loss of 13dB was used for all measurements to be conservative. Multiple sweeps were recorded in maximum hold mode using a peak detector to ensure that the worst-case emissions were caught.

#### **Test Setup**



#### 6.2 Test Equipment

EQUIPMENT	MANUFACTURER	MODEL NO.	SERIAL NO.	CAL. DATE
Control Computer	TC	Generic PC	100488	N/A
Wireless Test Set	Rohde & Schwarz	CMU200	836766/030	N/A
Spectrum Analyzer	Agilent	PSA E4440A	US41421268	Sept. 29, 2004
DC Power Supply	HP	6632A	3530A	N/A
Interface Board	Shop built	Minnow	N/A	N/A
Directional Coupler	Mini-Circuits	ZA3PD-2	N/A	N/A

#### © 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 19 of 72
------------------------------	--------	---------------	---------------

# 6.3 Test Results

Refer to the following plots.

# • Cellular Band

Plot Number	Description
6.4.1 - 6.4.3	GMSK Mode, Low channel, 824.20 MHz
6.4.4 - 6.4.6	GMSK Mode, Middle Channel, 836.6 MHz
6.4.7 - 6.4.9	GMSK Mode, High Channel, 848.8 MHz
6.4.10 - 6.4.12	8-PSK Mode, Low channel, 824.20 MHz
6.4.13 - 6.4.15	8-PSK Mode, Middle Channel, 836.6 MHz
6.4.16 - 6.4.18	8-PSK Mode, High Channel, 848.8 MHz

# • PCS Band

Plot Number	Description
6.4.19 - 6.4.21	GMSK Mode, Low Channel, 1850.2 MHz
6.4.22 - 6.4.24	GMSK Mode, Middle Channel, 1880.0 MHz
6.4.25 - 6.4.27	GMSK Mode, High Channel, 1909.8 MHz
6.4.28 - 6.4.30	8-PSK, Mode, Low Channel, 1850.2 MHz
6.4.31 - 6.4.33	8-PSK Mode, Middle Channel, 1880.0 MHz
6.4.34 - 6.4.36	8-PSK Mode, High Channel, 1909.8 MHz

# • UMTS Cellular Band

Plot Number	Description
6.4.37 - 6.4.39	WCDMA Mode, Low Channel, 826.4 MHz
6.4.40 - 6.4.42	WCDMA Mode, Middle Channel, 836.4 MHz
6.4.43 - 6.4.45	WCDMA Mode, High Channel, 846.6 MHz

#### • UMTS PCS Band

<u> </u>	Bund
Plot Number	Description
6.4.46 - 6.4.48	WCDMA Mode, Low Channel, 1852.4 MHz
6.4.49 - 6.4.51	WCDMA Mode, Middle Channel, 1880.0 MHz
6.4.52 - 6.4.54	WCDMA Mode, High Channel, 1907.6 MHz


	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 20 of 72
--	------------------------------	--------	---------------	---------------

These plots show that the conducted emission limits requirements are met.

#### 6.4 Test Plots

#### Plot 6.4.1) Out of Band Emissions at Antenna Terminals

GMSK, Low channel, 824.200 MHz, 1 MHz to 1 GHz




Plot 6.4.2) Out of Band Emissions at Antenna Terminals

#Res BW 100 kHz

GMSK, Low channel, 824.200 MHz, TX signal +/- 20 MHz

Sweep 120.5 ms (601 pts)

#VBW 100 kHz



The strong emission shown in each case is the carrier signal.


© 2006 Sierra Wireless, Inc.

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 21 of 72
--	------------------------------	--------	---------------	---------------

# Plot 6.4.3) Out of Band Emissions at Antenna Terminals

GMSK, Low channel, 824.200 MHz, 1 GHz to 20 GHz






Cellular Harmonics for Ch. 128 (824.2 MHz)	Level (dBm)
Second	-33 dBm
Third	-37 dBm
All others	<-30dBm up to 20GHz

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 22 of 72

Plot 6.4.4) Out of Band Emissions at Antenna Terminals

GMSK, Mid Channel, 836.6 MHz, 1 MHz to 1 GHz


★ Agilent 12:01:10 Jul 10, 2006
L



Plot 6.4.5) Out of Band Emissions at Antenna Terminals

GMSK, Mid Channel, 836.6 MHz, TX signal +/- 20 MHz

\* Agilent 12:15:45 Jul 10, 2006




The strong emission shown in each case is the carrier signal.

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 23 of 72
1 0 0 1 W10 == 00 = 1 1 0 50 110 p 010	1.100,70	1 00, 2000	1 2 2 2 2 7 2

# Plot 6.4.6) Out of Band Emissions at Antenna Terminals

GMSK, Mid Channel, 836.6 MHz, 1 GHz to 20 GHz




*IVO2 DM I FILIZ	"VDM I FIIIZ	oweed too me (not bee)
<b>Cellular Harmonics for</b>	Level (dBm)	
Ch. 190 (836.6 MHz)		
Second	-34 dBm	
Third	-35 dBm	
All others	<-30dBm up to 20GHz	

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 24 of 72

Plot 6.4.7) Out of Band Emissions at Antenna Terminals

GMSK, High Channel, 848.8 MHz, 1 MHz to 1 GHz


\* Agilent 12:01:52 Jul 10, 2006 L



Plot 6.4.8) Out of Band Emissions at Antenna Terminals

GMSK, High Channel, 848.8 MHz, TX signal +/- 20 MHz

\* Agilent 12:16:33 Jul 10, 2006 R




The strong emission shown in each case is the carrier signal.

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 25 of 72
1 0 0 1 W10 == 00 = 1 1 0 50 110 p 010	1.100,70	0001, 10, -000	1 2 2 2 2 7 2

#### Plot 6.4.9) Out of Band Emissions at Antenna Terminals

GMSK, High Channel, 848.8 MHz, 1 GHz to 20 GHz




-NOS DA I TITE	"VDN 1 1112	01100p 100 1113 (001 pt3)
Cellular Harmonics for	Level (dBm)	
Ch. 251 (848.8 MHz)		
Second	-36 dBm	
Third	-37 dBm	
All others	< -30dBm up to 20GHz	

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 26 of 72

Plot 6.4.10) Out of Band Emissions at Antenna Terminals

8-PSK, Low channel, 824.200 MHz, 1 MHz to 1 GHz


\* Agilent 11:59:18 Jul 10, 2006



Plot 6.4.11) Out of Band Emissions at Antenna Terminals

8-PSK, Low channel, 824.200 MHz, TX signal +/- 20 MHz

\* Agilent 12:20:27 Jul 10, 2006



The strong emission shown in each case is the carrier signal.

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 27 of 72
I CC I dit 22 cc 2 : I cot i topoit	11100770	001, 10, 2000	1 450 2 / 01 / 2

# Plot 6.4.12) Out of Band Emissions at Antenna Terminals

8-PSK, Low channel, 824.200 MHz, 1 GHz to 20 GHz




-NOS DA I TINZ	"VDN 1 1112	01100p 100 1113 (001 pts)
Cellular Harmonics for	Level (dBm)	
Ch. 128 (824.2 MHz)		
Second	-38dBm	
Third	-36dBm	
All others	< -30dBm up to 20GHz	

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 28 of 72

Plot 6.4.13) Out of Band Emissions at Antenna Terminals

8-PSK, Mid Channel, 836.6 MHz, 1 MHz to 1 GHz


\* Agilent 11:58:45 Jul 10, 2006 L



Plot 6.4.14) Out of Band Emissions at Antenna Terminals

8-PSK, Mid Channel, 836.6 MHz, TX signal +/- 20 MHz

\* Agilent 12:19:28 Jul 10, 2006




The strong emission shown in each case is the carrier signal.

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 29 of 72
1 TCC 1 alt 22 & 24 TCSt Report	IVICO / / J	July 13, 4000	1 agc 29 01 /2

# Plot 6.4.15) Out of Band Emissions at Antenna Terminals

8-PSK, Mid Channel, 836.6 MHz, 1 GHz to 20 GHz




#1(03 DM 1 FIIIZ	#VDM I FILL	3#eeb 136 m3 (0e1 bt3)
Cellular Harmonics for	Level (dBm)	
Ch. 190 (836.6 MHz)		
Second	-39dBm	
Third	-37dBm	
All others	< -30dBm up to 20GHz	

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 30 of 72

Plot 6.4.16) Out of Band Emissions at Antenna Terminals

8-PSK, High Channel, 848.8 MHz, 1 MHz to 1 GHz


\* Agilent 11:58:07 Jul 10, 2006



Plot 6.4.17) Out of Band Emissions at Antenna Terminals

8-PSK, High Channel, 848.8 MHz, TX signal +/- 20 MHz

\* Agilent 12:18:10 Jul 10, 2006



The strong emission shown in each case is the carrier signal.

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 31 of 72
1 0 0 1 0010 <b>22 00 2</b> . 1 000 100 poin	1.100,70	0001, 10, -000	1 2 2 2 2 2 7 2 1

# Plot 6.4.18) Out of Band Emissions at Antenna Terminals

8-PSK, High Channel, 848.8 MHz, 1 GHz to 20 GHz




Cellular Harmonics for Ch. 251 (848.8 MHz)	Level (dBm)
Second	-38dBm
Third	-39dBm
All others	<-30dBm up to 20GHz

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 32 of 72

Plot 6.4.19) Out of Band Emissions at Antenna Terminals

GMSK, Low channel, 1850.2 MHz, 1 MHz to 1 GHz

★ Agilent 12:04:22 Jul 10, 2006
L




Plot 6.4.20) Out of Band Emissions at Antenna Terminals

GMSK, Low channel, 1850.2 MHz, TX signal +/- 20 MHz

\* Agilent 12:22:24 Jul 10, 2006

L




© 2006 Sierra Wireless, Inc.

# Plot 6.4.21) Out of Band Emissions at Antenna Terminals

GMSK, Low channel, 1850.2 MHz, 1 GHz to 20 GHz

\*\* Agilent 15:49:34 Jul 10, 2006 L




The strong emission shown is the carrier signal.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 34 of 72

Plot 6.4.22) Out of Band Emissions at Antenna Terminals

GMSK, Middle channel, 1880.0 MHz, 1 MHz to 1 GHz

\* Agilent 12:05:56 Jul 10, 2006



Plot 6.4.23) Out of Band Emissions at Antenna Terminals

GMSK, Middle channel, 1880.0 MHz, TX signal +/- 20 MHz

\* Agilent 12:23:10 Jul 10, 2006

Ref 40 dBm #Atten 40 dB \*Peak Display Line Log -13.00 dBm 10 dB/ Offst 10 ďΒ DΙ -13.0 dBm #PAvg M1 S2 S3 FC £(f): FTun #Swp Center 1.880 00 GHz Span 40 MHz #Res BW 100 kHz #VBW 100 kHz Sweep 4.84 ms (601 pts)


© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 35 of 72
------------------------------	--------	---------------	---------------

Plot 6.4.24) Out of Band Emissions at Antenna Terminals

GMSK, Middle channel, 1880.0 MHz, 1 GHz to 20 GHz

\*\* Agilent 15:50:28 Jul 10, 2006 L




The strong emission shown is the carrier signal.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 36 of 72

Plot 6.4.25) Out of Band Emissions at Antenna Terminals

GMSK, High channel, 1909.8 MHz, 1 MHz to 1 GHz


★ Agilent 12:06:35 Jul 10, 2006



Plot 6.4.26) Out of Band Emissions at Antenna Terminals

GMSK, High channel, 1909.8 MHz, TX signal +/- 20 MHz

\* Agilent 12:23:43 Jul 10, 2006




© 2006 Sierra Wireless, Inc.

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 37 of 72
--	------------------------------	--------	---------------	---------------

Plot 6.4.27) Out of Band Emissions at Antenna Terminals

GMSK, High channel, 1909.8 MHz, 1 GHz to 20 GHz

\* Agilent 15:51:17 Jul 10, 2006 L




The strong emission shown is the carrier signal.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 38 of 72

Plot 6.4.28) Out of Band Emissions at Antenna Terminals

8-PSK, Low channel, 1850.2 MHz, 1 MHz to 1 GHz


\* Agilent 12:07:39 Jul 10, 2006



#### Plot 6.4.29) Out of Band Emissions at Antenna Terminals

8-PSK, Low channel, 1850.2 MHz, TX signal +/- 20 MHz

\* Agilent 12:28:32 Jul 10, 2006 R L




© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report MCS	3775 July 13, 2006	Page 39 of 72
----------------------------------	--------------------	---------------

Plot 6.4.30) Out of Band Emissions at Antenna Terminals

8-PSK, Low channel, 1850.2 MHz, 1 GHz to 20 GHz




The strong emission shown is the carrier signal.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 40 of 72

Plot 6.4.31) Out of Band Emissions at Antenna Terminals

8-PSK, Middle channel, 1880.0 MHz, 1 MHz to 1 GHz

\* Agilent 12:08:34 Jul 10, 2006



Plot 6.4.32) Out of Band Emissions at Antenna Terminals

8-PSK, Middle channel, 1880.0 MHz, TX signal +/- 20 MHz

\* Agilent 12:27:09 Jul 10, 2006

Ref 40 dBm #Atten 40 dB \*Peak Display Line Log -13.00 dBm 10 dB/ Offst 10 dΒ DΙ -13.0 dBm #PAvg M1 S2 S3 FC £(f): FTun #Swp Center 1.880 00 GHz Span 40 MHz #Res BW 100 kHz #VBW 100 kHz Sweep 4.84 ms (601 pts)


© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 41 of 72
------------------------------	--------	---------------	---------------

Plot 6.4.33) Out of Band Emissions at Antenna Terminals

8-PSK, Middle channel, 1880.0 MHz, 1 GHz to 20 GHz

\*\* Agilent 15:53:40 Jul 10, 2006 L




The strong emission shown is the carrier signal.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 42 of 72

Plot 6.4.34) Out of Band Emissions at Antenna Terminals

8-PSK, High channel, 1909.8 MHz, 1 MHz to 1 GHz


\* Agilent 12:10:07 Jul 10, 2006 L



Plot 6.4.35) Out of Band Emissions at Antenna Terminals

8-PSK, High channel, 1909.8 MHz, TX signal +/- 20 MHz

\* Agilent 12:25:51 Jul 10, 2006




© 2006 Sierra Wireless, Inc.

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 43 of 72
--	------------------------------	--------	---------------	---------------

## Plot 6.4.36) Out of Band Emissions at Antenna Terminals

8-PSK, High channel, 1909.8 MHz, 1 GHz to  $20\ \text{GHz}$ 

\* Agilent 16:01:34 Jul 10, 2006 L




The strong emission shown is the carrier signal.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 44 of 72

#### Plot 6.4.37) Out of Band Emissions at Antenna Terminals

WCDMA, Low channel, 826.4 MHz, 1 MHz to 1 GHz

\* Agilent 14:00:27 Jul 12, 2006



#### Plot 6.4.38) Out of Band Emissions at Antenna Terminals

WCDMA, Low channel, 826.4 MHz, TX signal +/- 20 MHz

\* Agilent 15:09:19 Jul 12, 2006

#Atten 40 dB Ref 40 dBm \*Peak Display Line Log -13.00 dBm 10 dB/ Offst 10 dΒ DI -13.0  $\mathsf{dBm}$ #PAvg M1 S2 S3 FS  $\mathbf{\pounds}(f)$ : FTun #Swp 40,44,000 744,400,400 40.

The strong emission shown in each case is the carrier signal.

Center 826.40 MHz

#Res BW 100 kHz

© 2006 Sierra Wireless, Inc.

#VBW 100 kHz

Span 40 MHz


Sweep 20 ms (601 pts)

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 45 of 72
1 2 2 1 W1 1 2 2 00 2 . 1 0 3 1 1 1 0 p 2 1 1	1.100,70	0001, 10, 2000	1 00 0 0 1 7 =

# Plot 6.4.39) Out of Band Emissions at Antenna Terminals

WCDMA, Low channel, 826.4 MHz, 1 GHz to 20 GHz






Cellular Harmonics for	Level (dBm)
Ch. 128 (824.2 MHz)	
Second	
Third	
All others	<-30dBm up to 20GHz

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 46 of 72

Plot 6.4.40) Out of Band Emissions at Antenna Terminals

WCDMA, Middle channel, 836.4 MHz, 1 MHz to 1 GHz


\* Agilent 14:02:34 Jul 12, 2006



Plot 6.4.41) Out of Band Emissions at Antenna Terminals

WCDMA, Middle channel, 836.4 MHz, TX signal +/- 20 MHz

\* Agilent 15:07:47 Jul 12, 2006




The strong emission shown in each case is the carrier signal.

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 47 of 72
1 2 2 1 W1 1 2 2 00 2 . 1 0 3 1 1 1 0 p 2 1 1	1.100,70	0001, 10, -000	1 00,00 . , 01 , -

## Plot 6.4.42) Out of Band Emissions at Antenna Terminals

WCDMA, Middle channel, 836.4 MHz, 1 GHz to 20 GHz




Cellular Harmonics for Ch. 190 (836.6 MHz)	Level (dBm)
Second	
Third	<b> </b>
All others	<-30dBm up to 20GHz

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 48 of 72

Plot 6.4.43) Out of Band Emissions at Antenna Terminals

WCDMA, High Channel, 846.6 MHz, 1 MHz to 1 GHz


\* Agilent 14:03:31 Jul 12, 2006



Plot 6.4.44) Out of Band Emissions at Antenna Terminals

WCDMA, High Channel, 846.6 MHz, TX signal +/- 20 MHz

\* Agilent 15:10:48 Jul 12, 2006



The strong emission shown in each case is the carrier signal.


© 2006 Sierra Wireless, Inc.

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 49 of 72
--	------------------------------	--------	---------------	---------------

## Plot 6.4.45) Out of Band Emissions at Antenna Terminals

WCDMA, High Channel, 846.6 MHz, 1 GHz to 20 GHz

\*\* Agilent 15:40:08 Jul 12, 2006 L




Cellular Harmonics for	Level (dBm)	
Ch. 251 (848.8 MHz)		
Second		
Third		
All others	<-30dBm up to 20GHz	

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 50 of 72
------------------------------	--------	---------------	---------------

Plot 6.4.46) Out of Band Emissions at Antenna Terminals


WCDMA, Low channel, 1852.4 MHz, 1 MHz to 1 GHz



# Plot 6.4.47) Out of Band Emissions at Antenna Terminals

WCDMA, Low channel, 1852.4 MHz, TX signal +/- 20 MHz


\* Agilent 15:31:22 Jul 12, 2006



© 2006 Sierra Wireless, Inc.

Plot 6.4.48) Out of Band Emissions at Antenna Terminals

WCDMA, Low channel, 1852.4 MHz, 1 GHz to 20 GHz



#VBW 1 MHz

Sweep 190 ms (601 pts)

The strong emission shown is the carrier signal.


#Res BW 1 MHz

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 52 of 72

Plot 6.4.49) Out of Band Emissions at Antenna Terminals

WCDMA, Middle channel, 1880 MHz, 1 MHz to 1 GHz


\* Agilent 14:43:47 Jul 12, 2006



Plot 6.4.50) Out of Band Emissions at Antenna Terminals

WCDMA, Middle channel, 1880 MHz, TX signal +/- 20 MHz

\*\* Agilent 15:32:31 Jul 12, 2006 L




© 2006 Sierra Wireless, Inc.

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 53 of 72
--	------------------------------	--------	---------------	---------------

Plot 6.4.51) Out of Band Emissions at Antenna Terminals

WCDMA, Middle channel, 1880 MHz, 1 GHz to 20 GHz




The strong emission shown is the carrier signal.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 54 of 72

Plot 6.4.52) Out of Band Emissions at Antenna Terminals

WCDMA, High channel, 1907.6 MHz, 1 MHz to 1 GHz


\* Agilent 14:44:35 Jul 12, 2006



Plot 6.4.53) Out of Band Emissions at Antenna Terminals

WCDMA, High channel, 1907.6 MHz, TX signal +/- 20 MHz

\* Agilent 15:33:19 Jul 12, 2006




© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 55 of 72
------------------------------	--------	---------------	---------------

Plot 6.4.54) Out of Band Emissions at Antenna Terminals

WCDMA, High channel, 1907.6 MHz, 1 GHz to 20 GHz



The strong emission shown is the carrier signal.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 56 of 72
------------------------------	--------	---------------	---------------


# 7 Block Edge Compliance

FCC part 22H/24E

#### 7.1 Test Procedure

The transmitter output was connected to a Rohde & Schwarz CMU200 Test Set and configured to operate at maximum power. The block edge emissions were measured at the required operating frequencies in each band on the Spectrum Analyzer.





## 7.2 Test Equipment

#### **Instrument List**

EQUIPMENT	MANUFACTURER	MODEL NO.	SERIAL NO.	CAL. DATE
Control Computer	TC	Generic PC	100488	N/A
Wireless Test Set	Rohde & Schwarz	CMU200	836766/030	N/A
Spectrum Analyzer	Agilent	PSA E4440A	US41421268	Sept. 29, 2004
DC Power Supply	HP	6632A	3530A	N/A
Interface Board	Shop built	Minnow	N/A	N/A
Directional Coupler	Mini-Circuits	ZA3PD-2	N/A	N/A

#### 7.3 Test Results

Block	Frequency Boundaries (MHz)	Channels	Corresponding	Result
Test		Tested	Plots	
1	GMSK: Below 824 MHz, above 849 MHz	128, 251	7.4.1, 7.4.2	Complies
2	8PSK: Below 824 MHz, above 849 MHz	128, 251	7.4.3, 7.4.4	Complies
3	GMSK: Below 1850MHz, above 1910MHz	512, 810	7.4.5, 7.4.6	Complies
4	8PSK: Below 1850MHz, above 1910MHz	512, 810	7.4.7, 7.4.8	Complies
Block	Frequency Boundaries (MHz)	Channels	Corresponding	Result
Test		Tested	Plots	
1	WCDMA: Below 824MHz, above 849MHz	4132,	7.4.9, 7.4.10	Complies
		4233		
2	WCDMA: Below 1850MHz, above 1910MHz	9262,	7.4.11, 7.4.12	Complies
		9538		_


© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 57 of 72
	14100773	July 15, 2000	1 450 5 / 01 / 2

#### 7.4 Test Plots


## Plot 7.4.1) GSMK; Cellular low channel, below 824 MHz

\* Agilent 12:11:47 Jul 11, 2006



Plot 7.4.2) GMSK; Cellular high channel, above 849 MHz


\* Agilent 12:13:57 Jul 11, 2006 L




© 2006 Sierra Wireless, Inc.

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 58 of 72
--	------------------------------	--------	---------------	---------------

Plot 7.4.3) 8-PSK; Cellular low channel, below 824 MHz




Plot 7.4.4) 8-PSK; Cellular high channel, above 849 MHz




© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 59 of 72
------------------------------	--------	---------------	---------------

Plot 7.4.5) GMSK; PCS low channel, below 1850 MHz



Plot 7.4.6) GMSK; PCS high channel, above 1910 MHz



© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 60 of 72

L


L

Plot 7.4.7) 8-PSK; PCS low channel, below 1850 MHz

\* Agilent 16:20:21 Jul 11, 2006

Ref 0 dBm #Atten 40 dB #Samp Display Line Log -13.00 dBm 10 dB/ Offst 10 ďΒ DI -13.0 dBm #PAvg M1 S2

Plot 7.4.8) 8-PSK; PCS high channel, above 1910 MHz \* Agilent 16:21:49 Jul 11, 2006




Ref 0 dBm #Atten 40 dB #Samp Log 10 dB/ Offst 10 dB DΙ -13.0 dBm #PAvg M1 S2 S3 FC  $\mathbf{\mathfrak{E}}(f)$ : f>50k #Swp Start 1.910 000 GHz Stop 1.913 000 GHz #VBW 3 kHz #Res BW 3 kHz Sweep 1.271 s (601 pts)

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 61 of 72


Plot 7.4.9) WCDMA; Cellular low channel, below 824 MHz

\* Agilent 16:53:04 Jul 12, 2006 L



Plot 7.4.10) WCDMA; Cellular high channel, above 849 MHz

\* Ágilent 16:51:55 Jul 12, 2006




© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 62 of 72

Plot 7.4.11) WCDMA; PCS low channel, below 1850 MHz


\* Agilent 16:55:28 Jul 12, 2006



Plot 7.4.12) WCDMA; PCS high channel, above 1910 MHz

\* Agilent 16:56:42 Jul 12, 2006

L



© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 63 of 72

# **8** Frequency Stability Versus Temperature

FCC 2.1055


#### 8.1 Summary of Results

The MC8775 Frequency Stability versus temperature meets the requirement of being within  $\pm 0.1$ ppm of the received base station frequency.

#### 8.2 Test Procedure

The MC8775 was placed inside the temperature chamber. The transmitting frequency error is measured at 25 degrees C, and then the temperature is set to +60 degrees C and allowed to stabilize. After sufficient soak time, the transmitting frequency error is measured. The temperature is decreased by 10 degrees, allowed to stabilize and soak, then the measurement is repeated. This is repeated until -20 degrees C is completed. The process is then repeated back up to +60 degrees C. Frequency metering included internal averaging of the CMU200 to stabilize the reading. Reference power supply voltage for these tests is 3.3 volts.

#### **Test Setup**



#### 8.3 Test Equipment


EQUIPMENT	MANUFACTURER	MODEL NO.	SERIAL NO.	CAL. DATE
Control Computer	TC	Generic PC	100488	N/A
Wireless Test Set	Rohde & Schwarz	CMU200	836766/030	N/A
Spectrum Analyzer	Agilent	PSA E4440A	US41421268	Sept. 29, 2004
DC Power Supply	HP	6632A	3530A	N/A
Interface Board	Shop built	Minnow	N/A	N/A
Directional Coupler	Mini-Circuits	ZA3PD-2	N/A	N/A


© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report MC8775 July 13, 2006 Page 64 of 72

## 8.4 Test Results

# Low to High Temperature Frequency Error






Low to High Temperature Tabular Readings

Low to riigh remperature rabular Readings								
	Cell	Cellular Mode: 824MHz to			PCS Mode: 1850MHz to			
		8481	MHz			1909	MHz	
Temp.(C)	GMSk	( Mode	8-PSk	( Mode	GMSk	( Mode	8-PSk	Mode
	Offset	Offset	Offset	Offset	Offset	Offset	Offset	Offset
	(Hz)	(ppm)	(Hz)	(ppm)	(Hz)	(ppm)	(Hz)	(ppm)
-20	-21	0.0112	-28	0.0149	-27	0.0144	-22	0.0117
-10	-22	0.0117	-22	0.0117	-29	0.0154	-25	0.0133
0	-29	0.0154	-21	0.0112	-30	0.0160	-27	0.0144
10	-21	0.0112	-27	0.0144	-15	0.0080	-30	0.0160
20	-20	0.0106	-32	0.0170	-19	0.0101	-21	0.0112
30	-27	0.0144	-30	0.0160	-25	0.0133	-25	0.0133
40	-34	0.0181	-31	0.0165	-32	0.0170	-23	0.0122
50	-32	0.0170	-30	0.0160	-22	0.0117	-27	0.0144
60	-30	0.0160	-34	0.0181	-20	0.0106	-21	0.0112

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13 2006	Page 65 of 72
1 CC 1 alt 22 & 24 Test Report	1V1C0//J	July 13, 4000	1 agc 05 01 /2

# Low to High Temperature Frequency Error



Low to High Temperature Tabular Readings


Temp.(C)	UMTS Mode: 1850MHz to 1909MHz		UMTS Mode: 1850MHz to 1909MHz	
	Offset (Hz)	Offset (Hz)	Offset (Hz)	Offset (ppm)
60	4	0.0021	2	0.0011
50	3	0.0016	4	0.0021
40	4	0.0021	4	0.0021
30	-1	0.0005	-1	0.0005
20	3	0.0016	3	0.0016
10	0	0.0000	3	0.0016
0	-2	0.0011	2	0.0011
-10	-3	0.0016	3	0.0016
-20	3	0.0016	1	0.0005


MC8775

July 13, 2006

Page 66 of 72

High to Low Temperature Frequency Error





High to Low Temperature Tabular Readings


<u> </u>	II to Lov	<u>r to Low Temperature Tabural R</u>						
	Cell	lular Mode	e: 824MF	Iz to	PCS Mode: 1850MHz to			z to
		8481	ИHz			1909	MHz	
Temp.(C)	GMSk	( Mode	8-PSK	Mode	GMSk	Mode	8-PSk	( Mode
	Offse	Offset	Offse	Offset	Offse	Offset	Offse	Offset
	t (Hz)	(ppm)	t (Hz)	(ppm)	t (Hz)	(ppm)	t (Hz)	(ppm)
	-32	0.017	-33	0.017	-23	0.012	-18	
60		0		6		2		0.0096
	-36	0.019	-33	0.017	-25	0.013	-17	
50		1		6		3		0.0090
	-26	0.013	-28	0.014	-22	0.011	-30	
40		8		9		7		0.0160
	-31	0.016	-27	0.014	-26	0.013	-32	
30		5		4		8		0.0170
	-32	0.017	-29	0.015	-29	0.015	-33	
20		0		4		4		0.0176
	-32	0.017	-32	0.017	-26	0.013	-22	
10		0		0		8		0.0117

© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test	Report	MC	8775	J	uly 13,	2006	Page 67	7 of 72
Ī	l -28	0.014	-29	0.015	-27	0.014	ı   -27	
0	-20	9	-23	4	-21	0.01-	i -2'	0.0144
10	-25	0.013	-22	0.011	-28	0.014	-28	0.0140
-10	-27	0.014	-30	0.016	-30	0.016	7 5 -26	0.0149
-20		4		0		(	)	0.0138

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 68 of 72
------------------------------	--------	---------------	---------------

High to Low Temperature Frequency Error



High to Low Temperature Tabular Readings

Temp.(C)	UMTS Mode: 1850MHz to 1909MHz		UMTS Mode: 1850MHz to 1909MHz	
	10 190	BIVITZ	1908	אווועו
	Offset (Hz)	Offset (Hz)	Offset (ppm)	Offset (ppm)
60	2	0.0011	1	0.0005
50	-2	0.0011	-1	0.0005
40	0	0.0000	3	0.0016
30	-1	0.0005	2	0.0011
20	2	0.0011	2	0.0011
10	-2	0.0011	-1	0.0005
0	-4	0.0021	2	0.0011
-10	2	0.0011	3	0.0016
-20	2	0.0011	2	0.0011

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 69 of 72
--	------------------------------	--------	---------------	---------------

# 9 Frequency Stability Versus Voltage

FCC 2.1055

## 9.1 Summary of Results


The unit meets the limit of less than 0.1ppm of frequency offset from center for 85% and 115% of the supply voltage for 3.3 volts.

#### 9.2 Test Procedure

The MC8775 was connected to a DC Power Supply and a UMTS test set (CMU 200) with frequency error measurement capability. The power supply output is adjusted to the test voltage as measured at the input terminals to the module while transmitting. A voltmeter was used to confirm the terminal voltage. The peak frequency error is recorded (worst case).

The test voltages are 2.8 volts to 3.8 volts.

#### **Test Setup**



#### 9.3 Test Equipment


EQUIPMENT	MANUFACTURER	MODEL NO.	SERIAL NO.	CAL. DATE
Control Computer	TC	Generic PC	100488	N/A
Wireless Test Set	Rohde & Schwarz	CMU200	836766/030	N/A
Spectrum Analyzer	Agilent	PSA E4440A	US41421268	Sept. 29, 2004
DC Power Supply	HP	6632A	3530A	N/A
Interface Board	Shop built	Minnow	N/A	N/A
Directional Coupler	Mini-Circuits	ZA3PD-2	N/A	N/A


© 2006 Sierra Wireless, Inc.

FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 70 of 72
1 0 0 1 unt 22 00 2 1 1 05t 1te port	1,100//0	001, 10, 2000	1 450 / 0 01 / 2

## 9.4 Test Results

# GSM 85% to 115% of 3.3 Volts Frequency Error






FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 71 of 72
------------------------------	--------	---------------	---------------

GSM 85% to 115% of 3.3 Volts Frequency Error, Tabular Data

	Cellular Mode: 824MHz to 848MHz			PCS Mode: 1850MHz to 1909MHz				
	GMSK	Mode	8-PSK	Mode	GMSK	Mode	8-PSK	Mode
Supply	Offset	Offset	Offset	Offset	Offset	Offset	Offset	Offset
(V)	(Hz)	(ppm)	(Hz)	(ppm)	(Hz)	(ppm)	(Hz)	(ppm)
2.8	10	0.0053	15	0.0080	-26	0.0138	-24	0.0128
2.9	2	0.0011	5	0.0027	-25	0.0133	-25	0.0133
3	11	0.0059	8	0.0043	-23	0.0122	-27	0.0144
3.1	20	0.0106	11	0.0059	-28	0.0149	-28	0.0149
3.2	16	0.0085	3	0.0016	-32	0.0170	-30	0.0160
3.3	5	0.0027	-2	0.0011	-32	0.0170	-26	0.0138
3.4	12	0.0064	12	0.0064	-29	0.0154	-32	0.0170
3.5	19	0.0101	11	0.0059	-27	0.0144	-28	0.0149
3.6	-2	0.0011	6	0.0032	-30	0.0160	-23	0.0122
3.7	4	0.0021	12	0.0064	-27	0.0144	-24	0.0128
3.8	12	0.0064	8	0.0043	-29	0.0154	-22	0.0117

	FCC Part 22 & 24 Test Report	MC8775	July 13, 2006	Page 72 of 72
--	------------------------------	--------	---------------	---------------

UMTS 85% to 115% of 3.3 Volts Frequency Error, Tabular Data



		UMTS	Mode		
	850N	ЛHz	1900MHz		
Supply	Offset	Offset	Offset	Offset	
(V)	(Hz)	(ppm)	(Hz)	(ppm)	
2.8	0	0.0000	1	0.0012	
2.9	-3	0.0036	2	0.0024	
3	-2	0.0024	-2	0.0024	
3.1	-1	0.0012	1	0.0012	
3.2	-3	0.0036	0	0.0000	
3.3	-4	0.0048	-2	0.0024	
3.4	-4	0.0048	-2	0.0024	
3.5	-5	0.0060	-3	0.0036	
3.6	-3	0.0036	-6	0.0072	
3.7	-4	0.0048	-7	0.0084	
3.8	-5	0.0060	-4	0.0048	