

Test Report No.50310406 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50310406 001Appendix D)


Contents

Spurious Emissions, Bandedge.....	2
Spurious Emissions, TX Mode, 9kHz-30MHz	50
Spurious Emissions, TX Mode, 30MHz-1GHz	52
Spurious Emissions, TX Mode, 1GHz-26.5GHz	54
Spurious Emissions, AC Mains	76


Spurious Emissions, Bandedge




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2390.000	52.79	15.65	37.14	54.00	-1.21	346	192	Average	Horizontal
2 *	2412.000	107.24	70.04	37.20	54.00	53.24	339	192	Average	Horizontal
3 !	2625.119	49.63	11.97	37.66	54.00	-4.37	339	192	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 2375.070	49.69	12.53	37.16	54.00	-4.31	100	192	Average	Vertical
2	* 2412.000	101.34	64.14	37.20	54.00	47.34	331	242	Average	Vertical
3	2875.102	47.10	9.03	38.07	54.00	-6.90	331	242	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 2389.827	69.38	32.24	37.14	74.00	-4.62	346	192	Peak	Horizontal
2	* 2412.000	115.52	78.32	37.20	74.00	41.52	339	192	Peak	Horizontal
3	2624.883	56.37	18.71	37.66	74.00	-17.63	339	192	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.237	61.55	24.41	37.14	74.00	-12.45	331	242	Peak	Vertical
2 *	2412.000	109.73	72.53	37.20	74.00	35.73	331	242	Peak	Vertical
3	2875.102	55.07	17.00	38.07	74.00	-18.93	331	242	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2375.136	53.61	16.45	37.16	54.00	-0.39	220	140	Average	Horizontal
2 *	2437.000	108.45	71.12	37.33	54.00	54.45	334	191	Average	Horizontal
3	2625.060	46.42	8.76	37.66	54.00	-7.58	334	191	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2375.018	49.30	12.14	37.16	54.00	-4.70	335	130	Average	Vertical
2 *	2437.000	101.14	63.81	37.33	54.00	47.14	335	209	Average	Vertical
3	2875.161	44.16	6.09	38.07	54.00	-9.84	335	209	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.350	59.10	21.94	37.16	74.00	-14.90	220	140	Peak	Horizontal
2 *	2437.000	117.11	79.78	37.33	74.00	43.11	334	191	Peak	Horizontal
3	2485.938	59.20	21.62	37.58	74.00	-14.80	334	191	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.517	56.73	19.58	37.15	74.00	-17.27	335	130	Peak	Vertical
2 *	2437.000	109.72	72.39	37.33	74.00	35.72	335	209	Peak	Vertical
3	2882.890	55.32	17.26	38.06	74.00	-18.68	335	209	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.077	42.58	5.42	37.16	54.00	-11.42	328	191	Average	Horizontal
2 *	2462.000	106.99	69.53	37.46	54.00	52.99	328	191	Average	Horizontal
3 !	2875.102	49.64	11.57	38.07	54.00	-4.36	328	191	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2374.959	43.73	6.58	37.15	54.00	-10.27	396	249	Average	Vertical
2 *	2462.000	103.06	65.60	37.46	54.00	49.06	396	249	Average	Vertical
3 !	2875.043	53.26	15.19	38.07	54.00	-0.74	396	249	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2337.081	54.91	17.75	37.16	74.00	-19.09	328	191	Peak	Horizontal
2 *	2462.000	115.60	78.14	37.46	74.00	41.60	328	191	Peak	Horizontal
3	2483.873	67.70	30.12	37.58	74.00	-6.30	318	191	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2363.100	55.21	18.05	37.16	74.00	-18.79	396	249	Peak	Vertical
2 *	2462.000	111.68	74.22	37.46	74.00	37.68	396	249	Peak	Vertical
3	2484.050	63.38	25.80	37.58	74.00	-10.62	396	230	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.886	51.38	14.24	37.14	54.00	-2.62	338	191	Average	Horizontal
2 *	2412.000	90.94	53.74	37.20	54.00	36.94	338	191	Average	Horizontal
3 !	2625.119	48.26	10.60	37.66	54.00	-5.74	338	191	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.768	49.26	12.12	37.14	54.00	-4.74	392	95	Average	Vertical
2 *	2412.000	85.98	48.78	37.20	54.00	31.98	400	67	Average	Vertical
3 !	2875.102	50.29	12.22	38.07	54.00	-3.71	400	67	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.709	68.10	30.96	37.14	74.00	-5.90	338	191	Peak	Horizontal
2 *	2412.000	111.29	74.09	37.20	74.00	37.29	338	191	Peak	Horizontal
3	2625.237	55.64	17.98	37.66	74.00	-18.36	338	191	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.588	66.84	29.70	37.14	74.00	-7.16	400	67	Peak	Vertical
2 *	2412.000	106.05	68.85	37.20	74.00	32.05	400	67	Peak	Vertical
3	2875.161	55.83	17.76	38.07	74.00	-18.17	400	67	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.709	53.58	16.44	37.14	54.00	-0.42	346	1800	Average	Horizontal
2 *	2437.000	94.28	56.95	37.33	54.00	40.28	334	184	Average	Horizontal
3 !	2875.102	48.33	10.26	38.07	54.00	-5.67	346	180	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.004	44.85	7.71	37.14	54.00	-9.15	400	255	Average	Vertical
2 *	2437.000	89.62	52.29	37.33	54.00	35.62	400	255	Average	Vertical
3 !	2875.102	53.71	15.64	38.07	54.00	-0.29	400	255	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 2386.405	70.82	33.67	37.15	74.00	-3.18	346	180	Peak	Horizontal
2	* 2437.000	115.67	78.34	37.33	74.00	41.67	334	184	Peak	Horizontal
3	2488.711	63.95	26.35	37.60	74.00	-10.05	334	184	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.393	61.34	24.19	37.15	74.00	-12.66	400	255	Peak	Vertical
2 *	2437.000	110.18	72.85	37.33	74.00	36.18	400	255	Peak	Vertical
3	2488.416	58.20	20.60	37.60	74.00	-15.80	400	255	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2362.805	40.83	3.67	37.16	54.00	-13.17	360	177	Average	Horizontal
2 *	2462.000	87.98	50.52	37.46	54.00	33.98	360	177	Average	Horizontal
3 !	2875.102	51.70	13.63	38.07	54.00	-2.30	360	177	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.077	44.37	7.21	37.16	54.00	-9.63	355	102	Average	Vertical
2 *	2462.000	86.51	49.05	37.46	54.00	32.51	355	102	Average	Vertical
3 !	2875.043	49.61	11.54	38.07	54.00	-4.39	355	102	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.821	54.51	17.37	37.14	74.00	-19.49	360	177	Peak	Horizontal
2 *	2462.000	108.49	71.03	37.46	74.00	34.49	360	177	Peak	Horizontal
3 !	2483.873	73.25	35.67	37.58	74.00	-0.75	363	195	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.195	53.80	16.64	37.16	74.00	-20.20	355	102	Peak	Vertical
2 *	2462.000	106.77	69.31	37.46	74.00	32.77	355	102	Peak	Vertical
3 !	2483.755	68.96	31.38	37.58	74.00	-5.04	355	102	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.004	53.28	16.14	37.14	54.00	-0.72	304	186	Average	Horizontal
2 *	2412.000	98.31	61.11	37.20	54.00	44.31	384	21	Average	Horizontal
3	2499.744	41.11	3.45	37.66	54.00	-12.89	384	21	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.886	47.05	9.91	37.14	54.00	-6.95	400	237	Average	Vertical
2 *	2412.000	93.68	56.48	37.20	54.00	39.68	400	237	Average	Vertical
3 !	2875.043	48.00	9.93	38.07	54.00	-6.00	400	237	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 2388.529	72.16	35.02	37.14	74.00	-1.84	304	186	Peak	Horizontal
2	* 2412.000	107.63	70.43	37.20	74.00	33.63	384	21	Peak	Horizontal
3	2499.921	54.06	16.40	37.66	74.00	-19.94	384	21	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.886	61.50	24.36	37.14	74.00	-12.50	400	237	Peak	Vertical
2 *	2412.000	103.31	66.11	37.20	74.00	29.31	400	237	Peak	Vertical
3	2491.071	54.18	16.57	37.61	74.00	-19.82	400	237	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.945	47.66	10.52	37.14	54.00	-6.34	304	0	Average	Horizontal
2 *	2437.000	104.75	67.42	37.33	54.00	50.75	370	183	Average	Horizontal
3 !	2483.637	51.94	14.37	37.57	54.00	-2.06	204	164	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.004	45.50	8.36	37.14	54.00	-8.50	395	84	Average	Vertical
2 *	2434.372	100.20	62.88	37.32	54.00	46.20	395	84	Average	Vertical
3 !	2625.119	49.77	12.11	37.66	54.00	-4.23	395	84	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.178	65.96	28.82	37.14	74.00	-8.04	304	0	Peak	Horizontal
2 *	2437.000	114.54	77.21	37.33	74.00	40.54	370	183	Peak	Horizontal
3	2487.354	57.81	20.22	37.59	74.00	-16.19	204	164	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.765	60.22	23.08	37.14	74.00	-13.78	395	84	Peak	Vertical
2 *	2437.000	110.02	72.69	37.33	74.00	36.02	395	84	Peak	Vertical
3	2483.814	56.26	18.68	37.58	74.00	-17.74	395	84	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2347.229	41.55	4.38	37.17	54.00	-12.45	326	0	Average	Horizontal
2 *	2462.000	96.58	59.12	37.46	54.00	42.58	326	0	Average	Horizontal
3 !	2483.637	52.86	15.29	37.57	54.00	-1.14	363	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2331.181	40.48	3.33	37.15	54.00	-13.52	398	70	Average	Vertical
2 *	2462.000	93.96	56.50	37.46	54.00	39.96	398	70	Average	Vertical
3 !	2483.637	51.52	13.95	37.57	54.00	-2.48	382	71	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2366.994	53.25	16.08	37.17	74.00	-20.75	326	0	Peak	Horizontal
2 *	2462.000	105.76	68.30	37.46	74.00	31.76	326	0	Peak	Horizontal
3 !	2484.640	73.08	35.50	37.58	74.00	-0.92	363	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2374.959	53.52	16.37	37.15	74.00	-20.48	398	70	Peak	Vertical
2 *	2462.000	103.82	66.36	37.46	74.00	29.82	398	70	Peak	Vertical
3 !	2484.404	71.63	34.05	37.58	74.00	-2.37	382	71	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 2390.000	53.43	16.29	37.14	54.00	-0.57	303	0	Average	Horizontal
2	* 2422.000	93.64	56.39	37.25	54.00	39.64	331	0	Average	Horizontal
3	2875.161	47.10	9.03	38.07	54.00	-6.90	331	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	! 2389.945	51.08	13.94	37.14	54.00	-2.92	333	96	Average	Vertical
2	* 2422.000	90.12	52.87	37.25	54.00	36.12	332	93	Average	Vertical
3	2875.102	45.56	7.49	38.07	54.00	-8.44	332	93	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2387.349	72.14	34.99	37.15	74.00	-1.86	303	0	Peak	Horizontal
2 *	2422.000	102.66	65.41	37.25	74.00	28.66	331	0	Peak	Horizontal
3	2498.328	53.55	15.90	37.65	74.00	-20.45	331	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.768	68.94	31.80	37.14	74.00	-5.06	333	96	Peak	Vertical
2 *	2422.000	99.41	62.16	37.25	74.00	25.41	332	93	Peak	Vertical
3	2492.841	53.60	15.98	37.62	74.00	-20.40	332	93	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.827	53.46	16.32	37.14	54.00	-0.54	346	201	Average	Horizontal
2 *	2437.000	97.99	60.66	37.33	54.00	43.99	334	188	Average	Horizontal
3 !	2483.755	52.45	14.87	37.58	54.00	-1.55	316	198	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.945	48.62	11.48	37.14	54.00	-5.38	334	231	Average	Vertical
2 *	2437.000	91.34	54.01	37.33	54.00	37.34	391	238	Average	Vertical
3 !	2483.637	49.46	11.89	37.57	54.00	-4.54	388	249	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2388.175	70.53	33.39	37.14	74.00	-3.47	346	201	Peak	Horizontal
2 *	2437.000	107.79	70.46	37.33	74.00	33.79	334	188	Peak	Horizontal
3 !	2483.991	71.12	33.54	37.58	74.00	-2.88	316	198	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.827	65.72	28.58	37.14	74.00	-8.28	334	231	Peak	Vertical
2 *	2437.000	101.20	63.87	37.33	74.00	27.20	391	238	Peak	Vertical
3	2483.932	67.46	29.88	37.58	74.00	-6.54	388	249	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2331.063	40.56	3.41	37.15	54.00	-13.44	367	0	Average	Horizontal
2 *	2452.000	92.31	54.90	37.41	54.00	38.31	367	0	Average	Horizontal
3 !	2483.696	53.72	16.15	37.57	54.00	-0.28	361	360	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2374.546	40.79	3.64	37.15	54.00	-13.21	395	255	Average	Vertical
2 *	2452.000	90.65	53.24	37.41	54.00	36.65	395	255	Average	Vertical
3 !	2875.102	53.86	15.79	38.07	54.00	-0.14	395	255	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2318.850	53.69	16.55	37.14	74.00	-20.31	367	0	Peak	Horizontal
2 *	2452.000	102.20	64.79	37.41	74.00	28.20	367	0	Peak	Horizontal
3 !	2484.522	70.14	32.56	37.58	74.00	-3.86	361	360	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2360.622	53.29	16.12	37.17	74.00	-20.71	395	255	Peak	Vertical
2 *	2452.000	99.46	62.05	37.41	74.00	25.46	395	255	Peak	Vertical
3	2484.168	66.98	29.40	37.58	74.00	-7.02	381	80	Peak	Vertical


Spurious Emissions, TX Mode, 9kHz-30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.011	74.21	-4.20	78.41	127.02	-52.81	100	96 QP		Horizontal
2	0.029	65.33	-5.65	70.98	118.45	-53.12	100	25 QP		Horizontal
3	0.048	59.05	-6.60	65.65	114.04	-54.99	100	48 QP		Horizontal
4	0.092	51.48	-8.79	60.27	108.36	-56.88	100	28 QP		Horizontal
5	0.114	49.01	-9.41	58.42	106.43	-57.42	100	253 QP		Horizontal
6	0.128	47.57	-10.04	57.61	105.43	-57.86	100	144 QP		Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.451	54.69	7.15	47.54	94.51	-39.82	100	20 QP		Horizontal
2	3.792	39.41	1.10	38.31	69.50	-30.09	100	81 QP		Horizontal
3	7.938	39.94	1.85	38.09	69.50	-29.56	100	144 QP		Horizontal
4	12.550	40.03	2.67	37.36	69.50	-29.47	100	65 QP		Horizontal
5	22.570	37.46	1.76	35.70	69.50	-32.04	100	58 QP		Horizontal
6	28.719	38.45	1.82	36.63	69.50	-31.05	100	43 QP		Horizontal


Spurious Emissions, TX Mode, 30MHz-1GHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg		
1	80.634	24.33	35.28	-10.95	40.00	-15.67	400	186	QP	horizontal
2	153.675	30.30	36.52	-6.22	43.50	-13.20	200	260	QP	horizontal
3	213.039	36.26	44.63	-8.37	43.50	-7.24	200	220	QP	horizontal
4	330.700	27.95	32.07	-4.12	46.00	-18.05	100	174	QP	horizontal
5	399.958	31.06	34.24	-3.18	46.00	-14.94	100	84	QP	horizontal
6	820.550	33.32	30.21	3.11	46.00	-12.68	300	291	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	44.550	32.95	39.17	-6.22	40.00	-7.05	100	194	QP	vertical
2	80.634	29.66	40.61	-10.95	40.00	-10.34	100	217	QP	vertical
3	196.258	29.61	37.98	-8.37	43.50	-13.89	100	55	QP	vertical
4	422.753	29.81	32.52	-2.71	46.00	-16.19	186	360	QP	vertical
5	599.778	31.37	31.20	0.17	46.00	-14.63	100	279	QP	vertical
6	847.031	33.90	30.46	3.44	46.00	-12.10	200	63	QP	vertical


Spurious Emissions, TX Mode, 1GHz-26.5GHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	4824.000	46.33	55.71	-9.38	74.00	-27.67	300	126 Peak	horizontal
2	7236.000	41.42	48.17	-6.75	74.00	-32.58	400	336 Peak	horizontal
3	9648.000	47.26	51.39	-4.13	74.00	-26.74	400	179 Peak	horizontal
4	20106.300	47.49	46.97	0.52	74.00	-26.51	282	360 Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4824.000	50.96	60.34	-9.38	54.00	-3.04	340	169	Average	Vertical
2	4824.000	52.87	62.25	-9.38	74.00	-21.13	340	169	Peak	vertical
3	7236.000	39.67	46.42	-6.75	74.00	-34.33	300	281	Peak	vertical
4 !	9648.000	49.80	53.93	-4.13	54.00	-4.20	287	217	Average	vertical
5	9648.000	52.26	56.39	-4.13	74.00	-21.74	287	217	Peak	vertical
6	23145.050	48.17	44.42	3.75	74.00	-25.83	300	275	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4874.000	49.62	58.92	-9.30	54.00	-4.38	212	198	Average	horizontal
2	4874.000	59.09	68.39	-9.30	74.00	-14.91	212	198	Peak	horizontal
3	7311.000	45.28	51.99	-6.71	74.00	-28.72	100	208	Peak	horizontal
4 !	9748.000	51.40	55.28	-3.88	54.00	-2.60	281	147	Average	horizontal
5	9748.000	56.26	60.14	-3.88	74.00	-17.74	281	147	Peak	horizontal
6	20130.100	47.74	47.18	0.56	74.00	-26.26	100	226	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4874.000	51.64	60.94	-9.30	54.00	-2.36	305	248	Average	vertical
2	4874.000	61.59	70.89	-9.30	74.00	-12.41	305	248	Peak	vertical
3	7311.000	45.53	52.24	-6.71	74.00	-28.47	200	208	Peak	vertical
4 !	9748.000	52.20	56.08	-3.88	54.00	-1.80	105	59	Average	vertical
5	9748.000	56.73	60.61	-3.88	74.00	-17.27	105	59	Peak	vertical
6	22447.200	48.18	45.21	2.97	74.00	-25.82	200	60	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.000	47.60	56.82	-9.22	54.00	-6.40	100	116	Average	horizontal
2	4924.000	54.36	63.58	-9.22	74.00	-19.64	100	116	Peak	horizontal
3	7386.000	47.84	54.60	-6.76	74.00	-26.16	200	138	Peak	horizontal
4	9848.000	45.29	49.11	-3.82	54.00	-8.71	300	146	Average	horizontal
5	9848.000	50.96	54.78	-3.82	74.00	-23.04	300	146	Peak	horizontal
6	19909.950	47.54	47.31	0.23	74.00	-26.46	100	292	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4924.000	48.05	57.27	-9.22	54.00	-5.95	300	247	Average	vertical
2	4924.000	54.91	64.13	-9.22	74.00	-19.09	300	247	Peak	vertical
3	7386.000	45.46	52.22	-6.76	74.00	-28.54	200	192	Peak	vertical
4	9848.000	45.27	49.09	-3.82	54.00	-8.73	100	43	Average	vertical
5	9848.000	52.79	56.61	-3.82	74.00	-21.21	100	43	Peak	vertical
6	12310.000	49.44	49.00	0.44	74.00	-24.56	100	98	Peak	vertical
7	20153.050	48.34	47.74	0.60	74.00	-25.66	100	131	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.000	45.15	54.53	-9.38	74.00	-28.85	100	130	Peak	horizontal
2	7236.000	39.01	45.76	-6.75	74.00	-34.99	200	317	Peak	horizontal
3	9648.000	44.36	48.49	-4.13	74.00	-29.64	400	192	Peak	horizontal
4	19899.750	47.07	46.85	0.22	74.00	-26.93	100	166	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.000	46.70	56.08	-9.38	74.00	-27.30	300	105	Peak	vertical
2	7236.000	39.21	45.96	-6.75	74.00	-34.79	200	16	Peak	vertical
3	9648.000	44.46	48.59	-4.13	74.00	-29.54	400	38	Peak	vertical
4	20751.450	48.38	47.08	1.30	74.00	-25.62	100	122	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.000	40.77	50.07	-9.30	54.00	-13.23	211	199	Average	horizontal
2	4874.000	57.06	66.36	-9.30	74.00	-16.94	211	199	Peak	horizontal
3	7311.000	37.04	43.75	-6.71	54.00	-16.96	100	173	Average	horizontal
4	7311.000	51.76	58.47	-6.71	74.00	-22.24	100	173	Peak	horizontal
5	9748.000	40.02	43.90	-3.88	54.00	-13.98	224	210	Average	horizontal
6	9748.000	53.61	57.49	-3.88	74.00	-20.39	224	210	Peak	horizontal
7	12185.000	37.15	36.78	0.37	54.00	-16.85	100	301	Average	horizontal
8	12185.000	51.81	51.44	0.37	74.00	-22.19	100	301	Peak	horizontal
9	20180.250	47.20	46.56	0.64	74.00	-26.80	100	357	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.000	42.72	52.02	-9.30	54.00	-11.28	304	247	Average	vertical
2	4874.000	54.28	63.58	-9.30	74.00	-19.72	304	247	Peak	vertical
3	7311.000	47.64	54.35	-6.71	74.00	-26.36	100	167	Peak	vertical
4	9748.000	45.00	48.88	-3.88	54.00	-9.00	228	214	Average	vertical
5	9748.000	55.96	59.84	-3.88	74.00	-18.04	228	214	Peak	vertical
6	12185.000	38.90	38.53	0.37	54.00	-15.10	100	93	Average	vertical
7	12185.000	55.12	54.75	0.37	74.00	-18.88	100	93	Peak	vertical
8	20572.950	47.47	46.26	1.21	74.00	-26.53	100	0	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.000	36.35	45.57	-9.22	54.00	-17.65	268	193	Average	horizontal
2	4924.000	51.95	61.17	-9.22	74.00	-22.05	268	193	Peak	horizontal
3	7386.000	39.57	46.33	-6.76	74.00	-34.43	100	53	Peak	horizontal
4	9848.000	45.74	49.56	-3.82	74.00	-28.26	400	146	Peak	horizontal
5	20204.900	47.68	47.00	0.68	74.00	-26.32	100	335	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4920.000	36.46	45.69	-9.23	54.00	-17.54	329	250	Average	vertical
2	4920.000	52.27	61.50	-9.23	74.00	-21.73	329	250	Peak	vertical
3	7386.000	38.58	45.34	-6.76	74.00	-35.42	100	310	Peak	vertical
4	9848.000	47.58	51.40	-3.82	74.00	-26.42	200	57	Peak	vertical
5	18257.950	38.53	39.79	-1.26	74.00	-35.47	100	0	Peak	vertical
6	23207.100	47.83	44.07	3.76	74.00	-26.17	100	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.000	44.74	54.12	-9.38	74.00	-29.26	200	116	Peak	horizontal
2	7236.000	40.89	47.64	-6.75	74.00	-33.11	300	248	Peak	horizontal
3	9648.000	42.55	46.68	-4.13	74.00	-31.45	400	359	Peak	horizontal
4	20623.100	47.60	46.36	1.24	74.00	-26.40	100	359	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.000	37.34	46.72	-9.38	54.00	-16.66	345	251	Average	vertical
2	4824.000	52.06	61.44	-9.38	74.00	-21.94	300	240	Peak	vertical
3	7236.000	40.17	46.92	-6.75	74.00	-33.83	100	31	Peak	vertical
4	9648.000	43.17	47.30	-4.13	74.00	-30.83	400	34	Peak	vertical
5	22729.400	47.76	44.35	3.41	74.00	-26.24	100	304	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.000	41.60	50.90	-9.30	54.00	-12.40	226	177	Average	horizontal
2	4874.000	55.55	64.85	-9.30	74.00	-18.45	226	177	Peak	horizontal
3	7311.000	37.44	44.15	-6.71	54.00	-16.56	229	146	Average	horizontal
4	7311.000	51.76	58.47	-6.71	74.00	-22.24	229	146	Peak	horizontal
5	9748.000	41.76	45.64	-3.88	54.00	-12.24	400	143	Average	horizontal
6	9748.000	54.86	58.74	-3.88	74.00	-19.14	400	143	Peak	horizontal
7	22107.200	48.11	45.59	2.52	74.00	-25.89	100	278	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.000	40.53	49.83	-9.30	54.00	-13.47	109	116	Average	vertical
2	4874.000	53.48	62.78	-9.30	74.00	-20.52	109	116	Peak	vertical
3	7311.000	46.80	53.51	-6.71	74.00	-27.20	300	340	Peak	vertical
4	9748.000	41.77	45.65	-3.88	54.00	-12.23	102	58	Average	vertical
5	9748.000	54.36	58.24	-3.88	74.00	-19.64	105	58	Peak	vertical
6	12185.000	35.53	35.16	0.37	54.00	-18.47	200	307	Average	vertical
7	12185.000	49.42	49.05	0.37	74.00	-24.58	200	307	Peak	vertical
8	20108.850	47.32	46.80	0.52	74.00	-26.68	100	25	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.000	41.16	50.38	-9.22	74.00	-32.84	100	256	Peak	horizontal
2	7386.000	39.71	46.47	-6.76	74.00	-34.29	300	16	Peak	horizontal
3	9848.000	44.70	48.52	-3.82	74.00	-29.30	400	134	Peak	horizontal
4	20148.800	47.57	46.98	0.59	74.00	-26.43	100	1	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.000	43.75	52.97	-9.22	74.00	-30.25	300	238	Peak	vertical
2	7386.000	38.69	45.45	-6.76	74.00	-35.31	100	182	Peak	vertical
3	9848.000	45.16	48.98	-3.82	74.00	-28.84	200	51	Peak	vertical
4	19917.600	46.93	46.69	0.24	74.00	-27.07	100	184	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4844.000	40.95	50.28	-9.33	74.00	-33.05	100	0	Peak	horizontal
2	7266.000	39.19	45.91	-6.72	74.00	-34.81	200	135	Peak	horizontal
3	9688.000	42.85	46.88	-4.03	74.00	-31.15	400	154	Peak	horizontal
4	20113.950	47.75	47.20	0.55	74.00	-26.25	100	28	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4844.000	40.26	49.59	-9.33	74.00	-33.74	300	249	Peak	vertical
2	7266.000	40.22	46.94	-6.72	74.00	-33.78	300	267	Peak	vertical
3	9688.000	43.57	47.60	-4.03	74.00	-30.43	200	41	Peak	vertical
4	22085.100	46.95	44.45	2.50	74.00	-27.05	100	265	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.000	39.81	49.11	-9.30	74.00	-34.19	300	288	Peak	horizontal
2	7311.000	39.10	45.81	-6.71	74.00	-34.90	225	0	Peak	horizontal
3	9748.000	44.35	48.23	-3.88	74.00	-29.65	400	136	Peak	horizontal
4	20106.300	47.78	47.26	0.52	74.00	-26.22	100	313	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.000	42.99	52.29	-9.30	74.00	-31.01	300	235	Peak	vertical
2	7311.000	39.12	45.83	-6.71	74.00	-34.88	100	360	Peak	vertical
3	9748.000	44.13	48.01	-3.88	74.00	-29.87	300	44	Peak	vertical
4	22850.100	48.06	44.50	3.56	74.00	-25.94	100	215	Peak	vertical

Spurious Emissions, AC Mains




TUV Rheinland Taiwan Ltd.
11F., No. 758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel: +886-2172-7000 Fax: +886-2528-0018



Trace: 1

Site : Conduction room
Condition : FCC Part15 Class B Conduction(QP) neutral
Test Engineer: Simon tsai
Product : Wireless USB Device
Model No. : KC612ac
Test Rating : 120Vac / 60Hz
Tmp/Hum : 25.3 °C / 54 %
Memo :

	Read Freq	Level dBuV	Factor dB	Level dBuV	Limit Line dBuV	Over Limit dB	Remark
	MHz						
1	0.160	38.16	9.62	47.78	65.46	-17.68	QP
2	0.160	17.00	9.62	26.62	55.46	-28.84	Average
3	0.203	31.90	9.62	41.52	63.47	-21.95	QP
4	0.203	17.72	9.62	27.34	53.47	-26.13	Average
5	0.348	25.49	9.62	35.11	59.00	-23.89	QP
6	0.348	14.76	9.62	24.38	49.00	-24.62	Average
7	0.522	27.27	9.63	36.90	56.00	-19.10	QP
8	0.522	14.87	9.63	24.50	46.00	-21.50	Average
9	2.361	17.65	9.65	27.30	56.00	-28.70	QP
10	2.361	10.80	9.65	20.45	46.00	-25.55	Average
11	15.538	17.76	9.80	27.56	60.00	-32.44	QP
12	15.538	11.01	9.80	20.81	50.00	-29.19	Average



Trace: 1

Site : Conduction room

Condition : FCC Part15 Class B Conduction(QP) line1

Test Engineer: Simon tsai

Product : Wireless USB Device

Model No. : KC612ac

Test Rating : 120Vac / 60Hz

Tmp/Hum : 25.3 °C / 54 %

Memo :

		Read		Limit	Over	
	Freq	Level	Factor	Level	Line	Limit Remark
	MHz	dBuV	dB	dBuV	dBuV	dB
1	0.151	42.16	9.61	51.77	65.96	-14.19 QP
2	0.151	29.68	9.61	39.29	55.96	-16.67 Average
3	0.164	34.70	9.61	44.31	65.25	-20.94 QP
4	0.164	15.10	9.61	24.71	55.25	-30.54 Average
5	0.511	33.95	9.62	43.57	56.00	-12.43 QP
6	0.511	30.45	9.62	40.07	46.00	-5.93 Average
7	1.129	19.12	9.62	28.74	56.00	-27.26 QP
8	1.129	11.86	9.62	21.48	46.00	-24.52 Average
9	2.074	17.21	9.64	26.85	56.00	-29.15 QP
10	2.074	10.30	9.64	19.94	46.00	-26.06 Average
11	14.782	17.53	9.76	27.29	60.00	-32.71 QP
12	14.782	11.43	9.76	21.19	50.00	-28.81 Average