

Test Report No.50310407 001

Appendix D: Radiated Spurious Emission Data

(File: 50310407 001 Appendix D)

Contents


Spurious Emissions, Bandedge, Band 1	2
Spurious Emissions, TX Mode, 9kHz-30MHz, Band 1.....	38
Spurious Emissions, TX Mode, 30MHz-1GHz, Band 1	40
Spurious Emissions, TX Mode, 1GHz-40GHz, Band 1	42
Spurious Emissions, Bandedge, Band 2	60
Spurious Emissions, TX Mode, 9kHz-30MHz, Band 2.....	96
Spurious Emissions, TX Mode, 30MHz-1GHz, Band 2	98
Spurious Emissions, TX Mode, 1GHz-40GHz, Band 2	100
Spurious Emissions, Bandedge, Band 3	118
Spurious Emissions, TX Mode, 9kHz-30MHz, Band 3.....	162
Spurious Emissions, TX Mode, 30MHz-1GHz, Band 3	164
Spurious Emissions, TX Mode, 1GHz-40GHz, Band 3	166
Spurious Emissions, Bandedge, Band 4	188
Spurious Emissions, TX Mode, 9kHz-30MHz, Band 4.....	224
Spurious Emissions, TX Mode, 30MHz-1GHz, Band 4	226
Spurious Emissions, TX Mode, 1GHz-40GHz, Band 4	228
Spurious Emissions, AC Mains	246

Spurious Emissions, Bandedge, Band 1


802.11a Mode




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	44.71	2.24	42.47	54.00	-9.29	353	198	Average	Horizontal
2 *	5180.000	100.43	57.87	42.56	54.00	46.43	353	198	Average	Horizontal
3	5453.000	44.50	1.27	43.23	54.00	-9.50	353	198	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5123.500	44.32	1.98	42.34	54.00	-9.68	100	196	Average	Vertical
2 *	5180.000	93.77	51.21	42.56	54.00	39.77	100	196	Average	Vertical
3	5400.500	44.23	1.24	42.99	54.00	-9.77	100	196	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	60.17	17.70	42.47	74.00	-13.83	353	198	Peak	Horizontal
2 *	5180.000	109.64	67.08	42.56	74.00	35.64	353	198	Peak	Horizontal
3	5416.000	56.35	13.28	43.07	74.00	-17.65	353	198	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.000	57.19	14.72	42.47	74.00	-16.81	100	196	Peak	Vertical
2 *	5180.000	102.83	60.27	42.56	74.00	28.83	100	196	Peak	Vertical
3	5438.500	55.99	12.81	43.18	74.00	-18.01	100	196	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.000	43.12	0.66	42.46	54.00	-10.88	300	95	Average	Horizontal
2 *	5200.000	89.40	46.78	42.62	54.00	35.40	400	350	Average	Horizontal
3	5400.500	43.18	0.19	42.99	54.00	-10.82	316	360	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.000	43.13	0.68	42.45	54.00	-10.87	300	77	Average	vertical
2 *	5200.000	87.84	45.22	42.62	54.00	33.84	400	80	Average	vertical
3	5458.500	43.29	0.07	43.22	54.00	-10.71	200	33	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4866.500	55.15	13.12	42.03	74.00	-18.85	300	95	Peak	horizontal
2 *	5200.000	106.75	64.13	42.62	74.00	32.75	400	350	Peak	horizontal
3	5455.000	55.53	12.30	43.23	74.00	-18.47	316	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5139.000	55.29	12.87	42.42	74.00	-18.71	300	77	Peak	vertical
2 *	5200.000	104.87	62.25	42.62	74.00	30.87	400	80	Peak	vertical
3	5365.000	55.46	12.57	42.89	74.00	-18.54	200	33	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.500	43.32	0.90	42.42	54.00	-10.68	100	233	Average	Horizontal
2 *	5240.000	90.94	48.29	42.65	54.00	36.94	300	190	Average	Horizontal
3	5448.000	43.42	0.20	43.22	54.00	-10.58	200	311	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.000	43.00	0.55	42.45	54.00	-11.00	184	360	Average	vertical
2 *	5240.000	86.62	43.97	42.65	54.00	32.62	200	92	Average	vertical
3	5407.000	43.53	0.50	43.03	54.00	-10.47	400	0	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5139.000	55.50	13.08	42.42	74.00	-18.50	100	233	Peak	horizontal
2 *	5240.000	107.24	64.59	42.65	74.00	33.24	300	190	Peak	horizontal
3	5363.000	55.64	12.75	42.89	74.00	-18.36	200	311	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5125.000	55.58	13.23	42.35	74.00	-18.42	184	360	Peak	vertical
2 *	5240.000	104.46	61.81	42.65	74.00	30.46	200	92	Peak	vertical
3	5379.500	55.11	12.18	42.93	74.00	-18.89	400	0	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5141.500	52.44	10.01	42.43	54.00	-1.56	361	201	Average	Horizontal
2 *	5210.000	92.73	50.11	42.62	54.00	38.73	371	186	Average	Horizontal
3	5423.500	43.58	0.48	43.10	54.00	-10.42	371	186	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	47.79	5.32	42.47	54.00	-6.21	364	101	Average	Vertical
2 *	5210.000	87.78	45.16	42.62	54.00	33.78	327	68	Average	Vertical
3	5458.000	43.46	0.24	43.22	54.00	-10.54	327	68	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.500	68.52	26.06	42.46	74.00	-5.48	361	201	Peak	Horizontal
2	5210.000	102.06	59.44	42.62	74.00	28.06	371	186	Peak	Horizontal
3	5362.000	56.67	13.79	42.88	74.00	-17.33	371	186	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.000	63.77	21.31	42.46	74.00	-10.23	364	101	Peak	Vertical
2 *	5210.000	97.14	54.52	42.62	74.00	23.14	327	68	Peak	Vertical
3	5438.500	55.64	12.46	43.18	74.00	-18.36	327	68	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	5150.000	48.26	5.79	42.47	54.00	-5.74	104	195	Average Horizontal
2 *	5180.000	97.74	55.18	42.56	54.00	43.74	327	129	Average Horizontal
3	5446.000	43.07	-0.14	43.21	54.00	-10.93	327	129	Average Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	45.61	3.14	42.47	54.00	-8.39	392	93	Average	Vertical
2 *	5180.000	99.64	57.08	42.56	54.00	45.64	392	93	Average	Vertical
3	5439.000	42.90	-0.29	43.19	54.00	-11.10	392	93	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	65.71	23.24	42.47	74.00	-8.29	104	195	Peak	Horizontal
2 *	5180.000	106.71	64.15	42.56	74.00	32.71	327	129	Peak	Horizontal
3	5404.500	55.42	12.40	43.02	74.00	-18.58	327	129	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.500	57.34	14.88	42.46	74.00	-16.66	392	93	Peak	Vertical
2 *	5180.000	108.71	66.15	42.56	74.00	34.71	392	93	Peak	Vertical
3	5399.500	55.18	12.19	42.99	74.00	-18.82	392	93	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	43.46	0.99	42.47	54.00	-10.54	300	308	Average	Horizontal
2 *	5200.000	99.27	56.65	42.62	54.00	45.27	100	114	Average	Horizontal
3	5453.000	43.33	0.10	43.23	54.00	-10.67	194	360	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.000	43.26	0.84	42.42	54.00	-10.74	100	46	Average	vertical
2 *	5200.000	98.74	56.12	42.62	54.00	44.74	300	96	Average	vertical
3	5369.500	43.28	0.37	42.91	54.00	-10.72	142	360	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5042.500	56.29	13.83	42.46	74.00	-17.71	300	308	Peak	horizontal
2 *	5200.000	106.93	64.31	42.62	74.00	32.93	100	114	Peak	horizontal
3	5433.500	55.38	12.23	43.15	74.00	-18.62	194	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5097.000	55.11	12.86	42.25	74.00	-18.89	100	46	Peak	vertical
2 *	5200.000	105.98	63.36	42.62	74.00	31.98	300	96	Peak	vertical
3	5432.500	55.20	12.05	43.15	74.00	-18.80	142	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.000	43.53	1.07	42.46	54.00	-10.47	400	360	Average	Horizontal
2 *	5240.000	99.78	57.13	42.65	54.00	45.78	100	192	Average	Horizontal
3	5459.000	43.39	0.17	43.22	54.00	-10.61	300	301	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.500	43.05	0.61	42.44	54.00	-10.95	100	69	Average	vertical
2 *	5240.000	99.75	57.10	42.65	54.00	45.75	400	90	Average	vertical
3	5376.500	43.30	0.38	42.92	54.00	-10.70	352	90	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5003.500	55.55	13.20	42.35	74.00	-18.45	400	360	Peak	horizontal
2 *	5240.000	107.51	64.86	42.65	74.00	33.51	100	192	Peak	horizontal
3	5447.000	55.61	12.39	43.22	74.00	-18.39	300	301	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5125.500	55.64	13.29	42.35	74.00	-18.36	100	69	Peak	vertical
2 *	5240.000	107.07	64.42	42.65	74.00	33.07	400	90	Peak	vertical
3	5458.000	55.57	12.35	43.22	74.00	-18.43	352	90	Peak	vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor						
1 !	5150.000	51.66	9.19	42.47	54.00	-2.34	273	147 Average	Horizontal
2 *	5190.000	96.16	53.57	42.59	54.00	42.16	336	0 Average	Horizontal
3	5409.000	43.05	0.01	43.04	54.00	-10.95	336	0 Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	46.72	4.25	42.47	54.00	-7.28	116	156	Average	Vertical
2 *	5190.000	90.42	47.83	42.59	54.00	36.42	116	156	Average	Vertical
3	5363.500	42.92	0.03	42.89	54.00	-11.08	116	156	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	!	5150.000	72.50	30.03	42.47	74.00	-1.50	273	147 Peak	Horizontal
2	*	5190.000	105.07	62.48	42.59	74.00	31.07	336	0 Peak	Horizontal
3		5420.000	55.24	12.15	43.09	74.00	-18.76	336	0 Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	58.79	16.33	42.46	74.00	-15.21	116	156	Peak	Vertical
2 *	5190.000	99.20	56.61	42.59	74.00	25.20	116	156	Peak	Vertical
3	5431.000	55.39	12.25	43.14	74.00	-18.61	116	156	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.500	43.33	0.89	42.44	54.00	-10.67	200	274	Average	Horizontal
2 *	5230.000	97.00	54.36	42.64	54.00	43.00	100	114	Average	Horizontal
3	5457.000	43.30	0.07	43.23	54.00	-10.70	100	273	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.000	43.19	0.73	42.46	54.00	-10.81	200	236	Average	vertical
2 *	5230.000	94.82	52.18	42.64	54.00	40.82	300	94	Average	vertical
3	5454.500	43.32	0.09	43.23	54.00	-10.68	100	315	Average	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5131.000	56.22	13.84	42.38	74.00	-17.78	200	274	Peak	horizontal
2 *	5230.000	103.85	61.21	42.64	74.00	29.85	100	114	Peak	horizontal
3	5459.000	55.56	12.34	43.22	74.00	-18.44	100	273	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4661.500	55.32	13.54	41.78	74.00	-18.68	200	236	Peak	vertical
2 *	5230.000	103.63	60.99	42.64	74.00	29.63	300	94	Peak	vertical
3	5440.000	55.66	12.47	43.19	74.00	-18.34	100	315	Peak	vertical


Spurious Emissions, TX Mode, 9kHz-30MHz, Band 1



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg		
1	0.012	60.57	-16.91	77.48	125.89	-65.32	100	25	QP	Horizontal
2	0.025	54.75	-16.88	71.63	119.61	-64.86	100	144	QP	Horizontal
3	0.046	51.48	-14.46	65.94	114.26	-62.78	100	85	QP	Horizontal
4	0.092	43.98	-16.28	60.26	108.36	-64.38	100	135	QP	Horizontal
5	0.119	39.93	-18.22	58.15	106.09	-66.16	100	201	QP	Horizontal
6	0.138	40.05	-16.98	57.03	104.78	-64.73	100	14	QP	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.475	53.99	6.84	47.15	94.06	-40.07	100	65	QP	Horizontal
2	4.350	39.90	1.56	38.34	69.50	-29.60	100	45	QP	Horizontal
3	9.801	39.32	1.69	37.63	69.50	-30.18	100	13	QP	Horizontal
4	14.788	39.02	1.32	37.70	69.50	-30.48	100	145	QP	Horizontal
5	21.603	37.00	1.05	35.95	69.50	-32.50	100	162	QP	Horizontal
6	24.027	37.72	2.86	34.86	69.50	-31.78	100	251	QP	Horizontal


Spurious Emissions, TX Mode, 30MHz-1GHz, Band 1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg		
1	80.440	30.98	41.89	-10.91	40.00	-9.02	300	119	Peak	horizontal
2	197.616	36.21	44.61	-8.40	43.50	-7.29	100	254	Peak	horizontal
3	215.561	35.22	43.62	-8.40	43.50	-8.28	200	247	Peak	horizontal
4	398.988	32.90	36.09	-3.19	46.00	-13.10	300	263	Peak	horizontal
5	599.487	31.39	31.23	0.16	46.00	-14.61	148	360	Peak	horizontal
6	845.285	34.70	31.27	3.43	46.00	-11.30	200	28	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	41.446	28.10	34.64	-6.54	40.00	-11.90	100	220	Peak	vertical
2	80.731	33.24	44.21	-10.97	40.00	-6.76	100	10	Peak	vertical
3	197.325	30.72	39.11	-8.39	43.50	-12.78	100	226	Peak	vertical
4	400.443	32.87	36.04	-3.17	46.00	-13.13	100	188	Peak	vertical
5	599.972	31.46	31.29	0.17	46.00	-14.54	100	169	Peak	vertical
6	911.633	34.49	30.14	4.35	46.00	-11.51	400	55	Peak	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz, Band 1


802.11a Mode




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.000	52.35	55.38	-3.03	68.20	-15.85	400	353	Peak	horizontal
2	15540.000	44.59	39.75	4.84	54.00	-9.41	400	309	Average	horizontal
3	15540.000	53.35	48.51	4.84	74.00	-20.65	400	309	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.000	55.57	58.60	-3.03	68.20	-12.63	200	24	Peak	vertical
2	15540.000	45.10	40.26	4.84	54.00	-8.90	300	115	Average	vertical
3	15540.000	52.98	48.14	4.84	74.00	-21.02	300	115	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.000	51.11	55.32	-4.21	68.20	-17.09	400	168	Peak	horizontal
2	15600.000	42.53	39.12	3.41	54.00	-11.47	200	155	Average	horizontal
3	15600.000	52.14	48.73	3.41	74.00	-21.86	200	155	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.000	53.60	57.81	-4.21	68.20	-14.60	100	28	Peak	vertical
2	15600.000	43.43	40.02	3.41	54.00	-10.57	400	297	Average	vertical
3	15600.000	52.43	49.02	3.41	74.00	-21.57	400	297	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.000	46.06	50.23	-4.17	68.20	-22.14	300	151	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.000	49.10	53.27	-4.17	68.20	-19.10	298	0	Peak	vertical
2	15720.000	45.38	41.92	3.46	54.00	-8.62	400	309	Average	vertical
3	15720.000	53.43	49.97	3.46	74.00	-20.57	400	309	Peak	vertical



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.000	43.26	47.46	-4.20	68.20	-24.94	300	148	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.000	44.94	49.14	-4.20	68.20	-23.26	300	20	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.000	52.63	56.93	-4.30	68.20	-15.57	100	123	Peak	horizontal
2	15540.000	44.50	41.28	3.22	54.00	-9.50	400	311	Average	horizontal
3	15540.000	53.15	49.93	3.22	74.00	-20.85	400	311	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.000	55.16	59.46	-4.30	68.20	-13.04	400	337	Peak	vertical
2	15540.000	42.40	39.18	3.22	54.00	-11.60	300	68	Average	vertical
3	15540.000	56.30	53.08	3.22	74.00	-17.70	300	68	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.000	53.66	57.87	-4.21	68.20	-14.54	400	160	Peak	horizontal
2	15600.000	44.87	41.46	3.41	54.00	-9.13	400	322	Average	horizontal
3	15600.000	55.81	52.40	3.41	74.00	-18.19	400	322	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.000	55.10	59.31	-4.21	68.20	-13.10	100	22	Peak	vertical
2	15600.000	46.61	43.20	3.41	54.00	-7.39	400	310	Average	vertical
3	15600.000	57.01	53.60	3.41	74.00	-16.99	400	310	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.000	45.11	49.28	-4.17	68.20	-23.09	100	64	Peak	horizontal
2	15720.000	42.53	39.07	3.46	54.00	-11.47	400	318	Average	horizontal
3	15720.000	54.15	50.69	3.46	74.00	-19.85	400	318	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.000	46.36	50.53	-4.17	68.20	-21.84	306	360	Peak	vertical
2	15720.000	45.16	41.70	3.46	54.00	-8.84	400	320	Average	vertical
3	15720.000	56.62	53.16	3.46	74.00	-17.38	400	320	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	10380.000	50.29	54.55	-4.26	68.20	-17.91	400	166 Peak	horizontal
2	15570.000	42.01	38.69	3.32	54.00	-11.99	400	323 Average	horizontal
3	15570.000	51.09	47.77	3.32	74.00	-22.91	400	323 Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.000	53.17	57.43	-4.26	68.20	-15.03	100	97	Peak	vertical
2	15570.000	41.65	38.33	3.32	54.00	-12.35	400	320	Average	vertical
3	15570.000	52.12	48.80	3.32	74.00	-21.88	400	320	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.000	41.42	45.60	-4.18	68.20	-26.78	400	154	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.000	45.52	49.70	-4.18	68.20	-22.68	286	0	Peak	vertical

Spurious Emissions, Bandedge, Band 2


802.11a Mode




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.000	42.94	0.52	42.42	54.00	-11.06	200	177	Average	Horizontal
2 *	5260.000	97.72	55.07	42.65	54.00	43.72	100	187	Average	Horizontal
3	5419.000	43.28	0.19	43.09	54.00	-10.72	100	187	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5134.000	43.10	0.70	42.40	54.00	-10.90	300	98	Average	vertical
2 *	5260.000	98.97	56.32	42.65	54.00	44.97	400	82	Average	vertical
3	5389.000	43.35	0.39	42.96	54.00	-10.65	400	151	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	55.17	12.70	42.47	74.00	-18.83	200	177	Peak	horizontal
2 *	5260.000	107.41	64.76	42.65	74.00	33.41	100	187	Peak	horizontal
3	5360.000	56.41	13.53	42.88	74.00	-17.59	100	187	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5122.500	55.59	13.25	42.34	74.00	-18.41	300	198	Peak	vertical
2 *	5260.000	107.10	64.45	42.65	74.00	33.10	400	82	Peak	vertical
3	5428.000	55.61	12.48	43.13	74.00	-18.39	400	151	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.000	43.09	0.65	42.44	54.00	-10.91	100	165	Average	Horizontal
2 *	5300.000	101.15	58.55	42.60	54.00	47.15	400	197	Average	Horizontal
3	5373.500	43.67	0.75	42.92	54.00	-10.33	200	319	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.000	42.90	0.46	42.44	54.00	-11.10	300	57	Average	vertical
2 *	5300.000	95.59	52.99	42.60	54.00	41.59	200	81	Average	vertical
3	5451.500	43.42	0.18	43.24	54.00	-10.58	400	299	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5037.000	55.48	13.04	42.44	74.00	-18.52	100	165	Peak	horizontal
2 *	5300.000	108.76	66.16	42.60	74.00	34.76	400	197	Peak	horizontal
3	5416.000	55.63	12.56	43.07	74.00	-18.37	200	319	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5015.000	55.10	12.72	42.38	74.00	-18.90	300	57	Peak	vertical
2 *	5300.000	102.67	60.07	42.60	74.00	28.67	200	81	Peak	vertical
3	5359.500	55.36	12.48	42.88	74.00	-18.64	400	299	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5139.000	42.67	0.25	42.42	54.00	-11.33	114	116	Average	Horizontal
2 *	5320.000	99.88	57.18	42.70	54.00	45.88	114	116	Average	Horizontal
3	5350.000	45.39	2.54	42.85	54.00	-8.61	114	116	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.000	42.59	0.15	42.44	54.00	-11.41	100	120	Average	Vertical
2 *	5320.000	97.03	54.33	42.70	54.00	43.03	100	120	Average	Vertical
3	5350.500	43.44	0.59	42.85	54.00	-10.56	100	120	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5069.000	55.74	13.35	42.39	74.00	-18.26	114	116	Peak	Horizontal
2 *	5320.000	109.64	66.94	42.70	74.00	35.64	114	116	Peak	Horizontal
3	5351.500	57.90	15.05	42.85	74.00	-16.10	114	116	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	54.87	12.41	42.46	74.00	-19.13	100	120	Peak	Vertical
2 *	5320.000	106.48	63.78	42.70	74.00	32.48	100	120	Peak	Vertical
3	5350.000	56.73	13.88	42.85	74.00	-17.27	100	120	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4845.000	43.54	1.54	42.00	54.00	-10.46	340	201	Average	Horizontal
2 *	5290.000	93.38	50.76	42.62	54.00	39.38	340	201	Average	Horizontal
3 !	5358.500	52.00	9.12	42.88	54.00	-2.00	349	201	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5137.500	43.05	0.64	42.41	54.00	-10.95	124	191	Average	Vertical
2 *	5290.000	86.40	43.78	42.62	54.00	32.40	124	191	Average	Vertical
3	5351.000	46.44	3.59	42.85	54.00	-7.56	124	191	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5119.000	56.20	13.88	42.32	74.00	-17.80	340	201	Peak	Horizontal
2 *	5290.000	103.11	60.49	42.62	74.00	29.11	340	201	Peak	Horizontal
3	5360.000	66.05	23.17	42.88	74.00	-7.95	386	194	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5115.000	56.25	13.95	42.30	74.00	-17.75	124	191	Peak	Vertical
2 *	5290.000	95.98	53.36	42.62	74.00	21.98	124	191	Peak	Vertical
3	5357.500	59.41	16.54	42.87	74.00	-14.59	124	191	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5148.500	42.97	0.51	42.46	54.00	-11.03	300	15 Average	Horizontal
2 *	5260.000	94.63	51.98	42.65	54.00	40.63	100	116 Average	Horizontal
3	5432.000	43.22	0.07	43.15	54.00	-10.78	300	51 Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.500	42.91	0.47	42.44	54.00	-11.09	200	59	Average	vertical
2 *	5260.000	93.98	51.33	42.65	54.00	39.98	400	95	Average	vertical
3	5390.500	43.32	0.36	42.96	54.00	-10.68	300	105	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.500	55.11	12.98	42.13	74.00	-18.89	300	15	Peak	horizontal
2 *	5260.000	106.57	63.92	42.65	74.00	32.57	100	116	Peak	horizontal
3	5351.500	55.55	12.70	42.85	74.00	-18.45	300	51	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5019.000	55.44	13.04	42.40	74.00	-18.56	200	59	Peak	vertical
2 *	5260.000	107.24	64.59	42.65	74.00	33.24	400	95	Peak	vertical
3	5404.000	55.83	12.81	43.02	74.00	-18.17	300	165	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	43.03	0.57	42.46	54.00	-10.97	300	329	Average	Horizontal
2 *	5300.000	100.07	57.47	42.60	54.00	46.07	372	360	Average	Horizontal
3	5352.000	43.80	0.95	42.85	54.00	-10.20	200	215	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5137.500	42.87	0.46	42.41	54.00	-11.13	400	0	Average	vertical
2 *	5300.000	96.69	54.09	42.60	54.00	42.69	200	78	Average	vertical
3	5360.500	43.41	0.53	42.88	54.00	-10.59	100	266	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5128.000	55.35	12.99	42.36	74.00	-18.65	300	329	Peak	horizontal
2 *	5300.000	109.37	66.77	42.60	74.00	35.37	372	360	Peak	horizontal
3	5442.000	55.47	12.27	43.20	74.00	-18.53	200	215	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5115.000	55.34	13.04	42.30	74.00	-18.66	400	0	Peak	vertical
2 *	5300.000	103.50	60.90	42.60	74.00	29.50	200	78	Peak	vertical
3	5429.000	55.38	12.24	43.14	74.00	-18.62	100	266	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.500	42.69	0.23	42.46	54.00	-11.31	112	115	Average	Horizontal
2 *	5320.000	99.90	57.20	42.70	54.00	45.90	112	115	Average	Horizontal
3	5350.000	45.90	3.05	42.85	54.00	-8.10	112	115	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5084.000	42.52	0.21	42.31	54.00	-11.48	100	120	Average	Vertical
2 *	5320.000	97.20	54.50	42.70	54.00	43.20	100	120	Average	Vertical
3	5350.000	44.31	1.46	42.85	54.00	-9.69	100	120	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5049.500	55.76	13.28	42.48	74.00	-18.24	112	115	Peak	Horizontal
2 *	5320.000	108.95	66.25	42.70	74.00	34.95	112	115	Peak	Horizontal
3	5353.000	58.06	15.20	42.86	74.00	-15.94	112	115	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.500	55.57	13.10	42.47	74.00	-18.43	100	120	Peak	Vertical
2 *	5320.000	107.02	64.32	42.70	74.00	33.02	100	120	Peak	Vertical
3	5355.500	56.81	13.95	42.86	74.00	-17.19	100	120	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4805.500	44.62	2.73	41.89	54.00	-9.38	400	203	Average	Horizontal
2 *	5270.000	98.09	55.45	42.64	54.00	44.09	400	181	Average	Horizontal
3	5352.000	43.60	0.75	42.85	54.00	-10.40	100	360	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.500	43.04	0.58	42.46	54.00	-10.96	400	29	Average	vertical
2 *	5270.000	93.81	51.17	42.64	54.00	39.81	100	192	Average	vertical
3	5364.500	43.32	0.43	42.89	54.00	-10.68	100	58	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5134.000	55.60	13.20	42.40	74.00	-18.40	400	203	Peak	horizontal
2 *	5270.000	106.08	63.44	42.64	74.00	32.08	400	181	Peak	horizontal
3	5402.500	56.33	13.33	43.00	74.00	-17.67	100	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5066.000	55.27	12.87	42.40	74.00	-18.73	400	29	Peak	vertical
2 *	5270.000	100.96	58.32	42.64	74.00	26.96	100	192	Peak	vertical
3	5374.500	55.48	12.56	42.92	74.00	-18.52	100	58	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.000	42.83	0.36	42.47	54.00	-11.17	100	116	Average	Horizontal
2 *	5310.000	94.96	52.31	42.65	54.00	40.96	100	116	Average	Horizontal
3 !	5350.500	53.24	10.39	42.85	54.00	-0.76	214	194	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.000	42.81	0.36	42.45	54.00	-11.19	390	92	Average	Vertical
2 *	5310.000	95.97	53.32	42.65	54.00	41.97	390	92	Average	Vertical
3 !	5350.000	51.32	8.47	42.85	54.00	-2.68	399	82	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.000	55.50	13.05	42.45	74.00	-18.50	100	116	Peak	Horizontal
2 *	5310.000	105.22	62.57	42.65	74.00	31.22	100	116	Peak	Horizontal
3 !	5353.500	69.93	27.07	42.86	74.00	-4.07	214	194	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5077.500	54.97	12.63	42.34	74.00	-19.03	390	92	Peak	Vertical
2 *	5310.000	104.98	62.33	42.65	74.00	30.98	390	92	Peak	Vertical
3 !	5353.500	68.72	25.86	42.86	74.00	-5.28	399	82	Peak	Vertical


Spurious Emissions, TX Mode, 9kHz-30MHz, Band 2



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.015	70.52	-4.91	75.43	123.83	-53.31	100	89 QP		Horizontal
2	0.033	62.44	-7.25	69.69	117.14	-54.70	100	155 QP		Horizontal
3	0.059	55.58	-8.16	63.74	112.13	-56.55	100	231 QP		Horizontal
4	0.072	53.30	-8.86	62.16	110.48	-57.18	100	25 QP		Horizontal
5	0.087	51.19	-9.50	60.69	108.81	-57.62	100	74 QP		Horizontal
6	0.102	49.96	-9.17	59.13	107.42	-57.46	100	96 QP		Horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	0.335	48.84	-0.88	49.72	97.10	-48.26	100	12 QP	Horizontal
2	7.362	40.32	2.06	38.26	69.50	-29.18	100	221 QP	Horizontal
3	11.454	39.72	2.47	37.25	69.50	-29.78	100	23 QP	Horizontal
4	16.705	38.58	1.32	37.26	69.50	-30.92	100	93 QP	Horizontal
5	24.451	36.66	2.18	34.48	69.50	-32.84	100	29 QP	Horizontal
6	28.812	39.02	2.19	36.83	69.50	-30.48	100	136 QP	Horizontal


Spurious Emissions, TX Mode, 30MHz-1GHz, Band 2



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	45.811	23.27	29.41	-6.14	40.00	-16.73	300	216 QP		horizontal
2	167.061	29.58	35.52	-5.94	43.50	-13.92	300	53 QP		horizontal
3	214.979	35.54	43.94	-8.40	43.50	-7.96	100	235 QP		horizontal
4	399.958	31.47	34.65	-3.18	46.00	-14.53	300	105 QP		horizontal
5	599.972	31.86	31.69	0.17	46.00	-14.14	146	360 QP		horizontal
6	847.613	33.58	30.13	3.45	46.00	-12.42	100	229 QP		horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	44.453	31.41	37.64	-6.23	40.00	-8.59	100	187	QP	vertical
2	81.313	25.03	36.12	-11.09	40.00	-14.97	100	213	QP	vertical
3	161.047	26.29	32.24	-5.95	43.50	-17.21	100	8	QP	vertical
4	216.337	30.10	38.49	-8.39	46.00	-15.90	200	197	QP	vertical
5	437.885	30.81	33.19	-2.38	46.00	-15.19	100	161	QP	vertical
6	845.867	34.35	30.91	3.44	46.00	-11.65	400	322	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz, Band 2


802.11a Mode




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.000	46.15	50.25	-4.10	68.20	-22.05	400	167	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.000	49.50	53.60	-4.10	68.20	-18.70	355	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.100	44.74	48.58	-3.84	74.00	-29.26	376	360	Peak	horizontal
2	15900.000	45.73	41.60	4.13	54.00	-8.27	100	306	Average	horizontal
3	15900.000	54.01	49.88	4.13	74.00	-19.99	100	306	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.100	40.92	44.76	-3.84	54.00	-13.08	318	360	Average	vertical
2	10600.100	50.46	54.30	-3.84	74.00	-23.54	318	360	Peak	vertical
3	15900.000	47.48	43.35	4.13	54.00	-6.52	400	319	Average	vertical
4	15900.000	53.68	49.55	4.13	74.00	-20.32	400	319	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.000	46.85	50.61	-3.76	74.00	-27.15	400	336	Peak	horizontal
2	15960.000	44.05	39.97	4.08	54.00	-9.95	100	298	Average	horizontal
3	15960.000	53.04	48.96	4.08	74.00	-20.96	100	298	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.000	43.40	47.16	-3.76	54.00	-10.60	302	360	Average	vertical
2	10640.000	51.48	55.24	-3.76	74.00	-22.52	302	360	Peak	vertical
3	15960.000	45.69	41.61	4.08	54.00	-8.31	400	57	Average	vertical
4	15960.000	52.98	48.90	4.08	74.00	-21.02	400	57	Peak	vertical



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.000	40.05	43.95	-3.90	68.20	-28.15	367	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.000	42.46	46.36	-3.90	68.20	-25.74	300	361	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.000	45.62	49.72	-4.10	68.20	-22.58	100	245	Peak	horizontal
2	15780.000	44.25	40.67	3.58	54.00	-9.75	400	27	Average	horizontal
3	15780.000	55.05	51.47	3.58	74.00	-18.95	400	27	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.000	47.25	51.35	-4.10	68.20	-20.95	205	0	Peak	vertical
2	15780.000	47.38	43.80	3.58	54.00	-6.62	400	320	Average	vertical
3	15780.000	55.15	51.57	3.58	74.00	-18.85	400	320	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.000	47.44	51.28	-3.84	68.20	-20.76	300	154	Peak	horizontal
2	15900.000	45.14	41.01	4.13	54.00	-8.86	400	307	Average	horizontal
3	15900.000	54.13	50.00	4.13	74.00	-19.87	400	307	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.000	42.51	46.35	-3.84	54.00	-11.49	237	0	Average	vertical
2	10600.000	51.82	55.66	-3.84	68.20	-16.38	237	0	Peak	vertical
3	15900.000	45.69	41.56	4.13	54.00	-8.31	400	93	Average	vertical
4	15900.000	54.84	50.71	4.13	74.00	-19.16	400	93	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.000	40.35	44.11	-3.76	54.00	-13.65	400	150	Average	horizontal
2	10640.000	48.74	52.50	-3.76	74.00	-25.26	400	150	Peak	horizontal
3	15960.000	47.39	43.31	4.08	54.00	-6.61	400	319	Average	horizontal
4	15960.000	55.65	51.57	4.08	74.00	-18.35	400	319	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.000	43.85	47.61	-3.76	54.00	-10.15	253	0	Average	vertical
2	10640.000	53.68	57.44	-3.76	74.00	-20.32	253	0	Peak	vertical
3	15960.000	46.86	42.78	4.08	54.00	-7.14	400	122	Average	vertical
4	15960.000	54.62	50.54	4.08	74.00	-19.38	400	122	Peak	vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.000	43.13	47.17	-4.04	68.20	-25.07	400	275	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.000	46.60	50.64	-4.04	68.20	-21.60	300	1	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.000	46.60	50.40	-3.80	74.00	-27.40	400	150	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.000	48.08	51.88	-3.80	74.00	-25.92	300	22	Peak	vertical

Spurious Emissions, Bandedge, Band 3


802.11a Mode




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5443.500	45.79	2.59	43.20	54.00	-8.21	131	191	Average	Horizontal
2 *	5500.000	98.57	55.39	43.18	54.00	44.57	131	191	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5385.000	44.95	2.00	42.95	54.00	-9.05	400	90	Average	Vertical
2 *	5500.000	98.17	54.99	43.18	54.00	44.17	400	90	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.000	56.43	13.20	43.23	74.00	-17.57	131	191	Peak	Horizontal
2	5470.000	59.38	16.17	43.21	68.20	-8.82	131	191	Peak	Horizontal
3 *	5500.000	108.01	64.83	43.18	68.20	39.81	131	191	Peak	Horizontal
4	5827.000	56.75	13.07	43.68	68.20	-11.45	131	191	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5217.500	55.76	13.13	42.63	74.00	-18.24	400	90	Peak	Vertical
2	5469.000	57.73	14.52	43.21	68.20	-10.47	400	90	Peak	Vertical
3 *	5500.000	107.40	64.22	43.18	68.20	39.20	400	90	Peak	Vertical
4	5764.500	57.97	14.39	43.58	68.20	-10.23	400	90	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.500	43.35	0.13	43.22	54.00	-10.65	200	335	Average	Horizontal
2 *	5580.000	95.70	52.52	43.18	54.00	41.70	200	198	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.000	43.26	0.04	43.22	54.00	-10.74	400	205	Average	vertical
2 *	5580.000	95.04	51.86	43.18	54.00	41.04	400	101	Average	vertical