







	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5439.000	55.94	12.75	43.19	74.00	-18.06	200	335	Peak	horizontal
2	5461.500	54.89	11.66	43.23	68.20	-13.31	200	109	Peak	horizontal
3 *	5580.000	103.61	60.43	43.18	68.20	35.41	200	198	Peak	horizontal
4	5845.500	56.93	13.20	43.73	68.20	-11.27	100	178	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5435.500	55.44	12.28	43.16	74.00	-18.56	400	205	Peak	vertical
2	5460.500	54.70	11.47	43.23	68.20	-13.50	400	88	Peak	vertical
3 *	5580.000	102.92	59.74	43.18	68.20	34.72	400	101	Peak	vertical
4	5738.000	57.45	13.91	43.54	68.20	-10.75	100	299	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5237.000	44.63	1.98	42.65	74.00	-29.37	340	0	Peak	Horizontal
2 *	5700.000	99.17	55.74	43.43	68.20	30.97	340	0	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5164.000	44.46	1.95	42.51	54.00	-9.54	332	183	Average	Vertical
2 *	5700.000	97.43	54.00	43.43	54.00	43.43	332	183	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5213.500	55.48	12.85	42.63	74.00	-18.52	340	0	Peak	Horizontal
2	5467.000	55.05	11.83	43.22	68.20	-13.15	340	0	Peak	Horizontal
3 *	5700.000	108.12	64.69	43.43	68.20	39.92	340	0	Peak	Horizontal
4 !	5727.000	65.28	21.78	43.50	68.20	-2.92	337	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5204.000	55.61	12.99	42.62	74.00	-18.39	332	183	Peak	Vertical
2	5460.000	54.80	11.58	43.22	68.20	-13.40	332	183	Peak	Vertical
3 *	5700.000	106.87	63.44	43.43	68.20	38.67	332	183	Peak	Vertical
4 !	5728.500	63.04	19.53	43.51	68.20	-5.16	332	183	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	5460.000	49.78	6.56	43.22	54.00	-4.22	106	188	Average Horizontal
2 *	5530.000	87.15	43.95	43.20	54.00	33.15	106	188	Average Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5455.500	49.63	6.40	43.23	54.00	-4.37	377	98	Average	Vertical
2 *	5530.000	87.01	43.81	43.20	54.00	33.01	377	98	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.000	60.23	17.00	43.23	74.00	-13.77	106	188	Peak	Horizontal
2	5469.500	66.21	23.00	43.21	68.20	-1.99	106	188	Peak	Horizontal
3	5530.000	97.93	54.73	43.20	68.20	29.73	106	188	Peak	Horizontal
4	5802.500	56.54	12.93	43.61	68.20	-11.66	106	188	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.500	59.71	16.49	43.22	74.00	-14.29	377	98	Peak	Vertical
2	5468.500	64.90	21.69	43.21	68.20	-3.30	377	98	Peak	Vertical
3	5530.000	96.64	53.44	43.20	68.20	28.44	377	98	Peak	Vertical
4	5849.000	56.93	13.18	43.75	68.20	-11.27	377	98	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5165.500	47.01	4.49	42.52	54.00	-6.99	300	161	Average	Horizontal
2 *	5610.000	91.81	48.63	43.18	54.00	37.81	300	7	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5159.500	43.39	0.89	42.50	54.00	-10.61	250	214	Average	vertical
2 *	5610.000	88.21	45.03	43.18	54.00	34.21	200	187	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5159.500	57.40	14.90	42.50	74.00	-16.60	300	161	Peak	horizontal
2	5460.500	56.03	12.80	43.23	68.20	-12.17	300	192	Peak	horizontal
3 *	5610.000	102.92	59.74	43.18	68.20	34.72	300	7	Peak	horizontal
4	5726.000	58.15	14.65	43.50	68.20	-10.05	342	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5415.000	55.15	12.08	43.07	74.00	-18.85	200	214	Peak	vertical
2	5467.000	54.87	11.65	43.22	68.20	-13.33	272	0	Peak	vertical
3 *	5610.000	99.67	56.49	43.18	68.20	31.47	200	187	Peak	vertical
4	5832.500	58.01	14.31	43.70	68.20	-10.19	149	360	Peak	vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.500	45.25	2.02	43.23	54.00	-8.75	367	195	Average	Horizontal
2 *	5500.000	102.79	59.61	43.18	54.00	48.79	367	195	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.000	43.89	0.67	43.22	54.00	-10.11	355	338	Average	Vertical
2 *	5500.000	98.55	55.37	43.18	54.00	44.55	355	338	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5428.500	56.54	13.41	43.13	74.00	-17.46	367	195	Peak	Horizontal
2	5470.000	65.18	21.97	43.21	68.20	-3.02	367	195	Peak	Horizontal
3	5500.000	112.56	69.38	43.18	68.20	44.36	367	195	Peak	Horizontal
4	5837.000	57.05	13.34	43.71	68.20	-11.15	367	195	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.000	56.21	12.98	43.23	74.00	-17.79	355	338	Peak	Vertical
2	5469.500	60.46	17.25	43.21	68.20	-7.74	355	338	Peak	Vertical
3 *	5500.000	108.16	64.98	43.18	68.20	39.96	355	338	Peak	Vertical
4	5837.000	57.59	13.88	43.71	68.20	-10.61	355	338	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5444.500	43.59	0.38	43.21	54.00	-10.41	300	275	Average	Horizontal
2 *	5580.000	95.80	52.62	43.18	54.00	41.80	100	351	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.000	43.20	-0.04	43.24	74.00	-30.80	300	213	Peak	vertical
2 *	5580.000	95.47	52.29	43.18	68.20	27.27	400	93	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.500	55.85	12.71	43.14	74.00	-18.15	300	275	Peak	horizontal
2	5467.000	55.84	12.62	43.22	68.20	-12.36	200	360	Peak	horizontal
3 *	5580.000	104.18	61.00	43.18	68.20	35.98	100	351	Peak	horizontal
4	5835.500	57.55	13.85	43.70	68.20	-10.65	300	184	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5379.000	55.90	12.97	42.93	74.00	-18.10	300	213	Peak	vertical
2	5465.500	54.75	11.53	43.22	68.20	-13.45	200	276	Peak	vertical
3 *	5580.000	103.83	60.65	43.18	68.20	35.63	400	93	Peak	vertical
4	5818.500	57.05	13.39	43.66	68.20	-11.15	400	82	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5397.000	43.15	0.17	42.98	54.00	-10.85	244	184	Average	Horizontal
2 *	5700.000	97.04	53.61	43.43	54.00	43.04	244	184	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5228.500	43.06	0.42	42.64	54.00	-10.94	388	103	Average	Vertical
2 *	5700.000	97.93	54.50	43.43	54.00	43.93	388	103	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5332.000	55.53	12.77	42.76	74.00	-18.47	244	184	Peak	Horizontal
2	5466.000	55.38	12.16	43.22	68.20	-12.82	244	184	Peak	Horizontal
3 *	5700.000	105.94	62.51	43.43	68.20	37.74	244	184	Peak	Horizontal
4 !	5725.000	64.83	21.33	43.50	68.20	-3.37	244	184	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5420.000	55.62	12.53	43.09	74.00	-18.38	388	103	Peak	Vertical
2	5468.500	55.13	11.92	43.21	68.20	-13.07	388	103	Peak	Vertical
3 *	5700.000	107.92	64.49	43.43	68.20	39.72	388	103	Peak	Vertical
4 !	5725.000	64.67	21.17	43.50	68.20	-3.53	388	103	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5460.000	44.69	1.47	43.22	54.00	-9.31	329	198 Average	Horizontal
2 *	5510.000	93.51	50.32	43.19	54.00	39.51	329	198 Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.000	43.30	0.08	43.22	54.00	-10.70	108	315	Average	Vertical
2 *	5510.000	88.71	45.52	43.19	54.00	34.71	108	315	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5207.500	55.97	13.35	42.62	74.00	-18.03	329	198	Peak	Horizontal
2	5469.000	66.71	23.50	43.21	68.20	-1.49	317	196	Peak	Horizontal
3	5510.000	102.93	59.74	43.19	68.20	34.73	329	198	Peak	Horizontal
4	5827.000	56.34	12.66	43.68	68.20	-11.86	329	198	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5267.000	55.30	12.66	42.64	74.00	-18.70	108	315	Peak	Vertical
2	5470.000	62.67	19.46	43.21	68.20	-5.53	108	315	Peak	Vertical
3	5510.000	97.20	54.01	43.19	68.20	29.00	108	315	Peak	Vertical
4	5832.000	56.75	13.06	43.69	68.20	-11.45	108	315	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.500	43.75	0.52	43.23	54.00	-10.25	198	360	Average	Horizontal
2 *	5550.000	99.11	55.89	43.22	54.00	45.11	324	360	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.000	43.15	-0.08	43.23	54.00	-10.85	400	168	Average	vertical
2 *	5550.000	94.22	51.00	43.22	54.00	40.22	300	330	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5442.500	56.26	13.06	43.20	74.00	-17.74	198	360	Peak	horizontal
2	5464.500	55.26	12.04	43.22	68.20	-12.94	100	296	Peak	horizontal
3 *	5550.000	106.06	62.84	43.22	68.20	37.86	324	360	Peak	horizontal
4	5778.500	57.07	13.48	43.59	68.20	-11.13	100	252	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5432.000	56.14	12.99	43.15	74.00	-17.86	400	168	Peak	vertical
2	5466.000	54.92	11.70	43.22	68.20	-13.28	400	358	Peak	vertical
3 *	5550.000	103.60	60.38	43.22	68.20	35.40	300	330	Peak	vertical
4	5816.000	57.62	13.97	43.65	68.20	-10.58	198	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5207.000	45.26	2.64	42.62	54.00	-8.74	236	198	Average	Horizontal
2 *	5670.000	94.61	51.26	43.35	54.00	40.61	236	198	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5206.000	44.58	1.96	42.62	54.00	-9.42	392	96	Average	Vertical
2 *	5670.000	95.66	52.31	43.35	54.00	41.66	392	96	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5264.500	55.60	12.96	42.64	74.00	-18.40	236	198	Peak	Horizontal
2	5462.000	54.83	11.60	43.23	68.20	-13.37	236	198	Peak	Horizontal
3 *	5670.000	103.75	60.40	43.35	68.20	35.55	236	198	Peak	Horizontal
4	5735.500	57.01	13.48	43.53	68.20	-11.19	236	198	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5206.000	55.77	13.15	42.62	74.00	-18.23	392	96	Peak	Vertical
2	5460.500	54.50	11.27	43.23	68.20	-13.70	392	96	Peak	Vertical
3 *	5670.000	104.95	61.60	43.35	68.20	36.75	392	96	Peak	Vertical
4	5726.000	59.08	15.58	43.50	68.20	-9.12	392	96	Peak	Vertical


Spurious Emissions, TX Mode, 9kHz-30MHz, Band 3



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.009	77.78	-1.76	79.54	128.15	-50.37	100	159	QP	Horizontal
2	0.022	66.26	-5.93	72.19	120.76	-54.50	100	235	QP	Horizontal
3	0.038	60.84	-7.38	68.22	116.01	-55.17	100	355	QP	Horizontal
4	0.057	55.72	-8.31	64.03	112.43	-56.71	100	85	QP	Horizontal
5	0.081	53.40	-7.80	61.20	109.47	-56.07	100	56	QP	Horizontal
6	0.112	49.09	-9.48	58.57	106.63	-57.54	100	36	QP	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.422	47.76	-0.25	48.01	95.10	-47.34	100	25	QP	Horizontal
2	2.822	40.26	1.96	38.30	69.50	-29.24	100	85	QP	Horizontal
3	8.263	40.09	2.09	38.00	69.50	-29.41	100	88	QP	Horizontal
4	13.033	38.93	1.51	37.42	69.50	-30.57	100	125	QP	Horizontal
5	19.445	37.19	0.83	36.36	69.50	-32.31	100	78	QP	Horizontal
6	24.176	37.45	2.72	34.73	69.50	-32.05	100	236	QP	Horizontal


Spurious Emissions, TX Mode, 30MHz-1GHz, Band 3



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg		
1	80.731	22.53	33.50	-10.97	40.00	-17.47	300	157	QP	horizontal
2	165.800	31.11	37.03	-5.92	43.50	-12.39	200	106	QP	horizontal
3	217.210	37.82	46.21	-8.39	46.00	-8.18	100	227	QP	horizontal
4	330.409	27.95	32.08	-4.13	46.00	-18.05	100	180	QP	horizontal
5	399.958	32.42	35.60	-3.18	46.00	-13.58	100	91	QP	horizontal
6	599.972	31.30	31.13	0.17	46.00	-14.70	306	360	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	44.356	32.45	38.69	-6.24	40.00	-7.55	100	184 QP		vertical
2	81.022	25.50	36.53	-11.03	40.00	-14.50	100	261 QP		vertical
3	166.188	26.27	32.20	-5.93	43.50	-17.23	131	360 QP		vertical
4	212.845	30.45	38.82	-8.37	43.50	-13.05	200	170 QP		vertical
5	398.212	30.04	33.24	-3.20	46.00	-15.96	100	207 QP		vertical
6	599.972	31.19	31.02	0.17	46.00	-14.81	100	274 QP		vertical

Spurious Emissions, TX Mode, 1GHz-40GHz, Band 3


802.11a Mode




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.000	45.24	47.19	-1.95	54.00	-8.76	100	262	Average	horizontal
2	11000.000	56.18	58.13	-1.95	74.00	-17.82	100	262	Peak	horizontal
3	16500.000	55.32	48.53	6.79	68.20	-12.88	100	205	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.000	48.15	50.10	-1.95	54.00	-5.85	311	0	Average	vertical
2	11000.000	59.39	61.34	-1.95	74.00	-14.61	311	0	Peak	vertical
3	16500.000	55.72	48.93	6.79	68.20	-12.48	300	96	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.000	47.84	49.48	-1.64	54.00	-6.16	100	297	Average	horizontal
2	11160.000	59.62	61.26	-1.64	74.00	-14.38	100	297	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.000	46.62	48.26	-1.64	54.00	-7.38	262	0	Average	vertical
2	11160.000	57.32	58.96	-1.64	74.00	-16.68	262	0	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.000	45.77	46.91	-1.14	74.00	-28.23	300	351	Peak	horizontal
2	17100.000	56.45	49.24	7.21	68.20	-11.75	100	312	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.000	41.15	42.29	-1.14	54.00	-12.85	284	0	Average	vertical
2	11400.000	52.82	53.96	-1.14	74.00	-21.18	284	0	Peak	vertical
3	17100.000	57.25	50.04	7.21	68.20	-10.95	100	299	Peak	vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.000	45.52	47.33	-1.81	74.00	-28.48	100	289	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.000	47.29	49.10	-1.81	74.00	-26.71	300	353	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.000	42.97	44.52	-1.55	54.00	-11.03	100	297	Average	horizontal
2	11220.000	55.21	56.76	-1.55	74.00	-18.79	100	297	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.000	40.29	41.84	-1.55	54.00	-13.71	224	296	Average	vertical
2	11220.000	55.16	56.71	-1.55	74.00	-18.84	224	296	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.000	45.33	47.28	-1.95	54.00	-8.67	102	287	Average	horizontal
2	11000.000	59.07	61.02	-1.95	74.00	-14.93	102	287	Peak	horizontal
3	16500.000	58.17	51.38	6.79	68.20	-10.03	100	24	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.000	48.38	50.33	-1.95	54.00	-5.62	302	0	Average	vertical
2	11000.000	62.16	64.11	-1.95	74.00	-11.84	302	0	Peak	vertical
3	16500.000	60.23	53.44	6.79	68.20	-7.97	300	102	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.000	47.70	49.34	-1.64	54.00	-6.30	100	298	Average	horizontal
2	11160.000	61.77	63.41	-1.64	74.00	-12.23	100	298	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.000	46.65	48.29	-1.64	54.00	-7.35	255	0	Average	vertical
2	11160.000	60.81	62.45	-1.64	74.00	-13.19	255	0	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.000	47.39	48.53	-1.14	74.00	-26.61	200	213	Peak	horizontal
2	17100.000	57.74	50.53	7.21	68.20	-10.46	100	299	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.000	38.79	39.93	-1.14	54.00	-15.21	282	0	Average	vertical
2	11400.000	52.34	53.48	-1.14	74.00	-21.66	282	0	Peak	vertical
3	17100.000	60.80	53.59	7.21	68.20	-7.40	300	330	Peak	vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.000	45.46	47.37	-1.91	74.00	-28.54	200	295	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.000	46.65	48.56	-1.91	74.00	-27.35	300	361	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.000	43.66	45.38	-1.72	54.00	-10.34	108	296	Average	horizontal
2	11100.000	57.32	59.04	-1.72	74.00	-16.68	108	296	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.000	44.66	46.38	-1.72	54.00	-9.34	247	0	Average	vertical
2	11100.000	58.90	60.62	-1.72	74.00	-15.10	247	0	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.000	46.18	47.46	-1.28	74.00	-27.82	300	161	Peak	horizontal
2	17010.000	53.63	46.18	7.45	68.20	-14.57	300	18	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.000	47.23	48.51	-1.28	74.00	-26.77	268	0	Peak	vertical
2	17010.000	55.46	48.01	7.45	68.20	-12.74	400	209	Peak	vertical

Spurious Emissions, Bandedge, Band 4


802.11a Mode




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	Level	Factor	Line	Limit			
		dBuV	dB/m	dBuV/m	dB	cm	deg	
1 * 5745.000	98.37	54.81	43.56	54.00	44.37	336	360 Average	Horizontal




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	Level	Factor	Line	Limit			
		dBuV	dB/m	dBuV/m	dB	cm	deg	
1 * 5745.000	98.03	54.47	43.56	54.00	44.03	400	106 Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5559.000	56.40	13.20	43.20	68.20	-11.80	400	143	Peak	horizontal
2	5668.500	55.69	12.34	43.35	81.93	-26.24	201	0	Peak	horizontal
3	5719.000	60.25	16.76	43.49	110.52	-50.27	307	360	Peak	horizontal
4	5724.500	65.21	21.71	43.50	121.06	-55.85	100	250	Peak	horizontal
5	5745.000	107.29	63.73	43.56	122.20	-14.91	336	360	Peak	horizontal
6	5852.500	56.67	12.91	43.76	116.50	-59.83	200	229	Peak	horizontal
7	5874.500	56.55	12.74	43.81	105.34	-48.79	122	330	Peak	horizontal
8	5893.000	56.97	13.10	43.87	91.84	-34.87	300	192	Peak	horizontal
9	5947.500	57.00	13.08	43.92	68.20	-11.20	300	303	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5462.000	55.96	12.73	43.23	68.20	-12.24	300	102	Peak	vertical
2	5685.000	56.17	12.78	43.39	94.13	-37.96	100	162	Peak	vertical
3	5719.500	62.72	19.23	43.49	110.66	-47.94	400	95	Peak	vertical
4	5724.000	63.65	20.15	43.50	119.92	-56.27	300	173	Peak	vertical
5	5745.000	105.82	62.26	43.56	122.20	-16.38	400	106	Peak	vertical
6	5851.000	55.54	11.79	43.75	119.92	-64.38	400	200	Peak	vertical
7	5859.000	55.41	11.64	43.77	109.68	-54.27	200	67	Peak	vertical
8	5895.000	56.81	12.94	43.87	90.36	-33.55	146	360	Peak	vertical
9	5989.500	57.52	13.57	43.95	68.20	-10.68	400	95	Peak	vertical




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.000	97.34	53.74	43.60	54.00	43.34	342	201 Average	Horizontal	




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.000	94.34	50.74	43.60	54.00	40.34	300	77	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5605.000	56.73	13.56	43.17	68.20	-11.47	100	356	Peak	horizontal
2	5664.000	56.01	12.68	43.33	78.59	-22.58	200	138	Peak	horizontal
3	5714.500	55.61	12.14	43.47	109.26	-53.65	300	98	Peak	horizontal
4	5720.500	55.02	11.53	43.49	111.94	-56.92	308	360	Peak	horizontal
5	5785.000	105.52	61.92	43.60	122.20	-16.68	342	201	Peak	horizontal
6	5851.000	55.52	11.77	43.75	119.92	-64.40	400	353	Peak	horizontal
7	5869.000	56.18	12.38	43.80	106.88	-50.70	400	160	Peak	horizontal
8	5881.500	56.03	12.20	43.83	100.37	-44.34	300	144	Peak	horizontal
9	5980.000	56.77	12.83	43.94	68.20	-11.43	200	234	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5472.000	56.19	12.97	43.22	68.20	-12.01	300	77	Peak	vertical
2	5664.000	56.51	13.18	43.33	78.59	-22.08	300	356	Peak	vertical
3	5713.000	56.09	12.62	43.47	108.84	-52.75	120	360	Peak	vertical
4	5722.500	54.09	10.60	43.49	116.50	-62.41	298	0	Peak	vertical
5	5785.000	104.43	60.83	43.60	122.20	-17.77	400	88	Peak	vertical
6	5851.500	56.00	12.25	43.75	118.78	-62.78	200	262	Peak	vertical
7	5862.500	55.97	12.19	43.78	108.70	-52.73	356	360	Peak	vertical
8	5892.500	57.28	13.42	43.86	92.21	-34.93	100	148	Peak	vertical
9	5952.000	56.49	12.57	43.92	68.20	-11.71	125	98	Peak	vertical




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5825.000	96.76	53.08	43.68	54.00	42.76	300	239	Average	Horizontal



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5825.000	98.88	55.20	43.68	54.00	44.88	400	89	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5572.000	56.01	12.82	43.19	68.20	-12.19	400	360	Peak	horizontal
2	5690.500	56.10	12.70	43.40	98.20	-42.10	100	157	Peak	horizontal
3	5700.500	55.74	12.31	43.43	105.34	-49.60	100	360	Peak	horizontal
4	5721.500	55.59	12.10	43.49	114.22	-58.63	366	360	Peak	horizontal
5	5825.000	105.96	62.28	43.68	122.20	-16.24	300	239	Peak	horizontal
6	5850.000	59.08	15.33	43.75	122.20	-63.12	268	0	Peak	horizontal
7	5855.000	56.91	13.15	43.76	110.80	-53.89	392	360	Peak	horizontal
8	5906.000	56.91	13.02	43.89	82.22	-25.31	100	87	Peak	horizontal
9	6000.000	57.18	13.22	43.96	68.20	-11.02	100	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5567.000	56.07	12.87	43.20	68.20	-12.13	400	246	Peak	vertical
2	5660.000	56.27	12.95	43.32	75.63	-19.36	400	64	Peak	vertical
3	5708.000	55.05	11.59	43.46	107.44	-52.39	100	148	Peak	vertical
4	5720.000	54.98	11.49	43.49	110.80	-55.82	200	173	Peak	vertical
5	5825.000	106.04	62.36	43.68	122.20	-16.16	400	89	Peak	vertical
6	5851.000	59.00	15.25	43.75	119.92	-60.92	400	92	Peak	vertical
7	5862.500	56.00	12.22	43.78	108.70	-52.70	271	0	Peak	vertical
8	5889.000	58.60	14.74	43.86	94.81	-36.21	400	0	Peak	vertical
9	5988.500	57.36	13.41	43.95	68.20	-10.84	300	54	Peak	vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 * 5775.000	93.11	49.52	43.59	54.00	39.11	250	197 Average	Horizontal



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5775.000	95.75	52.16	43.59	54.00	41.75	400	100	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.000	60.36	17.07	43.29	68.20	-7.84	125	265	Peak	horizontal
2	5698.000	76.16	32.73	43.43	103.73	-27.57	300	360	Peak	horizontal
3	5711.000	77.85	34.39	43.46	108.28	-30.43	200	360	Peak	horizontal
4	5721.500	78.00	34.51	43.49	114.22	-36.22	295	0	Peak	horizontal
5	5775.000	100.79	57.20	43.59	122.20	-21.41	250	197	Peak	horizontal
6	5851.000	73.55	29.80	43.75	119.92	-46.37	300	70	Peak	horizontal
7	5856.500	69.29	25.53	43.76	110.38	-41.09	132	360	Peak	horizontal
8	5876.500	62.65	18.83	43.82	104.09	-41.44	292	0	Peak	horizontal
9	5963.500	57.25	13.32	43.93	68.20	-10.95	400	301	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5562.000	56.76	13.55	43.21	68.20	-11.44	300	296	Peak	vertical
2	5695.500	73.78	30.36	43.42	101.88	-28.10	400	82	Peak	vertical
3	5718.500	77.51	34.02	43.49	110.38	-32.87	400	79	Peak	vertical
4	5722.000	77.68	34.19	43.49	115.36	-37.68	400	111	Peak	vertical
5	5775.000	101.42	57.83	43.59	122.20	-20.78	400	100	Peak	vertical
6	5851.000	72.33	28.58	43.75	119.92	-47.59	223	178	Peak	vertical
7	5858.500	69.08	25.31	43.77	109.82	-40.74	400	106	Peak	vertical
8	5877.000	62.84	19.02	43.82	103.71	-40.87	400	89	Peak	vertical
9	5952.500	58.58	14.66	43.92	68.20	-9.62	100	108	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5745.000	96.31	52.75	43.56	54.00	42.31	300	191	Average	Horizontal




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	Level	Factor	Line	Limit			
		dBuV	dB/m	dBuV/m	dB	cm	deg	
1 * 5745.000	98.59	55.03	43.56	54.00	44.59	400	101 Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5496.500	56.51	13.32	43.19	68.20	-11.69	300	351	Peak	horizontal
2	5664.000	55.86	12.53	43.33	78.59	-22.73	330	360	Peak	horizontal
3	5720.000	62.48	18.99	43.49	110.80	-48.32	300	189	Peak	horizontal
4	5724.000	74.43	30.93	43.50	119.92	-45.49	237	0	Peak	horizontal
5	5745.000	104.64	61.08	43.56	122.20	-17.56	300	191	Peak	horizontal
6	5851.000	56.09	12.34	43.75	119.92	-63.83	100	110	Peak	horizontal
7	5874.500	56.95	13.14	43.81	105.34	-48.39	100	124	Peak	horizontal
8	5921.500	57.41	13.51	43.90	70.78	-13.37	200	35	Peak	horizontal
9	5932.500	56.92	13.01	43.91	68.20	-11.28	373	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.000	55.96	12.69	43.27	68.20	-12.24	300	90	Peak	vertical
2	5663.000	55.91	12.58	43.33	77.85	-21.94	200	319	Peak	vertical
3	5720.000	58.59	15.10	43.49	110.80	-52.21	400	109	Peak	vertical
4	5723.500	71.83	28.33	43.50	118.78	-46.95	400	109	Peak	vertical
5	5745.000	106.45	62.89	43.56	122.20	-15.75	400	101	Peak	vertical
6	5852.500	57.14	13.38	43.76	116.50	-59.36	300	192	Peak	vertical
7	5859.000	56.25	12.48	43.77	109.68	-53.43	400	129	Peak	vertical
8	5913.000	56.34	12.45	43.89	77.05	-20.71	300	311	Peak	vertical
9	5940.500	57.53	13.62	43.91	68.20	-10.67	101	360	Peak	vertical




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.000	96.04	52.44	43.60	54.00	42.04	300	119	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.000	99.20	55.60	43.60	54.00	45.20	400	91	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.500	56.60	13.32	43.28	68.20	-11.60	200	184	Peak	horizontal
2	5695.000	55.91	12.49	43.42	101.51	-45.60	200	0	Peak	horizontal
3	5710.500	56.38	12.92	43.46	108.14	-51.76	300	74	Peak	horizontal
4	5723.500	55.13	11.63	43.50	118.78	-63.65	352	360	Peak	horizontal
5	5785.000	104.61	61.01	43.60	122.20	-17.59	300	119	Peak	horizontal
6	5853.000	55.52	11.76	43.76	115.36	-59.84	298	0	Peak	horizontal
7	5858.000	56.29	12.52	43.77	109.96	-53.67	200	83	Peak	horizontal
8	5893.000	57.22	13.35	43.87	91.84	-34.62	300	302	Peak	horizontal
9	5991.000	56.95	13.00	43.95	68.20	-11.25	300	218	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5591.000	56.30	13.13	43.17	68.20	-11.90	200	345	Peak	vertical
2	5666.000	57.20	13.86	43.34	80.08	-22.88	400	93	Peak	vertical
3	5718.500	56.98	13.49	43.49	110.38	-53.40	300	100	Peak	vertical
4	5721.500	55.36	11.87	43.49	114.22	-58.86	400	207	Peak	vertical
5	5786.500	107.79	64.19	43.60	122.20	-14.41	400	91	Peak	vertical
6	5851.000	56.98	13.23	43.75	119.92	-62.94	300	88	Peak	vertical
7	5869.000	56.68	12.88	43.80	106.88	-50.20	200	202	Peak	vertical
8	5912.500	57.60	13.71	43.89	77.42	-19.82	300	257	Peak	vertical
9	5934.000	57.16	13.25	43.91	68.20	-11.04	100	185	Peak	vertical




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5825.000	100.12	56.44	43.68	54.00	46.12	300	255	Average	Horizontal



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5825.000	97.37	53.69	43.68	54.00	43.37	268	268	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5534.500	56.08	12.87	43.21	68.20	-12.12	200	15	Peak	horizontal
2	5657.500	57.12	13.80	43.32	73.77	-16.65	400	195	Peak	horizontal
3	5711.500	55.34	11.88	43.46	108.42	-53.08	300	88	Peak	horizontal
4	5721.500	55.35	11.86	43.49	114.22	-58.87	200	223	Peak	horizontal
5	5825.000	108.88	65.20	43.68	122.20	-13.32	300	255	Peak	horizontal
6	5851.000	73.22	29.47	43.75	119.92	-46.70	300	63	Peak	horizontal
7	5857.500	60.52	16.75	43.77	110.10	-49.58	282	0	Peak	horizontal
8	5884.500	57.69	13.85	43.84	98.15	-40.46	343	360	Peak	horizontal
9	5932.500	57.21	13.30	43.91	68.20	-10.99	100	157	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5497.500	56.31	13.12	43.19	68.20	-11.89	200	278	Peak	vertical
2	5683.000	56.19	12.80	43.39	92.66	-36.47	300	230	Peak	vertical
3	5714.500	56.15	12.68	43.47	109.26	-53.11	300	111	Peak	vertical
4	5723.500	55.38	11.88	43.50	118.78	-63.40	300	0	Peak	vertical
5	5825.000	107.44	63.76	43.68	122.20	-14.76	268	268	Peak	vertical
6	5851.000	65.60	21.85	43.75	119.92	-54.32	400	93	Peak	vertical
7	5857.000	58.77	15.01	43.76	110.24	-51.47	300	276	Peak	vertical
8	5910.500	56.96	13.07	43.89	78.90	-21.94	100	273	Peak	vertical
9	5969.000	57.58	13.64	43.94	68.20	-10.62	100	68	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 * 5755.000	94.37	50.80	43.57	54.00	40.37	200	192 Average	Horizontal




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5755.000	97.12	53.55	43.57	54.00	43.12	400	101	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5577.500	56.70	13.51	43.19	68.20	-11.50	300	306	Peak	horizontal
2	5692.000	63.38	19.97	43.41	99.30	-35.92	255	45	Peak	horizontal
3	5719.500	77.94	34.45	43.49	110.66	-32.72	200	0	Peak	horizontal
4	5723.000	77.71	34.21	43.50	117.64	-39.93	230	0	Peak	horizontal
5	5755.000	102.08	58.51	43.57	122.20	-20.12	200	193	Peak	horizontal
6	5855.000	55.83	12.07	43.76	110.80	-54.97	100	182	Peak	horizontal
7	5862.500	57.59	13.81	43.78	108.70	-51.11	300	0	Peak	horizontal
8	5881.500	56.93	13.10	43.83	100.37	-43.44	300	246	Peak	horizontal
9	5958.500	56.98	13.05	43.93	68.20	-11.22	300	170	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5548.500	56.42	13.20	43.22	68.20	-11.78	100	119	Peak	vertical
2	5688.000	57.87	14.47	43.40	96.35	-38.48	400	96	Peak	vertical
3	5718.500	73.77	30.28	43.49	110.38	-36.61	100	213	Peak	vertical
4	5723.000	75.72	32.22	43.50	117.64	-41.92	400	93	Peak	vertical
5	5755.000	104.15	60.58	43.57	122.20	-18.05	400	101	Peak	vertical
6	5851.000	55.76	12.01	43.75	119.92	-64.16	300	17	Peak	vertical
7	5864.000	57.49	13.70	43.79	108.28	-50.79	300	268	Peak	vertical
8	5919.000	57.17	13.27	43.90	72.62	-15.45	400	166	Peak	vertical
9	5990.000	57.16	13.21	43.95	68.20	-11.04	323	360	Peak	vertical




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	Level	Factor	Line	Limit			
		dBuV	dB/m	dBuV/m	dB	cm	deg	
1 * 5795.000	97.20	53.60	43.60	54.00	43.20	300	360 Average	Horizontal



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5795.000	94.88	51.28	43.60	54.00	40.88	305	182	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5548.000	56.02	12.80	43.22	68.20	-12.18	100	109	Peak	horizontal
2	5666.000	56.62	13.28	43.34	80.08	-23.46	100	73	Peak	horizontal
3	5719.000	57.49	14.00	43.49	110.52	-53.03	339	360	Peak	horizontal
4	5723.000	56.59	13.09	43.50	117.64	-61.05	136	360	Peak	horizontal
5	5795.000	104.95	61.35	43.60	122.20	-17.25	300	360	Peak	horizontal
6	5854.500	58.15	14.39	43.76	111.94	-53.79	100	322	Peak	horizontal
7	5857.000	56.81	13.05	43.76	110.24	-53.43	300	57	Peak	horizontal
8	5900.000	58.18	14.30	43.88	86.66	-28.48	100	360	Peak	horizontal
9	5966.000	57.47	13.54	43.93	68.20	-10.73	400	135	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5579.000	56.49	13.31	43.18	68.20	-11.71	100	62	Peak	vertical
2	5689.000	56.14	12.74	43.40	97.09	-40.95	400	116	Peak	vertical
3	5718.000	55.49	12.00	43.49	110.24	-54.75	100	130	Peak	vertical
4	5723.000	55.69	12.19	43.50	117.64	-61.95	300	190	Peak	vertical
5	5795.000	103.88	60.28	43.60	122.20	-18.32	305	182	Peak	vertical
6	5851.000	59.33	15.58	43.75	119.92	-60.59	400	282	Peak	vertical
7	5873.500	56.96	13.15	43.81	105.62	-48.66	300	64	Peak	vertical
8	5902.500	57.15	13.26	43.89	84.81	-27.66	400	106	Peak	vertical
9	5956.500	58.28	14.35	43.93	68.20	-9.92	100	28	Peak	vertical


Spurious Emissions, TX Mode, 9kHz-30MHz, Band 4



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg		
1	0.010	63.10	-15.75	78.85	127.60	-64.50	100	54 QP		Horizontal
2	0.025	55.47	-16.16	71.63	119.61	-64.14	100	258 QP		Horizontal
3	0.047	50.73	-14.95	65.68	114.06	-63.33	100	44 QP		Horizontal
4	0.061	46.75	-16.81	63.56	111.93	-65.18	100	159 QP		Horizontal
5	0.092	43.66	-16.57	60.23	108.34	-64.68	100	358 QP		Horizontal
6	0.113	40.34	-18.16	58.50	106.54	-66.20	100	92 QP		Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.153	57.09	0.91	56.18	103.91	-46.82	100	158	QP	Horizontal
2	6.174	40.95	2.59	38.36	69.50	-28.55	100	65	QP	Horizontal
3	8.633	40.06	2.17	37.89	69.50	-29.44	100	159	QP	Horizontal
4	15.236	39.62	1.94	37.68	69.50	-29.88	100	28	QP	Horizontal
5	20.200	38.29	2.07	36.22	69.50	-31.21	100	258	QP	Horizontal
6	29.904	41.75	2.18	39.57	69.50	-27.75	100	65	QP	Horizontal


Spurious Emissions, TX Mode, 30MHz-1GHz, Band 4



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg		
1	81.022	25.87	36.90	-11.03	40.00	-14.13	300	176	QP	horizontal
2	168.516	30.46	36.46	-6.00	43.50	-13.04	200	71	QP	horizontal
3	214.106	39.03	47.41	-8.38	43.50	-4.47	100	220	QP	horizontal
4	330.700	29.11	33.23	-4.12	46.00	-16.89	100	159	QP	horizontal
5	399.958	32.99	36.17	-3.18	46.00	-13.01	100	230	QP	horizontal
6	599.487	31.85	31.69	0.16	46.00	-14.15	154	360	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	44.453	29.87	36.10	-6.23	40.00	-10.13	100	143	QP	vertical
2	97.706	25.90	37.39	-11.49	43.50	-17.60	100	290	QP	vertical
3	213.621	31.01	39.39	-8.38	43.50	-12.49	100	189	QP	vertical
4	398.891	29.18	32.37	-3.19	46.00	-16.82	100	217	QP	vertical
5	526.834	30.07	31.47	-1.40	46.00	-15.93	278	0	QP	vertical
6	599.487	32.72	32.56	0.16	46.00	-13.28	100	186	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz, Band 4


802.11a Mode




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.000	45.91	46.94	-1.03	74.00	-28.09	200	328	Peak	horizontal
2	17235.000	57.89	50.50	7.39	68.20	-10.31	400	178	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.000	47.46	48.49	-1.03	74.00	-26.54	400	0	Peak	vertical
2	17235.000	59.62	52.23	7.39	68.20	-8.58	200	349	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.000	48.58	49.40	-0.82	74.00	-25.42	400	31	Peak	horizontal
2	17355.000	57.97	50.50	7.47	68.20	-10.23	400	176	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.000	43.35	44.17	-0.82	54.00	-10.65	300	298	Average	vertical
2	11570.000	51.50	52.32	-0.82	74.00	-22.50	300	298	Peak	vertical
3	17355.000	59.37	51.90	7.47	68.20	-8.83	400	245	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.000	43.91	44.57	-0.66	54.00	-10.09	400	164	Average	horizontal
2	11650.000	56.06	56.72	-0.66	74.00	-17.94	400	164	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.000	45.77	46.43	-0.66	54.00	-8.23	383	0	Average	vertical
2	11650.000	57.05	57.71	-0.66	74.00	-16.95	383	0	Peak	vertical



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.000	46.78	47.66	-0.88	74.00	-27.22	400	36	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.000	46.90	47.78	-0.88	74.00	-27.10	400	280	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.000	46.18	47.21	-1.03	74.00	-27.82	200	296	Peak	horizontal
2	17235.000	53.61	46.22	7.39	68.20	-14.59	200	335	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.000	47.21	48.24	-1.03	74.00	-26.79	300	359	Peak	vertical
2	17235.000	57.28	49.89	7.39	68.20	-10.92	200	303	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.000	41.33	42.15	-0.82	54.00	-12.67	364	360	Average	horizontal
2	11570.000	54.34	55.16	-0.82	74.00	-19.66	364	360	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.000	41.47	42.29	-0.82	54.00	-12.53	309	0	Average	vertical
2	11570.000	55.33	56.15	-0.82	74.00	-18.67	309	0	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.000	42.51	43.17	-0.66	54.00	-11.49	358	357	Average	horizontal
2	11650.000	55.90	56.56	-0.66	74.00	-18.10	358	357	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.000	45.45	46.11	-0.66	54.00	-8.55	300	221	Average	vertical
2	11650.000	59.50	60.16	-0.66	74.00	-14.50	300	221	Peak	vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.000	46.06	47.04	-0.98	74.00	-27.94	200	326	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.000	46.99	47.97	-0.98	74.00	-27.01	400	351	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.000	40.49	41.26	-0.77	54.00	-13.51	381	354	Average	horizontal
2	11590.000	53.42	54.19	-0.77	74.00	-20.58	381	354	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.000	42.92	43.69	-0.77	54.00	-11.08	327	221	Average	vertical
2	11590.000	55.82	56.59	-0.77	74.00	-18.18	327	221	Peak	vertical

Spurious Emissions, AC Mains




TUV Rheinland Taiwan Ltd.
11F., No. 758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel: +886-2172-7000 Fax: +886-2528-0018



Trace: 1

Site : Conduction room
Condition : FCC Part15 Class B Conduction(QP) neutral
Test Engineer: Simon tsai
Product : Wireless USB Device
Model No. : KC612ac
Test Rating : 120Vac / 60Hz
Tmp/Hum : 25.3 °C / 54 %
Memo :

	Read Freq	Level dBuV	Factor dB	Level dBuV	Limit Line dBuV	Over Limit dB	Remark
	MHz						
1	0.162	39.54	9.62	49.16	65.34	-16.18	QP
2	0.162	27.52	9.62	37.14	55.34	-18.20	Average
3	0.194	36.05	9.62	45.67	63.85	-18.18	QP
4	0.194	25.05	9.62	34.67	53.85	-19.18	Average
5	0.514	32.72	9.63	42.35	56.00	-13.65	QP
6	0.514	27.95	9.63	37.58	46.00	-8.42	Average
7	0.842	21.24	9.63	30.87	56.00	-25.13	QP
8	0.842	14.06	9.63	23.69	46.00	-22.31	Average
9	2.315	18.13	9.65	27.78	56.00	-28.22	QP
10	2.315	11.54	9.65	21.19	46.00	-24.81	Average
11	15.460	18.54	9.80	28.34	60.00	-31.66	QP
12	15.460	11.52	9.80	21.32	50.00	-28.68	Average



Trace: 1

Site : Conduction room

Condition : FCC Part15 Class B Conduction(QP) line1

Test Engineer: Simon tsai

Product : Wireless USB Device

Model No. : KC612ac

Test Rating : 120Vac / 60Hz

Tmp/Hum : 25.3 °C / 54 %

Memo :

		Read		Limit	Over	
	Freq	Level	Factor	Level	Line	Limit Remark
	MHz	dBuV	dB	dBuV	dBuV	dB
1	0.160	39.75	9.61	49.36	65.46	-16.10 QP
2	0.160	28.16	9.61	37.77	55.46	-17.69 Average
3	0.195	36.55	9.61	46.16	63.81	-17.65 QP
4	0.195	26.34	9.61	35.95	53.81	-17.86 Average
5	0.516	34.01	9.62	43.63	56.00	-12.37 QP
6	0.516	29.81	9.62	39.43	46.00	-6.57 Average
7	2.054	17.99	9.64	27.63	56.00	-28.37 QP
8	2.054	10.89	9.64	20.53	46.00	-25.47 Average
9	4.605	14.94	9.68	24.62	56.00	-31.38 QP
10	4.605	7.01	9.68	16.69	46.00	-29.31 Average
11	15.384	19.33	9.77	29.10	60.00	-30.90 QP
12	15.384	11.47	9.77	21.24	50.00	-28.76 Average