




NTNV-11AX40SISO-Ant2-5510




NTNV-11AX40SISO-Ant2-5550




NTNV-11AX40SISO-Ant2-5670




NTNV-11AX40SISO-Ant2-5755




NTNV-11AX40SISO-Ant2-5795




NTNV-11AX80SISO-Ant2-5210




NTNV-11AX80SISO-Ant2-5290




NTNV-11AX80SISO-Ant2-5530



NTNV-11AX80SISO-Ant2-5610



NTNV-11AX80SISO-Ant2-5775



NTNV-11AX160SISO-Ant2-5570

## Appendix C: Maximum conducted output power

### Ant 1

#### Test Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	11.02	≤22.99	PASS
11A	Ant1	5200	10.98	≤22.99	PASS
11A	Ant1	5240	10.38	≤22.99	PASS
11A	Ant1	5260	10.35	≤16.97	PASS
11A	Ant1	5280	10.38	≤16.97	PASS
11A	Ant1	5320	10.84	≤16.97	PASS
11A	Ant1	5500	4.04	≤7.34	PASS
11A	Ant1	5580	3.96	≤7.34	PASS
11A	Ant1	5700	4.15	≤7.34	PASS
11A	Ant1	5745	23.81	≤30.00	PASS
11A	Ant1	5785	22.40	≤30.00	PASS
11A	Ant1	5825	22.18	≤30.00	PASS
11N20SISO	Ant1	5180	7.06	≤22.99	PASS
11N20SISO	Ant1	5200	6.86	≤22.99	PASS
11N20SISO	Ant1	5240	6.85	≤22.99	PASS
11N20SISO	Ant1	5260	6.88	≤16.97	PASS
11N20SISO	Ant1	5280	6.81	≤16.97	PASS
11N20SISO	Ant1	5320	6.36	≤16.97	PASS
11N20SISO	Ant1	5500	-0.87	≤7.34	PASS
11N20SISO	Ant1	5580	-1.98	≤7.34	PASS
11N20SISO	Ant1	5700	-1.73	≤7.34	PASS
11N20SISO	Ant1	5745	19.69	≤30.00	PASS
11N20SISO	Ant1	5785	19.46	≤30.00	PASS
11N20SISO	Ant1	5825	19.03	≤30.00	PASS
11N40SISO	Ant1	5190	7.65	≤22.99	PASS
11N40SISO	Ant1	5230	7.06	≤22.99	PASS
11N40SISO	Ant1	5270	7.66	≤16.97	PASS
11N40SISO	Ant1	5310	6.91	≤16.97	PASS
11N40SISO	Ant1	5510	-1.49	≤7.34	PASS
11N40SISO	Ant1	5550	-1.09	≤7.34	PASS
11N40SISO	Ant1	5670	-1.72	≤7.34	PASS
11N40SISO	Ant1	5755	20.61	≤30.00	PASS
11N40SISO	Ant1	5795	19.98	≤30.00	PASS
11AC20SISO	Ant1	5180	7.65	≤22.99	PASS
11AC20SISO	Ant1	5200	7.73	≤22.99	PASS
11AC20SISO	Ant1	5240	7.84	≤22.99	PASS

11AC20SISO	Ant1	5260	7.88	≤16.97	PASS
11AC20SISO	Ant1	5280	7.71	≤16.97	PASS
11AC20SISO	Ant1	5320	7.36	≤16.97	PASS
11AC20SISO	Ant1	5500	-0.78	≤7.34	PASS
11AC20SISO	Ant1	5580	-1.95	≤7.34	PASS
11AC20SISO	Ant1	5700	-0.84	≤7.34	PASS
11AC20SISO	Ant1	5745	20.54	≤30.00	PASS
11AC20SISO	Ant1	5785	19.34	≤30.00	PASS
11AC20SISO	Ant1	5825	19.94	≤30.00	PASS
11AC40SISO	Ant1	5190	7.61	≤22.99	PASS
11AC40SISO	Ant1	5230	7.08	≤22.99	PASS
11AC40SISO	Ant1	5270	7.65	≤16.97	PASS
11AC40SISO	Ant1	5310	6.82	≤16.97	PASS
11AC40SISO	Ant1	5510	-1.46	≤7.34	PASS
11AC40SISO	Ant1	5550	-1.14	≤7.34	PASS
11AC40SISO	Ant1	5670	-1.68	≤7.34	PASS
11AC40SISO	Ant1	5755	20.52	≤30.00	PASS
11AC40SISO	Ant1	5795	19.78	≤30.00	PASS
11AC80SISO	Ant1	5210	7.53	≤22.99	PASS
11AC80SISO	Ant1	5290	6.90	≤16.97	PASS
11AC80SISO	Ant1	5530	-1.27	≤7.34	PASS
11AC80SISO	Ant1	5610	-1.41	≤7.34	PASS
11AC80SISO	Ant1	5775	19.33	≤30.00	PASS
11AC160SISO	Ant1	5570	-1.20	≤7.34	PASS
11AX20SISO	Ant1	5180	7.55	≤22.99	PASS
11AX20SISO	Ant1	5200	7.69	≤22.99	PASS
11AX20SISO	Ant1	5240	7.71	≤22.99	PASS
11AX20SISO	Ant1	5260	6.76	≤16.97	PASS
11AX20SISO	Ant1	5280	6.61	≤16.97	PASS
11AX20SISO	Ant1	5320	7.19	≤16.97	PASS
11AX20SISO	Ant1	5500	-1.67	≤7.34	PASS
11AX20SISO	Ant1	5580	-1.64	≤7.34	PASS
11AX20SISO	Ant1	5700	-1.27	≤7.34	PASS
11AX20SISO	Ant1	5745	20.02	≤30.00	PASS
11AX20SISO	Ant1	5785	20.05	≤30.00	PASS
11AX20SISO	Ant1	5825	19.39	≤30.00	PASS
11AX40SISO	Ant1	5190	7.14	≤22.99	PASS
11AX40SISO	Ant1	5230	6.83	≤22.99	PASS
11AX40SISO	Ant1	5270	7.34	≤16.97	PASS
11AX40SISO	Ant1	5310	7.48	≤16.97	PASS
11AX40SISO	Ant1	5510	-1.63	≤7.34	PASS
11AX40SISO	Ant1	5550	-1.20	≤7.34	PASS
11AX40SISO	Ant1	5670	-1.75	≤7.34	PASS



11AX40SISO	Ant1	5755	20.62	≤30.00	PASS
11AX40SISO	Ant1	5795	19.94	≤30.00	PASS
11AX80SISO	Ant1	5210	7.40	≤22.99	PASS
11AX80SISO	Ant1	5290	7.51	≤16.97	PASS
11AX80SISO	Ant1	5530	-0.96	≤7.34	PASS
11AX80SISO	Ant1	5610	-0.22	≤7.34	PASS
11AX80SISO	Ant1	5775	19.69	≤30.00	PASS
11AX160SISO	Ant1	5570	-0.17	≤7.34	PASS

## Ant 2

### Test Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant2	5180	11.25	≤22.99	PASS
11A	Ant2	5200	10.60	≤22.99	PASS
11A	Ant2	5240	10.41	≤22.99	PASS
11A	Ant2	5260	10.35	≤16.97	PASS
11A	Ant2	5280	10.81	≤16.97	PASS
11A	Ant2	5320	10.79	≤16.97	PASS
11A	Ant2	5500	3.09	≤7.34	PASS
11A	Ant2	5580	3.13	≤7.34	PASS
11A	Ant2	5700	3.03	≤7.34	PASS
11A	Ant2	5745	23.25	≤30.00	PASS
11A	Ant2	5785	22.93	≤30.00	PASS
11A	Ant2	5825	22.79	≤30.00	PASS
11N20SISO	Ant2	5180	6.77	≤22.99	PASS
11N20SISO	Ant2	5200	7.07	≤22.99	PASS
11N20SISO	Ant2	5240	6.60	≤22.99	PASS
11N20SISO	Ant2	5260	6.76	≤16.97	PASS
11N20SISO	Ant2	5280	6.69	≤16.97	PASS
11N20SISO	Ant2	5320	7.29	≤16.97	PASS
11N20SISO	Ant2	5500	-1.40	≤7.34	PASS
11N20SISO	Ant2	5580	-1.14	≤7.34	PASS
11N20SISO	Ant2	5700	-1.47	≤7.34	PASS
11N20SISO	Ant2	5745	19.68	≤30.00	PASS
11N20SISO	Ant2	5785	19.07	≤30.00	PASS
11N20SISO	Ant2	5825	18.98	≤30.00	PASS
11N40SISO	Ant2	5190	6.86	≤22.99	PASS
11N40SISO	Ant2	5230	6.65	≤22.99	PASS
11N40SISO	Ant2	5270	7.43	≤16.97	PASS
11N40SISO	Ant2	5310	7.54	≤16.97	PASS
11N40SISO	Ant2	5510	-1.17	≤7.34	PASS
11N40SISO	Ant2	5550	-1.23	≤7.34	PASS
11N40SISO	Ant2	5670	-1.53	≤7.34	PASS
11N40SISO	Ant2	5755	19.63	≤30.00	PASS
11N40SISO	Ant2	5795	19.68	≤30.00	PASS
11AC20SISO	Ant2	5180	6.81	≤22.99	PASS
11AC20SISO	Ant2	5200	7.19	≤22.99	PASS
11AC20SISO	Ant2	5240	7.39	≤22.99	PASS
11AC20SISO	Ant2	5260	6.91	≤16.97	PASS

11AC20SISO	Ant2	5280	6.58	≤16.97	PASS
11AC20SISO	Ant2	5320	7.28	≤16.97	PASS
11AC20SISO	Ant2	5500	-1.46	≤7.34	PASS
11AC20SISO	Ant2	5580	-1.06	≤7.34	PASS
11AC20SISO	Ant2	5700	-1.68	≤7.34	PASS
11AC20SISO	Ant2	5745	19.58	≤30.00	PASS
11AC20SISO	Ant2	5785	18.89	≤30.00	PASS
11AC20SISO	Ant2	5825	18.73	≤30.00	PASS
11AC40SISO	Ant2	5190	6.80	≤22.99	PASS
11AC40SISO	Ant2	5230	6.62	≤22.99	PASS
11AC40SISO	Ant2	5270	7.36	≤16.97	PASS
11AC40SISO	Ant2	5310	7.53	≤16.97	PASS
11AC40SISO	Ant2	5510	-1.17	≤7.34	PASS
11AC40SISO	Ant2	5550	-1.08	≤7.34	PASS
11AC40SISO	Ant2	5670	-1.19	≤7.34	PASS
11AC40SISO	Ant2	5755	19.55	≤30.00	PASS
11AC40SISO	Ant2	5795	19.67	≤30.00	PASS
11AC80SISO	Ant2	5210	6.81	≤22.99	PASS
11AC80SISO	Ant2	5290	7.47	≤16.97	PASS
11AC80SISO	Ant2	5530	-1.55	≤7.34	PASS
11AC80SISO	Ant2	5610	-1.53	≤7.34	PASS
11AC80SISO	Ant2	5775	18.74	≤30.00	PASS
11AC160SISO	Ant2	5570	-0.49	≤7.34	PASS
11AX20SISO	Ant2	5180	6.67	≤22.99	PASS
11AX20SISO	Ant2	5200	6.93	≤22.99	PASS
11AX20SISO	Ant2	5240	7.45	≤22.99	PASS
11AX20SISO	Ant2	5260	6.61	≤16.97	PASS
11AX20SISO	Ant2	5280	7.47	≤16.97	PASS
11AX20SISO	Ant2	5320	7.13	≤16.97	PASS
11AX20SISO	Ant2	5500	-1.65	≤7.34	PASS
11AX20SISO	Ant2	5580	-1.08	≤7.34	PASS
11AX20SISO	Ant2	5700	-1.26	≤7.34	PASS
11AX20SISO	Ant2	5745	20.02	≤30.00	PASS
11AX20SISO	Ant2	5785	19.44	≤30.00	PASS
11AX20SISO	Ant2	5825	19.48	≤30.00	PASS
11AX40SISO	Ant2	5190	7.33	≤22.99	PASS
11AX40SISO	Ant2	5230	7.19	≤22.99	PASS
11AX40SISO	Ant2	5270	6.78	≤16.97	PASS
11AX40SISO	Ant2	5310	7.08	≤16.97	PASS
11AX40SISO	Ant2	5510	-1.41	≤7.34	PASS
11AX40SISO	Ant2	5550	-1.66	≤7.34	PASS
11AX40SISO	Ant2	5670	-1.17	≤7.34	PASS
11AX40SISO	Ant2	5755	19.74	≤30.00	PASS

11AX40SISO	Ant2	5795	19.85	≤30.00	PASS
11AX80SISO	Ant2	5210	6.64	≤22.99	PASS
11AX80SISO	Ant2	5290	7.25	≤16.97	PASS
11AX80SISO	Ant2	5530	-0.80	≤7.34	PASS
11AX80SISO	Ant2	5610	-0.39	≤7.34	PASS
11AX80SISO	Ant2	5775	18.94	≤30.00	PASS
11AX160SISO	Ant2	5570	-0.77	≤7.34	PASS

## MIMO

Test Mode	Frequency [MHz]	Ant 1 Result [dBm]	Ant 2 Result [dBm]	MIMO Result [dBm]	Limit [dBm]	Verdict
11N20SISO	5180	7.06	6.77	9.93	≤19.98	PASS
11N20SISO	5200	6.86	7.07	9.98	≤19.98	PASS
11N20SISO	5240	6.85	6.60	9.74	≤19.98	PASS
11N20SISO	5260	6.88	6.76	9.83	≤13.96	PASS
11N20SISO	5280	6.81	6.69	9.76	≤13.96	PASS
11N20SISO	5320	6.36	7.29	9.86	≤13.96	PASS
11N20SISO	5500	-0.87	-1.40	1.88	≤4.33	PASS
11N20SISO	5580	-1.98	-1.14	1.47	≤4.33	PASS
11N20SISO	5700	-1.73	-1.47	1.41	≤4.33	PASS
11N20SISO	5745	19.69	19.68	22.70	≤27.35	PASS
11N20SISO	5785	19.46	19.07	22.28	≤27.35	PASS
11N20SISO	5825	19.03	18.98	22.02	≤27.35	PASS
11N40SISO	5190	7.65	6.86	10.28	≤19.98	PASS
11N40SISO	5230	7.06	6.65	9.87	≤19.98	PASS
11N40SISO	5270	7.66	7.43	10.56	≤13.96	PASS
11N40SISO	5310	6.91	7.54	10.25	≤13.96	PASS
11N40SISO	5510	-1.49	-1.17	1.68	≤4.33	PASS
11N40SISO	5550	-1.09	-1.23	1.85	≤4.33	PASS
11N40SISO	5670	-1.72	-1.53	1.39	≤4.33	PASS
11N40SISO	5755	20.61	19.63	23.16	≤27.35	PASS
11N40SISO	5795	19.98	19.68	22.84	≤27.35	PASS
11AC20SISO	5180	7.65	6.81	10.26	≤19.98	PASS
11AC20SISO	5200	7.73	7.19	10.48	≤19.98	PASS
11AC20SISO	5240	7.84	7.39	10.63	≤19.98	PASS
11AC20SISO	5260	7.88	6.91	10.43	≤13.96	PASS
11AC20SISO	5280	7.71	6.58	10.19	≤13.96	PASS
11AC20SISO	5320	7.36	7.28	10.33	≤13.96	PASS
11AC20SISO	5500	-0.78	-1.46	1.90	≤4.33	PASS
11AC20SISO	5580	-1.95	-1.06	1.53	≤4.33	PASS
11AC20SISO	5700	-0.84	-1.68	1.77	≤4.33	PASS
11AC20SISO	5745	20.54	19.58	23.10	≤27.35	PASS
11AC20SISO	5785	19.34	18.89	22.13	≤27.35	PASS
11AC20SISO	5825	19.94	18.73	22.39	≤27.35	PASS
11AC40SISO	5190	7.61	6.80	10.23	≤19.98	PASS
11AC40SISO	5230	7.08	6.62	9.87	≤19.98	PASS
11AC40SISO	5270	7.65	7.36	10.52	≤13.96	PASS
11AC40SISO	5310	6.82	7.53	10.20	≤13.96	PASS

11AC40SISO	5510	-1.46	-1.17	1.70	≤4.33	PASS
11AC40SISO	5550	-1.14	-1.08	1.90	≤4.33	PASS
11AC40SISO	5670	-1.68	-1.19	1.58	≤4.33	PASS
11AC40SISO	5755	20.52	19.55	23.07	≤27.35	PASS
11AC40SISO	5795	19.78	19.67	22.74	≤27.35	PASS
11AC80SISO	5210	7.53	6.81	10.20	≤19.98	PASS
11AC80SISO	5290	6.9	7.47	10.20	≤13.96	PASS
11AC80SISO	5530	-1.27	-1.55	1.60	≤4.33	PASS
11AC80SISO	5610	-1.41	-1.53	1.54	≤4.33	PASS
11AC80SISO	5775	19.33	18.74	22.06	≤27.35	PASS
11AC160SISO	5570	-1.2	-0.49	2.18	≤4.33	PASS
11AX20SISO	5180	7.55	6.67	10.14	≤19.98	PASS
11AX20SISO	5200	7.69	6.93	10.34	≤19.98	PASS
11AX20SISO	5240	7.71	7.45	10.59	≤19.98	PASS
11AX20SISO	5260	6.76	6.61	9.70	≤13.96	PASS
11AX20SISO	5280	6.61	7.47	10.07	≤13.96	PASS
11AX20SISO	5320	7.19	7.13	10.17	≤13.96	PASS
11AX20SISO	5500	-1.67	-1.65	1.35	≤4.33	PASS
11AX20SISO	5580	-1.64	-1.08	1.66	≤4.33	PASS
11AX20SISO	5700	-1.27	-1.26	1.75	≤4.33	PASS
11AX20SISO	5745	20.02	20.02	23.03	≤27.35	PASS
11AX20SISO	5785	20.05	19.44	22.77	≤27.35	PASS
11AX20SISO	5825	19.39	19.48	22.45	≤27.35	PASS
11AX40SISO	5190	7.14	7.33	10.25	≤19.98	PASS
11AX40SISO	5230	6.83	7.19	10.02	≤19.98	PASS
11AX40SISO	5270	7.34	6.78	10.08	≤13.96	PASS
11AX40SISO	5310	7.48	7.08	10.29	≤13.96	PASS
11AX40SISO	5510	-1.63	-1.41	1.49	≤4.33	PASS
11AX40SISO	5550	-1.2	-1.66	1.59	≤4.33	PASS
11AX40SISO	5670	-1.75	-1.17	1.56	≤4.33	PASS
11AX40SISO	5755	20.62	19.74	23.21	≤27.35	PASS
11AX40SISO	5795	19.94	19.85	22.91	≤27.35	PASS
11AX80SISO	5210	7.4	6.64	10.05	≤19.98	PASS
11AX80SISO	5290	7.51	7.25	10.39	≤13.96	PASS
11AX80SISO	5530	-0.96	-0.80	2.13	≤4.33	PASS
11AX80SISO	5610	-0.22	-0.39	2.71	≤4.33	PASS
11AX80SISO	5775	19.69	18.94	22.34	≤27.35	PASS
11AX160SISO	5570	-0.17	-0.77	2.55	≤4.33	PASS

## Appendix D: Maximum power spectral density

### Ant 1

#### Test Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	2.60	≤9.99	PASS
11A	Ant1	5200	2.28	≤9.99	PASS
11A	Ant1	5240	2.76	≤9.99	PASS
11A	Ant1	5260	1.44	≤3.99	PASS
11A	Ant1	5280	2.09	≤3.99	PASS
11A	Ant1	5320	1.53	≤3.99	PASS
11A	Ant1	5500	-6.69	≤-5.64	PASS
11A	Ant1	5580	-7.60	≤-5.64	PASS
11A	Ant1	5700	-6.10	≤-5.64	PASS
11A	Ant1	5745	13.06	≤30.00	PASS
11A	Ant1	5785	10.94	≤30.00	PASS
11A	Ant1	5825	10.35	≤30.00	PASS
11N20SISO	Ant1	5180	-6.75	≤9.99	PASS
11N20SISO	Ant1	5200	-6.82	≤9.99	PASS
11N20SISO	Ant1	5240	-6.39	≤9.99	PASS
11N20SISO	Ant1	5260	-7.49	≤3.99	PASS
11N20SISO	Ant1	5280	-7.48	≤3.99	PASS
11N20SISO	Ant1	5320	-7.59	≤3.99	PASS
11N20SISO	Ant1	5500	-13.94	≤-5.64	PASS
11N20SISO	Ant1	5580	-14.66	≤-5.64	PASS
11N20SISO	Ant1	5700	-13.48	≤-5.64	PASS
11N20SISO	Ant1	5745	4.88	≤30.00	PASS
11N20SISO	Ant1	5785	5.24	≤30.00	PASS
11N20SISO	Ant1	5825	4.25	≤30.00	PASS
11N40SISO	Ant1	5190	-7.40	≤9.99	PASS
11N40SISO	Ant1	5230	-8.08	≤9.99	PASS
11N40SISO	Ant1	5270	-8.80	≤3.99	PASS
11N40SISO	Ant1	5310	-9.21	≤3.99	PASS
11N40SISO	Ant1	5510	-15.54	≤-5.64	PASS
11N40SISO	Ant1	5550	-14.79	≤-5.64	PASS
11N40SISO	Ant1	5670	-15.32	≤-5.64	PASS
11N40SISO	Ant1	5755	2.81	≤30.00	PASS
11N40SISO	Ant1	5795	2.73	≤30.00	PASS
11AC20SISO	Ant1	5180	-6.60	≤9.99	PASS
11AC20SISO	Ant1	5200	-6.85	≤9.99	PASS
11AC20SISO	Ant1	5240	-6.28	≤9.99	PASS

11AC20SISO	Ant1	5260	-7.40	≤3.99	PASS
11AC20SISO	Ant1	5280	-7.59	≤3.99	PASS
11AC20SISO	Ant1	5320	-7.74	≤3.99	PASS
11AC20SISO	Ant1	5500	-13.91	≤-5.64	PASS
11AC20SISO	Ant1	5580	-14.61	≤-5.64	PASS
11AC20SISO	Ant1	5700	-13.24	≤-5.64	PASS
11AC20SISO	Ant1	5745	5.83	≤30.00	PASS
11AC20SISO	Ant1	5785	5.30	≤30.00	PASS
11AC20SISO	Ant1	5825	4.36	≤30.00	PASS
11AC40SISO	Ant1	5190	-7.37	≤9.99	PASS
11AC40SISO	Ant1	5230	-8.20	≤9.99	PASS
11AC40SISO	Ant1	5270	-8.88	≤3.99	PASS
11AC40SISO	Ant1	5310	-9.41	≤3.99	PASS
11AC40SISO	Ant1	5510	-16.67	≤-5.64	PASS
11AC40SISO	Ant1	5550	-15.90	≤-5.64	PASS
11AC40SISO	Ant1	5670	-16.51	≤-5.64	PASS
11AC40SISO	Ant1	5755	3.02	≤30.00	PASS
11AC40SISO	Ant1	5795	2.41	≤30.00	PASS
11AC80SISO	Ant1	5210	-6.50	≤9.99	PASS
11AC80SISO	Ant1	5290	-7.39	≤3.99	PASS
11AC80SISO	Ant1	5530	-16.10	≤-5.64	PASS
11AC80SISO	Ant1	5610	-17.49	≤-5.64	PASS
11AC80SISO	Ant1	5775	-0.60	≤30.00	PASS
11AC160SISO	Ant1	5570	-19.81	≤-5.64	PASS
11AX20SISO	Ant1	5180	-6.73	≤9.99	PASS
11AX20SISO	Ant1	5200	-7.04	≤9.99	PASS
11AX20SISO	Ant1	5240	-6.66	≤9.99	PASS
11AX20SISO	Ant1	5260	-7.61	≤3.99	PASS
11AX20SISO	Ant1	5280	-7.80	≤3.99	PASS
11AX20SISO	Ant1	5320	-7.87	≤3.99	PASS
11AX20SISO	Ant1	5500	-13.50	≤-5.64	PASS
11AX20SISO	Ant1	5580	-14.31	≤-5.64	PASS
11AX20SISO	Ant1	5700	-13.38	≤-5.64	PASS
11AX20SISO	Ant1	5745	6.80	≤30.00	PASS
11AX20SISO	Ant1	5785	5.72	≤30.00	PASS
11AX20SISO	Ant1	5825	4.60	≤30.00	PASS
11AX40SISO	Ant1	5190	-8.19	≤9.99	PASS
11AX40SISO	Ant1	5230	-8.58	≤9.99	PASS
11AX40SISO	Ant1	5270	-9.41	≤3.99	PASS
11AX40SISO	Ant1	5310	-9.98	≤3.99	PASS
11AX40SISO	Ant1	5510	-16.74	≤-5.64	PASS
11AX40SISO	Ant1	5550	-15.85	≤-5.64	PASS
11AX40SISO	Ant1	5670	-16.48	≤-5.64	PASS




11AX40SISO	Ant1	5755	2.59	≤30.00	PASS
11AX40SISO	Ant1	5795	2.63	≤30.00	PASS
11AX80SISO	Ant1	5210	-6.69	≤9.99	PASS
11AX80SISO	Ant1	5290	-7.40	≤3.99	PASS
11AX80SISO	Ant1	5530	-15.91	≤-5.64	PASS
11AX80SISO	Ant1	5610	-17.33	≤-5.64	PASS
11AX80SISO	Ant1	5775	-0.16	≤30.00	PASS
11AX160SISO	Ant1	5570	-19.90	≤-5.64	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

# Test Graphs




11A-Ant1-5180-PASS




11A-Ant1-5200-PASS




11A-Ant1-5240-PASS





11A-Ant1-5260-PASS




11A-Ant1-5280-PASS




11A-Ant1-5320-PASS





11A-Ant1-5700-PASS




11A-Ant1-5745-PASS




11A-Ant1-5785-PASS



11A-Ant1-5825-PASS




11N20SISO-Ant1-5180-PASS




11N20SISO-Ant1-5200-PASS







11N20SISO-Ant1-5240-PASS




11N20SISO-Ant1-5260-PASS




11N20SISO-Ant1-5280-PASS




11N20SISO-Ant1-5320-PASS




11N20SISO-Ant1-5500-PASS



11N20SISO-Ant1-5580-PASS



11N20SISO-Ant1-5700-PASS




11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5785-PASS




11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5190-PASS



11N40SISO-Ant1-5230-PASS




11N40SISO-Ant1-5270-PASS



11N40SISO-Ant1-5310-PASS




11N40SISO-Ant1-5510-PASS




11N40SISO-Ant1-5550-PASS







11N40SISO-Ant1-5670-PASS




11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5200-PASS




11AC20SISO-Ant1-5240-PASS




11AC20SISO-Ant1-5260-PASS




11AC20SISO-Ant1-5280-PASS




11AC20SISO-Ant1-5320-PASS



11AC20SISO-Ant1-5500-PASS




11AC20SISO-Ant1-5580-PASS



11AC20SISO-Ant1-5700-PASS




11AC20SISO-Ant1-5745-PASS



11AC20SISO-Ant1-5785-PASS



11AC20SISO-Ant1-5825-PASS



11AC40SISO-Ant1-5190-PASS