







11AX80SISO-Ant2-5290-PASS




11AX80SISO-Ant2-5530-PASS



11AX80SISO-Ant2-5610-PASS



11AX80SISO-Ant2-5775-PASS



MIMO

Test Mode	Frequency [MHz]	Ant 1 Result [dBm/MHz]	Ant 2 Result [dBm/MHz]	MIMO Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11N20SISO	5180	-6.75	-6.74	-3.73	≤6.98	PASS
11N20SISO	5200	-6.82	-6.68	-3.74	≤6.98	PASS
11N20SISO	5240	-6.39	-5.78	-3.06	≤6.98	PASS
11N20SISO	5260	-7.49	-6.47	-3.94	≤0.98	PASS
11N20SISO	5280	-7.48	-6.71	-4.07	≤0.98	PASS
11N20SISO	5320	-7.59	-8.25	-4.90	≤0.98	PASS
11N20SISO	5500	-13.94	-14.88	-11.37	≤-8.65	PASS
11N20SISO	5580	-14.66	-16.27	-12.38	≤-8.65	PASS
11N20SISO	5700	-13.48	-14.97	-11.15	≤-8.65	PASS
11N20SISO	5745	4.88	4.95	7.93	≤27.35	PASS
11N20SISO	5785	5.24	4.56	7.92	≤27.35	PASS
11N20SISO	5825	4.25	4.54	7.41	≤27.35	PASS
11N40SISO	5190	-7.40	-7.24	-4.31	≤6.98	PASS
11N40SISO	5230	-8.08	-7.39	-4.71	≤6.98	PASS
11N40SISO	5270	-8.80	-8.20	-5.48	≤0.98	PASS
11N40SISO	5310	-9.21	-9.68	-6.43	≤0.98	PASS
11N40SISO	5510	-15.54	-17.43	-13.37	≤-8.65	PASS
11N40SISO	5550	-14.79	-17.09	-12.78	≤-8.65	PASS
11N40SISO	5670	-15.32	-16.35	-12.79	≤-8.65	PASS
11N40SISO	5755	2.81	1.98	5.43	≤27.35	PASS
11N40SISO	5795	2.73	2.14	5.46	≤27.35	PASS
11AC20SISO	5180	-6.60	-6.52	-3.55	≤6.98	PASS
11AC20SISO	5200	-6.85	-6.76	-3.79	≤6.98	PASS
11AC20SISO	5240	-6.28	-5.57	-2.90	≤6.98	PASS
11AC20SISO	5260	-7.40	-6.27	-3.79	≤0.98	PASS
11AC20SISO	5280	-7.59	-6.57	-4.04	≤0.98	PASS
11AC20SISO	5320	-7.74	-8.10	-4.91	≤0.98	PASS
11AC20SISO	5500	-13.91	-14.65	-11.25	≤-8.65	PASS
11AC20SISO	5580	-14.61	-16.07	-12.27	≤-8.65	PASS
11AC20SISO	5700	-13.24	-13.59	-10.40	≤-8.65	PASS
11AC20SISO	5745	5.83	4.78	8.35	≤27.35	PASS
11AC20SISO	5785	5.30	4.51	7.93	≤27.35	PASS
11AC20SISO	5825	4.36	4.22	7.30	≤27.35	PASS
11AC40SISO	5190	-7.37	-7.54	-4.44	≤6.98	PASS
11AC40SISO	5230	-8.20	-7.52	-4.84	≤6.98	PASS
11AC40SISO	5270	-8.88	-8.36	-5.60	≤0.98	PASS
11AC40SISO	5310	-9.41	-9.78	-6.58	≤0.98	PASS

11AC40SISO	5510	-16.67	-17.48	-14.05	≤-8.65	PASS
11AC40SISO	5550	-15.90	-16.96	-13.39	≤-8.65	PASS
11AC40SISO	5670	-16.51	-16.56	-13.52	≤-8.65	PASS
11AC40SISO	5755	3.02	1.92	5.52	≤27.35	PASS
11AC40SISO	5795	2.41	2.34	5.39	≤27.35	PASS
11AC80SISO	5210	-6.50	-6.38	-3.43	≤6.98	PASS
11AC80SISO	5290	-7.39	-6.53	-3.93	≤0.98	PASS
11AC80SISO	5530	-16.10	-16.50	-13.29	≤-8.65	PASS
11AC80SISO	5610	-17.49	-17.83	-14.65	≤-8.65	PASS
11AC80SISO	5775	-0.60	-1.29	2.08	≤27.35	PASS
11AC160SISO	5570	-19.81	-20.56	-17.16	≤-8.65	PASS
11AX20SISO	5180	-6.73	-6.78	-3.74	≤6.98	PASS
11AX20SISO	5200	-7.04	-6.97	-3.99	≤6.98	PASS
11AX20SISO	5240	-6.66	-6.01	-3.31	≤6.98	PASS
11AX20SISO	5260	-7.61	-6.81	-4.18	≤0.98	PASS
11AX20SISO	5280	-7.80	-7.11	-4.43	≤0.98	PASS
11AX20SISO	5320	-7.87	-8.36	-5.10	≤0.98	PASS
11AX20SISO	5500	-13.50	-14.44	-10.93	≤-8.65	PASS
11AX20SISO	5580	-14.31	-16.15	-12.12	≤-8.65	PASS
11AX20SISO	5700	-13.38	-13.57	-10.46	≤-8.65	PASS
11AX20SISO	5745	6.80	5.11	9.05	≤27.35	PASS
11AX20SISO	5785	5.72	4.88	8.33	≤27.35	PASS
11AX20SISO	5825	4.60	5.01	7.82	≤27.35	PASS
11AX40SISO	5190	-8.19	-7.56	-4.85	≤6.98	PASS
11AX40SISO	5230	-8.58	-8.21	-5.38	≤6.98	PASS
11AX40SISO	5270	-9.41	-8.50	-5.92	≤0.98	PASS
11AX40SISO	5310	-9.98	-10.37	-7.16	≤0.98	PASS
11AX40SISO	5510	-16.74	-17.49	-14.09	≤-8.65	PASS
11AX40SISO	5550	-15.85	-17.02	-13.39	≤-8.65	PASS
11AX40SISO	5670	-16.48	-16.40	-13.43	≤-8.65	PASS
11AX40SISO	5755	2.59	1.80	5.22	≤27.35	PASS
11AX40SISO	5795	2.63	2.20	5.43	≤27.35	PASS
11AX80SISO	5210	-6.69	-6.88	-3.77	≤6.98	PASS
11AX80SISO	5290	-7.40	-6.95	-4.16	≤0.98	PASS
11AX80SISO	5530	-15.91	-16.54	-13.20	≤-8.65	PASS
11AX80SISO	5610	-17.33	-17.80	-14.55	≤-8.65	PASS
11AX80SISO	5775	-0.16	-0.98	2.46	≤27.35	PASS
11AX160SISO	5570	-19.90	-21.07	-17.44	≤-8.65	PASS

Appendix E: Band edge measurements

Ant 1

Test Result B1/2/3

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-48.02	≤-27	PASS
11A	Ant1	High	5320	-49.61	≤-27	PASS
11A	Ant1	Low	5500	-49.38	≤-27	PASS
11A	Ant1	High	5700	-50.08	≤-27	PASS
11N20SISO	Ant1	Low	5180	-48.28	≤-27	PASS
11N20SISO	Ant1	High	5320	-50.13	≤-27	PASS
11N20SISO	Ant1	Low	5500	-48.93	≤-27	PASS
11N20SISO	Ant1	High	5700	-49.41	≤-27	PASS
11N40SISO	Ant1	Low	5190	-47.76	≤-27	PASS
11N40SISO	Ant1	High	5310	-49.89	≤-27	PASS
11N40SISO	Ant1	Low	5510	-48.44	≤-27	PASS
11N40SISO	Ant1	High	5670	-48.99	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-48.32	≤-27	PASS
11AC20SISO	Ant1	High	5320	-49.54	≤-27	PASS
11AC20SISO	Ant1	Low	5500	-49.27	≤-27	PASS
11AC20SISO	Ant1	High	5700	-49.64	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-48.22	≤-27	PASS
11AC40SISO	Ant1	High	5310	-49.71	≤-27	PASS
11AC40SISO	Ant1	Low	5510	-49.44	≤-27	PASS
11AC40SISO	Ant1	High	5670	-48.69	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-47.6	≤-27	PASS
11AC80SISO	Ant1	High	5290	-49.37	≤-27	PASS
11AC80SISO	Ant1	Low	5530	-48.93	≤-27	PASS
11AC80SISO	Ant1	High	5610	-48.9	≤-27	PASS
11AC160SISO	Ant1	Low	5570	-49.33	≤-27	PASS
11AC160SISO	Ant1	High	5570	-49.44	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-47.5	≤-27	PASS
11AX20SISO	Ant1	High	5320	-49.36	≤-27	PASS
11AX20SISO	Ant1	Low	5500	-48.49	≤-27	PASS
11AX20SISO	Ant1	High	5700	-49.07	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-48.31	≤-27	PASS
11AX40SISO	Ant1	High	5310	-49.05	≤-27	PASS
11AX40SISO	Ant1	Low	5510	-48.84	≤-27	PASS
11AX40SISO	Ant1	High	5670	-49.23	≤-27	PASS
11AX80SISO	Ant1	Low	5210	-47.11	≤-27	PASS
11AX80SISO	Ant1	High	5290	-49.24	≤-27	PASS

11AX80SISO	Ant1	Low	5530	-48.6	≤-27	PASS
11AX80SISO	Ant1	High	5610	-48.88	≤-27	PASS
11AX160SISO	Ant1	Low	5570	-49.61	≤-27	PASS
11AX160SISO	Ant1	High	5570	-49.36	≤-27	PASS

Test Result B4


Test Mode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-51.22	≤16.34	PASS
11A	Ant1	Low	5745	5700~5720	-49.62	≤10.86	PASS
11A	Ant1	Low	5745	5650~5700	-49.91	≤-26.62	PASS
11A	Ant1	Low	5745	5760~5650	-48.93	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-51.55	≤15.73	PASS
11A	Ant1	High	5825	5855~5875	-49.87	≤10.13	PASS
11A	Ant1	High	5825	5875~5925	-49.89	≤-26.41	PASS
11A	Ant1	High	5825	5925~5935	-49.11	≤-27	PASS
11N20SI SO	Ant1	Low	5745	5720~5725	-50.68	≤15.82	PASS
11N20SI SO	Ant1	Low	5745	5700~5720	-49.33	≤10.67	PASS
11N20SI SO	Ant1	Low	5745	5650~5700	-49.86	≤-26.36	PASS
11N20SI SO	Ant1	Low	5745	5760~5650	-50.11	≤-27	PASS
11N20SI SO	Ant1	High	5825	5850~5855	-50.87	≤15.73	PASS
11N20SI SO	Ant1	High	5825	5855~5875	-49.77	≤10.25	PASS
11N20SI SO	Ant1	High	5825	5875~5925	-49.91	≤-26.81	PASS
11N20SI SO	Ant1	High	5825	5925~5935	-49.25	≤-27	PASS
11N40SI SO	Ant1	Low	5755	5720~5725	-49.44	≤16.04	PASS
11N40SI SO	Ant1	Low	5755	5700~5720	-50.52	≤10.40	PASS
11N40SI SO	Ant1	Low	5755	5650~5700	-50.24	≤-26.60	PASS
11N40SI SO	Ant1	Low	5755	5780~5650	-49.89	≤-27	PASS
11N40SI SO	Ant1	High	5795	5850~5855	-49.91	≤15.66	PASS
11N40SI	Ant1	High	5795	5855~5875	-49.9	≤10.11	PASS

SO							
11N40SI SO	Ant1	High	5795	5875~5925	-49.87	≤-26.22	PASS
11N40SI SO	Ant1	High	5795	5925~5935	-48.46	≤-27	PASS
11AC20S ISO	Ant1	Low	5745	5720~5725	-50.31	≤15.82	PASS
11AC20S ISO	Ant1	Low	5745	5700~5720	-49.94	≤10.64	PASS
11AC20S ISO	Ant1	Low	5745	5650~5700	-49.07	≤-26.87	PASS
11AC20S ISO	Ant1	Low	5745	5760~5650	-49.72	≤-27	PASS
11AC20S ISO	Ant1	High	5825	5850~5855	-50.56	≤15.73	PASS
11AC20S ISO	Ant1	High	5825	5855~5875	-50.08	≤10.02	PASS
11AC20S ISO	Ant1	High	5825	5875~5925	-49.43	≤-26.41	PASS
11AC20S ISO	Ant1	High	5825	5925~5935	-49.18	≤-27	PASS
11AC40S ISO	Ant1	Low	5755	5720~5725	-51.81	≤15.74	PASS
11AC40S ISO	Ant1	Low	5755	5700~5720	-50.43	≤10.10	PASS
11AC40S ISO	Ant1	Low	5755	5650~5700	-50.12	≤-26.80	PASS
11AC40S ISO	Ant1	Low	5755	5780~5650	-49.4	≤-27	PASS
11AC40S ISO	Ant1	High	5795	5850~5855	-51.62	≤15.66	PASS
11AC40S ISO	Ant1	High	5795	5855~5875	-49.8	≤10.25	PASS
11AC40S ISO	Ant1	High	5795	5875~5925	-48.5	≤-26.95	PASS
11AC40S ISO	Ant1	High	5795	5925~5935	-48.82	≤-27	PASS
11AC80S ISO	Ant1	Low	5775	5720~5725	-50.86	≤15.65	PASS
11AC80S ISO	Ant1	Low	5775	5700~5720	-49.74	≤10.83	PASS
11AC80S ISO	Ant1	Low	5775	5650~5700	-50.01	≤-26.91	PASS


11AC80S ISO	Ant1	Low	5775	5800~5650	-50.05	≤-27	PASS
11AC80S ISO	Ant1	High	5775	5850~5855	-49.51	≤16.68	PASS
11AC80S ISO	Ant1	High	5775	5855~5875	-49.6	≤10.14	PASS
11AC80S ISO	Ant1	High	5775	5875~5925	-48.76	≤-26.73	PASS
11AC80S ISO	Ant1	High	5775	5925~5935	-48.63	≤-27	PASS
11AX20SI SO	Ant1	Low	5745	5720~5725	-50.41	≤15.82	PASS
11AX20SI SO	Ant1	Low	5745	5700~5720	-50.83	≤10.12	PASS
11AX20SI SO	Ant1	Low	5745	5650~5700	-50.71	≤-26.70	PASS
11AX20SI SO	Ant1	Low	5745	5760~5650	-49.31	≤-27	PASS
11AX20SI SO	Ant1	High	5825	5850~5855	-51.16	≤15.73	PASS
11AX20SI SO	Ant1	High	5825	5855~5875	-48.47	≤10.85	PASS
11AX20SI SO	Ant1	High	5825	5875~5925	-49.18	≤-26.41	PASS
11AX20SI SO	Ant1	High	5825	5925~5935	-47.17	≤-27	PASS
11AX40SI SO	Ant1	Low	5755	5720~5725	-50.48	≤15.74	PASS
11AX40SI SO	Ant1	Low	5755	5700~5720	-49.64	≤10.32	PASS
11AX40SI SO	Ant1	Low	5755	5650~5700	-49.4	≤-25.51	PASS
11AX40SI SO	Ant1	Low	5755	5780~5650	-50.77	≤-27	PASS
11AX40SI SO	Ant1	High	5795	5850~5855	-50.32	≤15.66	PASS
11AX40SI SO	Ant1	High	5795	5855~5875	-49.52	≤10.06	PASS
11AX40SI SO	Ant1	High	5795	5875~5925	-49.58	≤-26.71	PASS
11AX40SI SO	Ant1	High	5795	5925~5935	-48.67	≤-27	PASS
11AX80SI SO	Ant1	Low	5775	5720~5725	-51.24	≤16.00	PASS

11AX80SI SO	Ant1	Low	5775	5700~5720	-49.8	≤10.66	PASS
11AX80SI SO	Ant1	Low	5775	5650~5700	-50.06	≤-26.80	PASS
11AX80SI SO	Ant1	Low	5775	5800~5650	-49.96	≤-27	PASS
11AX80SI SO	Ant1	High	5775	5850~5855	-51.21	≤15.84	PASS
11AX80SI SO	Ant1	High	5775	5855~5875	-48.81	≤11.23	PASS
11AX80SI SO	Ant1	High	5775	5875~5925	-48.45	≤-26.05	PASS
11AX80SI SO	Ant1	High	5775	5925~5935	-48.81	≤-27	PASS


Test Graphs B1/2/3



11A-Ant1-5180-PASS




11A-Ant1-5320-PASS




11A-Ant1-5500-PASS




11A-Ant1-5700-PASS




11N20SISO-Ant1-5180-PASS




11N20SISO-Ant1-5320-PASS




11N20SISO-Ant1-5500-PASS




11N20SISO-Ant1-5700-PASS




11N40SISO-Ant1-5190-PASS




11N40SISO-Ant1-5310-PASS




11N40SISO-Ant1-5510-PASS




11N40SISO-Ant1-5670-PASS




11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5320-PASS




11AC20SISO-Ant1-5500-PASS




11AC20SISO-Ant1-5700-PASS




11AC40SISO-Ant1-5190-PASS




11AC40SISO-Ant1-5310-PASS




11AC40SISO-Ant1-5510-PASS




11AC40SISO-Ant1-5670-PASS




11AC80SISO-Ant1-5210-PASS




11AC80SISO-Ant1-5290-PASS




11AC80SISO-Ant1-5530-PASS




11AC80SISO-Ant1-5610-PASS




11AC160SISO-Ant1-5570-PASS




11AC160SISO-Ant1-5570-PASS




11AX20SiSO-Ant1-5180-PASS




11AX20SiSO-Ant1-5320-PASS




11AX20SISO-Ant1-5500-PASS




11AX20SISO-Ant1-5700-PASS




11AX40SiSO-Ant1-5190-PASS




11AX40SiSO-Ant1-5310-PASS




11AX40SISO-Ant1-5510-PASS




11AX40SISO-Ant1-5670-PASS




11AX80SISO-Ant1-5210-PASS




11AX80SISO-Ant1-5290-PASS




11AX80SISO-Ant1-5530-PASS



11AX80SISO-Ant1-5610-PASS





11AX160SISO-Ant1-5570-PASS




11AX160SISO-Ant1-5570-PASS

Test Graphs B4







11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5755-PASS



11N40SISO-Ant1-5795-PASS



11AC20SISO-Ant1-5745-PASS



11AC20SISO-Ant1-5825-PASS