


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.97	54.00	-1.03	32.09	3	Horizontal	14	1.63	-	20.88	27.37	4.72	-
AV	2.424G	102.02	Inf	-Inf	32.23	3	Horizontal	14	1.63	-	69.79	27.47	4.76	-
AV	2.4872G	48.05	54.00	-5.95	32.49	3	Horizontal	14	1.63	-	15.56	27.66	4.83	-
PK	2.39G	72.44	74.00	-1.56	32.09	3	Horizontal	14	1.63	-	40.35	27.37	4.72	-
PK	2.4248G	115.46	Inf	-Inf	32.23	3	Horizontal	14	1.63	-	83.23	27.47	4.76	-
PK	2.4864G	61.74	74.00	-12.26	32.49	3	Horizontal	14	1.63	-	29.25	27.66	4.83	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85666G	29.04	54.00	-24.96	3.77	3	Vertical	360	2.97	-	25.27	31.44	6.80	34.47
PK	4.84334G	42.94	74.00	-31.06	3.74	3	Vertical	360	2.97	-	39.20	31.42	6.80	34.48

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85402G	29.01	54.00	-24.99	3.77	3	Horizontal	122	1.49	-	25.24	31.44	6.80	34.47
PK	4.85876G	42.94	74.00	-31.06	3.78	3	Horizontal	122	1.49	-	39.16	31.45	6.80	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.11	54.00	-8.89	32.09	3	Vertical	345	1.12	-	13.02	27.37	4.72	-
AV	2.437G	85.34	Inf	-Inf	32.28	3	Vertical	345	1.12	-	53.06	27.51	4.77	-
AV	2.4998G	45.74	54.00	-8.26	32.55	3	Vertical	345	1.12	-	13.19	27.70	4.85	-
PK	2.3418G	56.55	74.00	-17.45	31.89	3	Vertical	345	1.12	-	24.66	27.23	4.66	-
PK	2.4354G	98.89	Inf	-Inf	32.28	3	Vertical	345	1.12	-	66.61	27.51	4.77	-
PK	2.4906G	57.29	74.00	-16.71	32.51	3	Vertical	345	1.12	-	24.78	27.67	4.84	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.20	54.00	-1.80	32.09	3	Horizontal	13	1.49	-	20.11	27.37	4.72	-
AV	2.4346G	102.91	Inf	-Inf	32.27	3	Horizontal	13	1.49	-	70.64	27.50	4.77	-
AV	2.4835G	49.11	54.00	-4.89	32.48	3	Horizontal	13	1.49	-	16.63	27.65	4.83	-
PK	2.3898G	71.35	74.00	-2.65	32.09	3	Horizontal	13	1.49	-	39.26	27.37	4.72	-
PK	2.4398G	116.37	Inf	-Inf	32.30	3	Horizontal	13	1.49	-	84.07	27.52	4.78	-
PK	2.4835G	65.90	74.00	-8.10	32.48	3	Horizontal	13	1.49	-	33.42	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.23	54.00	-8.77	32.09	3	Vertical	342	1.00	-	13.14	27.37	4.72	-
AV	2.4402G	86.27	Inf	-Inf	32.30	3	Vertical	342	1.00	-	53.97	27.52	4.78	-
AV	2.4835G	45.73	54.00	-8.27	32.48	3	Vertical	342	1.00	-	13.25	27.65	4.83	-
PK	2.3898G	57.81	74.00	-16.19	32.09	3	Vertical	342	1.00	-	25.72	27.37	4.72	-
PK	2.4454G	99.74	Inf	-Inf	32.32	3	Vertical	342	1.00	-	67.42	27.54	4.78	-
PK	2.4898G	57.58	74.00	-16.42	32.51	3	Vertical	342	1.00	-	25.07	27.67	4.84	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	51.11	54.00	-2.89	32.09	3	Horizontal	17	1.42	-	19.02	27.37	4.72	-
AV	2.442G	103.23	Inf	-Inf	32.31	3	Horizontal	17	1.42	-	70.92	27.53	4.78	-
AV	2.4835G	52.81	54.00	-1.19	32.48	3	Horizontal	17	1.42	-	20.33	27.65	4.83	-
PK	2.389G	71.11	74.00	-2.89	32.09	3	Horizontal	17	1.42	-	39.02	27.37	4.72	-
PK	2.4362G	116.31	Inf	-Inf	32.28	3	Horizontal	17	1.42	-	84.03	27.51	4.77	-
PK	2.4894G	71.03	74.00	-2.97	32.50	3	Horizontal	17	1.42	-	38.53	27.67	4.83	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87508G	28.97	54.00	-25.03	3.82	3	Vertical	316	1.44	-	25.15	31.48	6.81	34.47
PK	4.86686G	42.49	74.00	-31.51	3.79	3	Vertical	316	1.44	-	38.70	31.46	6.80	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88648G	29.00	54.00	-25.00	3.85	3	Horizontal	37	2.07	-	25.15	31.50	6.81	34.46
PK	4.88534G	42.35	74.00	-31.65	3.84	3	Horizontal	37	2.07	-	38.51	31.49	6.81	34.46

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.385G	44.97	54.00	-9.03	32.07	3	Vertical	347	1.00	-	12.90	27.36	4.71	-
AV	2.4482G	85.28	Inf	-Inf	32.33	3	Vertical	347	1.00	-	52.95	27.54	4.79	-
AV	2.4846G	45.60	54.00	-8.40	32.48	3	Vertical	347	1.00	-	13.12	27.65	4.83	-
PK	2.3718G	56.61	74.00	-17.39	32.02	3	Vertical	347	1.00	-	24.59	27.32	4.70	-
PK	2.4414G	98.43	Inf	-Inf	32.30	3	Vertical	347	1.00	-	66.13	27.52	4.78	-
PK	2.4854G	57.16	74.00	-16.84	32.49	3	Vertical	347	1.00	-	24.67	27.66	4.83	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.06	54.00	-6.94	32.09	3	Horizontal	13	1.41	-	14.97	27.37	4.72	-
AV	2.4442G	102.40	Inf	-Inf	32.31	3	Horizontal	13	1.41	-	70.09	27.53	4.78	-
AV	2.4835G	50.52	54.00	-3.48	32.48	3	Horizontal	13	1.41	-	18.04	27.65	4.83	-
PK	2.3806G	60.13	74.00	-13.87	32.05	3	Horizontal	13	1.41	-	28.08	27.34	4.71	-
PK	2.4422G	115.90	Inf	-Inf	32.31	3	Horizontal	13	1.41	-	83.59	27.53	4.78	-
PK	2.4838G	70.80	74.00	-3.20	32.48	3	Horizontal	13	1.41	-	38.32	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3848G	44.94	54.00	-9.06	32.06	3	Vertical	346	1.00	-	12.88	27.35	4.71	-
AV	2.4616G	85.23	Inf	-Inf	32.38	3	Vertical	346	1.00	-	52.85	27.58	4.80	-
AV	2.486G	45.62	54.00	-8.38	32.49	3	Vertical	346	1.00	-	13.13	27.66	4.83	-
PK	2.3788G	56.55	74.00	-17.45	32.05	3	Vertical	346	1.00	-	24.50	27.34	4.71	-
PK	2.4676G	98.51	Inf	-Inf	32.41	3	Vertical	346	1.00	-	66.10	27.60	4.81	-
PK	2.4848G	57.11	74.00	-16.89	32.48	3	Vertical	346	1.00	-	24.63	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.76	54.00	-7.24	32.09	3	Horizontal	16	1.35	-	14.67	27.37	4.72	-
AV	2.4472G	101.65	Inf	-Inf	32.33	3	Horizontal	16	1.35	-	69.32	27.54	4.79	-
AV	2.4835G	51.05	54.00	-2.95	32.48	3	Horizontal	16	1.35	-	18.57	27.65	4.83	-
PK	2.3848G	60.91	74.00	-13.09	32.06	3	Horizontal	16	1.35	-	28.85	27.35	4.71	-
PK	2.4568G	114.84	Inf	-Inf	32.37	3	Horizontal	16	1.35	-	82.47	27.57	4.80	-
PK	2.4848G	72.03	74.00	-1.97	32.48	3	Horizontal	16	1.35	-	39.55	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90742G	29.00	54.00	-25.00	3.89	3	Vertical	294	1.83	-	25.11	31.53	6.82	34.46
PK	4.89608G	42.75	74.00	-31.25	3.86	3	Vertical	294	1.83	-	38.89	31.51	6.81	34.46

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91414G	28.99	54.00	-25.01	3.91	3	Horizontal	19	1.69	-	25.08	31.55	6.82	34.46
PK	4.90316G	42.99	74.00	-31.01	3.89	3	Horizontal	19	1.69	-	39.10	31.53	6.82	34.46

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.20	54.00	-1.80	32.09	3	Vertical	9	1.52	-	20.11	27.37	4.72	-
AV	2.4316G	101.79	Inf	-Inf	32.26	3	Vertical	9	1.52	-	69.53	27.49	4.77	-
AV	2.484G	47.82	54.00	-6.18	32.48	3	Vertical	9	1.52	-	15.34	27.65	4.83	-
PK	2.39G	72.29	74.00	-1.71	32.09	3	Vertical	9	1.52	-	40.20	27.37	4.72	-
PK	2.4232G	115.22	Inf	-Inf	32.23	3	Vertical	9	1.52	-	82.99	27.47	4.76	-
PK	2.4896G	61.15	74.00	-12.85	32.50	3	Vertical	9	1.52	-	28.65	27.67	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX

08/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.56	54.00	-3.44	32.09	3	Horizontal	17	1.65	-	18.47	27.37	4.72	-
AV	2.4272G	101.93	Inf	-Inf	32.24	3	Horizontal	17	1.65	-	69.69	27.48	4.76	-
AV	2.4868G	47.48	54.00	-6.52	32.49	3	Horizontal	17	1.65	-	14.99	27.66	4.83	-
PK	2.3892G	67.18	74.00	-6.82	32.09	3	Horizontal	17	1.65	-	35.09	27.37	4.72	-
PK	2.4176G	115.46	Inf	-Inf	32.20	3	Horizontal	17	1.65	-	83.26	27.45	4.75	-
PK	2.4868G	59.86	74.00	-14.14	32.49	3	Horizontal	17	1.65	-	27.37	27.66	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84112G	29.12	54.00	-24.88	3.73	3	Vertical	299	1.52	-	25.39	31.41	6.80	34.48
PK	4.84846G	43.25	74.00	-30.75	3.75	3	Vertical	299	1.52	-	39.50	31.43	6.80	34.48

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84166G	29.14	54.00	-24.86	3.73	3	Horizontal	80	1.65	-	25.41	31.41	6.80	34.48
PK	4.84166G	43.57	74.00	-30.43	3.73	3	Horizontal	80	1.65	-	39.84	31.41	6.80	34.48

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	51.47	54.00	-2.53	32.09	3	Vertical	0	1.52	-	19.38	27.37	4.72	-
AV	2.4286G	101.67	Inf	-Inf	32.25	3	Vertical	0	1.52	-	69.42	27.49	4.76	-
AV	2.4835G	48.20	54.00	-5.80	32.48	3	Vertical	0	1.52	-	15.72	27.65	4.83	-
PK	2.3866G	70.59	74.00	-3.41	32.07	3	Vertical	0	1.52	-	38.52	27.36	4.71	-
PK	2.4278G	114.62	Inf	-Inf	32.24	3	Vertical	0	1.52	-	82.38	27.48	4.76	-
PK	2.4842G	63.40	74.00	-10.60	32.48	3	Vertical	0	1.52	-	30.92	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.98	54.00	-5.02	32.09	3	Horizontal	13	1.71	-	16.89	27.37	4.72	-
AV	2.4326G	102.11	Inf	-Inf	32.27	3	Horizontal	13	1.71	-	69.84	27.50	4.77	-
AV	2.4835G	47.82	54.00	-6.18	32.48	3	Horizontal	13	1.71	-	15.34	27.65	4.83	-
PK	2.3894G	64.54	74.00	-9.46	32.09	3	Horizontal	13	1.71	-	32.45	27.37	4.72	-
PK	2.433G	115.00	Inf	-Inf	32.27	3	Horizontal	13	1.71	-	82.73	27.50	4.77	-
PK	2.4846G	60.01	74.00	-13.99	32.48	3	Horizontal	13	1.71	-	27.53	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.16	54.00	-1.84	32.09	3	Vertical	360	1.37	-	20.07	27.37	4.72	-
AV	2.4386G	102.10	Inf	-Inf	32.30	3	Vertical	360	1.37	-	69.80	27.52	4.78	-
AV	2.4835G	52.88	54.00	-1.12	32.48	3	Vertical	360	1.37	-	20.40	27.65	4.83	-
PK	2.3878G	69.53	74.00	-4.47	32.08	3	Vertical	360	1.37	-	37.45	27.36	4.72	-
PK	2.4394G	115.14	Inf	-Inf	32.30	3	Vertical	360	1.37	-	82.84	27.52	4.78	-
PK	2.4874G	68.91	74.00	-5.09	32.49	3	Vertical	360	1.37	-	36.42	27.66	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3846G	48.62	54.00	-5.38	32.06	3	Horizontal	16	1.65	-	16.56	27.35	4.71	-
AV	2.443G	102.78	Inf	-Inf	32.31	3	Horizontal	16	1.65	-	70.47	27.53	4.78	-
AV	2.4835G	51.89	54.00	-2.11	32.48	3	Horizontal	16	1.65	-	19.41	27.65	4.83	-
PK	2.3862G	67.10	74.00	-6.90	32.07	3	Horizontal	16	1.65	-	35.03	27.36	4.71	-
PK	2.4518G	115.56	Inf	-Inf	32.35	3	Horizontal	16	1.65	-	83.21	27.56	4.79	-
PK	2.4894G	67.56	74.00	-6.44	32.50	3	Horizontal	16	1.65	-	35.06	27.67	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8751G	29.32	54.00	-24.68	3.82	3	Vertical	200	1.62	-	25.50	31.48	6.81	34.47
PK	4.8718G	43.39	74.00	-30.61	3.81	3	Vertical	200	1.62	-	39.58	31.47	6.81	34.47

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2437MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87182G	29.19	54.00	-24.81	3.81	3	Horizontal	40	1.37	-	25.38	31.47	6.81	34.47
PK	4.87718G	42.73	74.00	-31.27	3.82	3	Horizontal	40	1.37	-	38.91	31.48	6.81	34.47

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3862G	46.88	54.00	-7.12	32.07	3	Vertical	19	1.50	-	14.81	27.36	4.71	-
AV	2.449G	101.10	Inf	-Inf	32.34	3	Vertical	19	1.50	-	68.76	27.55	4.79	-
AV	2.4846G	52.27	54.00	-1.73	32.48	3	Vertical	19	1.50	-	19.79	27.65	4.83	-
PK	2.3878G	60.11	74.00	-13.89	32.08	3	Vertical	19	1.50	-	28.03	27.36	4.72	-
PK	2.4478G	113.92	Inf	-Inf	32.33	3	Vertical	19	1.50	-	81.59	27.54	4.79	-
PK	2.4838G	69.91	74.00	-4.09	32.48	3	Vertical	19	1.50	-	37.43	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.74	54.00	-7.26	32.09	3	Horizontal	18	1.46	-	14.65	27.37	4.72	-
AV	2.443G	101.65	Inf	-Inf	32.31	3	Horizontal	18	1.46	-	69.34	27.53	4.78	-
AV	2.4835G	52.98	54.00	-1.02	32.48	3	Horizontal	18	1.46	-	20.50	27.65	4.83	-
PK	2.3838G	58.90	74.00	-15.10	32.06	3	Horizontal	18	1.46	-	26.84	27.35	4.71	-
PK	2.4518G	114.49	Inf	-Inf	32.35	3	Horizontal	18	1.46	-	82.14	27.56	4.79	-
PK	2.4835G	66.12	74.00	-7.88	32.48	3	Horizontal	18	1.46	-	33.64	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.384G	46.58	54.00	-7.42	32.06	3	Vertical	9	1.33	-	14.52	27.35	4.71	-
AV	2.4536G	100.96	Inf	-Inf	32.35	3	Vertical	9	1.33	-	68.61	27.56	4.79	-
AV	2.4835G	52.48	54.00	-1.52	32.48	3	Vertical	9	1.33	-	20.00	27.65	4.83	-
PK	2.3872G	59.56	74.00	-14.44	32.08	3	Vertical	9	1.33	-	27.48	27.36	4.72	-
PK	2.4628G	114.68	Inf	-Inf	32.39	3	Vertical	9	1.33	-	82.29	27.59	4.80	-
PK	2.4844G	72.21	74.00	-1.79	32.48	3	Vertical	9	1.33	-	39.73	27.65	4.83	-

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019


2452MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90606G	29.28	54.00	-24.72	3.89	3	Vertical	195	1.94	-	25.39	31.53	6.82	34.46
PK	4.8999G	43.23	74.00	-30.77	3.88	3	Vertical	195	1.94	-	39.35	31.52	6.82	34.46

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2019

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9041G	29.20	54.00	-24.80	3.89	3	Horizontal	100	1.50	-	25.31	31.53	6.82	34.46
PK	4.90652G	43.09	74.00	-30.91	3.89	3	Horizontal	100	1.50	-	39.20	31.53	6.82	34.46

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	AV	2.4838G	52.84	54.00	-1.16	3	Horizontal	344	1.50	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3882G	52.90	54.00	-1.10	3	Vertical	349	1.75	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	2.4835G	53.00	54.00	-1.00	3	Horizontal	354	1.60	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4835G	52.83	54.00	-1.17	3	Horizontal	355	1.65	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.4835G	53.00	54.00	-1.00	3	Horizontal	353	1.53	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.39G	52.91	54.00	-1.09	3	Vertical	348	1.74	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	2.39G	72.87	74.00	-1.13	3	Horizontal	0	1.00	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	52.92	54.00	-1.08	3	Vertical	348	1.75	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.372G	46.91	54.00	-7.09	3	Vertical	151	1.43	-
2412MHz	Pass	AV	2.4128G	91.22	Inf	-Inf	3	Vertical	151	1.43	-
2412MHz	Pass	PK	2.3648G	58.49	74.00	-15.51	3	Vertical	151	1.43	-
2412MHz	Pass	PK	2.4112G	93.15	Inf	-Inf	3	Vertical	151	1.43	-
2412MHz	Pass	AV	2.39G	52.65	54.00	-1.35	3	Horizontal	350	1.45	-
2412MHz	Pass	AV	2.4108G	114.04	Inf	-Inf	3	Horizontal	350	1.45	-
2412MHz	Pass	PK	2.3894G	61.86	74.00	-12.14	3	Horizontal	350	1.45	-
2412MHz	Pass	PK	2.4128G	116.40	Inf	-Inf	3	Horizontal	350	1.45	-
2412MHz	Pass	AV	4.82394G	39.01	54.00	-14.99	3	Vertical	157	2.49	-
2412MHz	Pass	PK	4.82364G	46.64	74.00	-27.36	3	Vertical	157	2.49	-
2412MHz	Pass	AV	4.82394G	37.07	54.00	-16.93	3	Horizontal	146	1.89	-
2412MHz	Pass	PK	4.82388G	45.54	74.00	-28.46	3	Horizontal	146	1.89	-
2417MHz	Pass	AV	2.3674G	47.03	54.00	-6.97	3	Vertical	343	1.00	-
2417MHz	Pass	AV	2.418G	97.52	Inf	-Inf	3	Vertical	343	1.00	-
2417MHz	Pass	PK	2.3886G	58.92	74.00	-15.08	3	Vertical	343	1.00	-
2417MHz	Pass	PK	2.4178G	98.60	Inf	-Inf	3	Vertical	343	1.00	-
2417MHz	Pass	AV	2.39G	52.82	54.00	-1.18	3	Horizontal	359	1.73	-
2417MHz	Pass	AV	2.4178G	114.24	Inf	-Inf	3	Horizontal	359	1.73	-
2417MHz	Pass	PK	2.3884G	61.06	74.00	-12.94	3	Horizontal	359	1.73	-
2417MHz	Pass	PK	2.4178G	116.35	Inf	-Inf	3	Horizontal	359	1.73	-
2437MHz	Pass	AV	2.3414G	47.81	54.00	-6.19	3	Vertical	33	1.03	-
2437MHz	Pass	AV	2.4358G	96.75	Inf	-Inf	3	Vertical	33	1.03	-
2437MHz	Pass	AV	2.4854G	48.04	54.00	-5.96	3	Vertical	33	1.03	-
2437MHz	Pass	PK	2.3402G	58.46	74.00	-15.54	3	Vertical	33	1.03	-
2437MHz	Pass	PK	2.4362G	98.99	Inf	-Inf	3	Vertical	33	1.03	-
2437MHz	Pass	PK	2.4882G	59.98	74.00	-14.02	3	Vertical	33	1.03	-
2437MHz	Pass	AV	2.3898G	52.53	54.00	-1.47	3	Horizontal	0	1.92	-
2437MHz	Pass	AV	2.4378G	115.02	Inf	-Inf	3	Horizontal	0	1.92	-
2437MHz	Pass	AV	2.4842G	52.25	54.00	-1.75	3	Horizontal	0	1.92	-
2437MHz	Pass	PK	2.3834G	61.05	74.00	-12.95	3	Horizontal	0	1.92	-
2437MHz	Pass	PK	2.4378G	117.23	Inf	-Inf	3	Horizontal	0	1.92	-
2437MHz	Pass	PK	2.4878G	61.44	74.00	-12.56	3	Horizontal	0	1.92	-
2437MHz	Pass	AV	4.874G	40.79	54.00	-13.21	3	Vertical	155	2.49	-
2437MHz	Pass	AV	7.3101G	45.71	54.00	-8.29	3	Vertical	149	2.69	-
2437MHz	Pass	PK	4.87418G	47.58	74.00	-26.42	3	Vertical	155	2.49	-
2437MHz	Pass	PK	7.31112G	54.07	74.00	-19.93	3	Vertical	176	2.07	-
2437MHz	Pass	AV	4.87388G	34.73	54.00	-19.27	3	Horizontal	223	1.50	-
2437MHz	Pass	AV	7.31016G	42.99	54.00	-11.01	3	Horizontal	8	1.76	-
2437MHz	Pass	PK	4.88678G	45.17	74.00	-28.83	3	Horizontal	223	1.50	-
2437MHz	Pass	PK	7.31286G	53.66	74.00	-20.34	3	Horizontal	8	1.76	-
2457MHz	Pass	AV	2.4564G	95.13	Inf	-Inf	3	Vertical	337	1.12	-
2457MHz	Pass	AV	2.4898G	47.47	54.00	-6.53	3	Vertical	337	1.12	-
2457MHz	Pass	PK	2.4578G	97.20	Inf	-Inf	3	Vertical	337	1.12	-
2457MHz	Pass	PK	2.4984G	58.90	74.00	-15.10	3	Vertical	337	1.12	-
2457MHz	Pass	AV	2.4578G	112.35	Inf	-Inf	3	Horizontal	344	1.50	-
2457MHz	Pass	AV	2.4838G	52.84	54.00	-1.16	3	Horizontal	344	1.50	-
2457MHz	Pass	PK	2.4578G	114.19	Inf	-Inf	3	Horizontal	344	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.4836G	61.73	74.00	-12.27	3	Horizontal	344	1.50	-
2462MHz	Pass	AV	2.461G	93.78	Inf	-Inf	3	Vertical	31	1.00	-
2462MHz	Pass	AV	2.4866G	48.26	54.00	-5.74	3	Vertical	31	1.00	-
2462MHz	Pass	PK	2.461G	95.91	Inf	-Inf	3	Vertical	31	1.00	-
2462MHz	Pass	PK	2.491G	59.30	74.00	-14.70	3	Vertical	31	1.00	-
2462MHz	Pass	AV	2.4628G	112.34	Inf	-Inf	3	Horizontal	360	1.59	-
2462MHz	Pass	AV	2.4864G	52.26	54.00	-1.74	3	Horizontal	360	1.59	-
2462MHz	Pass	PK	2.4628G	114.50	Inf	-Inf	3	Horizontal	360	1.59	-
2462MHz	Pass	PK	2.485G	61.26	74.00	-12.74	3	Horizontal	360	1.59	-
2462MHz	Pass	AV	4.924G	42.19	54.00	-11.81	3	Vertical	154	2.45	-
2462MHz	Pass	AV	7.38318G	40.35	54.00	-13.65	3	Vertical	227	1.10	-
2462MHz	Pass	PK	4.92388G	48.74	74.00	-25.26	3	Vertical	154	2.45	-
2462MHz	Pass	PK	7.38168G	51.43	74.00	-22.57	3	Vertical	227	1.10	-
2462MHz	Pass	AV	4.92388G	40.28	54.00	-13.72	3	Horizontal	180	2.51	-
2462MHz	Pass	AV	7.38438G	40.61	54.00	-13.39	3	Horizontal	358	1.20	-
2462MHz	Pass	PK	4.924G	47.29	74.00	-26.71	3	Horizontal	180	2.51	-
2462MHz	Pass	PK	7.38492G	51.75	74.00	-22.25	3	Horizontal	358	1.20	-
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3834G	52.16	54.00	-1.84	3	Vertical	350	1.50	-
2412MHz	Pass	AV	2.4128G	113.43	Inf	-Inf	3	Vertical	350	1.50	-
2412MHz	Pass	PK	2.3894G	61.48	74.00	-12.52	3	Vertical	350	1.50	-
2412MHz	Pass	PK	2.4112G	115.44	Inf	-Inf	3	Vertical	350	1.50	-
2412MHz	Pass	AV	2.3888G	48.94	54.00	-5.06	3	Horizontal	356	1.50	-
2412MHz	Pass	AV	2.4114G	113.74	Inf	-Inf	3	Horizontal	356	1.50	-
2412MHz	Pass	PK	2.386G	60.25	74.00	-13.75	3	Horizontal	356	1.50	-
2412MHz	Pass	PK	2.4128G	115.87	Inf	-Inf	3	Horizontal	356	1.50	-
2412MHz	Pass	AV	4.824G	39.13	54.00	-14.87	3	Vertical	154	1.61	-
2412MHz	Pass	PK	4.8237G	46.58	74.00	-27.42	3	Vertical	154	1.61	-
2412MHz	Pass	AV	4.82388G	39.13	54.00	-14.87	3	Horizontal	186	2.02	-
2412MHz	Pass	PK	4.82394G	46.17	74.00	-27.83	3	Horizontal	186	2.02	-
2417MHz	Pass	AV	2.3882G	52.90	54.00	-1.10	3	Vertical	349	1.75	-
2417MHz	Pass	AV	2.4164G	114.19	Inf	-Inf	3	Vertical	349	1.75	-
2417MHz	Pass	PK	2.3884G	62.78	74.00	-11.22	3	Vertical	349	1.75	-
2417MHz	Pass	PK	2.4178G	116.64	Inf	-Inf	3	Vertical	349	1.75	-
2417MHz	Pass	AV	2.39G	49.02	54.00	-4.98	3	Horizontal	349	1.92	-
2417MHz	Pass	AV	2.4162G	114.53	Inf	-Inf	3	Horizontal	349	1.92	-
2417MHz	Pass	PK	2.3892G	60.14	74.00	-13.86	3	Horizontal	349	1.92	-
2417MHz	Pass	PK	2.4164G	116.97	Inf	-Inf	3	Horizontal	349	1.92	-
2437MHz	Pass	AV	2.3866G	51.40	54.00	-2.60	3	Vertical	348	1.50	-
2437MHz	Pass	AV	2.4362G	114.59	Inf	-Inf	3	Vertical	348	1.50	-
2437MHz	Pass	AV	2.4874G	50.65	54.00	-3.35	3	Vertical	348	1.50	-
2437MHz	Pass	PK	2.3866G	60.90	74.00	-13.10	3	Vertical	348	1.50	-
2437MHz	Pass	PK	2.4362G	116.45	Inf	-Inf	3	Vertical	348	1.50	-
2437MHz	Pass	PK	2.4982G	60.72	74.00	-13.28	3	Vertical	348	1.50	-
2437MHz	Pass	AV	2.3866G	52.03	54.00	-1.97	3	Horizontal	359	1.69	-
2437MHz	Pass	AV	2.4378G	115.05	Inf	-Inf	3	Horizontal	359	1.69	-
2437MHz	Pass	AV	2.4838G	51.63	54.00	-2.37	3	Horizontal	359	1.69	-
2437MHz	Pass	PK	2.3866G	61.88	74.00	-12.12	3	Horizontal	359	1.69	-
2437MHz	Pass	PK	2.4378G	116.73	Inf	-Inf	3	Horizontal	359	1.69	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.4866G	60.96	74.00	-13.04	3	Horizontal	359	1.69	-
2437MHz	Pass	AV	4.87394G	38.43	54.00	-15.57	3	Vertical	155	1.66	-
2437MHz	Pass	AV	7.31004G	47.37	54.00	-6.63	3	Vertical	315	2.07	-
2437MHz	Pass	PK	4.87364G	46.38	74.00	-27.62	3	Vertical	155	1.66	-
2437MHz	Pass	PK	7.3104G	55.67	74.00	-18.33	3	Vertical	315	2.07	-
2437MHz	Pass	AV	4.87388G	36.61	54.00	-17.39	3	Horizontal	338	1.52	-
2437MHz	Pass	AV	7.31034G	47.99	54.00	-6.01	3	Horizontal	346	2.00	-
2437MHz	Pass	PK	4.874G	45.51	74.00	-28.49	3	Horizontal	338	1.52	-
2437MHz	Pass	PK	7.3116G	55.78	74.00	-18.22	3	Horizontal	346	2.00	-
2457MHz	Pass	AV	2.458G	114.06	Inf	-Inf	3	Vertical	344	1.72	-
2457MHz	Pass	AV	2.4862G	48.74	54.00	-5.26	3	Vertical	344	1.72	-
2457MHz	Pass	PK	2.4562G	116.04	Inf	-Inf	3	Vertical	344	1.72	-
2457MHz	Pass	PK	2.4974G	59.96	74.00	-14.04	3	Vertical	344	1.72	-
2457MHz	Pass	AV	2.458G	114.21	Inf	-Inf	3	Horizontal	352	1.84	-
2457MHz	Pass	AV	2.4858G	50.07	54.00	-3.93	3	Horizontal	352	1.84	-
2457MHz	Pass	PK	2.4578G	116.25	Inf	-Inf	3	Horizontal	352	1.84	-
2457MHz	Pass	PK	2.493G	60.05	74.00	-13.95	3	Horizontal	352	1.84	-
2462MHz	Pass	AV	2.4628G	112.78	Inf	-Inf	3	Vertical	350	1.50	-
2462MHz	Pass	AV	2.4894G	48.15	54.00	-5.85	3	Vertical	350	1.50	-
2462MHz	Pass	PK	2.4628G	114.38	Inf	-Inf	3	Vertical	350	1.50	-
2462MHz	Pass	PK	2.486G	59.95	74.00	-14.05	3	Vertical	350	1.50	-
2462MHz	Pass	AV	2.461G	113.45	Inf	-Inf	3	Horizontal	0	1.50	-
2462MHz	Pass	AV	2.4835G	49.56	54.00	-4.44	3	Horizontal	0	1.50	-
2462MHz	Pass	PK	2.461G	114.57	Inf	-Inf	3	Horizontal	0	1.50	-
2462MHz	Pass	PK	2.4882G	59.88	74.00	-14.12	3	Horizontal	0	1.50	-
2462MHz	Pass	AV	4.92394G	41.99	54.00	-12.01	3	Vertical	157	1.85	-
2462MHz	Pass	AV	7.37268G	40.32	54.00	-13.68	3	Vertical	317	1.50	-
2462MHz	Pass	PK	4.92412G	48.14	74.00	-25.86	3	Vertical	157	1.85	-
2462MHz	Pass	PK	7.37778G	51.69	74.00	-22.31	3	Vertical	317	1.50	-
2462MHz	Pass	AV	4.92388G	37.44	54.00	-16.56	3	Horizontal	360	1.50	-
2462MHz	Pass	AV	7.37832G	40.38	54.00	-13.62	3	Horizontal	260	1.09	-
2462MHz	Pass	PK	4.92412G	45.87	74.00	-28.13	3	Horizontal	360	1.50	-
2462MHz	Pass	PK	7.37652G	51.95	74.00	-22.05	3	Horizontal	260	1.09	-
802.11g_Nss1_(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3654G	47.15	54.00	-6.85	3	Vertical	234	2.08	-
2412MHz	Pass	AV	2.4142G	92.22	Inf	-Inf	3	Vertical	234	2.08	-
2412MHz	Pass	PK	2.384G	59.34	74.00	-14.66	3	Vertical	234	2.08	-
2412MHz	Pass	PK	2.4162G	101.46	Inf	-Inf	3	Vertical	234	2.08	-
2412MHz	Pass	AV	2.3898G	52.56	54.00	-1.44	3	Horizontal	251	1.72	-
2412MHz	Pass	AV	2.4148G	105.79	Inf	-Inf	3	Horizontal	251	1.72	-
2412MHz	Pass	PK	2.3898G	69.12	74.00	-4.88	3	Horizontal	251	1.72	-
2412MHz	Pass	PK	2.4178G	114.59	Inf	-Inf	3	Horizontal	251	1.72	-
2412MHz	Pass	AV	4.8207G	32.97	54.00	-21.03	3	Vertical	174	2.28	-
2412MHz	Pass	PK	4.82322G	45.27	74.00	-28.73	3	Vertical	174	2.28	-
2412MHz	Pass	AV	4.81452G	32.84	54.00	-21.16	3	Horizontal	244	1.76	-
2412MHz	Pass	PK	4.82862G	44.70	74.00	-29.30	3	Horizontal	244	1.76	-
2417MHz	Pass	AV	2.3812G	46.35	54.00	-7.65	3	Vertical	343	1.00	-
2417MHz	Pass	AV	2.4196G	86.29	Inf	-Inf	3	Vertical	343	1.00	-
2417MHz	Pass	PK	2.372G	59.08	74.00	-14.92	3	Vertical	343	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.42G	96.01	Inf	-Inf	3	Vertical	343	1.00	-
2417MHz	Pass	AV	2.39G	52.84	54.00	-1.16	3	Horizontal	359	1.79	-
2417MHz	Pass	AV	2.4194G	105.15	Inf	-Inf	3	Horizontal	359	1.79	-
2417MHz	Pass	PK	2.3896G	67.69	74.00	-6.31	3	Horizontal	359	1.79	-
2417MHz	Pass	PK	2.413G	114.19	Inf	-Inf	3	Horizontal	359	1.79	-
2437MHz	Pass	AV	2.349G	47.30	54.00	-6.70	3	Vertical	302	1.55	-
2437MHz	Pass	AV	2.4358G	89.93	Inf	-Inf	3	Vertical	302	1.55	-
2437MHz	Pass	AV	2.4846G	47.59	54.00	-6.41	3	Vertical	302	1.55	-
2437MHz	Pass	PK	2.3834G	59.77	74.00	-14.23	3	Vertical	302	1.55	-
2437MHz	Pass	PK	2.4394G	98.51	Inf	-Inf	3	Vertical	302	1.55	-
2437MHz	Pass	PK	2.4986G	59.19	74.00	-14.81	3	Vertical	302	1.55	-
2437MHz	Pass	AV	2.3898G	52.99	54.00	-1.01	3	Horizontal	354	1.60	-
2437MHz	Pass	AV	2.4402G	108.81	Inf	-Inf	3	Horizontal	354	1.60	-
2437MHz	Pass	AV	2.4835G	53.00	54.00	-1.00	3	Horizontal	354	1.60	-
2437MHz	Pass	PK	2.3878G	65.66	74.00	-8.34	3	Horizontal	354	1.60	-
2437MHz	Pass	PK	2.4402G	117.05	Inf	-Inf	3	Horizontal	354	1.60	-
2437MHz	Pass	PK	2.4846G	66.36	74.00	-7.64	3	Horizontal	354	1.60	-
2437MHz	Pass	AV	4.88342G	33.30	54.00	-20.70	3	Vertical	228	1.50	-
2437MHz	Pass	PK	4.86092G	45.59	74.00	-28.41	3	Vertical	228	1.50	-
2437MHz	Pass	AV	4.88882G	33.24	54.00	-20.76	3	Horizontal	246	1.45	-
2437MHz	Pass	PK	4.88414G	45.70	74.00	-28.30	3	Horizontal	246	1.45	-
2457MHz	Pass	AV	2.4596G	86.18	Inf	-Inf	3	Vertical	332	1.12	-
2457MHz	Pass	AV	2.4944G	46.46	54.00	-7.54	3	Vertical	332	1.12	-
2457MHz	Pass	PK	2.46G	95.60	Inf	-Inf	3	Vertical	332	1.12	-
2457MHz	Pass	PK	2.4904G	59.37	74.00	-14.63	3	Vertical	332	1.12	-
2457MHz	Pass	AV	2.4592G	103.77	Inf	-Inf	3	Horizontal	358	1.50	-
2457MHz	Pass	AV	2.4835G	52.62	54.00	-1.38	3	Horizontal	358	1.50	-
2457MHz	Pass	PK	2.4612G	112.80	Inf	-Inf	3	Horizontal	358	1.50	-
2457MHz	Pass	PK	2.4835G	70.47	74.00	-3.53	3	Horizontal	358	1.50	-
2462MHz	Pass	AV	2.461G	84.90	Inf	-Inf	3	Vertical	31	1.00	-
2462MHz	Pass	AV	2.497G	47.60	54.00	-6.40	3	Vertical	31	1.00	-
2462MHz	Pass	PK	2.463G	94.36	Inf	-Inf	3	Vertical	31	1.00	-
2462MHz	Pass	PK	2.4986G	59.07	74.00	-14.93	3	Vertical	31	1.00	-
2462MHz	Pass	AV	2.4644G	101.41	Inf	-Inf	3	Horizontal	359	1.50	-
2462MHz	Pass	AV	2.4836G	52.49	54.00	-1.51	3	Horizontal	359	1.50	-
2462MHz	Pass	PK	2.465G	111.04	Inf	-Inf	3	Horizontal	359	1.50	-
2462MHz	Pass	PK	2.4866G	68.54	74.00	-5.46	3	Horizontal	359	1.50	-
2462MHz	Pass	AV	4.92658G	33.57	54.00	-20.43	3	Vertical	360	1.50	-
2462MHz	Pass	PK	4.93474G	45.62	74.00	-28.38	3	Vertical	360	1.50	-
2462MHz	Pass	AV	4.924G	33.55	54.00	-20.45	3	Horizontal	231	2.50	-
2462MHz	Pass	PK	4.91488G	45.75	74.00	-28.25	3	Horizontal	231	2.50	-
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.64	54.00	-1.36	3	Vertical	352	1.71	-
2412MHz	Pass	AV	2.4144G	104.23	Inf	-Inf	3	Vertical	352	1.71	-
2412MHz	Pass	PK	2.3888G	68.63	74.00	-5.37	3	Vertical	352	1.71	-
2412MHz	Pass	PK	2.4162G	113.06	Inf	-Inf	3	Vertical	352	1.71	-
2412MHz	Pass	AV	2.39G	51.32	54.00	-2.68	3	Horizontal	353	1.50	-
2412MHz	Pass	AV	2.413G	103.93	Inf	-Inf	3	Horizontal	353	1.50	-
2412MHz	Pass	PK	2.3898G	67.85	74.00	-6.15	3	Horizontal	353	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.408G	114.86	Inf	-Inf	3	Horizontal	353	1.50	-
2412MHz	Pass	AV	4.81944G	32.96	54.00	-21.04	3	Vertical	300	1.50	-
2412MHz	Pass	PK	4.81314G	44.96	74.00	-29.04	3	Vertical	300	1.50	-
2412MHz	Pass	AV	4.8186G	32.76	54.00	-21.24	3	Horizontal	159	1.54	-
2412MHz	Pass	PK	4.81968G	45.06	74.00	-28.94	3	Horizontal	188	2.26	-
2417MHz	Pass	AV	2.39G	52.27	54.00	-1.73	3	Vertical	348	1.50	-
2417MHz	Pass	AV	2.4202G	105.74	Inf	-Inf	3	Vertical	348	1.50	-
2417MHz	Pass	PK	2.3898G	66.88	74.00	-7.12	3	Vertical	348	1.50	-
2417MHz	Pass	PK	2.4198G	115.08	Inf	-Inf	3	Vertical	348	1.50	-
2417MHz	Pass	AV	2.3894G	50.40	54.00	-3.60	3	Horizontal	351	1.50	-
2417MHz	Pass	AV	2.4182G	105.42	Inf	-Inf	3	Horizontal	351	1.50	-
2417MHz	Pass	PK	2.39G	66.37	74.00	-7.63	3	Horizontal	351	1.50	-
2417MHz	Pass	PK	2.419G	115.73	Inf	-Inf	3	Horizontal	351	1.50	-
2437MHz	Pass	AV	2.3898G	52.33	54.00	-1.67	3	Vertical	351	1.50	-
2437MHz	Pass	AV	2.4398G	108.26	Inf	-Inf	3	Vertical	351	1.50	-
2437MHz	Pass	AV	2.4835G	52.81	54.00	-1.19	3	Vertical	351	1.50	-
2437MHz	Pass	PK	2.3894G	66.49	74.00	-7.51	3	Vertical	351	1.50	-
2437MHz	Pass	PK	2.4398G	117.20	Inf	-Inf	3	Vertical	351	1.50	-
2437MHz	Pass	PK	2.4842G	67.72	74.00	-6.28	3	Vertical	351	1.50	-
2437MHz	Pass	AV	2.3898G	52.50	54.00	-1.50	3	Horizontal	355	1.65	-
2437MHz	Pass	AV	2.4422G	108.38	Inf	-Inf	3	Horizontal	355	1.65	-
2437MHz	Pass	AV	2.4835G	52.83	54.00	-1.17	3	Horizontal	355	1.65	-
2437MHz	Pass	PK	2.3862G	66.18	74.00	-7.82	3	Horizontal	355	1.65	-
2437MHz	Pass	PK	2.4378G	118.90	Inf	-Inf	3	Horizontal	355	1.65	-
2437MHz	Pass	PK	2.4835G	67.90	74.00	-6.10	3	Horizontal	355	1.65	-
2437MHz	Pass	AV	4.87406G	33.48	54.00	-20.52	3	Vertical	165	1.81	-
2437MHz	Pass	PK	4.87598G	45.32	74.00	-28.68	3	Vertical	165	1.81	-
2437MHz	Pass	AV	4.8884G	33.21	54.00	-20.79	3	Horizontal	105	1.91	-
2437MHz	Pass	PK	4.88588G	45.11	74.00	-28.89	3	Horizontal	105	1.91	-
2457MHz	Pass	AV	2.4594G	105.93	Inf	-Inf	3	Vertical	343	1.66	-
2457MHz	Pass	AV	2.4848G	48.52	54.00	-5.48	3	Vertical	343	1.66	-
2457MHz	Pass	PK	2.4624G	114.84	Inf	-Inf	3	Vertical	343	1.66	-
2457MHz	Pass	PK	2.484G	61.35	74.00	-12.65	3	Vertical	343	1.66	-
2457MHz	Pass	AV	2.452G	104.64	Inf	-Inf	3	Horizontal	350	1.50	-
2457MHz	Pass	AV	2.4835G	51.41	54.00	-2.59	3	Horizontal	350	1.50	-
2457MHz	Pass	PK	2.4526G	114.93	Inf	-Inf	3	Horizontal	350	1.50	-
2457MHz	Pass	PK	2.4836G	69.46	74.00	-4.54	3	Horizontal	350	1.50	-
2462MHz	Pass	AV	2.4652G	103.79	Inf	-Inf	3	Vertical	347	1.50	-
2462MHz	Pass	AV	2.4836G	48.22	54.00	-5.78	3	Vertical	347	1.50	-
2462MHz	Pass	PK	2.4634G	112.58	Inf	-Inf	3	Vertical	347	1.50	-
2462MHz	Pass	PK	2.486G	61.81	74.00	-12.19	3	Vertical	347	1.50	-
2462MHz	Pass	AV	2.4568G	102.91	Inf	-Inf	3	Horizontal	354	1.50	-
2462MHz	Pass	AV	2.4835G	52.03	54.00	-1.97	3	Horizontal	354	1.50	-
2462MHz	Pass	PK	2.4588G	113.71	Inf	-Inf	3	Horizontal	354	1.50	-
2462MHz	Pass	PK	2.4866G	69.54	74.00	-4.46	3	Horizontal	354	1.50	-
2462MHz	Pass	AV	4.92343G	33.20	54.00	-20.80	3	Vertical	261	1.31	-
2462MHz	Pass	PK	4.9225G	45.25	74.00	-28.75	3	Vertical	261	1.31	-
2462MHz	Pass	AV	4.92221G	33.19	54.00	-20.81	3	Horizontal	262	2.23	-
2462MHz	Pass	PK	4.92296G	45.30	74.00	-28.70	3	Horizontal	262	2.23	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	47.73	54.00	-6.27	3	Vertical	324	2.73	-
2412MHz	Pass	AV	2.4138G	92.77	Inf	-Inf	3	Vertical	324	2.73	-
2412MHz	Pass	PK	2.3898G	62.65	74.00	-11.35	3	Vertical	324	2.73	-
2412MHz	Pass	PK	2.4174G	104.96	Inf	-Inf	3	Vertical	324	2.73	-
2412MHz	Pass	AV	2.39G	52.77	54.00	-1.23	3	Horizontal	354	1.78	-
2412MHz	Pass	AV	2.415G	105.98	Inf	-Inf	3	Horizontal	354	1.78	-
2412MHz	Pass	PK	2.39G	72.61	74.00	-1.39	3	Horizontal	354	1.78	-
2412MHz	Pass	PK	2.4102G	118.33	Inf	-Inf	3	Horizontal	354	1.78	-
2412MHz	Pass	AV	4.8222G	34.76	54.00	-19.24	3	Vertical	153	1.50	-
2412MHz	Pass	PK	4.82508G	48.19	74.00	-25.81	3	Vertical	153	1.50	-
2412MHz	Pass	AV	4.82638G	34.68	54.00	-19.32	3	Horizontal	3	1.50	-
2412MHz	Pass	PK	4.82234G	48.54	74.00	-25.46	3	Horizontal	3	1.50	-
2417MHz	Pass	AV	2.39G	45.83	54.00	-8.17	3	Vertical	344	1.00	-
2417MHz	Pass	AV	2.4158G	85.95	Inf	-Inf	3	Vertical	344	1.00	-
2417MHz	Pass	PK	2.3744G	58.65	74.00	-15.35	3	Vertical	344	1.00	-
2417MHz	Pass	PK	2.4178G	99.81	Inf	-Inf	3	Vertical	344	1.00	-
2417MHz	Pass	AV	2.3894G	52.98	54.00	-1.02	3	Horizontal	351	1.78	-
2417MHz	Pass	AV	2.4186G	105.34	Inf	-Inf	3	Horizontal	351	1.78	-
2417MHz	Pass	PK	2.389G	71.86	74.00	-2.14	3	Horizontal	351	1.78	-
2417MHz	Pass	PK	2.418G	118.10	Inf	-Inf	3	Horizontal	351	1.78	-
2437MHz	Pass	AV	2.3386G	46.73	54.00	-7.27	3	Vertical	33	1.05	-
2437MHz	Pass	AV	2.4354G	89.48	Inf	-Inf	3	Vertical	33	1.05	-
2437MHz	Pass	AV	2.4866G	47.13	54.00	-6.87	3	Vertical	33	1.05	-
2437MHz	Pass	PK	2.3522G	58.98	74.00	-15.02	3	Vertical	33	1.05	-
2437MHz	Pass	PK	2.4346G	101.85	Inf	-Inf	3	Vertical	33	1.05	-
2437MHz	Pass	PK	2.487G	60.37	74.00	-13.63	3	Vertical	33	1.05	-
2437MHz	Pass	AV	2.3898G	52.69	54.00	-1.31	3	Horizontal	359	1.73	-
2437MHz	Pass	AV	2.4394G	107.07	Inf	-Inf	3	Horizontal	359	1.73	-
2437MHz	Pass	AV	2.4835G	52.04	54.00	-1.96	3	Horizontal	359	1.73	-
2437MHz	Pass	PK	2.3898G	66.68	74.00	-7.32	3	Horizontal	359	1.73	-
2437MHz	Pass	PK	2.4394G	120.43	Inf	-Inf	3	Horizontal	359	1.73	-
2437MHz	Pass	PK	2.4874G	65.75	74.00	-8.25	3	Horizontal	359	1.73	-
2437MHz	Pass	AV	4.87512G	34.97	54.00	-19.03	3	Vertical	271	2.51	-
2437MHz	Pass	AV	7.31266G	40.28	54.00	-13.72	3	Vertical	114	1.50	-
2437MHz	Pass	PK	4.87539G	48.34	74.00	-25.66	3	Vertical	271	2.51	-
2437MHz	Pass	PK	7.30909G	53.43	74.00	-20.57	3	Vertical	114	1.50	-
2437MHz	Pass	AV	4.87237G	34.29	54.00	-19.71	3	Horizontal	248	1.50	-
2437MHz	Pass	AV	7.3135G	40.01	54.00	-13.99	3	Horizontal	103	1.50	-
2437MHz	Pass	PK	4.87492G	47.58	74.00	-26.42	3	Horizontal	248	1.50	-
2437MHz	Pass	PK	7.31267G	53.61	74.00	-20.39	3	Horizontal	103	1.50	-
2457MHz	Pass	AV	2.4594G	85.60	Inf	-Inf	3	Vertical	326	1.12	-
2457MHz	Pass	AV	2.4852G	45.98	54.00	-8.02	3	Vertical	326	1.12	-
2457MHz	Pass	PK	2.4598G	98.80	Inf	-Inf	3	Vertical	326	1.12	-
2457MHz	Pass	PK	2.4964G	59.30	74.00	-14.70	3	Vertical	326	1.12	-
2457MHz	Pass	AV	2.459G	102.94	Inf	-Inf	3	Horizontal	354	1.50	-
2457MHz	Pass	AV	2.4835G	52.06	54.00	-1.94	3	Horizontal	354	1.50	-
2457MHz	Pass	PK	2.4594G	116.05	Inf	-Inf	3	Horizontal	354	1.50	-
2457MHz	Pass	PK	2.4842G	69.14	74.00	-4.86	3	Horizontal	354	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	2.4636G	83.77	Inf	-Inf	3	Vertical	30	1.00	-
2462MHz	Pass	AV	2.4862G	47.13	54.00	-6.87	3	Vertical	30	1.00	-
2462MHz	Pass	PK	2.463G	95.99	Inf	-Inf	3	Vertical	30	1.00	-
2462MHz	Pass	PK	2.493G	59.18	74.00	-14.82	3	Vertical	30	1.00	-
2462MHz	Pass	AV	2.4644G	103.22	Inf	-Inf	3	Horizontal	353	1.53	-
2462MHz	Pass	AV	2.4835G	53.00	54.00	-1.00	3	Horizontal	353	1.53	-
2462MHz	Pass	PK	2.4636G	115.77	Inf	-Inf	3	Horizontal	353	1.53	-
2462MHz	Pass	PK	2.4835G	69.78	74.00	-4.22	3	Horizontal	353	1.53	-
2462MHz	Pass	AV	4.92607G	35.27	54.00	-18.73	3	Vertical	350	1.50	-
2462MHz	Pass	AV	7.38849G	39.52	54.00	-14.48	3	Vertical	157	1.50	-
2462MHz	Pass	PK	4.92619G	48.60	74.00	-25.40	3	Vertical	350	1.50	-
2462MHz	Pass	PK	7.38731G	53.36	74.00	-20.64	3	Vertical	157	1.50	-
2462MHz	Pass	AV	4.92626G	35.12	54.00	-18.88	3	Horizontal	15	1.50	-
2462MHz	Pass	AV	7.38834G	39.57	54.00	-14.43	3	Horizontal	268	2.31	-
2462MHz	Pass	PK	4.92525G	48.50	74.00	-25.50	3	Horizontal	15	1.50	-
2462MHz	Pass	PK	7.38731G	52.59	74.00	-21.41	3	Horizontal	268	2.31	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.33	54.00	-1.67	3	Vertical	349	1.00	-
2412MHz	Pass	AV	2.409G	103.62	Inf	-Inf	3	Vertical	349	1.00	-
2412MHz	Pass	PK	2.39G	72.39	74.00	-1.61	3	Vertical	349	1.00	-
2412MHz	Pass	PK	2.409G	116.51	Inf	-Inf	3	Vertical	349	1.00	-
2412MHz	Pass	AV	2.39G	52.26	54.00	-1.74	3	Horizontal	355	1.49	-
2412MHz	Pass	AV	2.4134G	103.77	Inf	-Inf	3	Horizontal	355	1.49	-
2412MHz	Pass	PK	2.3898G	71.62	74.00	-2.38	3	Horizontal	355	1.49	-
2412MHz	Pass	PK	2.4142G	116.84	Inf	-Inf	3	Horizontal	355	1.49	-
2412MHz	Pass	AV	4.82177G	33.27	54.00	-20.73	3	Vertical	27	1.17	-
2412MHz	Pass	PK	4.82391G	44.96	74.00	-29.04	3	Vertical	27	1.17	-
2412MHz	Pass	AV	4.82157G	32.30	54.00	-21.70	3	Horizontal	107	1.95	-
2412MHz	Pass	PK	4.82338G	44.92	74.00	-29.08	3	Horizontal	107	1.95	-
2417MHz	Pass	AV	2.39G	52.91	54.00	-1.09	3	Vertical	348	1.74	-
2417MHz	Pass	AV	2.4218G	105.73	Inf	-Inf	3	Vertical	348	1.74	-
2417MHz	Pass	PK	2.39G	72.23	74.00	-1.77	3	Vertical	348	1.74	-
2417MHz	Pass	PK	2.4222G	118.57	Inf	-Inf	3	Vertical	348	1.74	-
2417MHz	Pass	AV	2.3898G	50.05	54.00	-3.95	3	Horizontal	349	1.89	-
2417MHz	Pass	AV	2.4182G	105.75	Inf	-Inf	3	Horizontal	349	1.89	-
2417MHz	Pass	PK	2.39G	69.94	74.00	-4.06	3	Horizontal	349	1.89	-
2417MHz	Pass	PK	2.4186G	118.88	Inf	-Inf	3	Horizontal	349	1.89	-
2437MHz	Pass	AV	2.3898G	51.31	54.00	-2.69	3	Vertical	355	1.50	-
2437MHz	Pass	AV	2.433G	106.77	Inf	-Inf	3	Vertical	355	1.50	-
2437MHz	Pass	AV	2.4835G	52.33	54.00	-1.67	3	Vertical	355	1.50	-
2437MHz	Pass	PK	2.3854G	65.53	74.00	-8.47	3	Vertical	355	1.50	-
2437MHz	Pass	PK	2.4418G	119.70	Inf	-Inf	3	Vertical	355	1.50	-
2437MHz	Pass	PK	2.4838G	67.12	74.00	-6.88	3	Vertical	355	1.50	-
2437MHz	Pass	AV	2.3898G	51.19	54.00	-2.81	3	Horizontal	353	1.65	-
2437MHz	Pass	AV	2.4386G	107.32	Inf	-Inf	3	Horizontal	353	1.65	-
2437MHz	Pass	AV	2.4835G	50.58	54.00	-3.42	3	Horizontal	353	1.65	-
2437MHz	Pass	PK	2.3886G	65.91	74.00	-8.09	3	Horizontal	353	1.65	-
2437MHz	Pass	PK	2.4394G	120.15	Inf	-Inf	3	Horizontal	353	1.65	-
2437MHz	Pass	PK	2.4886G	64.79	74.00	-9.21	3	Horizontal	353	1.65	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	4.87506G	32.48	54.00	-21.52	3	Vertical	7	1.33	-
2437MHz	Pass	PK	4.87518G	44.91	74.00	-29.09	3	Vertical	7	1.33	-
2437MHz	Pass	AV	4.87641G	32.60	54.00	-21.40	3	Horizontal	278	1.47	-
2437MHz	Pass	PK	4.87558G	45.98	74.00	-28.02	3	Horizontal	278	1.47	-
2457MHz	Pass	AV	2.4614G	104.77	Inf	-Inf	3	Vertical	342	1.68	-
2457MHz	Pass	AV	2.4836G	48.92	54.00	-5.08	3	Vertical	342	1.68	-
2457MHz	Pass	PK	2.4518G	117.83	Inf	-Inf	3	Vertical	342	1.68	-
2457MHz	Pass	PK	2.4835G	68.75	74.00	-5.25	3	Vertical	342	1.68	-
2457MHz	Pass	AV	2.4582G	104.37	Inf	-Inf	3	Horizontal	352	1.85	-
2457MHz	Pass	AV	2.4835G	51.62	54.00	-2.38	3	Horizontal	352	1.85	-
2457MHz	Pass	PK	2.4578G	118.42	Inf	-Inf	3	Horizontal	352	1.85	-
2457MHz	Pass	PK	2.484G	71.63	74.00	-2.37	3	Horizontal	352	1.85	-
2462MHz	Pass	AV	2.4586G	103.71	Inf	-Inf	3	Vertical	347	1.67	-
2462MHz	Pass	AV	2.4835G	48.56	54.00	-5.44	3	Vertical	347	1.67	-
2462MHz	Pass	PK	2.457G	116.95	Inf	-Inf	3	Vertical	347	1.67	-
2462MHz	Pass	PK	2.4852G	62.88	74.00	-11.12	3	Vertical	347	1.67	-
2462MHz	Pass	AV	2.4634G	103.14	Inf	-Inf	3	Horizontal	359	1.83	-
2462MHz	Pass	AV	2.4835G	51.25	54.00	-2.75	3	Horizontal	359	1.83	-
2462MHz	Pass	PK	2.4644G	116.76	Inf	-Inf	3	Horizontal	359	1.83	-
2462MHz	Pass	PK	2.488G	68.84	74.00	-5.16	3	Horizontal	359	1.83	-
2462MHz	Pass	AV	4.92469G	32.79	54.00	-21.21	3	Vertical	71	1.21	-
2462MHz	Pass	PK	4.92167G	44.95	74.00	-29.05	3	Vertical	71	1.21	-
2462MHz	Pass	AV	4.92545G	32.80	54.00	-21.20	3	Horizontal	222	1.88	-
2462MHz	Pass	PK	4.92352G	45.05	74.00	-28.95	3	Horizontal	222	1.88	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3428G	45.55	54.00	-8.45	3	Vertical	342	1.02	-
2422MHz	Pass	AV	2.4268G	83.32	Inf	-Inf	3	Vertical	342	1.02	-
2422MHz	Pass	AV	2.4936G	45.73	54.00	-8.27	3	Vertical	342	1.02	-
2422MHz	Pass	PK	2.3656G	59.04	74.00	-14.96	3	Vertical	342	1.02	-
2422MHz	Pass	PK	2.426G	95.94	Inf	-Inf	3	Vertical	342	1.02	-
2422MHz	Pass	PK	2.4848G	58.46	74.00	-15.54	3	Vertical	342	1.02	-
2422MHz	Pass	AV	2.39G	51.67	54.00	-2.33	3	Horizontal	0	1.78	-
2422MHz	Pass	AV	2.4256G	101.27	Inf	-Inf	3	Horizontal	0	1.78	-
2422MHz	Pass	AV	2.484G	48.03	54.00	-5.97	3	Horizontal	0	1.78	-
2422MHz	Pass	PK	2.39G	72.87	74.00	-1.13	3	Horizontal	0	1.00	-
2422MHz	Pass	PK	2.4232G	114.22	Inf	-Inf	3	Horizontal	0	1.78	-
2422MHz	Pass	PK	2.494G	62.14	74.00	-11.86	3	Horizontal	0	1.78	-
2422MHz	Pass	AV	4.84225G	34.67	54.00	-19.33	3	Vertical	72	1.50	-
2422MHz	Pass	PK	4.84302G	48.55	74.00	-25.45	3	Vertical	72	1.50	-
2422MHz	Pass	AV	4.84223G	34.63	54.00	-19.37	3	Horizontal	352	1.50	-
2422MHz	Pass	PK	4.84332G	48.16	74.00	-25.84	3	Horizontal	352	1.50	-
2427MHz	Pass	AV	2.3546G	45.75	54.00	-8.25	3	Vertical	329	1.00	-
2427MHz	Pass	AV	2.4374G	83.00	Inf	-Inf	3	Vertical	329	1.00	-
2427MHz	Pass	AV	2.485G	45.99	54.00	-8.01	3	Vertical	329	1.00	-
2427MHz	Pass	PK	2.3446G	59.00	74.00	-15.00	3	Vertical	329	1.00	-
2427MHz	Pass	PK	2.4378G	96.75	Inf	-Inf	3	Vertical	329	1.00	-
2427MHz	Pass	PK	2.4974G	58.52	74.00	-15.48	3	Vertical	329	1.00	-
2427MHz	Pass	AV	2.3894G	52.71	54.00	-1.29	3	Horizontal	359	1.50	-
2427MHz	Pass	AV	2.4298G	101.43	Inf	-Inf	3	Horizontal	359	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	AV	2.4835G	48.21	54.00	-5.79	3	Horizontal	359	1.50	-
2427MHz	Pass	PK	2.3898G	69.97	74.00	-4.03	3	Horizontal	359	1.50	-
2427MHz	Pass	PK	2.4278G	114.71	Inf	-Inf	3	Horizontal	359	1.50	-
2427MHz	Pass	PK	2.4842G	63.80	74.00	-10.20	3	Horizontal	359	1.50	-
2437MHz	Pass	AV	2.3738G	45.56	54.00	-8.44	3	Vertical	343	1.00	-
2437MHz	Pass	AV	2.4462G	83.24	Inf	-Inf	3	Vertical	343	1.00	-
2437MHz	Pass	AV	2.487G	45.94	54.00	-8.06	3	Vertical	343	1.00	-
2437MHz	Pass	PK	2.357G	58.56	74.00	-15.44	3	Vertical	343	1.00	-
2437MHz	Pass	PK	2.4322G	96.44	Inf	-Inf	3	Vertical	343	1.00	-
2437MHz	Pass	PK	2.4878G	59.37	74.00	-14.63	3	Vertical	343	1.00	-
2437MHz	Pass	AV	2.3894G	51.96	54.00	-2.04	3	Horizontal	0	1.75	-
2437MHz	Pass	AV	2.4386G	101.77	Inf	-Inf	3	Horizontal	0	1.75	-
2437MHz	Pass	AV	2.4835G	52.56	54.00	-1.44	3	Horizontal	0	1.75	-
2437MHz	Pass	PK	2.3894G	69.47	74.00	-4.53	3	Horizontal	0	1.75	-
2437MHz	Pass	PK	2.4334G	114.42	Inf	-Inf	3	Horizontal	0	1.75	-
2437MHz	Pass	PK	2.4866G	68.50	74.00	-5.50	3	Horizontal	0	1.75	-
2437MHz	Pass	AV	4.87302G	34.40	54.00	-19.60	3	Vertical	359	1.50	-
2437MHz	Pass	AV	7.31315G	39.96	54.00	-14.04	3	Vertical	322	1.48	-
2437MHz	Pass	PK	4.87517G	48.11	74.00	-25.89	3	Vertical	359	1.50	-
2437MHz	Pass	PK	7.30938G	53.29	74.00	-20.71	3	Vertical	322	1.48	-
2437MHz	Pass	AV	4.87326G	34.43	54.00	-19.57	3	Horizontal	243	1.50	-
2437MHz	Pass	AV	7.31248G	39.99	54.00	-14.01	3	Horizontal	27	1.50	-
2437MHz	Pass	PK	4.87613G	48.13	74.00	-25.87	3	Horizontal	243	1.50	-
2437MHz	Pass	PK	7.31303G	54.18	74.00	-19.82	3	Horizontal	27	1.50	-
2447MHz	Pass	AV	2.3486G	45.74	54.00	-8.26	3	Vertical	325	1.12	-
2447MHz	Pass	AV	2.4574G	81.06	Inf	-Inf	3	Vertical	325	1.12	-
2447MHz	Pass	AV	2.495G	45.92	54.00	-8.08	3	Vertical	325	1.12	-
2447MHz	Pass	PK	2.3554G	59.22	74.00	-14.78	3	Vertical	325	1.12	-
2447MHz	Pass	PK	2.4594G	93.54	Inf	-Inf	3	Vertical	325	1.12	-
2447MHz	Pass	PK	2.487G	58.56	74.00	-15.44	3	Vertical	325	1.12	-
2447MHz	Pass	AV	2.3882G	46.76	54.00	-7.24	3	Horizontal	355	1.73	-
2447MHz	Pass	AV	2.443G	99.77	Inf	-Inf	3	Horizontal	355	1.73	-
2447MHz	Pass	AV	2.4835G	51.86	54.00	-2.14	3	Horizontal	355	1.73	-
2447MHz	Pass	PK	2.353G	59.91	74.00	-14.09	3	Horizontal	355	1.73	-
2447MHz	Pass	PK	2.441G	112.79	Inf	-Inf	3	Horizontal	355	1.73	-
2447MHz	Pass	PK	2.4854G	67.20	74.00	-6.80	3	Horizontal	355	1.73	-
2452MHz	Pass	AV	2.3604G	45.69	54.00	-8.31	3	Vertical	345	1.00	-
2452MHz	Pass	AV	2.4496G	80.55	Inf	-Inf	3	Vertical	345	1.00	-
2452MHz	Pass	AV	2.4888G	46.04	54.00	-7.96	3	Vertical	345	1.00	-
2452MHz	Pass	PK	2.3604G	58.58	74.00	-15.42	3	Vertical	345	1.00	-
2452MHz	Pass	PK	2.4484G	93.19	Inf	-Inf	3	Vertical	345	1.00	-
2452MHz	Pass	PK	2.4872G	59.02	74.00	-14.98	3	Vertical	345	1.00	-
2452MHz	Pass	AV	2.3828G	46.68	54.00	-7.32	3	Horizontal	2	1.50	-
2452MHz	Pass	AV	2.448G	98.79	Inf	-Inf	3	Horizontal	2	1.50	-
2452MHz	Pass	AV	2.4835G	52.58	54.00	-1.42	3	Horizontal	2	1.50	-
2452MHz	Pass	PK	2.3768G	59.52	74.00	-14.48	3	Horizontal	2	1.50	-
2452MHz	Pass	PK	2.4476G	111.80	Inf	-Inf	3	Horizontal	2	1.50	-
2452MHz	Pass	PK	2.4864G	67.68	74.00	-6.32	3	Horizontal	2	1.50	-
2452MHz	Pass	AV	4.9065G	34.72	54.00	-19.28	3	Vertical	36	2.80	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	AV	7.35845G	39.71	54.00	-14.29	3	Vertical	158	1.50	-
2452MHz	Pass	PK	4.90519G	48.05	74.00	-25.95	3	Vertical	36	2.80	-
2452MHz	Pass	PK	7.35454G	53.56	74.00	-20.44	3	Vertical	158	1.50	-
2452MHz	Pass	AV	4.90581G	34.70	54.00	-19.30	3	Horizontal	163	2.23	-
2452MHz	Pass	AV	7.35809G	39.72	54.00	-14.28	3	Horizontal	314	1.26	-
2452MHz	Pass	PK	4.90608G	48.13	74.00	-25.87	3	Horizontal	163	2.23	-
2452MHz	Pass	PK	7.35786G	53.85	74.00	-20.15	3	Horizontal	314	1.26	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3896G	51.15	54.00	-2.85	3	Vertical	345	1.70	-
2422MHz	Pass	AV	2.4176G	102.21	Inf	-Inf	3	Vertical	345	1.70	-
2422MHz	Pass	AV	2.4884G	48.54	54.00	-5.46	3	Vertical	345	1.70	-
2422MHz	Pass	PK	2.39G	72.40	74.00	-1.60	3	Vertical	345	1.70	-
2422MHz	Pass	PK	2.4188G	114.85	Inf	-Inf	3	Vertical	345	1.70	-
2422MHz	Pass	PK	2.4948G	61.82	74.00	-12.18	3	Vertical	345	1.70	-
2422MHz	Pass	AV	2.39G	51.10	54.00	-2.90	3	Horizontal	350	1.60	-
2422MHz	Pass	AV	2.4324G	101.26	Inf	-Inf	3	Horizontal	350	1.60	-
2422MHz	Pass	AV	2.488G	48.07	54.00	-5.93	3	Horizontal	350	1.60	-
2422MHz	Pass	PK	2.3848G	66.69	74.00	-7.31	3	Horizontal	350	1.60	-
2422MHz	Pass	PK	2.4328G	114.47	Inf	-Inf	3	Horizontal	350	1.60	-
2422MHz	Pass	PK	2.4908G	60.54	74.00	-13.46	3	Horizontal	350	1.60	-
2422MHz	Pass	AV	4.84224G	32.39	54.00	-21.61	3	Vertical	181	1.38	-
2422MHz	Pass	PK	4.84384G	44.97	74.00	-29.03	3	Vertical	181	1.38	-
2422MHz	Pass	AV	4.84163G	32.39	54.00	-21.61	3	Horizontal	111	2.37	-
2422MHz	Pass	PK	4.84258G	44.92	74.00	-29.08	3	Horizontal	111	2.37	-
2427MHz	Pass	AV	2.3898G	52.29	54.00	-1.71	3	Vertical	348	1.50	-
2427MHz	Pass	AV	2.4322G	102.37	Inf	-Inf	3	Vertical	348	1.50	-
2427MHz	Pass	AV	2.4835G	49.33	54.00	-4.67	3	Vertical	348	1.50	-
2427MHz	Pass	PK	2.3894G	71.84	74.00	-2.16	3	Vertical	348	1.50	-
2427MHz	Pass	PK	2.4318G	115.56	Inf	-Inf	3	Vertical	348	1.50	-
2427MHz	Pass	PK	2.4835G	64.17	74.00	-9.83	3	Vertical	348	1.50	-
2427MHz	Pass	AV	2.3894G	52.50	54.00	-1.50	3	Horizontal	351	1.65	-
2427MHz	Pass	AV	2.4282G	102.51	Inf	-Inf	3	Horizontal	351	1.65	-
2427MHz	Pass	AV	2.4842G	48.24	54.00	-5.76	3	Horizontal	351	1.65	-
2427MHz	Pass	PK	2.3894G	69.90	74.00	-4.10	3	Horizontal	351	1.65	-
2427MHz	Pass	PK	2.4242G	114.76	Inf	-Inf	3	Horizontal	351	1.65	-
2427MHz	Pass	PK	2.4846G	62.06	74.00	-11.94	3	Horizontal	351	1.65	-
2437MHz	Pass	AV	2.3878G	52.04	54.00	-1.96	3	Vertical	348	1.75	-
2437MHz	Pass	AV	2.4422G	103.42	Inf	-Inf	3	Vertical	348	1.75	-
2437MHz	Pass	AV	2.4835G	52.92	54.00	-1.08	3	Vertical	348	1.75	-
2437MHz	Pass	PK	2.3894G	72.26	74.00	-1.74	3	Vertical	348	1.75	-
2437MHz	Pass	PK	2.4306G	115.74	Inf	-Inf	3	Vertical	348	1.75	-
2437MHz	Pass	PK	2.4862G	72.03	74.00	-1.97	3	Vertical	348	1.75	-
2437MHz	Pass	AV	2.389G	51.07	54.00	-2.93	3	Horizontal	358	1.64	-
2437MHz	Pass	AV	2.4386G	102.89	Inf	-Inf	3	Horizontal	358	1.64	-
2437MHz	Pass	AV	2.4835G	52.36	54.00	-1.64	3	Horizontal	358	1.64	-
2437MHz	Pass	PK	2.3882G	69.17	74.00	-4.83	3	Horizontal	358	1.64	-
2437MHz	Pass	PK	2.4362G	115.94	Inf	-Inf	3	Horizontal	358	1.64	-
2437MHz	Pass	PK	2.4878G	68.76	74.00	-5.24	3	Horizontal	358	1.64	-
2437MHz	Pass	AV	4.87529G	32.69	54.00	-21.31	3	Vertical	30	1.46	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	4.8756G	45.14	74.00	-28.86	3	Vertical	30	1.46	-
2437MHz	Pass	AV	4.87553G	32.59	54.00	-21.41	3	Horizontal	307	2.49	-
2437MHz	Pass	PK	4.87362G	45.29	74.00	-28.71	3	Horizontal	307	2.49	-
2447MHz	Pass	AV	2.3894G	46.58	54.00	-7.42	3	Vertical	360	1.50	-
2447MHz	Pass	AV	2.443G	100.46	Inf	-Inf	3	Vertical	360	1.50	-
2447MHz	Pass	AV	2.4838G	50.00	54.00	-4.00	3	Vertical	360	1.50	-
2447MHz	Pass	PK	2.3658G	59.08	74.00	-14.92	3	Vertical	360	1.50	-
2447MHz	Pass	PK	2.4394G	113.01	Inf	-Inf	3	Vertical	360	1.50	-
2447MHz	Pass	PK	2.4835G	66.79	74.00	-7.21	3	Vertical	360	1.50	-
2447MHz	Pass	AV	2.3886G	46.82	54.00	-7.18	3	Horizontal	357	1.67	-
2447MHz	Pass	AV	2.4458G	100.74	Inf	-Inf	3	Horizontal	357	1.67	-
2447MHz	Pass	AV	2.4838G	52.18	54.00	-1.82	3	Horizontal	357	1.67	-
2447MHz	Pass	PK	2.3826G	59.59	74.00	-14.41	3	Horizontal	357	1.67	-
2447MHz	Pass	PK	2.4438G	112.76	Inf	-Inf	3	Horizontal	357	1.67	-
2447MHz	Pass	PK	2.4846G	66.64	74.00	-7.36	3	Horizontal	357	1.67	-
2452MHz	Pass	AV	2.3816G	46.18	54.00	-7.82	3	Vertical	344	1.69	-
2452MHz	Pass	AV	2.4572G	100.93	Inf	-Inf	3	Vertical	344	1.69	-
2452MHz	Pass	AV	2.4872G	50.12	54.00	-3.88	3	Vertical	344	1.69	-
2452MHz	Pass	PK	2.3836G	58.92	74.00	-15.08	3	Vertical	344	1.69	-
2452MHz	Pass	PK	2.448G	113.29	Inf	-Inf	3	Vertical	344	1.69	-
2452MHz	Pass	PK	2.4864G	64.16	74.00	-9.84	3	Vertical	344	1.69	-
2452MHz	Pass	AV	2.3884G	46.12	54.00	-7.88	3	Horizontal	351	1.65	-
2452MHz	Pass	AV	2.442G	99.73	Inf	-Inf	3	Horizontal	351	1.65	-
2452MHz	Pass	AV	2.4835G	52.78	54.00	-1.22	3	Horizontal	351	1.65	-
2452MHz	Pass	PK	2.3816G	59.02	74.00	-14.98	3	Horizontal	351	1.65	-
2452MHz	Pass	PK	2.4468G	112.51	Inf	-Inf	3	Horizontal	351	1.65	-
2452MHz	Pass	PK	2.4835G	67.31	74.00	-6.69	3	Horizontal	351	1.65	-
2452MHz	Pass	AV	4.90549G	32.71	54.00	-21.29	3	Vertical	33	1.39	-
2452MHz	Pass	PK	4.90458G	45.37	74.00	-28.63	3	Vertical	33	1.39	-
2452MHz	Pass	AV	4.90447G	32.69	54.00	-21.31	3	Horizontal	194	2.23	-
2452MHz	Pass	PK	4.90535G	45.46	74.00	-28.54	3	Horizontal	194	2.23	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.372G	46.91	54.00	-7.09	33.83	3	Vertical	151	1.43	-	13.08	27.71	6.12	-
AV	2.4128G	91.22	Inf	-Inf	33.71	3	Vertical	151	1.43	-	57.51	27.59	6.12	-
PK	2.3648G	58.49	74.00	-15.51	33.86	3	Vertical	151	1.43	-	24.63	27.74	6.12	-
PK	2.4112G	93.15	Inf	-Inf	33.71	3	Vertical	151	1.43	-	59.44	27.59	6.12	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.65	54.00	-1.35	33.75	3	Horizontal	350	1.45	-	18.90	27.64	6.11	-
AV	2.4108G	114.04	Inf	-Inf	33.71	3	Horizontal	350	1.45	-	80.33	27.59	6.12	-
PK	2.3894G	61.86	74.00	-12.14	33.75	3	Horizontal	350	1.45	-	28.11	27.64	6.11	-
PK	2.4128G	116.40	Inf	-Inf	33.71	3	Horizontal	350	1.45	-	82.69	27.59	6.12	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	39.01	54.00	-14.99	7.13	3	Vertical	157	2.49	-	31.88	31.12	5.79	29.78
PK	4.82364G	46.64	74.00	-27.36	7.13	3	Vertical	157	2.49	-	39.51	31.12	5.79	29.78

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	37.07	54.00	-16.93	7.13	3	Horizontal	146	1.89	-	29.94	31.12	5.79	29.78
PK	4.82388G	45.54	74.00	-28.46	7.13	3	Horizontal	146	1.89	-	38.41	31.12	5.79	29.78

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3674G	47.03	54.00	-6.97	33.85	3	Vertical	343	1.00	-	13.18	27.73	6.12	-
AV	2.418G	97.52	Inf	-Inf	33.70	3	Vertical	343	1.00	-	63.82	27.58	6.12	-
PK	2.3886G	58.92	74.00	-15.08	33.76	3	Vertical	343	1.00	-	25.16	27.65	6.11	-
PK	2.4178G	98.60	Inf	-Inf	33.70	3	Vertical	343	1.00	-	64.90	27.58	6.12	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.82	54.00	-1.18	33.75	3	Horizontal	359	1.73	-	19.07	27.64	6.11	-
AV	2.4178G	114.24	Inf	-Inf	33.70	3	Horizontal	359	1.73	-	80.54	27.58	6.12	-
PK	2.3884G	61.06	74.00	-12.94	33.76	3	Horizontal	359	1.73	-	27.30	27.65	6.11	-
PK	2.4178G	116.35	Inf	-Inf	33.70	3	Horizontal	359	1.73	-	82.65	27.58	6.12	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3414G	47.81	54.00	-6.19	31.68	3	Vertical	33	1.03	-	16.13	27.73	3.95	-
AV	2.4358G	96.75	Inf	-Inf	31.47	3	Vertical	33	1.03	-	65.28	27.43	4.04	-
AV	2.4854G	48.04	54.00	-5.96	31.42	3	Vertical	33	1.03	-	16.62	27.33	4.09	-
PK	2.3402G	58.46	74.00	-15.54	31.69	3	Vertical	33	1.03	-	26.77	27.74	3.95	-
PK	2.4362G	98.99	Inf	-Inf	31.47	3	Vertical	33	1.03	-	67.52	27.43	4.04	-
PK	2.4882G	59.98	74.00	-14.02	31.41	3	Vertical	33	1.03	-	28.57	27.32	4.09	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.53	54.00	-1.47	31.54	3	Horizontal	0	1.92	-	20.99	27.54	4.00	-
AV	2.4378G	115.02	Inf	-Inf	31.46	3	Horizontal	0	1.92	-	83.56	27.42	4.04	-
AV	2.4842G	52.25	54.00	-1.75	31.42	3	Horizontal	0	1.92	-	20.83	27.33	4.09	-
PK	2.3834G	61.05	74.00	-12.95	31.56	3	Horizontal	0	1.92	-	29.49	27.57	3.99	-
PK	2.4378G	117.23	Inf	-Inf	31.46	3	Horizontal	0	1.92	-	85.77	27.42	4.04	-
PK	2.4878G	61.44	74.00	-12.56	31.41	3	Horizontal	0	1.92	-	30.03	27.32	4.09	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	40.79	54.00	-13.21	7.23	3	Vertical	155	2.49	-	33.56	31.17	5.83	29.77
AV	7.3101G	45.71	54.00	-8.29	13.07	3	Vertical	149	2.69	-	32.64	36.29	7.48	30.70
PK	4.87418G	47.58	74.00	-26.42	7.23	3	Vertical	155	2.49	-	40.35	31.17	5.83	29.77
PK	7.31112G	54.07	74.00	-19.93	13.07	3	Vertical	176	2.07	-	41.00	36.29	7.48	30.70

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	34.73	54.00	-19.27	7.23	3	Horizontal	223	1.50	-	27.50	31.17	5.83	29.77
AV	7.31016G	42.99	54.00	-11.01	13.07	3	Horizontal	8	1.76	-	29.92	36.29	7.48	30.70
PK	4.88678G	45.17	74.00	-28.83	7.26	3	Horizontal	223	1.50	-	37.91	31.19	5.84	29.77
PK	7.31286G	53.66	74.00	-20.34	13.06	3	Horizontal	8	1.76	-	40.60	36.29	7.47	30.70

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4564G	95.13	Inf	-Inf	33.68	3	Vertical	337	1.12	-	61.45	27.54	6.14	-
AV	2.4898G	47.47	54.00	-6.53	33.66	3	Vertical	337	1.12	-	13.81	27.51	6.15	-
PK	2.4578G	97.20	Inf	-Inf	33.68	3	Vertical	337	1.12	-	63.52	27.54	6.14	-
PK	2.4984G	58.90	74.00	-15.10	33.65	3	Vertical	337	1.12	-	25.25	27.50	6.15	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	112.35	Inf	-Inf	33.68	3	Horizontal	344	1.50	-	78.67	27.54	6.14	-
AV	2.4838G	52.84	54.00	-1.16	33.67	3	Horizontal	344	1.50	-	19.17	27.52	6.15	-
PK	2.4578G	114.19	Inf	-Inf	33.68	3	Horizontal	344	1.50	-	80.51	27.54	6.14	-
PK	2.4836G	61.73	74.00	-12.27	33.67	3	Horizontal	344	1.50	-	28.06	27.52	6.15	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	93.78	Inf	-Inf	31.44	3	Vertical	31	1.00	-	62.34	27.38	4.06	-
AV	2.4866G	48.26	54.00	-5.74	31.42	3	Vertical	31	1.00	-	16.84	27.33	4.09	-
PK	2.461G	95.91	Inf	-Inf	31.44	3	Vertical	31	1.00	-	64.47	27.38	4.06	-
PK	2.491G	59.30	74.00	-14.70	31.41	3	Vertical	31	1.00	-	27.89	27.32	4.09	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	112.34	Inf	-Inf	31.44	3	Horizontal	360	1.59	-	80.90	27.37	4.07	-
AV	2.4864G	52.26	54.00	-1.74	31.42	3	Horizontal	360	1.59	-	20.84	27.33	4.09	-
PK	2.4628G	114.50	Inf	-Inf	31.44	3	Horizontal	360	1.59	-	83.06	27.37	4.07	-
PK	2.485G	61.26	74.00	-12.74	31.42	3	Horizontal	360	1.59	-	29.84	27.33	4.09	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	42.19	54.00	-11.81	7.37	3	Vertical	154	2.45	-	34.82	31.27	5.87	29.77
AV	7.38318G	40.35	54.00	-13.65	12.80	3	Vertical	227	1.10	-	27.55	36.22	7.34	30.76
PK	4.92388G	48.74	74.00	-25.26	7.37	3	Vertical	154	2.45	-	41.37	31.27	5.87	29.77
PK	7.38168G	51.43	74.00	-22.57	12.81	3	Vertical	227	1.10	-	38.62	36.22	7.35	30.76

802.11b_Nss1,(1Mbps)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	40.28	54.00	-13.72	7.37	3	Horizontal	180	2.51	-	32.91	31.27	5.87	29.77
AV	7.38438G	40.61	54.00	-13.39	12.80	3	Horizontal	358	1.20	-	27.81	36.22	7.34	30.76
PK	4.924G	47.29	74.00	-26.71	7.37	3	Horizontal	180	2.51	-	39.92	31.27	5.87	29.77
PK	7.38492G	51.75	74.00	-22.25	12.80	3	Horizontal	358	1.20	-	38.95	36.22	7.34	30.76

802.11b_Nss1,(1Mbps)_2TX

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3834G	52.16	54.00	-1.84	33.78	3	Vertical	350	1.50	-	18.38	27.67	6.11	-
AV	2.4128G	113.43	Inf	-Inf	33.71	3	Vertical	350	1.50	-	79.72	27.59	6.12	-
PK	2.3894G	61.48	74.00	-12.52	33.75	3	Vertical	350	1.50	-	27.73	27.64	6.11	-
PK	2.4112G	115.44	Inf	-Inf	33.71	3	Vertical	350	1.50	-	81.73	27.59	6.12	-

802.11b_Nss1,(1Mbps)_2TX

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	48.94	54.00	-5.06	33.75	3	Horizontal	356	1.50	-	15.19	27.64	6.11	-
AV	2.4114G	113.74	Inf	-Inf	33.71	3	Horizontal	356	1.50	-	80.03	27.59	6.12	-
PK	2.386G	60.25	74.00	-13.75	33.77	3	Horizontal	356	1.50	-	26.48	27.66	6.11	-
PK	2.4128G	115.87	Inf	-Inf	33.71	3	Horizontal	356	1.50	-	82.16	27.59	6.12	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	39.13	54.00	-14.87	7.13	3	Vertical	154	1.61	-	32.00	31.12	5.79	29.78
PK	4.8237G	46.58	74.00	-27.42	7.13	3	Vertical	154	1.61	-	39.45	31.12	5.79	29.78

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82388G	39.13	54.00	-14.87	7.13	3	Horizontal	186	2.02	-	32.00	31.12	5.79	29.78
PK	4.82394G	46.17	74.00	-27.83	7.13	3	Horizontal	186	2.02	-	39.04	31.12	5.79	29.78

802.11b_Nss1,(1Mbps)_2TX

09/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	52.90	54.00	-1.10	33.76	3	Vertical	349	1.75	-	19.14	27.65	6.11	-
AV	2.4164G	114.19	Inf	-Inf	33.70	3	Vertical	349	1.75	-	80.49	27.58	6.12	-
PK	2.3884G	62.78	74.00	-11.22	33.76	3	Vertical	349	1.75	-	29.02	27.65	6.11	-
PK	2.4178G	116.64	Inf	-Inf	33.70	3	Vertical	349	1.75	-	82.94	27.58	6.12	-

802.11b_Nss1,(1Mbps)_2TX

09/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.02	54.00	-4.98	33.75	3	Horizontal	349	1.92	-	15.27	27.64	6.11	-
AV	2.4162G	114.53	Inf	-Inf	33.70	3	Horizontal	349	1.92	-	80.83	27.58	6.12	-
PK	2.3892G	60.14	74.00	-13.86	33.75	3	Horizontal	349	1.92	-	26.39	27.64	6.11	-
PK	2.4164G	116.97	Inf	-Inf	33.70	3	Horizontal	349	1.92	-	83.27	27.58	6.12	-

802.11b_Nss1,(1Mbps)_2TX

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	51.40	54.00	-2.60	33.76	3	Vertical	348	1.50	-	17.64	27.65	6.11	-
AV	2.4362G	114.59	Inf	-Inf	33.69	3	Vertical	348	1.50	-	80.90	27.56	6.13	-
AV	2.4874G	50.65	54.00	-3.35	33.66	3	Vertical	348	1.50	-	16.99	27.51	6.15	-
PK	2.3866G	60.90	74.00	-13.10	33.76	3	Vertical	348	1.50	-	27.14	27.65	6.11	-
PK	2.4362G	116.45	Inf	-Inf	33.69	3	Vertical	348	1.50	-	82.76	27.56	6.13	-
PK	2.4982G	60.72	74.00	-13.28	33.65	3	Vertical	348	1.50	-	27.07	27.50	6.15	-

802.11b_Nss1,(1Mbps)_2TX

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	52.03	54.00	-1.97	33.76	3	Horizontal	359	1.69	-	18.27	27.65	6.11	-
AV	2.4378G	115.05	Inf	-Inf	33.69	3	Horizontal	359	1.69	-	81.36	27.56	6.13	-
AV	2.4838G	51.63	54.00	-2.37	33.67	3	Horizontal	359	1.69	-	17.96	27.52	6.15	-
PK	2.3866G	61.88	74.00	-12.12	33.76	3	Horizontal	359	1.69	-	28.12	27.65	6.11	-
PK	2.4378G	116.73	Inf	-Inf	33.69	3	Horizontal	359	1.69	-	83.04	27.56	6.13	-
PK	2.4866G	60.96	74.00	-13.04	33.66	3	Horizontal	359	1.69	-	27.30	27.51	6.15	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX

10/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	38.43	54.00	-15.57	7.23	3	Vertical	155	1.66	-	31.20	31.17	5.83	29.77
AV	7.31004G	47.37	54.00	-6.63	13.07	3	Vertical	315	2.07	-	34.30	36.29	7.48	30.70
PK	4.87364G	46.38	74.00	-27.62	7.23	3	Vertical	155	1.66	-	39.15	31.17	5.83	29.77
PK	7.3104G	55.67	74.00	-18.33	13.07	3	Vertical	315	2.07	-	42.60	36.29	7.48	30.70

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	36.61	54.00	-17.39	7.23	3	Horizontal	338	1.52	-	29.38	31.17	5.83	29.77
AV	7.31034G	47.99	54.00	-6.01	13.07	3	Horizontal	346	2.00	-	34.92	36.29	7.48	30.70
PK	4.874G	45.51	74.00	-28.49	7.23	3	Horizontal	338	1.52	-	38.28	31.17	5.83	29.77
PK	7.3116G	55.78	74.00	-18.22	13.07	3	Horizontal	346	2.00	-	42.71	36.29	7.48	30.70

802.11b_Nss1,(1Mbps)_2TX

09/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.458G	114.06	Inf	-Inf	33.68	3	Vertical	344	1.72	-	80.38	27.54	6.14	-
AV	2.4862G	48.74	54.00	-5.26	33.66	3	Vertical	344	1.72	-	15.08	27.51	6.15	-
PK	2.4562G	116.04	Inf	-Inf	33.68	3	Vertical	344	1.72	-	82.36	27.54	6.14	-
PK	2.4974G	59.96	74.00	-14.04	33.65	3	Vertical	344	1.72	-	26.31	27.50	6.15	-

802.11b_Nss1,(1Mbps)_2TX

09/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.458G	114.21	Inf	-Inf	33.68	3	Horizontal	352	1.84	-	80.53	27.54	6.14	-
AV	2.4858G	50.07	54.00	-3.93	33.66	3	Horizontal	352	1.84	-	16.41	27.51	6.15	-
PK	2.4578G	116.25	Inf	-Inf	33.68	3	Horizontal	352	1.84	-	82.57	27.54	6.14	-
PK	2.493G	60.05	74.00	-13.95	33.66	3	Horizontal	352	1.84	-	26.39	27.51	6.15	-

802.11b_Nss1,(1Mbps)_2TX

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	24628G	112.78	Inf	-Inf	33.68	3	Vertical	350	1.50	-	79.10	27.54	6.14	-
AV	24894G	48.15	54.00	-5.85	33.66	3	Vertical	350	1.50	-	14.49	27.51	6.15	-
PK	24628G	114.38	Inf	-Inf	33.68	3	Vertical	350	1.50	-	80.70	27.54	6.14	-
PK	2486G	59.95	74.00	-14.05	33.66	3	Vertical	350	1.50	-	26.29	27.51	6.15	-

802.11b_Nss1,(1Mbps)_2TX

08/08/2019


2462MHz_TX



802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92394G	41.99	54.00	-12.01	7.37	3	Vertical	157	1.85	-	34.62	31.27	5.87	29.77
AV	7.37268G	40.32	54.00	-13.68	12.84	3	Vertical	317	1.50	-	27.48	36.23	7.36	30.75
PK	4.92412G	48.14	74.00	-25.86	7.37	3	Vertical	157	1.85	-	40.77	31.27	5.87	29.77
PK	7.37778G	51.69	74.00	-22.31	12.82	3	Vertical	317	1.50	-	38.87	36.22	7.35	30.75

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	37.44	54.00	-16.56	7.37	3	Horizontal	360	1.50	-	30.07	31.27	5.87	29.77
AV	7.37832G	40.38	54.00	-13.62	12.82	3	Horizontal	260	1.09	-	27.56	36.22	7.35	30.75
PK	4.92412G	45.87	74.00	-28.13	7.37	3	Horizontal	360	1.50	-	38.50	31.27	5.87	29.77
PK	7.37652G	51.95	74.00	-22.05	12.83	3	Horizontal	260	1.09	-	39.12	36.22	7.36	30.75

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3654G	47.15	54.00	-6.85	31.61	3	Vertical	234	2.08	-	15.54	27.64	3.97	-
AV	2.4142G	92.22	Inf	-Inf	31.49	3	Vertical	234	2.08	-	60.73	27.47	4.02	-
PK	2.384G	59.34	74.00	-14.66	31.55	3	Vertical	234	2.08	-	27.79	27.56	3.99	-
PK	2.4162G	101.46	Inf	-Inf	31.49	3	Vertical	234	2.08	-	69.97	27.47	4.02	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.56	54.00	-1.44	31.54	3	Horizontal	251	1.72	-	21.02	27.54	4.00	-
AV	2.4148G	105.79	Inf	-Inf	31.49	3	Horizontal	251	1.72	-	74.30	27.47	4.02	-
PK	2.3898G	69.12	74.00	-4.88	31.54	3	Horizontal	251	1.72	-	37.58	27.54	4.00	-
PK	2.4178G	114.59	Inf	-Inf	31.48	3	Horizontal	251	1.72	-	83.11	27.46	4.02	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8207G	32.97	54.00	-21.03	7.13	3	Vertical	174	2.28	-	25.84	31.12	5.79	29.78
PK	4.82322G	45.27	74.00	-28.73	7.13	3	Vertical	174	2.28	-	38.14	31.12	5.79	29.78

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81452G	32.84	54.00	-21.16	7.12	3	Horizontal	244	1.76	-	25.72	31.11	5.79	29.78
PK	4.82862G	44.70	74.00	-29.30	7.15	3	Horizontal	244	1.76	-	37.55	31.13	5.80	29.78

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3812G	46.35	54.00	-7.65	33.79	3	Vertical	343	1.00	-	12.56	27.68	6.11	-
AV	2.4196G	86.29	Inf	-Inf	33.70	3	Vertical	343	1.00	-	52.59	27.58	6.12	-
PK	2.372G	59.08	74.00	-14.92	33.83	3	Vertical	343	1.00	-	25.25	27.71	6.12	-
PK	2.42G	96.01	Inf	-Inf	33.70	3	Vertical	343	1.00	-	62.31	27.58	6.12	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.84	54.00	-1.16	33.75	3	Horizontal	359	1.79	-	19.09	27.64	6.11	-
AV	2.4194G	105.15	Inf	-Inf	33.70	3	Horizontal	359	1.79	-	71.45	27.58	6.12	-
PK	2.3896G	67.69	74.00	-6.31	33.75	3	Horizontal	359	1.79	-	33.94	27.64	6.11	-
PK	2.413G	114.19	Inf	-Inf	33.71	3	Horizontal	359	1.79	-	80.48	27.59	6.12	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.349G	47.30	54.00	-6.70	31.66	3	Vertical	302	1.55	-	15.64	27.70	3.96	-
AV	2.4358G	89.93	Inf	-Inf	31.47	3	Vertical	302	1.55	-	58.46	27.43	4.04	-
AV	2.4846G	47.59	54.00	-6.41	31.42	3	Vertical	302	1.55	-	16.17	27.33	4.09	-
PK	2.3834G	59.77	74.00	-14.23	31.56	3	Vertical	302	1.55	-	28.21	27.57	3.99	-
PK	2.4394G	98.51	Inf	-Inf	31.46	3	Vertical	302	1.55	-	67.05	27.42	4.04	-
PK	2.4986G	59.19	74.00	-14.81	31.40	3	Vertical	302	1.55	-	27.79	27.30	4.10	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.99	54.00	-1.01	31.54	3	Horizontal	354	1.60	-	21.45	27.54	4.00	-
AV	2.4402G	108.81	Inf	-Inf	31.46	3	Horizontal	354	1.60	-	77.35	27.42	4.04	-
AV	2.4835G	53.00	54.00	-1.00	31.41	3	Horizontal	354	1.60	-	21.59	27.33	4.08	-
PK	2.3878G	65.66	74.00	-8.34	31.54	3	Horizontal	354	1.60	-	34.12	27.55	3.99	-
PK	2.4402G	117.05	Inf	-Inf	31.46	3	Horizontal	354	1.60	-	85.59	27.42	4.04	-
PK	2.4846G	66.36	74.00	-7.64	31.42	3	Horizontal	354	1.60	-	34.94	27.33	4.09	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88342G	33.30	54.00	-20.70	7.25	3	Vertical	228	1.50	-	26.05	31.18	5.84	29.77
PK	4.86092G	45.59	74.00	-28.41	7.21	3	Vertical	228	1.50	-	38.38	31.16	5.82	29.77

802.11g_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88882G	33.24	54.00	-20.76	7.26	3	Horizontal	246	1.45	-	25.98	31.19	5.84	29.77
PK	4.88414G	45.70	74.00	-28.30	7.25	3	Horizontal	246	1.45	-	38.45	31.18	5.84	29.77

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4596G	86.18	Inf	-Inf	33.68	3	Vertical	332	1.12	-	52.50	27.54	6.14	-
AV	2.4944G	46.46	54.00	-7.54	33.66	3	Vertical	332	1.12	-	12.80	27.51	6.15	-
PK	2.46G	95.60	Inf	-Inf	33.68	3	Vertical	332	1.12	-	61.92	27.54	6.14	-
PK	2.4904G	59.37	74.00	-14.63	33.66	3	Vertical	332	1.12	-	25.71	27.51	6.15	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4592G	103.77	Inf	-Inf	33.68	3	Horizontal	358	1.50	-	70.09	27.54	6.14	-
AV	2.4835G	52.62	54.00	-1.38	33.67	3	Horizontal	358	1.50	-	18.95	27.52	6.15	-
PK	2.4612G	112.80	Inf	-Inf	33.68	3	Horizontal	358	1.50	-	79.12	27.54	6.14	-
PK	2.4835G	70.47	74.00	-3.53	33.67	3	Horizontal	358	1.50	-	36.80	27.52	6.15	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	84.90	Inf	-Inf	31.44	3	Vertical	31	1.00	-	53.46	27.38	4.06	-
AV	2.497G	47.60	54.00	-6.40	31.41	3	Vertical	31	1.00	-	16.19	27.31	4.10	-
PK	2.463G	94.36	Inf	-Inf	31.44	3	Vertical	31	1.00	-	62.92	27.37	4.07	-
PK	2.4986G	59.07	74.00	-14.93	31.40	3	Vertical	31	1.00	-	27.67	27.30	4.10	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	101.41	Inf	-Inf	31.44	3	Horizontal	359	1.50	-	69.97	27.37	4.07	-
AV	2.4836G	52.49	54.00	-1.51	31.41	3	Horizontal	359	1.50	-	21.08	27.33	4.08	-
PK	2.465G	111.04	Inf	-Inf	31.44	3	Horizontal	359	1.50	-	79.60	27.37	4.07	-
PK	2.4866G	68.54	74.00	-5.46	31.42	3	Horizontal	359	1.50	-	37.12	27.33	4.09	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92658G	33.57	54.00	-20.43	7.38	3	Vertical	360	1.50	-	26.19	31.28	5.87	29.77
PK	4.93474G	45.62	74.00	-28.38	7.40	3	Vertical	360	1.50	-	38.22	31.30	5.87	29.77

802.11g_Nss1,(6Mbps)_1TX(Port2)

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	33.55	54.00	-20.45	7.37	3	Horizontal	231	2.50	-	26.18	31.27	5.87	29.77
PK	4.91488G	45.75	74.00	-28.25	7.33	3	Horizontal	231	2.50	-	38.42	31.24	5.86	29.77

802.11g_Nss1,(6Mbps)_2TX

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.64	54.00	-1.36	33.75	3	Vertical	352	1.71	-	18.89	27.64	6.11	-
AV	2.4144G	104.23	Inf	-Inf	33.71	3	Vertical	352	1.71	-	70.52	27.59	6.12	-
PK	2.3888G	68.63	74.00	-5.37	33.75	3	Vertical	352	1.71	-	34.88	27.64	6.11	-
PK	2.4162G	113.06	Inf	-Inf	33.70	3	Vertical	352	1.71	-	79.36	27.58	6.12	-

802.11g_Nss1,(6Mbps)_2TX

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.32	54.00	-2.68	33.75	3	Horizontal	353	1.50	-	17.57	27.64	6.11	-
AV	2.413G	103.93	Inf	-Inf	33.71	3	Horizontal	353	1.50	-	70.22	27.59	6.12	-
PK	2.3898G	67.85	74.00	-6.15	33.75	3	Horizontal	353	1.50	-	34.10	27.64	6.11	-
PK	2.408G	114.86	Inf	-Inf	33.71	3	Horizontal	353	1.50	-	81.15	27.59	6.12	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81944G	32.96	54.00	-21.04	7.13	3	Vertical	300	1.50	-	25.83	31.12	5.79	29.78
PK	4.81314G	44.96	74.00	-29.04	7.12	3	Vertical	300	1.50	-	37.84	31.11	5.79	29.78

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8186G	32.76	54.00	-21.24	7.13	3	Horizontal	159	1.54	-	25.63	31.12	5.79	29.78
PK	4.81968G	45.06	74.00	-28.94	7.13	3	Horizontal	188	2.26	-	37.93	31.12	5.79	29.78

802.11g_Nss1,(6Mbps)_2TX

09/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.27	54.00	-1.73	33.75	3	Vertical	348	1.50	-	18.52	27.64	6.11	-
AV	2.4202G	105.74	Inf	-Inf	33.70	3	Vertical	348	1.50	-	72.04	27.58	6.12	-
PK	2.3898G	66.88	74.00	-7.12	33.75	3	Vertical	348	1.50	-	33.13	27.64	6.11	-
PK	2.4198G	115.08	Inf	-Inf	33.70	3	Vertical	348	1.50	-	81.38	27.58	6.12	-

802.11g_Nss1,(6Mbps)_2TX

09/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.40	54.00	-3.60	33.75	3	Horizontal	351	1.50	-	16.65	27.64	6.11	-
AV	2.4182G	105.42	Inf	-Inf	33.70	3	Horizontal	351	1.50	-	71.72	27.58	6.12	-
PK	2.39G	66.37	74.00	-7.63	33.75	3	Horizontal	351	1.50	-	32.62	27.64	6.11	-
PK	2.419G	115.73	Inf	-Inf	33.70	3	Horizontal	351	1.50	-	82.03	27.58	6.12	-

802.11g_Nss1,(6Mbps)_2TX

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.33	54.00	-1.67	33.75	3	Vertical	351	1.50	-	18.58	27.64	6.11	-
AV	2.4398G	108.26	Inf	-Inf	33.69	3	Vertical	351	1.50	-	74.57	27.56	6.13	-
AV	2.4835G	52.81	54.00	-1.19	33.67	3	Vertical	351	1.50	-	19.14	27.52	6.15	-
PK	2.3894G	66.49	74.00	-7.51	33.75	3	Vertical	351	1.50	-	32.74	27.64	6.11	-
PK	2.4398G	117.20	Inf	-Inf	33.69	3	Vertical	351	1.50	-	83.51	27.56	6.13	-
PK	2.4842G	67.72	74.00	-6.28	33.67	3	Vertical	351	1.50	-	34.05	27.52	6.15	-

802.11g_Nss1,(6Mbps)_2TX

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.50	54.00	-1.50	33.75	3	Horizontal	355	1.65	-	18.75	27.64	6.11	-
AV	2.4422G	108.38	Inf	-Inf	33.69	3	Horizontal	355	1.65	-	74.69	27.56	6.13	-
AV	2.4835G	52.83	54.00	-1.17	33.67	3	Horizontal	355	1.65	-	19.16	27.52	6.15	-
PK	2.3862G	66.18	74.00	-7.82	33.77	3	Horizontal	355	1.65	-	32.41	27.66	6.11	-
PK	2.4378G	118.90	Inf	-Inf	33.69	3	Horizontal	355	1.65	-	85.21	27.56	6.13	-
PK	2.4835G	67.90	74.00	-6.10	33.67	3	Horizontal	355	1.65	-	34.23	27.52	6.15	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87406G	33.48	54.00	-20.52	7.23	3	Vertical	165	1.81	-	26.25	31.17	5.83	29.77
PK	4.87598G	45.32	74.00	-28.68	7.24	3	Vertical	165	1.81	-	38.08	31.18	5.83	29.77

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8884G	33.21	54.00	-20.79	7.26	3	Horizontal	105	1.91	-	25.95	31.19	5.84	29.77
PK	4.88588G	45.11	74.00	-28.89	7.26	3	Horizontal	105	1.91	-	37.85	31.19	5.84	29.77

802.11g_Nss1,(6Mbps)_2TX

09/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4594G	105.93	Inf	-Inf	33.68	3	Vertical	343	1.66	-	72.25	27.54	6.14	-
AV	2.4848G	48.52	54.00	-5.48	33.67	3	Vertical	343	1.66	-	14.85	27.52	6.15	-
PK	2.4624G	114.84	Inf	-Inf	33.68	3	Vertical	343	1.66	-	81.16	27.54	6.14	-
PK	2.484G	61.35	74.00	-12.65	33.67	3	Vertical	343	1.66	-	27.68	27.52	6.15	-

802.11g_Nss1,(6Mbps)_2TX

09/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.452G	104.64	Inf	-Inf	33.68	3	Horizontal	350	1.50	-	70.96	27.55	6.13	-
AV	2.4835G	51.41	54.00	-2.59	33.67	3	Horizontal	350	1.50	-	17.74	27.52	6.15	-
PK	2.4526G	114.93	Inf	-Inf	33.68	3	Horizontal	350	1.50	-	81.25	27.55	6.13	-
PK	2.4836G	69.46	74.00	-4.54	33.67	3	Horizontal	350	1.50	-	35.79	27.52	6.15	-

802.11g_Nss1,(6Mbps)_2TX

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	103.79	Inf	-Inf	33.67	3	Vertical	347	1.50	-	70.12	27.53	6.14	-
AV	2.4836G	48.22	54.00	-5.78	33.67	3	Vertical	347	1.50	-	14.55	27.52	6.15	-
PK	2.4634G	112.58	Inf	-Inf	33.68	3	Vertical	347	1.50	-	78.90	27.54	6.14	-
PK	2.486G	61.81	74.00	-12.19	33.66	3	Vertical	347	1.50	-	28.15	27.51	6.15	-

802.11g_Nss1,(6Mbps)_2TX

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	24568G	102.91	Inf	-Inf	33.68	3	Horizontal	354	1.50	-	69.23	27.54	6.14	-
AV	24835G	52.03	54.00	-1.97	33.67	3	Horizontal	354	1.50	-	18.36	27.52	6.15	-
PK	24588G	113.71	Inf	-Inf	33.68	3	Horizontal	354	1.50	-	80.03	27.54	6.14	-
PK	24866G	69.54	74.00	-4.46	33.66	3	Horizontal	354	1.50	-	35.88	27.51	6.15	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92343G	33.20	54.00	-20.80	7.36	3	Vertical	261	1.31	-	25.84	31.27	5.86	29.77
PK	4.9225G	45.25	74.00	-28.75	7.36	3	Vertical	261	1.31	-	37.89	31.27	5.86	29.77

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92221G	33.19	54.00	-20.81	7.36	3	Horizontal	262	2.23	-	25.83	31.27	5.86	29.77
PK	4.92296G	45.30	74.00	-28.70	7.36	3	Horizontal	262	2.23	-	37.94	31.27	5.86	29.77

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.73	54.00	-6.27	31.54	3	Vertical	324	2.73	-	16.19	27.54	4.00	-
AV	2.4138G	92.77	Inf	-Inf	31.49	3	Vertical	324	2.73	-	61.28	27.47	4.02	-
PK	2.3898G	62.65	74.00	-11.35	31.54	3	Vertical	324	2.73	-	31.11	27.54	4.00	-
PK	2.4174G	104.96	Inf	-Inf	31.49	3	Vertical	324	2.73	-	73.47	27.47	4.02	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.77	54.00	-1.23	31.54	3	Horizontal	354	1.78	-	21.23	27.54	4.00	-
AV	2.415G	105.98	Inf	-Inf	31.49	3	Horizontal	354	1.78	-	74.49	27.47	4.02	-
PK	2.39G	72.61	74.00	-1.39	31.54	3	Horizontal	354	1.78	-	41.07	27.54	4.00	-
PK	2.4102G	118.33	Inf	-Inf	31.50	3	Horizontal	354	1.78	-	86.83	27.48	4.02	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8222G	34.76	54.00	-19.24	5.72	3	Vertical	153	1.50	-	29.04	31.10	8.91	34.29
PK	4.82508G	48.19	74.00	-25.81	5.73	3	Vertical	153	1.50	-	42.46	31.10	8.92	34.29

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82638G	34.68	54.00	-19.32	5.73	3	Horizontal	3	1.50	-	28.95	31.10	8.92	34.29
PK	4.82234G	48.54	74.00	-25.46	5.72	3	Horizontal	3	1.50	-	42.82	31.10	8.91	34.29

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.83	54.00	-8.17	33.75	3	Vertical	344	1.00	-	12.08	27.64	6.11	-
AV	2.4158G	85.95	Inf	-Inf	33.70	3	Vertical	344	1.00	-	52.25	27.58	6.12	-
PK	2.3744G	58.65	74.00	-15.35	33.82	3	Vertical	344	1.00	-	24.83	27.70	6.12	-
PK	2.4178G	99.81	Inf	-Inf	33.70	3	Vertical	344	1.00	-	66.11	27.58	6.12	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.98	54.00	-1.02	33.75	3	Horizontal	351	1.78	-	19.23	27.64	6.11	-
AV	2.4186G	105.34	Inf	-Inf	33.70	3	Horizontal	351	1.78	-	71.64	27.58	6.12	-
PK	2.389G	71.86	74.00	-2.14	33.75	3	Horizontal	351	1.78	-	38.11	27.64	6.11	-
PK	2.418G	118.10	Inf	-Inf	33.70	3	Horizontal	351	1.78	-	84.40	27.58	6.12	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3386G	46.73	54.00	-7.27	31.70	3	Vertical	33	1.05	-	15.03	27.75	3.95	-
AV	2.4354G	89.48	Inf	-Inf	31.47	3	Vertical	33	1.05	-	58.01	27.43	4.04	-
AV	2.4866G	47.13	54.00	-6.87	31.42	3	Vertical	33	1.05	-	15.71	27.33	4.09	-
PK	2.3522G	58.98	74.00	-15.02	31.65	3	Vertical	33	1.05	-	27.33	27.69	3.96	-
PK	2.4346G	101.85	Inf	-Inf	31.47	3	Vertical	33	1.05	-	70.38	27.43	4.04	-
PK	2.487G	60.37	74.00	-13.63	31.42	3	Vertical	33	1.05	-	28.95	27.33	4.09	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.69	54.00	-1.31	33.75	3	Horizontal	359	1.73	-	18.94	27.64	6.11	-
AV	2.4394G	107.07	Inf	-Inf	33.69	3	Horizontal	359	1.73	-	73.38	27.56	6.13	-
AV	2.4835G	52.04	54.00	-1.96	33.67	3	Horizontal	359	1.73	-	18.37	27.52	6.15	-
PK	2.3898G	66.68	74.00	-7.32	33.75	3	Horizontal	359	1.73	-	32.93	27.64	6.11	-
PK	2.4394G	120.43	Inf	-Inf	33.69	3	Horizontal	359	1.73	-	86.74	27.56	6.13	-
PK	2.4874G	65.75	74.00	-8.25	33.66	3	Horizontal	359	1.73	-	32.09	27.51	6.15	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87512G	34.97	54.00	-19.03	5.78	3	Vertical	271	2.51	-	29.19	31.10	8.96	34.28
AV	7.31266G	40.28	54.00	-13.72	11.98	3	Vertical	114	1.50	-	28.30	36.29	10.28	34.59
PK	4.87539G	48.34	74.00	-25.66	5.78	3	Vertical	271	2.51	-	42.56	31.10	8.96	34.28
PK	7.30909G	53.43	74.00	-20.57	11.98	3	Vertical	114	1.50	-	41.45	36.29	10.28	34.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87237G	34.29	54.00	-19.71	5.78	3	Horizontal	248	1.50	-	28.51	31.10	8.96	34.28
AV	7.3135G	40.01	54.00	-13.99	11.98	3	Horizontal	103	1.50	-	28.03	36.29	10.28	34.59
PK	4.87492G	47.58	74.00	-26.42	5.78	3	Horizontal	248	1.50	-	41.80	31.10	8.96	34.28
PK	7.31267G	53.61	74.00	-20.39	11.98	3	Horizontal	103	1.50	-	41.63	36.29	10.28	34.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4594G	85.60	Inf	-Inf	33.68	3	Vertical	326	1.12	-	51.92	27.54	6.14	-
AV	2.4852G	45.98	54.00	-8.02	33.66	3	Vertical	326	1.12	-	12.32	27.51	6.15	-
PK	2.4598G	98.80	Inf	-Inf	33.68	3	Vertical	326	1.12	-	65.12	27.54	6.14	-
PK	2.4964G	59.30	74.00	-14.70	33.65	3	Vertical	326	1.12	-	25.65	27.50	6.15	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.459G	102.94	Inf	-Inf	33.68	3	Horizontal	354	1.50	-	69.26	27.54	6.14	-
AV	2.4835G	52.06	54.00	-1.94	33.67	3	Horizontal	354	1.50	-	18.39	27.52	6.15	-
PK	2.4594G	116.05	Inf	-Inf	33.68	3	Horizontal	354	1.50	-	82.37	27.54	6.14	-
PK	2.4842G	69.14	74.00	-4.86	33.67	3	Horizontal	354	1.50	-	35.47	27.52	6.15	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	83.77	Inf	-Inf	31.44	3	Vertical	30	1.00	-	52.33	27.37	4.07	-
AV	2.4862G	47.13	54.00	-6.87	31.42	3	Vertical	30	1.00	-	15.71	27.33	4.09	-
PK	2.463G	95.99	Inf	-Inf	31.44	3	Vertical	30	1.00	-	64.55	27.37	4.07	-
PK	2.493G	59.18	74.00	-14.82	31.40	3	Vertical	30	1.00	-	27.78	27.31	4.09	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019


2462MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92607G	35.27	54.00	-18.73	5.98	3	Vertical	350	1.50	-	29.29	31.20	9.00	34.22
AV	7.38849G	39.52	54.00	-14.48	11.94	3	Vertical	157	1.50	-	27.58	36.21	10.32	34.59
PK	4.92619G	48.60	74.00	-25.40	5.98	3	Vertical	350	1.50	-	42.62	31.20	9.00	34.22
PK	7.38731G	53.36	74.00	-20.64	11.94	3	Vertical	157	1.50	-	41.42	36.21	10.32	34.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92626G	35.12	54.00	-18.88	5.99	3	Horizontal	15	1.50	-	29.13	31.21	9.00	34.22
AV	7.38834G	39.57	54.00	-14.43	11.94	3	Horizontal	268	2.31	-	27.63	36.21	10.32	34.59
PK	4.92525G	48.50	74.00	-25.50	5.98	3	Horizontal	15	1.50	-	42.52	31.20	9.00	34.22
PK	7.38731G	52.59	74.00	-21.41	11.94	3	Horizontal	268	2.31	-	40.65	36.21	10.32	34.59

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.33	54.00	-1.67	33.75	3	Vertical	349	1.00	-	18.58	27.64	6.11	-
AV	2.409G	103.62	Inf	-Inf	33.71	3	Vertical	349	1.00	-	69.91	27.59	6.12	-
PK	2.39G	72.39	74.00	-1.61	33.75	3	Vertical	349	1.00	-	38.64	27.64	6.11	-
PK	2.409G	116.51	Inf	-Inf	33.71	3	Vertical	349	1.00	-	82.80	27.59	6.12	-

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.26	54.00	-1.74	33.75	3	Horizontal	355	1.49	-	18.51	27.64	6.11	-
AV	2.4134G	103.77	Inf	-Inf	33.71	3	Horizontal	355	1.49	-	70.06	27.59	6.12	-
PK	2.3898G	71.62	74.00	-2.38	33.75	3	Horizontal	355	1.49	-	37.87	27.64	6.11	-
PK	2.4142G	116.84	Inf	-Inf	33.71	3	Horizontal	355	1.49	-	83.13	27.59	6.12	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82177G	33.27	54.00	-20.73	7.13	3	Vertical	27	1.17	-	26.14	31.12	5.79	29.78
PK	4.82391G	44.96	74.00	-29.04	7.13	3	Vertical	27	1.17	-	37.83	31.12	5.79	29.78

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82157G	32.30	54.00	-21.70	7.13	3	Horizontal	107	1.95	-	25.17	31.12	5.79	29.78
PK	4.82338G	44.92	74.00	-29.08	7.13	3	Horizontal	107	1.95	-	37.79	31.12	5.79	29.78

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.91	54.00	-1.09	33.75	3	Vertical	348	1.74	-	19.16	27.64	6.11	-
AV	2.4218G	105.73	Inf	-Inf	33.70	3	Vertical	348	1.74	-	72.03	27.58	6.12	-
PK	2.39G	72.23	74.00	-1.77	33.75	3	Vertical	348	1.74	-	38.48	27.64	6.11	-
PK	2.422G	118.57	Inf	-Inf	33.70	3	Vertical	348	1.74	-	84.87	27.58	6.12	-

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.05	54.00	-3.95	33.75	3	Horizontal	349	1.89	-	16.30	27.64	6.11	-
AV	2.4182G	105.75	Inf	-Inf	33.70	3	Horizontal	349	1.89	-	72.05	27.58	6.12	-
PK	2.39G	69.94	74.00	-4.06	33.75	3	Horizontal	349	1.89	-	36.19	27.64	6.11	-
PK	2.4186G	118.88	Inf	-Inf	33.70	3	Horizontal	349	1.89	-	85.18	27.58	6.12	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX

09/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.31	54.00	-2.69	33.75	3	Vertical	355	1.50	-	17.56	27.64	6.11	-
AV	2.433G	106.77	Inf	-Inf	33.70	3	Vertical	355	1.50	-	73.07	27.57	6.13	-
AV	2.4835G	52.33	54.00	-1.67	33.67	3	Vertical	355	1.50	-	18.66	27.52	6.15	-
PK	2.3854G	65.53	74.00	-8.47	33.77	3	Vertical	355	1.50	-	31.76	27.66	6.11	-
PK	2.4418G	119.70	Inf	-Inf	33.69	3	Vertical	355	1.50	-	86.01	27.56	6.13	-
PK	2.4838G	67.12	74.00	-6.88	33.67	3	Vertical	355	1.50	-	33.45	27.52	6.15	-

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.19	54.00	-2.81	33.75	3	Horizontal	353	1.65	-	17.44	27.64	6.11	-
AV	2.4386G	107.32	Inf	-Inf	33.69	3	Horizontal	353	1.65	-	73.63	27.56	6.13	-
AV	2.4835G	50.58	54.00	-3.42	33.67	3	Horizontal	353	1.65	-	16.91	27.52	6.15	-
PK	2.3886G	65.91	74.00	-8.09	33.76	3	Horizontal	353	1.65	-	32.15	27.65	6.11	-
PK	2.4394G	120.15	Inf	-Inf	33.69	3	Horizontal	353	1.65	-	86.46	27.56	6.13	-
PK	2.4886G	64.79	74.00	-9.21	33.66	3	Horizontal	353	1.65	-	31.13	27.51	6.15	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87506G	32.48	54.00	-21.52	7.24	3	Vertical	7	1.33	-	25.24	31.18	5.83	29.77
PK	4.87518G	44.91	74.00	-29.09	7.24	3	Vertical	7	1.33	-	37.67	31.18	5.83	29.77

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87641G	32.60	54.00	-21.40	7.24	3	Horizontal	278	1.47	-	25.36	31.18	5.83	29.77
PK	4.87558G	45.98	74.00	-28.02	7.24	3	Horizontal	278	1.47	-	38.74	31.18	5.83	29.77

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	104.77	Inf	-Inf	33.68	3	Vertical	342	1.68	-	71.09	27.54	6.14	-
AV	2.4836G	48.92	54.00	-5.08	33.67	3	Vertical	342	1.68	-	15.25	27.52	6.15	-
PK	2.4518G	117.83	Inf	-Inf	33.68	3	Vertical	342	1.68	-	84.15	27.55	6.13	-
PK	2.4835G	68.75	74.00	-5.25	33.67	3	Vertical	342	1.68	-	35.08	27.52	6.15	-

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4582G	104.37	Inf	-Inf	33.68	3	Horizontal	352	1.85	-	70.69	27.54	6.14	-
AV	2.4835G	51.62	54.00	-2.38	33.67	3	Horizontal	352	1.85	-	17.95	27.52	6.15	-
PK	2.4578G	118.42	Inf	-Inf	33.68	3	Horizontal	352	1.85	-	84.74	27.54	6.14	-
PK	2.484G	71.63	74.00	-2.37	33.67	3	Horizontal	352	1.85	-	37.96	27.52	6.15	-

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4586G	103.71	Inf	-Inf	33.68	3	Vertical	347	1.67	-	70.03	27.54	6.14	-
AV	2.4835G	48.56	54.00	-5.44	33.67	3	Vertical	347	1.67	-	14.89	27.52	6.15	-
PK	2.457G	116.95	Inf	-Inf	33.68	3	Vertical	347	1.67	-	83.27	27.54	6.14	-
PK	2.4852G	62.88	74.00	-11.12	33.66	3	Vertical	347	1.67	-	29.22	27.51	6.15	-

802.11ax HEW20_Nss1,(MCS0)_2TX

09/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	103.14	Inf	-Inf	33.68	3	Horizontal	359	1.83	-	69.46	27.54	6.14	-
AV	2.4835G	51.25	54.00	-2.75	33.67	3	Horizontal	359	1.83	-	17.58	27.52	6.15	-
PK	2.4644G	116.76	Inf	-Inf	33.68	3	Horizontal	359	1.83	-	83.08	27.54	6.14	-
PK	2.488G	68.84	74.00	-5.16	33.66	3	Horizontal	359	1.83	-	35.18	27.51	6.15	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92469G	32.79	54.00	-21.21	7.37	3	Vertical	71	1.21	-	25.42	31.27	5.87	29.77
PK	4.92167G	44.95	74.00	-29.05	7.36	3	Vertical	71	1.21	-	37.59	31.27	5.86	29.77

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92545G	32.80	54.00	-21.20	7.38	3	Horizontal	222	1.88	-	25.42	31.28	5.87	29.77
PK	4.92352G	45.05	74.00	-28.95	7.36	3	Horizontal	222	1.88	-	37.69	31.27	5.86	29.77

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3428G	45.55	54.00	-8.45	33.95	3	Vertical	342	1.02	-	11.60	27.83	6.12	-
AV	2.4268G	83.32	Inf	-Inf	33.69	3	Vertical	342	1.02	-	49.63	27.57	6.12	-
AV	2.4936G	45.73	54.00	-8.27	33.66	3	Vertical	342	1.02	-	12.07	27.51	6.15	-
PK	2.3656G	59.04	74.00	-14.96	33.86	3	Vertical	342	1.02	-	25.18	27.74	6.12	-
PK	2.426G	95.94	Inf	-Inf	33.69	3	Vertical	342	1.02	-	62.25	27.57	6.12	-
PK	2.4848G	58.46	74.00	-15.54	33.67	3	Vertical	342	1.02	-	24.79	27.52	6.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.67	54.00	-2.33	33.75	3	Horizontal	0	1.78	-	17.92	27.64	6.11	-
AV	2.4256G	101.27	Inf	-Inf	33.69	3	Horizontal	0	1.78	-	67.58	27.57	6.12	-
AV	2.484G	48.03	54.00	-5.97	33.67	3	Horizontal	0	1.78	-	14.36	27.52	6.15	-
PK	2.39G	72.87	74.00	-1.13	33.75	3	Horizontal	0	1.00	-	39.12	27.64	6.11	-
PK	2.4232G	114.22	Inf	-Inf	33.70	3	Horizontal	0	1.78	-	80.52	27.58	6.12	-
PK	2.494G	62.14	74.00	-11.86	33.66	3	Horizontal	0	1.78	-	28.48	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84225G	34.67	54.00	-19.33	5.74	3	Vertical	72	1.50	-	28.93	31.10	8.93	34.29
PK	4.84302G	48.55	74.00	-25.45	5.74	3	Vertical	72	1.50	-	42.81	31.10	8.93	34.29

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84223G	34.63	54.00	-19.37	5.74	3	Horizontal	352	1.50	-	28.89	31.10	8.93	34.29
PK	4.84332G	48.16	74.00	-25.84	5.74	3	Horizontal	352	1.50	-	42.42	31.10	8.93	34.29

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3546G	45.75	54.00	-8.25	33.90	3	Vertical	329	1.00	-	11.85	27.78	6.12	-
AV	2.4374G	83.00	Inf	-Inf	33.69	3	Vertical	329	1.00	-	49.31	27.56	6.13	-
AV	2.485G	45.99	54.00	-8.01	33.67	3	Vertical	329	1.00	-	12.32	27.52	6.15	-
PK	2.3446G	59.00	74.00	-15.00	33.94	3	Vertical	329	1.00	-	25.06	27.82	6.12	-
PK	2.4378G	96.75	Inf	-Inf	33.69	3	Vertical	329	1.00	-	63.06	27.56	6.13	-
PK	2.4974G	58.52	74.00	-15.48	33.65	3	Vertical	329	1.00	-	24.87	27.50	6.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.71	54.00	-1.29	33.75	3	Horizontal	359	1.50	-	18.96	27.64	6.11	-
AV	2.4298G	101.43	Inf	-Inf	33.69	3	Horizontal	359	1.50	-	67.74	27.57	6.12	-
AV	2.4835G	48.21	54.00	-5.79	33.67	3	Horizontal	359	1.50	-	14.54	27.52	6.15	-
PK	2.3898G	69.97	74.00	-4.03	33.75	3	Horizontal	359	1.50	-	36.22	27.64	6.11	-
PK	2.4278G	114.71	Inf	-Inf	33.69	3	Horizontal	359	1.50	-	81.02	27.57	6.12	-
PK	2.4842G	63.80	74.00	-10.20	33.67	3	Horizontal	359	1.50	-	30.13	27.52	6.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019


2437MHz_TX



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	51.96	54.00	-2.04	33.75	3	Horizontal	0	1.75	-	18.21	27.64	6.11	-
AV	2.4386G	101.77	Inf	-Inf	33.69	3	Horizontal	0	1.75	-	68.08	27.56	6.13	-
AV	2.4835G	52.56	54.00	-1.44	33.67	3	Horizontal	0	1.75	-	18.89	27.52	6.15	-
PK	2.3894G	69.47	74.00	-4.53	33.75	3	Horizontal	0	1.75	-	35.72	27.64	6.11	-
PK	2.4334G	114.42	Inf	-Inf	33.70	3	Horizontal	0	1.75	-	80.72	27.57	6.13	-
PK	2.4866G	68.50	74.00	-5.50	33.66	3	Horizontal	0	1.75	-	34.84	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87302G	34.40	54.00	-19.60	5.78	3	Vertical	359	1.50	-	28.62	31.10	8.96	34.28
AV	7.31315G	39.96	54.00	-14.04	11.98	3	Vertical	322	1.48	-	27.98	36.29	10.28	34.59
PK	4.87517G	48.11	74.00	-25.89	5.78	3	Vertical	359	1.50	-	42.33	31.10	8.96	34.28
PK	7.30938G	53.29	74.00	-20.71	11.98	3	Vertical	322	1.48	-	41.31	36.29	10.28	34.59

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87326G	34.43	54.00	-19.57	5.78	3	Horizontal	243	1.50	-	28.65	31.10	8.96	34.28
AV	7.31248G	39.99	54.00	-14.01	11.98	3	Horizontal	27	1.50	-	28.01	36.29	10.28	34.59
PK	4.87613G	48.13	74.00	-25.87	5.78	3	Horizontal	243	1.50	-	42.35	31.10	8.96	34.28
PK	7.31303G	54.18	74.00	-19.82	11.98	3	Horizontal	27	1.50	-	42.20	36.29	10.28	34.59

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3486G	45.74	54.00	-8.26	33.93	3	Vertical	325	1.12	-	11.81	27.81	6.12	-
AV	2.4574G	81.06	Inf	-Inf	33.68	3	Vertical	325	1.12	-	47.38	27.54	6.14	-
AV	2.495G	45.92	54.00	-8.08	33.65	3	Vertical	325	1.12	-	12.27	27.50	6.15	-
PK	2.3554G	59.22	74.00	-14.78	33.90	3	Vertical	325	1.12	-	25.32	27.78	6.12	-
PK	2.4594G	93.54	Inf	-Inf	33.68	3	Vertical	325	1.12	-	59.86	27.54	6.14	-
PK	2.487G	58.56	74.00	-15.44	33.66	3	Vertical	325	1.12	-	24.90	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	46.76	54.00	-7.24	33.76	3	Horizontal	355	1.73	-	13.00	27.65	6.11	-
AV	2.443G	99.77	Inf	-Inf	33.69	3	Horizontal	355	1.73	-	66.08	27.56	6.13	-
AV	2.4835G	51.86	54.00	-2.14	33.67	3	Horizontal	355	1.73	-	18.19	27.52	6.15	-
PK	2.353G	59.91	74.00	-14.09	33.91	3	Horizontal	355	1.73	-	26.00	27.79	6.12	-
PK	2.441G	112.79	Inf	-Inf	33.69	3	Horizontal	355	1.73	-	79.10	27.56	6.13	-
PK	2.4854G	67.20	74.00	-6.80	33.66	3	Horizontal	355	1.73	-	33.54	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3604G	45.69	54.00	-8.31	33.88	3	Vertical	345	1.00	-	11.81	27.76	6.12	-
AV	2.4496G	80.55	Inf	-Inf	33.68	3	Vertical	345	1.00	-	46.87	27.55	6.13	-
AV	2.4888G	46.04	54.00	-7.96	33.66	3	Vertical	345	1.00	-	12.38	27.51	6.15	-
PK	2.3604G	58.58	74.00	-15.42	33.88	3	Vertical	345	1.00	-	24.70	27.76	6.12	-
PK	2.4484G	93.19	Inf	-Inf	33.68	3	Vertical	345	1.00	-	59.51	27.55	6.13	-
PK	2.4872G	59.02	74.00	-14.98	33.66	3	Vertical	345	1.00	-	25.36	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019


2452MHz_TX



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9065G	34.72	54.00	-19.28	5.85	3	Vertical	36	2.80	-	28.87	31.13	8.98	34.26
AV	7.35845G	39.71	54.00	-14.29	11.95	3	Vertical	158	1.50	-	27.76	36.24	10.30	34.59
PK	4.90519G	48.05	74.00	-25.95	5.84	3	Vertical	36	2.80	-	42.21	31.12	8.98	34.26
PK	7.35454G	53.56	74.00	-20.44	11.96	3	Vertical	158	1.50	-	41.60	36.25	10.30	34.59

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

08/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90581G	34.70	54.00	-19.30	5.84	3	Horizontal	163	2.23	-	28.86	31.12	8.98	34.26
AV	7.35809G	39.72	54.00	-14.28	11.95	3	Horizontal	314	1.26	-	27.77	36.24	10.30	34.59
PK	4.90608G	48.13	74.00	-25.87	5.84	3	Horizontal	163	2.23	-	42.29	31.12	8.98	34.26
PK	7.35786G	53.85	74.00	-20.15	11.95	3	Horizontal	314	1.26	-	41.90	36.24	10.30	34.59

802.11ax HEW40_Nss1,(MCS0)_2TX

09/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	51.15	54.00	-2.85	33.75	3	Vertical	345	1.70	-	17.40	27.64	6.11	-
AV	2.4176G	102.21	Inf	-Inf	33.70	3	Vertical	345	1.70	-	68.51	27.58	6.12	-
AV	2.4884G	48.54	54.00	-5.46	33.66	3	Vertical	345	1.70	-	14.88	27.51	6.15	-
PK	2.39G	72.40	74.00	-1.60	33.75	3	Vertical	345	1.70	-	38.65	27.64	6.11	-
PK	2.4188G	114.85	Inf	-Inf	33.70	3	Vertical	345	1.70	-	81.15	27.58	6.12	-
PK	2.4948G	61.82	74.00	-12.18	33.66	3	Vertical	345	1.70	-	28.16	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

09/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.10	54.00	-2.90	33.75	3	Horizontal	350	1.60	-	17.35	27.64	6.11	-
AV	2.4324G	101.26	Inf	-Inf	33.70	3	Horizontal	350	1.60	-	67.56	27.57	6.13	-
AV	2.488G	48.07	54.00	-5.93	33.66	3	Horizontal	350	1.60	-	14.41	27.51	6.15	-
PK	2.3848G	66.69	74.00	-7.31	33.77	3	Horizontal	350	1.60	-	32.92	27.66	6.11	-
PK	2.4328G	114.47	Inf	-Inf	33.70	3	Horizontal	350	1.60	-	80.77	27.57	6.13	-
PK	2.4908G	60.54	74.00	-13.46	33.66	3	Horizontal	350	1.60	-	26.88	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84224G	32.39	54.00	-21.61	7.17	3	Vertical	181	1.38	-	25.22	31.14	5.81	29.78
PK	4.84384G	44.97	74.00	-29.03	7.17	3	Vertical	181	1.38	-	37.80	31.14	5.81	29.78

802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84163G	32.39	54.00	-21.61	7.17	3	Horizontal	111	2.37	-	25.22	31.14	5.81	29.78
PK	4.84258G	44.92	74.00	-29.08	7.17	3	Horizontal	111	2.37	-	37.75	31.14	5.81	29.78

802.11ax HEW40_Nss1,(MCS0)_2TX

09/08/2019

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.29	54.00	-1.71	33.75	3	Vertical	348	1.50	-	18.54	27.64	6.11	-
AV	2.4322G	102.37	Inf	-Inf	33.70	3	Vertical	348	1.50	-	68.67	27.57	6.13	-
AV	2.4835G	49.33	54.00	-4.67	33.67	3	Vertical	348	1.50	-	15.66	27.52	6.15	-
PK	2.3894G	71.84	74.00	-2.16	33.75	3	Vertical	348	1.50	-	38.09	27.64	6.11	-
PK	2.4318G	115.56	Inf	-Inf	33.70	3	Vertical	348	1.50	-	81.86	27.57	6.13	-
PK	2.4835G	64.17	74.00	-9.83	33.67	3	Vertical	348	1.50	-	30.50	27.52	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX

09/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.50	54.00	-1.50	33.75	3	Horizontal	351	1.65	-	18.75	27.64	6.11	-
AV	2.4282G	102.51	Inf	-Inf	33.69	3	Horizontal	351	1.65	-	68.82	27.57	6.12	-
AV	2.4842G	48.24	54.00	-5.76	33.67	3	Horizontal	351	1.65	-	14.57	27.52	6.15	-
PK	2.3894G	69.90	74.00	-4.10	33.75	3	Horizontal	351	1.65	-	36.15	27.64	6.11	-
PK	2.4242G	114.76	Inf	-Inf	33.70	3	Horizontal	351	1.65	-	81.06	27.58	6.12	-
PK	2.4846G	62.06	74.00	-11.94	33.67	3	Horizontal	351	1.65	-	28.39	27.52	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

09/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	52.04	54.00	-1.96	33.76	3	Vertical	348	1.75	-	18.28	27.65	6.11	-
AV	2.4422G	103.42	Inf	-Inf	33.69	3	Vertical	348	1.75	-	69.73	27.56	6.13	-
AV	2.4835G	52.92	54.00	-1.08	33.67	3	Vertical	348	1.75	-	19.25	27.52	6.15	-
PK	2.3894G	72.26	74.00	-1.74	33.75	3	Vertical	348	1.75	-	38.51	27.64	6.11	-
PK	2.4306G	115.74	Inf	-Inf	33.70	3	Vertical	348	1.75	-	82.04	27.57	6.13	-
PK	2.4862G	72.03	74.00	-1.97	33.66	3	Vertical	348	1.75	-	38.37	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX

09/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	51.07	54.00	-2.93	33.75	3	Horizontal	358	1.64	-	17.32	27.64	6.11	-
AV	2.4386G	102.89	Inf	-Inf	33.69	3	Horizontal	358	1.64	-	69.20	27.56	6.13	-
AV	2.4835G	52.36	54.00	-1.64	33.67	3	Horizontal	358	1.64	-	18.69	27.52	6.15	-
PK	2.3882G	69.17	74.00	-4.83	33.76	3	Horizontal	358	1.64	-	35.41	27.65	6.11	-
PK	2.4362G	115.94	Inf	-Inf	33.69	3	Horizontal	358	1.64	-	82.25	27.56	6.13	-
PK	2.4878G	68.76	74.00	-5.24	33.66	3	Horizontal	358	1.64	-	35.10	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87529G	32.69	54.00	-21.31	7.24	3	Vertical	30	1.46	-	25.45	31.18	5.83	29.77
PK	4.8756G	45.14	74.00	-28.86	7.24	3	Vertical	30	1.46	-	37.90	31.18	5.83	29.77

802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87553G	32.59	54.00	-21.41	7.24	3	Horizontal	307	2.49	-	25.35	31.18	5.83	29.77
PK	4.87362G	45.29	74.00	-28.71	7.23	3	Horizontal	307	2.49	-	38.06	31.17	5.83	29.77

802.11ax HEW40_Nss1,(MCS0)_2TX

09/08/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.58	54.00	-7.42	33.75	3	Vertical	360	1.50	-	12.83	27.64	6.11	-
AV	2.443G	100.46	Inf	-Inf	33.69	3	Vertical	360	1.50	-	66.77	27.56	6.13	-
AV	2.4838G	50.00	54.00	-4.00	33.67	3	Vertical	360	1.50	-	16.33	27.52	6.15	-
PK	2.3658G	59.08	74.00	-14.92	33.86	3	Vertical	360	1.50	-	25.22	27.74	6.12	-
PK	2.4394G	113.01	Inf	-Inf	33.69	3	Vertical	360	1.50	-	79.32	27.56	6.13	-
PK	2.4835G	66.79	74.00	-7.21	33.67	3	Vertical	360	1.50	-	33.12	27.52	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

09/08/2019

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.82	54.00	-7.18	33.76	3	Horizontal	357	1.67	-	13.06	27.65	6.11	-
AV	2.4458G	100.74	Inf	-Inf	33.68	3	Horizontal	357	1.67	-	67.06	27.55	6.13	-
AV	2.4838G	52.18	54.00	-1.82	33.67	3	Horizontal	357	1.67	-	18.51	27.52	6.15	-
PK	2.3826G	59.59	74.00	-14.41	33.78	3	Horizontal	357	1.67	-	25.81	27.67	6.11	-
PK	2.4438G	112.76	Inf	-Inf	33.69	3	Horizontal	357	1.67	-	79.07	27.56	6.13	-
PK	2.4846G	66.64	74.00	-7.36	33.67	3	Horizontal	357	1.67	-	32.97	27.52	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

09/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3816G	46.18	54.00	-7.82	33.78	3	Vertical	344	1.69	-	12.40	27.67	6.11	-
AV	2.4572G	100.93	Inf	-Inf	33.68	3	Vertical	344	1.69	-	67.25	27.54	6.14	-
AV	2.4872G	50.12	54.00	-3.88	33.66	3	Vertical	344	1.69	-	16.46	27.51	6.15	-
PK	2.3836G	58.92	74.00	-15.08	33.78	3	Vertical	344	1.69	-	25.14	27.67	6.11	-
PK	2.448G	113.29	Inf	-Inf	33.68	3	Vertical	344	1.69	-	79.61	27.55	6.13	-
PK	2.4864G	64.16	74.00	-9.84	33.66	3	Vertical	344	1.69	-	30.50	27.51	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

09/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	46.12	54.00	-7.88	33.76	3	Horizontal	351	1.65	-	12.36	27.65	6.11	-
AV	2.442G	99.73	Inf	-Inf	33.69	3	Horizontal	351	1.65	-	66.04	27.56	6.13	-
AV	2.4835G	52.78	54.00	-1.22	33.67	3	Horizontal	351	1.65	-	19.11	27.52	6.15	-
PK	2.3816G	59.02	74.00	-14.98	33.78	3	Horizontal	351	1.65	-	25.24	27.67	6.11	-
PK	2.4468G	112.51	Inf	-Inf	33.68	3	Horizontal	351	1.65	-	78.83	27.55	6.13	-
PK	2.4835G	67.31	74.00	-6.69	33.67	3	Horizontal	351	1.65	-	33.64	27.52	6.15	-

802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90549G	32.71	54.00	-21.29	7.30	3	Vertical	33	1.39	-	25.41	31.22	5.85	29.77
PK	4.90458G	45.37	74.00	-28.63	7.29	3	Vertical	33	1.39	-	38.08	31.21	5.85	29.77

802.11ax HEW40_Nss1,(MCS0)_2TX

10/08/2019

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90447G	32.69	54.00	-21.31	7.29	3	Horizontal	194	2.23	-	25.40	31.21	5.85	29.77
PK	4.90535G	45.46	74.00	-28.54	7.30	3	Horizontal	194	2.23	-	38.16	31.22	5.85	29.77

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	AV	2.3886G	52.60	54.00	-1.40	3	Horizontal	9	1.82	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3882G	52.66	54.00	-1.34	3	Horizontal	11	1.65	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	2.39G	52.57	54.00	-1.43	3	Horizontal	0	1.70	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.3898G	52.89	54.00	-1.11	3	Horizontal	11	1.66	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	52.89	54.00	-1.11	3	Horizontal	9	2.03	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	52.81	54.00	-1.19	3	Horizontal	360	1.50	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	2.3894G	52.68	54.00	-1.32	3	Horizontal	358	1.52	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.3896G	52.94	54.00	-1.06	3	Horizontal	11	1.62	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3856G	46.28	54.00	-7.72	3	Vertical	60	2.68	-
2412MHz_TX	Pass	AV	2.4112G	100.98	Inf	-Inf	3	Vertical	60	2.68	-
2412MHz_TX	Pass	PK	2.3658G	57.47	74.00	-16.53	3	Vertical	60	2.68	-
2412MHz_TX	Pass	PK	2.413G	104.58	Inf	-Inf	3	Vertical	60	2.68	-
2412MHz_TX	Pass	AV	2.387G	52.25	54.00	-1.75	3	Horizontal	13	2.01	-
2412MHz_TX	Pass	AV	2.4114G	115.92	Inf	-Inf	3	Horizontal	13	2.01	-
2412MHz_TX	Pass	PK	2.3876G	60.91	74.00	-13.09	3	Horizontal	13	2.01	-
2412MHz_TX	Pass	PK	2.413G	119.31	Inf	-Inf	3	Horizontal	13	2.01	-
2412MHz_TX	Pass	AV	4.824G	33.15	54.00	-20.85	3	Vertical	222	2.02	-
2412MHz_TX	Pass	PK	4.82418G	43.61	74.00	-30.39	3	Vertical	222	2.02	-
2412MHz_TX	Pass	AV	4.82394G	32.00	54.00	-22.00	3	Horizontal	206	2.45	-
2412MHz_TX	Pass	PK	4.82383G	43.23	74.00	-30.77	3	Horizontal	206	2.45	-
2417MHz_TX	Pass	AV	2.3792G	46.15	54.00	-7.85	3	Vertical	324	2.76	-
2417MHz_TX	Pass	AV	2.4162G	100.08	Inf	-Inf	3	Vertical	324	2.76	-
2417MHz_TX	Pass	PK	2.3754G	56.73	74.00	-17.27	3	Vertical	324	2.76	-
2417MHz_TX	Pass	PK	2.418G	103.76	Inf	-Inf	3	Vertical	324	2.76	-
2417MHz_TX	Pass	AV	2.3886G	52.60	54.00	-1.40	3	Horizontal	9	1.82	-
2417MHz_TX	Pass	AV	2.4178G	116.17	Inf	-Inf	3	Horizontal	9	1.82	-
2417MHz_TX	Pass	PK	2.3882G	61.57	74.00	-12.43	3	Horizontal	9	1.82	-
2417MHz_TX	Pass	PK	2.418G	119.43	Inf	-Inf	3	Horizontal	9	1.82	-
2437MHz_TX	Pass	AV	2.3686G	46.07	54.00	-7.93	3	Vertical	314	2.38	-
2437MHz_TX	Pass	AV	2.4362G	99.05	Inf	-Inf	3	Vertical	314	2.38	-
2437MHz_TX	Pass	AV	2.4842G	46.72	54.00	-7.28	3	Vertical	314	2.38	-
2437MHz_TX	Pass	PK	2.3858G	57.34	74.00	-16.66	3	Vertical	314	2.38	-
2437MHz_TX	Pass	PK	2.4378G	102.83	Inf	-Inf	3	Vertical	314	2.38	-
2437MHz_TX	Pass	PK	2.4838G	57.43	74.00	-16.57	3	Vertical	314	2.38	-
2437MHz_TX	Pass	AV	2.3898G	52.31	54.00	-1.69	3	Horizontal	12	1.50	-
2437MHz_TX	Pass	AV	2.4362G	116.70	Inf	-Inf	3	Horizontal	12	1.50	-
2437MHz_TX	Pass	AV	2.4842G	52.54	54.00	-1.46	3	Horizontal	12	1.50	-
2437MHz_TX	Pass	PK	2.3858G	60.62	74.00	-13.38	3	Horizontal	12	1.50	-
2437MHz_TX	Pass	PK	2.4378G	120.24	Inf	-Inf	3	Horizontal	12	1.50	-
2437MHz_TX	Pass	PK	2.4838G	61.14	74.00	-12.86	3	Horizontal	12	1.50	-
2437MHz_TX	Pass	AV	4.874G	33.55	54.00	-20.45	3	Vertical	220	2.20	-
2437MHz_TX	Pass	PK	4.8758G	43.74	74.00	-30.26	3	Vertical	220	2.20	-
2437MHz_TX	Pass	AV	4.87388G	31.50	54.00	-22.50	3	Horizontal	206	1.68	-
2437MHz_TX	Pass	PK	4.87388G	43.46	74.00	-30.54	3	Horizontal	206	1.68	-
2457MHz_TX	Pass	AV	2.4562G	101.95	Inf	-Inf	3	Vertical	63	2.87	-
2457MHz_TX	Pass	AV	2.4835G	46.71	54.00	-7.29	3	Vertical	63	2.87	-
2457MHz_TX	Pass	PK	2.458G	105.50	Inf	-Inf	3	Vertical	63	2.87	-
2457MHz_TX	Pass	PK	2.4956G	57.79	74.00	-16.21	3	Vertical	63	2.87	-
2457MHz_TX	Pass	AV	2.4564G	116.08	Inf	-Inf	3	Horizontal	3	1.76	-
2457MHz_TX	Pass	AV	2.4862G	51.16	54.00	-2.84	3	Horizontal	3	1.76	-
2457MHz_TX	Pass	PK	2.456G	119.58	Inf	-Inf	3	Horizontal	3	1.76	-
2457MHz_TX	Pass	PK	2.4856G	60.98	74.00	-13.02	3	Horizontal	3	1.76	-
2462MHz_TX	Pass	AV	2.461G	97.86	Inf	-Inf	3	Vertical	331	1.92	-
2462MHz_TX	Pass	AV	2.4998G	46.65	54.00	-7.35	3	Vertical	331	1.92	-
2462MHz_TX	Pass	PK	2.463G	100.81	Inf	-Inf	3	Vertical	331	1.92	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz_TX	Pass	PK	2.4964G	57.19	74.00	-16.81	3	Vertical	331	1.92	-
2462MHz_TX	Pass	AV	2.4614G	115.39	Inf	-Inf	3	Horizontal	8	1.99	-
2462MHz_TX	Pass	AV	2.4838G	49.93	54.00	-4.07	3	Horizontal	8	1.99	-
2462MHz_TX	Pass	PK	2.463G	119.07	Inf	-Inf	3	Horizontal	8	1.99	-
2462MHz_TX	Pass	PK	2.4906G	60.20	74.00	-13.80	3	Horizontal	8	1.99	-
2462MHz_TX	Pass	AV	4.92407G	33.43	54.00	-20.57	3	Vertical	159	1.40	-
2462MHz_TX	Pass	PK	4.92326G	44.52	74.00	-29.48	3	Vertical	159	1.40	-
2462MHz_TX	Pass	AV	4.92396G	33.36	54.00	-20.64	3	Horizontal	198	2.90	-
2462MHz_TX	Pass	PK	4.92376G	44.52	74.00	-29.48	3	Horizontal	198	2.90	-
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.387G	49.26	54.00	-4.74	3	Vertical	351	1.64	-
2412MHz_TX	Pass	AV	2.4114G	114.76	Inf	-Inf	3	Vertical	351	1.64	-
2412MHz_TX	Pass	PK	2.3876G	59.49	74.00	-14.51	3	Vertical	351	1.64	-
2412MHz_TX	Pass	PK	2.413G	118.43	Inf	-Inf	3	Vertical	351	1.64	-
2412MHz_TX	Pass	AV	2.3874G	51.46	54.00	-2.54	3	Horizontal	10	1.43	-
2412MHz_TX	Pass	AV	2.411G	116.06	Inf	-Inf	3	Horizontal	10	1.43	-
2412MHz_TX	Pass	PK	2.3874G	60.94	74.00	-13.06	3	Horizontal	10	1.43	-
2412MHz_TX	Pass	PK	2.413G	118.75	Inf	-Inf	3	Horizontal	10	1.43	-
2412MHz_TX	Pass	AV	4.82395G	33.59	54.00	-20.41	3	Vertical	196	1.59	-
2412MHz_TX	Pass	PK	4.82379G	44.78	74.00	-29.22	3	Vertical	196	1.59	-
2412MHz_TX	Pass	AV	4.824G	32.73	54.00	-21.27	3	Horizontal	215	2.19	-
2412MHz_TX	Pass	PK	4.82414G	43.85	74.00	-30.15	3	Horizontal	215	2.19	-
2417MHz_TX	Pass	AV	2.3882G	50.06	54.00	-3.94	3	Vertical	356	1.64	-
2417MHz_TX	Pass	AV	2.4164G	115.89	Inf	-Inf	3	Vertical	356	1.64	-
2417MHz_TX	Pass	PK	2.3886G	60.13	74.00	-13.87	3	Vertical	356	1.64	-
2417MHz_TX	Pass	PK	2.418G	119.53	Inf	-Inf	3	Vertical	356	1.64	-
2417MHz_TX	Pass	AV	2.3882G	52.66	54.00	-1.34	3	Horizontal	11	1.65	-
2417MHz_TX	Pass	AV	2.4164G	116.06	Inf	-Inf	3	Horizontal	11	1.65	-
2417MHz_TX	Pass	PK	2.388G	61.56	74.00	-12.44	3	Horizontal	11	1.65	-
2417MHz_TX	Pass	PK	2.418G	119.67	Inf	-Inf	3	Horizontal	11	1.65	-
2437MHz_TX	Pass	AV	2.3898G	47.95	54.00	-6.05	3	Vertical	347	1.30	-
2437MHz_TX	Pass	AV	2.4362G	115.44	Inf	-Inf	3	Vertical	347	1.30	-
2437MHz_TX	Pass	AV	2.4842G	49.39	54.00	-4.61	3	Vertical	347	1.30	-
2437MHz_TX	Pass	PK	2.389G	58.60	74.00	-15.40	3	Vertical	347	1.30	-
2437MHz_TX	Pass	PK	2.4378G	119.18	Inf	-Inf	3	Vertical	347	1.30	-
2437MHz_TX	Pass	PK	2.4882G	60.03	74.00	-13.97	3	Vertical	347	1.30	-
2437MHz_TX	Pass	AV	2.3898G	50.31	54.00	-3.69	3	Horizontal	352	1.50	-
2437MHz_TX	Pass	AV	2.4362G	115.98	Inf	-Inf	3	Horizontal	352	1.50	-
2437MHz_TX	Pass	AV	2.4842G	51.17	54.00	-2.83	3	Horizontal	352	1.50	-
2437MHz_TX	Pass	PK	2.3858G	59.60	74.00	-14.40	3	Horizontal	352	1.50	-
2437MHz_TX	Pass	PK	2.4378G	119.61	Inf	-Inf	3	Horizontal	352	1.50	-
2437MHz_TX	Pass	PK	2.4838G	60.21	74.00	-13.79	3	Horizontal	352	1.50	-
2437MHz_TX	Pass	AV	4.87401G	35.43	54.00	-18.57	3	Vertical	192	1.92	-
2437MHz_TX	Pass	PK	4.87408G	44.44	74.00	-29.56	3	Vertical	192	1.92	-
2437MHz_TX	Pass	AV	4.87393G	32.76	54.00	-21.24	3	Horizontal	211	1.94	-
2437MHz_TX	Pass	PK	4.87314G	44.00	74.00	-30.00	3	Horizontal	211	1.94	-
2457MHz_TX	Pass	AV	2.4578G	115.17	Inf	-Inf	3	Vertical	352	1.74	-
2457MHz_TX	Pass	AV	2.4835G	48.64	54.00	-5.36	3	Vertical	352	1.74	-
2457MHz_TX	Pass	PK	2.458G	118.62	Inf	-Inf	3	Vertical	352	1.74	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz_TX	Pass	PK	2.4838G	59.94	74.00	-14.06	3	Vertical	352	1.74	-
2457MHz_TX	Pass	AV	2.4564G	115.16	Inf	-Inf	3	Horizontal	0	2.19	-
2457MHz_TX	Pass	AV	2.4858G	50.02	54.00	-3.98	3	Horizontal	0	2.19	-
2457MHz_TX	Pass	PK	2.458G	118.69	Inf	-Inf	3	Horizontal	0	2.19	-
2457MHz_TX	Pass	PK	2.486G	59.59	74.00	-14.41	3	Horizontal	0	2.19	-
2462MHz_TX	Pass	AV	2.4614G	114.11	Inf	-Inf	3	Vertical	15	1.00	-
2462MHz_TX	Pass	AV	2.4842G	48.55	54.00	-5.45	3	Vertical	15	1.00	-
2462MHz_TX	Pass	PK	2.463G	118.05	Inf	-Inf	3	Vertical	15	1.00	-
2462MHz_TX	Pass	PK	2.4842G	59.68	74.00	-14.32	3	Vertical	15	1.00	-
2462MHz_TX	Pass	AV	2.463G	115.30	Inf	-Inf	3	Horizontal	360	1.07	-
2462MHz_TX	Pass	AV	2.4836G	49.54	54.00	-4.46	3	Horizontal	360	1.07	-
2462MHz_TX	Pass	PK	2.463G	118.22	Inf	-Inf	3	Horizontal	360	1.07	-
2462MHz_TX	Pass	PK	2.4854G	60.24	74.00	-13.76	3	Horizontal	360	1.07	-
2462MHz_TX	Pass	AV	4.92404G	35.29	54.00	-18.71	3	Vertical	186	2.18	-
2462MHz_TX	Pass	PK	4.92393G	44.34	74.00	-29.66	3	Vertical	186	2.18	-
2462MHz_TX	Pass	AV	4.92397G	34.08	54.00	-19.92	3	Horizontal	188	2.78	-
2462MHz_TX	Pass	PK	4.924G	44.12	74.00	-29.88	3	Horizontal	188	2.78	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	45.87	54.00	-8.13	3	Vertical	57	2.64	-
2412MHz_TX	Pass	AV	2.4088G	89.65	Inf	-Inf	3	Vertical	57	2.64	-
2412MHz_TX	Pass	PK	2.3678G	56.90	74.00	-17.10	3	Vertical	57	2.64	-
2412MHz_TX	Pass	PK	2.4084G	99.58	Inf	-Inf	3	Vertical	57	2.64	-
2412MHz_TX	Pass	AV	2.39G	52.57	54.00	-1.43	3	Horizontal	0	1.70	-
2412MHz_TX	Pass	AV	2.4154G	105.02	Inf	-Inf	3	Horizontal	0	1.70	-
2412MHz_TX	Pass	PK	2.3886G	66.57	74.00	-7.43	3	Horizontal	0	1.70	-
2412MHz_TX	Pass	PK	2.4142G	114.61	Inf	-Inf	3	Horizontal	0	1.70	-
2412MHz_TX	Pass	AV	4.82645G	29.94	54.00	-24.06	3	Vertical	166	2.01	-
2412MHz_TX	Pass	PK	4.82647G	43.07	74.00	-30.93	3	Vertical	166	2.01	-
2412MHz_TX	Pass	AV	4.82509G	29.96	54.00	-24.04	3	Horizontal	171	1.21	-
2412MHz_TX	Pass	PK	4.82617G	43.86	74.00	-30.14	3	Horizontal	171	1.21	-
2417MHz_TX	Pass	AV	2.39G	45.84	54.00	-8.16	3	Vertical	76	2.94	-
2417MHz_TX	Pass	AV	2.4146G	89.87	Inf	-Inf	3	Vertical	76	2.94	-
2417MHz_TX	Pass	PK	2.368G	57.54	74.00	-16.46	3	Vertical	76	2.94	-
2417MHz_TX	Pass	PK	2.4166G	100.29	Inf	-Inf	3	Vertical	76	2.94	-
2417MHz_TX	Pass	AV	2.39G	52.18	54.00	-1.82	3	Horizontal	4	1.70	-
2417MHz_TX	Pass	AV	2.4148G	105.80	Inf	-Inf	3	Horizontal	4	1.70	-
2417MHz_TX	Pass	PK	2.39G	67.59	74.00	-6.41	3	Horizontal	4	1.70	-
2417MHz_TX	Pass	PK	2.4162G	116.59	Inf	-Inf	3	Horizontal	4	1.70	-
2437MHz_TX	Pass	AV	2.3874G	45.72	54.00	-8.28	3	Vertical	142	2.37	-
2437MHz_TX	Pass	AV	2.4394G	91.80	Inf	-Inf	3	Vertical	142	2.37	-
2437MHz_TX	Pass	AV	2.4835G	46.30	54.00	-7.70	3	Vertical	142	2.37	-
2437MHz_TX	Pass	PK	2.3866G	57.31	74.00	-16.69	3	Vertical	142	2.37	-
2437MHz_TX	Pass	PK	2.4398G	101.90	Inf	-Inf	3	Vertical	142	2.37	-
2437MHz_TX	Pass	PK	2.4835G	57.63	74.00	-16.37	3	Vertical	142	2.37	-
2437MHz_TX	Pass	AV	2.3898G	52.25	54.00	-1.75	3	Horizontal	10	1.47	-
2437MHz_TX	Pass	AV	2.4402G	109.09	Inf	-Inf	3	Horizontal	10	1.47	-
2437MHz_TX	Pass	AV	2.4838G	52.42	54.00	-1.58	3	Horizontal	10	1.47	-
2437MHz_TX	Pass	PK	2.3898G	65.05	74.00	-8.95	3	Horizontal	10	1.47	-
2437MHz_TX	Pass	PK	2.4394G	118.97	Inf	-Inf	3	Horizontal	10	1.47	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz_TX	Pass	PK	2.4854G	67.33	74.00	-6.67	3	Horizontal	10	1.47	-
2437MHz_TX	Pass	AV	4.87516G	30.87	54.00	-23.13	3	Vertical	138	1.49	-
2437MHz_TX	Pass	PK	4.87776G	43.88	74.00	-30.12	3	Vertical	138	1.49	-
2437MHz_TX	Pass	AV	4.87516G	30.80	54.00	-23.20	3	Horizontal	187	2.96	-
2437MHz_TX	Pass	PK	4.87518G	43.93	74.00	-30.07	3	Horizontal	187	2.96	-
2457MHz_TX	Pass	AV	2.459G	92.24	Inf	-Inf	3	Vertical	64	2.86	-
2457MHz_TX	Pass	AV	2.4835G	46.45	54.00	-7.55	3	Vertical	64	2.86	-
2457MHz_TX	Pass	PK	2.4596G	102.55	Inf	-Inf	3	Vertical	64	2.86	-
2457MHz_TX	Pass	PK	2.4852G	58.37	74.00	-15.63	3	Vertical	64	2.86	-
2457MHz_TX	Pass	AV	2.4544G	106.30	Inf	-Inf	3	Horizontal	6	1.75	-
2457MHz_TX	Pass	AV	2.4835G	51.34	54.00	-2.66	3	Horizontal	6	1.75	-
2457MHz_TX	Pass	PK	2.4586G	116.93	Inf	-Inf	3	Horizontal	6	1.75	-
2457MHz_TX	Pass	PK	2.4836G	68.39	74.00	-5.61	3	Horizontal	6	1.75	-
2462MHz_TX	Pass	AV	2.4648G	87.62	Inf	-Inf	3	Vertical	335	1.91	-
2462MHz_TX	Pass	AV	2.4876G	46.24	54.00	-7.76	3	Vertical	335	1.91	-
2462MHz_TX	Pass	PK	2.4642G	97.25	Inf	-Inf	3	Vertical	335	1.91	-
2462MHz_TX	Pass	PK	2.4835G	57.96	74.00	-16.04	3	Vertical	335	1.91	-
2462MHz_TX	Pass	AV	2.4654G	105.78	Inf	-Inf	3	Horizontal	9	1.74	-
2462MHz_TX	Pass	AV	2.484G	51.84	54.00	-2.16	3	Horizontal	9	1.74	-
2462MHz_TX	Pass	PK	2.4668G	116.04	Inf	-Inf	3	Horizontal	9	1.74	-
2462MHz_TX	Pass	PK	2.4838G	70.33	74.00	-3.67	3	Horizontal	9	1.74	-
2462MHz_TX	Pass	AV	4.9336G	30.36	54.00	-23.64	3	Vertical	282	1.50	-
2462MHz_TX	Pass	PK	4.92196G	43.61	74.00	-30.39	3	Vertical	282	1.50	-
2462MHz_TX	Pass	AV	4.93468G	30.34	54.00	-23.66	3	Horizontal	24	2.13	-
2462MHz_TX	Pass	PK	4.93246G	43.50	74.00	-30.50	3	Horizontal	24	2.13	-
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3892G	49.90	54.00	-4.10	3	Vertical	356	1.58	-
2412MHz_TX	Pass	AV	2.4142G	104.35	Inf	-Inf	3	Vertical	356	1.58	-
2412MHz_TX	Pass	PK	2.3898G	63.20	74.00	-10.80	3	Vertical	356	1.58	-
2412MHz_TX	Pass	PK	2.4142G	113.86	Inf	-Inf	3	Vertical	356	1.58	-
2412MHz_TX	Pass	AV	2.3898G	52.89	54.00	-1.11	3	Horizontal	11	1.66	-
2412MHz_TX	Pass	AV	2.4154G	105.73	Inf	-Inf	3	Horizontal	11	1.66	-
2412MHz_TX	Pass	PK	2.39G	68.15	74.00	-5.85	3	Horizontal	11	1.66	-
2412MHz_TX	Pass	PK	2.4152G	116.17	Inf	-Inf	3	Horizontal	11	1.66	-
2412MHz_TX	Pass	AV	4.82664G	29.73	54.00	-24.27	3	Vertical	32	2.24	-
2412MHz_TX	Pass	PK	4.81812G	42.87	74.00	-31.13	3	Vertical	32	2.24	-
2412MHz_TX	Pass	AV	4.81284G	29.64	54.00	-24.36	3	Horizontal	75	1.69	-
2412MHz_TX	Pass	PK	4.82706G	42.75	74.00	-31.25	3	Horizontal	75	1.69	-
2417MHz_TX	Pass	AV	2.39G	49.35	54.00	-4.65	3	Vertical	360	1.58	-
2417MHz_TX	Pass	AV	2.4192G	105.42	Inf	-Inf	3	Vertical	360	1.58	-
2417MHz_TX	Pass	PK	2.389G	63.07	74.00	-10.93	3	Vertical	360	1.58	-
2417MHz_TX	Pass	PK	2.4192G	115.27	Inf	-Inf	3	Vertical	360	1.58	-
2417MHz_TX	Pass	AV	2.3898G	52.69	54.00	-1.31	3	Horizontal	9	1.61	-
2417MHz_TX	Pass	AV	2.4204G	106.70	Inf	-Inf	3	Horizontal	9	1.61	-
2417MHz_TX	Pass	PK	2.3896G	69.65	74.00	-4.35	3	Horizontal	9	1.61	-
2417MHz_TX	Pass	PK	2.42G	117.63	Inf	-Inf	3	Horizontal	9	1.61	-
2437MHz_TX	Pass	AV	2.389G	48.58	54.00	-5.42	3	Vertical	357	1.38	-
2437MHz_TX	Pass	AV	2.4338G	107.38	Inf	-Inf	3	Vertical	357	1.38	-
2437MHz_TX	Pass	AV	2.4835G	49.24	54.00	-4.76	3	Vertical	357	1.38	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz_TX	Pass	PK	2.3874G	61.59	74.00	-12.41	3	Vertical	357	1.38	-
2437MHz_TX	Pass	PK	2.4394G	117.79	Inf	-Inf	3	Vertical	357	1.38	-
2437MHz_TX	Pass	PK	2.4846G	63.44	74.00	-10.56	3	Vertical	357	1.38	-
2437MHz_TX	Pass	AV	2.3898G	51.72	54.00	-2.28	3	Horizontal	0	1.52	-
2437MHz_TX	Pass	AV	2.4346G	108.44	Inf	-Inf	3	Horizontal	0	1.52	-
2437MHz_TX	Pass	AV	2.4835G	52.24	54.00	-1.76	3	Horizontal	0	1.52	-
2437MHz_TX	Pass	PK	2.3898G	65.86	74.00	-8.14	3	Horizontal	0	1.52	-
2437MHz_TX	Pass	PK	2.4346G	118.86	Inf	-Inf	3	Horizontal	0	1.52	-
2437MHz_TX	Pass	PK	2.485G	65.91	74.00	-8.09	3	Horizontal	0	1.52	-
2437MHz_TX	Pass	AV	4.87508G	29.97	54.00	-24.03	3	Vertical	138	1.50	-
2437MHz_TX	Pass	PK	4.8704G	43.08	74.00	-30.92	3	Vertical	138	1.50	-
2437MHz_TX	Pass	AV	4.88804G	29.73	54.00	-24.27	3	Horizontal	117	2.29	-
2437MHz_TX	Pass	PK	4.88282G	43.36	74.00	-30.64	3	Horizontal	117	2.29	-
2457MHz_TX	Pass	AV	2.4588G	104.91	Inf	-Inf	3	Vertical	354	1.51	-
2457MHz_TX	Pass	AV	2.484G	48.53	54.00	-5.47	3	Vertical	354	1.51	-
2457MHz_TX	Pass	PK	2.4592G	114.78	Inf	-Inf	3	Vertical	354	1.51	-
2457MHz_TX	Pass	PK	2.4835G	61.27	74.00	-12.73	3	Vertical	354	1.51	-
2457MHz_TX	Pass	AV	2.4596G	106.25	Inf	-Inf	3	Horizontal	8	1.81	-
2457MHz_TX	Pass	AV	2.4838G	50.75	54.00	-3.25	3	Horizontal	8	1.81	-
2457MHz_TX	Pass	PK	2.4602G	116.58	Inf	-Inf	3	Horizontal	8	1.81	-
2457MHz_TX	Pass	PK	2.4836G	68.67	74.00	-5.33	3	Horizontal	8	1.81	-
2462MHz_TX	Pass	AV	2.464G	104.39	Inf	-Inf	3	Vertical	355	1.50	-
2462MHz_TX	Pass	AV	2.484G	49.12	54.00	-4.88	3	Vertical	355	1.50	-
2462MHz_TX	Pass	PK	2.4644G	114.14	Inf	-Inf	3	Vertical	355	1.50	-
2462MHz_TX	Pass	PK	2.4836G	61.72	74.00	-12.28	3	Vertical	355	1.50	-
2462MHz_TX	Pass	AV	2.4648G	105.84	Inf	-Inf	3	Horizontal	11	1.65	-
2462MHz_TX	Pass	AV	2.4835G	51.65	54.00	-2.35	3	Horizontal	11	1.65	-
2462MHz_TX	Pass	PK	2.4642G	116.35	Inf	-Inf	3	Horizontal	11	1.65	-
2462MHz_TX	Pass	PK	2.4835G	69.34	74.00	-4.66	3	Horizontal	11	1.65	-
2462MHz_TX	Pass	AV	4.9174G	30.01	54.00	-23.99	3	Vertical	124	2.06	-
2462MHz_TX	Pass	PK	4.92112G	43.16	74.00	-30.84	3	Vertical	124	2.06	-
2462MHz_TX	Pass	AV	4.9315G	29.95	54.00	-24.05	3	Horizontal	85	1.67	-
2462MHz_TX	Pass	PK	4.93594G	43.06	74.00	-30.94	3	Horizontal	85	1.67	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3896G	45.57	54.00	-8.43	3	Vertical	324	2.75	-
2412MHz_TX	Pass	AV	2.416G	87.69	Inf	-Inf	3	Vertical	324	2.75	-
2412MHz_TX	Pass	PK	2.373G	57.13	74.00	-16.87	3	Vertical	324	2.75	-
2412MHz_TX	Pass	PK	2.4154G	100.97	Inf	-Inf	3	Vertical	324	2.75	-
2412MHz_TX	Pass	AV	2.39G	52.89	54.00	-1.11	3	Horizontal	9	2.03	-
2412MHz_TX	Pass	AV	2.4102G	103.39	Inf	-Inf	3	Horizontal	9	2.03	-
2412MHz_TX	Pass	PK	2.3894G	67.33	74.00	-6.67	3	Horizontal	9	2.03	-
2412MHz_TX	Pass	PK	2.411G	117.48	Inf	-Inf	3	Horizontal	9	2.03	-
2412MHz_TX	Pass	AV	4.8141G	29.48	54.00	-24.52	3	Vertical	155	1.92	-
2412MHz_TX	Pass	PK	4.81386G	43.33	74.00	-30.67	3	Vertical	155	1.92	-
2412MHz_TX	Pass	AV	4.82418G	29.59	54.00	-24.41	3	Horizontal	34	2.63	-
2412MHz_TX	Pass	PK	4.83408G	43.36	74.00	-30.64	3	Horizontal	34	2.63	-
2417MHz_TX	Pass	AV	2.3896G	45.57	54.00	-8.43	3	Vertical	62	2.65	-
2417MHz_TX	Pass	AV	2.4198G	90.51	Inf	-Inf	3	Vertical	62	2.65	-
2417MHz_TX	Pass	PK	2.3894G	57.04	74.00	-16.96	3	Vertical	62	2.65	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz_TX	Pass	PK	2.4178G	103.63	Inf	-Inf	3	Vertical	62	2.65	-
2417MHz_TX	Pass	AV	2.39G	52.16	54.00	-1.84	3	Horizontal	8	1.84	-
2417MHz_TX	Pass	AV	2.4186G	105.71	Inf	-Inf	3	Horizontal	8	1.84	-
2417MHz_TX	Pass	PK	2.3872G	70.12	74.00	-3.88	3	Horizontal	8	1.84	-
2417MHz_TX	Pass	PK	2.4196G	119.39	Inf	-Inf	3	Horizontal	8	1.84	-
2437MHz_TX	Pass	AV	2.3898G	45.34	54.00	-8.66	3	Vertical	140	2.37	-
2437MHz_TX	Pass	AV	2.435G	90.11	Inf	-Inf	3	Vertical	140	2.37	-
2437MHz_TX	Pass	AV	2.4838G	46.02	54.00	-7.98	3	Vertical	140	2.37	-
2437MHz_TX	Pass	PK	2.365G	57.58	74.00	-16.42	3	Vertical	140	2.37	-
2437MHz_TX	Pass	PK	2.4346G	103.71	Inf	-Inf	3	Vertical	140	2.37	-
2437MHz_TX	Pass	PK	2.4998G	57.33	74.00	-16.67	3	Vertical	140	2.37	-
2437MHz_TX	Pass	AV	2.3898G	51.31	54.00	-2.69	3	Horizontal	9	1.53	-
2437MHz_TX	Pass	AV	2.4394G	107.81	Inf	-Inf	3	Horizontal	9	1.53	-
2437MHz_TX	Pass	AV	2.4835G	52.20	54.00	-1.80	3	Horizontal	9	1.53	-
2437MHz_TX	Pass	PK	2.3846G	65.53	74.00	-8.47	3	Horizontal	9	1.53	-
2437MHz_TX	Pass	PK	2.4346G	121.12	Inf	-Inf	3	Horizontal	9	1.53	-
2437MHz_TX	Pass	PK	2.4862G	65.50	74.00	-8.50	3	Horizontal	9	1.53	-
2437MHz_TX	Pass	AV	4.87516G	30.52	54.00	-23.48	3	Vertical	141	2.13	-
2437MHz_TX	Pass	PK	4.87472G	43.62	74.00	-30.38	3	Vertical	141	2.13	-
2437MHz_TX	Pass	AV	4.8725G	29.75	54.00	-24.25	3	Horizontal	18	1.50	-
2437MHz_TX	Pass	PK	4.87458G	43.15	74.00	-30.85	3	Horizontal	18	1.50	-
2457MHz_TX	Pass	AV	2.4584G	87.72	Inf	-Inf	3	Vertical	328	2.03	-
2457MHz_TX	Pass	AV	2.4836G	46.00	54.00	-8.00	3	Vertical	328	2.03	-
2457MHz_TX	Pass	PK	2.4628G	101.18	Inf	-Inf	3	Vertical	328	2.03	-
2457MHz_TX	Pass	PK	2.4838G	57.91	74.00	-16.09	3	Vertical	328	2.03	-
2457MHz_TX	Pass	AV	2.454G	105.24	Inf	-Inf	3	Horizontal	3	1.80	-
2457MHz_TX	Pass	AV	2.4836G	50.69	54.00	-3.31	3	Horizontal	3	1.80	-
2457MHz_TX	Pass	PK	2.4562G	118.98	Inf	-Inf	3	Horizontal	3	1.80	-
2457MHz_TX	Pass	PK	2.4835G	72.27	74.00	-1.73	3	Horizontal	3	1.80	-
2462MHz_TX	Pass	AV	2.4644G	86.69	Inf	-Inf	3	Vertical	333	1.91	-
2462MHz_TX	Pass	AV	2.4896G	45.93	54.00	-8.07	3	Vertical	333	1.91	-
2462MHz_TX	Pass	PK	2.4648G	100.39	Inf	-Inf	3	Vertical	333	1.91	-
2462MHz_TX	Pass	PK	2.486G	58.59	74.00	-15.41	3	Vertical	333	1.91	-
2462MHz_TX	Pass	AV	2.4592G	104.35	Inf	-Inf	3	Horizontal	7	1.75	-
2462MHz_TX	Pass	AV	2.4835G	51.57	54.00	-2.43	3	Horizontal	7	1.75	-
2462MHz_TX	Pass	PK	2.4638G	118.08	Inf	-Inf	3	Horizontal	7	1.75	-
2462MHz_TX	Pass	PK	2.4835G	70.92	74.00	-3.08	3	Horizontal	7	1.75	-
2462MHz_TX	Pass	AV	4.91992G	29.77	54.00	-24.23	3	Vertical	251	1.49	-
2462MHz_TX	Pass	PK	4.91704G	43.59	74.00	-30.41	3	Vertical	251	1.49	-
2462MHz_TX	Pass	AV	4.9288G	29.65	54.00	-24.35	3	Horizontal	97	1.00	-
2462MHz_TX	Pass	PK	4.91816G	43.30	74.00	-30.70	3	Horizontal	97	1.00	-
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	49.43	54.00	-4.57	3	Vertical	357	1.59	-
2412MHz_TX	Pass	AV	2.415G	103.79	Inf	-Inf	3	Vertical	357	1.59	-
2412MHz_TX	Pass	PK	2.3868G	70.62	74.00	-3.38	3	Vertical	357	1.59	-
2412MHz_TX	Pass	PK	2.4138G	117.46	Inf	-Inf	3	Vertical	357	1.59	-
2412MHz_TX	Pass	AV	2.39G	52.59	54.00	-1.41	3	Horizontal	11	1.65	-
2412MHz_TX	Pass	AV	2.4178G	104.85	Inf	-Inf	3	Horizontal	11	1.65	-
2412MHz_TX	Pass	PK	2.3866G	72.66	74.00	-1.34	3	Horizontal	11	1.65	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz_TX	Pass	PK	2.4174G	118.91	Inf	-Inf	3	Horizontal	11	1.65	-
2412MHz_TX	Pass	AV	4.83792G	29.28	54.00	-24.72	3	Vertical	188	1.70	-
2412MHz_TX	Pass	PK	4.812G	43.20	74.00	-30.80	3	Vertical	188	1.70	-
2412MHz_TX	Pass	AV	4.83834G	29.26	54.00	-24.74	3	Horizontal	22	1.61	-
2412MHz_TX	Pass	PK	4.83582G	42.88	74.00	-31.12	3	Horizontal	22	1.61	-
2417MHz_TX	Pass	AV	2.3898G	50.24	54.00	-3.76	3	Vertical	354	1.48	-
2417MHz_TX	Pass	AV	2.42G	104.93	Inf	-Inf	3	Vertical	354	1.48	-
2417MHz_TX	Pass	PK	2.39G	68.28	74.00	-5.72	3	Vertical	354	1.48	-
2417MHz_TX	Pass	PK	2.4194G	118.53	Inf	-Inf	3	Vertical	354	1.48	-
2417MHz_TX	Pass	AV	2.39G	52.74	54.00	-1.26	3	Horizontal	10	1.61	-
2417MHz_TX	Pass	AV	2.4218G	106.32	Inf	-Inf	3	Horizontal	10	1.61	-
2417MHz_TX	Pass	PK	2.3896G	71.39	74.00	-2.61	3	Horizontal	10	1.61	-
2417MHz_TX	Pass	PK	2.423G	119.93	Inf	-Inf	3	Horizontal	10	1.61	-
2437MHz_TX	Pass	AV	2.3894G	50.56	54.00	-3.44	3	Vertical	356	1.36	-
2437MHz_TX	Pass	AV	2.4394G	106.57	Inf	-Inf	3	Vertical	356	1.36	-
2437MHz_TX	Pass	AV	2.4835G	51.26	54.00	-2.74	3	Vertical	356	1.36	-
2437MHz_TX	Pass	PK	2.3886G	65.01	74.00	-8.99	3	Vertical	356	1.36	-
2437MHz_TX	Pass	PK	2.4394G	120.21	Inf	-Inf	3	Vertical	356	1.36	-
2437MHz_TX	Pass	PK	2.4835G	66.81	74.00	-7.19	3	Vertical	356	1.36	-
2437MHz_TX	Pass	AV	2.3894G	51.86	54.00	-2.14	3	Horizontal	360	1.50	-
2437MHz_TX	Pass	AV	2.4342G	107.47	Inf	-Inf	3	Horizontal	360	1.50	-
2437MHz_TX	Pass	AV	2.4835G	52.81	54.00	-1.19	3	Horizontal	360	1.50	-
2437MHz_TX	Pass	PK	2.3898G	65.01	74.00	-8.99	3	Horizontal	360	1.50	-
2437MHz_TX	Pass	PK	2.4334G	120.65	Inf	-Inf	3	Horizontal	360	1.50	-
2437MHz_TX	Pass	PK	2.4838G	65.53	74.00	-8.47	3	Horizontal	360	1.50	-
2437MHz_TX	Pass	AV	4.87508G	29.81	54.00	-24.19	3	Vertical	141	1.49	-
2437MHz_TX	Pass	PK	4.86806G	42.81	74.00	-31.19	3	Vertical	141	1.49	-
2437MHz_TX	Pass	AV	4.88846G	29.42	54.00	-24.58	3	Horizontal	112	1.43	-
2437MHz_TX	Pass	PK	4.8605G	43.02	74.00	-30.98	3	Horizontal	112	1.43	-
2457MHz_TX	Pass	AV	2.461G	103.87	Inf	-Inf	3	Vertical	352	1.48	-
2457MHz_TX	Pass	AV	2.4835G	48.66	54.00	-5.34	3	Vertical	352	1.48	-
2457MHz_TX	Pass	PK	2.458G	117.71	Inf	-Inf	3	Vertical	352	1.48	-
2457MHz_TX	Pass	PK	2.4835G	65.73	74.00	-8.27	3	Vertical	352	1.48	-
2457MHz_TX	Pass	AV	2.454G	105.23	Inf	-Inf	3	Horizontal	7	1.79	-
2457MHz_TX	Pass	AV	2.4838G	51.21	54.00	-2.79	3	Horizontal	7	1.79	-
2457MHz_TX	Pass	PK	2.4622G	118.78	Inf	-Inf	3	Horizontal	7	1.79	-
2457MHz_TX	Pass	PK	2.4854G	72.68	74.00	-1.32	3	Horizontal	7	1.79	-
2462MHz_TX	Pass	AV	2.4648G	103.08	Inf	-Inf	3	Vertical	357	1.61	-
2462MHz_TX	Pass	AV	2.4835G	48.69	54.00	-5.31	3	Vertical	357	1.61	-
2462MHz_TX	Pass	PK	2.4568G	116.28	Inf	-Inf	3	Vertical	357	1.61	-
2462MHz_TX	Pass	PK	2.485G	67.52	74.00	-6.48	3	Vertical	357	1.61	-
2462MHz_TX	Pass	AV	2.4582G	104.45	Inf	-Inf	3	Horizontal	8	1.78	-
2462MHz_TX	Pass	AV	2.4835G	51.51	54.00	-2.49	3	Horizontal	8	1.78	-
2462MHz_TX	Pass	PK	2.457G	117.89	Inf	-Inf	3	Horizontal	8	1.78	-
2462MHz_TX	Pass	PK	2.4876G	70.66	74.00	-3.34	3	Horizontal	8	1.78	-
2462MHz_TX	Pass	AV	4.92772G	29.42	54.00	-24.58	3	Vertical	28	1.38	-
2462MHz_TX	Pass	PK	4.92976G	42.85	74.00	-31.15	3	Vertical	28	1.38	-
2462MHz_TX	Pass	AV	4.9315G	29.56	54.00	-24.44	3	Horizontal	57	1.75	-
2462MHz_TX	Pass	PK	4.92112G	42.75	74.00	-31.25	3	Horizontal	57	1.75	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TX	Pass	AV	2.3892G	45.68	54.00	-8.32	3	Vertical	62	2.91	-
2422MHz_TX	Pass	AV	2.4392G	85.77	Inf	-Inf	3	Vertical	62	2.91	-
2422MHz_TX	Pass	AV	2.4856G	45.86	54.00	-8.14	3	Vertical	62	2.91	-
2422MHz_TX	Pass	PK	2.39G	57.99	74.00	-16.01	3	Vertical	62	2.91	-
2422MHz_TX	Pass	PK	2.4352G	98.18	Inf	-Inf	3	Vertical	62	2.91	-
2422MHz_TX	Pass	PK	2.4864G	57.44	74.00	-16.56	3	Vertical	62	2.91	-
2422MHz_TX	Pass	AV	2.39G	52.56	54.00	-1.44	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	AV	2.4248G	102.19	Inf	-Inf	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	AV	2.4835G	48.35	54.00	-5.65	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	PK	2.39G	72.37	74.00	-1.63	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	PK	2.4264G	115.59	Inf	-Inf	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	PK	2.4916G	61.78	74.00	-12.22	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	AV	4.85516G	29.76	54.00	-24.24	3	Vertical	141	2.47	-
2422MHz_TX	Pass	PK	4.84946G	43.36	74.00	-30.64	3	Vertical	141	2.47	-
2422MHz_TX	Pass	AV	4.85582G	29.79	54.00	-24.21	3	Horizontal	83	1.66	-
2422MHz_TX	Pass	PK	4.85768G	43.26	74.00	-30.74	3	Horizontal	83	1.66	-
2427MHz_TX	Pass	AV	2.3878G	45.84	54.00	-8.16	3	Vertical	58	2.94	-
2427MHz_TX	Pass	AV	2.4334G	86.44	Inf	-Inf	3	Vertical	58	2.94	-
2427MHz_TX	Pass	AV	2.487G	46.13	54.00	-7.87	3	Vertical	58	2.94	-
2427MHz_TX	Pass	PK	2.3886G	57.80	74.00	-16.20	3	Vertical	58	2.94	-
2427MHz_TX	Pass	PK	2.4394G	99.33	Inf	-Inf	3	Vertical	58	2.94	-
2427MHz_TX	Pass	PK	2.487G	57.65	74.00	-16.35	3	Vertical	58	2.94	-
2427MHz_TX	Pass	AV	2.3894G	52.68	54.00	-1.32	3	Horizontal	358	1.52	-
2427MHz_TX	Pass	AV	2.4334G	102.75	Inf	-Inf	3	Horizontal	358	1.52	-
2427MHz_TX	Pass	AV	2.4838G	49.24	54.00	-4.76	3	Horizontal	358	1.52	-
2427MHz_TX	Pass	PK	2.3898G	71.61	74.00	-2.39	3	Horizontal	358	1.52	-
2427MHz_TX	Pass	PK	2.4374G	115.74	Inf	-Inf	3	Horizontal	358	1.52	-
2427MHz_TX	Pass	PK	2.4846G	65.83	74.00	-8.17	3	Horizontal	358	1.52	-
2437MHz_TX	Pass	AV	2.3898G	45.49	54.00	-8.51	3	Vertical	57	2.83	-
2437MHz_TX	Pass	AV	2.4418G	87.54	Inf	-Inf	3	Vertical	57	2.83	-
2437MHz_TX	Pass	AV	2.4835G	46.12	54.00	-7.88	3	Vertical	57	2.83	-
2437MHz_TX	Pass	PK	2.3874G	58.20	74.00	-15.80	3	Vertical	57	2.83	-
2437MHz_TX	Pass	PK	2.4426G	100.45	Inf	-Inf	3	Vertical	57	2.83	-
2437MHz_TX	Pass	PK	2.491G	58.52	74.00	-15.48	3	Vertical	57	2.83	-
2437MHz_TX	Pass	AV	2.3898G	50.12	54.00	-3.88	3	Horizontal	6	1.56	-
2437MHz_TX	Pass	AV	2.439G	102.80	Inf	-Inf	3	Horizontal	6	1.56	-
2437MHz_TX	Pass	AV	2.4838G	52.11	54.00	-1.89	3	Horizontal	6	1.56	-
2437MHz_TX	Pass	PK	2.389G	69.97	74.00	-4.03	3	Horizontal	6	1.56	-
2437MHz_TX	Pass	PK	2.4298G	115.41	Inf	-Inf	3	Horizontal	6	1.56	-
2437MHz_TX	Pass	PK	2.489G	70.17	74.00	-3.83	3	Horizontal	6	1.56	-
2437MHz_TX	Pass	AV	4.87514G	30.89	54.00	-23.11	3	Vertical	145	2.96	-
2437MHz_TX	Pass	PK	4.88666G	43.68	74.00	-30.32	3	Vertical	145	2.96	-
2437MHz_TX	Pass	AV	4.87514G	30.67	54.00	-23.33	3	Horizontal	184	2.52	-
2437MHz_TX	Pass	PK	4.87418G	43.62	74.00	-30.38	3	Horizontal	184	2.52	-
2447MHz_TX	Pass	AV	2.3826G	45.29	54.00	-8.71	3	Vertical	316	2.02	-
2447MHz_TX	Pass	AV	2.4578G	84.25	Inf	-Inf	3	Vertical	316	2.02	-
2447MHz_TX	Pass	AV	2.4842G	45.93	54.00	-8.07	3	Vertical	316	2.02	-
2447MHz_TX	Pass	PK	2.3622G	57.15	74.00	-16.85	3	Vertical	316	2.02	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz_TX	Pass	PK	2.4578G	97.50	Inf	-1nf	3	Vertical	316	2.02	-
2447MHz_TX	Pass	PK	2.489G	57.23	74.00	-16.77	3	Vertical	316	2.02	-
2447MHz_TX	Pass	AV	2.3898G	47.31	54.00	-6.69	3	Horizontal	7	1.79	-
2447MHz_TX	Pass	AV	2.445G	102.16	Inf	-1nf	3	Horizontal	7	1.79	-
2447MHz_TX	Pass	AV	2.4835G	52.66	54.00	-1.34	3	Horizontal	7	1.79	-
2447MHz_TX	Pass	PK	2.3814G	61.28	74.00	-12.72	3	Horizontal	7	1.79	-
2447MHz_TX	Pass	PK	2.4442G	115.21	Inf	-1nf	3	Horizontal	7	1.79	-
2447MHz_TX	Pass	PK	2.4835G	72.64	74.00	-1.36	3	Horizontal	7	1.79	-
2452MHz_TX	Pass	AV	2.364G	45.29	54.00	-8.71	3	Vertical	332	1.91	-
2452MHz_TX	Pass	AV	2.4644G	82.83	Inf	-1nf	3	Vertical	332	1.91	-
2452MHz_TX	Pass	AV	2.4835G	45.88	54.00	-8.12	3	Vertical	332	1.91	-
2452MHz_TX	Pass	PK	2.3804G	56.89	74.00	-17.11	3	Vertical	332	1.91	-
2452MHz_TX	Pass	PK	2.4676G	95.63	Inf	-1nf	3	Vertical	332	1.91	-
2452MHz_TX	Pass	PK	2.4856G	57.24	74.00	-16.76	3	Vertical	332	1.91	-
2452MHz_TX	Pass	AV	2.3872G	46.88	54.00	-7.12	3	Horizontal	9	1.42	-
2452MHz_TX	Pass	AV	2.4476G	101.24	Inf	-1nf	3	Horizontal	9	1.42	-
2452MHz_TX	Pass	AV	2.4835G	52.07	54.00	-1.93	3	Horizontal	9	1.42	-
2452MHz_TX	Pass	PK	2.388G	58.76	74.00	-15.24	3	Horizontal	9	1.42	-
2452MHz_TX	Pass	PK	2.4576G	114.36	Inf	-1nf	3	Horizontal	9	1.42	-
2452MHz_TX	Pass	PK	2.4844G	70.39	74.00	-3.61	3	Horizontal	9	1.42	-
2452MHz_TX	Pass	AV	4.8959G	30.86	54.00	-23.14	3	Vertical	244	1.52	-
2452MHz_TX	Pass	PK	4.89746G	43.62	74.00	-30.38	3	Vertical	244	1.52	-
2452MHz_TX	Pass	AV	4.89602G	30.18	54.00	-23.82	3	Horizontal	307	1.93	-
2452MHz_TX	Pass	PK	4.89608G	43.39	74.00	-30.61	3	Horizontal	307	1.93	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TX	Pass	AV	2.39G	49.46	54.00	-4.54	3	Vertical	355	1.50	-
2422MHz_TX	Pass	AV	2.4252G	101.07	Inf	-1nf	3	Vertical	355	1.50	-
2422MHz_TX	Pass	AV	2.4844G	47.65	54.00	-6.35	3	Vertical	355	1.50	-
2422MHz_TX	Pass	PK	2.3844G	64.12	74.00	-9.88	3	Vertical	355	1.50	-
2422MHz_TX	Pass	PK	2.426G	113.72	Inf	-1nf	3	Vertical	355	1.50	-
2422MHz_TX	Pass	PK	2.4908G	60.69	74.00	-13.31	3	Vertical	355	1.50	-
2422MHz_TX	Pass	AV	2.3896G	52.94	54.00	-1.06	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	AV	2.4268G	102.01	Inf	-1nf	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	AV	2.4835G	48.34	54.00	-5.66	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	PK	2.3892G	71.59	74.00	-2.41	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	PK	2.4288G	115.03	Inf	-1nf	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	PK	2.484G	61.90	74.00	-12.10	3	Horizontal	11	1.62	-
2422MHz_TX	Pass	AV	4.85666G	30.08	54.00	-23.92	3	Vertical	266	1.28	-
2422MHz_TX	Pass	PK	4.83044G	43.88	74.00	-30.12	3	Vertical	266	1.28	-
2422MHz_TX	Pass	AV	4.85288G	29.93	54.00	-24.07	3	Horizontal	314	1.49	-
2422MHz_TX	Pass	PK	4.84454G	43.28	74.00	-30.72	3	Horizontal	314	1.49	-
2427MHz_TX	Pass	AV	2.3898G	50.06	54.00	-3.94	3	Vertical	354	1.47	-
2427MHz_TX	Pass	AV	2.431G	101.81	Inf	-1nf	3	Vertical	354	1.47	-
2427MHz_TX	Pass	AV	2.4838G	48.13	54.00	-5.87	3	Vertical	354	1.47	-
2427MHz_TX	Pass	PK	2.3866G	66.65	74.00	-7.35	3	Vertical	354	1.47	-
2427MHz_TX	Pass	PK	2.4298G	114.23	Inf	-1nf	3	Vertical	354	1.47	-
2427MHz_TX	Pass	PK	2.485G	59.77	74.00	-14.23	3	Vertical	354	1.47	-
2427MHz_TX	Pass	AV	2.3898G	52.82	54.00	-1.18	3	Horizontal	7	1.54	-
2427MHz_TX	Pass	AV	2.4334G	103.14	Inf	-1nf	3	Horizontal	7	1.54	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz_TX	Pass	AV	2.4835G	49.69	54.00	-4.31	3	Horizontal	7	1.54	-
2427MHz_TX	Pass	PK	2.3838G	72.29	74.00	-1.71	3	Horizontal	7	1.54	-
2427MHz_TX	Pass	PK	2.4366G	116.24	Inf	-Inf	3	Horizontal	7	1.54	-
2427MHz_TX	Pass	PK	2.489G	66.51	74.00	-7.49	3	Horizontal	7	1.54	-
2437MHz_TX	Pass	AV	2.3894G	48.57	54.00	-5.43	3	Vertical	354	1.37	-
2437MHz_TX	Pass	AV	2.441G	101.70	Inf	-Inf	3	Vertical	354	1.37	-
2437MHz_TX	Pass	AV	2.4835G	50.53	54.00	-3.47	3	Vertical	354	1.37	-
2437MHz_TX	Pass	PK	2.3894G	65.58	74.00	-8.42	3	Vertical	354	1.37	-
2437MHz_TX	Pass	PK	2.441G	114.54	Inf	-Inf	3	Vertical	354	1.37	-
2437MHz_TX	Pass	PK	2.4898G	66.56	74.00	-7.44	3	Vertical	354	1.37	-
2437MHz_TX	Pass	AV	2.3898G	50.16	54.00	-3.84	3	Horizontal	6	1.84	-
2437MHz_TX	Pass	AV	2.4434G	102.98	Inf	-Inf	3	Horizontal	6	1.84	-
2437MHz_TX	Pass	AV	2.4835G	52.08	54.00	-1.92	3	Horizontal	6	1.84	-
2437MHz_TX	Pass	PK	2.3898G	69.67	74.00	-4.33	3	Horizontal	6	1.84	-
2437MHz_TX	Pass	PK	2.4434G	116.65	Inf	-Inf	3	Horizontal	6	1.84	-
2437MHz_TX	Pass	PK	2.487G	69.90	74.00	-4.10	3	Horizontal	6	1.84	-
2437MHz_TX	Pass	AV	4.8719G	29.95	54.00	-24.05	3	Vertical	62	1.73	-
2437MHz_TX	Pass	PK	4.86128G	43.58	74.00	-30.42	3	Vertical	62	1.73	-
2437MHz_TX	Pass	AV	4.88618G	29.94	54.00	-24.06	3	Horizontal	248	1.35	-
2437MHz_TX	Pass	PK	4.88354G	44.10	74.00	-29.90	3	Horizontal	248	1.35	-
2447MHz_TX	Pass	AV	2.389G	46.87	54.00	-7.13	3	Vertical	353	1.69	-
2447MHz_TX	Pass	AV	2.4502G	101.11	Inf	-Inf	3	Vertical	353	1.69	-
2447MHz_TX	Pass	AV	2.4835G	51.60	54.00	-2.40	3	Vertical	353	1.69	-
2447MHz_TX	Pass	PK	2.3818G	58.84	74.00	-15.16	3	Vertical	353	1.69	-
2447MHz_TX	Pass	PK	2.4398G	114.05	Inf	-Inf	3	Vertical	353	1.69	-
2447MHz_TX	Pass	PK	2.4842G	65.38	74.00	-8.62	3	Vertical	353	1.69	-
2447MHz_TX	Pass	AV	2.3898G	47.45	54.00	-6.55	3	Horizontal	7	1.47	-
2447MHz_TX	Pass	AV	2.4422G	102.41	Inf	-Inf	3	Horizontal	7	1.47	-
2447MHz_TX	Pass	AV	2.4835G	52.90	54.00	-1.10	3	Horizontal	7	1.47	-
2447MHz_TX	Pass	PK	2.3898G	62.87	74.00	-11.13	3	Horizontal	7	1.47	-
2447MHz_TX	Pass	PK	2.4522G	114.64	Inf	-Inf	3	Horizontal	7	1.47	-
2447MHz_TX	Pass	PK	2.4842G	72.80	74.00	-1.20	3	Horizontal	7	1.47	-
2452MHz_TX	Pass	AV	2.3896G	46.62	54.00	-7.38	3	Vertical	0	1.77	-
2452MHz_TX	Pass	AV	2.4472G	100.14	Inf	-Inf	3	Vertical	0	1.77	-
2452MHz_TX	Pass	AV	2.4872G	50.26	54.00	-3.74	3	Vertical	0	1.77	-
2452MHz_TX	Pass	PK	2.3852G	58.51	74.00	-15.49	3	Vertical	0	1.77	-
2452MHz_TX	Pass	PK	2.4504G	112.99	Inf	-Inf	3	Vertical	0	1.77	-
2452MHz_TX	Pass	PK	2.4844G	65.75	74.00	-8.25	3	Vertical	0	1.77	-
2452MHz_TX	Pass	AV	2.3888G	46.87	54.00	-7.13	3	Horizontal	7	1.83	-
2452MHz_TX	Pass	AV	2.448G	101.70	Inf	-Inf	3	Horizontal	7	1.83	-
2452MHz_TX	Pass	AV	2.484G	51.57	54.00	-2.43	3	Horizontal	7	1.83	-
2452MHz_TX	Pass	PK	2.3572G	59.38	74.00	-14.62	3	Horizontal	7	1.83	-
2452MHz_TX	Pass	PK	2.4496G	115.01	Inf	-Inf	3	Horizontal	7	1.83	-
2452MHz_TX	Pass	PK	2.4844G	70.05	74.00	-3.95	3	Horizontal	7	1.83	-
2452MHz_TX	Pass	AV	4.90748G	29.95	54.00	-24.05	3	Vertical	142	1.80	-
2452MHz_TX	Pass	PK	4.91462G	44.45	74.00	-29.55	3	Vertical	142	1.80	-
2452MHz_TX	Pass	AV	4.91696G	29.96	54.00	-24.04	3	Horizontal	317	2.40	-
2452MHz_TX	Pass	PK	4.91048G	44.07	74.00	-29.93	3	Horizontal	317	2.40	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3856G	46.28	54.00	-7.72	32.07	14.21	3	Vertical	60	2.68	-	27.36	4.71	-
AV	2.4112G	100.98	Inf	-Inf	32.17	68.81	3	Vertical	60	2.68	-	27.43	4.74	-
PK	2.3658G	57.47	74.00	-16.53	31.99	25.48	3	Vertical	60	2.68	-	27.30	4.69	-
PK	2.413G	104.58	Inf	-Inf	32.19	72.39	3	Vertical	60	2.68	-	27.44	4.75	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	52.25	54.00	-1.75	32.07	20.18	3	Horizontal	13	2.01	-	27.36	4.71	-
AV	2.4114G	115.92	Inf	-Inf	32.17	83.75	3	Horizontal	13	2.01	-	27.43	4.74	-
PK	2.3876G	60.91	74.00	-13.09	32.08	28.83	3	Horizontal	13	2.01	-	27.36	4.72	-
PK	2.413G	119.31	Inf	-Inf	32.19	87.12	3	Horizontal	13	2.01	-	27.44	4.75	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	33.15	54.00	-20.85	3.69	29.46	3	Vertical	222	2.02	-	31.38	6.79	34.48
PK	4.82418G	43.61	74.00	-30.39	3.69	39.92	3	Vertical	222	2.02	-	31.38	6.79	34.48

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	32.00	54.00	-22.00	3.69	28.31	3	Horizontal	206	2.45	-	31.38	6.79	34.48
PK	4.82383G	43.23	74.00	-30.77	3.69	39.54	3	Horizontal	206	2.45	-	31.38	6.79	34.48

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3792G	46.15	54.00	-7.85	32.05	14.10	3	Vertical	324	2.76	-	27.34	4.71	-
AV	2.4162G	100.08	Inf	-Inf	32.20	67.88	3	Vertical	324	2.76	-	27.45	4.75	-
PK	2.3754G	56.73	74.00	-17.27	32.03	24.70	3	Vertical	324	2.76	-	27.33	4.70	-
PK	2.418G	103.76	Inf	-Inf	32.20	71.56	3	Vertical	324	2.76	-	27.45	4.75	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	52.60	54.00	-1.40	32.09	20.51	3	Horizontal	9	1.82	-	27.37	4.72	-
AV	2.4178G	116.17	Inf	-Inf	32.20	83.97	3	Horizontal	9	1.82	-	27.45	4.75	-
PK	2.3882G	61.57	74.00	-12.43	32.08	29.49	3	Horizontal	9	1.82	-	27.36	4.72	-
PK	2.418G	119.43	Inf	-Inf	32.20	87.23	3	Horizontal	9	1.82	-	27.45	4.75	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3686G	46.07	54.00	-7.93	32.00	14.07	3	Vertical	314	2.38	-	27.31	4.69	-
AV	2.4362G	99.05	Inf	-Inf	32.28	66.77	3	Vertical	314	2.38	-	27.51	4.77	-
AV	2.4842G	46.72	54.00	-7.28	32.48	14.24	3	Vertical	314	2.38	-	27.65	4.83	-
PK	2.3858G	57.34	74.00	-16.66	32.07	25.27	3	Vertical	314	2.38	-	27.36	4.71	-
PK	2.4378G	102.83	Inf	-Inf	32.28	70.55	3	Vertical	314	2.38	-	27.51	4.77	-
PK	2.4838G	57.43	74.00	-16.57	32.48	24.95	3	Vertical	314	2.38	-	27.65	4.83	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.31	54.00	-1.69	32.09	20.22	3	Horizontal	12	1.50	-	27.37	4.72	-
AV	2.4362G	116.70	Inf	-Inf	32.28	84.42	3	Horizontal	12	1.50	-	27.51	4.77	-
AV	2.4842G	52.54	54.00	-1.46	32.48	20.06	3	Horizontal	12	1.50	-	27.65	4.83	-
PK	2.3858G	60.62	74.00	-13.38	32.07	28.55	3	Horizontal	12	1.50	-	27.36	4.71	-
PK	2.4378G	120.24	Inf	-Inf	32.28	87.96	3	Horizontal	12	1.50	-	27.51	4.77	-
PK	2.4838G	61.14	74.00	-12.86	32.48	28.66	3	Horizontal	12	1.50	-	27.65	4.83	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	33.55	54.00	-20.45	3.81	29.74	3	Vertical	220	2.20	-	31.47	6.81	34.47
PK	4.8758G	43.74	74.00	-30.26	3.82	39.92	3	Vertical	220	2.20	-	31.48	6.81	34.47

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	31.50	54.00	-22.50	3.81	27.69	3	Horizontal	206	1.68	-	31.47	6.81	34.47
PK	4.87388G	43.46	74.00	-30.54	3.81	39.65	3	Horizontal	206	1.68	-	31.47	6.81	34.47

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	101.95	Inf	-Inf	32.37	69.58	3	Vertical	63	2.87	-	27.57	4.80	-
AV	2.4835G	46.71	54.00	-7.29	32.48	14.23	3	Vertical	63	2.87	-	27.65	4.83	-
PK	2.458G	105.50	Inf	-Inf	32.37	73.13	3	Vertical	63	2.87	-	27.57	4.80	-
PK	2.4956G	57.79	74.00	-16.21	32.53	25.26	3	Vertical	63	2.87	-	27.69	4.84	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4564G	116.08	Inf	-Inf	32.37	83.71	3	Horizontal	3	1.76	-	27.57	4.80	-
AV	2.4862G	51.16	54.00	-2.84	32.49	18.67	3	Horizontal	3	1.76	-	27.66	4.83	-
PK	2.456G	119.58	Inf	-Inf	32.37	87.21	3	Horizontal	3	1.76	-	27.57	4.80	-
PK	2.4856G	60.98	74.00	-13.02	32.49	28.49	3	Horizontal	3	1.76	-	27.66	4.83	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	97.86	Inf	-Inf	32.38	65.48	3	Vertical	331	1.92	-	27.58	4.80	-
AV	2.4998G	46.65	54.00	-7.35	32.55	14.10	3	Vertical	331	1.92	-	27.70	4.85	-
PK	2.463G	100.81	Inf	-Inf	32.39	68.42	3	Vertical	331	1.92	-	27.59	4.80	-
PK	2.4964G	57.19	74.00	-16.81	32.53	24.66	3	Vertical	331	1.92	-	27.69	4.84	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	115.39	Inf	-Inf	32.38	83.01	3	Horizontal	8	1.99	-	27.58	4.80	-
AV	2.4838G	49.93	54.00	-4.07	32.48	17.45	3	Horizontal	8	1.99	-	27.65	4.83	-
PK	2.463G	119.07	Inf	-Inf	32.39	86.68	3	Horizontal	8	1.99	-	27.59	4.80	-
PK	2.4906G	60.20	74.00	-13.80	32.51	27.69	3	Horizontal	8	1.99	-	27.67	4.84	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.92407G	33.43	54.00	-20.57	3.93	29.50	3	Vertical	159	1.40	-	31.56	6.82	34.45
PK	4.92326G	44.52	74.00	-29.48	3.93	40.59	3	Vertical	159	1.40	-	31.56	6.82	34.45

802.11b_Nss1,(1Mbps)_1TX(Port2)

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	33.36	54.00	-20.64	3.93	29.43	3	Horizontal	198	2.90	-	31.56	6.82	34.45
PK	4.92376G	44.52	74.00	-29.48	3.93	40.59	3	Horizontal	198	2.90	-	31.56	6.82	34.45

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	49.26	54.00	-4.74	32.07	17.19	3	Vertical	351	1.64	-	27.36	4.71	-
AV	2.4114G	114.76	Inf	-Inf	32.17	82.59	3	Vertical	351	1.64	-	27.43	4.74	-
PK	2.3876G	59.49	74.00	-14.51	32.08	27.41	3	Vertical	351	1.64	-	27.36	4.72	-
PK	2.413G	118.43	Inf	-Inf	32.19	86.24	3	Vertical	351	1.64	-	27.44	4.75	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	51.46	54.00	-2.54	32.08	19.38	3	Horizontal	10	1.43	-	27.36	4.72	-
AV	2.411G	116.06	Inf	-Inf	32.17	83.89	3	Horizontal	10	1.43	-	27.43	4.74	-
PK	2.3874G	60.94	74.00	-13.06	32.08	28.86	3	Horizontal	10	1.43	-	27.36	4.72	-
PK	2.413G	118.75	Inf	-Inf	32.19	86.56	3	Horizontal	10	1.43	-	27.44	4.75	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82395G	33.59	54.00	-20.41	3.69	29.90	3	Vertical	196	1.59	-	31.38	6.79	34.48
PK	4.82379G	44.78	74.00	-29.22	3.69	41.09	3	Vertical	196	1.59	-	31.38	6.79	34.48

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	32.73	54.00	-21.27	3.69	29.04	3	Horizontal	215	2.19	-	31.38	6.79	34.48
PK	4.82414G	43.85	74.00	-30.15	3.69	40.16	3	Horizontal	215	2.19	-	31.38	6.79	34.48

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	50.06	54.00	-3.94	32.08	17.98	3	Vertical	356	1.64	-	27.36	4.72	-
AV	2.4164G	115.89	Inf	-Inf	32.20	83.69	3	Vertical	356	1.64	-	27.45	4.75	-
PK	2.3886G	60.13	74.00	-13.87	32.09	28.04	3	Vertical	356	1.64	-	27.37	4.72	-
PK	2.418G	119.53	Inf	-Inf	32.20	87.33	3	Vertical	356	1.64	-	27.45	4.75	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	52.66	54.00	-1.34	32.08	20.58	3	Horizontal	11	1.65	-	27.36	4.72	-
AV	2.4164G	116.06	Inf	-Inf	32.20	83.86	3	Horizontal	11	1.65	-	27.45	4.75	-
PK	2.388G	61.56	74.00	-12.44	32.08	29.48	3	Horizontal	11	1.65	-	27.36	4.72	-
PK	2.418G	119.67	Inf	-Inf	32.20	87.47	3	Horizontal	11	1.65	-	27.45	4.75	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX

10/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.95	54.00	-6.05	32.09	15.86	3	Vertical	347	1.30	-	27.37	4.72	-
AV	2.4362G	115.44	Inf	-Inf	32.28	83.16	3	Vertical	347	1.30	-	27.51	4.77	-
AV	2.4842G	49.39	54.00	-4.61	32.48	16.91	3	Vertical	347	1.30	-	27.65	4.83	-
PK	2.389G	58.60	74.00	-15.40	32.09	26.51	3	Vertical	347	1.30	-	27.37	4.72	-
PK	2.4378G	119.18	Inf	-Inf	32.28	86.90	3	Vertical	347	1.30	-	27.51	4.77	-
PK	2.4882G	60.03	74.00	-13.97	32.49	27.54	3	Vertical	347	1.30	-	27.66	4.83	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.31	54.00	-3.69	32.09	18.22	3	Horizontal	352	1.50	-	27.37	4.72	-
AV	2.4362G	115.98	Inf	-Inf	32.28	83.70	3	Horizontal	352	1.50	-	27.51	4.77	-
AV	2.4842G	51.17	54.00	-2.83	32.48	18.69	3	Horizontal	352	1.50	-	27.65	4.83	-
PK	2.3858G	59.60	74.00	-14.40	32.07	27.53	3	Horizontal	352	1.50	-	27.36	4.71	-
PK	2.4378G	119.61	Inf	-Inf	32.28	87.33	3	Horizontal	352	1.50	-	27.51	4.77	-
PK	2.4838G	60.21	74.00	-13.79	32.48	27.73	3	Horizontal	352	1.50	-	27.65	4.83	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.87401G	35.43	54.00	-18.57	3.81	31.62	3	Vertical	192	1.92	-	31.47	6.81	34.47
PK	4.87408G	44.44	74.00	-29.56	3.81	40.63	3	Vertical	192	1.92	-	31.47	6.81	34.47

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.87393G	32.76	54.00	-21.24	3.81	28.95	3	Horizontal	211	1.94	-	31.47	6.81	34.47
PK	4.87314G	44.00	74.00	-30.00	3.81	40.19	3	Horizontal	211	1.94	-	31.47	6.81	34.47

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	115.17	Inf	-Inf	32.37	82.80	3	Vertical	352	1.74	-	27.57	4.80	-
AV	2.4835G	48.64	54.00	-5.36	32.48	16.16	3	Vertical	352	1.74	-	27.65	4.83	-
PK	2.458G	118.62	Inf	-Inf	32.37	86.25	3	Vertical	352	1.74	-	27.57	4.80	-
PK	2.4838G	59.94	74.00	-14.06	32.48	27.46	3	Vertical	352	1.74	-	27.65	4.83	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4564G	115.16	Inf	-Inf	32.37	82.79	3	Horizontal	0	2.19	-	27.57	4.80	-
AV	2.4858G	50.02	54.00	-3.98	32.49	17.53	3	Horizontal	0	2.19	-	27.66	4.83	-
PK	2.458G	118.69	Inf	-Inf	32.37	86.32	3	Horizontal	0	2.19	-	27.57	4.80	-
PK	2.486G	59.59	74.00	-14.41	32.49	27.10	3	Horizontal	0	2.19	-	27.66	4.83	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	114.11	Inf	-Inf	32.38	81.73	3	Vertical	15	1.00	-	27.58	4.80	-
AV	2.4842G	48.55	54.00	-5.45	32.48	16.07	3	Vertical	15	1.00	-	27.65	4.83	-
PK	2.463G	118.05	Inf	-Inf	32.39	85.66	3	Vertical	15	1.00	-	27.59	4.80	-
PK	2.4842G	59.68	74.00	-14.32	32.48	27.20	3	Vertical	15	1.00	-	27.65	4.83	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	115.30	Inf	-Inf	32.39	82.91	3	Horizontal	360	1.07	-	27.59	4.80	-
AV	2.4836G	49.54	54.00	-4.46	32.48	17.06	3	Horizontal	360	1.07	-	27.65	4.83	-
PK	2.463G	118.22	Inf	-Inf	32.39	85.83	3	Horizontal	360	1.07	-	27.59	4.80	-
PK	2.4854G	60.24	74.00	-13.76	32.49	27.75	3	Horizontal	360	1.07	-	27.66	4.83	-

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.92404G	35.29	54.00	-18.71	3.93	31.36	3	Vertical	186	2.18	-	31.56	6.82	34.45
PK	4.92393G	44.34	74.00	-29.66	3.93	40.41	3	Vertical	186	2.18	-	31.56	6.82	34.45

802.11b_Nss1,(1Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.92397G	34.08	54.00	-19.92	3.93	30.15	3	Horizontal	188	2.78	-	31.56	6.82	34.45
PK	4.924G	44.12	74.00	-29.88	3.93	40.19	3	Horizontal	188	2.78	-	31.56	6.82	34.45

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.87	54.00	-8.13	32.09	13.78	3	Vertical	57	2.64	-	27.37	4.72	-
AV	2.4088G	89.65	Inf	-Inf	32.17	57.48	3	Vertical	57	2.64	-	27.43	4.74	-
PK	2.3678G	56.90	74.00	-17.10	31.99	24.91	3	Vertical	57	2.64	-	27.30	4.69	-
PK	2.4084G	99.58	Inf	-Inf	32.17	67.41	3	Vertical	57	2.64	-	27.43	4.74	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.57	54.00	-1.43	32.09	20.48	3	Horizontal	0	1.70	-	27.37	4.72	-
AV	2.4154G	105.02	Inf	-Inf	32.20	72.82	3	Horizontal	0	1.70	-	27.45	4.75	-
PK	2.3886G	66.57	74.00	-7.43	32.09	34.48	3	Horizontal	0	1.70	-	27.37	4.72	-
PK	2.4142G	114.61	Inf	-Inf	32.19	82.42	3	Horizontal	0	1.70	-	27.44	4.75	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82645G	29.94	54.00	-24.06	3.70	26.24	3	Vertical	166	2.01	-	31.39	6.79	34.48
PK	4.82647G	43.07	74.00	-30.93	3.70	39.37	3	Vertical	166	2.01	-	31.39	6.79	34.48

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82509G	29.96	54.00	-24.04	3.70	26.26	3	Horizontal	171	1.21	-	31.39	6.79	34.48
PK	4.82617G	43.86	74.00	-30.14	3.70	40.16	3	Horizontal	171	1.21	-	31.39	6.79	34.48

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.84	54.00	-8.16	32.09	13.75	3	Vertical	76	2.94	-	27.37	4.72	-
AV	2.4146G	89.87	Inf	-Inf	32.19	57.68	3	Vertical	76	2.94	-	27.44	4.75	-
PK	2.368G	57.54	74.00	-16.46	31.99	25.55	3	Vertical	76	2.94	-	27.30	4.69	-
PK	2.4166G	100.29	Inf	-Inf	32.20	68.09	3	Vertical	76	2.94	-	27.45	4.75	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.18	54.00	-1.82	32.09	20.09	3	Horizontal	4	1.70	-	27.37	4.72	-
AV	2.4148G	105.80	Inf	-Inf	32.19	73.61	3	Horizontal	4	1.70	-	27.44	4.75	-
PK	2.39G	67.59	74.00	-6.41	32.09	35.50	3	Horizontal	4	1.70	-	27.37	4.72	-
PK	2.4162G	116.59	Inf	-Inf	32.20	84.39	3	Horizontal	4	1.70	-	27.45	4.75	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	45.72	54.00	-8.28	32.08	13.64	3	Vertical	142	2.37	-	27.36	4.72	-
AV	2.4394G	91.80	Inf	-Inf	32.30	59.50	3	Vertical	142	2.37	-	27.52	4.78	-
AV	2.4835G	46.30	54.00	-7.70	32.48	13.82	3	Vertical	142	2.37	-	27.65	4.83	-
PK	2.3866G	57.31	74.00	-16.69	32.07	25.24	3	Vertical	142	2.37	-	27.36	4.71	-
PK	2.4398G	101.90	Inf	-Inf	32.30	69.60	3	Vertical	142	2.37	-	27.52	4.78	-
PK	2.4835G	57.63	74.00	-16.37	32.48	25.15	3	Vertical	142	2.37	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.25	54.00	-1.75	32.09	20.16	3	Horizontal	10	1.47	-	27.37	4.72	-
AV	2.4402G	109.09	Inf	-Inf	32.30	76.79	3	Horizontal	10	1.47	-	27.52	4.78	-
AV	2.4838G	52.42	54.00	-1.58	32.48	19.94	3	Horizontal	10	1.47	-	27.65	4.83	-
PK	2.3898G	65.05	74.00	-8.95	32.09	32.96	3	Horizontal	10	1.47	-	27.37	4.72	-
PK	2.4394G	118.97	Inf	-Inf	32.30	86.67	3	Horizontal	10	1.47	-	27.52	4.78	-
PK	2.4854G	67.33	74.00	-6.67	32.49	34.84	3	Horizontal	10	1.47	-	27.66	4.83	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.87516G	30.87	54.00	-23.13	3.82	27.05	3	Vertical	138	1.49	-	31.48	6.81	34.47
PK	4.87776G	43.88	74.00	-30.12	3.82	40.06	3	Vertical	138	1.49	-	31.48	6.81	34.47

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.87516G	30.80	54.00	-23.20	3.82	26.98	3	Horizontal	187	2.96	-	31.48	6.81	34.47
PK	4.87518G	43.93	74.00	-30.07	3.82	40.11	3	Horizontal	187	2.96	-	31.48	6.81	34.47

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.459G	92.24	Inf	-Inf	32.38	59.86	3	Vertical	64	2.86	-	27.58	4.80	-
AV	2.4835G	46.45	54.00	-7.55	32.48	13.97	3	Vertical	64	2.86	-	27.65	4.83	-
PK	2.4596G	102.55	Inf	-Inf	32.38	70.17	3	Vertical	64	2.86	-	27.58	4.80	-
PK	2.4852G	58.37	74.00	-15.63	32.49	25.88	3	Vertical	64	2.86	-	27.66	4.83	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	106.30	Inf	-Inf	32.35	73.95	3	Horizontal	6	1.75	-	27.56	4.79	-
AV	2.4835G	51.34	54.00	-2.66	32.48	18.86	3	Horizontal	6	1.75	-	27.65	4.83	-
PK	2.4586G	116.93	Inf	-Inf	32.38	84.55	3	Horizontal	6	1.75	-	27.58	4.80	-
PK	2.4836G	68.39	74.00	-5.61	32.48	35.91	3	Horizontal	6	1.75	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	87.62	Inf	-Inf	32.40	55.22	3	Vertical	335	1.91	-	27.59	4.81	-
AV	2.4876G	46.24	54.00	-7.76	32.49	13.75	3	Vertical	335	1.91	-	27.66	4.83	-
PK	2.4642G	97.25	Inf	-Inf	32.40	64.85	3	Vertical	335	1.91	-	27.59	4.81	-
PK	2.4835G	57.96	74.00	-16.04	32.48	25.48	3	Vertical	335	1.91	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4654G	105.78	Inf	-Inf	32.41	73.37	3	Horizontal	9	1.74	-	27.60	4.81	-
AV	2.484G	51.84	54.00	-2.16	32.48	19.36	3	Horizontal	9	1.74	-	27.65	4.83	-
PK	2.4668G	116.04	Inf	-Inf	32.41	83.63	3	Horizontal	9	1.74	-	27.60	4.81	-
PK	2.4838G	70.33	74.00	-3.67	32.48	37.85	3	Horizontal	9	1.74	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.9336G	30.36	54.00	-23.64	3.96	26.40	3	Vertical	282	1.50	-	31.58	6.83	34.45
PK	4.92196G	43.61	74.00	-30.39	3.93	39.68	3	Vertical	282	1.50	-	31.56	6.82	34.45

802.11g_Nss1,(6Mbps)_1TX(Port2)

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.93468G	30.34	54.00	-23.66	3.96	26.38	3	Horizontal	24	2.13	-	31.58	6.83	34.45
PK	4.93246G	43.50	74.00	-30.50	3.96	39.54	3	Horizontal	24	2.13	-	31.58	6.83	34.45

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	49.90	54.00	-4.10	32.09	17.81	3	Vertical	356	1.58	-	27.37	4.72	-
AV	2.4142G	104.35	Inf	-Inf	32.19	72.16	3	Vertical	356	1.58	-	27.44	4.75	-
PK	2.3898G	63.20	74.00	-10.80	32.09	31.11	3	Vertical	356	1.58	-	27.37	4.72	-
PK	2.4142G	113.86	Inf	-Inf	32.19	81.67	3	Vertical	356	1.58	-	27.44	4.75	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.89	54.00	-1.11	32.09	20.80	3	Horizontal	11	1.66	-	27.37	4.72	-
AV	2.4154G	105.73	Inf	-Inf	32.20	73.53	3	Horizontal	11	1.66	-	27.45	4.75	-
PK	2.39G	68.15	74.00	-5.85	32.09	36.06	3	Horizontal	11	1.66	-	27.37	4.72	-
PK	2.4152G	116.17	Inf	-Inf	32.20	83.97	3	Horizontal	11	1.66	-	27.45	4.75	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82664G	29.73	54.00	-24.27	3.70	26.03	3	Vertical	32	2.24	-	31.39	6.79	34.48
PK	4.81812G	42.87	74.00	-31.13	3.68	39.19	3	Vertical	32	2.24	-	31.37	6.79	34.48

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.81284G	29.64	54.00	-24.36	3.66	25.98	3	Horizontal	75	1.69	-	31.36	6.79	34.49
PK	4.82706G	42.75	74.00	-31.25	3.70	39.05	3	Horizontal	75	1.69	-	31.39	6.79	34.48

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.35	54.00	-4.65	32.09	17.26	3	Vertical	360	1.58	-	27.37	4.72	-
AV	2.4192G	105.42	Inf	-Inf	32.21	73.21	3	Vertical	360	1.58	-	27.46	4.75	-
PK	2.389G	63.07	74.00	-10.93	32.09	30.98	3	Vertical	360	1.58	-	27.37	4.72	-
PK	2.4192G	115.27	Inf	-Inf	32.21	83.06	3	Vertical	360	1.58	-	27.46	4.75	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.69	54.00	-1.31	32.09	20.60	3	Horizontal	9	1.61	-	27.37	4.72	-
AV	2.4204G	106.70	Inf	-Inf	32.21	74.49	3	Horizontal	9	1.61	-	27.46	4.75	-
PK	2.3896G	69.65	74.00	-4.35	32.09	37.56	3	Horizontal	9	1.61	-	27.37	4.72	-
PK	2.42G	117.63	Inf	-Inf	32.21	85.42	3	Horizontal	9	1.61	-	27.46	4.75	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX

10/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.58	54.00	-5.42	32.09	16.49	3	Vertical	357	1.38	-	27.37	4.72	-
AV	2.4338G	107.38	Inf	-Inf	32.27	75.11	3	Vertical	357	1.38	-	27.50	4.77	-
AV	2.4835G	49.24	54.00	-4.76	32.48	16.76	3	Vertical	357	1.38	-	27.65	4.83	-
PK	2.3874G	61.59	74.00	-12.41	32.08	29.51	3	Vertical	357	1.38	-	27.36	4.72	-
PK	2.4394G	117.79	Inf	-Inf	32.30	85.49	3	Vertical	357	1.38	-	27.52	4.78	-
PK	2.4846G	63.44	74.00	-10.56	32.48	30.96	3	Vertical	357	1.38	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.72	54.00	-2.28	32.09	19.63	3	Horizontal	0	1.52	-	27.37	4.72	-
AV	2.4346G	108.44	Inf	-Inf	32.27	76.17	3	Horizontal	0	1.52	-	27.50	4.77	-
AV	2.4835G	52.24	54.00	-1.76	32.48	19.76	3	Horizontal	0	1.52	-	27.65	4.83	-
PK	2.3898G	65.86	74.00	-8.14	32.09	33.77	3	Horizontal	0	1.52	-	27.37	4.72	-
PK	2.4346G	118.86	Inf	-Inf	32.27	86.59	3	Horizontal	0	1.52	-	27.50	4.77	-
PK	2.485G	65.91	74.00	-8.09	32.48	33.43	3	Horizontal	0	1.52	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.87508G	29.97	54.00	-24.03	3.82	26.15	3	Vertical	138	1.50	-	31.48	6.81	34.47
PK	4.8704G	43.08	74.00	-30.92	3.81	39.27	3	Vertical	138	1.50	-	31.47	6.81	34.47

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.88804G	29.73	54.00	-24.27	3.85	25.88	3	Horizontal	117	2.29	-	31.50	6.81	34.46
PK	4.88282G	43.36	74.00	-30.64	3.83	39.53	3	Horizontal	117	2.29	-	31.49	6.81	34.47

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	104.91	Inf	-Inf	32.38	72.53	3	Vertical	354	1.51	-	27.58	4.80	-
AV	2.484G	48.53	54.00	-5.47	32.48	16.05	3	Vertical	354	1.51	-	27.65	4.83	-
PK	2.4592G	114.78	Inf	-Inf	32.38	82.40	3	Vertical	354	1.51	-	27.58	4.80	-
PK	2.4835G	61.27	74.00	-12.73	32.48	28.79	3	Vertical	354	1.51	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4596G	106.25	Inf	-Inf	32.38	73.87	3	Horizontal	8	1.81	-	27.58	4.80	-
AV	2.4838G	50.75	54.00	-3.25	32.48	18.27	3	Horizontal	8	1.81	-	27.65	4.83	-
PK	2.4602G	116.58	Inf	-Inf	32.38	84.20	3	Horizontal	8	1.81	-	27.58	4.80	-
PK	2.4836G	68.67	74.00	-5.33	32.48	36.19	3	Horizontal	8	1.81	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	104.39	Inf	-Inf	32.39	72.00	3	Vertical	355	1.50	-	27.59	4.80	-
AV	2.484G	49.12	54.00	-4.88	32.48	16.64	3	Vertical	355	1.50	-	27.65	4.83	-
PK	2.464G	114.14	Inf	-Inf	32.40	81.74	3	Vertical	355	1.50	-	27.59	4.81	-
PK	2.4836G	61.72	74.00	-12.28	32.48	29.24	3	Vertical	355	1.50	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	105.84	Inf	-Inf	32.40	73.44	3	Horizontal	11	1.65	-	27.59	4.81	-
AV	2.4835G	51.65	54.00	-2.35	32.48	19.17	3	Horizontal	11	1.65	-	27.65	4.83	-
PK	2.4642G	116.35	Inf	-Inf	32.40	83.95	3	Horizontal	11	1.65	-	27.59	4.81	-
PK	2.4835G	69.34	74.00	-4.66	32.48	36.86	3	Horizontal	11	1.65	-	27.65	4.83	-

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.9174G	30.01	54.00	-23.99	3.92	26.09	3	Vertical	124	2.06	-	31.55	6.82	34.45
PK	4.92112G	43.16	74.00	-30.84	3.93	39.23	3	Vertical	124	2.06	-	31.56	6.82	34.45

802.11g_Nss1,(6Mbps)_2TX

10/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.9315G	29.95	54.00	-24.05	3.96	25.99	3	Horizontal	85	1.67	-	31.58	6.83	34.45
PK	4.93594G	43.06	74.00	-30.94	3.96	39.10	3	Horizontal	85	1.67	-	31.58	6.83	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.57	54.00	-8.43	32.09	13.48	3	Vertical	324	2.75	-	27.37	4.72	-
AV	2.416G	87.69	Inf	-Inf	32.20	55.49	3	Vertical	324	2.75	-	27.45	4.75	-
PK	2.373G	57.13	74.00	-16.87	32.02	25.11	3	Vertical	324	2.75	-	27.32	4.70	-
PK	2.4154G	100.97	Inf	-Inf	32.20	68.77	3	Vertical	324	2.75	-	27.45	4.75	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.89	54.00	-1.11	32.09	20.80	3	Horizontal	9	2.03	-	27.37	4.72	-
AV	2.4102G	103.39	Inf	-Inf	32.17	71.22	3	Horizontal	9	2.03	-	27.43	4.74	-
PK	2.3894G	67.33	74.00	-6.67	32.09	35.24	3	Horizontal	9	2.03	-	27.37	4.72	-
PK	2.411G	117.48	Inf	-Inf	32.17	85.31	3	Horizontal	9	2.03	-	27.43	4.74	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.8141G	29.48	54.00	-24.52	3.67	25.81	3	Vertical	155	1.92	-	31.37	6.79	34.49
PK	4.81386G	43.33	74.00	-30.67	3.66	39.67	3	Vertical	155	1.92	-	31.36	6.79	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.82418G	29.59	54.00	-24.41	3.69	25.90	3	Horizontal	34	2.63	-	31.38	6.79	34.48
PK	4.83408G	43.36	74.00	-30.64	3.71	39.65	3	Horizontal	34	2.63	-	31.40	6.79	34.48

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.57	54.00	-8.43	32.09	13.48	3	Vertical	62	2.65	-	27.37	4.72	-
AV	2.4198G	90.51	Inf	-Inf	32.21	58.30	3	Vertical	62	2.65	-	27.46	4.75	-
PK	2.3894G	57.04	74.00	-16.96	32.09	24.95	3	Vertical	62	2.65	-	27.37	4.72	-
PK	2.4178G	103.63	Inf	-Inf	32.20	71.43	3	Vertical	62	2.65	-	27.45	4.75	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.16	54.00	-1.84	32.09	20.07	3	Horizontal	8	1.84	-	27.37	4.72	-
AV	2.4186G	105.71	Inf	-Inf	32.21	73.50	3	Horizontal	8	1.84	-	27.46	4.75	-
PK	2.3872G	70.12	74.00	-3.88	32.08	38.04	3	Horizontal	8	1.84	-	27.36	4.72	-
PK	2.4196G	119.39	Inf	-Inf	32.21	87.18	3	Horizontal	8	1.84	-	27.46	4.75	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.34	54.00	-8.66	32.09	13.25	3	Vertical	140	2.37	-	27.37	4.72	-
AV	2.435G	90.11	Inf	-Inf	32.27	57.84	3	Vertical	140	2.37	-	27.50	4.77	-
AV	2.4838G	46.02	54.00	-7.98	32.48	13.54	3	Vertical	140	2.37	-	27.65	4.83	-
PK	2.365G	57.58	74.00	-16.42	31.98	25.60	3	Vertical	140	2.37	-	27.29	4.69	-
PK	2.4346G	103.71	Inf	-Inf	32.27	71.44	3	Vertical	140	2.37	-	27.50	4.77	-
PK	2.4998G	57.33	74.00	-16.67	32.55	24.78	3	Vertical	140	2.37	-	27.70	4.85	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX

11/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.31	54.00	-2.69	32.09	19.22	3	Horizontal	9	1.53	-	27.37	4.72	-
AV	2.4394G	107.81	Inf	-Inf	32.30	75.51	3	Horizontal	9	1.53	-	27.52	4.78	-
AV	2.4835G	52.20	54.00	-1.80	32.48	19.72	3	Horizontal	9	1.53	-	27.65	4.83	-
PK	2.3846G	65.53	74.00	-8.47	32.06	33.47	3	Horizontal	9	1.53	-	27.35	4.71	-
PK	2.4346G	121.12	Inf	-Inf	32.27	88.85	3	Horizontal	9	1.53	-	27.50	4.77	-
PK	2.4862G	65.50	74.00	-8.50	32.49	33.01	3	Horizontal	9	1.53	-	27.66	4.83	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.87516G	30.52	54.00	-23.48	3.82	26.70	3	Vertical	141	2.13	-	31.48	6.81	34.47
PK	4.87472G	43.62	74.00	-30.38	3.81	39.81	3	Vertical	141	2.13	-	31.47	6.81	34.47

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.8725G	29.75	54.00	-24.25	3.81	25.94	3	Horizontal	18	1.50	-	31.47	6.81	34.47
PK	4.87458G	43.15	74.00	-30.85	3.81	39.34	3	Horizontal	18	1.50	-	31.47	6.81	34.47

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4584G	87.72	Inf	-Inf	32.38	55.34	3	Vertical	328	2.03	-	27.58	4.80	-
AV	2.4836G	46.00	54.00	-8.00	32.48	13.52	3	Vertical	328	2.03	-	27.65	4.83	-
PK	2.4628G	101.18	Inf	-Inf	32.39	68.79	3	Vertical	328	2.03	-	27.59	4.80	-
PK	2.4838G	57.91	74.00	-16.09	32.48	25.43	3	Vertical	328	2.03	-	27.65	4.83	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	105.24	Inf	-Inf	32.35	72.89	3	Horizontal	3	1.80	-	27.56	4.79	-
AV	2.4836G	50.69	54.00	-3.31	32.48	18.21	3	Horizontal	3	1.80	-	27.65	4.83	-
PK	2.4562G	118.98	Inf	-Inf	32.37	86.61	3	Horizontal	3	1.80	-	27.57	4.80	-
PK	2.4835G	72.27	74.00	-1.73	32.48	39.79	3	Horizontal	3	1.80	-	27.65	4.83	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	86.69	Inf	-Inf	32.40	54.29	3	Vertical	333	1.91	-	27.59	4.81	-
AV	2.4896G	45.93	54.00	-8.07	32.50	13.43	3	Vertical	333	1.91	-	27.67	4.83	-
PK	2.4648G	100.39	Inf	-Inf	32.40	67.99	3	Vertical	333	1.91	-	27.59	4.81	-
PK	2.486G	58.59	74.00	-15.41	32.49	26.10	3	Vertical	333	1.91	-	27.66	4.83	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.4592G	104.35	Inf	-Inf	32.38	71.97	3	Horizontal	7	1.75	-	27.58	4.80	-
AV	2.4835G	51.57	54.00	-2.43	32.48	19.09	3	Horizontal	7	1.75	-	27.65	4.83	-
PK	2.4638G	118.08	Inf	-Inf	32.39	85.69	3	Horizontal	7	1.75	-	27.59	4.80	-
PK	2.4835G	70.92	74.00	-3.08	32.48	38.44	3	Horizontal	7	1.75	-	27.65	4.83	-

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.91992G	29.77	54.00	-24.23	3.93	25.84	3	Vertical	251	1.49	-	31.56	6.82	34.45
PK	4.91704G	43.59	74.00	-30.41	3.92	39.67	3	Vertical	251	1.49	-	31.55	6.82	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX

11/08/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.9288G	29.65	54.00	-24.35	3.94	25.71	3	Horizontal	97	1.00	-	31.57	6.82	34.45
PK	4.91816G	43.30	74.00	-30.70	3.92	39.38	3	Horizontal	97	1.00	-	31.55	6.82	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.43	54.00	-4.57	32.09	17.34	3	Vertical	357	1.59	-	27.37	4.72	-
AV	2.415G	103.79	Inf	-Inf	32.20	71.59	3	Vertical	357	1.59	-	27.45	4.75	-
PK	2.3868G	70.62	74.00	-3.38	32.07	38.55	3	Vertical	357	1.59	-	27.36	4.71	-
PK	2.4138G	117.46	Inf	-Inf	32.19	85.27	3	Vertical	357	1.59	-	27.44	4.75	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.59	54.00	-1.41	32.09	20.50	3	Horizontal	11	1.65	-	27.37	4.72	-
AV	2.4178G	104.85	Inf	-Inf	32.20	72.65	3	Horizontal	11	1.65	-	27.45	4.75	-
PK	2.3866G	72.66	74.00	-1.34	32.07	40.59	3	Horizontal	11	1.65	-	27.36	4.71	-
PK	2.4174G	118.91	Inf	-Inf	32.20	86.71	3	Horizontal	11	1.65	-	27.45	4.75	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.83792G	29.28	54.00	-24.72	3.72	25.56	3	Vertical	188	1.70	-	31.41	6.79	34.48
PK	4.812G	43.20	74.00	-30.80	3.66	39.54	3	Vertical	188	1.70	-	31.36	6.79	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.83834G	29.26	54.00	-24.74	3.72	25.54	3	Horizontal	22	1.61	-	31.41	6.79	34.48
PK	4.83582G	42.88	74.00	-31.12	3.71	39.17	3	Horizontal	22	1.61	-	31.40	6.79	34.48

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.24	54.00	-3.76	32.09	18.15	3	Vertical	354	1.48	-	27.37	4.72	-
AV	2.42G	104.93	Inf	-Inf	32.21	72.72	3	Vertical	354	1.48	-	27.46	4.75	-
PK	2.39G	68.28	74.00	-5.72	32.09	36.19	3	Vertical	354	1.48	-	27.37	4.72	-
PK	2.4194G	118.53	Inf	-Inf	32.21	86.32	3	Vertical	354	1.48	-	27.46	4.75	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.74	54.00	-1.26	32.09	20.65	3	Horizontal	10	1.61	-	27.37	4.72	-
AV	2.4218G	106.32	Inf	-Inf	32.23	74.09	3	Horizontal	10	1.61	-	27.47	4.76	-
PK	2.3896G	71.39	74.00	-2.61	32.09	39.30	3	Horizontal	10	1.61	-	27.37	4.72	-
PK	2.423G	119.93	Inf	-Inf	32.23	87.70	3	Horizontal	10	1.61	-	27.47	4.76	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.56	54.00	-3.44	32.09	18.47	3	Vertical	356	1.36	-	27.37	4.72	-
AV	2.4394G	106.57	Inf	-Inf	32.30	74.27	3	Vertical	356	1.36	-	27.52	4.78	-
AV	2.4835G	51.26	54.00	-2.74	32.48	18.78	3	Vertical	356	1.36	-	27.65	4.83	-
PK	2.3886G	65.01	74.00	-8.99	32.09	32.92	3	Vertical	356	1.36	-	27.37	4.72	-
PK	2.4394G	120.21	Inf	-Inf	32.30	87.91	3	Vertical	356	1.36	-	27.52	4.78	-
PK	2.4835G	66.81	74.00	-7.19	32.48	34.33	3	Vertical	356	1.36	-	27.65	4.83	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX

10/08/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	51.86	54.00	-2.14	32.09	19.77	3	Horizontal	360	1.50	-	27.37	4.72	-
AV	2.4342G	107.47	Inf	-Inf	32.27	75.20	3	Horizontal	360	1.50	-	27.50	4.77	-
AV	2.4835G	52.81	54.00	-1.19	32.48	20.33	3	Horizontal	360	1.50	-	27.65	4.83	-
PK	2.3898G	65.01	74.00	-8.99	32.09	32.92	3	Horizontal	360	1.50	-	27.37	4.72	-
PK	2.4334G	120.65	Inf	-Inf	32.27	88.38	3	Horizontal	360	1.50	-	27.50	4.77	-
PK	2.4838G	65.53	74.00	-8.47	32.48	33.05	3	Horizontal	360	1.50	-	27.65	4.83	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.87508G	29.81	54.00	-24.19	3.82	25.99	3	Vertical	141	1.49	-	31.48	6.81	34.47
PK	4.86806G	42.81	74.00	-31.19	3.79	39.02	3	Vertical	141	1.49	-	31.46	6.80	34.47

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.88846G	29.42	54.00	-24.58	3.85	25.57	3	Horizontal	112	1.43	-	31.50	6.81	34.46
PK	4.8605G	43.02	74.00	-30.98	3.78	39.24	3	Horizontal	112	1.43	-	31.45	6.80	34.47

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	103.87	Inf	-Inf	32.38	71.49	3	Vertical	352	1.48	-	27.58	4.80	-
AV	2.4835G	48.66	54.00	-5.34	32.48	16.18	3	Vertical	352	1.48	-	27.65	4.83	-
PK	2.458G	117.71	Inf	-Inf	32.37	85.34	3	Vertical	352	1.48	-	27.57	4.80	-
PK	2.4835G	65.73	74.00	-8.27	32.48	33.25	3	Vertical	352	1.48	-	27.65	4.83	-

802.11ax HEW20_Nss1,(MCS0)_2TX

10/08/2019

2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	105.23	Inf	-Inf	32.35	72.88	3	Horizontal	7	1.79	-	27.56	4.79	-
AV	2.4838G	51.21	54.00	-2.79	32.48	18.73	3	Horizontal	7	1.79	-	27.65	4.83	-
PK	2.4622G	118.78	Inf	-Inf	32.39	86.39	3	Horizontal	7	1.79	-	27.59	4.80	-
PK	2.4854G	72.68	74.00	-1.32	32.49	40.19	3	Horizontal	7	1.79	-	27.66	4.83	-