


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 23.5
01-P-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	81.33	88.20	-6.87	74.26	3	Vertical	13.4	1.80	-	32.40	7.64	32.97			
RMS	5.925G	67.61	68.20	-0.59	60.54	3	Vertical	13.4	1.80	-	32.40	7.64	32.97			
PK	5.9578G	117.71	Inf	-Inf	110.62	3	Vertical	13.4	1.80	-	32.42	7.66	32.99			
RMS	5.9564G	106.82	Inf	-Inf	99.74	3	Vertical	13.4	1.80	-	32.41	7.66	32.99			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 23.5
01-P-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	79.00	88.20	-9.20	71.93	3	Horizontal	342	3.00	-	32.40	7.64	32.97			
RMS	5.925G	67.74	68.20	-0.46	60.67	3	Horizontal	342	3.00	-	32.40	7.64	32.97			
PK	5.957G	117.91	Inf	-Inf	110.83	3	Horizontal	342	3.00	-	32.41	7.66	32.99			
RMS	5.9534G	106.77	Inf	-Inf	99.68	3	Horizontal	342	3.00	-	32.41	7.66	32.98			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90185G	60.25	74.00	-13.75	42.74	3	Vertical	9	1.80	25	38.90	11.07	32.46			
AV	11.89797G	47.24	54.00	-6.76	29.74	3	Vertical	9	1.80	25	38.90	11.06	32.46			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9297G	59.69	74.00	-14.31	42.11	3	Horizontal	181	1.77	25	38.96	11.08	32.46			
AV	11.92075G	47.29	54.00	-6.71	29.73	3	Horizontal	181	1.77	25	38.94	11.08	32.46			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8125G	74.16	83.54	-9.38	64.98	1	Vertical	319	1.49	-	39.02	17.34	47.18			
AV	23.81778G	60.55	63.54	-2.99	51.39	1	Vertical	319	1.49	-	38.99	17.35	47.18			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81502G	72.15	83.54	-11.39	62.98	1	Horizontal	314	1.50	-	39.01	17.34	47.18			
AV	23.817G	58.41	63.54	-5.13	49.24	1	Horizontal	314	1.50	-	39.00	17.35	47.18			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38385G	61.21	74.00	-12.79	43.19	3	Vertical	145	1.80	25	38.83	11.27	32.08			
AV	12.38744G	47.69	54.00	-6.31	29.67	3	Vertical	145	1.80	25	38.83	11.27	32.08			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38445G	60.14	74.00	-13.86	42.12	3	Horizontal	343	1.80	25	38.83	11.27	32.08			
AV	12.37769G	47.72	54.00	-6.28	29.71	3	Horizontal	343	1.80	25	38.84	11.26	32.09			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5838G	68.90	83.54	-14.64	65.55	1	Vertical	5	1.50	-	37.70	15.27	49.62			
AV	18.58236G	54.62	63.54	-8.92	51.27	1	Vertical	5	1.50	-	37.70	15.27	49.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_V_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59592G	68.85	83.54	-14.69	65.49	1	Horizontal	180	1.63	-	37.70	15.27	49.61			
AV	18.5835G	54.58	63.54	-8.96	51.23	1	Horizontal	180	1.63	-	37.70	15.27	49.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84527G	60.20	88.20	-28.00	40.85	3	Vertical	360	1.77	25	39.29	11.44	31.38			
AV	12.84207G	47.61	68.20	-20.59	28.27	3	Vertical	360	1.77	25	39.28	11.44	31.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84287G	60.12	88.20	-28.08	40.77	3	Horizontal	118	1.22	25	39.29	11.44	31.38			
AV	12.84794G	47.67	68.20	-20.53	28.30	3	Horizontal	118	1.22	25	39.30	11.44	31.37			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25388G	72.36	83.54	-11.18	68.72	1	Vertical	2	1.50	-	37.91	15.24	49.51			
AV	19.24704G	58.10	63.54	-5.44	54.46	1	Vertical	2	1.50	-	37.91	15.24	49.51			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24488G	71.66	83.54	-11.88	68.02	1	Horizontal	36	1.40	-	37.91	15.24	49.51			
AV	19.24398G	58.03	63.54	-5.51	54.39	1	Horizontal	36	1.40	-	37.91	15.24	49.51			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87184G	60.54	88.20	-27.66	41.12	3	Vertical	178	1.80	25	39.30	11.45	31.33			
AV	12.88363G	48.08	68.20	-20.12	28.63	3	Vertical	178	1.80	25	39.30	11.46	31.31			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86093G	60.81	88.20	-27.39	41.41	3	Horizontal	34	1.80	25	39.30	11.45	31.35			
AV	12.88087G	47.98	68.20	-20.22	28.54	3	Horizontal	34	1.80	25	39.30	11.45	31.31			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30338G	70.85	83.54	-12.69	67.18	1	Vertical	0	1.50	-	37.99	15.23	49.55			
AV	19.302G	56.90	63.54	-6.64	53.23	1	Vertical	0	1.50	-	37.99	15.23	49.55			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX


EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.30446G	71.23	83.54	-12.31	67.57	1	Horizontal	331	1.50	-	37.98	15.23	49.55				
AV	19.30308G	56.80	63.54	-6.74	53.13	1	Horizontal	331	1.50	-	37.99	15.23	49.55				

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93793G	60.50	88.20	-27.70	40.86	3	Vertical	352	1.80	25	39.38	11.48	31.22			
AV	12.93098G	47.94	68.20	-20.26	28.34	3	Vertical	352	1.80	25	39.36	11.47	31.23			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX

EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93973G	60.12	88.20	-28.08	40.47	3	Horizontal	86	1.80	25	39.38	11.48	31.21			
AV	12.93002G	48.09	68.20	-20.11	28.49	3	Horizontal	86	1.80	25	39.36	11.47	31.23			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42008G	70.09	83.54	-13.45	66.57	1	Vertical	3	1.50	-	37.92	15.23	49.63			
AV	19.42152G	55.94	63.54	-7.60	52.43	1	Vertical	3	1.50	-	37.91	15.23	49.63			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41642G	70.71	83.54	-12.83	67.17	1	Horizontal	322	1.74	-	37.93	15.23	49.62			
AV	19.42536G	55.88	63.54	-7.66	52.38	1	Horizontal	322	1.74	-	37.90	15.23	49.63			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04802G	59.97	88.20	-28.23	40.48	3	Vertical	64	1.80	25	39.01	11.52	31.04			
AV	13.04043G	47.78	68.20	-20.42	28.27	3	Vertical	64	1.80	25	39.04	11.52	31.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04874G	60.48	88.20	-27.72	40.99	3	Horizontal	360	1.55	25	39.01	11.52	31.04			
AV	13.04331G	47.78	68.20	-20.42	28.28	3	Horizontal	360	1.55	25	39.03	11.52	31.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5465G	71.44	83.54	-12.10	67.77	1	Vertical	66	1.73	-	38.09	15.22	49.64			
AV	19.54416G	57.48	63.54	-6.06	53.81	1	Vertical	66	1.73	-	38.09	15.22	49.64			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5537G	71.39	83.54	-12.15	67.73	1	Horizontal	93	1.77	-	38.08	15.22	49.64			
AV	19.54466G	57.42	63.54	-6.12	53.75	1	Horizontal	93	1.77	-	38.09	15.22	49.64			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07152G	61.06	88.20	-27.14	41.44	3	Vertical	95	1.80	25	39.09	11.53	31.00			
AV	13.05378G	47.79	68.20	-20.41	28.28	3	Vertical	95	1.80	25	39.02	11.52	31.03			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08375G	60.80	88.20	-27.40	41.12	3	Horizontal	101	1.80	25	39.14	11.53	30.99			
AV	13.08547G	47.94	68.20	-20.26	28.25	3	Horizontal	101	1.80	25	39.14	11.53	30.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61118G	70.07	83.54	-13.47	66.57	1	Vertical	238	1.47	-	37.87	15.22	49.59			
AV	19.60086G	56.75	63.54	-6.79	53.32	1	Vertical	238	1.47	-	37.81	15.22	49.60			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59864G	70.66	83.54	-12.88	67.23	1	Horizontal	173	1.56	-	37.81	15.22	49.60			
AV	19.60344G	56.81	63.54	-6.73	53.37	1	Horizontal	173	1.56	-	37.82	15.22	49.60			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38329G	61.99	74.00	-12.01	41.11	3	Vertical	28	1.80	25	39.77	11.65	30.54			
AV	13.37282G	49.91	54.00	-4.09	29.08	3	Vertical	28	1.80	25	39.75	11.64	30.56			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39767G	62.45	74.00	-11.55	41.52	3	Horizontal	154	1.80	25	39.80	11.65	30.52			
AV	13.37402G	49.92	54.00	-4.08	29.09	3	Horizontal	154	1.80	25	39.75	11.64	30.56			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09226G	58.73	83.54	-24.81	54.84	1	Vertical	74	1.66	-	37.87	15.27	49.25			
AV	20.08602G	45.17	63.54	-18.37	41.31	1	Vertical	74	1.66	-	37.84	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08458G	59.54	83.54	-24.00	55.68	1	Horizontal	62	1.48	-	37.84	15.27	49.25			
AV	20.0826G	45.59	63.54	-17.95	41.74	1	Horizontal	62	1.48	-	37.83	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75216G	62.80	88.20	-25.40	41.24	3	Vertical	286	1.80	25	40.20	11.79	30.43			
AV	13.73022G	49.98	68.20	-18.22	28.46	3	Vertical	286	1.80	25	40.16	11.78	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75743G	62.39	88.20	-25.81	40.83	3	Horizontal	280	1.36	25	40.20	11.79	30.43			
AV	13.73665G	50.06	68.20	-18.14	28.53	3	Horizontal	280	1.36	25	40.17	11.78	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.61858G	65.95	83.54	-17.59	61.38	1	Vertical	355	1.79	-	37.96	15.69	49.08			
AV	20.6265G	52.47	63.54	-11.07	47.89	1	Vertical	355	1.79	-	37.95	15.70	49.07			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62824G	66.29	83.54	-17.25	61.72	1	Horizontal	246	1.57	-	37.94	15.70	49.07			
AV	20.62746G	52.65	63.54	-10.89	48.07	1	Horizontal	246	1.57	-	37.95	15.70	49.07			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78297G	62.98	88.20	-25.22	41.41	3	Vertical	329	1.69	25	40.20	11.80	30.43			
AV	13.77442G	50.14	68.20	-18.06	28.58	3	Vertical	329	1.69	25	40.20	11.79	30.43			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79376G	62.51	88.20	-25.69	40.94	3	Horizontal	144	1.80	25	40.20	11.80	30.43			
AV	13.77078G	50.12	68.20	-18.08	28.56	3	Horizontal	144	1.80	25	40.20	11.79	30.43			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67882G	67.42	83.54	-16.12	62.83	1	Vertical	40	1.69	-	37.90	15.74	49.05			
AV	20.6841G	53.80	63.54	-9.74	49.19	1	Vertical	40	1.69	-	37.90	15.75	49.04			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68548G	67.22	83.54	-16.32	62.61	1	Horizontal	209	1.71	-	37.90	15.75	49.04			
AV	20.68446G	53.93	63.54	-9.61	49.32	1	Horizontal	209	1.71	-	37.90	15.75	49.04			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97633G	62.80	88.20	-25.40	40.55	3	Vertical	350	2.82	25	40.85	11.87	30.47			
AV	13.97701G	50.69	68.20	-17.51	28.44	3	Vertical	350	2.82	25	40.85	11.87	30.47			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.99671G	63.40	88.20	-24.80	41.11	3	Horizontal	136	2.68	25	40.89	11.88	30.48			
AV	13.9703G	50.57	68.20	-17.63	28.33	3	Horizontal	136	2.68	25	40.84	11.87	30.47			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98248G	65.92	83.54	-17.62	60.85	1	Vertical	310	1.40	-	37.97	15.99	48.89			
AV	20.98272G	52.59	63.54	-10.95	47.52	1	Vertical	310	1.40	-	37.97	15.99	48.89			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9805G	66.57	83.54	-16.97	61.50	1	Horizontal	123	1.46	-	37.98	15.98	48.89			
AV	20.98416G	52.33	63.54	-11.21	47.27	1	Horizontal	123	1.46	-	37.96	15.99	48.89			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 21.5
01-P-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0924G	115.03	Inf	-Inf	103.99	3	Vertical	2.2	1.80	-	35.55	8.53	33.04			
RMS	7.0912G	104.90	Inf	-Inf	93.86	3	Vertical	2.2	1.80	-	35.55	8.53	33.04			
PK	7.125G	77.22	88.20	-10.98	66.00	3	Vertical	2.2	1.80	-	35.75	8.52	33.05			
RMS	7.125G	65.23	68.20	-2.97	54.01	3	Vertical	2.2	1.80	-	35.75	8.52	33.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 21.5
01-P-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0906G	114.77	Inf	-Inf	103.74	3	Horizontal	3	1.80	-	35.54	8.53	33.04			
RMS	7.0914G	103.40	Inf	-Inf	92.36	3	Horizontal	3	1.80	-	35.55	8.53	33.04			
PK	7.126G	75.65	88.20	-12.55	64.42	3	Horizontal	3	1.80	-	35.76	8.52	33.05			
RMS	7.125G	63.53	68.20	-4.67	52.31	3	Horizontal	3	1.80	-	35.75	8.52	33.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18976G	63.72	88.20	-24.48	40.92	3	Vertical	238	1.80	25	41.48	11.97	30.65			
AV	14.18293G	51.40	68.20	-16.80	28.62	3	Vertical	238	1.80	25	41.47	11.96	30.65			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.20151G	64.06	88.20	-24.14	41.26	3	Horizontal	145	1.80	25	41.50	11.97	30.67			
AV	14.19807G	51.34	68.20	-16.86	28.53	3	Horizontal	145	1.80	25	41.50	11.97	30.66			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7095MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28206G	68.88	83.54	-14.66	63.24	1	Vertical	225	1.72	-	38.26	16.23	48.85			
AV	21.2838G	55.33	63.54	-8.21	49.68	1	Vertical	225	1.72	-	38.27	16.23	48.85			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2841G	68.55	83.54	-14.99	62.90	1	Horizontal	45	1.54	-	38.27	16.23	48.85			
AV	21.28752G	55.41	63.54	-8.13	49.73	1	Horizontal	45	1.54	-	38.30	16.23	48.85			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT_Y_1TX
Setting 12
01-P-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1115G	102.18	Inf	-Inf	91.03	3	Vertical	360	1.80	BP 1MHz	35.67	8.52	33.04			
RMS	7.1115G	96.94	Inf	-Inf	85.79	3	Vertical	360	1.80	BP 1MHz	35.67	8.52	33.04			
PK	7.1255G	76.39	88.20	-11.81	65.17	3	Vertical	360	1.80	BP 1MHz	35.75	8.52	33.05			
RMS	7.1255G	67.53	68.20	-0.67	56.31	3	Vertical	360	1.80	BP 1MHz	35.75	8.52	33.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT_Y_1TX
Setting 12
01-P-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1175G	102.32	Inf	-Inf	91.14	3	Horizontal	8	3.00	BP 1MHz	35.71	8.52	33.05			
RMS	7.1115G	96.78	Inf	-Inf	85.63	3	Horizontal	8	3.00	BP 1MHz	35.67	8.52	33.04			
PK	7.1255G	75.48	88.20	-12.72	64.26	3	Horizontal	8	3.00	BP 1MHz	35.75	8.52	33.05			
RMS	7.1255G	67.70	68.20	-0.50	56.48	3	Horizontal	8	3.00	BP 1MHz	35.75	8.52	33.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	14.23811G	63.61	88.20	-24.59	40.90	3	Vertical	360	1.80	25	41.42	11.99	30.70				
AV	14.23004G	51.66	68.20	-16.54	28.92	3	Vertical	360	1.80	25	41.44	11.99	30.69				

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.21282G	64.37	88.20	-23.83	41.60	3	Horizontal	271	1.80	25	41.47	11.98	30.68			
AV	14.23276G	51.68	68.20	-16.52	28.95	3	Horizontal	271	1.80	25	41.43	11.99	30.69			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.35052G	67.14	83.54	-16.40	61.40	1	Vertical	306	1.49	-	38.30	16.28	48.84			
AV	21.34572G	54.46	63.54	-9.08	48.71	1	Vertical	306	1.49	-	38.31	16.28	48.84			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX



EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.3462G	68.62	83.54	-14.92	62.87	1	Horizontal	114	1.79	-	38.31	16.28	48.84			
AV	21.34668G	54.47	63.54	-9.07	48.72	1	Horizontal	114	1.79	-	38.31	16.28	48.84			




Test Mode: Mode 10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	67.74	68.20	-0.46	3	Horizontal	342	3.00	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 23.5
01-P-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	81.33	88.20	-6.87	74.26	3	Vertical	13.4	1.80	-	32.40	7.64	32.97			
RMS	5.925G	67.61	68.20	-0.59	60.54	3	Vertical	13.4	1.80	-	32.40	7.64	32.97			
PK	5.9578G	117.71	Inf	-Inf	110.62	3	Vertical	13.4	1.80	-	32.42	7.66	32.99			
RMS	5.9564G	106.82	Inf	-Inf	99.74	3	Vertical	13.4	1.80	-	32.41	7.66	32.99			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 23.5
01-P-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	79.00	88.20	-9.20	71.93	3	Horizontal	342	3.00	-	32.40	7.64	32.97			
RMS	5.925G	67.74	68.20	-0.46	60.67	3	Horizontal	342	3.00	-	32.40	7.64	32.97			
PK	5.957G	117.91	Inf	-Inf	110.83	3	Horizontal	342	3.00	-	32.41	7.66	32.99			
RMS	5.9534G	106.77	Inf	-Inf	99.68	3	Horizontal	342	3.00	-	32.41	7.66	32.98			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90185G	60.25	74.00	-13.75	42.74	3	Vertical	9	1.80	25	38.90	11.07	32.46			
AV	11.89797G	47.24	54.00	-6.76	29.74	3	Vertical	9	1.80	25	38.90	11.06	32.46			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9297G	59.69	74.00	-14.31	42.11	3	Horizontal	181	1.77	25	38.96	11.08	32.46			
AV	11.92075G	47.29	54.00	-6.71	29.73	3	Horizontal	181	1.77	25	38.94	11.08	32.46			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8125G	74.16	83.54	-9.38	64.98	1	Vertical	319	1.49	-	39.02	17.34	47.18			
AV	23.81778G	60.55	63.54	-2.99	51.39	1	Vertical	319	1.49	-	38.99	17.35	47.18			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81502G	72.15	83.54	-11.39	62.98	1	Horizontal	314	1.50	-	39.01	17.34	47.18			
AV	23.817G	58.41	63.54	-5.13	49.24	1	Horizontal	314	1.50	-	39.00	17.35	47.18			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38385G	61.21	74.00	-12.79	43.19	3	Vertical	145	1.80	25	38.83	11.27	32.08			
AV	12.38744G	47.69	54.00	-6.31	29.67	3	Vertical	145	1.80	25	38.83	11.27	32.08			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38445G	60.14	74.00	-13.86	42.12	3	Horizontal	343	1.80	25	38.83	11.27	32.08			
AV	12.37769G	47.72	54.00	-6.28	29.71	3	Horizontal	343	1.80	25	38.84	11.26	32.09			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5838G	68.90	83.54	-14.64	65.55	1	Vertical	5	1.50	-	37.70	15.27	49.62			
AV	18.58236G	54.62	63.54	-8.92	51.27	1	Vertical	5	1.50	-	37.70	15.27	49.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59592G	68.85	83.54	-14.69	65.49	1	Horizontal	180	1.63	-	37.70	15.27	49.61			
AV	18.5835G	54.58	63.54	-8.96	51.23	1	Horizontal	180	1.63	-	37.70	15.27	49.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84527G	60.20	88.20	-28.00	40.85	3	Vertical	360	1.77	25	39.29	11.44	31.38			
RMS	12.84207G	47.61	68.20	-20.59	28.27	3	Vertical	360	1.77	25	39.28	11.44	31.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84287G	60.12	88.20	-28.08	40.77	3	Horizontal	118	1.22	25	39.29	11.44	31.38			
RMS	12.84794G	47.67	68.20	-20.53	28.30	3	Horizontal	118	1.22	25	39.30	11.44	31.37			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25388G	72.36	83.54	-11.18	68.72	1	Vertical	2	1.50	-	37.91	15.24	49.51			
AV	19.24704G	58.10	63.54	-5.44	54.46	1	Vertical	2	1.50	-	37.91	15.24	49.51			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24488G	71.66	83.54	-11.88	68.02	1	Horizontal	36	1.40	-	37.91	15.24	49.51			
AV	19.24398G	58.03	63.54	-5.51	54.39	1	Horizontal	36	1.40	-	37.91	15.24	49.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07152G	61.06	88.20	-27.14	41.44	3	Vertical	95	1.80	25	39.09	11.53	31.00			
RMS	13.05378G	47.79	68.20	-20.41	28.28	3	Vertical	95	1.80	25	39.02	11.52	31.03			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX


EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08375G	60.80	88.20	-27.40	41.12	3	Horizontal	101	1.80	25	39.14	11.53	30.99			
RMS	13.08547G	47.94	68.20	-20.26	28.25	3	Horizontal	101	1.80	25	39.14	11.53	30.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61118G	70.07	83.54	-13.47	66.57	1	Vertical	238	1.47	-	37.87	15.22	49.59			
AV	19.60086G	56.75	63.54	-6.79	53.32	1	Vertical	238	1.47	-	37.81	15.22	49.60			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59864G	70.66	83.54	-12.88	67.23	1	Horizontal	173	1.56	-	37.81	15.22	49.60			
AV	19.60344G	56.81	63.54	-6.73	53.37	1	Horizontal	173	1.56	-	37.82	15.22	49.60			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38329G	61.99	74.00	-12.01	41.11	3	Vertical	28	1.80	25	39.77	11.65	30.54			
AV	13.37282G	49.91	54.00	-4.09	29.08	3	Vertical	28	1.80	25	39.75	11.64	30.56			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39767G	62.45	74.00	-11.55	41.52	3	Horizontal	154	1.80	25	39.80	11.65	30.52			
AV	13.37402G	49.92	54.00	-4.08	29.09	3	Horizontal	154	1.80	25	39.75	11.64	30.56			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09226G	58.73	83.54	-24.81	54.84	1	Vertical	74	1.66	-	37.87	15.27	49.25			
AV	20.08602G	45.17	63.54	-18.37	41.31	1	Vertical	74	1.66	-	37.84	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT_Y_1TX
Setting 25
04-E-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08458G	59.54	83.54	-24.00	55.68	1	Horizontal	62	1.48	-	37.84	15.27	49.25			
AV	20.0826G	45.59	63.54	-17.95	41.74	1	Horizontal	62	1.48	-	37.83	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT Y_1TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71297G	60.39	88.20	-27.81	42.18	3	Vertical	217	1.34	-	40.95	9.54	32.28			
RMS	13.71981G	47.29	68.20	-20.91	29.06	3	Vertical	217	1.34	-	40.98	9.54	32.29			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70661G	60.62	88.20	-27.58	42.46	3	Horizontal	0	1.47	-	40.91	9.53	32.28			
RMS	13.713G	47.32	68.20	-20.88	29.13	3	Horizontal	0	1.47	-	40.93	9.54	32.28			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT_V_1TX
Setting 25
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55432G	47.77	74.00	-26.23	43.33	1	Vertical	128	1.06	-	37.91	15.64	49.11			
AV	20.55666G	34.52	54.00	-19.48	30.07	1	Vertical	128	1.06	-	37.91	15.65	49.11			


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX

EUT_V_1TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5779G	47.70	74.00	-26.30	43.18	1	Horizontal	237	2.41	-	37.96	15.66	49.10			
AV	20.5524G	34.43	54.00	-19.57	30.00	1	Horizontal	237	2.41	-	37.90	15.64	49.11			

Test Mode: Mode 1




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7115MHz_TX

25/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

25/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

25/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

25/05/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

25/05/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

25/05/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

25/05/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

25/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

25/05/2024

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7698G	2.36	6.6465G	-43.22	-37.64	-5.58	1


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

25/05/2024

CF (Hz)
6.865G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83221G	2.71	6.9945G	-42.58	-37.29	-5.29	1

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

25/05/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

25/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

27/05/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91302G	5.38	6.6092G	-39.53	-34.62	-4.91	1


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

27/05/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1198G	6.38	6.4206G	-18.47	-14.45	-4.02	1

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6425MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6745MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.443073G	-6.79	6.483325G	-59.64	-46.79	-12.85	1
6.437999G	-6.51	6.446925G	-38.09	-26.51	-11.58	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.466452G	-7.33	6.48695G	-39.29	-27.49	-11.80	1
6.466852G	-7.03	6.511425G	-39.38	-47.03	-12.35	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.524348G	-7.32	6.5629G	-59.18	-47.32	-11.86	1
6.517599G	-6.75	6.5588G	-59.32	-46.75	-12.57	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532026G	-7.57	6.57875G	-59.19	-47.57	-11.62	1
6.542148G	-7.21	6.486325G	-59.60	-47.21	-12.39	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.559101G	-2.79	6.58775G	-34.37	-22.84	-11.53	1
6.551203G	-3.70	6.58765G	-34.93	-23.78	-11.15	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690099G	-1.76	6.6625G	-32.76	-21.78	-10.98	1
6.669154G	-2.62	6.7686G	-34.49	-42.62	-11.87	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001401G	-3.82	6.91755G	-54.41	-43.82	-10.59	1
6.999001G	-3.79	6.93605G	-54.61	-43.79	-10.82	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

27/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.071253G	-9.20	6.9863G	-56.02	-49.20	-6.82	1
7.075202G	-9.42	6.98685G	-56.33	-49.42	-6.91	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

27/05/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01439G	1.43	6.0292G	-25.82	-18.59	-7.23	1
6.01369G	1.38	6.0309G	-26.77	-18.70	-8.07	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

27/05/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2087G	-0.43	6.2714G	-30.89	-20.44	-10.45	1
6.2175G	-0.64	6.2701G	-29.92	-20.76	-9.16	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34931G	-0.15	6.3399G	-29.43	-19.95	-9.48	1
6.3921G	-0.13	6.3411G	-27.85	-20.19	-7.66	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4839G	-0.84	6.5101G	-30.71	-20.86	-9.85	1
6.49879G	-0.83	6.6435G	-51.63	-40.83	-10.80	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67941G	0.77	6.7518G	-30.39	-19.30	-11.09	1
6.67751G	-0.56	6.6606G	-28.42	-20.57	-7.85	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

27/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7792G	-0.43	6.7396G	-30.07	-20.50	-9.57	1
6.7762G	-1.86	6.7402G	-30.68	-21.91	-8.77	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

27/05/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84161G	0.31	6.8191G	-30.03	-19.73	-10.30	1
6.83001G	0.35	6.8197G	-28.51	-19.81	-8.70	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

27/05/2024

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92091G	-0.58	6.8015G	-50.65	-40.58	-10.07	1
6.9325G	-1.05	6.7982G	-51.13	-41.05	-10.08	2


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

27/05/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0227G	-1.27	6.8388G	-50.30	-41.27	-9.03	1
6.99241G	-2.37	6.98G	-30.90	-22.52	-8.38	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

27/05/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10138G	2.42	6.2764G	-46.09	-37.58	-8.51	1
6.09658G	2.91	6.2896G	-46.22	-37.09	-9.13	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

27/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15081G	1.70	6.4512G	-48.45	-38.30	-10.15	1
6.15641G	1.25	6.4506G	-48.51	-38.75	-9.76	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

27/05/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27942G	0.57	6.6614G	-48.88	-39.43	-9.45	1
6.3548G	0.54	6.6762G	-49.42	-39.46	-9.96	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

27/05/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55579G	2.49	6.7622G	-47.31	-37.51	-9.80	1
6.47781G	2.34	6.76G	-47.47	-37.66	-9.81	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

27/05/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68539G	2.47	6.9168G	-47.90	-37.39	-10.51	1
6.59122G	1.55	6.3994G	-48.56	-38.45	-10.11	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

27/05/2024



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

27/05/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14019G	5.82	6.3902G	-20.81	-15.38	-5.43	1
6.13579G	6.11	6.3986G	-19.35	-16.52	-2.83	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

27/05/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.253G	5.10	6.5566G	-23.11	-15.24	-7.87	1
6.29019G	4.93	6.5714G	-25.55	-15.72	-9.83	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

27/05/2024



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

27/05/2024

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59704G	6.38	6.4694G	-18.50	-13.81	-4.69	1
6.59824G	6.02	6.4658G	-21.18	-16.03	-5.15	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

27/05/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76264G	3.75	6.5982G	-25.92	-20.12	-5.80	1
6.75584G	3.71	6.5002G	-29.58	-29.50	-0.08	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

27/05/2024

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.467627G	-10.50	6.48675G	-42.48	-30.50	-11.98	1
6.468102G	-10.59	6.462875G	-42.98	-30.73	-12.25	2
6.466702G	-10.83	6.486725G	-41.86	-30.85	-11.01	3
6.467877G	-10.35	6.4868G	-41.53	-30.37	-11.16	4


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

27/05/2024

CF (Hz)
6.515G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.506102G	-11.41	6.526825G	-42.81	-29.51	-13.30	1
6.522923G	-10.84	6.50295G	-43.44	-30.94	-12.50	2
6.518849G	-11.33	6.52675G	-42.42	-30.73	-11.69	3
6.506627G	-10.70	6.50285G	-44.03	-30.73	-13.30	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

27/05/2024

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.866027G	-11.81	6.88705G	-44.09	-31.71	-12.38	1
6.870901G	-13.09	6.8352G	-66.37	-53.09	-13.28	2
6.868752G	-12.02	6.8867G	-43.26	-32.02	-11.24	3
6.867127G	-13.46	6.835225G	-67.03	-53.46	-13.57	4

Port 1
Port 2
Port 3
Port 4


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

27/05/2024

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.891226G	-11.48	6.907075G	-45.19	-31.50	-13.69	1
6.886427G	-12.78	6.845225G	-67.41	-52.78	-14.63	2
6.888027G	-11.67	6.882775G	-46.00	-31.67	-14.33	3
6.886527G	-13.05	6.907075G	-46.61	-33.09	-13.52	4

Port 1
Port 2
Port 3
Port 4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

27/05/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.003723G	-12.57	7.0071G	-45.98	-32.37	-13.61	1
7.002498G	-13.48	6.95685G	-68.09	-53.48	-14.61	2
7.003773G	-12.79	6.955075G	-68.00	-52.79	-15.21	3
7.001148G	-14.68	6.95545G	-68.23	-54.68	-13.55	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

27/05/2024

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.086577G	-14.13	7.08305G	-46.73	-34.13	-12.60	1
7.086027G	-14.36	7.107125G	-47.44	-34.42	-13.02	2
7.098224G	-13.19	7.107275G	-47.36	-33.30	-14.06	3
7.086677G	-16.42	7.04515G	-70.78	-56.42	-14.36	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

27/05/2024

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.917702G	-9.54	6.83095G	-54.25	-49.54	-4.71	1
6.909004G	-9.61	6.8299G	-54.61	-49.61	-5.00	2
6.922901G	-8.85	6.83265G	-54.45	-48.85	-5.60	3
6.908054G	-9.20	6.8353G	-54.32	-49.20	-5.12	4


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

27/05/2024

CF (Hz)
7.005G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.002451G	-9.80	6.91725G	-55.08	-49.80	-5.28	1
7.001551G	-9.99	6.93465G	-54.98	-49.99	-4.99	2
7.002901G	-9.98	6.91995G	-55.04	-49.98	-5.06	3
7.001751G	-9.81	6.91675G	-54.89	-49.81	-5.08	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

27/05/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2127G	-4.18	6.1807G	-32.41	-24.21	-8.20	1
6.2227G	-4.30	6.2685G	-31.84	-24.31	-7.53	2
6.20401G	-4.49	6.1806G	-33.44	-24.52	-8.92	3
6.2336G	-4.23	6.2693G	-32.90	-24.24	-8.66	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

27/05/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3875G	-4.03	6.3402G	-33.87	-24.03	-9.84	1
6.35011G	-3.90	6.3391G	-34.69	-23.90	-10.79	2
6.3995G	-4.18	6.34G	-32.03	-24.26	-7.77	3
6.35341G	-3.77	6.429G	-32.22	-23.79	-8.43	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

27/05/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65679G	-3.40	6.5799G	-32.82	-23.42	-9.40	1
6.59001G	-4.46	6.5804G	-32.16	-24.51	-7.65	2
6.59221G	-3.73	6.5791G	-34.47	-23.79	-10.68	3
6.59081G	-3.82	6.5783G	-34.76	-23.87	-10.89	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

27/05/2024

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67661G	-4.86	6.7508G	-35.14	-24.89	-10.25	1
6.67031G	-5.64	6.6601G	-35.21	-25.64	-9.57	2
6.66721G	-4.82	6.6585G	-35.74	-24.87	-10.87	3
6.6936G	-5.03	6.6593G	-35.16	-25.10	-10.06	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

27/05/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

27/05/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

27/05/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

27/05/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60022G	-1.50	6.9912G	-49.83	-41.50	-8.33	1
6.59922G	-2.36	6.9888G	-49.83	-42.36	-7.47	2
6.63461G	-1.98	6.9924G	-48.62	-41.98	-6.64	3
6.59462G	-1.48	6.9952G	-49.44	-41.48	-7.96	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

27/05/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75282G	-2.27	6.5644G	-50.41	-42.27	-8.14	1
6.75122G	-2.58	6.5604G	-49.91	-42.58	-7.33	2
6.8412G	-2.18	6.5682G	-49.17	-42.18	-6.99	3
6.75942G	-2.34	6.5698G	-49.03	-42.34	-6.69	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

27/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

28/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

28/05/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

28/05/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

28/05/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

28/05/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


MASK

6905MHz_TX

28/05/2024



Test Mode: Mode 2




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

07/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

07/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

07/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

07/06/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

07/06/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

07/06/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

08/06/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.223445G	-3.86	6.18215G	-36.97	-23.91	-13.06	1
6.209599G	-4.51	6.18245G	-36.36	-24.53	-11.83	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401401G	-5.69	6.3825G	-36.80	-25.75	-11.05	1
6.409549G	-5.19	6.4277G	-36.68	-25.27	-11.41	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

08/06/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

08/06/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.666855G	-4.86	6.66195G	-38.48	-24.88	-13.60	1
6.666505G	-5.61	6.66205G	-38.60	-25.65	-12.95	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.869554G	-4.28	6.8626G	-35.97	-24.28	-11.69	1
6.877702G	-5.02	6.86235G	-36.72	-25.08	-11.64	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92355G	-5.32	6.9475G	-36.97	-25.38	-11.59	1
6.912953G	-5.85	6.9937G	-57.89	-45.85	-12.04	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.020346G	-6.19	6.92085G	-58.49	-46.19	-12.30	1
6.989204G	-7.07	6.98235G	-38.31	-27.19	-11.12	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.067504G	-7.37	6.99155G	-57.64	-47.37	-10.27	1
7.076652G	-7.53	7.0087G	-57.87	-47.53	-10.34	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01629G	-3.36	6.0287G	-30.62	-23.47	-7.15	1
6.02039G	-3.58	6.0314G	-33.13	-23.80	-9.33	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

08/06/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4554G	-2.31	6.4192G	-32.65	-22.34	-10.31	1
6.42991G	-2.86	6.4202G	-31.22	-22.91	-8.31	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5506G	-1.94	6.5892G	-30.08	-21.96	-8.12	1
6.5594G	-2.34	6.4989G	-33.55	-22.34	-11.21	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

08/06/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

08/06/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

08/06/2024



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

08/06/2024

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05639G	2.28	6.2318G	-38.20	-31.02	-7.18	1
6.09538G	2.30	6.2176G	-34.98	-28.78	-6.20	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

08/06/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1696G	1.51	6.4474G	-49.06	-38.49	-10.57	1
6.25078G	0.83	6.4498G	-50.56	-39.17	-11.39	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3494G	-0.03	6.022G	-52.24	-40.03	-12.21	1
6.41178G	-0.11	6.0726G	-52.07	-40.11	-11.96	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

08/06/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52799G	-0.61	6.2154G	-52.00	-40.61	-11.39	1
6.4976G	-1.36	6.24G	-51.99	-41.36	-10.63	2


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

08/06/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60561G	1.07	6.397G	-50.91	-38.93	-11.98	1
6.59762G	-0.23	6.3716G	-51.09	-40.23	-10.86	2


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

08/06/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76262G	-0.31	6.5032G	-51.25	-40.31	-10.94	1
6.74962G	-0.81	6.4898G	-50.78	-40.81	-9.97	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

08/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23781G	2.17	6.5806G	-28.62	-24.85	-3.77	1
6.2518G	1.46	6.583G	-29.68	-25.71	-3.97	2


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

08/06/2024

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45979G	1.43	6.0514G	-35.57	-29.17	-6.40	1
6.47619G	1.92	6.0526G	-30.85	-27.99	-2.86	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5654G	2.51	6.1946G	-34.68	-29.51	-5.17	1
6.51182G	1.78	6.1726G	-37.78	-31.66	-6.12	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

08/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60224G	2.87	6.369G	-31.24	-27.97	-3.27	1
6.59304G	2.12	6.4282G	-30.06	-24.72	-5.34	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

07/06/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.204198G	-11.29	6.23315G	-63.79	-51.29	-12.50	1
6.186327G	-11.93	6.244375G	-64.11	-51.93	-12.18	2
6.204048G	-11.84	6.234275G	-63.76	-51.84	-11.92	3
6.202023G	-11.24	6.1615G	-63.15	-51.24	-11.91	4


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

07/06/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.414675G	-12.33	6.3745G	-63.39	-52.33	-11.06	1
6.406552G	-11.91	6.451175G	-63.81	-51.91	-11.90	2
6.408977G	-12.44	6.37445G	-63.24	-52.44	-10.80	3
6.423348G	-11.42	6.37445G	-62.67	-51.42	-11.25	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

07/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

07/06/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

07/06/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

07/06/2024

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.887727G	-13.53	6.939975G	-62.43	-53.53	-8.90	1
6.892126G	-13.41	6.927925G	-62.64	-53.41	-9.23	2
6.892776G	-13.15	6.936725G	-62.28	-53.15	-9.13	3
6.903998G	-13.51	6.932625G	-62.37	-53.51	-8.86	4


6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

07/06/2024

CF (Hz)
6.995G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.986852G	-14.40	6.9521G	-62.57	-54.40	-8.17	1
6.987777G	-14.35	6.956025G	-62.53	-54.35	-8.18	2
6.986302G	-13.15	6.951125G	-62.29	-53.15	-9.14	3
6.999424G	-14.45	6.947175G	-62.43	-54.45	-7.98	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

08/06/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

08/06/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.386605G	-9.27	6.5041G	-59.38	-49.27	-10.11	1
6.413548G	-8.86	6.4964G	-59.46	-48.86	-10.60	2
6.4041G	-9.30	6.4719G	-59.80	-49.30	-10.50	3
6.419196G	-9.36	6.48005G	-59.55	-49.36	-10.19	4


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

08/06/2024

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.462046G	-7.96	6.35525G	-59.40	-47.96	-11.44	1
6.440251G	-8.22	6.3491G	-59.82	-48.22	-11.60	2
6.439901G	-7.97	6.37445G	-59.22	-47.97	-11.25	3
6.453198G	-8.22	6.4226G	-38.82	-28.31	-10.51	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

08/06/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

08/06/2024



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

08/06/2024

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868804G	-6.39	6.8629G	-36.78	-25.99	-10.79	1
6.880801G	-6.98	6.9689G	-58.12	-46.98	-11.14	2
6.866955G	-6.09	6.9834G	-57.79	-46.09	-11.70	3
6.871453G	-6.83	6.8622G	-38.13	-26.95	-11.18	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

08/06/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.942396G	-8.15	6.90295G	-37.67	-27.85	-9.82	1
6.918252G	-8.66	6.98885G	-57.98	-48.38	-9.60	2
6.921751G	-7.43	7.0092G	-57.95	-47.43	-10.52	3
6.911503G	-9.01	7.0092G	-57.75	-49.01	-8.74	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

08/06/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

08/06/2024



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

08/06/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3797G	-6.69	6.43G	-36.01	-26.69	-9.32	1
6.41739G	-6.52	6.4302G	-36.30	-26.56	-9.74	2
6.3812G	-6.93	6.245G	-56.98	-46.93	-10.05	3
6.35221G	-6.76	6.4283G	-34.24	-26.77	-7.47	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

08/06/2024

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4566G	-5.67	6.5096G	-34.33	-25.72	-8.61	1
6.43671G	-5.97	6.42G	-35.38	-25.97	-9.41	2
6.4614G	-5.62	6.4199G	-34.12	-25.74	-8.38	3
6.4533G	-6.01	6.4208G	-33.73	-26.07	-7.66	4


6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

08/06/2024

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5278G	-5.96	6.3543G	-56.19	-45.96	-10.23	1
6.5399G	-6.02	6.5018G	-33.48	-26.03	-7.45	2
6.5467G	-5.89	6.5G	-34.48	-26.01	-8.47	3
6.5309G	-6.03	6.5005G	-35.31	-26.04	-9.27	4


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

08/06/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59741G	-5.27	6.5807G	-33.10	-25.30	-7.80	1
6.58781G	-6.11	6.5805G	-34.70	-26.12	-8.58	2
6.58831G	-5.65	6.5804G	-34.02	-25.66	-8.36	3
6.59281G	-5.62	6.4543G	-55.75	-45.62	-10.13	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

08/06/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

08/06/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

08/06/2024



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

08/06/2024

