



EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX



EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX





Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.73
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.75
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.86
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.72
802.11be EHT320-BF_Nss1,(MCS0)_2TX	1.79
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.90
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.81
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.82
802.11be EHT160-BF_Nss1,(MCS0)_2TX	2.52
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.84
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.84
802.11be EHT160-BF_Nss1,(MCS0)_2TX	3.18
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.08
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.67
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.90
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.83
802.11be EHT160-BF_Nss1,(MCS0)_2TX	2.41
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-0.12

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.13	5.00
6195MHz	Pass	4.38	5.00
6415MHz	Pass	4.73	5.00
6435MHz	Pass	4.35	5.00
6475MHz	Pass	4.76	5.00
6515MHz	Pass	4.90	5.00
6535MHz	Pass	4.86	5.00
6695MHz	Pass	4.45	5.00
6875MHz	Pass	4.88	5.00
6895MHz	Pass	4.58	5.00
6995MHz	Pass	4.67	5.00
7095MHz	Pass	4.29	5.00
7115MHz	Pass	4.42	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.75	5.00
6205MHz	Pass	4.40	5.00
6405MHz	Pass	4.61	5.00
6445MHz	Pass	4.81	5.00
6485MHz	Pass	4.10	5.00
6525MHz	Pass	4.19	5.00
6565MHz	Pass	4.59	5.00
6685MHz	Pass	4.29	5.00
6885MHz	Pass	4.84	5.00
6925MHz	Pass	4.90	5.00
7005MHz	Pass	4.69	5.00
7085MHz	Pass	4.64	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.86	5.00
6225MHz	Pass	4.68	5.00
6385MHz	Pass	4.86	5.00
6465MHz	Pass	4.76	5.00
6545MHz	Pass	4.82	5.00
6625MHz	Pass	4.84	5.00
6705MHz	Pass	4.13	5.00
6785MHz	Pass	4.65	5.00
6865MHz	Pass	4.65	5.00
6945MHz	Pass	4.83	5.00
7025MHz	Pass	4.28	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.72	5.00
6185MHz	Pass	3.06	5.00
6345MHz	Pass	2.90	5.00
6505MHz	Pass	2.52	5.00
6665MHz	Pass	3.05	5.00
6825MHz	Pass	3.18	5.00




Radiated PSD_Beamforming_Radio2_LPI

Appendix D.3


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6985MHz	Pass	2.41	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	0.21	5.00
6265MHz	Pass	1.79	5.00
6425MHz	Pass	0.45	5.00
6585MHz	Pass	2.08	5.00
6745MHz	Pass	1.43	5.00
6905MHz	Pass	-0.12	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX



EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX



EIRP PSD;Band:7.0G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	5.963773G	-3.98	5.96695G	-35.73	-24.03	-11.70	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.220446G	0.28	6.18275G	-30.30	-19.79	-10.51	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.19831G	3.49	6.3572G	-43.59	-36.47	-7.12	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.0086G	4.33	6.2268G	-30.49	-27.97	-2.52	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.03502G	6.17	6.375G	-17.62	-15.28	-2.34	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.465852G	-2.51	6.463175G	-33.93	-22.64	-11.29	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.447399G	1.03	6.4675G	-29.28	-19.10	-10.18	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.5497G	4.22	6.626G	-28.58	-21.30	-7.28	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.43442G	6.42	6.3556G	-21.52	-13.72	-7.80	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.45263G	5.93	6.2658G	-21.52	-14.13	-7.39	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.868852G	0.33	6.887425G	-32.06	-19.79	-12.27	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.668954G	1.48	6.6627G	-27.33	-17.72	-9.61	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.59021G	4.50	6.7088G	-25.67	-21.91	-3.76	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.8212G	6.18	6.6866G	-18.98	-13.87	-5.11	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.76623G	4.80	6.6046G	-20.69	-16.57	-4.12	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	7.003548G	0.46	6.98295G	-30.74	-19.74	-11.00	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	7.068654G	2.66	7.04615G	-27.54	-23.20	-4.34	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.92071G	4.00	6.8612G	-24.82	-20.58	-4.24	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.95761G	6.14	6.8482G	-17.66	-14.33	-3.33	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963773G	-3.98	5.96695G	-35.73	-24.03	-11.70	1
6195MHz	Pass	6.198699G	-3.09	6.206925G	-35.78	-23.09	-12.69	1
6415MHz	Pass	6.417599G	-3.10	6.427025G	-36.30	-23.16	-13.14	1
6435MHz	Pass	6.427902G	-2.81	6.447325G	-37.29	-22.21	-15.08	1
6475MHz	Pass	6.465852G	-2.51	6.463175G	-33.93	-22.64	-11.29	1
6515MHz	Pass	6.522198G	-2.36	6.5269G	-34.54	-22.37	-12.17	1
6535MHz	Pass	6.543323G	-2.44	6.546975G	-36.02	-22.44	-13.58	1
6695MHz	Pass	6.686777G	-1.61	6.706975G	-33.57	-21.11	-12.46	1
6875MHz	Pass	6.868852G	0.33	6.887425G	-32.06	-19.79	-12.27	1
6895MHz	Pass	6.892126G	-1.18	6.907125G	-34.19	-21.32	-12.87	1
6995MHz	Pass	7.003548G	0.46	6.98295G	-30.74	-19.74	-11.00	1
7095MHz	Pass	7.088627G	-0.53	7.107125G	-33.20	-20.33	-12.87	1
7115MHz	Pass	7.106927G	-9.89	7.126775G	-41.14	-29.79	-11.35	1
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.972748G	0.55	5.98785G	-31.20	-19.52	-11.68	1
6205MHz	Pass	6.220446G	0.28	6.18275G	-30.30	-19.79	-10.51	1
6405MHz	Pass	6.407899G	0.91	6.3828G	-29.07	-18.49	-10.58	1
6445MHz	Pass	6.447399G	1.03	6.4675G	-29.28	-19.10	-10.18	1
6485MHz	Pass	6.468054G	1.27	6.4625G	-29.28	-18.86	-10.42	1
6525MHz	Pass	6.515302G	1.68	6.5485G	-32.55	-18.43	-14.12	1
6565MHz	Pass	6.550204G	2.10	6.58815G	-30.84	-17.60	-13.24	1
6685MHz	Pass	6.668954G	1.48	6.6627G	-27.33	-17.72	-9.61	1
6885MHz	Pass	6.900946G	1.99	6.90775G	-27.93	-18.08	-9.85	1
6925MHz	Pass	6.943245G	4.30	6.88745G	-22.70	-16.90	-5.80	1
7005MHz	Pass	6.997402G	4.16	6.9667G	-22.91	-17.82	-5.09	1
7085MHz	Pass	7.068654G	2.66	7.04615G	-27.54	-23.20	-4.34	1
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01819G	3.23	6.0299G	-25.54	-16.77	-8.77	1
6225MHz	Pass	6.19831G	3.49	6.3572G	-43.59	-36.47	-7.12	1
6385MHz	Pass	6.3975G	3.06	6.3383G	-25.84	-17.01	-8.83	1
6465MHz	Pass	6.42961G	3.89	6.4164G	-24.00	-16.22	-7.78	1
6545MHz	Pass	6.5497G	4.22	6.626G	-28.58	-21.30	-7.28	1
6625MHz	Pass	6.59021G	4.50	6.7088G	-25.67	-21.91	-3.76	1
6705MHz	Pass	6.7146G	4.64	6.6311G	-22.52	-17.86	-4.66	1
6785MHz	Pass	6.7913G	7.36	6.8697G	-19.70	-12.67	-7.03	1
6865MHz	Pass	6.8558G	7.37	6.7754G	-19.91	-12.77	-7.14	1
6945MHz	Pass	6.92071G	4.00	6.8612G	-24.82	-20.58	-4.24	1
7025MHz	Pass	6.98831G	4.00	6.9503G	-22.41	-17.18	-5.23	1
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0086G	4.33	6.2268G	-30.49	-27.97	-2.52	1
6185MHz	Pass	6.11582G	6.32	6.3402G	-21.46	-14.03	-7.43	1
6345MHz	Pass	6.29921G	6.77	6.5008G	-18.82	-13.26	-5.56	1
6505MHz	Pass	6.43442G	6.42	6.3556G	-21.52	-13.72	-7.80	1
6665MHz	Pass	6.59742G	6.93	6.824G	-20.09	-13.11	-6.98	1
6825MHz	Pass	6.8212G	6.18	6.6866G	-18.98	-13.87	-5.11	1


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6985MHz	Pass	6.95761G	6.14	6.8482G	-17.66	-14.33	-3.33	1
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.03502G	6.17	6.375G	-17.62	-15.28	-2.34	1
6265MHz	Pass	6.21821G	6.15	6.5826G	-19.55	-14.04	-5.51	1
6425MHz	Pass	6.40421G	5.70	6.1498G	-20.80	-14.49	-6.31	1
6585MHz	Pass	6.45263G	5.93	6.2658G	-21.52	-14.13	-7.39	1
6745MHz	Pass	6.7374G	5.24	6.4738G	-20.65	-14.95	-5.70	1
6905MHz	Pass	6.76623G	4.80	6.6046G	-20.69	-16.57	-4.12	1

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

27/09/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

27/09/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

27/09/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19831G	3.49	6.3572G	-43.59	-36.47	-7.12	1


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

27/09/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0086G	4.33	6.2268G	-30.49	-27.97	-2.52	1


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

27/09/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03502G	6.17	6.375G	-17.62	-15.28	-2.34	1


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

27/09/2024

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.465852G	-2.51	6.463175G	-33.93	-22.64	-11.29	1

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

27/09/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

27/09/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

27/09/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

27/09/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

27/09/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

27/09/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

27/09/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

27/09/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

27/09/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

27/09/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

27/09/2024





6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

27/09/2024





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.409376G	-4.56	6.42645G	-33.50	-24.06	-9.44	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	5.983445G	-0.46	5.9872G	-30.00	-20.56	-9.44	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.3915G	1.74	6.3408G	-24.94	-18.32	-6.62	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.1796G	3.66	6.3702G	-27.28	-26.11	-1.17	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.05981G	5.37	6.421G	-21.23	-18.38	-2.85	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.468852G	-4.67	6.4868G	-35.73	-24.69	-11.04	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.533298G	-0.67	6.5472G	-30.68	-20.70	-9.98	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.50801G	1.13	6.5013G	-25.92	-18.92	-7.00	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.43182G	3.96	6.3024G	-30.56	-28.89	-1.67	1
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.43904G	6.07	6.2694G	-20.67	-13.96	-6.71	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.876875G	-5.99	6.863175G	-37.28	-26.07	-11.21	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.672053G	-1.55	6.663G	-30.55	-21.59	-8.96	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.8603G	1.25	6.9101G	-25.74	-18.77	-6.97	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.72678G	3.58	6.8214G	-25.18	-23.02	-2.16	1
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.59824G	4.89	6.4826G	-20.48	-15.17	-5.31	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	7.086777G	-7.42	7.0831G	-38.85	-27.52	-11.33	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	7.067904G	-2.76	7.0624G	-32.65	-22.80	-9.85	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.99301G	-0.02	6.9799G	-28.54	-20.04	-8.50	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.93761G	2.91	6.7912G	-30.67	-28.19	-2.48	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.956025G	-4.31	5.9671G	-35.89	-24.11	-11.78	1
5955MHz	Pass	5.95665G	-4.42	5.966925G	-36.54	-24.42	-12.12	2
6195MHz	Pass	6.202923G	-5.31	6.207025G	-37.91	-24.21	-13.70	1
6195MHz	Pass	6.192151G	-5.08	6.20685G	-35.90	-25.14	-10.76	2
6415MHz	Pass	6.406477G	-4.18	6.427075G	-37.65	-24.20	-13.45	1
6415MHz	Pass	6.409376G	-4.56	6.42645G	-33.50	-24.06	-9.44	2
6435MHz	Pass	6.428127G	-4.42	6.446875G	-36.44	-24.12	-12.32	1
6435MHz	Pass	6.442923G	-4.36	6.44745G	-40.10	-24.37	-15.73	2
6475MHz	Pass	6.468852G	-4.67	6.4868G	-35.73	-24.69	-11.04	1
6475MHz	Pass	6.466427G	-4.70	6.46285G	-38.91	-24.71	-14.20	2
6515MHz	Pass	6.509751G	-5.41	6.52705G	-38.55	-25.43	-13.12	1
6515MHz	Pass	6.507777G	-5.15	6.527025G	-38.14	-25.15	-12.99	2
6535MHz	Pass	6.528602G	-5.43	6.52275G	-39.77	-24.93	-14.84	1
6535MHz	Pass	6.526102G	-5.30	6.523G	-38.02	-25.34	-12.68	2
6695MHz	Pass	6.697449G	-5.59	6.683G	-38.33	-25.59	-12.74	1
6695MHz	Pass	6.704323G	-5.41	6.707225G	-39.89	-25.41	-14.48	2
6875MHz	Pass	6.876875G	-5.99	6.863175G	-37.28	-26.07	-11.21	1
6875MHz	Pass	6.865877G	-5.59	6.862975G	-38.26	-25.67	-12.59	2
6895MHz	Pass	6.903923G	-6.26	6.882925G	-39.46	-26.30	-13.16	1
6895MHz	Pass	6.901298G	-6.16	6.882975G	-38.74	-26.16	-12.58	2
6995MHz	Pass	7.000149G	-6.16	6.98285G	-39.69	-26.24	-13.45	1
6995MHz	Pass	7.001198G	-5.53	7.0075G	-40.83	-25.53	-15.30	2
7095MHz	Pass	7.086777G	-7.42	7.0831G	-38.85	-27.52	-11.33	1
7095MHz	Pass	7.102073G	-7.84	7.082975G	-40.62	-27.88	-12.74	2
7115MHz	Pass	7.122773G	-15.40	7.127G	-47.66	-34.30	-13.36	1
7115MHz	Pass	7.122323G	-15.39	7.126875G	-47.69	-33.99	-13.70	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.983445G	-0.46	5.9872G	-30.00	-20.56	-9.44	1
5965MHz	Pass	5.962351G	-0.58	5.98795G	-33.69	-20.58	-13.11	2
6205MHz	Pass	6.211698G	-1.22	6.18225G	-33.75	-21.27	-12.48	1
6205MHz	Pass	6.223545G	-1.39	6.1824G	-32.39	-21.45	-10.94	2
6405MHz	Pass	6.423645G	-0.89	6.42785G	-33.40	-20.92	-12.48	1
6405MHz	Pass	6.420746G	-1.38	6.38215G	-35.11	-21.43	-13.68	2
6445MHz	Pass	6.426605G	-1.04	6.42175G	-34.70	-21.07	-13.63	1
6445MHz	Pass	6.431803G	-0.89	6.46765G	-32.92	-20.90	-12.02	2
6485MHz	Pass	6.482151G	-0.89	6.46255G	-32.37	-20.89	-11.48	1
6485MHz	Pass	6.497597G	-0.55	6.5077G	-32.08	-20.65	-11.43	2
6525MHz	Pass	6.542196G	-1.34	6.5014G	-37.12	-21.24	-15.88	1
6525MHz	Pass	6.533298G	-0.67	6.5472G	-30.68	-20.70	-9.98	2
6565MHz	Pass	6.562451G	-1.84	6.5421G	-34.22	-21.89	-12.33	1
6565MHz	Pass	6.556952G	-1.38	6.58735G	-32.63	-21.45	-11.18	2
6685MHz	Pass	6.682551G	-1.09	6.6622G	-32.94	-21.16	-11.78	1
6685MHz	Pass	6.672053G	-1.55	6.663G	-30.55	-21.59	-8.96	2
6885MHz	Pass	6.866755G	-1.75	6.9082G	-35.57	-21.78	-13.79	1
6885MHz	Pass	6.870004G	-1.73	6.86265G	-32.71	-21.76	-10.95	2
6925MHz	Pass	6.92425G	-1.87	6.9475G	-33.09	-21.89	-11.20	1
6925MHz	Pass	6.909304G	-1.67	6.9476G	-32.58	-21.37	-11.21	2
7005MHz	Pass	6.988354G	-2.29	6.9821G	-35.18	-22.29	-12.89	1
7005MHz	Pass	6.995202G	-2.18	6.98185G	-36.04	-22.26	-13.78	2
7085MHz	Pass	7.067904G	-2.76	7.0624G	-32.65	-22.80	-9.85	1
7085MHz	Pass	7.071003G	-2.72	7.0625G	-33.91	-22.78	-11.13	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01009G	2.01	6.0293G	-25.60	-18.00	-7.60	1
5985MHz	Pass	6.01569G	1.99	6.0318G	-28.37	-18.04	-10.33	2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.18821G	0.99	6.2705G	-29.02	-19.04	-9.98	1
6225MHz	Pass	6.2216G	1.15	6.2714G	-29.94	-18.88	-11.06	2
6385MHz	Pass	6.3943G	2.12	6.3395G	-27.23	-17.93	-9.30	1
6385MHz	Pass	6.3915G	1.74	6.3408G	-24.94	-18.32	-6.62	2
6465MHz	Pass	6.44011G	1.09	6.4183G	-29.91	-18.94	-10.97	1
6465MHz	Pass	6.43121G	1.23	6.4196G	-28.11	-18.78	-9.33	2
6545MHz	Pass	6.58259G	1.21	6.5003G	-27.24	-18.82	-8.42	1
6545MHz	Pass	6.50801G	1.13	6.5013G	-25.92	-18.92	-7.00	2
6625MHz	Pass	6.6212G	1.11	6.6705G	-28.40	-18.94	-9.46	1
6625MHz	Pass	6.6168G	0.77	6.5807G	-26.80	-19.26	-7.54	2
6705MHz	Pass	6.6854G	0.78	6.661G	-26.62	-19.02	-7.60	1
6705MHz	Pass	6.67211G	0.61	6.6604G	-28.03	-19.44	-8.59	2
6785MHz	Pass	6.7868G	1.13	6.8308G	-27.59	-18.92	-8.67	1
6785MHz	Pass	6.7775G	1.00	6.8297G	-27.46	-19.01	-8.45	2
6865MHz	Pass	6.8484G	1.27	6.8198G	-26.67	-18.77	-7.90	1
6865MHz	Pass	6.8603G	1.25	6.9101G	-25.74	-18.77	-6.97	2
6945MHz	Pass	6.9313G	0.17	6.899G	-29.74	-19.95	-9.79	1
6945MHz	Pass	6.9325G	0.47	6.8995G	-29.01	-19.58	-9.43	2
7025MHz	Pass	7.00441G	0.08	6.9802G	-28.61	-19.94	-8.67	1
7025MHz	Pass	6.99301G	-0.02	6.9799G	-28.54	-20.04	-8.50	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0384G	3.78	6.2234G	-29.08	-26.94	-2.14	1
6025MHz	Pass	6.0164G	3.80	6.1812G	-22.94	-19.02	-3.92	2
6185MHz	Pass	6.11142G	3.53	6.3374G	-25.38	-19.62	-5.76	1
6185MHz	Pass	6.1796G	3.66	6.3702G	-27.28	-26.11	-1.17	2
6345MHz	Pass	6.27182G	3.93	6.4938G	-23.65	-17.75	-5.90	1
6345MHz	Pass	6.27662G	3.95	6.4978G	-23.02	-18.71	-4.31	2
6505MHz	Pass	6.43182G	3.96	6.3024G	-30.56	-28.89	-1.67	1
6505MHz	Pass	6.42982G	3.78	6.3668G	-23.21	-17.66	-5.55	2
6665MHz	Pass	6.72678G	3.58	6.8214G	-25.18	-23.02	-2.16	1
6665MHz	Pass	6.59542G	3.23	6.4638G	-32.90	-28.98	-3.92	2
6825MHz	Pass	6.80401G	6.04	6.6632G	-20.96	-14.61	-6.35	1
6825MHz	Pass	6.8166G	5.72	6.6732G	-20.27	-14.30	-5.97	2
6985MHz	Pass	6.92541G	2.62	6.7992G	-32.65	-27.57	-5.08	1
6985MHz	Pass	6.93761G	2.91	6.7912G	-30.67	-28.19	-2.48	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05981G	5.37	6.421G	-21.23	-18.38	-2.85	1
6105MHz	Pass	6.04022G	5.36	6.375G	-18.19	-15.07	-3.12	2
6265MHz	Pass	6.21301G	5.43	6.5818G	-21.18	-17.10	-4.08	1
6265MHz	Pass	6.23461G	5.55	6.5682G	-19.72	-14.59	-5.13	2
6425MHz	Pass	6.27424G	5.66	6.7194G	-21.23	-14.42	-6.81	1
6425MHz	Pass	6.4314G	5.15	6.699G	-21.59	-14.92	-6.67	2
6585MHz	Pass	6.43904G	6.07	6.2694G	-20.67	-13.96	-6.71	1
6585MHz	Pass	6.55101G	5.47	6.2786G	-21.26	-14.54	-6.72	2
6745MHz	Pass	6.72381G	5.21	6.4442G	-21.32	-14.94	-6.38	1
6745MHz	Pass	6.59824G	4.89	6.4826G	-20.48	-15.17	-5.31	2
6905MHz	Pass	6.80822G	0.21	6.3994G	-47.13	-39.79	-7.34	1
6905MHz	Pass	6.9134G	0.43	6.4034G	-45.14	-39.57	-5.57	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

11/09/2024



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

11/09/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

11/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3943G	2.12	6.3395G	-27.23	-17.93	-9.30	1
6.3915G	1.74	6.3408G	-24.94	-18.32	-6.62	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

11/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11142G	3.53	6.3374G	-25.38	-19.62	-5.76	1
6.1796G	3.66	6.3702G	-27.28	-26.11	-1.17	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

11/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05981G	5.37	6.421G	-21.23	-18.38	-2.85	1
6.04022G	5.36	6.375G	-18.19	-15.07	-3.12	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

11/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.468852G	-4.67	6.4868G	-35.73	-24.69	-11.04	1
6.466427G	-4.70	6.46285G	-38.91	-24.71	-14.20	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

11/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542196G	-1.34	6.5014G	-37.12	-21.24	-15.88	1
6.533298G	-0.67	6.5472G	-30.68	-20.70	-9.98	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

11/09/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58259G	1.21	6.5003G	-27.24	-18.82	-8.42	1
6.50801G	1.13	6.5013G	-25.92	-18.92	-7.00	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

11/09/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43182G	3.96	6.3024G	-30.56	-28.89	-1.67	1
6.42982G	3.78	6.3668G	-23.21	-17.66	-5.55	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

11/09/2024

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43904G	6.07	6.2694G	-20.67	-13.96	-6.71	1
6.55101G	5.47	6.2786G	-21.26	-14.54	-6.72	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

11/09/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

11/09/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

11/09/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

11/09/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

11/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72381G	5.21	6.4442G	-21.32	-14.94	-6.38	1
6.59824G	4.89	6.4826G	-20.48	-15.17	-5.31	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

11/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.086777G	-7.42	7.0831G	-38.85	-27.52	-11.33	1
7.102073G	-7.84	7.082975G	-40.62	-27.88	-12.74	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

11/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.067904G	-2.76	7.0624G	-32.65	-22.80	-9.85	1
7.071003G	-2.72	7.0625G	-33.91	-22.78	-11.13	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

11/09/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00441G	0.08	6.9802G	-28.61	-19.94	-8.67	1
6.99301G	-0.02	6.9799G	-28.54	-20.04	-8.50	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

11/09/2024

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92541G	2.62	6.7992G	-32.65	-27.57	-5.08	1
6.93761G	2.91	6.7912G	-30.67	-28.19	-2.48	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.188902G	-6.99	6.163525G	-58.35	-46.84	-11.51	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.187804G	-3.71	6.1424G	-53.70	-43.37	-10.33	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.02219G	1.96	6.114G	-46.99	-38.04	-8.95	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.31161G	1.56	6.6012G	-39.65	-38.36	-1.29	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.07821G	2.49	6.6042G	-41.81	-37.51	-4.30	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.426227G	-7.98	6.39085G	-59.20	-47.98	-11.22	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.541496G	-3.75	6.4359G	-54.29	-43.75	-10.54	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.57999G	2.14	6.4165G	-42.13	-37.17	-4.96	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.52719G	1.79	6.2462G	-39.70	-38.21	-1.49	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.53981G	3.47	5.9734G	-39.72	-35.35	-4.37	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.879599G	-7.43	6.9103G	-58.32	-47.43	-10.89	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.901346G	-2.85	6.81975G	-53.04	-42.85	-10.19	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.83811G	-0.75	6.7364G	-47.96	-40.36	-7.60	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.8332G	0.92	6.5668G	-39.38	-39.08	-0.30	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.75024G	-0.71	6.4074G	-44.58	-40.71	-3.87	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	7.106077G	-9.36	7.06525G	-58.64	-49.36	-9.28	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	7.070204G	-5.97	6.9865G	-53.34	-45.97	-7.37	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.99491G	-0.55	6.9015G	-45.98	-38.83	-7.15	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.9886G	0.56	6.7328G	-40.43	-39.08	-1.35	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961873G	-7.76	5.9977G	-59.62	-47.76	-11.86	1
5955MHz	Pass	5.963973G	-6.77	5.991175G	-59.66	-46.77	-12.89	2
6195MHz	Pass	6.188902G	-6.99	6.163525G	-58.35	-46.84	-11.51	1
6195MHz	Pass	6.187202G	-7.01	6.24365G	-59.07	-47.01	-12.06	2
6415MHz	Pass	6.423648G	-7.08	6.37085G	-58.85	-47.08	-11.77	1
6415MHz	Pass	6.423773G	-6.97	6.4622G	-59.03	-46.97	-12.06	2
6435MHz	Pass	6.426227G	-7.98	6.39085G	-59.20	-47.98	-11.22	1
6435MHz	Pass	6.427477G	-7.52	6.387875G	-58.94	-47.52	-11.42	2
6475MHz	Pass	6.470201G	-7.33	6.516975G	-58.86	-47.33	-11.53	1
6475MHz	Pass	6.484248G	-6.66	6.431775G	-58.91	-46.66	-12.25	2
6515MHz	Pass	6.507427G	-6.91	6.474375G	-59.14	-46.91	-12.23	1
6515MHz	Pass	6.520199G	-6.44	6.468075G	-58.66	-46.44	-12.22	2
6535MHz	Pass	6.528327G	-7.59	6.4931G	-58.69	-47.59	-11.10	1
6535MHz	Pass	6.527752G	-7.01	6.495925G	-58.72	-47.01	-11.71	2
6695MHz	Pass	6.702373G	-7.01	6.662G	-58.91	-47.01	-11.90	1
6695MHz	Pass	6.700624G	-7.15	6.7361G	-59.06	-47.15	-11.91	2
6875MHz	Pass	6.879599G	-7.43	6.9103G	-58.32	-47.43	-10.89	1
6875MHz	Pass	6.867902G	-6.95	6.918975G	-58.46	-46.95	-11.51	2
6895MHz	Pass	6.886927G	-8.09	6.860025G	-57.58	-48.09	-9.49	1
6895MHz	Pass	6.887227G	-7.09	6.9277G	-58.19	-47.09	-11.10	2
6995MHz	Pass	7.002473G	-6.75	6.963G	-57.57	-46.37	-11.20	1
6995MHz	Pass	6.989101G	-6.57	6.959075G	-57.88	-46.57	-11.31	2
7095MHz	Pass	7.086677G	-8.32	7.062425G	-57.95	-48.32	-9.63	1
7095MHz	Pass	7.087227G	-7.98	7.0528G	-58.11	-47.98	-10.13	2
7115MHz	Pass	7.120024G	-9.29	7.070225G	-58.58	-49.29	-9.29	1
7115MHz	Pass	7.106077G	-9.36	7.06525G	-58.64	-49.36	-9.28	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.976247G	-1.76	5.98725G	-33.76	-21.83	-11.93	1
5965MHz	Pass	5.978797G	-1.06	6.0386G	-53.95	-41.06	-12.89	2
6205MHz	Pass	6.187804G	-3.71	6.1424G	-53.70	-43.37	-10.33	1
6205MHz	Pass	6.191303G	-3.59	6.2827G	-54.66	-43.59	-11.07	2
6405MHz	Pass	6.391703G	-2.90	6.3218G	-54.16	-42.90	-11.26	1
6405MHz	Pass	6.396302G	-2.43	6.4714G	-53.50	-42.43	-11.07	2
6445MHz	Pass	6.44605G	-2.26	6.54475G	-54.30	-42.26	-12.04	1
6445MHz	Pass	6.463595G	-1.62	6.3543G	-54.36	-41.62	-12.74	2
6485MHz	Pass	6.466605G	-1.97	6.3898G	-54.01	-41.97	-12.04	1
6485MHz	Pass	6.482451G	-1.47	6.3915G	-53.84	-41.47	-12.37	2
6525MHz	Pass	6.541496G	-3.75	6.4359G	-54.29	-43.75	-10.54	1
6525MHz	Pass	6.541046G	-2.82	6.45535G	-53.90	-42.82	-11.08	2
6565MHz	Pass	6.579196G	-2.50	6.4857G	-54.49	-42.50	-11.99	1
6565MHz	Pass	6.555952G	-2.08	6.46715G	-54.27	-42.08	-12.19	2
6685MHz	Pass	6.696797G	-1.86	6.764G	-54.13	-41.86	-12.27	1
6685MHz	Pass	6.674603G	-1.73	6.78345G	-54.48	-41.73	-12.75	2
6885MHz	Pass	6.901346G	-2.85	6.81975G	-53.04	-42.85	-10.19	1
6885MHz	Pass	6.880301G	-1.85	6.9741G	-53.73	-41.85	-11.88	2
6925MHz	Pass	6.938697G	-3.42	6.99985G	-53.49	-43.42	-10.07	1
6925MHz	Pass	6.910254G	-2.07	6.9977G	-53.34	-42.07	-11.27	2
7005MHz	Pass	6.988604G	-4.47	6.93225G	-54.13	-44.47	-9.66	1
7005MHz	Pass	6.989904G	-4.46	6.9384G	-53.70	-44.46	-9.24	2
7085MHz	Pass	7.070204G	-5.97	6.9865G	-53.34	-45.97	-7.37	1
7085MHz	Pass	7.073503G	-5.63	7.01215G	-53.47	-45.63	-7.84	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02219G	1.96	6.114G	-46.99	-38.04	-8.95	1
5985MHz	Pass	6.01799G	2.49	6.1136G	-45.80	-36.85	-8.95	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.18851G	-0.42	6.0932G	-51.02	-40.42	-10.60	1
6225MHz	Pass	6.18951G	-0.39	6.3899G	-50.95	-40.39	-10.56	2
6385MHz	Pass	6.40529G	-0.75	6.5186G	-50.32	-40.75	-9.57	1
6385MHz	Pass	6.35691G	-0.52	6.2568G	-50.84	-40.52	-10.32	2
6465MHz	Pass	6.43701G	1.81	6.5884G	-45.26	-37.62	-7.64	1
6465MHz	Pass	6.4811G	1.62	6.5993G	-44.99	-38.38	-6.61	2
6545MHz	Pass	6.57999G	2.14	6.4165G	-42.13	-37.17	-4.96	1
6545MHz	Pass	6.5353G	2.08	6.4121G	-44.15	-37.92	-6.23	2
6625MHz	Pass	6.59441G	0.75	6.7787G	-49.52	-39.25	-10.27	1
6625MHz	Pass	6.59881G	0.44	6.4254G	-50.59	-39.56	-11.03	2
6705MHz	Pass	6.74089G	0.47	6.8312G	-47.92	-39.01	-8.91	1
6705MHz	Pass	6.7118G	0.54	6.8375G	-50.46	-39.46	-11.00	2
6785MHz	Pass	6.75891G	-1.31	6.9749G	-51.07	-41.31	-9.76	1
6785MHz	Pass	6.81799G	-1.87	6.9849G	-50.79	-41.87	-8.92	2
6865MHz	Pass	6.83811G	-0.75	6.7364G	-47.96	-40.36	-7.60	1
6865MHz	Pass	6.851G	-0.03	7.0009G	-48.31	-40.03	-8.28	2
6945MHz	Pass	6.9379G	-2.23	6.8151G	-51.89	-42.23	-9.66	1
6945MHz	Pass	6.97049G	-2.13	6.751G	-51.73	-42.13	-9.60	2
7025MHz	Pass	6.99491G	-0.55	6.9015G	-45.98	-38.83	-7.15	1
7025MHz	Pass	6.99231G	0.05	6.8945G	-49.32	-39.95	-9.37	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07119G	-0.63	6.2922G	-47.71	-40.63	-7.08	1
6025MHz	Pass	6.07039G	-0.13	6.352G	-48.29	-40.13	-8.16	2
6185MHz	Pass	6.15221G	2.94	6.441G	-41.55	-37.06	-4.49	1
6185MHz	Pass	6.11862G	2.57	6.4364G	-40.02	-37.42	-2.60	2
6345MHz	Pass	6.31161G	1.56	6.6012G	-39.65	-38.36	-1.29	1
6345MHz	Pass	6.27162G	1.26	6.5976G	-40.66	-38.34	-2.32	2
6505MHz	Pass	6.55959G	1.79	6.2098G	-42.47	-37.29	-5.18	1
6505MHz	Pass	6.52719G	1.79	6.2462G	-39.70	-38.21	-1.49	2
6665MHz	Pass	6.60921G	2.94	6.2678G	-47.13	-37.06	-10.07	1
6665MHz	Pass	6.60262G	2.16	6.41G	-42.23	-37.84	-4.39	2
6825MHz	Pass	6.75602G	1.59	6.4586G	-45.06	-38.41	-6.65	1
6825MHz	Pass	6.8332G	0.92	6.5668G	-39.38	-39.08	-0.30	2
6985MHz	Pass	6.95421G	1.00	6.6654G	-44.09	-39.00	-5.09	1
6985MHz	Pass	6.9886G	0.56	6.7328G	-40.43	-39.08	-1.35	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.15419G	2.45	6.749G	-43.98	-37.47	-6.51	1
6105MHz	Pass	6.07821G	2.49	6.6042G	-41.81	-37.51	-4.30	2
6265MHz	Pass	6.279G	3.86	6.5818G	-25.30	-16.60	-8.70	1
6265MHz	Pass	6.17302G	3.48	7.0138G	-43.00	-36.52	-6.48	2
6425MHz	Pass	6.411G	3.43	6.717G	-25.40	-16.77	-8.63	1
6425MHz	Pass	6.39941G	3.46	7.0306G	-41.80	-36.54	-5.26	2
6585MHz	Pass	6.5738G	4.09	6.2718G	-25.45	-16.95	-8.50	1
6585MHz	Pass	6.53981G	3.47	5.9734G	-39.72	-35.35	-4.37	2
6745MHz	Pass	6.7342G	3.92	6.4302G	-28.30	-16.36	-11.94	1
6745MHz	Pass	6.61263G	2.90	6.0506G	-42.95	-37.10	-5.85	2
6905MHz	Pass	6.75024G	-0.71	6.4074G	-44.58	-40.71	-3.87	1
6905MHz	Pass	6.84022G	-1.13	6.4026G	-45.05	-41.13	-3.92	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

24/09/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188902G	-6.99	6.163525G	-58.35	-46.84	-11.51	1
6.187202G	-7.01	6.24365G	-59.07	-47.01	-12.06	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

24/09/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187804G	-3.71	6.1424G	-53.70	-43.37	-10.33	1
6.191303G	-3.59	6.2827G	-54.66	-43.59	-11.07	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

24/09/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02219G	1.96	6.114G	-46.99	-38.04	-8.95	1
6.01799G	2.49	6.1136G	-45.80	-36.85	-8.95	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

24/09/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31161G	1.56	6.6012G	-39.65	-38.36	-1.29	1
6.27162G	1.26	6.5976G	-40.66	-38.34	-2.32	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

24/09/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

24/09/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

24/09/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

24/09/2024




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

24/09/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55959G	1.79	6.2098G	-42.47	-37.29	-5.18	1
6.52719G	1.79	6.2462G	-39.70	-38.21	-1.49	2


6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

24/09/2024

CF (Hz)
6.585G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5738G	4.09	6.2718G	-25.45	-16.95	-8.50	1
6.53981G	3.47	5.9734G	-39.72	-35.35	-4.37	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

24/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879599G	-7.43	6.9103G	-58.32	-47.43	-10.89	1
6.867902G	-6.95	6.918975G	-58.46	-46.95	-11.51	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

24/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.901346G	-2.85	6.81975G	-53.04	-42.85	-10.19	1
6.880301G	-1.85	6.9741G	-53.73	-41.85	-11.88	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

24/09/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

24/09/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

24/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75024G	-0.71	6.4074G	-44.58	-40.71	-3.87	1
6.84022G	-1.13	6.4026G	-45.05	-41.13	-3.92	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

24/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.120024G	-9.29	7.070225G	-58.58	-49.29	-9.29	1
7.106077G	-9.36	7.06525G	-58.64	-49.36	-9.28	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

24/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.070204G	-5.97	6.9865G	-53.34	-45.97	-7.37	1
7.073503G	-5.63	7.01215G	-53.47	-45.63	-7.84	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

24/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99491G	-0.55	6.9015G	-45.98	-38.83	-7.15	1
6.99231G	0.05	6.8945G	-49.32	-39.95	-9.37	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

24/09/2024





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	PK	35.82M	34.68	40.00	-5.32	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	35.82M	34.68	40.00	-5.32	3	Vertical	0	1.00
6105MHz	Pass	PK	43.58M	23.97	40.00	-16.03	3	Vertical	0	1.00
6105MHz	Pass	PK	90.14M	28.63	43.50	-14.87	3	Vertical	0	1.00
6105MHz	Pass	PK	441.28M	25.81	46.00	-20.19	3	Vertical	0	1.00
6105MHz	Pass	PK	627.52M	26.43	46.00	-19.57	3	Vertical	0	1.00
6105MHz	Pass	PK	838.98M	28.02	46.00	-17.98	3	Vertical	0	1.00
6105MHz	Pass	PK	49.4M	27.62	40.00	-12.38	3	Horizontal	360	1.00
6105MHz	Pass	PK	92.08M	23.40	43.50	-20.10	3	Horizontal	360	1.00
6105MHz	Pass	PK	297.72M	21.11	46.00	-24.89	3	Horizontal	360	1.00
6105MHz	Pass	PK	470.38M	28.18	46.00	-17.82	3	Horizontal	360	1.00
6105MHz	Pass	PK	635.28M	28.89	46.00	-17.11	3	Horizontal	360	1.00
6105MHz	Pass	PK	848.68M	28.54	46.00	-17.46	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	34.68	40.00	-5.32	-6.23	3	Vertical	0	1.00	40.91	20.41	0.74	27.38
PK	43.58M	23.97	40.00	-16.03	-10.38	3	Vertical	0	1.00	34.35	16.25	0.74	27.37
PK	90.14M	28.63	43.50	-14.87	-11.98	3	Vertical	0	1.00	40.61	14.11	1.17	27.26
PK	441.28M	25.81	46.00	-20.19	-3.66	3	Vertical	0	1.00	29.47	21.73	2.44	27.83
PK	627.52M	26.43	46.00	-19.57	-1.57	3	Vertical	0	1.00	28.00	24.04	2.73	28.34
PK	838.98M	28.02	46.00	-17.98	0.50	3	Vertical	0	1.00	27.52	25.31	3.23	28.04

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	27.62	40.00	-12.38	-13.08	3	Horizontal	360	1.00	40.70	13.51	0.77	27.36
PK	92.08M	23.40	43.50	-20.10	-11.66	3	Horizontal	360	1.00	35.06	14.46	1.13	27.25
PK	297.72M	21.11	46.00	-24.89	-6.49	3	Horizontal	360	1.00	27.60	18.29	1.89	26.67
PK	470.38M	28.18	46.00	-17.82	-3.47	3	Horizontal	360	1.00	31.65	22.06	2.45	27.98
PK	635.28M	28.89	46.00	-17.11	-1.49	3	Horizontal	360	1.00	30.38	24.13	2.76	28.38
PK	848.68M	28.54	46.00	-17.46	0.70	3	Horizontal	360	1.00	27.84	25.42	3.26	27.98

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	11.89662G	40.42	54.00	-13.58	3	Horizontal	319	1.12
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	11.93018G	40.89	54.00	-13.11	3	Vertical	201	2.38
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	11.97078G	41.00	54.00	-13.00	3	Vertical	150	1.39
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.9235G	60.43	68.20	-7.77	3	Vertical	322	2.49
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	5.924G	67.74	68.20	-0.46	3	Vertical	320	2.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	12.95035G	42.05	68.20	-26.15	3	Vertical	29	1.86
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	12.97038G	42.40	68.20	-25.80	3	Vertical	285	1.75
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	12.92961G	42.48	68.20	-25.72	3	Horizontal	121	2.32
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.01384G	42.88	68.20	-25.32	3	Horizontal	360	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.38978G	42.01	54.00	-11.99	3	Vertical	274	1.41
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.37054G	42.61	54.00	-11.39	3	Vertical	91	1.18
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.25014G	42.48	54.00	-11.52	3	Vertical	105	1.13
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	13.27976G	54.21	74.00	-19.79	3	Horizontal	0	1.50
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	7.126G	61.75	68.20	-6.45	3	Vertical	312	2.28
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	68.00	68.20	-0.20	3	Horizontal	1	1.78
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	7.1252G	63.44	68.20	-4.76	3	Horizontal	64	1.00
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	7.1252G	61.01	68.20	-7.19	3	Horizontal	64	1.00
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	7.126G	61.38	68.20	-6.82	3	Horizontal	360	1.79
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	7.1895G	65.24	68.20	-2.96	3	Vertical	307	3.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9232G	48.82	68.20	-19.38	3	Vertical	321	2.29
5955MHz	Pass	AV	5.9628G	98.57	Inf	-Inf	3	Vertical	321	2.29
5955MHz	Pass	PK	5.9208G	60.90	88.20	-27.30	3	Vertical	321	2.29
5955MHz	Pass	PK	5.9484G	109.86	Inf	-Inf	3	Vertical	321	2.29
5955MHz	Pass	AV	5.9202G	48.63	68.20	-19.57	3	Horizontal	63	2.32
5955MHz	Pass	AV	5.9634G	91.24	Inf	-Inf	3	Horizontal	63	2.32
5955MHz	Pass	PK	5.814G	61.86	88.20	-26.34	3	Horizontal	63	2.32
5955MHz	Pass	PK	5.9616G	102.83	Inf	-Inf	3	Horizontal	63	2.32
5955MHz	Pass	AV	11.89986G	40.39	54.00	-13.61	3	Vertical	354	1.37
5955MHz	Pass	PK	11.92392G	52.91	74.00	-21.09	3	Vertical	354	1.37
5955MHz	Pass	AV	11.89662G	40.42	54.00	-13.58	3	Horizontal	319	1.12
5955MHz	Pass	PK	11.90634G	52.21	74.00	-21.79	3	Horizontal	319	1.12
6195MHz	Pass	AV	12.38941G	40.05	54.00	-13.95	3	Vertical	49	1.09
6195MHz	Pass	PK	12.38985G	52.69	74.00	-21.31	3	Vertical	49	1.09
6195MHz	Pass	AV	12.391G	40.06	54.00	-13.94	3	Horizontal	155	1.15
6195MHz	Pass	PK	12.38944G	52.01	74.00	-21.99	3	Horizontal	155	1.15
6415MHz	Pass	AV	12.82942G	41.22	68.20	-26.98	3	Vertical	41	2.87
6415MHz	Pass	PK	12.8303G	52.80	88.20	-35.40	3	Vertical	41	2.87
6415MHz	Pass	AV	12.83048G	41.21	68.20	-26.99	3	Horizontal	262	1.39
6415MHz	Pass	PK	12.82904G	52.66	88.20	-35.54	3	Horizontal	262	1.39
6435MHz	Pass	AV	12.8694G	41.65	68.20	-26.55	3	Vertical	218	1.50
6435MHz	Pass	PK	12.86972G	53.25	88.20	-34.95	3	Vertical	218	1.50
6435MHz	Pass	AV	12.86969G	41.65	68.20	-26.55	3	Horizontal	256	2.87
6435MHz	Pass	PK	12.87069G	53.54	88.20	-34.66	3	Horizontal	256	2.87
6475MHz	Pass	AV	12.95035G	42.05	68.20	-26.15	3	Vertical	29	1.86
6475MHz	Pass	PK	12.94968G	53.21	88.20	-34.99	3	Vertical	29	1.86
6475MHz	Pass	AV	12.95072G	42.05	68.20	-26.15	3	Horizontal	288	1.77
6475MHz	Pass	PK	12.94958G	53.75	88.20	-34.45	3	Horizontal	288	1.77
6515MHz	Pass	AV	13.03022G	41.80	68.20	-26.40	3	Vertical	119	2.24
6515MHz	Pass	PK	13.03074G	52.99	88.20	-35.21	3	Vertical	119	2.24
6515MHz	Pass	AV	13.03096G	41.82	68.20	-26.38	3	Horizontal	339	2.43
6515MHz	Pass	PK	13.03019G	53.46	88.20	-34.74	3	Horizontal	339	2.43
6535MHz	Pass	AV	13.06922G	41.78	68.20	-26.42	3	Vertical	208	1.24
6535MHz	Pass	PK	13.06907G	53.26	88.20	-34.94	3	Vertical	208	1.24
6535MHz	Pass	AV	13.07063G	41.80	68.20	-26.40	3	Horizontal	216	2.96
6535MHz	Pass	PK	13.07008G	53.23	88.20	-34.97	3	Horizontal	216	2.96
6695MHz	Pass	AV	13.38978G	42.01	54.00	-11.99	3	Vertical	274	1.41
6695MHz	Pass	PK	13.39092G	53.85	74.00	-20.15	3	Vertical	274	1.41
6695MHz	Pass	AV	13.38951G	42.00	54.00	-12.00	3	Horizontal	189	1.88
6695MHz	Pass	PK	13.39076G	54.41	74.00	-19.59	3	Horizontal	189	1.88
6875MHz	Pass	AV	13.74943G	42.13	68.20	-26.07	3	Vertical	210	2.98
6875MHz	Pass	PK	13.749G	54.02	88.20	-34.18	3	Vertical	210	2.98
6875MHz	Pass	AV	13.74936G	42.12	68.20	-26.08	3	Horizontal	275	2.60
6875MHz	Pass	PK	13.75026G	54.05	88.20	-34.15	3	Horizontal	275	2.60
6895MHz	Pass	AV	13.78926G	42.13	68.20	-26.07	3	Vertical	10	1.00
6895MHz	Pass	PK	13.79056G	53.74	88.20	-34.46	3	Vertical	10	1.00
6895MHz	Pass	AV	13.78937G	42.12	68.20	-26.08	3	Horizontal	161	1.23
6895MHz	Pass	PK	13.79092G	52.72	88.20	-35.48	3	Horizontal	161	1.23
6995MHz	Pass	AV	13.98928G	42.05	68.20	-26.15	3	Vertical	236	1.83
6995MHz	Pass	PK	13.98914G	53.24	88.20	-34.96	3	Vertical	236	1.83
6995MHz	Pass	AV	13.98938G	42.05	68.20	-26.15	3	Horizontal	301	1.43
6995MHz	Pass	PK	13.98955G	53.24	88.20	-34.96	3	Horizontal	301	1.43
7095MHz	Pass	AV	7.0872G	98.97	Inf	-Inf	3	Vertical	35	1.72
7095MHz	Pass	AV	7.2408G	53.13	68.20	-15.07	3	Vertical	35	1.72
7095MHz	Pass	PK	7.0872G	110.57	Inf	-Inf	3	Vertical	35	1.72
7095MHz	Pass	PK	7.1784G	66.10	88.20	-22.10	3	Vertical	35	1.72
7095MHz	Pass	AV	7.0863G	98.28	Inf	-Inf	3	Horizontal	360	1.80
7095MHz	Pass	AV	7.1253G	53.03	68.20	-15.17	3	Horizontal	360	1.80
7095MHz	Pass	PK	7.0875G	111.31	Inf	-Inf	3	Horizontal	360	1.80
7095MHz	Pass	PK	7.1292G	66.02	88.20	-22.18	3	Horizontal	360	1.80



RSE TX above 1GHz_Non-Beamforming_Radio 2_1TX_LPI

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18966G	42.30	68.20	-25.90	3	Vertical	221	2.87
7095MHz	Pass	PK	14.1901G	53.17	88.20	-35.03	3	Vertical	221	2.87
7095MHz	Pass	AV	14.19037G	42.32	68.20	-25.88	3	Horizontal	282	1.95
7095MHz	Pass	PK	14.18987G	53.61	88.20	-34.59	3	Horizontal	282	1.95
7115MHz	Pass	AV	7.1075G	92.08	Inf	-Inf	3	Vertical	33	1.62
7115MHz	Pass	AV	7.1255G	67.71	68.20	-0.49	3	Vertical	33	1.62
7115MHz	Pass	PK	7.1095G	97.91	Inf	-Inf	3	Vertical	33	1.62
7115MHz	Pass	PK	7.1255G	76.82	88.20	-11.38	3	Vertical	33	1.62
7115MHz	Pass	AV	7.1065G	91.61	Inf	-Inf	3	Horizontal	1	1.78
7115MHz	Pass	AV	7.1255G	68.00	68.20	-0.20	3	Horizontal	1	1.78
7115MHz	Pass	PK	7.1175G	97.61	Inf	-Inf	3	Horizontal	1	1.78
7115MHz	Pass	PK	7.1255G	76.63	88.20	-11.57	3	Horizontal	1	1.78
7115MHz	Pass	AV	14.22999G	42.33	68.20	-25.87	3	Vertical	180	1.78
7115MHz	Pass	PK	14.22915G	53.31	88.20	-34.89	3	Vertical	180	1.78
7115MHz	Pass	AV	14.22947G	42.30	68.20	-25.90	3	Horizontal	330	2.37
7115MHz	Pass	PK	14.231G	53.29	88.20	-34.91	3	Horizontal	330	2.37
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9206G	49.25	68.20	-18.95	3	Vertical	321	2.41
5965MHz	Pass	AV	5.9824G	99.13	Inf	-Inf	3	Vertical	321	2.41
5965MHz	Pass	PK	5.905G	61.73	88.20	-26.47	3	Vertical	321	2.41
5965MHz	Pass	PK	5.98G	110.83	Inf	-Inf	3	Vertical	321	2.41
5965MHz	Pass	AV	5.9215G	48.88	68.20	-19.32	3	Horizontal	11	2.96
5965MHz	Pass	AV	5.9821G	93.32	Inf	-Inf	3	Horizontal	11	2.96
5965MHz	Pass	PK	5.8627G	61.00	88.20	-27.20	3	Horizontal	11	2.96
5965MHz	Pass	PK	5.9707G	105.39	Inf	-Inf	3	Horizontal	11	2.96
5965MHz	Pass	AV	11.93018G	40.89	54.00	-13.11	3	Vertical	201	2.38
5965MHz	Pass	PK	11.92904G	52.55	74.00	-21.45	3	Vertical	201	2.38
5965MHz	Pass	AV	11.93021G	40.88	54.00	-13.12	3	Horizontal	3	1.79
5965MHz	Pass	PK	11.93091G	51.46	74.00	-22.54	3	Horizontal	3	1.79
6205MHz	Pass	AV	12.41008G	40.40	54.00	-13.60	3	Vertical	71	2.97
6205MHz	Pass	PK	12.40988G	51.85	74.00	-22.15	3	Vertical	71	2.97
6205MHz	Pass	AV	12.41061G	40.34	54.00	-13.66	3	Horizontal	290	2.29
6205MHz	Pass	PK	12.41035G	51.85	74.00	-22.15	3	Horizontal	290	2.29
6405MHz	Pass	AV	12.81062G	41.78	68.20	-26.42	3	Vertical	295	1.55
6405MHz	Pass	PK	12.80928G	53.11	88.20	-35.09	3	Vertical	295	1.55
6405MHz	Pass	AV	12.81054G	41.69	68.20	-26.51	3	Horizontal	189	2.90
6405MHz	Pass	PK	12.81047G	52.94	88.20	-35.26	3	Horizontal	189	2.90
6445MHz	Pass	AV	12.89043G	42.21	68.20	-25.99	3	Vertical	241	2.74
6445MHz	Pass	PK	12.89006G	52.97	88.20	-35.23	3	Vertical	241	2.74
6445MHz	Pass	AV	12.89001G	42.19	68.20	-26.01	3	Horizontal	38	2.16
6445MHz	Pass	PK	12.89079G	53.99	88.20	-34.21	3	Horizontal	38	2.16
6485MHz	Pass	AV	12.97038G	42.40	68.20	-25.80	3	Vertical	285	1.75
6485MHz	Pass	PK	12.97002G	53.06	88.20	-35.14	3	Vertical	285	1.75
6485MHz	Pass	AV	12.96911G	42.40	68.20	-25.80	3	Horizontal	292	1.01
6485MHz	Pass	PK	12.97073G	53.08	88.20	-35.12	3	Horizontal	292	1.01
6525MHz	Pass	AV	13.04985G	42.10	68.20	-26.10	3	Vertical	218	1.26
6525MHz	Pass	PK	13.04949G	52.53	88.20	-35.67	3	Vertical	218	1.26
6525MHz	Pass	AV	13.04947G	42.11	68.20	-26.09	3	Horizontal	35	2.92
6525MHz	Pass	PK	13.04994G	52.92	88.20	-35.28	3	Horizontal	35	2.92
6565MHz	Pass	AV	13.13099G	42.24	68.20	-25.96	3	Vertical	316	1.41
6565MHz	Pass	PK	13.12954G	53.40	88.20	-34.80	3	Vertical	316	1.41
6565MHz	Pass	AV	13.12995G	42.18	68.20	-26.02	3	Horizontal	24	2.46
6565MHz	Pass	PK	13.129G	53.08	88.20	-35.12	3	Horizontal	24	2.46
6685MHz	Pass	AV	13.37054G	42.61	54.00	-11.39	3	Vertical	91	1.18
6685MHz	Pass	PK	13.36939G	52.97	74.00	-21.03	3	Vertical	91	1.18
6685MHz	Pass	AV	13.36962G	42.57	54.00	-11.43	3	Horizontal	82	2.66
6685MHz	Pass	PK	13.37048G	53.24	74.00	-20.76	3	Horizontal	82	2.66
6885MHz	Pass	AV	13.77001G	42.64	68.20	-25.56	3	Vertical	134	1.33
6885MHz	Pass	PK	13.77014G	55.15	88.20	-33.05	3	Vertical	134	1.33
6885MHz	Pass	AV	13.76925G	42.82	68.20	-25.38	3	Horizontal	110	2.83
6885MHz	Pass	PK	13.7701G	53.41	88.20	-34.79	3	Horizontal	110	2.83
6925MHz	Pass	AV	13.85052G	42.49	68.20	-25.71	3	Vertical	115	1.53

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.84906G	53.15	88.20	-35.05	3	Vertical	115	1.53
6925MHz	Pass	AV	13.85061G	42.51	68.20	-25.69	3	Horizontal	85	2.40
6925MHz	Pass	PK	13.85G	53.03	88.20	-35.17	3	Horizontal	85	2.40
7005MHz	Pass	AV	14.01047G	42.67	68.20	-25.53	3	Vertical	144	1.50
7005MHz	Pass	PK	14.01018G	53.17	88.20	-35.03	3	Vertical	144	1.50
7005MHz	Pass	AV	14.00906G	42.61	68.20	-25.59	3	Horizontal	125	1.95
7005MHz	Pass	PK	14.00957G	53.81	88.20	-34.39	3	Horizontal	125	1.95
7085MHz	Pass	AV	7.0766G	97.34	Inf	-Inf	3	Vertical	35	1.77
7085MHz	Pass	AV	7.1252G	62.35	68.20	-5.85	3	Vertical	35	1.77
7085MHz	Pass	PK	7.076G	109.23	Inf	-Inf	3	Vertical	35	1.77
7085MHz	Pass	PK	7.13G	75.65	88.20	-12.55	3	Vertical	35	1.77
7085MHz	Pass	AV	7.073G	98.53	Inf	-Inf	3	Horizontal	64	1.00
7085MHz	Pass	AV	7.1252G	63.44	68.20	-4.76	3	Horizontal	64	1.00
7085MHz	Pass	PK	7.1012G	110.10	Inf	-Inf	3	Horizontal	64	1.00
7085MHz	Pass	PK	7.13G	78.04	88.20	-10.16	3	Horizontal	64	1.00
7085MHz	Pass	AV	14.17065G	42.99	68.20	-25.21	3	Vertical	142	1.66
7085MHz	Pass	PK	14.17037G	54.20	88.20	-34.00	3	Vertical	142	1.66
7085MHz	Pass	AV	14.17041G	43.05	68.20	-25.15	3	Horizontal	237	2.04
7085MHz	Pass	PK	14.16932G	53.43	88.20	-34.77	3	Horizontal	237	2.04
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.921G	52.99	68.20	-15.21	3	Vertical	323	2.39
5985MHz	Pass	AV	5.995G	98.90	Inf	-Inf	3	Vertical	323	2.39
5985MHz	Pass	PK	5.92G	65.30	88.20	-22.90	3	Vertical	323	2.39
5985MHz	Pass	PK	5.999G	111.52	Inf	-Inf	3	Vertical	323	2.39
5985MHz	Pass	AV	5.925G	49.86	68.20	-18.34	3	Horizontal	326	1.00
5985MHz	Pass	AV	5.999G	89.72	Inf	-Inf	3	Horizontal	326	1.00
5985MHz	Pass	PK	5.904G	62.05	88.20	-26.15	3	Horizontal	326	1.00
5985MHz	Pass	PK	5.996G	102.11	Inf	-Inf	3	Horizontal	326	1.00
5985MHz	Pass	AV	11.97078G	41.00	54.00	-13.00	3	Vertical	150	1.39
5985MHz	Pass	PK	11.97087G	51.89	74.00	-22.11	3	Vertical	150	1.39
5985MHz	Pass	AV	11.97082G	40.99	54.00	-13.01	3	Horizontal	184	1.36
5985MHz	Pass	PK	11.96916G	51.88	74.00	-22.12	3	Horizontal	184	1.36
6225MHz	Pass	AV	12.44901G	40.60	54.00	-13.40	3	Vertical	80	1.71
6225MHz	Pass	PK	12.44994G	50.83	74.00	-23.17	3	Vertical	80	1.71
6225MHz	Pass	AV	12.44945G	40.55	54.00	-13.45	3	Horizontal	133	2.42
6225MHz	Pass	PK	12.45096G	51.47	74.00	-22.53	3	Horizontal	133	2.42
6385MHz	Pass	AV	12.77092G	41.54	68.20	-26.66	3	Vertical	127	2.73
6385MHz	Pass	PK	12.77G	52.90	88.20	-35.30	3	Vertical	127	2.73
6385MHz	Pass	AV	12.76986G	41.49	68.20	-26.71	3	Horizontal	272	2.85
6385MHz	Pass	PK	12.76915G	52.89	88.20	-35.31	3	Horizontal	272	2.85
6465MHz	Pass	AV	12.92906G	42.46	68.20	-25.74	3	Vertical	47	1.69
6465MHz	Pass	PK	12.92993G	53.25	88.20	-34.95	3	Vertical	47	1.69
6465MHz	Pass	AV	12.92961G	42.48	68.20	-25.72	3	Horizontal	121	2.32
6465MHz	Pass	PK	12.93078G	53.07	88.20	-35.13	3	Horizontal	121	2.32
6545MHz	Pass	AV	13.08983G	42.39	68.20	-25.81	3	Vertical	266	2.78
6545MHz	Pass	PK	13.08989G	53.71	88.20	-34.49	3	Vertical	266	2.78
6545MHz	Pass	AV	13.09018G	42.39	68.20	-25.81	3	Horizontal	239	1.98
6545MHz	Pass	PK	13.0896G	52.96	88.20	-35.24	3	Horizontal	239	1.98
6625MHz	Pass	AV	13.25014G	42.48	54.00	-11.52	3	Vertical	105	1.13
6625MHz	Pass	PK	13.25086G	52.97	74.00	-21.03	3	Vertical	105	1.13
6625MHz	Pass	AV	13.25094G	42.41	54.00	-11.59	3	Horizontal	70	2.11
6625MHz	Pass	PK	13.25088G	54.37	74.00	-19.63	3	Horizontal	70	2.11
6705MHz	Pass	AV	13.40994G	42.82	68.20	-25.38	3	Vertical	103	1.70
6705MHz	Pass	PK	13.41051G	54.21	88.20	-33.99	3	Vertical	103	1.70
6705MHz	Pass	AV	13.41066G	42.78	68.20	-25.42	3	Horizontal	171	2.40
6705MHz	Pass	PK	13.40919G	53.53	88.20	-34.67	3	Horizontal	171	2.40
6785MHz	Pass	AV	13.56938G	42.82	68.20	-25.38	3	Vertical	332	2.92
6785MHz	Pass	PK	13.56906G	54.08	88.20	-34.12	3	Vertical	332	2.92
6785MHz	Pass	AV	13.5691G	42.88	68.20	-25.32	3	Horizontal	67	1.34
6785MHz	Pass	PK	13.56981G	53.63	88.20	-34.57	3	Horizontal	67	1.34
6865MHz	Pass	AV	13.72936G	42.82	68.20	-25.38	3	Vertical	179	1.35
6865MHz	Pass	PK	13.73078G	53.48	88.20	-34.72	3	Vertical	179	1.35

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.73011G	42.82	68.20	-25.38	3	Horizontal	34	1.20
6865MHz	Pass	PK	13.72914G	52.93	88.20	-35.27	3	Horizontal	34	1.20
6945MHz	Pass	AV	13.88922G	42.75	68.20	-25.45	3	Vertical	230	1.81
6945MHz	Pass	PK	13.88991G	53.65	88.20	-34.55	3	Vertical	230	1.81
6945MHz	Pass	AV	13.88904G	42.75	68.20	-25.45	3	Horizontal	25	2.10
6945MHz	Pass	PK	13.89089G	53.69	88.20	-34.51	3	Horizontal	25	2.10
7025MHz	Pass	AV	6.9899G	95.13	Inf	-Inf	3	Vertical	29	1.50
7025MHz	Pass	AV	7.1255G	58.11	68.20	-10.09	3	Vertical	29	1.50
7025MHz	Pass	PK	6.9884G	106.81	Inf	-Inf	3	Vertical	29	1.50
7025MHz	Pass	PK	7.1267G	71.13	88.20	-17.07	3	Vertical	29	1.50
7025MHz	Pass	AV	7.0604G	95.24	Inf	-Inf	3	Horizontal	64	1.00
7025MHz	Pass	AV	7.1252G	61.01	68.20	-7.19	3	Horizontal	64	1.00
7025MHz	Pass	PK	6.9989G	107.90	Inf	-Inf	3	Horizontal	64	1.00
7025MHz	Pass	PK	7.1285G	73.74	88.20	-14.46	3	Horizontal	64	1.00
7025MHz	Pass	AV	14.05032G	43.03	68.20	-25.17	3	Vertical	181	2.14
7025MHz	Pass	PK	14.05018G	53.53	88.20	-34.67	3	Vertical	181	2.14
7025MHz	Pass	AV	14.05083G	43.00	68.20	-25.20	3	Horizontal	328	1.63
7025MHz	Pass	PK	14.05062G	53.49	88.20	-34.71	3	Horizontal	328	1.63
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	60.43	68.20	-7.77	3	Vertical	322	2.49
6025MHz	Pass	AV	6.0315G	97.40	Inf	-Inf	3	Vertical	322	2.49
6025MHz	Pass	PK	5.916G	72.99	88.20	-15.21	3	Vertical	322	2.49
6025MHz	Pass	PK	6.033G	110.08	Inf	-Inf	3	Vertical	322	2.49
6025MHz	Pass	AV	5.924G	51.60	68.20	-16.60	3	Horizontal	333	1.00
6025MHz	Pass	AV	6.0925G	88.18	Inf	-Inf	3	Horizontal	333	1.00
6025MHz	Pass	PK	5.9225G	63.93	88.20	-24.27	3	Horizontal	333	1.00
6025MHz	Pass	PK	6.099G	99.98	Inf	-Inf	3	Horizontal	333	1.00
6025MHz	Pass	AV	12.0644G	41.74	54.00	-12.26	3	Vertical	167	1.07
6025MHz	Pass	PK	12.07816G	54.43	74.00	-19.57	3	Vertical	167	1.07
6025MHz	Pass	AV	12.06024G	41.49	54.00	-12.51	3	Horizontal	279	1.50
6025MHz	Pass	PK	11.9876G	53.14	74.00	-20.86	3	Horizontal	279	1.50
6185MHz	Pass	AV	12.30472G	40.98	54.00	-13.02	3	Vertical	100	1.50
6185MHz	Pass	PK	12.32008G	53.11	74.00	-20.89	3	Vertical	100	1.50
6185MHz	Pass	AV	12.3012G	41.11	54.00	-12.89	3	Horizontal	116	1.50
6185MHz	Pass	PK	12.34184G	52.59	74.00	-21.41	3	Horizontal	116	1.50
6345MHz	Pass	AV	12.7668G	41.53	68.20	-26.67	3	Vertical	162	1.50
6345MHz	Pass	PK	12.71208G	53.14	88.20	-35.06	3	Vertical	162	1.50
6345MHz	Pass	AV	12.76264G	41.55	68.20	-26.65	3	Horizontal	323	2.54
6345MHz	Pass	PK	12.74472G	53.81	88.20	-34.39	3	Horizontal	323	2.54
6505MHz	Pass	AV	12.9956G	42.71	68.20	-25.49	3	Vertical	286	1.70
6505MHz	Pass	PK	13.0324G	54.21	88.20	-33.99	3	Vertical	286	1.70
6505MHz	Pass	AV	13.01384G	42.88	68.20	-25.32	3	Horizontal	360	1.50
6505MHz	Pass	PK	13.0036G	55.34	88.20	-32.86	3	Horizontal	360	1.50
6665MHz	Pass	AV	13.498G	43.15	68.20	-25.05	3	Vertical	107	1.69
6665MHz	Pass	PK	13.543G	54.65	88.20	-33.55	3	Vertical	107	1.69
6665MHz	Pass	AV	13.40936G	42.90	68.20	-25.30	3	Horizontal	0	1.50
6665MHz	Pass	PK	13.27976G	54.21	74.00	-19.79	3	Horizontal	0	1.50
6825MHz	Pass	AV	13.59624G	42.85	68.20	-25.35	3	Vertical	327	1.50
6825MHz	Pass	PK	13.63976G	55.26	88.20	-32.94	3	Vertical	327	1.50
6825MHz	Pass	AV	13.64264G	42.83	68.20	-25.37	3	Horizontal	75	1.50
6825MHz	Pass	PK	13.59464G	54.85	88.20	-33.35	3	Horizontal	75	1.50
6985MHz	Pass	AV	6.9625G	92.12	Inf	-Inf	3	Vertical	32	1.46
6985MHz	Pass	AV	7.126G	60.00	68.20	-8.20	3	Vertical	32	1.46
6985MHz	Pass	PK	6.968G	104.37	Inf	-Inf	3	Vertical	32	1.46
6985MHz	Pass	PK	7.1295G	76.68	88.20	-11.52	3	Vertical	32	1.46
6985MHz	Pass	AV	6.914G	92.45	Inf	-Inf	3	Horizontal	360	1.79
6985MHz	Pass	AV	7.126G	61.38	68.20	-6.82	3	Horizontal	360	1.79
6985MHz	Pass	PK	6.9105G	104.64	Inf	-Inf	3	Horizontal	360	1.79
6985MHz	Pass	PK	7.1385G	77.39	88.20	-10.81	3	Horizontal	360	1.79
6985MHz	Pass	AV	14.04904G	43.00	68.20	-25.20	3	Vertical	62	1.50
6985MHz	Pass	PK	14.04904G	54.11	88.20	-34.09	3	Vertical	62	1.50
6985MHz	Pass	AV	14.04744G	42.99	68.20	-25.21	3	Horizontal	282	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 2_1TX_LPI

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	14.02504G	54.44	88.20	-33.76	3	Horizontal	282	1.50
802.11be EHT320_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	67.74	68.20	-0.46	3	Vertical	320	2.50
6105MHz	Pass	AV	6.032G	95.56	Inf	-Inf	3	Vertical	320	2.50
6105MHz	Pass	PK	5.922G	81.05	88.20	-7.15	3	Vertical	320	2.50
6105MHz	Pass	PK	6.036G	107.70	Inf	-Inf	3	Vertical	320	2.50
6105MHz	Pass	AV	5.925G	53.15	68.20	-15.05	3	Horizontal	341	1.00
6105MHz	Pass	AV	6.239G	87.45	Inf	-Inf	3	Horizontal	341	1.00
6105MHz	Pass	PK	5.922G	65.91	88.20	-22.29	3	Horizontal	341	1.00
6105MHz	Pass	PK	6.217G	99.76	Inf	-Inf	3	Horizontal	341	1.00
6105MHz	Pass	AV	12.19016G	41.61	54.00	-12.39	3	Vertical	328	1.23
6105MHz	Pass	PK	12.16904G	52.63	74.00	-21.37	3	Vertical	328	1.23
6105MHz	Pass	AV	12.19688G	41.62	54.00	-12.38	3	Horizontal	31	1.50
6105MHz	Pass	PK	12.16232G	53.10	74.00	-20.90	3	Horizontal	31	1.50
6265MHz	Pass	AV	12.60552G	40.60	54.00	-13.40	3	Vertical	217	1.81
6265MHz	Pass	PK	12.59656G	52.07	74.00	-21.93	3	Vertical	217	1.81
6265MHz	Pass	AV	12.60072G	40.70	54.00	-13.30	3	Horizontal	47	1.00
6265MHz	Pass	PK	12.56424G	53.14	74.00	-20.86	3	Horizontal	47	1.00
6425MHz	Pass	AV	12.89416G	42.58	68.20	-25.62	3	Vertical	244	2.53
6425MHz	Pass	PK	12.92296G	54.57	88.20	-33.63	3	Vertical	244	2.53
6425MHz	Pass	AV	12.92392G	42.52	68.20	-25.68	3	Horizontal	59	1.50
6425MHz	Pass	PK	12.8212G	54.73	88.20	-33.47	3	Horizontal	59	1.50
6585MHz	Pass	AV	13.18136G	42.58	68.20	-25.62	3	Vertical	85	1.06
6585MHz	Pass	PK	13.1692G	54.62	88.20	-33.58	3	Vertical	85	1.06
6585MHz	Pass	AV	13.18376G	42.58	68.20	-25.62	3	Horizontal	248	1.50
6585MHz	Pass	PK	13.19416G	54.40	88.20	-33.80	3	Horizontal	248	1.50
6745MHz	Pass	AV	6.596G	92.94	Inf	-Inf	3	Vertical	312	2.28
6745MHz	Pass	AV	7.126G	61.75	68.20	-6.45	3	Vertical	312	2.28
6745MHz	Pass	PK	6.591G	104.84	Inf	-Inf	3	Vertical	312	2.28
6745MHz	Pass	PK	7.129G	76.35	88.20	-11.85	3	Vertical	312	2.28
6745MHz	Pass	AV	6.678G	90.70	Inf	-Inf	3	Horizontal	1	3.00
6745MHz	Pass	AV	7.133G	59.43	68.20	-8.77	3	Horizontal	1	3.00
6745MHz	Pass	PK	6.706G	102.85	Inf	-Inf	3	Horizontal	1	3.00
6745MHz	Pass	PK	7.133G	73.01	88.20	-15.19	3	Horizontal	1	3.00
6745MHz	Pass	AV	13.4964G	43.06	68.20	-25.14	3	Vertical	193	2.92
6745MHz	Pass	PK	13.48904G	55.16	88.20	-33.04	3	Vertical	193	2.92
6745MHz	Pass	AV	13.49672G	43.14	68.20	-25.06	3	Horizontal	328	2.63
6745MHz	Pass	PK	13.498G	55.04	88.20	-33.16	3	Horizontal	328	2.63
6905MHz	Pass	AV	6.8925G	94.74	Inf	-Inf	3	Vertical	307	3.00
6905MHz	Pass	AV	7.1895G	65.24	68.20	-2.96	3	Vertical	307	3.00
6905MHz	Pass	PK	6.8775G	102.66	Inf	-Inf	3	Vertical	307	3.00
6905MHz	Pass	PK	7.1885G	82.13	88.20	-6.07	3	Vertical	307	3.00
6905MHz	Pass	AV	6.9286G	91.52	Inf	-Inf	3	Horizontal	162	2.85
6905MHz	Pass	AV	7.1927G	64.28	68.20	-3.92	3	Horizontal	162	2.85
6905MHz	Pass	PK	6.9808G	100.45	Inf	-Inf	3	Horizontal	162	2.85
6905MHz	Pass	PK	7.1847G	80.25	88.20	-7.95	3	Horizontal	162	2.85
6905MHz	Pass	AV	13.77064G	42.97	68.20	-25.23	3	Vertical	19	1.50
6905MHz	Pass	PK	13.806G	53.80	88.20	-34.40	3	Vertical	19	1.50
6905MHz	Pass	AV	13.77752G	42.90	68.20	-25.30	3	Horizontal	35	1.50
6905MHz	Pass	PK	13.81224G	53.81	88.20	-34.39	3	Horizontal	35	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9206G	49.25	68.20	-18.95	6.57	3	Vertical	321	2.41	42.68	34.36	7.33	35.12
AV	5.9824G	99.13	Inf	-Inf	6.57	3	Vertical	321	2.41	92.56	34.30	7.35	35.08
PK	5.905G	61.73	88.20	-26.47	6.58	3	Vertical	321	2.41	55.15	34.39	7.32	35.13
PK	5.98G	110.83	Inf	-Inf	6.57	3	Vertical	321	2.41	104.26	34.30	7.35	35.08

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9215G	48.88	68.20	-19.32	6.57	3	Horizontal	11	2.96	42.31	34.36	7.33	35.12
AV	5.9821G	93.32	Inf	-Inf	6.57	3	Horizontal	11	2.96	86.75	34.30	7.35	35.08
PK	5.8627G	61.00	88.20	-27.20	6.48	3	Horizontal	11	2.96	54.52	34.33	7.31	35.16
PK	5.9707G	105.39	Inf	-Inf	6.56	3	Horizontal	11	2.96	98.83	34.30	7.35	35.09


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	52.99	68.20	-15.21	6.57	3	Vertical	323	2.39	46.42	34.36	7.33	35.12
AV	5.995G	98.90	Inf	-Inf	6.59	3	Vertical	323	2.39	92.31	34.30	7.36	35.07
PK	5.92G	65.30	88.20	-22.90	6.57	3	Vertical	323	2.39	58.73	34.36	7.33	35.12
PK	5.999G	111.52	Inf	-Inf	6.59	3	Vertical	323	2.39	104.93	34.30	7.36	35.07

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	49.86	68.20	-18.34	6.56	3	Horizontal	326	1.00	43.30	34.35	7.33	35.12
AV	5.999G	89.72	Inf	-Inf	6.59	3	Horizontal	326	1.00	83.13	34.30	7.36	35.07
PK	5.904G	62.05	88.20	-26.15	6.58	3	Horizontal	326	1.00	55.47	34.39	7.32	35.13
PK	5.996G	102.11	Inf	-Inf	6.59	3	Horizontal	326	1.00	95.52	34.30	7.36	35.07


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	60.43	68.20	-7.77	6.56	3	Vertical	322	2.49	53.87	34.35	7.33	35.12
AV	6.0315G	97.40	Inf	-Inf	6.59	3	Vertical	322	2.49	90.81	34.30	7.37	35.08
PK	5.916G	72.99	88.20	-15.21	6.58	3	Vertical	322	2.49	66.41	34.37	7.33	35.12
PK	6.033G	110.08	Inf	-Inf	6.59	3	Vertical	322	2.49	103.49	34.30	7.37	35.08

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	51.60	68.20	-16.60	6.56	3	Horizontal	333	1.00	45.04	34.35	7.33	35.12
AV	6.0925G	88.18	Inf	-Inf	6.58	3	Horizontal	333	1.00	81.60	34.30	7.39	35.11
PK	5.9225G	63.93	88.20	-24.27	6.56	3	Horizontal	333	1.00	57.37	34.35	7.33	35.12
PK	6.099G	99.98	Inf	-Inf	6.58	3	Horizontal	333	1.00	93.40	34.30	7.39	35.11


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.924G	67.74	68.20	-0.46	6.56	3	Vertical	320	2.50	61.18	34.35	7.33	35.12
AV	6.032G	95.56	Inf	-Inf	6.59	3	Vertical	320	2.50	88.97	34.30	7.37	35.08
PK	5.922G	81.05	88.20	-7.15	6.57	3	Vertical	320	2.50	74.48	34.36	7.33	35.12
PK	6.036G	107.70	Inf	-Inf	6.59	3	Vertical	320	2.50	101.11	34.30	7.37	35.08

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	53.15	68.20	-15.05	6.56	3	Horizontal	341	1.00	46.59	34.35	7.33	35.12
AV	6.239G	87.45	Inf	-Inf	6.77	3	Horizontal	341	1.00	80.68	34.48	7.46	35.17
PK	5.922G	65.91	88.20	-22.29	6.57	3	Horizontal	341	1.00	59.34	34.36	7.33	35.12
PK	6.217G	99.76	Inf	-Inf	6.71	3	Horizontal	341	1.00	93.05	34.43	7.44	35.16


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.596G	92.94	Inf	-Inf	8.46	3	Vertical	312	2.28	84.48	36.07	7.59	35.20
AV	7.126G	61.75	68.20	-6.45	9.80	3	Vertical	312	2.28	51.95	36.76	7.93	34.89
PK	6.591G	104.84	Inf	-Inf	8.42	3	Vertical	312	2.28	96.42	36.03	7.59	35.20
PK	7.129G	76.35	88.20	-11.85	9.81	3	Vertical	312	2.28	66.54	36.77	7.93	34.89

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.678G	90.70	Inf	-Inf	8.63	3	Horizontal	1	3.00	82.07	36.16	7.61	35.14
AV	7.133G	59.43	68.20	-8.77	9.85	3	Horizontal	1	3.00	49.58	36.80	7.94	34.89
PK	6.706G	102.85	Inf	-Inf	8.69	3	Horizontal	1	3.00	94.16	36.19	7.62	35.12
PK	7.133G	73.01	88.20	-15.19	9.85	3	Horizontal	1	3.00	63.16	36.80	7.94	34.89


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0766G	97.34	Inf	-Inf	9.46	3	Vertical	35	1.77	87.88	36.46	7.90	34.90
AV	7.1252G	62.35	68.20	-5.85	9.79	3	Vertical	35	1.77	52.56	36.75	7.93	34.89
PK	7.076G	109.23	Inf	-Inf	9.46	3	Vertical	35	1.77	99.77	36.46	7.90	34.90
PK	7.13G	75.65	88.20	-12.55	9.82	3	Vertical	35	1.77	65.83	36.78	7.93	34.89

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.073G	98.53	Inf	-Inf	9.44	3	Horizontal	64	1.00	89.09	36.44	7.90	34.90
AV	7.1252G	63.44	68.20	-4.76	9.79	3	Horizontal	64	1.00	53.65	36.75	7.93	34.89
PK	7.1012G	110.10	Inf	-Inf	9.63	3	Horizontal	64	1.00	100.47	36.61	7.92	34.90
PK	7.13G	78.04	88.20	-10.16	9.82	3	Horizontal	64	1.00	68.22	36.78	7.93	34.89


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.9899G	95.13	Inf	-Inf	9.03	3	Vertical	29	1.50	86.10	36.10	7.84	34.91
AV	7.1255G	58.11	68.20	-10.09	9.79	3	Vertical	29	1.50	48.32	36.75	7.93	34.89
PK	6.9884G	106.81	Inf	-Inf	9.03	3	Vertical	29	1.50	97.78	36.10	7.84	34.91
PK	7.1267G	71.13	88.20	-17.07	9.80	3	Vertical	29	1.50	61.33	36.76	7.93	34.89

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0604G	95.24	Inf	-Inf	9.35	3	Horizontal	64	1.00	85.89	36.36	7.89	34.90
AV	7.1252G	61.01	68.20	-7.19	9.79	3	Horizontal	64	1.00	51.22	36.75	7.93	34.89
PK	6.9889G	107.90	Inf	-Inf	9.05	3	Horizontal	64	1.00	98.85	36.10	7.85	34.90
PK	7.1285G	73.74	88.20	-14.46	9.81	3	Horizontal	64	1.00	63.93	36.77	7.93	34.89


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8925G	94.74	Inf	-Inf	8.86	3	Vertical	307	3.00	85.88	36.10	7.74	34.98
AV	7.1895G	65.24	68.20	-2.96	10.14	3	Vertical	307	3.00	55.10	37.06	7.97	34.89
PK	6.8775G	102.66	Inf	-Inf	8.84	3	Vertical	307	3.00	93.82	36.10	7.73	34.99
PK	7.1885G	82.13	88.20	-6.07	10.13	3	Vertical	307	3.00	72.00	37.05	7.97	34.89

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9286G	91.52	Inf	-Inf	8.93	3	Horizontal	162	2.85	82.59	36.10	7.78	34.95
AV	7.1927G	64.28	68.20	-3.92	10.16	3	Horizontal	162	2.85	54.12	37.07	7.98	34.89
PK	6.9808G	100.45	Inf	-Inf	9.02	3	Horizontal	162	2.85	91.43	36.10	7.83	34.91
PK	7.1847G	80.25	88.20	-7.95	10.12	3	Horizontal	162	2.85	70.13	37.04	7.97	34.89


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	PK	716.76M	41.67	46.00	-4.33	3	Horizontal	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	33.88M	30.68	40.00	-9.32	3	Vertical	0	1.00
6105MHz	Pass	PK	47.46M	32.33	40.00	-7.67	3	Vertical	0	1.00
6105MHz	Pass	PK	92.08M	26.12	43.50	-17.38	3	Vertical	0	1.00
6105MHz	Pass	PK	402.48M	31.94	46.00	-14.06	3	Vertical	0	1.00
6105MHz	Pass	PK	515M	24.85	46.00	-21.15	3	Vertical	0	1.00
6105MHz	Pass	PK	788.54M	31.80	46.00	-14.20	3	Vertical	0	1.00
6105MHz	Pass	PK	45.52M	23.91	40.00	-16.09	3	Horizontal	360	1.00
6105MHz	Pass	PK	92.08M	27.23	43.50	-16.27	3	Horizontal	360	1.00
6105MHz	Pass	PK	404.42M	33.54	46.00	-12.46	3	Horizontal	360	1.00
6105MHz	Pass	PK	563.5M	29.23	46.00	-16.77	3	Horizontal	360	1.00
6105MHz	Pass	PK	672.14M	40.60	46.00	-5.40	3	Horizontal	360	1.00
6105MHz	Pass	PK	716.76M	41.67	46.00	-4.33	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	30.68	40.00	-9.32	-5.17	3	Vertical	0	1.00	35.85	21.52	0.69	27.38
PK	47.46M	32.33	40.00	-7.67	-12.23	3	Vertical	0	1.00	44.56	14.39	0.75	27.37
PK	92.08M	26.12	43.50	-17.38	-11.66	3	Vertical	0	1.00	37.78	14.46	1.13	27.25
PK	402.48M	31.94	46.00	-14.06	-4.01	3	Vertical	0	1.00	35.95	21.02	2.37	27.40
PK	515M	24.85	46.00	-21.15	-2.99	3	Vertical	0	1.00	27.84	22.69	2.48	28.16
PK	788.54M	31.80	46.00	-14.20	-0.00	3	Vertical	0	1.00	31.80	25.22	3.08	28.30

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	23.91	40.00	-16.09	-11.31	3	Horizontal	360	1.00	35.22	15.33	0.73	27.37
PK	92.08M	27.23	43.50	-16.27	-11.66	3	Horizontal	360	1.00	38.89	14.46	1.13	27.25
PK	404.42M	33.54	46.00	-12.46	-3.93	3	Horizontal	360	1.00	37.47	21.11	2.38	27.42
PK	563.5M	29.23	46.00	-16.77	-1.91	3	Horizontal	360	1.00	31.14	23.87	2.57	28.35
PK	672.14M	40.60	46.00	-5.40	-1.45	3	Horizontal	360	1.00	42.05	24.08	2.87	28.40
PK	716.76M	41.67	46.00	-4.33	-1.20	3	Horizontal	360	1.00	42.87	24.15	2.96	28.31

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	11.89902G	40.75	54.00	-13.25	3	Vertical	25	2.19
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.0708G	41.43	54.00	-12.57	3	Vertical	17	2.87
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.97462G	41.02	54.00	-12.98	3	Vertical	21	1.95
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	63.12	68.20	-5.08	3	Horizontal	343	3.00
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.923G	67.83	68.20	-0.37	3	Horizontal	338	2.97
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.95704G	42.54	68.20	-25.66	3	Horizontal	174	1.49
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.95464G	42.62	68.20	-25.58	3	Vertical	8	2.09
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.96904G	42.75	68.20	-25.45	3	Vertical	274	2.47
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.95368G	42.69	68.20	-25.51	3	Vertical	55	1.16
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.37584G	43.03	54.00	-10.97	3	Vertical	312	1.20
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.38132G	42.93	54.00	-11.07	3	Horizontal	169	2.17
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.26158G	42.60	54.00	-11.40	3	Horizontal	287	2.08
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.736411G	43.09	68.20	-25.11	3	Horizontal	79	2.62
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.135G	67.02	68.20	-1.18	3	Horizontal	327	2.71
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.87	68.20	-0.33	3	Vertical	167	2.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.2332G	52.17	68.20	-16.03	3	Horizontal	329	2.48
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.172G	53.15	68.20	-15.05	3	Horizontal	331	2.71
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.136G	62.56	68.20	-5.64	3	Vertical	167	2.60
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.1325G	66.70	68.20	-1.50	3	Vertical	165	2.61



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9124G	47.59	68.20	-20.61	3	Vertical	351	2.62
5955MHz	Pass	AV	5.9484G	97.29	Inf	-Inf	3	Vertical	351	2.62
5955MHz	Pass	PK	5.901G	59.30	88.20	-28.90	3	Vertical	351	2.62
5955MHz	Pass	PK	5.9478G	107.67	Inf	-Inf	3	Vertical	351	2.62
5955MHz	Pass	AV	5.9238G	47.55	68.20	-20.65	3	Horizontal	339	2.78
5955MHz	Pass	AV	5.9568G	98.86	Inf	-Inf	3	Horizontal	339	2.78
5955MHz	Pass	PK	5.922G	59.53	88.20	-28.67	3	Horizontal	339	2.78
5955MHz	Pass	PK	5.9538G	110.61	Inf	-Inf	3	Horizontal	339	2.78
5955MHz	Pass	AV	11.89902G	40.75	54.00	-13.25	3	Vertical	25	2.19
5955MHz	Pass	PK	11.90772G	52.03	74.00	-21.97	3	Vertical	25	2.19
5955MHz	Pass	AV	11.8971G	40.73	54.00	-13.27	3	Horizontal	8	2.71
5955MHz	Pass	PK	11.92098G	52.54	74.00	-21.46	3	Horizontal	8	2.71
6195MHz	Pass	AV	12.38058G	40.67	54.00	-13.33	3	Vertical	68	1.59
6195MHz	Pass	PK	12.3813G	52.47	74.00	-21.53	3	Vertical	68	1.59
6195MHz	Pass	AV	12.38148G	40.55	54.00	-13.45	3	Horizontal	140	1.75
6195MHz	Pass	PK	12.3975G	51.64	74.00	-22.36	3	Horizontal	140	1.75
6415MHz	Pass	AV	12.9644G	42.48	68.20	-25.72	3	Vertical	135	1.06
6415MHz	Pass	PK	12.96248G	52.96	88.20	-35.24	3	Vertical	135	1.06
6415MHz	Pass	AV	12.95416G	42.44	68.20	-25.76	3	Horizontal	302	2.15
6415MHz	Pass	PK	12.97336G	53.20	88.20	-35.00	3	Horizontal	302	2.15
6435MHz	Pass	AV	12.9564G	42.49	68.20	-25.71	3	Vertical	2	2.87
6435MHz	Pass	PK	12.9628G	53.33	88.20	-34.87	3	Vertical	2	2.87
6435MHz	Pass	AV	12.84831G	42.45	68.20	-25.75	3	Horizontal	54	2.78
6435MHz	Pass	PK	12.84824G	53.28	88.20	-34.92	3	Horizontal	54	2.78
6475MHz	Pass	AV	12.95G	42.49	68.20	-25.71	3	Vertical	205	2.51
6475MHz	Pass	PK	12.9308G	52.89	88.20	-35.31	3	Vertical	205	2.51
6475MHz	Pass	AV	12.9596G	42.42	68.20	-25.78	3	Horizontal	29	1.36
6475MHz	Pass	PK	12.9557G	53.59	88.20	-34.61	3	Horizontal	29	1.36
6515MHz	Pass	AV	13.09581G	42.49	68.20	-25.71	3	Vertical	21	1.53
6515MHz	Pass	PK	13.09592G	53.24	88.20	-34.96	3	Vertical	21	1.53
6515MHz	Pass	AV	12.95704G	42.54	68.20	-25.66	3	Horizontal	174	1.49
6515MHz	Pass	PK	13.03768G	53.68	88.20	-34.52	3	Horizontal	174	1.49
6535MHz	Pass	AV	12.95608G	42.55	68.20	-25.65	3	Vertical	358	2.17
6535MHz	Pass	PK	13.0188G	54.02	88.20	-34.18	3	Vertical	358	2.17
6535MHz	Pass	AV	13.07242G	42.47	68.20	-25.73	3	Horizontal	214	1.91
6535MHz	Pass	PK	13.07256G	53.81	88.20	-34.39	3	Horizontal	214	1.91
6695MHz	Pass	AV	13.37584G	43.03	54.00	-10.97	3	Vertical	312	1.20
6695MHz	Pass	PK	13.37592G	54.74	74.00	-19.26	3	Vertical	312	1.20
6695MHz	Pass	AV	13.50008G	42.95	68.20	-25.25	3	Horizontal	148	1.76
6695MHz	Pass	PK	13.43608G	53.50	88.20	-34.70	3	Horizontal	148	1.76
6875MHz	Pass	AV	13.84712G	42.82	68.20	-25.38	3	Vertical	243	2.48
6875MHz	Pass	PK	13.84728G	54.19	88.20	-34.01	3	Vertical	243	2.48
6875MHz	Pass	AV	13.89121G	42.82	68.20	-25.38	3	Horizontal	230	1.61
6875MHz	Pass	PK	13.89144G	54.18	88.20	-34.02	3	Horizontal	230	1.61
6895MHz	Pass	AV	13.68632G	42.74	68.20	-25.46	3	Vertical	267	2.49
6895MHz	Pass	PK	13.68641G	54.57	88.20	-33.63	3	Vertical	267	2.49
6895MHz	Pass	AV	13.79743G	42.73	68.20	-25.47	3	Horizontal	207	1.19
6895MHz	Pass	PK	13.79768G	54.23	88.20	-33.97	3	Horizontal	207	1.19
6995MHz	Pass	AV	13.99552G	42.83	68.20	-25.37	3	Vertical	332	1.03
6995MHz	Pass	PK	13.99576G	54.11	88.20	-34.09	3	Vertical	332	1.03
6995MHz	Pass	AV	14.00612G	42.88	68.20	-25.32	3	Horizontal	180	2.38
6995MHz	Pass	PK	14.006G	54.26	88.20	-33.94	3	Horizontal	180	2.38
7095MHz	Pass	AV	7.1028G	98.61	Inf	-Inf	3	Vertical	168	2.74
7095MHz	Pass	AV	7.2312G	51.85	68.20	-16.35	3	Vertical	168	2.74
7095MHz	Pass	PK	7.1022G	109.69	Inf	-Inf	3	Vertical	168	2.74
7095MHz	Pass	PK	7.2276G	63.62	88.20	-24.58	3	Vertical	168	2.74
7095MHz	Pass	AV	7.0986G	98.72	Inf	-Inf	3	Horizontal	330	2.84
7095MHz	Pass	AV	7.2318G	51.83	68.20	-16.37	3	Horizontal	330	2.84
7095MHz	Pass	PK	7.0992G	109.87	Inf	-Inf	3	Horizontal	330	2.84
7095MHz	Pass	PK	7.2384G	64.28	88.20	-23.92	3	Horizontal	330	2.84

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.33144G	43.17	68.20	-25.03	3	Vertical	96	2.22
7095MHz	Pass	PK	14.33848G	55.46	88.20	-32.74	3	Vertical	96	2.22
7095MHz	Pass	AV	14.334G	43.21	68.20	-24.99	3	Horizontal	165	1.68
7095MHz	Pass	PK	14.3276G	54.08	88.20	-34.12	3	Horizontal	165	1.68
7115MHz	Pass	AV	7.1215G	92.38	Inf	-Inf	3	Vertical	167	2.50
7115MHz	Pass	AV	7.1255G	67.87	68.20	-0.33	3	Vertical	167	2.50
7115MHz	Pass	PK	7.1215G	98.51	Inf	-Inf	3	Vertical	167	2.50
7115MHz	Pass	PK	7.1255G	77.71	88.20	-10.49	3	Vertical	167	2.50
7115MHz	Pass	AV	7.1195G	93.57	Inf	-Inf	3	Horizontal	328	3.00
7115MHz	Pass	AV	7.1255G	66.93	68.20	-1.27	3	Horizontal	328	3.00
7115MHz	Pass	PK	7.1195G	99.80	Inf	-Inf	3	Horizontal	328	3.00
7115MHz	Pass	PK	7.1255G	76.32	88.20	-11.88	3	Horizontal	328	3.00
7115MHz	Pass	AV	14.24464G	43.19	68.20	-25.01	3	Vertical	245	2.98
7115MHz	Pass	PK	14.24472G	54.61	88.20	-33.59	3	Vertical	245	2.98
7115MHz	Pass	AV	14.33176G	43.23	68.20	-24.97	3	Horizontal	217	2.22
7115MHz	Pass	PK	14.38424G	54.24	88.20	-33.96	3	Horizontal	217	2.22
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.923G	48.11	68.20	-20.09	3	Vertical	348	2.57
5965MHz	Pass	AV	5.98G	98.72	Inf	-Inf	3	Vertical	348	2.57
5965MHz	Pass	PK	5.8528G	59.86	88.20	-28.34	3	Vertical	348	2.57
5965MHz	Pass	PK	5.9626G	109.18	Inf	-Inf	3	Vertical	348	2.57
5965MHz	Pass	AV	5.9062G	47.88	68.20	-20.32	3	Horizontal	259	2.33
5965MHz	Pass	AV	5.9782G	97.26	Inf	-Inf	3	Horizontal	259	2.33
5965MHz	Pass	PK	5.8888G	59.56	88.20	-28.64	3	Horizontal	259	2.33
5965MHz	Pass	PK	5.977G	107.86	Inf	-Inf	3	Horizontal	259	2.33
5965MHz	Pass	AV	12.0708G	41.43	54.00	-12.57	3	Vertical	17	2.87
5965MHz	Pass	PK	12.0772G	52.12	74.00	-21.88	3	Vertical	17	2.87
5965MHz	Pass	AV	12.07656G	41.40	54.00	-12.60	3	Horizontal	287	1.95
5965MHz	Pass	PK	12.0004G	52.60	74.00	-21.40	3	Horizontal	287	1.95
6205MHz	Pass	AV	12.50781G	41.09	54.00	-12.91	3	Vertical	50	2.95
6205MHz	Pass	PK	12.50792G	51.74	74.00	-22.26	3	Vertical	50	2.95
6205MHz	Pass	AV	12.52058G	41.05	54.00	-12.95	3	Horizontal	245	1.86
6205MHz	Pass	PK	12.52072G	51.45	74.00	-22.55	3	Horizontal	245	1.86
6405MHz	Pass	AV	12.95976G	42.47	68.20	-25.73	3	Vertical	332	1.48
6405MHz	Pass	PK	12.96936G	53.36	88.20	-34.84	3	Vertical	332	1.48
6405MHz	Pass	AV	12.95528G	42.47	68.20	-25.73	3	Horizontal	61	2.98
6405MHz	Pass	PK	12.96296G	53.95	88.20	-34.25	3	Horizontal	61	2.98
6445MHz	Pass	AV	12.9572G	42.47	68.20	-25.73	3	Vertical	135	2.46
6445MHz	Pass	PK	12.9092G	53.06	88.20	-35.14	3	Vertical	135	2.46
6445MHz	Pass	AV	12.96232G	42.53	68.20	-25.67	3	Horizontal	344	2.57
6445MHz	Pass	PK	12.88104G	53.43	88.20	-34.77	3	Horizontal	344	2.57
6485MHz	Pass	AV	12.97G	42.52	68.20	-25.68	3	Vertical	359	1.81
6485MHz	Pass	PK	12.96296G	54.70	88.20	-33.50	3	Vertical	359	1.81
6485MHz	Pass	AV	12.99368G	42.48	68.20	-25.72	3	Horizontal	140	1.34
6485MHz	Pass	PK	13.03272G	54.74	88.20	-33.46	3	Horizontal	140	1.34
6525MHz	Pass	AV	12.95464G	42.62	68.20	-25.58	3	Vertical	8	2.09
6525MHz	Pass	PK	13.05448G	54.05	88.20	-34.15	3	Vertical	8	2.09
6525MHz	Pass	AV	13.09054G	42.43	68.20	-25.77	3	Horizontal	233	2.05
6525MHz	Pass	PK	13.09096G	53.44	88.20	-34.76	3	Horizontal	233	2.05
6565MHz	Pass	AV	13.1426G	42.25	68.20	-25.95	3	Vertical	298	1.02
6565MHz	Pass	PK	13.14074G	55.77	88.20	-32.43	3	Vertical	298	1.02
6565MHz	Pass	AV	13.13348G	42.15	68.20	-26.05	3	Horizontal	91	2.25
6565MHz	Pass	PK	13.12472G	53.94	88.20	-34.26	3	Horizontal	91	2.25
6685MHz	Pass	AV	13.50184G	43.01	68.20	-25.19	3	Vertical	67	2.72
6685MHz	Pass	PK	13.47624G	53.76	88.20	-34.44	3	Vertical	67	2.72
6685MHz	Pass	AV	13.38132G	42.93	54.00	-11.07	3	Horizontal	169	2.17
6685MHz	Pass	PK	13.38152G	53.71	74.00	-20.29	3	Horizontal	169	2.17
6885MHz	Pass	AV	13.68296G	42.80	68.20	-25.40	3	Vertical	85	1.28
6885MHz	Pass	PK	13.75144G	53.34	88.20	-34.86	3	Vertical	85	1.28
6885MHz	Pass	AV	13.642G	42.86	68.20	-25.34	3	Horizontal	11	1.52
6885MHz	Pass	PK	13.64211G	54.19	88.20	-34.01	3	Horizontal	11	1.52
6925MHz	Pass	AV	13.73032G	42.72	68.20	-25.48	3	Vertical	252	2.94


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.73045G	55.09	88.20	-33.11	3	Vertical	252	2.94
6925MHz	Pass	AV	13.86936G	42.69	68.20	-25.51	3	Horizontal	38	1.74
6925MHz	Pass	PK	13.86344G	54.27	88.20	-33.93	3	Horizontal	38	1.74
7005MHz	Pass	AV	14.1636G	43.03	68.20	-25.17	3	Vertical	256	2.16
7005MHz	Pass	PK	14.12968G	53.26	88.20	-34.94	3	Vertical	256	2.16
7005MHz	Pass	AV	14.16744G	43.09	68.20	-25.11	3	Horizontal	130	2.21
7005MHz	Pass	PK	14.138G	54.09	88.20	-34.11	3	Horizontal	130	2.21
7085MHz	Pass	AV	7.0724G	98.89	Inf	-Inf	3	Vertical	168	3.00
7085MHz	Pass	AV	7.2302G	52.07	68.20	-16.13	3	Vertical	168	3.00
7085MHz	Pass	PK	7.0718G	110.27	Inf	-Inf	3	Vertical	168	3.00
7085MHz	Pass	PK	7.2026G	64.48	88.20	-23.72	3	Vertical	168	3.00
7085MHz	Pass	AV	7.0682G	98.84	Inf	-Inf	3	Horizontal	329	2.48
7085MHz	Pass	AV	7.2332G	52.17	68.20	-16.03	3	Horizontal	329	2.48
7085MHz	Pass	PK	7.0874G	110.35	Inf	-Inf	3	Horizontal	329	2.48
7085MHz	Pass	PK	7.1954G	64.37	88.20	-23.83	3	Horizontal	329	2.48
7085MHz	Pass	AV	14.16936G	43.01	68.20	-25.19	3	Vertical	103	2.34
7085MHz	Pass	PK	14.16923G	54.61	88.20	-33.59	3	Vertical	103	2.34
7085MHz	Pass	AV	14.1636G	42.96	68.20	-25.24	3	Horizontal	66	1.51
7085MHz	Pass	PK	14.163611G	54.16	88.20	-34.04	3	Horizontal	66	1.51
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.919G	50.58	68.20	-17.62	3	Vertical	347	2.85
5985MHz	Pass	AV	6G	98.87	Inf	-Inf	3	Vertical	347	2.85
5985MHz	Pass	PK	5.917G	62.12	88.20	-26.08	3	Vertical	347	2.85
5985MHz	Pass	PK	5.983G	109.96	Inf	-Inf	3	Vertical	347	2.85
5985MHz	Pass	AV	5.924G	50.47	68.20	-17.73	3	Horizontal	347	3.00
5985MHz	Pass	AV	6.003G	99.01	Inf	-Inf	3	Horizontal	347	3.00
5985MHz	Pass	PK	5.923G	63.28	88.20	-24.92	3	Horizontal	347	3.00
5985MHz	Pass	PK	5.982G	110.46	Inf	-Inf	3	Horizontal	347	3.00
5985MHz	Pass	AV	11.97462G	41.02	54.00	-12.98	3	Vertical	21	1.95
5985MHz	Pass	PK	11.9793G	52.58	74.00	-21.42	3	Vertical	21	1.95
5985MHz	Pass	AV	11.98104G	41.02	54.00	-12.98	3	Horizontal	34	1.61
5985MHz	Pass	PK	11.96994G	53.52	74.00	-20.48	3	Horizontal	34	1.61
6225MHz	Pass	AV	12.44982G	40.69	54.00	-13.31	3	Vertical	110	2.87
6225MHz	Pass	PK	12.45096G	52.01	74.00	-21.99	3	Vertical	110	2.87
6225MHz	Pass	AV	12.46476G	40.72	54.00	-13.28	3	Horizontal	300	1.64
6225MHz	Pass	PK	12.43602G	51.99	74.00	-22.01	3	Horizontal	300	1.64
6385MHz	Pass	AV	12.76772G	41.54	68.20	-26.66	3	Vertical	88	1.97
6385MHz	Pass	PK	12.7775G	52.78	88.20	-35.42	3	Vertical	88	1.97
6385MHz	Pass	AV	12.76664G	41.53	68.20	-26.67	3	Horizontal	40	1.67
6385MHz	Pass	PK	12.764G	53.34	88.20	-34.86	3	Horizontal	40	1.67
6465MHz	Pass	AV	12.96904G	42.75	68.20	-25.45	3	Vertical	274	2.47
6465MHz	Pass	PK	12.98952G	53.35	88.20	-34.85	3	Vertical	274	2.47
6465MHz	Pass	AV	12.95624G	42.60	68.20	-25.60	3	Horizontal	340	2.03
6465MHz	Pass	PK	12.95612G	53.66	88.20	-34.54	3	Horizontal	340	2.03
6545MHz	Pass	AV	13.17562G	42.69	68.20	-25.51	3	Vertical	323	2.32
6545MHz	Pass	PK	13.17576G	53.58	88.20	-34.62	3	Vertical	323	2.32
6545MHz	Pass	AV	13.21423G	42.61	68.20	-25.59	3	Horizontal	276	1.87
6545MHz	Pass	PK	13.21416G	53.07	88.20	-35.13	3	Horizontal	276	1.87
6625MHz	Pass	AV	13.2602G	42.54	54.00	-11.46	3	Vertical	169	1.92
6625MHz	Pass	PK	13.25324G	54.30	74.00	-19.70	3	Vertical	169	1.92
6625MHz	Pass	AV	13.26158G	42.60	54.00	-11.40	3	Horizontal	287	2.08
6625MHz	Pass	PK	13.26374G	54.48	74.00	-19.52	3	Horizontal	287	2.08
6705MHz	Pass	AV	13.42164G	42.93	68.20	-25.27	3	Vertical	80	2.63
6705MHz	Pass	PK	13.41648G	54.49	88.20	-33.71	3	Vertical	80	2.63
6705MHz	Pass	AV	13.42026G	42.94	68.20	-25.26	3	Horizontal	78	2.08
6705MHz	Pass	PK	13.41294G	54.11	88.20	-34.09	3	Horizontal	78	2.08
6785MHz	Pass	AV	13.56328G	43.03	68.20	-25.17	3	Vertical	185	2.45
6785MHz	Pass	PK	13.58416G	55.62	88.20	-32.58	3	Vertical	185	2.45
6785MHz	Pass	AV	13.5652G	43.01	68.20	-25.19	3	Horizontal	151	1.28
6785MHz	Pass	PK	13.5694G	55.34	88.20	-32.86	3	Horizontal	151	1.28
6865MHz	Pass	AV	13.64168G	42.86	68.20	-25.34	3	Vertical	117	2.84
6865MHz	Pass	PK	13.70696G	53.33	88.20	-34.87	3	Vertical	117	2.84

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.59752G	43.02	68.20	-25.18	3	Horizontal	346	2.09
6865MHz	Pass	PK	13.63912G	54.17	88.20	-34.03	3	Horizontal	346	2.09
6945MHz	Pass	AV	14.02696G	42.80	68.20	-25.40	3	Vertical	311	2.13
6945MHz	Pass	PK	14.02656G	53.74	88.20	-34.46	3	Vertical	311	2.13
6945MHz	Pass	AV	14.03848G	42.90	68.20	-25.30	3	Horizontal	55	1.43
6945MHz	Pass	PK	13.91304G	53.06	88.20	-35.14	3	Horizontal	55	1.43
7025MHz	Pass	AV	6.992G	98.66	Inf	-Inf	3	Vertical	167	2.68
7025MHz	Pass	AV	7.1681G	53.01	68.20	-15.19	3	Vertical	167	2.68
7025MHz	Pass	PK	6.9923G	111.06	Inf	-Inf	3	Vertical	167	2.68
7025MHz	Pass	PK	7.1651G	64.99	88.20	-23.21	3	Vertical	167	2.68
7025MHz	Pass	AV	7.0283G	98.75	Inf	-Inf	3	Horizontal	331	2.71
7025MHz	Pass	AV	7.172G	53.15	68.20	-15.05	3	Horizontal	331	2.71
7025MHz	Pass	PK	7.0265G	110.67	Inf	-Inf	3	Horizontal	331	2.71
7025MHz	Pass	PK	7.1384G	65.46	88.20	-22.74	3	Horizontal	331	2.71
7025MHz	Pass	AV	14.16456G	43.27	68.20	-24.93	3	Vertical	170	1.96
7025MHz	Pass	PK	14.10824G	55.00	88.20	-33.20	3	Vertical	170	1.96
7025MHz	Pass	AV	14.20808G	43.20	68.20	-25.00	3	Horizontal	327	1.46
7025MHz	Pass	PK	14.20812G	55.25	88.20	-32.95	3	Horizontal	327	1.46
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9185G	62.57	68.20	-5.63	3	Vertical	350	2.69
6025MHz	Pass	AV	6.0385G	97.57	Inf	-Inf	3	Vertical	350	2.69
6025MHz	Pass	PK	5.9215G	75.14	88.20	-13.06	3	Vertical	350	2.69
6025MHz	Pass	PK	6.037G	109.40	Inf	-Inf	3	Vertical	350	2.69
6025MHz	Pass	AV	5.9245G	63.12	68.20	-5.08	3	Horizontal	343	3.00
6025MHz	Pass	AV	6.004G	99.09	Inf	-Inf	3	Horizontal	343	3.00
6025MHz	Pass	PK	5.9245G	74.54	88.20	-13.66	3	Horizontal	343	3.00
6025MHz	Pass	PK	5.9835G	110.99	Inf	-Inf	3	Horizontal	343	3.00
6025MHz	Pass	AV	12.06434G	41.55	54.00	-12.45	3	Vertical	219	2.19
6025MHz	Pass	PK	12.03998G	53.00	74.00	-21.00	3	Vertical	219	2.19
6025MHz	Pass	AV	12.06422G	41.40	54.00	-12.60	3	Horizontal	157	1.87
6025MHz	Pass	PK	12.05198G	52.57	74.00	-21.43	3	Horizontal	157	1.87
6185MHz	Pass	AV	12.44523G	41.24	54.00	-12.76	3	Vertical	287	1.81
6185MHz	Pass	PK	12.44552G	52.32	74.00	-21.68	3	Vertical	287	1.81
6185MHz	Pass	AV	12.21256G	41.42	54.00	-12.58	3	Horizontal	305	2.03
6185MHz	Pass	PK	12.28744G	51.64	74.00	-22.36	3	Horizontal	305	2.03
6345MHz	Pass	AV	12.84808G	41.89	68.20	-26.31	3	Vertical	97	2.02
6345MHz	Pass	PK	12.78728G	51.53	88.20	-36.67	3	Vertical	97	2.02
6345MHz	Pass	AV	12.84872G	41.88	68.20	-26.32	3	Horizontal	312	1.38
6345MHz	Pass	PK	12.75656G	52.47	88.20	-35.73	3	Horizontal	312	1.38
6505MHz	Pass	AV	12.95368G	42.69	68.20	-25.51	3	Vertical	55	1.16
6505MHz	Pass	PK	12.87304G	53.45	88.20	-34.75	3	Vertical	55	1.16
6505MHz	Pass	AV	12.95432G	42.60	68.20	-25.60	3	Horizontal	257	2.03
6505MHz	Pass	PK	12.95624G	53.19	88.20	-35.01	3	Horizontal	257	2.03
6665MHz	Pass	AV	13.45992G	42.81	68.20	-25.39	3	Vertical	1	2.39
6665MHz	Pass	PK	13.45736G	54.23	88.20	-33.97	3	Vertical	1	2.39
6665MHz	Pass	AV	13.45352G	42.87	68.20	-25.33	3	Horizontal	208	2.34
6665MHz	Pass	PK	13.45326G	54.21	88.20	-33.99	3	Horizontal	208	2.34
6825MHz	Pass	AV	13.5028G	43.07	68.20	-25.13	3	Vertical	170	1.65
6825MHz	Pass	PK	13.6212G	54.00	88.20	-34.20	3	Vertical	170	1.65
6825MHz	Pass	AV	13.736411G	43.09	68.20	-25.11	3	Horizontal	79	2.62
6825MHz	Pass	PK	13.7364G	53.42	88.20	-34.78	3	Horizontal	79	2.62
6985MHz	Pass	AV	6.972G	99.18	Inf	-Inf	3	Vertical	167	2.60
6985MHz	Pass	AV	7.136G	62.56	68.20	-5.64	3	Vertical	167	2.60
6985MHz	Pass	PK	6.971G	110.34	Inf	-Inf	3	Vertical	167	2.60
6985MHz	Pass	PK	7.144G	76.62	88.20	-11.58	3	Vertical	167	2.60
6985MHz	Pass	AV	6.972G	98.27	Inf	-Inf	3	Horizontal	184	2.70
6985MHz	Pass	AV	7.232G	61.10	68.20	-7.10	3	Horizontal	184	2.70
6985MHz	Pass	PK	7.014G	109.42	Inf	-Inf	3	Horizontal	184	2.70
6985MHz	Pass	PK	7.139G	75.30	88.20	-12.90	3	Horizontal	184	2.70
6985MHz	Pass	AV	14.12488G	42.93	68.20	-25.27	3	Vertical	141	2.63
6985MHz	Pass	PK	14.09992G	54.82	88.20	-33.38	3	Vertical	141	2.63
6985MHz	Pass	AV	14.066G	43.02	68.20	-25.18	3	Horizontal	121	1.76

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	14.12872G	53.29	88.20	-34.91	3	Horizontal	121	1.76
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	66.51	68.20	-1.69	3	Vertical	350	2.67
6105MHz	Pass	AV	6.037G	95.85	Inf	-Inf	3	Vertical	350	2.67
6105MHz	Pass	PK	5.913G	80.15	88.20	-8.05	3	Vertical	350	2.67
6105MHz	Pass	PK	6.075G	106.92	Inf	-Inf	3	Vertical	350	2.67
6105MHz	Pass	AV	5.923G	67.41	68.20	-0.79	3	Horizontal	341	2.91
6105MHz	Pass	AV	6.165G	96.23	Inf	-Inf	3	Horizontal	341	2.91
6105MHz	Pass	PK	5.923G	78.06	88.20	-10.14	3	Horizontal	341	2.91
6105MHz	Pass	PK	6.163G	107.07	Inf	-Inf	3	Horizontal	341	2.91
6105MHz	Pass	AV	12.18568G	41.41	54.00	-12.59	3	Vertical	69	2.50
6105MHz	Pass	PK	12.2292G	52.12	74.00	-21.88	3	Vertical	69	2.50
6105MHz	Pass	AV	12.07176G	41.43	54.00	-12.57	3	Horizontal	218	2.40
6105MHz	Pass	PK	12.07368G	52.60	74.00	-21.40	3	Horizontal	218	2.40
6265MHz	Pass	AV	5.9194G	67.74	68.20	-0.46	3	Vertical	344	2.66
6265MHz	Pass	AV	6.238G	95.87	Inf	-Inf	3	Vertical	344	2.66
6265MHz	Pass	PK	5.9032G	79.88	88.20	-8.32	3	Vertical	344	2.66
6265MHz	Pass	PK	6.1984G	106.80	Inf	-Inf	3	Vertical	344	2.66
6265MHz	Pass	AV	5.923G	67.83	68.20	-0.37	3	Horizontal	338	2.97
6265MHz	Pass	AV	6.166G	96.63	Inf	-Inf	3	Horizontal	338	2.97
6265MHz	Pass	PK	5.9212G	79.48	88.20	-8.72	3	Horizontal	338	2.97
6265MHz	Pass	PK	6.1642G	108.30	Inf	-Inf	3	Horizontal	338	2.97
6265MHz	Pass	AV	12.67208G	41.04	54.00	-12.96	3	Vertical	140	2.46
6265MHz	Pass	PK	12.67192G	51.27	74.00	-22.73	3	Vertical	140	2.46
6265MHz	Pass	AV	12.4773G	41.14	54.00	-12.86	3	Horizontal	74	2.80
6265MHz	Pass	PK	12.4788G	51.72	74.00	-22.28	3	Horizontal	74	2.80
6425MHz	Pass	AV	13.00232G	42.52	68.20	-25.68	3	Vertical	322	1.58
6425MHz	Pass	PK	12.99272G	53.36	88.20	-34.84	3	Vertical	322	1.58
6425MHz	Pass	AV	12.93576G	42.52	68.20	-25.68	3	Horizontal	144	2.19
6425MHz	Pass	PK	12.95944G	53.28	88.20	-34.92	3	Horizontal	144	2.19
6585MHz	Pass	AV	13.09704G	42.53	68.20	-25.67	3	Vertical	332	2.03
6585MHz	Pass	PK	13.01256G	53.57	88.20	-34.63	3	Vertical	332	2.03
6585MHz	Pass	AV	13.29352G	42.48	54.00	-11.52	3	Horizontal	219	2.69
6585MHz	Pass	PK	13.22184G	53.05	88.20	-35.15	3	Horizontal	219	2.69
6745MHz	Pass	AV	6.631G	96.31	Inf	-Inf	3	Vertical	166	2.50
6745MHz	Pass	AV	7.131G	65.35	68.20	-2.85	3	Vertical	166	2.50
6745MHz	Pass	PK	6.833G	107.84	Inf	-Inf	3	Vertical	166	2.50
6745MHz	Pass	PK	7.127G	77.69	88.20	-10.51	3	Vertical	166	2.50
6745MHz	Pass	AV	6.851G	95.57	Inf	-Inf	3	Horizontal	327	2.71
6745MHz	Pass	AV	7.135G	67.02	68.20	-1.18	3	Horizontal	327	2.71
6745MHz	Pass	PK	6.791G	107.00	Inf	-Inf	3	Horizontal	327	2.71
6745MHz	Pass	PK	7.143G	79.77	88.20	-8.43	3	Horizontal	327	2.71
6745MHz	Pass	AV	13.5028G	43.03	68.20	-25.17	3	Vertical	155	2.48
6745MHz	Pass	PK	13.502821G	54.26	74.00	-19.74	3	Vertical	155	2.48
6745MHz	Pass	AV	13.50024G	43.08	68.20	-25.12	3	Horizontal	336	1.62
6745MHz	Pass	PK	13.52712G	53.70	88.20	-34.50	3	Horizontal	336	1.62
6905MHz	Pass	AV	6.9525G	97.94	Inf	-Inf	3	Vertical	165	2.61
6905MHz	Pass	AV	7.1325G	66.70	68.20	-1.50	3	Vertical	165	2.61
6905MHz	Pass	PK	6.9305G	105.19	Inf	-Inf	3	Vertical	165	2.61
6905MHz	Pass	PK	7.2225G	81.35	88.20	-6.85	3	Vertical	165	2.61
6905MHz	Pass	AV	6.9325G	97.75	Inf	-Inf	3	Horizontal	184	2.62
6905MHz	Pass	AV	7.1925G	63.95	68.20	-4.25	3	Horizontal	184	2.62
6905MHz	Pass	PK	6.9325G	104.74	Inf	-Inf	3	Horizontal	184	2.62
6905MHz	Pass	PK	7.1925G	80.70	88.20	-7.50	3	Horizontal	184	2.62
6905MHz	Pass	AV	13.85523G	43.14	68.20	-25.06	3	Vertical	177	2.30
6905MHz	Pass	PK	13.85544G	54.17	88.20	-34.03	3	Vertical	177	2.30
6905MHz	Pass	AV	13.86236G	43.21	68.20	-24.99	3	Horizontal	342	2.25
6905MHz	Pass	PK	13.86248G	55.17	88.20	-33.03	3	Horizontal	342	2.25


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	50.58	68.20	-17.62	6.57	3	Vertical	347	2.85	44.01	34.36	7.33	35.12
AV	6G	98.87	Inf	-Inf	6.59	3	Vertical	347	2.85	92.28	34.30	7.36	35.07
PK	5.917G	62.12	88.20	-26.08	6.58	3	Vertical	347	2.85	55.54	34.37	7.33	35.12
PK	5.983G	109.96	Inf	-Inf	6.57	3	Vertical	347	2.85	103.39	34.30	7.35	35.08

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	50.47	68.20	-17.73	6.56	3	Horizontal	347	3.00	43.91	34.35	7.33	35.12
AV	6.003G	99.01	Inf	-Inf	6.59	3	Horizontal	347	3.00	92.42	34.30	7.36	35.07
PK	5.923G	63.28	88.20	-24.92	6.56	3	Horizontal	347	3.00	56.72	34.35	7.33	35.12
PK	5.982G	110.46	Inf	-Inf	6.57	3	Horizontal	347	3.00	103.89	34.30	7.35	35.08


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9185G	62.57	68.20	-5.63	6.57	3	Vertical	350	2.69	56.00	34.36	7.33	35.12
AV	6.0385G	97.57	Inf	-Inf	6.58	3	Vertical	350	2.69	90.99	34.30	7.37	35.09
PK	5.9215G	75.14	88.20	-13.06	6.57	3	Vertical	350	2.69	68.57	34.36	7.33	35.12
PK	6.037G	109.40	Inf	-Inf	6.59	3	Vertical	350	2.69	102.81	34.30	7.37	35.08

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	63.12	68.20	-5.08	6.56	3	Horizontal	343	3.00	56.56	34.35	7.33	35.12
AV	6.004G	99.09	Inf	-Inf	6.59	3	Horizontal	343	3.00	92.50	34.30	7.36	35.07
PK	5.9245G	74.54	88.20	-13.66	6.56	3	Horizontal	343	3.00	67.98	34.35	7.33	35.12
PK	5.9835G	110.99	Inf	-Inf	6.57	3	Horizontal	343	3.00	104.42	34.30	7.35	35.08


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9194G	67.74	68.20	-0.46	6.57	3	Vertical	344	2.66	61.17	34.36	7.33	35.12
AV	6.238G	95.87	Inf	-Inf	6.76	3	Vertical	344	2.66	89.11	34.48	7.45	35.17
PK	5.9032G	79.88	88.20	-8.32	6.58	3	Vertical	344	2.66	73.30	34.39	7.32	35.13
PK	6.1984G	106.80	Inf	-Inf	6.68	3	Vertical	344	2.66	100.12	34.40	7.43	35.15

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	67.83	68.20	-0.37	6.56	3	Horizontal	338	2.97	61.27	34.35	7.33	35.12
AV	6.166G	96.63	Inf	-Inf	6.68	3	Horizontal	338	2.97	89.95	34.40	7.42	35.14
PK	5.9212G	79.48	88.20	-8.72	6.57	3	Horizontal	338	2.97	72.91	34.36	7.33	35.12
PK	6.1642G	108.30	Inf	-Inf	6.68	3	Horizontal	338	2.97	101.62	34.40	7.42	35.14


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX

