


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	67.33	68.20	-0.87	7.95	3	Vertical	318	2.27	59.38	34.35	8.64	35.04
AV	6.034G	96.53	Inf	-Inf	7.92	3	Vertical	318	2.27	88.61	34.30	8.67	35.05
PK	5.923G	79.78	88.20	-8.42	7.95	3	Vertical	318	2.27	71.83	34.35	8.64	35.04
PK	6.053G	108.94	Inf	-Inf	7.92	3	Vertical	318	2.27	101.02	34.30	8.68	35.06

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	56.57	68.20	-11.63	7.95	3	Horizontal	335	1.00	48.62	34.35	8.64	35.04
AV	6.109G	87.73	Inf	-Inf	7.95	3	Horizontal	335	1.00	79.78	34.32	8.71	35.08
PK	5.923G	69.41	88.20	-18.79	7.95	3	Horizontal	335	1.00	61.46	34.35	8.64	35.04
PK	6.108G	99.89	Inf	-Inf	7.95	3	Horizontal	335	1.00	91.94	34.32	8.71	35.08




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX

6105MHz_TX





RSE TX below 1GHz_Non-Beamforming_Radio 2_2TX_SPAP _Full RU

Appendix E.9

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	QP	37.76M	35.80	40.00	-4.20	3	Vertical	274	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz_PoE	Pass	PK	92.08M	29.85	43.50	-13.65	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	256.98M	21.55	46.00	-24.45	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	361.74M	22.38	46.00	-23.62	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	464.56M	26.47	46.00	-19.53	3	Vertical	0	1.00
6025MHz_PoE	Pass	PK	549.92M	26.35	46.00	-19.65	3	Vertical	0	1.00
6025MHz_PoE	Pass	QP	37.76M	35.80	40.00	-4.20	3	Vertical	274	1.00
6025MHz_PoE	Pass	PK	37.76M	25.15	40.00	-14.85	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	47.46M	20.81	40.00	-19.19	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	92.08M	25.28	43.50	-18.22	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	169.68M	17.63	43.50	-25.87	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	317.12M	21.17	46.00	-24.83	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	458.74M	27.96	46.00	-18.04	3	Horizontal	0	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_PoE



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_PoE





RSE TX above 1GHz_Non-Beamforming_Radio 2_2TX_SPAP _Full RU

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.925G	60.72	68.20	-7.48	3	Vertical	351	2.62
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.923G	62.16	68.20	-6.04	3	Vertical	348	2.57
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.921G	68.08	68.20	-0.12	3	Vertical	347	2.85
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.925G	65.05	68.20	-3.15	3	Horizontal	343	3.00
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.923G	67.39	68.20	-0.81	3	Horizontal	341	2.91
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38682G	42.53	54.00	-11.47	3	Vertical	308	2.14
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.3757G	42.61	54.00	-11.39	3	Horizontal	238	1.77
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.26134G	42.68	54.00	-11.32	3	Vertical	219	1.96
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.33348G	42.67	54.00	-11.33	3	Horizontal	358	2.85

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	60.72	68.20	-7.48	3	Vertical	351	2.62
5955MHz	Pass	AV	5.9472G	106.37	Inf	-Inf	3	Vertical	351	2.62
5955MHz	Pass	PK	5.9238G	73.17	88.20	-15.03	3	Vertical	351	2.62
5955MHz	Pass	PK	5.9466G	117.13	Inf	-Inf	3	Vertical	351	2.62
5955MHz	Pass	AV	5.9202G	56.23	68.20	-11.97	3	Horizontal	339	2.78
5955MHz	Pass	AV	5.9568G	107.26	Inf	-Inf	3	Horizontal	339	2.78
5955MHz	Pass	PK	5.919G	72.33	88.20	-15.87	3	Horizontal	339	2.78
5955MHz	Pass	PK	5.9574G	117.75	Inf	-Inf	3	Horizontal	339	2.78
5955MHz	Pass	AV	11.89662G	40.74	54.00	-13.26	3	Vertical	10	1.71
5955MHz	Pass	PK	11.91624G	52.76	74.00	-21.24	3	Vertical	10	1.71
5955MHz	Pass	AV	11.90034G	40.75	54.00	-13.25	3	Horizontal	290	1.09
5955MHz	Pass	PK	11.91126G	52.39	74.00	-21.61	3	Horizontal	290	1.09
6195MHz	Pass	AV	12.3801G	40.55	54.00	-13.45	3	Vertical	3	1.18
6195MHz	Pass	PK	12.3822G	51.84	74.00	-22.16	3	Vertical	3	1.18
6195MHz	Pass	AV	12.37848G	40.56	54.00	-13.44	3	Horizontal	142	2.20
6195MHz	Pass	PK	12.38748G	52.52	74.00	-21.48	3	Horizontal	142	2.20
6415MHz	Pass	AV	12.84356G	41.82	68.20	-26.38	3	Vertical	34	1.39
6415MHz	Pass	PK	12.82724G	52.97	88.20	-35.23	3	Vertical	34	1.39
6415MHz	Pass	AV	12.84494G	41.85	68.20	-26.35	3	Horizontal	39	2.80
6415MHz	Pass	PK	12.82226G	53.26	88.20	-34.94	3	Horizontal	39	2.80
6535MHz	Pass	AV	13.05554G	41.95	68.20	-26.25	3	Vertical	123	1.34
6535MHz	Pass	PK	13.0775G	53.92	88.20	-34.28	3	Vertical	123	1.34
6535MHz	Pass	AV	13.06886G	42.02	68.20	-26.18	3	Horizontal	240	1.59
6535MHz	Pass	PK	13.0655G	53.57	88.20	-34.63	3	Horizontal	240	1.59
6695MHz	Pass	AV	13.38682G	42.53	54.00	-11.47	3	Vertical	308	2.14
6695MHz	Pass	PK	13.39834G	53.85	74.00	-20.15	3	Vertical	308	2.14
6695MHz	Pass	AV	13.40224G	42.49	68.20	-25.71	3	Horizontal	127	2.71
6695MHz	Pass	PK	13.39708G	54.81	74.00	-19.19	3	Horizontal	127	2.71
6855MHz	Pass	AV	13.72212G	42.36	68.20	-25.84	3	Vertical	280	1.06
6855MHz	Pass	PK	13.70124G	54.88	88.20	-33.32	3	Vertical	280	1.06
6855MHz	Pass	AV	13.72314G	42.30	68.20	-25.90	3	Horizontal	92	1.18
6855MHz	Pass	PK	13.72326G	53.82	88.20	-34.38	3	Horizontal	92	1.18
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.923G	62.16	68.20	-6.04	3	Vertical	348	2.57
5965MHz	Pass	AV	5.9806G	104.01	Inf	-Inf	3	Vertical	348	2.57
5965MHz	Pass	PK	5.9242G	76.61	88.20	-11.59	3	Vertical	348	2.57
5965MHz	Pass	PK	5.98G	116.18	Inf	-Inf	3	Vertical	348	2.57
5965MHz	Pass	AV	5.92G	60.01	68.20	-8.19	3	Horizontal	259	2.33
5965MHz	Pass	AV	5.9782G	102.53	Inf	-Inf	3	Horizontal	259	2.33
5965MHz	Pass	PK	5.923G	73.46	88.20	-14.74	3	Horizontal	259	2.33
5965MHz	Pass	PK	5.9758G	113.59	Inf	-Inf	3	Horizontal	259	2.33
5965MHz	Pass	AV	11.92724G	40.93	54.00	-13.07	3	Vertical	331	1.62
5965MHz	Pass	PK	11.92802G	52.75	74.00	-21.25	3	Vertical	331	1.62
5965MHz	Pass	AV	11.93732G	40.90	54.00	-13.10	3	Horizontal	345	1.32
5965MHz	Pass	PK	11.92712G	52.55	74.00	-21.45	3	Horizontal	345	1.32
6205MHz	Pass	AV	12.39524G	40.47	54.00	-13.53	3	Vertical	138	2.39
6205MHz	Pass	PK	12.4223G	51.98	74.00	-22.02	3	Vertical	138	2.39
6205MHz	Pass	AV	12.40892G	40.40	54.00	-13.60	3	Horizontal	71	2.95
6205MHz	Pass	PK	12.41252G	52.89	74.00	-21.11	3	Horizontal	71	2.95
6405MHz	Pass	AV	12.81624G	41.71	68.20	-26.49	3	Vertical	162	1.00
6405MHz	Pass	PK	12.81978G	53.09	88.20	-35.11	3	Vertical	162	1.00
6405MHz	Pass	AV	12.813G	41.68	68.20	-26.52	3	Horizontal	218	2.82
6405MHz	Pass	PK	12.81228G	53.18	88.20	-35.02	3	Horizontal	218	2.82
6565MHz	Pass	AV	13.13912G	42.22	68.20	-25.98	3	Vertical	246	2.39
6565MHz	Pass	PK	13.13432G	54.04	88.20	-34.16	3	Vertical	246	2.39
6565MHz	Pass	AV	13.142G	42.25	68.20	-25.95	3	Horizontal	298	2.59
6565MHz	Pass	PK	13.12646G	53.19	88.20	-35.01	3	Horizontal	298	2.59
6685MHz	Pass	AV	13.37312G	42.57	54.00	-11.43	3	Vertical	19	1.28
6685MHz	Pass	PK	13.36844G	53.88	74.00	-20.12	3	Vertical	19	1.28
6685MHz	Pass	AV	13.3757G	42.61	54.00	-11.39	3	Horizontal	238	1.77

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.37192G	54.19	74.00	-19.81	3	Horizontal	238	1.77
6845MHz	Pass	AV	13.68976G	42.52	68.20	-25.68	3	Vertical	210	2.56
6845MHz	Pass	PK	13.69048G	54.00	88.20	-34.20	3	Vertical	210	2.56
6845MHz	Pass	AV	13.68826G	42.56	68.20	-25.64	3	Horizontal	332	3.00
6845MHz	Pass	PK	13.68982G	53.70	88.20	-34.50	3	Horizontal	332	3.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.921G	68.08	68.20	-0.12	3	Vertical	347	2.85
5985MHz	Pass	AV	5.999G	101.48	Inf	-Inf	3	Vertical	347	2.85
5985MHz	Pass	PK	5.918G	80.61	88.20	-7.59	3	Vertical	347	2.85
5985MHz	Pass	PK	6.016G	112.20	Inf	-Inf	3	Vertical	347	2.85
5985MHz	Pass	AV	5.923G	62.64	68.20	-5.56	3	Horizontal	347	3.00
5985MHz	Pass	AV	6.004G	101.50	Inf	-Inf	3	Horizontal	347	3.00
5985MHz	Pass	PK	5.921G	74.69	88.20	-13.51	3	Horizontal	347	3.00
5985MHz	Pass	PK	6.002G	113.17	Inf	-Inf	3	Horizontal	347	3.00
5985MHz	Pass	AV	11.97732G	41.07	54.00	-12.93	3	Vertical	309	1.88
5985MHz	Pass	PK	11.97852G	52.25	74.00	-21.75	3	Vertical	309	1.88
5985MHz	Pass	AV	11.97342G	41.23	54.00	-12.77	3	Horizontal	93	1.97
5985MHz	Pass	PK	11.9619G	52.91	74.00	-21.09	3	Horizontal	93	1.97
6225MHz	Pass	AV	12.4644G	40.65	54.00	-13.35	3	Vertical	283	1.05
6225MHz	Pass	PK	12.45978G	52.02	74.00	-21.98	3	Vertical	283	1.05
6225MHz	Pass	AV	12.44898G	40.62	54.00	-13.38	3	Horizontal	269	1.12
6225MHz	Pass	PK	12.45846G	51.92	74.00	-22.08	3	Horizontal	269	1.12
6385MHz	Pass	AV	12.77648G	41.52	68.20	-26.68	3	Vertical	68	1.34
6385MHz	Pass	PK	12.78452G	54.26	88.20	-33.94	3	Vertical	68	1.34
6385MHz	Pass	AV	12.77174G	41.63	68.20	-26.57	3	Horizontal	359	2.73
6385MHz	Pass	PK	12.77132G	52.83	88.20	-35.37	3	Horizontal	359	2.73
6625MHz	Pass	AV	13.26134G	42.68	54.00	-11.32	3	Vertical	219	1.96
6625MHz	Pass	PK	13.24082G	54.29	88.20	-33.91	3	Vertical	219	1.96
6625MHz	Pass	AV	13.26284G	42.64	54.00	-11.36	3	Horizontal	360	1.67
6625MHz	Pass	PK	13.24958G	54.35	88.20	-33.85	3	Horizontal	360	1.67
6705MHz	Pass	AV	13.42212G	42.87	68.20	-25.33	3	Vertical	283	2.08
6705MHz	Pass	PK	13.41738G	54.59	88.20	-33.61	3	Vertical	283	2.08
6705MHz	Pass	AV	13.41912G	42.88	68.20	-25.32	3	Horizontal	69	1.21
6705MHz	Pass	PK	13.404G	54.35	88.20	-33.85	3	Horizontal	69	1.21
6785MHz	Pass	AV	13.56676G	42.94	68.20	-25.26	3	Vertical	94	2.58
6785MHz	Pass	PK	13.56256G	54.40	88.20	-33.80	3	Vertical	94	2.58
6785MHz	Pass	AV	13.56286G	43.01	68.20	-25.19	3	Horizontal	159	2.70
6785MHz	Pass	PK	13.5619G	54.23	88.20	-33.97	3	Horizontal	159	2.70
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	64.10	68.20	-4.10	3	Vertical	350	2.69
6025MHz	Pass	AV	6.037G	97.98	Inf	-Inf	3	Vertical	350	2.69
6025MHz	Pass	PK	5.9235G	75.17	88.20	-13.03	3	Vertical	350	2.69
6025MHz	Pass	PK	6.022G	109.30	Inf	-Inf	3	Vertical	350	2.69
6025MHz	Pass	AV	5.925G	65.05	68.20	-3.15	3	Horizontal	343	3.00
6025MHz	Pass	AV	6.005G	98.67	Inf	-Inf	3	Horizontal	343	3.00
6025MHz	Pass	PK	5.895G	77.50	88.20	-10.70	3	Horizontal	343	3.00
6025MHz	Pass	PK	6.0055G	110.85	Inf	-Inf	3	Horizontal	343	3.00
6025MHz	Pass	AV	12.06056G	41.46	54.00	-12.54	3	Vertical	17	1.45
6025MHz	Pass	PK	12.0518G	52.74	74.00	-21.26	3	Vertical	17	1.45
6025MHz	Pass	AV	12.0602G	41.46	54.00	-12.54	3	Horizontal	72	2.53
6025MHz	Pass	PK	12.05906G	52.84	74.00	-21.16	3	Horizontal	72	2.53
6185MHz	Pass	AV	12.35626G	40.81	54.00	-13.19	3	Vertical	319	1.70
6185MHz	Pass	PK	12.37006G	52.10	74.00	-21.90	3	Vertical	319	1.70
6185MHz	Pass	AV	12.36106G	40.85	54.00	-13.15	3	Horizontal	293	1.01
6185MHz	Pass	PK	12.38368G	52.61	74.00	-21.39	3	Horizontal	293	1.01
6345MHz	Pass	AV	12.36478G	40.79	54.00	-13.21	3	Vertical	307	2.26
6345MHz	Pass	PK	12.3805G	52.06	74.00	-21.94	3	Vertical	307	2.26
6345MHz	Pass	AV	12.38464G	40.76	54.00	-13.24	3	Horizontal	7	2.23
6345MHz	Pass	PK	12.3781G	51.97	74.00	-22.03	3	Horizontal	7	2.23
6665MHz	Pass	AV	13.33336G	42.49	54.00	-11.51	3	Vertical	121	1.38
6665MHz	Pass	PK	13.33522G	54.22	74.00	-19.78	3	Vertical	121	1.38
6665MHz	Pass	AV	13.33348G	42.67	54.00	-11.33	3	Horizontal	358	2.85




RSE TX above 1GHz_Non-Beamforming_Radio 2_2TX_SPAP
Full RU

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.3393G	54.31	74.00	-19.69	3	Horizontal	358	2.85
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	66.53	68.20	-1.67	3	Vertical	350	2.67
6105MHz	Pass	AV	6.037G	95.85	Inf	-Inf	3	Vertical	350	2.67
6105MHz	Pass	PK	5.923G	79.71	88.20	-8.49	3	Vertical	350	2.67
6105MHz	Pass	PK	6.021G	107.23	Inf	-Inf	3	Vertical	350	2.67
6105MHz	Pass	AV	5.923G	67.39	68.20	-0.81	3	Horizontal	341	2.91
6105MHz	Pass	AV	6.165G	96.37	Inf	-Inf	3	Horizontal	341	2.91
6105MHz	Pass	PK	5.913G	78.92	88.20	-9.28	3	Horizontal	341	2.91
6105MHz	Pass	PK	6.163G	107.82	Inf	-Inf	3	Horizontal	341	2.91
6105MHz	Pass	AV	12.20778G	41.49	54.00	-12.51	3	Vertical	34	2.63
6105MHz	Pass	PK	12.20994G	53.30	74.00	-20.70	3	Vertical	34	2.63
6105MHz	Pass	AV	12.20046G	41.57	54.00	-12.43	3	Horizontal	1	1.47
6105MHz	Pass	PK	12.19944G	53.76	74.00	-20.24	3	Horizontal	1	1.47
6265MHz	Pass	AV	12.54464G	40.44	54.00	-13.56	3	Vertical	300	1.53
6265MHz	Pass	PK	12.53012G	51.54	74.00	-22.46	3	Vertical	300	1.53
6265MHz	Pass	AV	12.54122G	40.48	54.00	-13.52	3	Horizontal	183	1.61
6265MHz	Pass	PK	12.54464G	51.89	74.00	-22.11	3	Horizontal	183	1.61


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.923G	62.16	68.20	-6.04	6.56	3	Vertical	348	2.57	55.60	34.35	7.33	35.12				
AV	5.9806G	104.01	Inf	-Inf	6.57	3	Vertical	348	2.57	97.44	34.30	7.35	35.08				
PK	5.9242G	76.61	88.20	-11.59	6.56	3	Vertical	348	2.57	70.05	34.35	7.33	35.12				
PK	5.98G	116.18	Inf	-Inf	6.57	3	Vertical	348	2.57	109.61	34.30	7.35	35.08				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.92G	60.01	68.20	-8.19	6.57	3	Horizontal	259	2.33	53.44	34.36	7.33	35.12				
AV	5.9782G	102.53	Inf	-Inf	6.57	3	Horizontal	259	2.33	95.96	34.30	7.35	35.08				
PK	5.923G	73.46	88.20	-14.74	6.56	3	Horizontal	259	2.33	66.90	34.35	7.33	35.12				
PK	5.9758G	113.59	Inf	-Inf	6.56	3	Horizontal	259	2.33	107.03	34.30	7.35	35.09				


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	68.08	68.20	-0.12	6.57	3	Vertical	347	2.85	61.51	34.36	7.33	35.12
AV	5.999G	101.48	Inf	-Inf	6.59	3	Vertical	347	2.85	94.89	34.30	7.36	35.07
PK	5.918G	80.61	88.20	-7.59	6.57	3	Vertical	347	2.85	74.04	34.36	7.33	35.12
PK	6.016G	112.20	Inf	-Inf	6.59	3	Vertical	347	2.85	105.61	34.30	7.37	35.08

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	62.64	68.20	-5.56	6.56	3	Horizontal	347	3.00	56.08	34.35	7.33	35.12
AV	6.004G	101.50	Inf	-Inf	6.59	3	Horizontal	347	3.00	94.91	34.30	7.36	35.07
PK	5.921G	74.69	88.20	-13.51	6.57	3	Horizontal	347	3.00	68.12	34.36	7.33	35.12
PK	6.002G	113.17	Inf	-Inf	6.59	3	Horizontal	347	3.00	106.58	34.30	7.36	35.07


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	66.53	68.20	-1.67	6.57	3	Vertical	350	2.67	59.96	34.36	7.33	35.12
AV	6.037G	95.85	Inf	-Inf	6.59	3	Vertical	350	2.67	89.26	34.30	7.37	35.08
PK	5.923G	79.71	88.20	-8.49	6.56	3	Vertical	350	2.67	73.15	34.35	7.33	35.12
PK	6.021G	107.23	Inf	-Inf	6.59	3	Vertical	350	2.67	100.64	34.30	7.37	35.08

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	67.39	68.20	-0.81	6.56	3	Horizontal	341	2.91	60.83	34.35	7.33	35.12
AV	6.165G	96.37	Inf	-Inf	6.68	3	Horizontal	341	2.91	89.69	34.40	7.42	35.14
PK	5.913G	78.92	88.20	-9.28	6.57	3	Horizontal	341	2.91	72.35	34.37	7.33	35.13
PK	6.163G	107.82	Inf	-Inf	6.68	3	Horizontal	341	2.91	101.14	34.40	7.42	35.14


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX above 1GHz_Non-Beamforming_Radio 2_2TX_
SPAP_Channel Puncturing**

Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	AV	5.924G	65.72	68.20	-2.48	3	Horizontal	345	3.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	Pass	AV	5.925G	67.97	68.20	-0.23	3	Horizontal	343	2.88
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	Pass	AV	5.924G	67.22	68.20	-0.98	3	Horizontal	343	2.88



RSE TX above 1GHz_Non-Beamforming_Radio 2_2TX SPAP_Channel Puncturing

Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	65.70	68.20	-2.50	3	Vertical	351	2.66
5985MHz	Pass	AV	6.0185G	100.90	Inf	-Inf	3	Vertical	351	2.66
5985MHz	Pass	PK	5.922G	81.91	88.20	-6.29	3	Vertical	351	2.66
5985MHz	Pass	PK	5.959G	112.83	Inf	-Inf	3	Vertical	351	2.66
5985MHz	Pass	AV	5.924G	65.72	68.20	-2.48	3	Horizontal	345	3.00
5985MHz	Pass	AV	6.023G	101.92	Inf	-Inf	3	Horizontal	345	3.00
5985MHz	Pass	PK	5.9225G	81.75	88.20	-6.45	3	Horizontal	345	3.00
5985MHz	Pass	PK	5.9835G	113.41	Inf	-Inf	3	Horizontal	345	3.00
5985MHz	Pass	AV	11.93624G	42.77	54.00	-11.23	3	Vertical	182	1.07
5985MHz	Pass	PK	11.95224G	54.31	74.00	-19.69	3	Vertical	182	1.07
5985MHz	Pass	AV	11.9352G	42.79	54.00	-11.21	3	Horizontal	166	2.07
5985MHz	Pass	PK	11.948G	54.46	74.00	-19.54	3	Horizontal	166	2.07
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9205G	66.56	68.20	-1.64	3	Vertical	350	2.56
6025MHz	Pass	AV	6.018G	97.84	Inf	-Inf	3	Vertical	350	2.56
6025MHz	Pass	PK	5.9165G	81.12	88.20	-7.08	3	Vertical	350	2.56
6025MHz	Pass	PK	5.9775G	109.85	Inf	-Inf	3	Vertical	350	2.56
6025MHz	Pass	AV	5.925G	67.06	68.20	-1.14	3	Horizontal	342	2.99
6025MHz	Pass	AV	6.046G	98.76	Inf	-Inf	3	Horizontal	342	2.99
6025MHz	Pass	PK	5.924G	80.98	88.20	-7.22	3	Horizontal	342	2.99
6025MHz	Pass	PK	6.0815G	110.44	Inf	-Inf	3	Horizontal	342	2.99
6025MHz	Pass	AV	12.06056G	42.77	54.00	-11.23	3	Vertical	229	1.50
6025MHz	Pass	PK	12.00936G	55.28	74.00	-18.72	3	Vertical	229	1.50
6025MHz	Pass	AV	12.04952G	42.76	54.00	-11.24	3	Horizontal	273	2.31
6025MHz	Pass	PK	12.02568G	54.33	74.00	-19.67	3	Horizontal	273	2.31
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	67.61	68.20	-0.59	3	Vertical	349	2.54
6025MHz	Pass	AV	6.0185G	98.57	Inf	-Inf	3	Vertical	349	2.54
6025MHz	Pass	PK	5.918G	82.03	88.20	-6.17	3	Vertical	349	2.54
6025MHz	Pass	PK	5.998G	110.71	Inf	-Inf	3	Vertical	349	2.54
6025MHz	Pass	AV	5.925G	67.97	68.20	-0.23	3	Horizontal	343	2.88
6025MHz	Pass	AV	6.0635G	99.37	Inf	-Inf	3	Horizontal	343	2.88
6025MHz	Pass	PK	5.925G	83.82	88.20	-4.38	3	Horizontal	343	2.88
6025MHz	Pass	PK	6.0625G	110.91	Inf	-Inf	3	Horizontal	343	2.88
6025MHz	Pass	AV	12.03816G	42.78	54.00	-11.22	3	Vertical	129	1.50
6025MHz	Pass	PK	12.01048G	54.53	74.00	-19.47	3	Vertical	129	1.50
6025MHz	Pass	AV	12.04984G	42.79	54.00	-11.21	3	Horizontal	0	1.00
6025MHz	Pass	PK	12.06808G	54.60	74.00	-19.40	3	Horizontal	0	1.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	66.44	68.20	-1.76	3	Vertical	348	2.62
6105MHz	Pass	AV	6.118G	95.65	Inf	-Inf	3	Vertical	348	2.62
6105MHz	Pass	PK	5.914G	84.55	88.20	-3.65	3	Vertical	348	2.62
6105MHz	Pass	PK	6.038G	107.62	Inf	-Inf	3	Vertical	348	2.62
6105MHz	Pass	AV	5.925G	66.65	68.20	-1.55	3	Horizontal	341	2.93
6105MHz	Pass	AV	6.125G	96.36	Inf	-Inf	3	Horizontal	341	2.93
6105MHz	Pass	PK	5.91G	83.16	88.20	-5.04	3	Horizontal	341	2.93
6105MHz	Pass	PK	6.045G	107.91	Inf	-Inf	3	Horizontal	341	2.93
6105MHz	Pass	AV	12.06152G	42.81	54.00	-11.19	3	Vertical	290	1.50
6105MHz	Pass	PK	12.05288G	54.56	74.00	-19.44	3	Vertical	290	1.50
6105MHz	Pass	AV	12.07592G	42.77	54.00	-11.23	3	Horizontal	46	1.50
6105MHz	Pass	PK	12.35592G	54.20	74.00	-19.80	3	Horizontal	46	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	66.93	68.20	-1.27	3	Vertical	348	2.61
6105MHz	Pass	AV	6.118G	96.39	Inf	-Inf	3	Vertical	348	2.61
6105MHz	Pass	PK	5.923G	82.89	88.20	-5.31	3	Vertical	348	2.61
6105MHz	Pass	PK	6.137G	107.89	Inf	-Inf	3	Vertical	348	2.61
6105MHz	Pass	AV	5.924G	67.22	68.20	-0.98	3	Horizontal	343	2.88
6105MHz	Pass	AV	6.124G	96.91	Inf	-Inf	3	Horizontal	343	2.88
6105MHz	Pass	PK	5.91G	82.28	88.20	-5.92	3	Horizontal	343	2.88
6105MHz	Pass	PK	6.083G	108.53	Inf	-Inf	3	Horizontal	343	2.88




**RSE TX above 1GHz_Non-Beamforming_Radio 2_2TX_
SPAP_Channel Puncturing**

Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.066G	42.76	54.00	-11.24	3	Vertical	107	1.50
6105MHz	Pass	PK	12.07336G	53.65	74.00	-20.35	3	Vertical	107	1.50
6105MHz	Pass	AV	12.06312G	42.75	54.00	-11.25	3	Horizontal	135	1.50
6105MHz	Pass	PK	12.33736G	54.81	74.00	-19.19	3	Horizontal	135	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	65.95	68.20	-2.25	3	Vertical	348	2.58
6105MHz	Pass	AV	6.119G	96.44	Inf	-Inf	3	Vertical	348	2.58
6105MHz	Pass	PK	5.914G	82.25	88.20	-5.95	3	Vertical	348	2.58
6105MHz	Pass	PK	6.08G	108.08	Inf	-Inf	3	Vertical	348	2.58
6105MHz	Pass	AV	5.925G	66.22	68.20	-1.98	3	Horizontal	341	2.92
6105MHz	Pass	AV	6.126G	97.55	Inf	-Inf	3	Horizontal	341	2.92
6105MHz	Pass	PK	5.91G	82.42	88.20	-5.78	3	Horizontal	341	2.92
6105MHz	Pass	PK	6.122G	110.16	Inf	-Inf	3	Horizontal	341	2.92
6105MHz	Pass	AV	12.0692G	42.79	54.00	-11.21	3	Vertical	76	1.00
6105MHz	Pass	PK	12.06696G	54.51	74.00	-19.49	3	Vertical	76	1.00
6105MHz	Pass	AV	12.066G	42.74	54.00	-11.26	3	Horizontal	329	2.40
6105MHz	Pass	PK	12.15976G	54.11	74.00	-19.89	3	Horizontal	329	2.40


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	67.61	68.20	-0.59	7.96	3	Vertical	349	2.54	59.65	34.36	8.64	35.04
AV	6.0185G	98.57	Inf	-Inf	7.91	3	Vertical	349	2.54	90.66	34.30	8.66	35.05
PK	5.918G	82.03	88.20	-6.17	7.96	3	Vertical	349	2.54	74.07	34.36	8.64	35.04
PK	5.998G	110.71	Inf	-Inf	7.91	3	Vertical	349	2.54	102.80	34.30	8.65	35.04

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	67.97	68.20	-0.23	7.95	3	Horizontal	343	2.88	60.02	34.35	8.64	35.04
AV	6.0635G	99.37	Inf	-Inf	7.92	3	Horizontal	343	2.88	91.45	34.30	8.68	35.06
PK	5.925G	83.82	88.20	-4.38	7.95	3	Horizontal	343	2.88	75.87	34.35	8.64	35.04
PK	6.0625G	110.91	Inf	-Inf	7.92	3	Horizontal	343	2.88	102.99	34.30	8.68	35.06


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9246G	67.81	68.20	-0.39	3	Vertical	352	2.43
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9235G	62.20	68.20	-6.00	3	Horizontal	138	2.73
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	67.40	68.20	-0.80	3	Vertical	351	2.74
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.923G	67.25	68.20	-0.95	3	Vertical	360	2.67
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	65.52	68.20	-2.68	3	Horizontal	352	2.99
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38948G	42.69	54.00	-11.31	3	Vertical	96	1.10
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39976G	42.76	54.00	-11.24	3	Vertical	163	2.66
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.2514G	43.79	54.00	-10.21	3	Vertical	216	2.12
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3309G	42.26	54.00	-11.74	3	Vertical	176	2.74

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9246G	67.81	68.20	-0.39	3	Vertical	352	2.43
5955MHz	Pass	AV	5.95G	108.79	Inf	-Inf	3	Vertical	352	2.43
5955MHz	Pass	PK	5.9234G	82.40	88.20	-5.80	3	Vertical	352	2.43
5955MHz	Pass	PK	5.9486G	119.19	Inf	-Inf	3	Vertical	352	2.43
5955MHz	Pass	AV	5.925G	59.64	68.20	-8.56	3	Horizontal	226	2.62
5955MHz	Pass	AV	5.9638G	108.15	Inf	-Inf	3	Horizontal	226	2.62
5955MHz	Pass	PK	5.9164G	77.27	88.20	-10.93	3	Horizontal	226	2.62
5955MHz	Pass	PK	5.9642G	118.89	Inf	-Inf	3	Horizontal	226	2.62
5955MHz	Pass	AV	11.89932G	41.05	54.00	-12.95	3	Vertical	175	2.38
5955MHz	Pass	PK	11.9097G	53.03	74.00	-20.97	3	Vertical	175	2.38
5955MHz	Pass	AV	11.89674G	41.02	54.00	-12.98	3	Horizontal	207	1.50
5955MHz	Pass	PK	11.89602G	52.93	74.00	-21.07	3	Horizontal	207	1.50
6195MHz	Pass	AV	12.37974G	40.73	54.00	-13.27	3	Vertical	5	2.84
6195MHz	Pass	PK	12.38604G	53.09	74.00	-20.91	3	Vertical	5	2.84
6195MHz	Pass	AV	12.3765G	40.72	54.00	-13.28	3	Horizontal	330	1.22
6195MHz	Pass	PK	12.37602G	52.90	74.00	-21.10	3	Horizontal	330	1.22
6415MHz	Pass	AV	12.84422G	42.49	68.20	-25.71	3	Vertical	233	2.83
6415MHz	Pass	PK	12.83774G	54.76	88.20	-33.44	3	Vertical	233	2.83
6415MHz	Pass	AV	12.84482G	41.98	68.20	-26.22	3	Horizontal	132	1.50
6415MHz	Pass	PK	12.83804G	54.44	88.20	-33.76	3	Horizontal	132	1.50
6535MHz	Pass	AV	13.0536G	47.82	68.20	-20.38	3	Vertical	39	2.09
6535MHz	Pass	PK	13.0532G	59.01	88.20	-29.19	3	Vertical	39	2.09
6535MHz	Pass	AV	13.06424G	43.55	68.20	-24.65	3	Horizontal	302	1.92
6535MHz	Pass	PK	13.0688G	55.45	88.20	-32.75	3	Horizontal	302	1.92
6695MHz	Pass	AV	13.38948G	42.69	54.00	-11.31	3	Vertical	96	1.10
6695MHz	Pass	PK	13.38008G	55.00	74.00	-19.00	3	Vertical	96	1.10
6695MHz	Pass	AV	13.39988G	42.58	54.00	-11.42	3	Horizontal	69	1.91
6695MHz	Pass	PK	13.39168G	55.37	74.00	-18.63	3	Horizontal	69	1.91
6855MHz	Pass	AV	13.69456G	42.66	68.20	-25.54	3	Vertical	343	2.16
6855MHz	Pass	PK	13.7296G	54.52	88.20	-33.68	3	Vertical	343	2.16
6855MHz	Pass	AV	13.69144G	42.66	68.20	-25.54	3	Horizontal	173	2.46
6855MHz	Pass	PK	13.72568G	54.88	88.20	-33.32	3	Horizontal	173	2.46
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.92445G	61.02	68.20	-7.18	3	Vertical	353	2.74
5965MHz	Pass	AV	5.98253G	104.73	Inf	-Inf	3	Vertical	353	2.74
5965MHz	Pass	PK	5.92445G	70.36	88.20	-17.84	3	Vertical	353	2.74
5965MHz	Pass	PK	5.98253G	111.44	Inf	-Inf	3	Vertical	353	2.74
5965MHz	Pass	AV	5.9235G	62.20	68.20	-6.00	3	Horizontal	138	2.73
5965MHz	Pass	AV	5.98353G	105.48	Inf	-Inf	3	Horizontal	138	2.73
5965MHz	Pass	PK	5.9235G	74.31	88.20	-13.89	3	Horizontal	138	2.73
5965MHz	Pass	PK	5.98353G	111.26	Inf	-Inf	3	Horizontal	138	2.73
5965MHz	Pass	AV	11.9258G	40.91	54.00	-13.09	3	Vertical	177	1.50
5965MHz	Pass	PK	11.91176G	52.88	74.00	-21.12	3	Vertical	177	1.50
5965MHz	Pass	AV	11.93408G	40.94	54.00	-13.06	3	Horizontal	14	1.50
5965MHz	Pass	PK	11.90576G	52.53	74.00	-21.47	3	Horizontal	14	1.50
6205MHz	Pass	AV	12.39056G	40.53	54.00	-13.47	3	Vertical	174	1.15
6205MHz	Pass	PK	12.40304G	52.97	74.00	-21.03	3	Vertical	174	1.15
6205MHz	Pass	AV	12.38036G	40.64	54.00	-13.36	3	Horizontal	90	1.76
6205MHz	Pass	PK	12.38348G	52.90	74.00	-21.10	3	Horizontal	90	1.76
6405MHz	Pass	AV	12.81264G	41.82	68.20	-26.38	3	Vertical	116	2.04
6405MHz	Pass	PK	12.822G	53.85	88.20	-34.35	3	Vertical	116	2.04
6405MHz	Pass	AV	12.83988G	41.89	68.20	-26.31	3	Horizontal	340	1.84
6405MHz	Pass	PK	12.83292G	53.77	88.20	-34.43	3	Horizontal	340	1.84
6565MHz	Pass	AV	13.13G	44.33	68.20	-23.87	3	Vertical	216	2.57
6565MHz	Pass	PK	13.13732G	56.73	88.20	-31.47	3	Vertical	216	2.57
6565MHz	Pass	AV	13.13612G	42.76	68.20	-25.44	3	Horizontal	2	2.79
6565MHz	Pass	PK	13.12172G	54.37	88.20	-33.83	3	Horizontal	2	2.79
6685MHz	Pass	AV	13.39976G	42.76	54.00	-11.24	3	Vertical	163	2.66
6685MHz	Pass	PK	13.3736G	55.06	74.00	-18.94	3	Vertical	163	2.66
6685MHz	Pass	AV	13.39784G	42.71	54.00	-11.29	3	Horizontal	0	2.30

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.37588G	54.61	74.00	-19.39	3	Horizontal	0	2.30
6845MHz	Pass	AV	13.68988G	42.96	68.20	-25.24	3	Vertical	199	3.00
6845MHz	Pass	PK	13.6714G	55.40	88.20	-32.80	3	Vertical	199	3.00
6845MHz	Pass	AV	13.69312G	42.94	68.20	-25.26	3	Horizontal	19	2.65
6845MHz	Pass	PK	13.68772G	55.48	88.20	-32.72	3	Horizontal	19	2.65
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	67.40	68.20	-0.80	3	Vertical	351	2.74
5985MHz	Pass	AV	5.98863G	103.17	Inf	-Inf	3	Vertical	351	2.74
5985MHz	Pass	PK	5.9225G	76.18	88.20	-12.02	3	Vertical	351	2.74
5985MHz	Pass	PK	5.99063G	109.94	Inf	-Inf	3	Vertical	351	2.74
5985MHz	Pass	AV	5.9245G	66.09	68.20	-2.11	3	Horizontal	342	2.78
5985MHz	Pass	AV	6.00363G	103.18	Inf	-Inf	3	Horizontal	342	2.78
5985MHz	Pass	PK	5.9235G	75.95	88.20	-12.25	3	Horizontal	342	2.78
5985MHz	Pass	PK	6.00363G	110.40	Inf	-Inf	3	Horizontal	342	2.78
5985MHz	Pass	AV	12.02G	41.11	54.00	-12.89	3	Vertical	206	1.50
5985MHz	Pass	PK	11.9902G	53.16	74.00	-20.84	3	Vertical	206	1.50
5985MHz	Pass	AV	12.0188G	41.11	54.00	-12.89	3	Horizontal	255	1.50
5985MHz	Pass	PK	11.9952G	53.14	74.00	-20.86	3	Horizontal	255	1.50
6225MHz	Pass	AV	12.4866G	40.61	54.00	-13.39	3	Vertical	80	1.50
6225MHz	Pass	PK	12.452G	53.93	74.00	-20.07	3	Vertical	80	1.50
6225MHz	Pass	AV	12.456G	40.76	54.00	-13.24	3	Horizontal	297	1.47
6225MHz	Pass	PK	12.4662G	52.90	74.00	-21.10	3	Horizontal	297	1.47
6385MHz	Pass	AV	12.77304G	41.42	68.20	-26.78	3	Vertical	263	1.50
6385MHz	Pass	PK	12.78032G	53.43	88.20	-34.77	3	Vertical	263	1.50
6385MHz	Pass	AV	12.8182G	41.83	68.20	-26.37	3	Horizontal	289	2.64
6385MHz	Pass	PK	12.7968G	53.76	88.20	-34.44	3	Horizontal	289	2.64
6625MHz	Pass	AV	13.2514G	43.79	54.00	-10.21	3	Vertical	216	2.12
6625MHz	Pass	PK	13.25308G	56.02	74.00	-17.98	3	Vertical	216	2.12
6625MHz	Pass	AV	13.25152G	42.52	54.00	-11.48	3	Horizontal	342	1.00
6625MHz	Pass	PK	13.2503G	55.02	74.00	-18.98	3	Horizontal	342	1.00
6705MHz	Pass	AV	13.464G	42.92	68.20	-25.28	3	Vertical	0	1.50
6705MHz	Pass	PK	13.4544G	55.74	88.20	-32.46	3	Vertical	0	1.50
6705MHz	Pass	AV	13.4676G	42.92	68.20	-25.28	3	Horizontal	336	1.50
6705MHz	Pass	PK	13.4676G	54.93	88.20	-33.27	3	Horizontal	336	1.50
6785MHz	Pass	AV	13.55512G	43.10	68.20	-25.10	3	Vertical	50	2.31
6785MHz	Pass	PK	13.61008G	55.19	88.20	-33.01	3	Vertical	50	2.31
6785MHz	Pass	AV	13.56232G	43.11	68.20	-25.09	3	Horizontal	141	1.50
6785MHz	Pass	PK	13.55392G	54.93	88.20	-33.27	3	Horizontal	141	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	67.25	68.20	-0.95	3	Vertical	360	2.67
6025MHz	Pass	AV	5.972G	100.18	Inf	-Inf	3	Vertical	360	2.67
6025MHz	Pass	PK	5.924G	83.43	88.20	-4.77	3	Vertical	360	2.67
6025MHz	Pass	PK	5.97G	111.30	Inf	-Inf	3	Vertical	360	2.67
6025MHz	Pass	AV	5.924G	65.80	68.20	-2.40	3	Horizontal	351	2.92
6025MHz	Pass	AV	6.103G	104.03	Inf	-Inf	3	Horizontal	351	2.92
6025MHz	Pass	PK	5.923G	79.19	88.20	-9.01	3	Horizontal	351	2.92
6025MHz	Pass	PK	6.102G	114.31	Inf	-Inf	3	Horizontal	351	2.92
6025MHz	Pass	AV	12.06116G	41.15	54.00	-12.85	3	Vertical	51	1.50
6025MHz	Pass	PK	12.06242G	53.45	74.00	-20.55	3	Vertical	51	1.50
6025MHz	Pass	AV	12.06458G	41.20	54.00	-12.80	3	Horizontal	165	1.50
6025MHz	Pass	PK	12.06206G	53.31	74.00	-20.69	3	Horizontal	165	1.50
6185MHz	Pass	AV	12.3577G	40.60	54.00	-13.40	3	Vertical	220	1.57
6185MHz	Pass	PK	12.36358G	52.91	74.00	-21.09	3	Vertical	220	1.57
6185MHz	Pass	AV	12.35818G	40.53	54.00	-13.47	3	Horizontal	3	1.52
6185MHz	Pass	PK	12.35842G	52.71	74.00	-21.29	3	Horizontal	3	1.52
6345MHz	Pass	AV	12.684G	40.80	54.00	-13.20	3	Vertical	268	1.88
6345MHz	Pass	PK	12.6879G	52.61	74.00	-21.39	3	Vertical	268	1.88
6345MHz	Pass	AV	12.7041G	40.93	68.20	-27.27	3	Horizontal	357	2.16
6345MHz	Pass	PK	12.68448G	53.72	74.00	-20.28	3	Horizontal	357	2.16
6665MHz	Pass	AV	13.3309G	42.26	54.00	-11.74	3	Vertical	176	2.74
6665MHz	Pass	PK	13.32232G	54.44	74.00	-19.56	3	Vertical	176	2.74
6665MHz	Pass	AV	13.33288G	42.25	54.00	-11.75	3	Horizontal	191	2.70

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.3225G	54.71	74.00	-19.29	3	Horizontal	191	2.70
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	62.84	68.20	-5.36	3	Vertical	345	2.01
6105MHz	Pass	AV	6.201G	95.27	Inf	-Inf	3	Vertical	345	2.01
6105MHz	Pass	PK	5.925G	74.52	88.20	-13.68	3	Vertical	345	2.01
6105MHz	Pass	PK	6.199G	106.75	Inf	-Inf	3	Vertical	345	2.01
6105MHz	Pass	AV	5.925G	65.52	68.20	-2.68	3	Horizontal	352	2.99
6105MHz	Pass	AV	6.103G	101.56	Inf	-Inf	3	Horizontal	352	2.99
6105MHz	Pass	PK	5.911G	77.03	88.20	-11.17	3	Horizontal	352	2.99
6105MHz	Pass	PK	6.103G	112.32	Inf	-Inf	3	Horizontal	352	2.99
6105MHz	Pass	AV	12.2145G	41.38	54.00	-12.62	3	Vertical	276	1.00
6105MHz	Pass	PK	12.19608G	53.72	74.00	-20.28	3	Vertical	276	1.00
6105MHz	Pass	AV	12.21756G	41.38	54.00	-12.62	3	Horizontal	4	1.55
6105MHz	Pass	PK	12.19518G	54.04	74.00	-19.96	3	Horizontal	4	1.55
6265MHz	Pass	AV	12.54368G	40.08	54.00	-13.92	3	Vertical	41	2.31
6265MHz	Pass	PK	12.5414G	51.83	74.00	-22.17	3	Vertical	41	2.31
6265MHz	Pass	AV	12.53714G	40.06	54.00	-13.94	3	Horizontal	159	1.84
6265MHz	Pass	PK	12.53618G	52.11	74.00	-21.89	3	Horizontal	159	1.84


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.92445G	61.02	68.20	-7.18	6.56	3	Vertical	353	2.74	54.46	34.35	7.33	35.12
AV	5.98253G	104.73	Inf	-Inf	6.57	3	Vertical	353	2.74	98.16	34.30	7.35	35.08
PK	5.92445G	70.36	88.20	-17.84	6.56	3	Vertical	353	2.74	63.80	34.35	7.33	35.12
PK	5.98253G	111.44	Inf	-Inf	6.57	3	Vertical	353	2.74	104.87	34.30	7.35	35.08

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9235G	62.20	68.20	-6.00	6.56	3	Horizontal	138	2.73	55.64	34.35	7.33	35.12
AV	5.98353G	105.48	Inf	-Inf	6.57	3	Horizontal	138	2.73	98.91	34.30	7.35	35.08
PK	5.9235G	74.31	88.20	-13.89	6.56	3	Horizontal	138	2.73	67.75	34.35	7.33	35.12
PK	5.98353G	111.26	Inf	-Inf	6.57	3	Horizontal	138	2.73	104.69	34.30	7.35	35.08


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9245G	67.40	68.20	-0.80	6.56	3	Vertical	351	2.74	60.84	34.35	7.33	35.12
AV	5.98863G	103.17	Inf	-Inf	6.58	3	Vertical	351	2.74	96.59	34.30	7.36	35.08
PK	5.9225G	76.18	88.20	-12.02	6.56	3	Vertical	351	2.74	69.62	34.35	7.33	35.12
PK	5.99063G	109.94	Inf	-Inf	6.58	3	Vertical	351	2.74	103.36	34.30	7.36	35.08

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9245G	66.09	68.20	-2.11	6.56	3	Horizontal	342	2.78	59.53	34.35	7.33	35.12
AV	6.00363G	103.18	Inf	-Inf	6.59	3	Horizontal	342	2.78	96.59	34.30	7.36	35.07
PK	5.9235G	75.95	88.20	-12.25	6.56	3	Horizontal	342	2.78	69.39	34.35	7.33	35.12
PK	6.00363G	110.40	Inf	-Inf	6.59	3	Horizontal	342	2.78	103.81	34.30	7.36	35.07


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	67.25	68.20	-0.95	6.56	3	Vertical	360	2.67	60.69	34.35	7.33	35.12
AV	5.972G	100.18	Inf	-Inf	6.56	3	Vertical	360	2.67	93.62	34.30	7.35	35.09
PK	5.924G	83.43	88.20	-4.77	6.56	3	Vertical	360	2.67	76.87	34.35	7.33	35.12
PK	5.97G	111.30	Inf	-Inf	6.56	3	Vertical	360	2.67	104.74	34.30	7.35	35.09

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	65.80	68.20	-2.40	6.56	3	Horizontal	351	2.92	59.24	34.35	7.33	35.12
AV	6.103G	104.03	Inf	-Inf	6.60	3	Horizontal	351	2.92	97.43	34.31	7.40	35.11
PK	5.923G	79.19	88.20	-9.01	6.56	3	Horizontal	351	2.92	72.63	34.35	7.33	35.12
PK	6.102G	114.31	Inf	-Inf	6.59	3	Horizontal	351	2.92	107.72	34.30	7.40	35.11


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	62.84	68.20	-5.36	6.56	3	Vertical	345	2.01	56.28	34.35	7.33	35.12
AV	6.201G	95.27	Inf	-Inf	6.68	3	Vertical	345	2.01	88.59	34.40	7.43	35.15
PK	5.925G	74.52	88.20	-13.68	6.56	3	Vertical	345	2.01	67.96	34.35	7.33	35.12
PK	6.199G	106.75	Inf	-Inf	6.68	3	Vertical	345	2.01	100.07	34.40	7.43	35.15

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	65.52	68.20	-2.68	6.56	3	Horizontal	352	2.99	58.96	34.35	7.33	35.12
AV	6.103G	101.56	Inf	-Inf	6.60	3	Horizontal	352	2.99	94.96	34.31	7.40	35.11
PK	5.911G	77.03	88.20	-11.17	6.57	3	Horizontal	352	2.99	70.46	34.38	7.32	35.13
PK	6.103G	112.32	Inf	-Inf	6.60	3	Horizontal	352	2.99	105.72	34.31	7.40	35.11


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.79901G	29.90	54.00	-24.10	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.79901G	29.90	54.00	-24.10	3	Vertical	19	1.04
Mode 1	Pass	AV	4.81994G	28.94	54.00	-25.06	3	Vertical	129	2.32
Mode 1	Pass	AV	10.48404G	41.34	68.20	-26.86	3	Vertical	158	2.25
Mode 1	Pass	AV	13.16743G	43.23	68.20	-24.97	3	Vertical	282	2.18
Mode 1	Pass	PK	4.79996G	42.98	74.00	-31.02	3	Vertical	19	1.04
Mode 1	Pass	PK	4.8207G	42.43	74.00	-31.57	3	Vertical	129	2.32
Mode 1	Pass	PK	10.48257G	54.35	88.20	-33.85	3	Vertical	158	2.25
Mode 1	Pass	PK	13.17074G	56.67	88.20	-31.53	3	Vertical	282	2.18
Mode 1	Pass	AV	4.7998G	29.85	54.00	-24.15	3	Horizontal	225	2.14
Mode 1	Pass	AV	4.82343G	29.05	54.00	-24.95	3	Horizontal	197	1.47
Mode 1	Pass	AV	10.47985G	41.28	68.20	-26.92	3	Horizontal	322	1.85
Mode 1	Pass	AV	13.17256G	43.11	68.20	-25.09	3	Horizontal	130	2.42
Mode 1	Pass	PK	4.80391G	43.36	74.00	-30.64	3	Horizontal	225	2.14
Mode 1	Pass	PK	4.82665G	42.11	74.00	-31.89	3	Horizontal	197	1.47
Mode 1	Pass	PK	10.48057G	54.82	88.20	-33.38	3	Horizontal	322	1.85
Mode 1	Pass	PK	13.16646G	56.54	88.20	-31.66	3	Horizontal	130	2.42

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

