



FCC RADIO TEST REPORT

FCC ID : UDX-600214010
Equipment : Cisco Wireless 9172I Series Wi-Fi 7 Access Point
Brand Name : CISCO
Model Name : CW9172I
Applicant : Cisco Systems, Inc.
170 West Tasman Drive, San Jose, CA 95134 USA
Manufacturer : Cisco Systems, Inc.
170 West Tasman Drive, San Jose, CA 95134 USA
Standard : 47 CFR FCC Part 15.407

The product was received on Aug. 29, 2024, and testing was started from Oct. 31, 2024 and completed on Dec. 05, 2024. We, SPORTON INTERNATIONAL INC. Hsinhua Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.10-2013 and shown compliance with the applicable technical standards.

The test results in this variant report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. Hsinhua Laboratory, the test report shall not be reproduced except in full.



Approved by: Jackson Tsai

SPORTON INTERNATIONAL INC. Hsinhua Laboratory

No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)



Table of Contents

History of this test report.....	3
Summary of Test Result.....	4
1 General Description	5
1.1 Information.....	5
1.2 Applicable Standards	11
1.3 Testing Location Information	11
1.4 Measurement Uncertainty	11
2 Test Configuration of EUT.....	12
2.1 Test Channel Mode	12
2.2 The Worst Case Measurement Configuration	38
2.3 Accessories	38
2.4 Support Equipment.....	39
2.5 Test Setup Diagram	39
3 Transmitter Test Result	40
3.1 Maximum Equivalent Isotropically Radiated Power (E.I.R.P.)	40
3.2 Peak Power Spectral Density (E.I.R.P.)	43
3.3 Unwanted Emissions.....	46
4 Test Equipment and Calibration Data	50
Appendix A. Test Results of Maximum Equivalent Isotropically Radiated Power (E.I.R.P.)	
Appendix B. Test Results of Peak Power Spectral Density (E.I.R.P.)	
Appendix C. Test Results of Unwanted Emissions	
Appendix D. Test Photos	
Photographs of EUT v01	



History of this test report

TEL : 886-3-656-9065
FAX : 886-3-656-9085
Report Template No.: HE1-D1-1 Ver2.5
FCC ID: UDX-600214010

Page Number : 3 of 50
Issued Date : Apr. 07, 2025
Report Version : 01



Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
1.1.2	15.203	Antenna Requirement	PASS	-
3.1	15.407(a)	Maximum Equivalent Isotropically Radiated Power (E.I.R.P.)	PASS	-
3.2	15.407(a)	Peak Power Spectral Density (E.I.R.P.)	PASS	-
3.3	15.407(b)	Unwanted Emissions	PASS	-

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

None

Reviewed by: Ryan Hsiao

Report Producer: Debby Hung



1 General Description

1.1 Information

Radio 3 (Scan radio) is only RX function.

1.1.1 RF General Information

Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5925 ~ 7125	ax (HEW80), be (EHT80)	5985 ~ 7025	7 ~ 215 [14]
5925 ~ 7125	ax (HEW160), be (EHT160)	6025 ~ 6985	15 ~ 207 [7]
5925 ~ 7125	ax HEW320), be (EHT320)	6105 ~ 6905	31 ~ 191 [6]

Non-Beamforming_Radio 2_1TX_LPI_Channel Puncturing

Band	Mode	BWch	Nant
5.925-6.425GHz	802.11be EHT80	80	1TX
6.425-6.525GHz	802.11be EHT80	80	1TX
6.525-6.875GHz	802.11be EHT80	80	1TX
6.875-7.125GHz	802.11be EHT80	80	1TX
5.925-6.425GHz	802.11be EHT160	160	1TX
6.425-6.525GHz	802.11be EHT160	160	1TX
6.525-6.875GHz	802.11be EHT160	160	1TX
6.875-7.125GHz	802.11be EHT160	160	1TX
5.925-6.425GHz	802.11be EHT320	320	1TX
6.425-6.525GHz	802.11be EHT320	320	1TX
6.525-6.875GHz	802.11be EHT320	320	1TX

Non-Beamforming_Radio 2_2TX_LPI_Channel Puncturing

Band	Mode	BWch	Nant
5.925-6.425GHz	802.11be EHT80	80	2TX
6.425-6.525GHz	802.11be EHT80	80	2TX
6.525-6.875GHz	802.11be EHT80	80	2TX
6.875-7.125GHz	802.11be EHT80	80	2TX
5.925-6.425GHz	802.11be EHT160	160	2TX
6.425-6.525GHz	802.11be EHT160	160	2TX
6.525-6.875GHz	802.11be EHT160	160	2TX
6.875-7.125GHz	802.11be EHT160	160	2TX
5.925-6.425GHz	802.11be EHT320	320	2TX
6.425-6.525GHz	802.11be EHT320	320	2TX
6.525-6.875GHz	802.11be EHT320	320	2TX

**Note:**

- ♦ HEW80 , HEW160 and HEW320 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM modulation.
- ♦ EHT80, EHT160 and EHT320 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM, 4096QAM modulation.
- ♦ BWch is the nominal channel bandwidth.
- ♦ The channel defined in the IEEE Standard P802.11ax™/D6.1.
- ♦ Evaluated EHT80/EHT160/EHT320 mode only due to the similar modulation. The power setting of HEW20/HEW40/HEW80/HEW160/HEW320 mode are the same or lower than EHT20/EHT40/EHT80/EHT160/EHT320.

1.1.2 Antenna Information

Ant.	Brand	Model Name	Antenna Type	Connector	Support	Radio
1	Sercomm	6172004VJHDB1H	PIFA	I-Pex	2.4G	Radio1
					5G	Radio 2
2	Sercomm	6172004VJHDB2V	PIFA	I-Pex	2.4G	Radio1
					5G	Radio 2
3	Sercomm	6172004VJH561H	PIFA	I-Pex	5G/6G	Radio 2
4	Sercomm	6172004VJH562V	PIFA	I-Pex		
5	Sercomm	6172004VJHSC1V	PIFA	I-Pex	2.4G/5G/6G	Scan Radio 3 (RX)
6	Sercomm	6172004VJHSC2V	PIFA	I-Pex		
7	Sercomm	6172004VJHBLEV	PIFA	I-Pex	BT	Radio 4

Ant.	Port	Gain (dBi)									BT
		2.4G	5G				6G				
			UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-5	UNII-6	UNII-7	UNII-8	
1	1	3.78	3.45	2.71	4.22	3.86	-	-	-	-	-
2	2	4.06	3.44	3.37	4.88	4.62	-	-	-	-	-
3	3	-	5.26	5.46	5.47	4.92	6.23	5.81	5.59	5.80	-
4	4	-	4.03	5.09	4.08	4.73	4.68	3.89	3.74	4.66	-
5	1	2.4	2.87	2.96	3.08	2.71	3.61	3.17	4.38	3.32	-
6	2	2.3	3.24	3.56	3.46	3.18	3.96	4.12	3.98	4.08	-
7	1	-	-	-	-	-	-	-	-	-	2.23



Composite Gain (dBi)									
Wi-Fi Mode	2.4G	5G							
	Radio 1_2TX	Radio 2_2TX				Radio 2_4TX			
		UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-1	UNII-2A	UNII-2C	UNII-3
DG [1SS]	4.65	4.96	5.14	5.8	6.03	6.76	6.31	6.67	6.69
DG [2SS]	4.06	3.45	3.37	4.88	4.62	5.26	5.46	5.47	4.92
DG [4SS]	-	-	-	-	-	5.26	5.46	5.47	4.92

Composite Gain (dBi)				
6G Radio 2_2TX				
Wi-Fi Mode	UNII-5	UNII-6	UNII-7	UNII-8
DG [1SS]	6.84	7.04	6.2	6.56
DG [2SS]	6.23	5.81	5.59	5.8

Note 1: The EUT has seven antennas.

Note 2: The composite gain is derived as KDB 662911 D03 v01 which was used as directional gain. For more detail information, please refer to the Antenna Pattern Report AP470202-01.

For 2.4GHz function:

For IEEE 802.11 b/g/n/VHT/ax/be mode (1TX/1RX) (Radio 1)

Ant. 1 (port 1) could transmit/receive.

For IEEE 802.11 b/g/n/VHT/ax/be mode (2TX/2RX) (Radio 1)

Ant. 1 (port 1) and Ant. 2 (port 2) could transmit/receive simultaneously.

For IEEE 802.11 b/g/n/VHT/ax mode (2RX) (Radio 3)

Ant. 5 (port 1) and Ant. 6 (port 2) could receive simultaneously.

For 5GHz function:

For IEEE 802.11 a/n/ac/ax/be mode (1TX/1RX) (Radio 2)

Ant. 1 (port 1) could transmit/receive.

For IEEE 802.11 a/n/ac/ax/be mode (2TX/2RX) (Radio 2)

Ant. 1 (port 1) and Ant. 2 (port 2) could transmit/receive simultaneously.

For IEEE 802.11 a/n/ac/ax/be mode (4TX/4RX) (Radio 2)

Ant. 1 (port 1), Ant. 2 (port 2), Ant. 3 (port 3) and Ant. 4 (port 4) could transmit/receive simultaneously.

For IEEE 802.11 a/n/ac/ax mode (2RX) (Radio 3)

Ant. 5 (port 1) and Ant. 6 (port 2) could receive simultaneously.

For BT function:

For IEEE 802.15.1 Bluetooth mode (1TX/1RX) (Radio 4)

Ant. 7 (port 1) could transmit/receive.

For 6GHz function:

For IEEE 802.11 ax/be mode (1TX/1RX) (Radio 2)

Ant. 3 (port 3) could transmit/receive.

For IEEE 802.11 ax/be mode (2TX/2RX) (Radio 2)

Ant. 3 (port 3) and Ant. 4 (port 4) could transmit/receive simultaneously.

For IEEE 802.11 ax mode (2RX) (Radio 3)

Ant. 5 (port 1) and Ant. 6 (port 2) could receive simultaneously.

1.1.3 MRU (static preamble puncturing)

RU-tone	MRU(static preamble puncturing)	Bandwidth(MHz)		6GHz Test CH	
		80		CH7	CH215
484+242	1	242	484	--	V
	2	242	484	V	V
	3	484	242	V	V
	4	484	242	V	--

RU-tone	MRU(static preamble puncturing)	Bandwidth(MHz)		6GHz Test CH	
		160		CH15	CH207
996+484	1	484	996	--	V
	2	484	996	V	V
	3	996	484	V	V
	4	996	484	V	--
996+484+242	1	242	484	996	--
	2	242	484	996	V
	3	484	242	996	V
	4	484	242	996	V
	5	996	242	484	V
	6	996	242	484	V
	7	996	484	242	V
	8	996	484	242	--

RU-tone	MRU(static preamble puncturing)	Bandwidth(MHz)		6GHz Test CH	
		320		CH31	CH191
2x996+484	1	484	996	--	--
	2	484	996	V	--
	3	996	484	V	--
	4	996	484	V	--
	5	996	484	V	--
	6	996	484	V	--
	7	484	996	--	V
	8	484	996	--	V
	9	996	484	--	V
	10	996	484	--	V
	11	996	484	--	V
	12	996	484	--	--
3x996	1	996	996	--	V
	2	996	996	V	V
	3	996	996	V	V
	4	996	996	V	--
3x996+484	1	484	996	--	V
	2	484	996	V	V
	3	996	484	V	V
	4	996	484	V	V
	5	996	484	V	V
	6	996	484	V	V
	7	996	484	V	V
	8	996	484	V	--

**1.1.4 Worst case of MRU (static preamble puncturing) evaluation procedure**

1. Complete test Full RU BE & PSD
2. Measure the PSD of each MRU(static preamble puncturing) by conducted method and it is less than the Full RU conducted PSD.
3. Measure the Band edge emission of each MRU(static preamble puncturing) by conducted method and find out the MRU(static preamble puncturing) worst case configuration
4. Follow step 3 to find the worst MRU(static preamble puncturing) configuration and perform radiated PSD testing
5. Follow step 3 to find the worst MRU(static preamble puncturing) configuration and perform radiated unwanted emission testing
6. Confirm whether the worst MRU(static preamble puncturing) configuration setting in steps 2 and step 4 is the same. If there is a channel where the setting drops due to the test in step 4, the PSD of MRU(static preamble puncturing) needs to be retested.
7. Use worst configuration of MRU(static preamble puncturing) and perform MASK measurements by conducted method .

1.1.5 Table for Permissive Change

This product is an extension of original one reported under Sporton project number: FR470202-01AE

Below is the table for the change of the product with respect to the original one.

Modifications	Performance Checking
to enable punctured transmission capability to 6GHz(6ID+6PP) band by software.	Maximum Conducted Output Power Peak Power Spectral Density Emission Mask Unwanted Emissions above 1GHz was evaluated+

**1.1.6 EUT Information**

Operational Condition				
EUT Power Type	From AC Adapter / PoE			
EUT Function	☒	Indoor Access Point	☒	Subordinate
	☐	Indoor Client	☐	Standard Power Access Point
	☐	Dual Client	☐	Standard Client
	☐	Fixed Client		
Beamforming Function	☒	With beamforming	☐	Without beamforming
Resource Unit	☐	Full RU	☐	Partial RU
	☒	MRU(static preamble puncturing)	☐	MRU(dynamic preamble puncturing)
Channel Puncturing	☒	Support	☐	Not support
Type of EUT				
☒	Stand-alone			
☐	Combined (EUT where the radio part is fully integrated within another device)			
	Combined Equipment - Brand Name / Model No.: ...			
☐	Plug-in radio (EUT intended for a variety of host systems)			
	Host System - Brand Name / Model No.:			
☐	Other:			

Note: The above information was declared by manufacturer.

1.1.7 Mode Test Duty Cycle**Non-Beamforming_Radio 2_1TX_LPI_Channel Puncturing**

Mode	DC	DCF (dB)	T (s)	VBW (Hz)_1/T
802.11be EHT80_Nss1,(MCS0)_1TX	0.997	0.01	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT160_Nss1,(MCS0)_1TX	0.998	0.01	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT320_Nss1,(MCS0)_1TX	0.998	0.01	n/a (DC>=0.98)	n/a (DC>=0.98)

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

Non-Beamforming_Radio 2_2TX_LPI_Channel Puncturing

Mode	DC	DCF (dB)	T (s)	VBW (Hz)_1/T
802.11be EHT80_Nss1,(MCS0)_2TX	0.997	0.01	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT160_Nss1,(MCS0)_2TX	0.997	0.01	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT320_Nss1,(MCS0)_2TX	0.997	0.01	n/a (DC>=0.98)	n/a (DC>=0.98)



1.2 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15
- ♦ ANSI C63.10-2013
- ♦ FCC KDB 789033 D02 v02r01

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ KDB 987594 D01 v03
- ♦ KDB 987594 D02 v03
- ♦ KDB 662911 D01 v02r01
- ♦ KDB 662911 D03 v01
- ♦ KDB 412172 D01 v01r01
- ♦ KDB 414788 D01 v01r01

1.3 Testing Location Information

Test Lab. : Sporton International Inc. Hsinhua Laboratory					
☒	Hsinhua (TAF: 3785)	ADD: No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)			
		TEL: 886-3-327-3456	FAX: 886-3-327-0973		
	Test site Designation No. TW3785 with FCC.				
Test Condition		Test Site No.	Test Engineer	Test Environment	Test Date
RF Conducted		TH07-HY	Xun Hsieh	23.5~24.2℃ / 52~55%	31/Oct/2024~05/Dec/2024
☒	Wenhua 3rd. (TAF: 3785)	ADD: No. 58, Aly. 75, Ln. 564, Wenhua 3rd Rd., Guishan Dist. Taoyuan City 333, Taiwan (R.O.C.)			
		TEL: 886-3-327-0868			
	Test site Designation No. TW0036 with FCC.				
Test Condition		Test Site No.	Test Engineer	Test Environment	Test Date
Radiated		03CH26-HY	Andy Wang	19.8~20.1℃ / 52~56%	27/Nov/2024~29/Nov/2024

1.4 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2))

Test Items	Uncertainty	Remark
Maximum Equivalent Isotropically Radiated Power (E.I.R.P.)	1.2 dB	Confidence levels of 95%
Peak Power Spectral Density (E.I.R.P.)	1.2 dB	Confidence levels of 95%
Unwanted Emissions	4.8 dB	Confidence levels of 95%
Temperature	0.41 °C	Confidence levels of 95%
Humidity	3.4 %	Confidence levels of 95%



2 Test Configuration of EUT

2.1 Test Channel Mode

Non-Beamforming_Radio 2_1TX_LPI_Channel Puncturing

Test Software Version	qdart_conn.win.1.0_installer_00099.1
-----------------------	--------------------------------------

Mode	Power Setting
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
5985MHz	18.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
5985MHz	18.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
5985MHz	18.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
5985MHz	18
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6225MHz	19
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6225MHz	19.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
6225MHz	19.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6225MHz	19.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6385MHz	19
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6385MHz	19.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
6385MHz	19.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6385MHz	19.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6465MHz	19.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6465MHz	20
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
6465MHz	20
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6465MHz	20
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6545MHz	20



802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6545MHz	20
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
6545MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6545MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6625MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6625MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
6625MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6625MHz	21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6705MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6705MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
6705MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6705MHz	21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6785MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6785MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
6785MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6785MHz	21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6865MHz	20
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6865MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
6865MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6865MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
6945MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
6945MHz	21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-



6945MHz	21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
6945MHz	21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-
7025MHz	21.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-
7025MHz	20.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-
7025MHz	21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-
7025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-
6025MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-
6025MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-
6025MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-
6025MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-
6025MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-
6025MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-
6185MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-
6185MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-
6185MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-
6185MHz	21



802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-
6185MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-
6185MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-
6185MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-
6185MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-
6185MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-
6185MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-
6185MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-
6185MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-
6345MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-
6345MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-
6345MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-
6345MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-
6505MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-



6505MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-
6505MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-
6505MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-
6505MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-
6505MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-
6505MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-
6505MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-
6505MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-
6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-
6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-
6505MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-
6665MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-
6665MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-
6665MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-
6665MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-
6665MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-
6665MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-
6665MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-
6665MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-
6665MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-
6665MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-
6665MHz	21



802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-
6665MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-
6825MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-
6825MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-
6825MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-
6825MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-
6825MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-
6825MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-
6985MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-
6985MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-
6985MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-
6985MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-
6985MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-
6985MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-
6985MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-
6985MHz	22
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-



6985MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-
6985MHz	21.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-
6985MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-
6985MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-
6105MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-
6105MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-
6105MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-
6105MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-
6105MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-
6105MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-
6105MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-
6105MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-
6105MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-
6105MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-
6105MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-
6105MHz	21.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-
6105MHz	21



802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-
6265MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-
6265MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-
6265MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-
6265MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-
6265MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-
6265MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-
6265MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-
6265MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-
6265MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-
6265MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-
6265MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-
6265MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-
6265MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-



6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-
6265MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-
6425MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-
6425MHz	22
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-
6425MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-
6425MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-
6425MHz	20.5



802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-
6585MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-
6585MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-
6585MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-



6585MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-
6585MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-
6745MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-
6745MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-
6745MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-
6745MHz	21.5



802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-
6745MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-
6745MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-
6745MHz	20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-
6905MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-
6905MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-
6905MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-
6905MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-
6905MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-



6905MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-
6905MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-
6905MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-
6905MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-
6905MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-
6905MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-
6905MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-
6905MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-
6905MHz	19
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-
6905MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-
6905MHz	20

**Non-Beamforming_Radio 2_2TX_LPI_Channel Puncturing**

Test Software Version	qdart_conn.win.1.0_installer_00099.1
------------------------------	--------------------------------------

Mode	Power Setting
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
5985MHz	17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
5985MHz	17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
5985MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
5985MHz	17.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6225MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6225MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6225MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6225MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6385MHz	17.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6385MHz	18
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6385MHz	18
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6385MHz	18
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6465MHz	17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6465MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6465MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6465MHz	17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6545MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6545MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6545MHz	16.5



802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6545MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6625MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6625MHz	17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6625MHz	17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6625MHz	17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6705MHz	16
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6705MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6705MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6705MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6785MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6785MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6785MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6785MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6865MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6865MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6865MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6865MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-
6945MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
6945MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
6945MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
6945MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-



7025MHz	15.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-
7025MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-
7025MHz	16.5
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-
7025MHz	16.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-
6025MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-
6025MHz	20.5+
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-
6025MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-
6025MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-
6025MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-
6025MHz	21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-
6025MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-
6025MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-
6025MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-
6025MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-
6185MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-
6185MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-
6185MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-
6185MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-
6185MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-
6185MHz	20



802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-
6185MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-
6185MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-
6185MHz	19.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-
6185MHz	19.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-
6185MHz	19.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-
6185MHz	19.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-
6345MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-
6345MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-
6345MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-
6345MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-
6345MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-
6345MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-
6345MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-
6345MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-
6345MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-
6345MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-
6345MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-
6345MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-
6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-
6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-
6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-



6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-
6505MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-
6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-
6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-
6505MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-
6505MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-
6505MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-
6505MHz	19.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-
6505MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-
6665MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-
6665MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-
6665MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-
6665MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-
6665MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-
6665MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-
6665MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-
6665MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-
6665MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-
6665MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-
6665MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-
6665MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-
6825MHz	20.5



802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-
6825MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-
6825MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-
6825MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-
6825MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-
6825MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-
6985MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-
6985MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-
6985MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-
6985MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-
6985MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-
6985MHz	18.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-
6985MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-
6985MHz	20.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-
6985MHz	20
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-
6985MHz	19.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-



6985MHz	18.5
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-
6985MHz	20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-
6105MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-
6105MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-
6105MHz	20



802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-
6105MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-
6105MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-
6265MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-
6265MHz	20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-
6265MHz	20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-
6265MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-
6265MHz	20
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-
6265MHz	20
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-
6265MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-
6265MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-
6265MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-



6265MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-
6265MHz	19.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-
6425MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-
6425MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-
6425MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-
6425MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-
6425MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-
6425MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-
6425MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-
6425MHz	19.5



802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-
6425MHz	20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-
6585MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-
6585MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-
6585MHz	21.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-
6585MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-
6585MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-
6585MHz	21
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-



6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-
6585MHz	20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-
6745MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-
6745MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-
6745MHz	21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-
6745MHz	20.5



802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-
6745MHz	20.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-
6745MHz	19.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-
6905MHz	18.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-
6905MHz	18.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-
6905MHz	18.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-
6905MHz	18.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-
6905MHz	18.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-
6905MHz	18.5
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-



6905MHz	19
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-
6905MHz	18
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-
6905MHz	18
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-
6905MHz	18
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-
6905MHz	17.5
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-
6905MHz	17
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-
6905MHz	17
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-
6905MHz	17.5

2.2 The Worst Case Measurement Configuration

The Worst Case Mode for Following Conformance Tests			
Tests Item	Maximum Equivalent Isotropically Radiated Power (E.I.R.P.) Peak Power Spectral Density (E.I.R.P.) Unwanted Emissions		
Test Condition	Radiated measurement If EUT consist of multiple antenna assembly (multiple antenna are used in EUT regardless of spatial multiplexing MIMO configuration), the radiated test should be performed with highest antenna gain of each antenna type.		
Operating Mode < 1GHz	CTX		
1	PoE Mode		
Operating Mode > 1GHz	CTX		
Orthogonal Planes of EUT	X Plane	Y Plane	Z Plane
			
Worst Planes of EUT	V (R2-1TX)		V (R2-2TX)

The Worst Case Mode for Following Conformance Tests	
Tests Item	Simultaneous Transmission Analysis - Co-location RF Exposure Evaluation
Operating Mode	CTX
1	Radio 1:WLAN 2.4G (2*2) + Radio 2: WLAN 5G (2*2) + Radio 2: WLAN 6G (2*2) + Bluetooth
Refer to Sporton Test Report No.: FA470202-04 for Co-location RF Exposure Evaluation.	

2.3 Accessories

Accessories				
Wall Mount	Brand Name	CISCO	Model Name	69-2160-04
Ceiling	Brand Name	CISCO	Model Name	800-26066-03

Reminder: Regarding to more detail and other information, please refer to user manual.




2.4 Support Equipment

Support Equipment – Conducted					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	Notebook	DELL	E5410	-	-
2	Adapter for NB	DELL	HA65NM130	-	-
3	PoE	Microsemi	PD-9001GR/AT/AC	-	Provided by Customer

Support Equipment – Radiated					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	PoE	PHIHONG	POE29U-1AT(PL)	-	Provided by Customer
2	AC power cable	Power sync	PW-GPC180-3	-	-
3	RJ-45 Cable	Power sync	CAT-6E-10	-	-

2.5 Test Setup Diagram





3 Transmitter Test Result

3.1 Maximum Equivalent Isotropically Radiated Power (E.I.R.P.)

3.1.1 Maximum Equivalent Isotropically Radiated Power (E.I.R.P.) Limit

Maximum Equivalent Isotropically Radiated Power (E.I.R.P.) Limit	
UNII Devices	
☒	For the 5.925 ~ 6.425 GHz band:
	■ For standard power access point and fixed client device : e.i.r.p < 36 dBm , For outdoor devices, the maximum e.i.r.p. at any elevation angle above 30 degrees not exceed 125 mW (21 dBm).
	■ For indoor access point : e.i.r.p < 30 dBm.
	■ For subordinate device control of an indoor access point : e.i.r.p < 30 dBm.
	■ For client device control of a standard power access point : e.i.r.p < 30 dBm.
	■ For client device control of an indoor access point : e.i.r.p < 24 dBm.
☒	For the 6.425 ~ 6.525 GHz band:
	■ For indoor access point : e.i.r.p < 30 dBm.
	■ For client device control of an indoor access point : e.i.r.p < 24 dBm.
☒	For the 6.525 ~ 6.875 GHz band:
	■ For standard power access point and fixed client device : e.i.r.p < 36 dBm , For outdoor devices, the maximum e.i.r.p. at any elevation angle above 30 degrees not exceed 125 mW (21 dBm).
	■ For indoor access point : e.i.r.p < 30 dBm.
	■ For subordinate device control of an indoor access point : e.i.r.p < 30 dBm.
	■ For client device control of a standard power access point : e.i.r.p < 30 dBm.
	■ For client device control of an indoor access point : e.i.r.p < 24 dBm.
☒	For the 6.875 ~ 7.125 GHz band:
	■ For indoor access point : e.i.r.p < 30 dBm.
	■ For client device control of an indoor access point : e.i.r.p < 24 dBm.




3.1.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.1.3 Test Procedures

Test Method	
▪ Maximum Output Power Setting	
☐	Duty cycle $\geq 98\%$
	☒ Refer as FCC KDB 789033, clause E Method SA-2 (spectral trace averaging).
	Duty cycle $< 98\%$
	☒ Refer as FCC KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
	Wideband RF power meter and average over on/off periods with duty factor
	☐ Refer as FCC KDB 789033, clause E Method PM-G (using an RF average power meter).
☐ For conducted measurement.	
☐	▪ If the EUT supports multiple transmit chains using options given below: Refer as FCC KDB 662911, In-band power measurements. Using the measure-and-sum approach, measured all transmit ports individually. Sum the power (in linear power units e.g., mW) of all ports for each individual sample and save them.
	▪ If multiple transmit chains, EIRP calculation could be following as methods: $P_{total} = P_1 + P_2 + \dots + P_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = P_{total} + DG$
☒ For radiated measurement.	
☒	▪ Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.
	▪ Refer as FCC KDB 789033, clause II A.1.F "Antenna-port Conducted versus Radiated Testing"
	▪ Refer as KDB 412172, clause 2.2 for EIRP calculation.

3.1.4 Test Setup



3.1.5 Test Result of Maximum Equivalent Isotropically Radiated Power (E.I.R.P)

Refer as Appendix A



3.2 Peak Power Spectral Density (E.I.R.P.)

3.2.1 Peak Power Spectral Density (E.I.R.P.) Limit

Peak Power Spectral Density (E.I.R.P.) Limit	
UNII Devices	
☒	For the 5.925 ~ 6.425 GHz band:
☐	- For standard power access point and fixed client device : e.i.r.p PSD < 23 dBm/MHz. - For indoor access point : e.i.r.p PSD < 5 dBm/MHz. - For subordinate device control of an indoor access point : e.i.r.p PSD < 5 dBm/MHz. - For client device control of a standard power access point : e.i.r.p PSD < 17 dBm/MHz. - For client device control of an indoor access point : e.i.r.p PSD < -1 dBm/MHz.
☒	For the 6.425 ~ 6.525 GHz band:
☐	- For indoor access point : e.i.r.p PSD < 5 dBm/MHz. - For client device control of an indoor access point : e.i.r.p PSD < -1 dBm/MHz.
☒	For the 6.525 ~ 6.875 GHz band:
☐	- For standard power access point and fixed client device : e.i.r.p PSD < 23 dBm/MHz. - For indoor access point : e.i.r.p PSD < 5 dBm/MHz. - For subordinate device control of an indoor access point : e.i.r.p PSD < 5 dBm/MHz. - For client device control of a standard power access point : e.i.r.p PSD < 17 dBm/MHz. - For client device control of an indoor access point : e.i.r.p PSD < -1 dBm/MHz.
☒	For the 6.875 ~ 7.125 GHz band:
☐	- For indoor access point : e.i.r.p PSD < 5 dBm/MHz. - For client device control of an indoor access point : e.i.r.p PSD < -1 dBm/MHz.


3.2.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

**3.2.3 Test Procedures**

Test Method	
Peak power spectral density procedures that the same method as used to determine the conducted output power shall be used to determine the peak power spectral density and use the peak search function on the spectrum analyzer to find the peak of the spectrum. For the peak power spectral density shall be measured using below options:	
☐	Refer as FCC KDB 789033, F)5) power spectral density can be measured using resolution bandwidths < 1 MHz provided that the results are integrated over 1 MHz bandwidth
☒	Refer as FCC KDB 789033, clause E Method SA-2. (spectral trace averaging)
☒	Refer as FCC KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
☐ For conducted measurement.	
If the EUT supports multiple transmit chains using options given below:	
☐	Option 1: Measure and sum the spectra across the outputs. Refer as FCC KDB 662911, In-band power spectral density (PSD). Sample all transmit ports simultaneously using a spectrum analyzer for each transmit port. Where the trace bin-by-bin of each transmit port summing can be performed. (i.e., in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 and that from the first spectral bin of output 3, and so on up to the NTX output to obtain the value for the first frequency bin of the summed spectrum.). Add up the amplitude (power) values for the different transmit chains and use this as the new data trace.
☐	Option 2: Measure and sum spectral maxima across the outputs. With this technique, spectra are measured at each output of the device at the required resolution bandwidth. The maximum value (peak) of each spectrum is determined. These maximum values are then summed mathematically in linear power units across the outputs. These operations shall be performed separately over frequency spans that have different out-of-band or spurious emission limits,
☐	Option 3: Measure and add 10 log(N) dB, where N is the number of transmit chains. Refer as FCC KDB 662911, In-band power spectral density (PSD). Performed at each transmit chains and each transmit chains shall be compared with the limit have been reduced with 10 log(N). Or each transmit chains shall be add 10 log(N) to compared with the limit.
If multiple transmit chains, EIRP PPSD calculation could be following as methods: $PPSD_{total} = PPSD_1 + PPSD_2 + \dots + PPSD_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = PPSD_{total} + DG$	
☒ For radiated measurement.	
Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.	
Refer as KDB 789033, clause II A.1.F "Antenna-port Conducted versus Radiated Testing"	
Refer as KDB 412172, clause 2.2 for EIRP calculation.	

3.2.4 Test Setup



3.2.5 Test Result of Peak Power Spectral Density (E.I.R.P.)

Refer as Appendix B



3.3 Unwanted Emissions

3.3.1 Transmitter Unwanted Emissions Limit

Unwanted emissions below 1 GHz and restricted band emissions above 1GHz limit			
Frequency Range (MHz)	Field Strength (uV/m)	Field Strength (dBuV/m)	Measure Distance (m)
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3


Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT.

Note 3: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m($20 \times \log(\text{standard distance}/\text{test distance}) = 20\log(3/1) = 9.54\text{dB}$).
EX. Above 18GHz emission limit calculation (3m to 1m) = 54dBuV/m at 3m + 9.54dB = 63.54 dBuV/m at 1m.

Un-restricted band emissions above 1GHz Limit	
Frequency	Limit
Any outside the 5.945 – 7.125 GHz emission	e.i.r.p. -27 dBm [68.2 dBuV/m@3m] Note 1: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m($20 \times \log(\text{standard distance}/\text{test distance}) = 20\log(3/1) = 9.54\text{dB}$). EX. Above 18GHz emission limit calculation (3m to 1m) = 68.2dBuV/m at 3m + 9.54dB = 77.74 dBuV/m at 1m.
Frequency	Emission MASK Limit
5.945 – 7.125 GHz	Power spectral density must be suppressed by 20 dB at 1 MHz outside of channel edge, by 28 dB at one channel bandwidth from the channel center, and by 40 dB at one- and one-half times the channel bandwidth away from channel center. At frequencies between one megahertz outside an unlicensed device's channel edge and one channel bandwidth from the center of the channel, the

limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one- and one-half times an unlicensed device's channel bandwidth, the limits must be linearly interpolated between 28 dB and 40 dB suppression. Emissions removed from the channel center by more than one- and one-half times the channel bandwidth must be suppressed by at least 40 dB. The channel bandwidth is defined as 26 dB EBW.





3.3.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.3.3 Test Procedures

Test Method	
Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. Measurements shall not be performed at a distance greater than 30 m for frequencies above 30 MHz, unless it can be further demonstrated that measurements at a distance of 30 m or less are impractical. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).	
The average emission levels shall be measured in [duty cycle $\geq$ 98 or duty factor].	
For the transmitter unwanted emissions shall be measured using following options below:	
	Refer as FCC KDB 789033, clause G)2) for unwanted emissions into non-restricted bands.
	Refer as FCC KDB 789033, clause G)1) for unwanted emissions into restricted bands.
	☒ Refer as FCC KDB 789033, G)6) Method AD (Trace Averaging). (For unrestricted band measurement)
	☐ Refer as FCC KDB 789033, G)6) Method VB (Reduced VBW).
	☒ Refer as ANSI C63.10, clause 11.12.2.5.3 (Reduced VBW). VBW $\geq$ 1/T, where T is pulse time.(For restricted band average measurement)
	☐ Refer as ANSI C63.10, clause 7.5 average value of pulsed emissions.
	☒ Refer as FCC KDB 789033, clause G)5) measurement procedure peak limit.
	☐ Refer as ANSI C63.10, clause 4.1.4.2.2 measurement procedure peak limit.
	☒ Refer as FCC KDB 789033, clause G)3)d)ii) for Band edge Integration measurements.
For emission MASK shall be measured using following options below:	
	☒ Refer as KDB 987594 D02, J) In-Band Emissions
For radiated measurement.	
	Refer as ANSI C63.10, clause 6.4 for radiated emissions below 30 MHz and test distance is 3m.
	Refer as ANSI C63.10, clause 6.5 for radiated emissions 30 MHz to 1 GHz and test distance is 3m.
	Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.
The any unwanted emissions level shall not exceed the fundamental emission level.	
All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported.	



The measured Level is calculated using:
Corrected Reading: Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamplifier Factor)

[illegible]

Refer as Appendix D



4 Test Equipment and Calibration Data

Instrument for Conducted Test

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
Signal Analyzer	R&S	FSV 40	101515	9kHz~40GHz	02/Feb/2024	01/Feb/2025
SMB100A Signal Generator	R&S	SMB100A	181147	100kHz~40GHz	16/Oct/2024	15/Oct/2025
Power Meter	Anritsu	ML2495A	1517010	300MHz~40GHz	15/Dec/2023	14/Dec/2024
Pulse Sensor	Anritsu	MA2411B	1339407	300MHz~40GHz	15/Dec/2023	14/Dec/2024
SENSE-15407_NII	Sporton	V5.11.20	N/A	N/A	N/A	N/A

Instrument for Radiated Test (03CH26-HY)

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
3m Semi Anechoic Chamber	TDK	SAC-3M	03CH26-HY	1GHz~18GHz 3m	07/Aug/2024	06/Aug/2025
Signal Analyzer	ROHDE&SCHWARZ	FSV3044	101411	10Hz~44GHz	09/Oct/2024	08/Oct/2025
Double Ridged Guide Horn Antenna	SCHWARZBECK	BBHA 9120 D	02877	1GHz~18GHz	11/Jul/2024	10/Jul/2025
Broadband Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA 9170154	18GHz~40GHz	04/Jun/2024	03/Jun/2025
RF Cable	HUBER+SUHNER	SUOFLEX 104	CB009	1GHz~40GHz	21/Oct/2024	20/Oct/2025
Preamplifier	SGH	PRAMP 118-H	20230515-4	1GHz ~18GHz	24/May/2024	23/May/2025
Microwave Preamplifier	Agilent	8449B	3008A02602	1GHz ~18GHz	15/Mar/2024	14/Mar/2025
Amplifier	EM	EM18G40G	060874	18GHz ~ 40GHz	15/Apr/2024	14/Apr/2025
SENSE-15407-NII	Sporton	V5.11.20	NA	NA	NA	NA

Summary


Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port1)	22.83	0.19187
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port1)	26.31	0.42756
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX(Port1)	25.74	0.37497
6.875-7.125GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)	17.31	0.05383
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port1)	21.48	0.14060
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX(Port1)	19.50	0.08913

Result


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port1)	-	-	-
5985MHz	Pass	22.83	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)	-	-	-
7025MHz	Pass	17.31	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port1)	-	-	-
6025MHz	Pass	26.31	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port1)	-	-	-
6025MHz	Pass	22.78	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port1)	-	-	-
6985MHz	Pass	21.48	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port1)	-	-	-
6985MHz	Pass	20.53	30.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX(Port1)	-	-	-
6105MHz	Pass	23.83	30.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX(Port1)	-	-	-
6105MHz	Pass	23.31	30.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX(Port1)	-	-	-
6105MHz	Pass	25.74	30.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX(Port1)	-	-	-
6905MHz	Pass	19.50	30.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port1)	-	-	-
6905MHz	Pass	19.13	30.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX(Port1)	-	-	-
6905MHz	Pass	18.20	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.


EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:1(1);Ch:5985MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:1(1);Ch:6025MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 2;Nant:1(1);Ch:6105MHz;TX




EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 3;Nant:1(1);Ch:7025MHz;TX



EIRP;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:1(1);Ch:6985MHz;TX



EIRP;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 4;Nant:1(1);Ch:6905MHz;TX



**Summary**


Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	20.91	0.12331
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	24.87	0.30690
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	24.78	0.30061
6.875-7.125GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	21.01	0.12618
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	24.22	0.26424
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	24.26	0.26669

Result


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-
5985MHz	Pass	20.91	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-
7025MHz	Pass	21.01	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-
6025MHz	Pass	24.87	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-
6025MHz	Pass	24.21	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-
6985MHz	Pass	24.22	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-
6985MHz	Pass	24.18	30.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-
6105MHz	Pass	24.78	30.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-
6105MHz	Pass	24.66	30.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-
6105MHz	Pass	24.46	30.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-
6905MHz	Pass	23.70	30.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-
6905MHz	Pass	23.46	30.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-
6905MHz	Pass	24.26	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.


EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 3;Nant:2;Ch:5985MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 3;Nant:2;Ch:6025MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 8;Nant:2;Ch:6105MHz;TX




EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 1;Nant:2;Ch:7025MHz;TX



EIRP;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 6;Nant:2;Ch:6985MHz;TX



EIRP;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 9;Nant:2;Ch:6905MHz;TX





Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port1)	4.58
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port1)	4.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX(Port1)	2.33
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)	-0.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port1)	0.08
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port1)	-3.89


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port1)	-	-	-
5985MHz	Pass	4.58	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX(Port1)	-	-	-
7025MHz	Pass	-0.76	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port1)	-	-	-
6025MHz	Pass	4.50	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port1)	-	-	-
6025MHz	Pass	1.57	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX(Port1)	-	-	-
6985MHz	Pass	0.08	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX(Port1)	-	-	-
6985MHz	Pass	-0.04	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX(Port1)	-	-	-
6105MHz	Pass	-1.17	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX(Port1)	-	-	-
6105MHz	Pass	-0.93	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX(Port1)	-	-	-
6105MHz	Pass	2.33	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX(Port1)	-	-	-
6905MHz	Pass	-4.60	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port1)	-	-	-
6905MHz	Pass	-3.89	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX(Port1)	-	-	-
6905MHz	Pass	-4.12	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:1(1);Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:1(1);Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 2;Nant:1(1);Ch:6105MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 3;Nant:1(1);Ch:7025MHz;TX



EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 4;Nant:1(1);Ch:6985MHz;TX



EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 2;Nant:1(1);Ch:6905MHz;TX





Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	4.47
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	4.97
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	2.92
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	4.72
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	4.82
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	2.48


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-
5985MHz	Pass	4.47	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-
7025MHz	Pass	4.72	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-
6025MHz	Pass	4.88	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-
6025MHz	Pass	4.97	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-
6985MHz	Pass	4.40	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-
6985MHz	Pass	4.82	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-
6105MHz	Pass	2.02	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-
6105MHz	Pass	2.63	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-
6105MHz	Pass	2.92	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-
6905MHz	Pass	0.59	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-
6905MHz	Pass	0.90	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-
6905MHz	Pass	2.48	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 3;Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 8;Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 1;Nant:2;Ch:7025MHz;TX



EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 3;Nant:2;Ch:6985MHz;TX



EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 9;Nant:2;Ch:6905MHz;TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	Pass	6.41069G	3.04	6.5219G	-44.30	-36.96	-7.34	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	Pass	5.99421G	4.44	6.182G	-21.85	-16.29	-5.56	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	Pass	6.03462G	6.15	6.385G	-17.72	-14.07	-3.65	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	Pass	6.51001G	4.26	6.4516G	-28.88	-22.82	-6.06	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	Pass	6.45181G	4.61	6.3474G	-22.63	-15.48	-7.15	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	Pass	6.48942G	5.64	6.9022G	-22.01	-14.37	-7.64	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	Pass	6.6371G	3.96	6.7115G	-28.26	-22.92	-5.34	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	Pass	6.61241G	4.83	6.5006G	-20.95	-15.43	-5.52	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	Pass	6.69061G	4.85	6.451G	-23.03	-15.32	-7.71	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	Pass	6.96709G	4.20	6.8647G	-23.13	-17.74	-5.39	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	Pass	6.91222G	4.46	6.8166G	-20.63	-15.69	-4.94	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00809G	2.83	6.0334G	-31.17	-17.80	-13.37	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9954G	2.55	6.1174G	-46.82	-37.45	-9.37	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9734G	2.64	6.1187G	-47.98	-37.36	-10.62	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.0033G	2.39	6.1689G	-52.62	-37.61	-15.01	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2405G	3.18	6.271G	-26.90	-16.90	-10.00	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19341G	3.66	6.3137G	-31.09	-19.60	-11.49	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19961G	3.53	6.3147G	-32.07	-19.86	-12.21	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19721G	3.83	6.1614G	-30.85	-16.17	-14.68	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.42329G	2.63	6.4412G	-30.08	-19.15	-10.93	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.41069G	3.04	6.5219G	-44.30	-36.96	-7.34	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.34711G	2.86	6.4788G	-34.32	-25.98	-8.34	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.36301G	3.00	6.3379G	-28.76	-17.14	-11.62	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.4809G	3.69	6.5215G	-27.62	-17.79	-9.83	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.474G	3.85	6.5472G	-28.66	-21.09	-7.57	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.43661G	3.86	6.3877G	-27.98	-20.29	-7.69	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.43731G	3.59	6.408G	-27.35	-17.28	-10.07	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.5344G	3.90	6.6003G	-25.99	-17.22	-8.77	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.50821G	3.72	6.4523G	-31.48	-23.80	-7.68	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.51001G	4.26	6.4516G	-28.88	-22.82	-6.06	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.5272G	3.99	6.4874G	-25.94	-17.18	-8.76	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.614G	4.25	6.683G	-23.69	-17.61	-6.08	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6371G	3.96	6.7115G	-28.26	-22.92	-5.34	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6069G	4.11	6.7187G	-29.89	-24.11	-5.78	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.59151G	4.68	6.5744G	-22.80	-15.88	-6.92	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.73109G	4.65	6.7782G	-25.18	-15.66	-9.52	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.66961G	4.27	6.7762G	-23.76	-15.81	-7.95	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.73099G	4.21	6.6294G	-24.71	-16.15	-8.56	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6705MHz	Pass	6.66711G	4.58	6.6316G	-25.86	-15.53	-10.33	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.7688G	4.60	6.8694G	-29.68	-15.40	-14.28	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.8017G	4.52	6.8707G	-25.49	-15.61	-9.88	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.75741G	4.31	6.7G	-25.52	-15.75	-9.77	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.76161G	4.86	6.7005G	-30.96	-15.15	-15.81	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.8722G	4.41	6.9532G	-33.03	-15.60	-17.43	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.8679G	4.46	6.7651G	-27.73	-15.62	-12.11	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.8532G	4.67	6.7719G	-25.17	-15.33	-9.84	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82781G	4.19	6.7717G	-38.05	-15.83	-22.22	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9552G	3.94	7.0062G	-25.95	-16.09	-9.86	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.91071G	4.31	6.8574G	-24.41	-18.56	-5.85	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.96709G	4.20	6.8647G	-23.13	-17.74	-5.39	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.91751G	4.09	6.8797G	-24.41	-15.95	-8.46	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.0199G	3.61	7.094G	-22.50	-16.41	-6.09	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99251G	4.02	6.9369G	-27.65	-18.28	-9.37	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99601G	4.33	6.9514G	-22.29	-16.24	-6.05	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99621G	3.90	6.9544G	-25.91	-16.31	-9.60	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0132G	3.99	6.1824G	-24.10	-16.82	-7.28	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0082G	4.23	6.1696G	-23.02	-15.85	-7.17	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0424G	4.30	6.1736G	-22.29	-15.96	-6.33	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99421G	4.44	6.182G	-21.85	-16.29	-5.56	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0174G	4.22	6.1762G	-23.20	-16.19	-7.01	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0094G	4.03	6.1762G	-24.21	-16.38	-7.83	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0278G	4.27	6.1692G	-24.04	-15.74	-8.30	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99041G	4.26	6.1722G	-26.71	-15.92	-10.79	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0318G	4.40	6.1726G	-25.54	-15.80	-9.74	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.97781G	4.27	6.1852G	-24.48	-16.64	-7.84	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99421G	4.23	6.174G	-25.71	-16.05	-9.66	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	6.00201G	4.39	6.4234G	-50.43	-33.04	-17.39	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.203G	4.21	6.3378G	-24.54	-15.97	-8.57	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1984G	4.65	6.337G	-22.30	-15.47	-6.83	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.14141G	4.71	6.3394G	-21.16	-15.53	-5.63	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.14841G	4.34	6.345G	-23.31	-16.22	-7.09	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1808G	4.47	6.3446G	-22.63	-16.05	-6.58	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13861G	4.56	6.0336G	-23.38	-15.56	-7.82	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.177G	4.23	6.343G	-24.79	-15.87	-8.92	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.12741G	4.36	6.0276G	-24.15	-15.64	-8.51	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1744G	4.24	6.3422G	-27.68	-15.82	-11.86	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.11682G	4.10	6.37G	-26.86	-16.32	-10.54	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13541G	4.33	6.0072G	-26.21	-15.82	-10.39	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.16121G	4.47	6.0252G	-28.54	-15.56	-12.98	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29141G	4.51	6.5022G	-22.82	-15.62	-7.20	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31981G	5.00	6.5072G	-21.32	-15.15	-6.17	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29801G	4.58	6.5114G	-23.03	-15.72	-7.31	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.26982G	4.61	6.5048G	-21.39	-15.37	-6.02	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27362G	4.92	6.5402G	-25.30	-15.29	-10.01	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27602G	4.55	6.5248G	-24.59	-15.46	-9.13	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31001G	4.38	6.1836G	-23.77	-15.75	-8.02	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28042G	4.80	6.1854G	-23.30	-15.21	-8.09	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.38699G	4.75	6.5052G	-26.10	-15.31	-10.79	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29101G	4.89	6.5144G	-22.52	-15.35	-7.17	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29101G	4.61	6.1828G	-23.16	-15.53	-7.63	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28002G	4.74	6.1854G	-27.73	-15.16	-12.57	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.45761G	4.88	6.6532G	-23.19	-15.22	-7.97	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.46901G	4.62	6.6614G	-24.26	-15.45	-8.81	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.43962G	4.88	6.661G	-22.66	-15.16	-7.50	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.44022G	4.82	6.336G	-23.42	-15.21	-8.21	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.45181G	4.61	6.3474G	-22.63	-15.48	-7.15	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.44921G	4.67	6.344G	-24.01	-15.44	-8.57	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.46981G	5.07	6.3428G	-23.95	-15.06	-8.89	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.44721G	4.76	6.3444G	-25.36	-15.28	-10.08	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.47501G	4.94	6.6666G	-29.00	-15.12	-13.88	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.45121G	4.32	6.6662G	-27.47	-15.78	-11.69	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.43362G	4.41	6.3408G	-25.55	-15.81	-9.74	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.46821G	4.87	6.342G	-28.44	-15.29	-13.15	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61821G	4.65	6.8258G	-23.75	-15.50	-8.25	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63041G	4.88	6.824G	-21.56	-15.18	-6.38	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61961G	4.88	6.832G	-22.69	-15.58	-7.11	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.59722G	4.97	6.8326G	-22.26	-15.09	-7.17	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61241G	4.83	6.5006G	-20.95	-15.43	-5.52	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63381G	4.68	6.5046G	-21.90	-15.43	-6.47	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63181G	4.98	6.5032G	-22.13	-15.12	-7.01	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6742G	4.88	6.5004G	-24.07	-15.30	-8.77	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64021G	5.08	6.8258G	-25.78	-14.98	-10.80	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61521G	4.72	6.8284G	-23.50	-15.44	-8.06	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.71959G	5.09	6.4958G	-22.98	-15.10	-7.88	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.62001G	5.16	6.5034G	-27.26	-14.92	-12.34	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.85719G	3.81	6.9682G	-22.81	-16.46	-6.35	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8102G	4.41	6.992G	-23.54	-15.70	-7.84	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.839G	4.46	6.9944G	-22.09	-15.72	-6.37	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.78881G	4.68	6.989G	-21.33	-15.52	-5.81	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.79881G	4.09	6.6622G	-22.80	-16.09	-6.71	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76641G	4.03	6.6614G	-24.19	-16.20	-7.99	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.85499G	4.40	6.6646G	-22.65	-15.67	-6.98	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6825MHz	Pass	6.78141G	4.36	6.6606G	-24.50	-15.85	-8.65	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.85679G	4.28	6.9846G	-27.65	-15.76	-11.89	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.87699G	4.11	6.989G	-23.79	-16.12	-7.67	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76442G	3.96	6.6654G	-24.32	-16.05	-8.27	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.78141G	4.09	6.6656G	-28.82	-15.93	-12.89	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9762G	4.46	6.8342G	-23.30	-15.67	-7.63	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95421G	4.44	6.829G	-21.90	-15.97	-5.93	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93561G	4.62	6.805G	-21.97	-16.50	-5.47	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91222G	4.46	6.8166G	-20.63	-15.69	-4.94	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91782G	3.95	6.8244G	-21.26	-16.15	-5.11	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93101G	4.05	6.8258G	-22.13	-15.99	-6.14	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.989G	4.54	6.824G	-21.33	-15.57	-5.76	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92202G	4.40	6.8264G	-22.13	-15.55	-6.58	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9696G	4.28	7.1454G	-30.95	-15.82	-15.13	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91222G	4.26	6.8092G	-23.61	-16.62	-6.99	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92302G	4.30	6.8176G	-23.27	-16.16	-7.11	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93821G	4.06	6.8262G	-26.96	-15.95	-11.01	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.99623G	5.90	6.3766G	-18.48	-14.14	-4.34	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07061G	5.75	6.3662G	-18.00	-14.30	-3.70	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.01742G	5.69	6.395G	-19.55	-14.34	-5.21	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.03102G	6.08	6.403G	-19.00	-14.79	-4.21	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00303G	5.96	6.3958G	-18.16	-14.50	-3.66	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.03462G	6.15	6.385G	-17.72	-14.07	-3.65	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.01182G	6.19	6.3782G	-19.12	-13.87	-5.25	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00822G	5.67	6.3778G	-22.09	-14.38	-7.71	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0974G	5.85	6.3762G	-22.48	-14.15	-8.33	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.01582G	6.05	6.4054G	-20.60	-14.70	-5.90	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00383G	6.09	6.4658G	-23.48	-16.44	-7.04	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.07941G	5.84	6.905G	-48.25	-33.24	-15.01	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.03662G	6.11	6.9042G	-48.29	-32.93	-15.36	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05541G	6.19	6.9022G	-48.06	-32.76	-15.30	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07781G	5.98	6.9034G	-48.19	-33.03	-15.16	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05141G	6.15	6.9042G	-48.20	-32.89	-15.31	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.03622G	6.15	6.9026G	-48.17	-32.82	-15.35	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00183G	6.11	6.9038G	-48.27	-32.91	-15.36	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07421G	6.39	6.3822G	-24.47	-13.68	-10.79	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.17178G	6.11	6.3834G	-24.18	-14.00	-10.18	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07021G	6.23	6.3798G	-22.48	-13.77	-8.71	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.06221G	5.99	6.391G	-24.53	-14.34	-10.19	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.03502G	5.83	6.3802G	-26.90	-14.19	-12.71	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05941G	6.12	6.9034G	-48.36	-32.89	-15.47	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17262G	5.73	6.5834G	-22.22	-14.31	-7.91	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21141G	5.84	6.583G	-21.05	-14.19	-6.86	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17782G	5.80	6.5934G	-20.32	-14.23	-6.09	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16862G	5.77	6.5974G	-20.44	-14.30	-6.14	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20541G	5.81	6.5986G	-20.50	-14.21	-6.29	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19422G	6.06	6.627G	-22.05	-14.38	-7.67	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19382G	5.91	5.9442G	-21.58	-14.19	-7.39	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19942G	6.15	5.9282G	-23.25	-13.85	-9.40	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21581G	5.88	6.6022G	-28.15	-14.13	-14.02	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17542G	6.13	6.6186G	-21.98	-13.94	-8.04	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17342G	6.15	6.6386G	-23.55	-14.02	-9.53	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17222G	5.86	5.899G	-36.74	-14.15	-22.59	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20262G	5.99	6.9946G	-47.75	-24.09	-23.66	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19782G	6.03	5.927G	-30.31	-14.00	-16.31	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17022G	5.76	5.9282G	-29.83	-14.24	-15.59	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.19822G	6.04	5.9278G	-29.65	-13.97	-15.68	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19462G	5.91	5.9278G	-30.40	-14.10	-16.30	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19862G	5.86	5.9274G	-36.60	-14.16	-22.44	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2558G	6.16	6.6022G	-33.92	-13.85	-20.07	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21101G	6.02	6.603G	-29.46	-14.01	-15.45	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21141G	6.05	6.6022G	-28.73	-13.96	-14.77	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19702G	5.78	6.6026G	-30.48	-14.24	-16.24	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21941G	6.26	6.6054G	-29.59	-13.83	-15.76	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20981G	5.94	6.9986G	-47.85	-24.28	-23.57	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.40261G	5.21	6.6962G	-21.90	-14.79	-7.11	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4134G	5.29	6.7526G	-24.42	-14.79	-9.63	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28304G	5.27	6.7786G	-24.59	-14.85	-9.74	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.37661G	5.16	6.0762G	-23.89	-14.84	-9.05	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.36941G	5.24	6.0722G	-23.78	-14.86	-8.92	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.37981G	5.68	6.075G	-22.83	-14.35	-8.48	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.40221G	5.60	6.0758G	-24.59	-14.41	-10.18	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4354G	5.76	6.0762G	-24.06	-14.24	-9.82	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.37461G	5.69	6.7738G	-30.78	-14.31	-16.47	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.29503G	5.53	6.7766G	-24.22	-14.54	-9.68	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28064G	5.55	6.0638G	-24.58	-14.54	-10.04	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27464G	5.72	6.0638G	-30.54	-14.37	-16.17	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.31903G	5.46	7.2206G	-50.85	-25.33	-25.52	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27584G	5.70	6.0662G	-33.42	-14.33	-19.09	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28024G	5.97	6.067G	-31.85	-14.04	-17.81	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.29943G	5.49	6.0642G	-33.75	-14.59	-19.16	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27504G	5.57	6.0674G	-33.45	-14.43	-19.02	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.37021G	5.55	6.067G	-38.47	-14.46	-24.01	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.39941G	5.54	6.783G	-38.46	-14.47	-23.99	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6425MHz	Pass	6.4366G	5.38	6.7854G	-35.18	-14.69	-20.49	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4118G	5.46	6.783G	-34.61	-14.55	-20.06	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.39381G	5.64	6.7826G	-34.13	-14.36	-19.77	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.36102G	5.61	6.7846G	-34.43	-14.44	-19.99	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4146G	5.41	7.2194G	-50.73	-25.34	-25.39	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47423G	5.76	6.951G	-27.88	-14.25	-13.63	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.43504G	5.66	6.9022G	-23.00	-14.35	-8.65	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.48942G	5.64	6.9022G	-22.01	-14.37	-7.64	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.48702G	5.72	6.2314G	-22.78	-14.32	-8.46	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47343G	5.79	6.2298G	-22.34	-14.29	-8.05	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.45383G	6.13	6.2326G	-22.12	-13.89	-8.23	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.45943G	5.85	6.233G	-23.76	-14.16	-9.60	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.46063G	5.59	6.2258G	-26.80	-14.44	-12.36	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.51422G	5.41	6.9374G	-32.41	-14.61	-17.80	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.45143G	5.89	6.215G	-24.18	-14.20	-9.98	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.48143G	5.90	6.2114G	-23.62	-14.27	-9.35	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.45183G	5.61	6.219G	-32.83	-14.40	-18.43	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47343G	5.79	6.2154G	-39.48	-14.29	-25.19	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.43504G	5.82	6.2186G	-34.11	-14.19	-19.92	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.43784G	5.64	6.2186G	-33.85	-14.37	-19.48	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47103G	5.74	6.219G	-33.53	-14.27	-19.26	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47823G	5.79	6.2186G	-33.71	-14.22	-19.49	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.43544G	5.86	6.2166G	-37.40	-14.20	-23.20	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.55541G	5.58	6.9542G	-38.93	-14.50	-24.43	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.51622G	5.59	6.9514G	-34.86	-14.42	-20.44	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.52981G	5.72	6.9518G	-34.62	-14.30	-20.32	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.51542G	5.94	6.9526G	-33.98	-14.10	-19.88	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.51582G	5.80	6.9538G	-35.25	-14.27	-20.98	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.52901G	5.61	6.955G	-40.76	-14.48	-26.28	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.65902G	4.87	7.0362G	-24.27	-15.22	-9.05	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.69061G	4.85	6.451G	-23.03	-15.32	-7.71	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.64463G	4.66	6.443G	-24.21	-15.44	-8.77	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7558G	5.02	6.3782G	-25.23	-15.07	-10.16	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.71061G	4.24	6.3814G	-27.71	-15.78	-11.93	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.77939G	4.39	6.3686G	-27.70	-15.91	-11.79	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.64822G	4.39	6.3806G	-29.03	-15.65	-13.38	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.76739G	5.12	6.413G	-24.87	-14.89	-9.98	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7578G	5.17	7.1094G	-34.35	-14.87	-19.48	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.62063G	4.81	6.3762G	-26.93	-15.33	-11.60	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.69421G	4.84	6.3674G	-26.80	-15.49	-11.31	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60823G	5.21	6.3818G	-32.93	-14.80	-18.13	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.63983G	4.95	5.9482G	-49.14	-25.49	-23.65	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.77779G	5.06	6.3818G	-35.58	-14.95	-20.63	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.64423G	4.76	6.3794G	-36.09	-15.30	-20.79	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7558G	4.94	6.3818G	-35.13	-15.07	-20.06	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.63743G	4.91	6.3818G	-35.60	-15.10	-20.50	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.61783G	4.91	5.9478G	-49.37	-25.54	-23.83	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.76939G	5.18	5.945G	-49.57	-25.36	-24.21	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7538G	4.86	7.1078G	-36.96	-15.14	-21.82	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.68821G	4.89	7.1086G	-36.16	-15.13	-21.03	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7286G	5.12	7.1082G	-35.58	-14.89	-20.69	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.71661G	5.15	7.1078G	-36.33	-14.85	-21.48	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.78099G	4.80	5.945G	-49.53	-25.74	-23.79	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85501G	4.67	6.6266G	-23.56	-15.53	-8.03	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85621G	4.70	6.5606G	-26.46	-15.30	-11.16	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87741G	4.52	6.5546G	-25.71	-15.62	-10.09	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6905MHz	Pass	6.83422G	4.62	6.5606G	-23.74	-15.38	-8.36	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85261G	4.11	6.5602G	-26.09	-15.90	-10.19	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85461G	4.24	6.5606G	-25.90	-15.76	-10.14	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84142G	4.17	6.5594G	-27.30	-15.86	-11.44	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.86901G	4.61	6.5598G	-26.94	-15.41	-11.53	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85381G	4.54	7.2514G	-36.47	-15.51	-20.96	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.81782G	4.66	6.555G	-26.03	-15.48	-10.55	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84022G	4.87	6.5558G	-24.73	-15.25	-9.48	1
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85181G	4.48	6.5598G	-32.15	-15.54	-16.61	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84422G	4.37	6.1078G	-48.96	-27.50	-21.46	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85501G	4.45	6.5602G	-34.48	-15.56	-18.92	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87861G	4.64	6.5602G	-32.90	-15.37	-17.53	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85061G	4.81	6.5606G	-32.06	-15.19	-16.87	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84142G	4.41	6.559G	-34.35	-15.63	-18.72	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87141G	4.51	6.1054G	-48.89	-27.45	-21.44	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87541G	4.45	6.1054G	-49.03	-27.51	-21.52	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85701G	3.94	6.1086G	-48.89	-27.91	-20.98	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84462G	4.40	6.1062G	-49.03	-27.53	-21.50	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87941G	4.63	6.1058G	-48.87	-27.31	-21.56	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85941G	4.62	6.105G	-48.91	-27.35	-21.56	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.86101G	4.89	6.105G	-49.11	-27.08	-22.03	1

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

MASK

6385MHz_TX

21/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

MASK

6025MHz_TX

21/11/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

MASK

6105MHz_TX

21/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03462G	6.15	6.385G	-17.72	-14.07	-3.65	1

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

MASK

6545MHz_TX

21/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51001G	4.26	6.4516G	-28.88	-22.82	-6.06	1

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

MASK

6505MHz_TX

21/11/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

MASK

6585MHz_TX

22/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_2_1TX

MASK

6625MHz_TX

21/11/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_5_1TX

MASK

6665MHz_TX

21/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX

MASK

6745MHz_TX

22/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

MASK

6945MHz_TX

21/11/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

MASK

6985MHz_TX

21/11/2024



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	6.42129G	1.72	6.52G	-48.89	-38.28	-10.61	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	Pass	5.99501G	6	6.1672G	-19.66	-14.45	-5.21	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	Pass	6.01062G	5.55	6.3778G	-18.71	-14.49	-4.22	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	6.57649G	1.34	6.5894G	-31	-18.84	-12.16	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	Pass	6.53779G	5.89	6.6642G	-22.82	-14.11	-8.71	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	Pass	6.51582G	5.49	6.8962G	-23.28	-14.65	-8.63	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	6.75321G	0.88	6.9418G	-51.84	-39.12	-12.72	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	Pass	6.75322G	4.21	6.6608G	-22.5	-16.15	-6.35	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	Pass	6.7274G	4.99	6.4462G	-23.37	-15.1	-8.27	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	7.0332G	-2.46	6.8482G	-53.71	-42.46	-11.25	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	Pass	6.95301G	4.74	6.8282G	-23.63	-15.47	-8.16	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01029G	1.61	6.0302G	-33.14	-18.45	-14.69	1
5985MHz	Pass	5.9918G	1.72	6.1698G	-52.51	-38.28	-14.23	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9875G	1.52	6.1177G	-51.32	-38.48	-12.84	1
5985MHz	Pass	6.01499G	1.47	6.1212G	-50.73	-38.33	-12.4	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01249G	0.9	6.1175G	-52.95	-39.1	-13.85	1
5985MHz	Pass	6.01559G	1.11	6.1403G	-52.66	-38.89	-13.77	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9883G	1.81	6.1823G	-53.75	-38.19	-15.56	1
5985MHz	Pass	5.9943G	2	6.1833G	-51.97	-38	-13.97	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2091G	0.88	6.4109G	-54.15	-39.12	-15.03	1
6225MHz	Pass	6.2203G	1.25	6.4132G	-52.31	-38.75	-13.56	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19351G	0.96	6.3564G	-51.55	-38.26	-13.29	1
6225MHz	Pass	6.19661G	1.42	6.3789G	-51.17	-38.58	-12.59	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.19141G	0.99	6.3649G	-53.01	-39.01	-14	1
6225MHz	Pass	6.2223G	1.37	6.379G	-51.3	-38.63	-12.67	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2079G	0.94	6.4239G	-54.24	-39.06	-15.18	1
6225MHz	Pass	6.2208G	1.48	6.4203G	-52.22	-38.52	-13.7	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.3822G	1.73	6.4307G	-32.62	-18.36	-14.26	1
6385MHz	Pass	6.41039G	1.83	6.5734G	-51.51	-38.17	-13.34	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.42129G	1.72	6.52G	-48.89	-38.28	-10.61	1
6385MHz	Pass	6.35781G	1.94	6.5214G	-49.68	-38.06	-11.62	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.3771G	1.58	6.2532G	-49.88	-37.4	-12.48	1
6385MHz	Pass	6.35731G	2.09	6.2475G	-50.54	-37.91	-12.63	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.394G	1.62	6.2509G	-53.47	-37.97	-15.5	1
6385MHz	Pass	6.35561G	2.07	6.5512G	-51.62	-37.93	-13.69	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.4814G	1.49	6.2728G	-53.65	-38.51	-15.14	1
6465MHz	Pass	6.49179G	1.39	6.6613G	-51.9	-38.61	-13.29	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.43651G	0.37	6.6014G	-53.26	-39.57	-13.69	1
6465MHz	Pass	6.4753G	1.17	6.6258G	-51.8	-38.83	-12.97	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.49809G	0.52	6.324G	-53.35	-39.48	-13.87	1
6465MHz	Pass	6.4518G	0.94	6.6203G	-51.76	-39.06	-12.7	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.44341G	0.88	6.6571G	-53.73	-39.12	-14.61	1
6465MHz	Pass	6.4568G	1.3	6.6631G	-52.1	-38.7	-13.4	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.5384G	0.57	6.6799G	-53.87	-39.43	-14.44	1
6545MHz	Pass	6.57649G	1.34	6.5894G	-31	-18.84	-12.16	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.50831G	0.59	6.4106G	-52.74	-39.41	-13.33	1
6545MHz	Pass	6.57319G	1.05	6.6808G	-52	-38.91	-13.09	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-



Mask Radio 2 2TX LPI Channel Puncturing

Appendix C.2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6545MHz	Pass	6.51261G	0.48	6.412G	-52.29	-39.34	-12.95	1
6545MHz	Pass	6.5351G	1.02	6.6996G	-52.06	-38.98	-13.08	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.51081G	0.51	6.4104G	-53.33	-39.49	-13.84	1
6545MHz	Pass	6.5561G	1.23	6.7067G	-52.21	-38.77	-13.44	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.64849G	0.11	6.433G	-53.84	-39.89	-13.95	1
6625MHz	Pass	6.6385G	0.62	6.8041G	-52.39	-39.38	-13.01	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6404G	0.69	6.4809G	-52.43	-39.31	-13.12	1
6625MHz	Pass	6.58851G	1.18	6.7845G	-51.88	-38.82	-13.06	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.60391G	0.65	6.4908G	-51.79	-38.88	-12.91	1
6625MHz	Pass	6.6194G	1.16	6.789G	-51.84	-38.84	-13	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.60291G	1.08	6.8241G	-53.53	-38.92	-14.61	1
6625MHz	Pass	6.59401G	1.46	6.8238G	-52.26	-38.54	-13.72	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.74279G	0.32	6.8901G	-53.74	-39.68	-14.06	1
6705MHz	Pass	6.6912G	0.08	6.8993G	-52.92	-39.92	-13	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.72739G	0.33	6.8374G	-52.59	-39.42	-13.17	1
6705MHz	Pass	6.67451G	0.58	6.8615G	-52.63	-39.42	-13.21	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.68311G	0.67	6.5708G	-53.1	-39.33	-13.77	1
6705MHz	Pass	6.6891G	0.66	6.864G	-52.42	-39.34	-13.08	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.68361G	0.54	6.8961G	-53.53	-39.46	-14.07	1
6705MHz	Pass	6.6916G	0.8	6.9024G	-52.42	-39.2	-13.22	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.7671G	0.87	6.9792G	-53.01	-39.13	-13.88	1
6785MHz	Pass	6.81209G	0.96	6.9825G	-52.26	-39.04	-13.22	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.788G	0.76	6.9348G	-52.94	-39.24	-13.7	1
6785MHz	Pass	6.81599G	0.84	6.9463G	-51.97	-39.16	-12.81	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.74981G	0.43	6.9262G	-53.3	-39.57	-13.73	1
6785MHz	Pass	6.75321G	0.88	6.9418G	-51.84	-39.12	-12.72	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.7875G	0.75	6.9691G	-53.73	-39.25	-14.48	1
6785MHz	Pass	6.75641G	0.93	6.9837G	-52.21	-39.07	-13.14	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.8833G	0.8	6.9961G	-53.35	-38.95	-14.4	1
6865MHz	Pass	6.89219G	1.17	6.9105G	-32.1	-18.92	-13.18	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82751G	0.47	6.9994G	-52.11	-39.03	-13.08	1
6865MHz	Pass	6.8741G	1.15	6.9998G	-51.08	-38.2	-12.88	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82881G	0.58	6.7292G	-52.89	-39.29	-13.6	1
6865MHz	Pass	6.8478G	1.25	6.7073G	-52.34	-38.75	-13.59	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.8679G	0.34	6.6873G	-54.53	-39.66	-14.87	1
6865MHz	Pass	6.83541G	1.07	6.6803G	-53.5	-38.93	-14.57	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9278G	-0.02	6.8053G	-54.56	-40.02	-14.54	1
6945MHz	Pass	6.9349G	0.25	6.7891G	-53.8	-39.75	-14.05	2



Mask Radio 2 2TX LPI Channel Puncturing

Appendix C.2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.96969G	-0.21	6.811G	-53.48	-40.21	-13.27	1
6945MHz	Pass	6.91661G	0.27	6.7879G	-53.09	-39.73	-13.36	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9301G	-0.15	6.8109G	-53.34	-40.15	-13.19	1
6945MHz	Pass	6.91211G	0.1	6.8097G	-52.8	-39.64	-13.16	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.90941G	-0.14	6.8106G	-54.4	-40.14	-14.26	1
6945MHz	Pass	6.91341G	0.36	6.7707G	-53.99	-39.64	-14.35	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.04799G	-2.73	6.8611G	-54.42	-42.73	-11.69	1
7025MHz	Pass	7.0332G	-2.46	6.8482G	-53.71	-42.46	-11.25	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.98831G	-0.26	6.8915G	-53.47	-39.96	-13.51	1
7025MHz	Pass	6.99581G	0.22	6.8919G	-53.28	-39.78	-13.5	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99261G	-0.19	6.8905G	-53.57	-40.15	-13.42	1
7025MHz	Pass	6.99261G	0.02	6.8919G	-52.84	-39.98	-12.86	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.98991G	-0.36	6.8511G	-54.22	-40.36	-13.86	1
7025MHz	Pass	6.99991G	0.02	6.8285G	-53.92	-39.98	-13.94	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0294G	3.54	6.1808G	-25.66	-17.76	-7.9	1
6025MHz	Pass	5.99841G	3.87	6.177G	-24.22	-17.17	-7.05	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98921G	3.71	6.1736G	-24.79	-17.15	-7.64	1
6025MHz	Pass	5.99661G	4.11	6.161G	-21.5	-15.96	-5.54	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05079G	5.36	6.1608G	-23	-14.73	-8.27	1
6025MHz	Pass	6.05159G	5.43	6.1656G	-21.83	-14.87	-6.96	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99881G	5.52	6.1728G	-21.97	-15.29	-6.68	1
6025MHz	Pass	5.99501G	6	6.1672G	-19.66	-14.45	-5.21	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0096G	3.88	6.1814G	-25.07	-17.45	-7.62	1
6025MHz	Pass	6.014G	4.24	6.1738G	-22.66	-16.61	-6.05	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98961G	3.71	6.1812G	-25.87	-17.61	-8.26	1
6025MHz	Pass	6.00161G	3.86	6.1724G	-23.58	-16.9	-6.68	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98301G	3.45	6.1722G	-26.52	-17.33	-9.19	1
6025MHz	Pass	5.97821G	3.88	6.1762G	-25.62	-17.11	-8.51	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.007G	3.87	6.16G	-27.15	-16.17	-10.98	1
6025MHz	Pass	5.99081G	4.17	6.1598G	-25.06	-15.83	-9.23	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0088G	3.68	6.1566G	-26.38	-17.64	-8.74	1
6025MHz	Pass	5.99501G	4.02	6.163G	-25.18	-16.88	-8.3	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07079G	3.69	6.1894G	-28.39	-19.99	-8.4	1
6025MHz	Pass	6.0332G	4.04	6.1824G	-25.81	-18.13	-7.68	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.98841G	3.83	6.1954G	-29.21	-20.29	-8.92	1
6025MHz	Pass	6.012G	4.08	6.183G	-26.35	-18.13	-8.22	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0076G	3.75	6.3674G	-50.12	-36.25	-13.87	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	5.97661G	3.95	6.402G	-48.9	-36.05	-12.85	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1888G	3.62	6.3286G	-26.24	-16.64	-9.6	1
6185MHz	Pass	6.21719G	4.12	6.3348G	-26.7	-15.92	-10.78	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.15081G	3.4	6.3258G	-27.53	-16.7	-10.83	1
6185MHz	Pass	6.16041G	3.86	6.341G	-26.58	-16.52	-10.06	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.12721G	3.64	6.3294G	-26.2	-16.67	-9.53	1
6185MHz	Pass	6.21899G	3.86	6.3376G	-25.32	-16.33	-8.99	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13681G	5.17	6.3362G	-24.78	-15.53	-9.25	1
6185MHz	Pass	6.21779G	5.61	6.335G	-22.85	-14.44	-8.41	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1712G	3.68	6.03G	-26.31	-17.24	-9.07	1
6185MHz	Pass	6.21519G	4.05	6.0204G	-25.44	-16.8	-8.64	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.16221G	3.78	6.3316G	-26.29	-16.65	-9.64	1
6185MHz	Pass	6.15801G	3.93	6.0328G	-26.46	-16.24	-10.22	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.189G	5.07	6.0438G	-25.57	-15.05	-10.52	1
6185MHz	Pass	6.1762G	5.5	6.3342G	-25.65	-14.51	-11.14	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1704G	3.74	6.0436G	-26.46	-16.39	-10.07	1
6185MHz	Pass	6.1954G	4.3	6.0312G	-26.77	-15.96	-10.81	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1926G	5.02	6.349G	-32.8	-15.1	-17.7	1
6185MHz	Pass	6.1798G	5.47	6.3504G	-31.69	-14.71	-16.98	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.13361G	5.16	6.3504G	-28.15	-15.03	-13.12	1
6185MHz	Pass	6.21539G	5.57	6.3548G	-26.51	-14.83	-11.68	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.172G	5.09	6.0228G	-27.42	-16.25	-11.17	1
6185MHz	Pass	6.1808G	5.37	6.0206G	-26.51	-15.46	-11.05	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1682G	3.42	6.0226G	-34.58	-16.62	-17.96	1
6185MHz	Pass	6.21799G	3.74	6.023G	-33.77	-16.27	-17.5	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29021G	5.48	6.5002G	-24.25	-15.01	-9.24	1
6345MHz	Pass	6.30981G	5.81	6.5032G	-23.5	-14.55	-8.95	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27082G	3.48	6.5008G	-26.97	-17.04	-9.93	1
6345MHz	Pass	6.31501G	4.01	6.4994G	-27.14	-16.15	-10.99	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.37639G	5.33	6.4988G	-24.03	-15.08	-8.95	1
6345MHz	Pass	6.29381G	5.78	6.4982G	-23.98	-14.31	-9.67	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29661G	5.2	6.502G	-22.94	-15.39	-7.55	1
6345MHz	Pass	6.31581G	5.72	6.4976G	-23.49	-14.34	-9.15	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27062G	5.58	6.5G	-23.1	-14.9	-8.2	1
6345MHz	Pass	6.29461G	5.99	6.4968G	-22.68	-14.03	-8.65	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27602G	5.58	6.1938G	-23.94	-14.68	-9.26	1
6345MHz	Pass	6.31421G	5.86	6.4966G	-23.95	-14.15	-9.8	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.28082G	5.46	6.1926G	-24.86	-14.87	-9.99	1
6345MHz	Pass	6.31061G	5.82	6.5036G	-24.91	-14.56	-10.35	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27162G	5.33	6.1914G	-26.35	-15.07	-11.28	1
6345MHz	Pass	6.37859G	5.66	6.1878G	-26.19	-14.65	-11.54	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.335G	3.61	6.499G	-30.18	-16.81	-13.37	1
6345MHz	Pass	6.3372G	4.05	6.4966G	-29.93	-15.96	-13.97	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29121G	3.74	6.4998G	-27.48	-16.72	-10.76	1
6345MHz	Pass	6.27382G	4.23	6.4976G	-26.37	-15.83	-10.54	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.27102G	3.93	6.1736G	-28.05	-17.45	-10.6	1
6345MHz	Pass	6.29761G	4.29	6.1866G	-27.37	-16.08	-11.29	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.29421G	3.65	6.1918G	-30.85	-16.73	-14.12	1
6345MHz	Pass	6.27802G	4.23	6.1922G	-30.69	-15.84	-14.85	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.45121G	5.57	6.6654G	-27.21	-14.47	-12.74	1
6505MHz	Pass	6.45601G	5.96	6.6644G	-25.34	-14.05	-11.29	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.48281G	5.22	6.6656G	-27.07	-14.83	-12.24	1
6505MHz	Pass	6.47121G	5.76	6.6676G	-25.11	-14.41	-10.7	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.43462G	5.43	6.6674G	-26.26	-14.71	-11.55	1
6505MHz	Pass	6.4942G	5.84	6.6666G	-23.7	-14.28	-9.42	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.43702G	5.55	6.666G	-25	-14.52	-10.48	1
6505MHz	Pass	6.53779G	5.89	6.6642G	-22.82	-14.11	-8.71	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.46041G	5.18	6.3426G	-26.9	-14.96	-11.94	1
6505MHz	Pass	6.499G	5.61	6.3452G	-24.24	-14.42	-9.82	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.43942G	5.81	6.3394G	-25.19	-14.49	-10.7	1
6505MHz	Pass	6.47501G	6.06	6.3424G	-23.36	-14.11	-9.25	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.48141G	5.46	6.3424G	-26.61	-14.69	-11.92	1
6505MHz	Pass	6.43182G	5.9	6.3456G	-25.05	-14.11	-10.94	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.45781G	5.33	6.3434G	-28.08	-14.77	-13.31	1
6505MHz	Pass	6.5172G	5.82	6.343G	-26.5	-14.32	-12.18	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.47641G	5.48	6.666G	-32.02	-14.59	-17.43	1
6505MHz	Pass	6.47421G	5.93	6.665G	-29.47	-14.11	-15.36	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.46161G	5.83	6.669G	-27.32	-14.39	-12.93	1
6505MHz	Pass	6.5184G	5.84	6.6688G	-25.08	-14.4	-10.68	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.44202G	5.31	6.3346G	-28.61	-15.24	-13.37	1
6505MHz	Pass	6.47901G	5.66	6.341G	-26.18	-14.59	-11.59	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.47961G	5.5	6.344G	-30.65	-14.57	-16.08	1
6505MHz	Pass	6.47401G	5.89	6.3456G	-29.78	-14.12	-15.66	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.60841G	5.13	6.8236G	-25.18	-14.92	-10.26	1
6665MHz	Pass	6.60821G	5.29	6.8228G	-26.37	-14.73	-11.64	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6846G	5.02	6.8234G	-26.58	-15.02	-11.56	1
6665MHz	Pass	6.6548G	5.27	6.825G	-27.89	-14.86	-13.03	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6828G	5.33	6.8256G	-25.45	-14.82	-10.63	1
6665MHz	Pass	6.676G	5.28	6.826G	-26.72	-14.9	-11.82	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61961G	5.15	6.8268G	-24.86	-15.06	-9.8	1
6665MHz	Pass	6.61281G	5.29	6.495G	-26.04	-15.36	-10.68	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64401G	3.33	6.8314G	-27.89	-17.12	-10.77	1
6665MHz	Pass	6.61401G	3.39	6.504G	-28.19	-16.79	-11.4	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64021G	5.4	6.8238G	-24.86	-14.66	-10.2	1
6665MHz	Pass	6.61261G	5.49	6.5012G	-25.59	-14.84	-10.75	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64221G	5.42	6.5044G	-27.23	-14.73	-12.5	1
6665MHz	Pass	6.61221G	5.36	6.5074G	-26.3	-14.65	-11.65	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.60561G	3.37	6.5068G	-30.17	-16.66	-13.51	1
6665MHz	Pass	6.6576G	3.76	6.5074G	-29.42	-16.25	-13.17	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6822G	3.56	6.8244G	-32.28	-16.53	-15.75	1
6665MHz	Pass	6.62941G	3.67	6.8234G	-33.84	-16.38	-17.46	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.6692G	3.72	6.8314G	-28.77	-16.73	-12.04	1
6665MHz	Pass	6.61041G	3.52	6.494G	-30.32	-17.18	-13.14	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.62241G	3.88	6.4926G	-28.41	-16.88	-11.53	1
6665MHz	Pass	6.61561G	3.64	6.4882G	-28.55	-17.36	-11.19	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.60402G	3.55	6.507G	-32.06	-16.47	-15.59	1
6665MHz	Pass	6.6512G	3.91	6.5072G	-31.84	-16.11	-15.73	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76941G	5.31	6.997G	-26.08	-14.7	-11.38	1
6825MHz	Pass	6.79181G	5.63	7.0168G	-32.07	-14.38	-17.69	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8442G	5.18	6.9988G	-25.97	-14.92	-11.05	1
6825MHz	Pass	6.79061G	5.39	6.619G	-30.52	-15.22	-15.3	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.8098G	5.37	6.999G	-24.47	-14.74	-9.73	1
6825MHz	Pass	6.8322G	5.54	6.6324G	-26.19	-14.51	-11.68	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.78861G	3.66	6.992G	-24.32	-16.81	-7.51	1
6825MHz	Pass	6.85719G	3.97	6.6678G	-23.47	-16.03	-7.44	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.85079G	4.01	6.667G	-22.38	-16	-6.38	1
6825MHz	Pass	6.75322G	4.21	6.6608G	-22.5	-16.15	-6.35	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.78281G	3.97	6.664G	-23.71	-16.19	-7.52	1
6825MHz	Pass	6.87959G	4.19	6.6674G	-22.59	-15.83	-6.76	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76681G	5.15	6.6484G	-25.86	-15.08	-10.78	1
6825MHz	Pass	6.79801G	5.5	6.6306G	-27.98	-14.62	-13.36	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.85079G	5.17	6.6506G	-27.9	-14.96	-12.94	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6825MHz	Pass	6.77421G	5.39	6.633G	-30.73	-14.63	-16.1	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.84979G	5.33	6.9838G	-27.66	-14.72	-12.94	1
6825MHz	Pass	6.8124G	5.53	6.9828G	-26.72	-14.5	-12.22	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.84619G	5.38	6.9894G	-23.48	-14.96	-8.52	1
6825MHz	Pass	6.75322G	5.64	6.983G	-23.71	-14.4	-9.31	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76701G	5.7	6.665G	-22.52	-14.41	-8.11	1
6825MHz	Pass	6.8096G	5.76	6.6524G	-22.81	-15.03	-7.78	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76322G	3.78	6.667G	-29.66	-16.23	-13.43	1
6825MHz	Pass	6.8286G	3.79	6.6654G	-29.58	-16.33	-13.25	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9882G	2.02	6.8236G	-34.58	-18.03	-16.55	1
6985MHz	Pass	6.93461G	2.76	7.1406G	-29.67	-17.39	-12.28	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91022G	2.4	6.823G	-29.81	-17.68	-12.13	1
6985MHz	Pass	6.91402G	2.96	6.827G	-27.37	-17.32	-10.05	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92721G	2.15	6.8228G	-30.4	-17.94	-12.46	1
6985MHz	Pass	6.91362G	2.79	6.828G	-27.72	-17.43	-10.29	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.9886G	2.15	6.8244G	-29.11	-17.86	-11.25	1
6985MHz	Pass	6.91462G	2.65	6.8258G	-26.76	-17.69	-9.07	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92781G	4.06	6.8242G	-26.28	-15.96	-10.32	1
6985MHz	Pass	6.95301G	4.74	6.8282G	-23.63	-15.47	-8.16	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.94861G	2.73	6.8168G	-33.98	-17.66	-16.32	1
6985MHz	Pass	6.975G	2.98	6.585G	-47.13	-32.64	-14.49	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.96461G	4.3	6.8192G	-26.83	-15.97	-10.86	1
6985MHz	Pass	6.93401G	4.96	6.8314G	-23.67	-15.08	-8.59	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92781G	4.13	6.8228G	-27.85	-15.96	-11.89	1
6985MHz	Pass	6.9728G	4.68	6.8266G	-25.58	-15.62	-9.96	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.967G	2.65	6.585G	-49.32	-31.44	-17.88	1
6985MHz	Pass	6.974G	3.05	6.5852G	-48.11	-32.55	-15.56	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.90962G	2.37	6.8218G	-30.94	-17.77	-13.17	1
6985MHz	Pass	6.91142G	2.98	6.8216G	-29.16	-17.58	-11.58	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.968G	3.29	6.8168G	-32.36	-17.1	-15.26	1
6985MHz	Pass	6.91562G	3.64	6.8202G	-30.73	-17	-13.73	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.94121G	2.64	6.8206G	-32.81	-17.56	-15.25	1
6985MHz	Pass	6.91762G	2.98	6.832G	-30.4	-17.03	-13.37	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.15339G	5.36	6.3786G	-20.38	-14.69	-5.69	1
6105MHz	Pass	6.01062G	5.55	6.3778G	-18.71	-14.49	-4.22	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12819G	4.85	6.3862G	-22.99	-15.42	-7.57	1
6105MHz	Pass	6.19458G	5	6.3826G	-20.58	-15.18	-5.4	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.12899G	4.68	6.3778G	-23.13	-15.34	-7.79	1
6105MHz	Pass	5.99063G	5.22	6.4126G	-21.43	-15.72	-5.71	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.16938G	4.73	6.3814G	-22.69	-15.4	-7.29	1
6105MHz	Pass	5.99263G	5.21	6.3926G	-20.72	-15.14	-5.58	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.091G	4.9	6.411G	-22.24	-16.11	-6.13	1
6105MHz	Pass	6.01222G	5.34	6.421G	-20.65	-15.84	-4.81	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05261G	5.19	6.3814G	-22.05	-14.94	-7.11	1
6105MHz	Pass	6.00782G	5.48	6.381G	-19.63	-14.53	-5.1	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12939G	4.94	6.3818G	-23.57	-15.2	-8.37	1
6105MHz	Pass	5.99063G	5.45	6.4086G	-21.85	-15.37	-6.48	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.04861G	4.38	6.379G	-28.12	-15.68	-12.44	1
6105MHz	Pass	6.05541G	4.69	6.3794G	-25.7	-15.45	-10.25	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1122G	5.23	6.3782G	-23.9	-14.8	-9.1	1
6105MHz	Pass	6.16179G	5.56	6.3766G	-21.72	-14.44	-7.28	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13059G	5	6.4106G	-24.62	-15.99	-8.63	1
6105MHz	Pass	6.00782G	5.06	6.4118G	-22.66	-15.85	-6.81	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.01022G	4.97	6.4482G	-27.64	-17.14	-10.5	1
6105MHz	Pass	6.00902G	5.12	6.4338G	-24.86	-16.44	-8.42	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.087G	4.88	6.905G	-48.31	-34.54	-13.77	1
6105MHz	Pass	6.08261G	4.99	6.9026G	-48.41	-34.61	-13.8	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.04741G	5.1	6.9038G	-48.46	-34.27	-14.19	1
6105MHz	Pass	6.03182G	5.51	6.9034G	-48.27	-33.9	-14.37	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0934G	5.21	6.9042G	-48.58	-34.17	-14.41	1
6105MHz	Pass	6.04941G	5.64	6.905G	-48.49	-33.84	-14.65	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0894G	5.58	6.9038G	-48.44	-33.79	-14.65	1
6105MHz	Pass	5.99543G	5.87	6.905G	-48.25	-33.61	-14.64	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.17098G	5.06	6.9018G	-48.48	-34.22	-14.26	1
6105MHz	Pass	6.01342G	5.44	6.9022G	-48.41	-33.91	-14.5	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.04302G	5.07	6.9038G	-48.59	-34.3	-14.29	1
6105MHz	Pass	5.97703G	5.54	6.905G	-48.54	-33.94	-14.6	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.03262G	5.15	6.9046G	-48.51	-34.25	-14.26	1
6105MHz	Pass	6.00023G	5.51	6.9042G	-48.56	-33.93	-14.63	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.16459G	5.18	6.3774G	-28.07	-14.83	-13.24	1
6105MHz	Pass	6.07821G	5.82	6.3786G	-25.94	-14.24	-11.7	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.04901G	5.03	6.3774G	-27.48	-14.98	-12.5	1
6105MHz	Pass	6.05221G	5.5	6.377G	-24.99	-14.51	-10.48	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.04262G	5.29	6.3798G	-26.43	-14.79	-11.64	1
6105MHz	Pass	6.0862G	5.7	6.3802G	-23.74	-14.41	-9.33	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05061G	5.27	6.3906G	-26.33	-15.13	-11.2	1
6105MHz	Pass	6.07541G	5.63	6.409G	-24.16	-15.2	-8.96	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.15339G	5.25	6.3794G	-28.34	-14.82	-13.52	1
6105MHz	Pass	6.04581G	5.68	6.3794G	-26.13	-14.4	-11.73	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.08341G	5.59	6.9046G	-48.4	-33.81	-14.59	1
6105MHz	Pass	6.07941G	5.97	6.377G	-28.23	-14.04	-14.19	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21021G	5.56	6.6226G	-26.79	-14.44	-12.35	1
6265MHz	Pass	6.21741G	5.86	6.6018G	-24.07	-14.15	-9.92	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21061G	4.86	6.6014G	-26.11	-15.21	-10.9	1
6265MHz	Pass	6.2822G	5.11	6.6046G	-25.45	-14.9	-10.55	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16862G	4.76	6.605G	-25.89	-15.39	-10.5	1
6265MHz	Pass	6.2574G	5.2	6.6082G	-24.59	-14.89	-9.7	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19302G	4.83	6.601G	-24.78	-15.23	-9.55	1
6265MHz	Pass	6.19902G	5.12	6.595G	-23.23	-14.94	-8.29	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.15463G	4.39	6.6014G	-27.17	-15.68	-11.49	1
6265MHz	Pass	6.21181G	4.68	6.5974G	-25.69	-15.44	-10.25	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17062G	5.17	6.5978G	-25.56	-14.84	-10.72	1
6265MHz	Pass	6.21741G	5.44	6.6286G	-25.09	-14.68	-10.41	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19382G	5.03	6.5998G	-26.5	-15.03	-11.47	1
6265MHz	Pass	6.2766G	5.28	6.6234G	-27.7	-14.72	-12.98	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20781G	5.42	5.9306G	-26.73	-14.6	-12.13	1
6265MHz	Pass	6.21381G	5.57	5.9058G	-28.96	-14.45	-14.51	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19302G	5.49	6.6006G	-30.21	-14.56	-15.65	1
6265MHz	Pass	6.21821G	5.61	6.6238G	-32.09	-14.4	-17.69	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17222G	5.09	6.6042G	-26	-15.04	-10.96	1
6265MHz	Pass	6.17622G	5.31	6.5942G	-24.13	-14.73	-9.4	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17822G	5.01	6.6278G	-28.03	-15.69	-12.34	1
6265MHz	Pass	6.21541G	5.2	6.609G	-25.89	-15.21	-10.68	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16782G	5.17	5.931G	-31.1	-14.84	-16.26	1
6265MHz	Pass	6.2766G	5.64	5.9066G	-34.32	-14.36	-19.96	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20821G	5.15	6.999G	-47.85	-25.33	-22.52	1
6265MHz	Pass	6.2582G	5.51	6.9998G	-47.79	-25.5	-22.29	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21261G	5.17	5.9298G	-34.03	-14.87	-19.16	1
6265MHz	Pass	6.20062G	5.57	5.9062G	-36.45	-14.44	-22.01	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16902G	5.32	5.9306G	-31.72	-14.7	-17.02	1
6265MHz	Pass	6.2578G	5.77	5.9066G	-34.92	-14.23	-20.69	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.17222G	5.56	5.931G	-31.02	-14.45	-16.57	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.19782G	5.78	5.9062G	-34.47	-14.23	-20.24	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20941G	5.6	5.929G	-31.9	-14.46	-17.44	1
6265MHz	Pass	6.21901G	5.87	5.9062G	-34.35	-14.14	-20.21	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.19302G	5.56	5.9298G	-37.11	-14.48	-22.63	1
6265MHz	Pass	6.20262G	5.83	5.9374G	-34.17	-14.17	-20	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23181G	5.35	6.6014G	-36.5	-14.72	-21.78	1
6265MHz	Pass	6.23701G	5.71	6.6354G	-37.97	-14.56	-23.41	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21021G	5.16	6.605G	-33.21	-14.99	-18.22	1
6265MHz	Pass	6.20022G	5.43	6.6234G	-33.97	-14.57	-19.4	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21301G	5.26	6.599G	-32.54	-14.75	-17.79	1
6265MHz	Pass	6.19622G	5.61	6.6242G	-33.35	-14.41	-18.94	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20861G	5.38	6.6006G	-32.08	-14.67	-17.41	1
6265MHz	Pass	6.21901G	5.61	6.6254G	-33.13	-14.44	-18.69	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20861G	5.41	6.6086G	-33.78	-14.83	-18.95	1
6265MHz	Pass	6.20062G	5.71	6.6242G	-33.8	-14.31	-19.49	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.20941G	5.19	6.997G	-47.77	-25.22	-22.55	1
6265MHz	Pass	6.19742G	5.54	6.9978G	-47.76	-25.39	-22.37	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.33862G	5.43	6.7254G	-22.97	-14.76	-8.21	1
6425MHz	Pass	6.37381G	5.29	6.7234G	-23.12	-14.99	-8.13	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.29303G	5.56	6.7698G	-25.3	-14.46	-10.84	1
6425MHz	Pass	6.39541G	5.25	6.7718G	-25.96	-14.78	-11.18	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27264G	4.71	6.769G	-27.45	-15.3	-12.15	1
6425MHz	Pass	6.4126G	4.63	6.7626G	-26.72	-15.47	-11.25	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.28064G	5.47	6.079G	-23.25	-14.58	-8.67	1
6425MHz	Pass	6.31623G	5.23	6.7646G	-23.91	-14.91	-9	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.39821G	5.1	6.081G	-24.83	-14.91	-9.92	1
6425MHz	Pass	6.37781G	4.6	6.7706G	-26.74	-15.4	-11.34	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27184G	5.32	6.0802G	-24.68	-14.7	-9.98	1
6425MHz	Pass	6.29583G	5.01	6.087G	-26.11	-15.1	-11.01	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27904G	5.22	6.0802G	-26.2	-14.8	-11.4	1
6425MHz	Pass	6.45739G	4.93	6.0782G	-28.13	-15.1	-13.03	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.29223G	5.38	6.0798G	-25.89	-14.65	-11.24	1
6425MHz	Pass	6.413G	5.09	6.079G	-28.38	-14.92	-13.46	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.38061G	5.41	6.7698G	-31.55	-14.61	-16.94	1
6425MHz	Pass	6.39341G	5.14	6.7706G	-32.68	-14.86	-17.82	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27144G	4.93	6.7698G	-27.56	-15.09	-12.47	1
6425MHz	Pass	6.29423G	5.01	6.7742G	-27.19	-15.08	-12.11	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-



Mask Radio 2 2TX LPI Channel Puncturing

Appendix C.2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6425MHz	Pass	6.27864G	4.9	6.0734G	-27.63	-15.28	-12.35	1
6425MHz	Pass	6.39421G	5.02	6.0782G	-27.8	-15.01	-12.79	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.33662G	5.49	6.0802G	-30.22	-14.53	-15.69	1
6425MHz	Pass	6.29543G	5.17	6.0786G	-32.7	-14.85	-17.85	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.443G	5.07	7.217G	-50.64	-26.66	-23.98	1
6425MHz	Pass	6.31423G	5.21	7.2238G	-50.96	-27.61	-23.35	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27864G	5.33	6.0774G	-33.13	-14.76	-18.37	1
6425MHz	Pass	6.37341G	5.29	6.079G	-34.7	-14.72	-19.98	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.29303G	5.12	6.081G	-33.66	-14.89	-18.77	1
6425MHz	Pass	6.49498G	4.96	6.0754G	-35.77	-15.14	-20.63	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.31263G	5.19	6.0798G	-32.72	-14.84	-17.88	1
6425MHz	Pass	6.35302G	5.21	6.0778G	-34.18	-14.83	-19.35	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.27864G	5.16	6.0806G	-33.06	-14.85	-18.21	1
6425MHz	Pass	6.4094G	5.29	6.0882G	-32.45	-14.79	-17.66	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.29383G	5.16	6.081G	-38.16	-14.85	-23.31	1
6425MHz	Pass	6.39141G	5.23	6.0906G	-37.44	-14.79	-22.65	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4394G	5.31	6.7722G	-38.1	-14.77	-23.33	1
6425MHz	Pass	6.47419G	5.34	6.7594G	-36.99	-14.68	-22.31	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.35582G	5.13	6.7714G	-34.56	-14.93	-19.63	1
6425MHz	Pass	6.433G	5.16	6.7718G	-34.21	-14.87	-19.34	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.39941G	5.23	6.7706G	-34.01	-14.81	-19.2	1
6425MHz	Pass	6.37141G	5.21	6.7706G	-33.9	-14.79	-19.11	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.39701G	5.34	6.7694G	-33.53	-14.67	-18.86	1
6425MHz	Pass	6.45179G	5.39	6.771G	-32.97	-14.62	-18.35	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.40141G	5.29	6.771G	-34.41	-14.76	-19.65	1
6425MHz	Pass	6.4342G	5.25	6.775G	-34.46	-14.85	-19.61	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.39941G	5.07	7.2202G	-50.83	-26.77	-24.06	1
6425MHz	Pass	6.417G	5.21	7.2226G	-50.98	-26.57	-24.41	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47303G	5.61	6.9022G	-23.6	-14.46	-9.14	1
6585MHz	Pass	6.51582G	5.49	6.8962G	-23.28	-14.65	-8.63	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.44064G	5.75	6.913G	-23.05	-14.39	-8.66	1
6585MHz	Pass	6.5698G	5.54	6.9366G	-25.51	-14.51	-11	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.46103G	5.09	6.2042G	-27.5	-14.91	-12.59	1
6585MHz	Pass	6.49462G	4.95	6.2302G	-26.96	-15.17	-11.79	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.46023G	5.3	6.2042G	-26.42	-14.7	-11.72	1
6585MHz	Pass	6.53461G	4.98	6.2342G	-25.28	-15.05	-10.23	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.48063G	5.33	6.1954G	-26.45	-14.73	-11.72	1
6585MHz	Pass	6.49462G	5.06	6.2334G	-24.78	-14.99	-9.79	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.44064G	4.71	6.2038G	-28.32	-15.3	-13.02	1
6585MHz	Pass	6.55701G	4.65	6.2354G	-26.72	-15.35	-11.37	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.44344G	4.82	6.2042G	-29.89	-15.18	-14.71	1
6585MHz	Pass	6.53501G	4.62	6.2338G	-28.41	-15.42	-12.99	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.46183G	5.55	6.1966G	-29.63	-14.48	-15.15	1
6585MHz	Pass	6.51422G	5.4	6.2354G	-25.95	-14.6	-11.35	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.52062G	5.68	6.9726G	-36.7	-14.33	-22.37	1
6585MHz	Pass	6.55381G	5.41	6.9346G	-32.21	-14.59	-17.62	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.48383G	5.35	6.2294G	-26.24	-14.85	-11.39	1
6585MHz	Pass	6.63459G	5.11	6.2178G	-26.93	-15.3	-11.63	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.52342G	5.27	6.1974G	-27.81	-14.74	-13.07	1
6585MHz	Pass	6.51342G	5.24	6.2194G	-25.94	-15.13	-10.81	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47823G	5.63	6.195G	-35.58	-14.43	-21.15	1
6585MHz	Pass	6.55381G	5.46	6.2354G	-30.91	-14.54	-16.37	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47783G	5.43	6.1926G	-41.59	-14.68	-26.91	1
6585MHz	Pass	6.49462G	5.13	7.3814G	-51.37	-26.29	-25.08	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.45863G	5.48	6.1962G	-38.18	-14.56	-23.62	1
6585MHz	Pass	6.51422G	5.46	6.2354G	-33.63	-14.54	-19.09	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.47703G	5.81	6.1978G	-36.41	-14.2	-22.21	1
6585MHz	Pass	6.61499G	5.63	6.235G	-31.96	-14.38	-17.58	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.43904G	5.43	6.1954G	-36.96	-14.63	-22.33	1
6585MHz	Pass	6.53501G	5.2	6.2354G	-32.87	-14.8	-18.07	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.48183G	5.44	6.1966G	-37.48	-14.59	-22.89	1
6585MHz	Pass	6.51342G	5.31	6.2342G	-33.49	-14.72	-18.77	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.48303G	5.48	6.237G	-37.22	-14.55	-22.67	1
6585MHz	Pass	6.5926G	5.28	6.2342G	-38.02	-14.75	-23.27	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.601G	5.25	6.9746G	-40.56	-14.81	-25.75	1
6585MHz	Pass	6.61139G	5.4	6.9354G	-38.89	-14.62	-24.27	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.51782G	5.29	6.9738G	-38.77	-14.75	-24.02	1
6585MHz	Pass	6.5914G	5.24	6.9346G	-34.75	-14.76	-19.99	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.51902G	5.41	6.9742G	-38.11	-14.64	-23.47	1
6585MHz	Pass	6.55381G	5.27	6.9366G	-34.48	-14.78	-19.7	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.52142G	5.58	6.9722G	-38.03	-14.43	-23.6	1
6585MHz	Pass	6.55061G	5.38	6.937G	-33.78	-14.68	-19.1	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.52422G	5.52	6.977G	-39.29	-14.59	-24.7	1
6585MHz	Pass	6.61379G	5.36	6.9346G	-34.35	-14.64	-19.71	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.52462G	5.3	7.3822G	-51.36	-23.49	-27.87	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.51502G	5.26	7.3838G	-51.41	-26.25	-25.16	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.76619G	4.96	7.0406G	-24.17	-15.05	-9.12	1
6745MHz	Pass	6.63463G	5.06	6.4582G	-24.43	-15.01	-9.42	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7274G	4.99	6.4462G	-23.37	-15.1	-8.27	1
6745MHz	Pass	6.67062G	5	6.431G	-24.22	-15.03	-9.19	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.64582G	4.96	6.399G	-25.61	-15.19	-10.42	1
6745MHz	Pass	6.65222G	4.87	6.417G	-24.62	-15.15	-9.47	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.64343G	4.35	6.3978G	-26.79	-15.83	-10.96	1
6745MHz	Pass	6.61383G	4.46	6.3982G	-26.22	-15.55	-10.67	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.725G	4.46	6.4046G	-25.79	-15.55	-10.24	1
6745MHz	Pass	6.65502G	4.43	6.393G	-26.23	-15.7	-10.53	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60344G	4.58	6.3962G	-25.65	-15.63	-10.02	1
6745MHz	Pass	6.63263G	4.66	6.3958G	-25.81	-15.41	-10.4	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.725G	4.48	6.3998G	-27.25	-15.65	-11.6	1
6745MHz	Pass	6.65382G	4.67	6.3958G	-27.17	-15.4	-11.77	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7634G	4.82	6.403G	-26.94	-15.23	-11.71	1
6745MHz	Pass	6.64902G	5.04	6.397G	-27.25	-15	-12.25	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.76779G	4.75	7.0858G	-33.15	-15.27	-17.88	1
6745MHz	Pass	6.69061G	4.76	7.0958G	-35.2	-15.34	-19.86	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60264G	5.12	6.3794G	-25.96	-15.49	-10.47	1
6745MHz	Pass	6.61463G	5.23	6.3978G	-25.58	-14.79	-10.79	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.72421G	5.04	6.4014G	-25.11	-15.05	-10.06	1
6745MHz	Pass	6.65102G	5.22	6.3978G	-24.79	-14.8	-9.99	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.76739G	4.81	6.4034G	-32.21	-15.23	-16.98	1
6745MHz	Pass	6.65222G	4.92	6.3974G	-31.72	-15.11	-16.61	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.68581G	4.63	5.9466G	-49.4	-27.65	-21.75	1
6745MHz	Pass	6.65222G	4.66	5.951G	-49.36	-26.93	-22.43	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.76619G	4.85	6.4014G	-34.61	-15.24	-19.37	1
6745MHz	Pass	6.67182G	4.9	6.395G	-34.35	-15.18	-19.17	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7622G	5.1	6.4042G	-33.17	-14.92	-18.25	1
6745MHz	Pass	6.65222G	5.14	6.397G	-32.64	-14.9	-17.74	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.64423G	4.57	6.405G	-34.27	-15.43	-18.84	1
6745MHz	Pass	6.60943G	4.92	6.397G	-33.7	-15.12	-18.58	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.72261G	4.91	6.4014G	-34.09	-15.18	-18.91	1
6745MHz	Pass	6.65462G	4.98	6.3978G	-34.18	-15.04	-19.14	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7294G	4.54	5.9526G	-48.96	-27.53	-21.43	1
6745MHz	Pass	6.65182G	4.85	5.9474G	-49.35	-26.86	-22.49	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6745MHz	Pass	6.76939G	4.94	5.9462G	-49.52	-27.35	-22.17	1
6745MHz	Pass	6.71181G	4.76	5.947G	-49.39	-26.96	-22.43	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.765G	4.64	7.085G	-35.43	-15.36	-20.07	1
6745MHz	Pass	6.67222G	4.66	7.0914G	-37.61	-15.34	-22.27	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.68541G	4.62	7.085G	-35.09	-15.38	-19.71	1
6745MHz	Pass	6.67662G	4.79	7.0938G	-37.14	-15.27	-21.87	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7262G	4.88	7.085G	-34.07	-15.12	-18.95	1
6745MHz	Pass	6.67342G	4.83	7.0946G	-36.72	-15.24	-21.48	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.7266G	4.87	7.0866G	-35.23	-15.17	-20.06	1
6745MHz	Pass	6.67262G	4.94	7.0914G	-37.36	-15.06	-22.3	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.76539G	4.63	5.945G	-49.49	-27.71	-21.78	1
6745MHz	Pass	6.67302G	4.71	5.945G	-49.47	-27.08	-22.39	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84661G	2.28	6.2158G	-48.19	-37.72	-10.47	1
6905MHz	Pass	6.81062G	2.38	6.2502G	-48.04	-37.62	-10.42	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84741G	2.32	6.2102G	-48.13	-37.68	-10.45	1
6905MHz	Pass	6.87461G	2.41	6.105G	-49.25	-37.18	-12.07	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87141G	1.37	6.107G	-49.3	-37.96	-11.34	1
6905MHz	Pass	6.81502G	1.51	6.1062G	-49.31	-35.8	-13.51	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84821G	2.36	6.209G	-47.63	-37.64	-9.99	1
6905MHz	Pass	6.83142G	2.31	6.1054G	-48.96	-37.26	-11.7	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84501G	2.21	6.221G	-47.56	-37.6	-9.96	1
6905MHz	Pass	6.85261G	2.51	6.105G	-48.85	-37.08	-11.77	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84701G	2.41	6.105G	-48.89	-37.01	-11.88	1
6905MHz	Pass	6.83302G	2.53	6.5898G	-30.73	-18.37	-12.36	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80582G	2.36	6.1078G	-48.8	-36.94	-11.86	1
6905MHz	Pass	6.87301G	2.45	6.1054G	-49.1	-35.52	-13.58	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84701G	2.67	6.1054G	-48.87	-36.73	-12.14	1
6905MHz	Pass	6.85701G	2.81	6.5934G	-30.27	-17.83	-12.44	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.885G	2.13	6.109G	-49.35	-37.11	-12.24	1
6905MHz	Pass	6.87901G	2.42	6.1086G	-49.47	-34.79	-14.68	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80702G	2.15	6.1054G	-49.41	-37.25	-12.16	1
6905MHz	Pass	6.81142G	2.48	6.1062G	-49.3	-34.83	-14.47	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87061G	1.63	6.1058G	-49.32	-37.58	-11.74	1
6905MHz	Pass	6.80862G	1.94	6.1054G	-49.04	-35.40	-13.64	2
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84781G	2.17	6.1062G	-49.46	-37.2	-12.26	1
6905MHz	Pass	6.8958G	2.26	6.1058G	-49.59	-35.07	-14.52	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84941G	2.6	6.1074G	-49.43	-36.71	-12.72	1
6905MHz	Pass	6.87021G	2.55	6.1054G	-49.47	-34.79	-14.68	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84621G	2.62	6.105G	-49.37	-36.8	-12.57	1
6905MHz	Pass	6.85821G	2.69	6.1058G	-49.5	-34.64	-14.86	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80343G	2.66	6.105G	-49.46	-36.76	-12.7	1
6905MHz	Pass	6.87381G	2.78	6.1054G	-49.37	-34.56	-14.81	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85021G	2.44	6.1066G	-49.34	-36.91	-12.43	1
6905MHz	Pass	6.85541G	2.66	6.105G	-49.46	-34.7	-14.76	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87021G	2.62	6.105G	-49.47	-36.8	-12.67	1
6905MHz	Pass	6.87181G	2.72	6.105G	-49.48	-34.64	-14.84	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84741G	2.72	6.1058G	-49.49	-36.66	-12.83	1
6905MHz	Pass	6.85941G	2.69	6.105G	-49.45	-34.67	-14.78	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87061G	2.51	6.109G	-49.29	-36.73	-12.56	1
6905MHz	Pass	6.87501G	2.81	6.1102G	-49.26	-34.33	-14.93	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.85301G	2.45	6.107G	-49.38	-36.88	-12.5	1
6905MHz	Pass	6.83582G	2.7	6.105G	-49.64	-34.66	-14.98	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84262G	2.64	6.1066G	-49.53	-36.71	-12.82	1
6905MHz	Pass	6.8918G	2.86	6.1098G	-49.27	-34.3	-14.97	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84821G	2.11	6.1054G	-49.27	-37.29	-11.98	1
6905MHz	Pass	6.8938G	2.34	6.1058G	-49.43	-34.99	-14.44	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87021G	2.06	6.1082G	-49.45	-37.22	-12.23	1
6905MHz	Pass	6.85901G	2.43	6.1062G	-49.53	-34.88	-14.65	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.84462G	2.61	6.1058G	-49.45	-36.77	-12.68	1
6905MHz	Pass	6.87461G	2.73	6.1082G	-49.26	-34.5	-14.76	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_2_2TX

MASK

6385MHz_TX

23/11/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42129G	1.72	6.52G	-48.89	-38.28	-10.61	1
6.35781G	1.94	6.5214G	-49.68	-38.06	-11.62	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4_2TX

MASK

6025MHz_TX

23/11/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99881G	5.52	6.1728G	-21.97	-15.29	-6.68	1
5.99501G	6.00	6.1672G	-19.66	-14.45	-5.21	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX

MASK

6105MHz_TX

24/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15339G	5.36	6.3786G	-20.38	-14.69	-5.69	1
6.01062G	5.55	6.3778G	-18.71	-14.49	-4.22	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

MASK

6545MHz_TX

23/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5384G	0.57	6.6799G	-53.87	-39.43	-14.44	1
6.57649G	1.34	6.5894G	-31.00	-18.84	-12.16	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_2_TX

MASK

6505MHz_TX

23/11/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_1_2TX

MASK

6585MHz_TX

24/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

MASK

6785MHz_TX

23/11/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

MASK

6825MHz_TX

23/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

MASK

6745MHz_TX

24/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7274G	4.99	6.4462G	-23.37	-15.10	-8.27	1
6.67062G	5.00	6.431G	-24.22	-15.03	-9.19	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

MASK

7025MHz_TX

05/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.04799G	-2.73	6.8611G	-54.42	-42.73	-11.69	1
7.0332G	-2.46	6.8482G	-53.71	-42.46	-11.25	2


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

MASK

6985MHz_TX

23/11/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92781G	4.06	6.8242G	-26.28	-15.96	-10.32	1
6.95301G	4.74	6.8282G	-23.63	-15.47	-8.16	2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	Pass	AV	11.93464G	42.61	54.00	-11.39	3	Horizontal	84	2.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	Pass	AV	5.925G	67.88	68.20	-0.32	3	Vertical	326	2.28
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX	Pass	AV	5.925G	66.50	68.20	-1.70	3	Vertical	327	2.40
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	Pass	AV	7.1252G	54.16	68.20	-14.04	3	Horizontal	0	1.83
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	Pass	AV	7.1275G	67.17	68.20	-1.03	3	Horizontal	0	1.69
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX	Pass	AV	7.25G	53.36	54.00	-0.64	3	Vertical	35	1.94

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	54.20	68.20	-14.00	3	Vertical	316	2.32
5985MHz	Pass	AV	5.978G	98.68	Inf	-Inf	3	Vertical	316	2.32
5985MHz	Pass	PK	5.924G	73.91	88.20	-14.29	3	Vertical	316	2.32
5985MHz	Pass	PK	5.978G	111.27	Inf	-Inf	3	Vertical	316	2.32
5985MHz	Pass	AV	5.925G	50.67	68.20	-17.53	3	Horizontal	67	2.27
5985MHz	Pass	AV	5.954G	91.59	Inf	-Inf	3	Horizontal	67	2.27
5985MHz	Pass	PK	5.9235G	63.99	88.20	-24.21	3	Horizontal	67	2.27
5985MHz	Pass	PK	5.9515G	104.19	Inf	-Inf	3	Horizontal	67	2.27
5985MHz	Pass	AV	11.93384G	42.60	54.00	-11.40	3	Vertical	259	1.11
5985MHz	Pass	PK	11.93896G	55.64	74.00	-18.36	3	Vertical	259	1.11
5985MHz	Pass	AV	11.93464G	42.61	54.00	-11.39	3	Horizontal	84	2.49
5985MHz	Pass	PK	11.93448G	55.49	74.00	-18.51	3	Horizontal	84	2.49
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0091G	93.24	Inf	-Inf	3	Vertical	32	1.37
7025MHz	Pass	AV	7.1252G	53.58	68.20	-14.62	3	Vertical	32	1.37
7025MHz	Pass	PK	7.0145G	105.56	Inf	-Inf	3	Vertical	32	1.37
7025MHz	Pass	PK	7.1285G	67.13	88.20	-21.07	3	Vertical	32	1.37
7025MHz	Pass	AV	6.9968G	92.66	Inf	-Inf	3	Horizontal	0	1.83
7025MHz	Pass	AV	7.1252G	54.16	68.20	-14.04	3	Horizontal	0	1.83
7025MHz	Pass	PK	7.0508G	104.54	Inf	-Inf	3	Horizontal	0	1.83
7025MHz	Pass	PK	7.1339G	67.43	88.20	-20.77	3	Horizontal	0	1.83
7025MHz	Pass	AV	14.06312G	44.59	68.20	-23.61	3	Vertical	49	1.50
7025MHz	Pass	PK	14.04088G	57.57	88.20	-30.63	3	Vertical	49	1.50
7025MHz	Pass	AV	14.06104G	44.58	68.20	-23.62	3	Horizontal	232	1.50
7025MHz	Pass	PK	14.07672G	57.60	88.20	-30.60	3	Horizontal	232	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	67.88	68.20	-0.32	3	Vertical	326	2.28
6025MHz	Pass	AV	6.037G	98.63	Inf	-Inf	3	Vertical	326	2.28
6025MHz	Pass	PK	5.896G	83.78	88.20	-4.42	3	Vertical	326	2.28
6025MHz	Pass	PK	6.0535G	110.90	Inf	-Inf	3	Vertical	326	2.28
6025MHz	Pass	AV	5.925G	60.69	68.20	-7.51	3	Horizontal	65	2.26
6025MHz	Pass	AV	5.9535G	91.29	Inf	-Inf	3	Horizontal	65	2.26
6025MHz	Pass	PK	5.9015G	76.74	88.20	-11.46	3	Horizontal	65	2.26
6025MHz	Pass	PK	5.9555G	102.91	Inf	-Inf	3	Horizontal	65	2.26
6025MHz	Pass	AV	12.05128G	42.59	54.00	-11.41	3	Vertical	59	2.64
6025MHz	Pass	PK	12.0308G	55.54	74.00	-18.46	3	Vertical	59	2.64
6025MHz	Pass	AV	12.04936G	42.59	54.00	-11.41	3	Horizontal	88	1.50
6025MHz	Pass	PK	12.0116G	55.81	74.00	-18.19	3	Horizontal	88	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	54.23	68.20	-13.97	3	Vertical	320	2.24
6025MHz	Pass	AV	6.037G	95.72	Inf	-Inf	3	Vertical	320	2.24
6025MHz	Pass	PK	5.9015G	73.61	88.20	-14.59	3	Vertical	320	2.24
6025MHz	Pass	PK	6.0375G	107.78	Inf	-Inf	3	Vertical	320	2.24
6025MHz	Pass	AV	5.925G	50.61	68.20	-17.59	3	Horizontal	64	2.26
6025MHz	Pass	AV	5.9535G	88.22	Inf	-Inf	3	Horizontal	64	2.26
6025MHz	Pass	PK	5.91G	67.62	88.20	-20.58	3	Horizontal	64	2.26
6025MHz	Pass	PK	5.953G	100.97	Inf	-Inf	3	Horizontal	64	2.26
6025MHz	Pass	AV	12.06408G	42.61	54.00	-11.39	3	Vertical	219	1.50
6025MHz	Pass	PK	11.97512G	55.55	74.00	-18.45	3	Vertical	219	1.50
6025MHz	Pass	AV	12.0628G	42.62	54.00	-11.38	3	Horizontal	171	1.50
6025MHz	Pass	PK	12.09416G	55.47	74.00	-18.53	3	Horizontal	171	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.939G	94.34	Inf	-Inf	3	Vertical	32	1.45
6985MHz	Pass	AV	7.127G	66.40	68.20	-1.80	3	Vertical	32	1.45
6985MHz	Pass	PK	6.9375G	106.05	Inf	-Inf	3	Vertical	32	1.45
6985MHz	Pass	PK	7.1405G	84.65	88.20	-3.55	3	Vertical	32	1.45
6985MHz	Pass	AV	6.9385G	93.79	Inf	-Inf	3	Horizontal	0	1.69
6985MHz	Pass	AV	7.1275G	67.17	68.20	-1.03	3	Horizontal	0	1.69
6985MHz	Pass	PK	6.9405G	106.03	Inf	-Inf	3	Horizontal	0	1.69
6985MHz	Pass	PK	7.1415G	83.95	88.20	-4.25	3	Horizontal	0	1.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	14.04936G	44.51	68.20	-23.69	3	Vertical	316	1.50
6985MHz	Pass	PK	13.89448G	57.38	88.20	-30.82	3	Vertical	316	1.50
6985MHz	Pass	AV	14.05G	44.52	68.20	-23.68	3	Horizontal	271	1.50
6985MHz	Pass	PK	13.91144G	57.24	88.20	-30.96	3	Horizontal	271	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX										
6985MHz	Pass	AV	6.9225G	94.14	Inf	-Inf	3	Vertical	33	1.74
6985MHz	Pass	AV	7.1255G	65.24	68.20	-2.96	3	Vertical	33	1.74
6985MHz	Pass	PK	6.9185G	106.98	Inf	-Inf	3	Vertical	33	1.74
6985MHz	Pass	PK	7.1415G	84.43	88.20	-3.77	3	Vertical	33	1.74
6985MHz	Pass	AV	6.9395G	93.80	Inf	-Inf	3	Horizontal	1	1.69
6985MHz	Pass	AV	7.1405G	64.70	68.20	-3.50	3	Horizontal	1	1.69
6985MHz	Pass	PK	6.942G	107.11	Inf	-Inf	3	Horizontal	1	1.69
6985MHz	Pass	PK	7.1415G	84.91	88.20	-3.29	3	Horizontal	1	1.69
6985MHz	Pass	AV	14.0484G	44.48	68.20	-23.72	3	Vertical	316	2.20
6985MHz	Pass	PK	13.93768G	58.03	88.20	-30.17	3	Vertical	316	2.20
6985MHz	Pass	AV	14.04936G	44.49	68.20	-23.71	3	Horizontal	120	1.50
6985MHz	Pass	PK	13.91592G	57.52	88.20	-30.68	3	Horizontal	120	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX										
6105MHz	Pass	AV	5.925G	57.88	68.20	-10.32	3	Vertical	321	2.42
6105MHz	Pass	AV	6.04G	93.01	Inf	-Inf	3	Vertical	321	2.42
6105MHz	Pass	PK	5.925G	71.78	88.20	-16.42	3	Vertical	321	2.42
6105MHz	Pass	PK	6.033G	105.95	Inf	-Inf	3	Vertical	321	2.42
6105MHz	Pass	AV	5.915G	49.91	68.20	-18.29	3	Horizontal	344	1.01
6105MHz	Pass	AV	6.219G	84.77	Inf	-Inf	3	Horizontal	344	1.01
6105MHz	Pass	PK	5.919G	62.52	88.20	-25.68	3	Horizontal	344	1.01
6105MHz	Pass	PK	6.209G	97.36	Inf	-Inf	3	Horizontal	344	1.01
6105MHz	Pass	AV	12.06344G	42.60	54.00	-11.40	3	Vertical	335	1.50
6105MHz	Pass	PK	12.20936G	55.25	74.00	-18.75	3	Vertical	335	1.50
6105MHz	Pass	AV	12.06216G	42.58	54.00	-11.42	3	Horizontal	219	2.34
6105MHz	Pass	PK	12.11208G	56.18	74.00	-17.82	3	Horizontal	219	2.34
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX										
6105MHz	Pass	AV	5.925G	56.26	68.20	-11.94	3	Vertical	313	2.34
6105MHz	Pass	AV	6.052G	93.28	Inf	-Inf	3	Vertical	313	2.34
6105MHz	Pass	PK	5.915G	73.88	88.20	-14.32	3	Vertical	313	2.34
6105MHz	Pass	PK	6.116G	106.10	Inf	-Inf	3	Vertical	313	2.34
6105MHz	Pass	AV	5.925G	51.80	68.20	-16.40	3	Horizontal	312	3.00
6105MHz	Pass	AV	6.127G	85.88	Inf	-Inf	3	Horizontal	312	3.00
6105MHz	Pass	PK	5.922G	68.91	88.20	-19.29	3	Horizontal	312	3.00
6105MHz	Pass	PK	6.131G	97.75	Inf	-Inf	3	Horizontal	312	3.00
6105MHz	Pass	AV	12.06088G	42.58	54.00	-11.42	3	Vertical	283	2.31
6105MHz	Pass	PK	12.0852G	55.26	74.00	-18.74	3	Vertical	283	2.31
6105MHz	Pass	AV	12.05064G	42.58	54.00	-11.42	3	Horizontal	320	1.50
6105MHz	Pass	PK	12.23304G	54.92	74.00	-19.08	3	Horizontal	320	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX										
6105MHz	Pass	AV	5.925G	66.50	68.20	-1.70	3	Vertical	327	2.40
6105MHz	Pass	AV	6.069G	96.46	Inf	-Inf	3	Vertical	327	2.40
6105MHz	Pass	PK	5.913G	80.45	88.20	-7.75	3	Vertical	327	2.40
6105MHz	Pass	PK	6.069G	108.84	Inf	-Inf	3	Vertical	327	2.40
6105MHz	Pass	AV	5.924G	59.21	68.20	-8.99	3	Horizontal	67	2.43
6105MHz	Pass	AV	6.029G	89.29	Inf	-Inf	3	Horizontal	67	2.43
6105MHz	Pass	PK	5.916G	73.04	88.20	-15.16	3	Horizontal	67	2.43
6105MHz	Pass	PK	6.031G	102.01	Inf	-Inf	3	Horizontal	67	2.43
6105MHz	Pass	AV	12.0628G	42.59	54.00	-11.41	3	Vertical	288	1.24
6105MHz	Pass	PK	12.31624G	55.59	74.00	-18.41	3	Vertical	288	1.24
6105MHz	Pass	AV	12.05G	42.59	54.00	-11.41	3	Horizontal	210	2.82
6105MHz	Pass	PK	12.15752G	55.83	74.00	-18.17	3	Horizontal	210	2.82
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_1TX										
6905MHz	Pass	AV	6.983G	87.64	Inf	-Inf	3	Vertical	321	3.00
6905MHz	Pass	AV	7.125G	52.99	68.20	-15.21	3	Vertical	321	3.00
6905MHz	Pass	AV	7.267G	51.84	54.00	-2.16	3	Vertical	321	3.00
6905MHz	Pass	PK	6.939G	99.87	Inf	-Inf	3	Vertical	321	3.00
6905MHz	Pass	PK	7.215G	69.48	88.20	-18.72	3	Vertical	321	3.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	7.263G	63.54	74.00	-10.46	3	Vertical	321	3.00
6905MHz	Pass	AV	6.757G	88.00	Inf	-Inf	3	Horizontal	7	2.86
6905MHz	Pass	AV	7.125G	52.62	68.20	-15.58	3	Horizontal	7	2.86
6905MHz	Pass	AV	7.255G	51.70	54.00	-2.30	3	Horizontal	7	2.86
6905MHz	Pass	PK	6.801G	99.10	Inf	-Inf	3	Horizontal	7	2.86
6905MHz	Pass	PK	7.213G	69.15	88.20	-19.05	3	Horizontal	7	2.86
6905MHz	Pass	PK	7.339G	63.50	74.00	-10.50	3	Horizontal	7	2.86
6905MHz	Pass	AV	13.9092G	44.45	68.20	-23.75	3	Vertical	217	2.90
6905MHz	Pass	PK	13.82216G	57.26	88.20	-30.94	3	Vertical	217	2.90
6905MHz	Pass	AV	13.9092G	44.45	68.20	-23.75	3	Horizontal	0	1.50
6905MHz	Pass	PK	13.83688G	57.11	88.20	-31.09	3	Horizontal	0	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX										
6905MHz	Pass	AV	6.935G	90.26	Inf	-Inf	3	Vertical	307	3.00
6905MHz	Pass	AV	7.131G	52.95	68.20	-15.25	3	Vertical	307	3.00
6905MHz	Pass	AV	7.271G	51.98	54.00	-2.02	3	Vertical	307	3.00
6905MHz	Pass	PK	6.991G	102.07	Inf	-Inf	3	Vertical	307	3.00
6905MHz	Pass	PK	7.211G	71.31	88.20	-16.89	3	Vertical	307	3.00
6905MHz	Pass	PK	7.293G	66.77	74.00	-7.23	3	Vertical	307	3.00
6905MHz	Pass	AV	6.753G	88.09	Inf	-Inf	3	Horizontal	3	2.84
6905MHz	Pass	AV	7.203G	51.68	68.20	-16.52	3	Horizontal	3	2.84
6905MHz	Pass	AV	7.275G	51.60	54.00	-2.40	3	Horizontal	3	2.84
6905MHz	Pass	PK	6.757G	100.45	Inf	-Inf	3	Horizontal	3	2.84
6905MHz	Pass	PK	7.213G	66.21	88.20	-21.99	3	Horizontal	3	2.84
6905MHz	Pass	PK	7.365G	62.92	74.00	-11.08	3	Horizontal	3	2.84
6905MHz	Pass	AV	13.89768G	44.50	68.20	-23.70	3	Vertical	0	2.07
6905MHz	Pass	PK	13.89576G	57.14	88.20	-31.06	3	Vertical	0	2.07
6905MHz	Pass	AV	13.91176G	44.47	68.20	-23.73	3	Horizontal	109	2.10
6905MHz	Pass	PK	13.80552G	57.20	88.20	-31.00	3	Horizontal	109	2.10
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX										
6905MHz	Pass	AV	6.931G	90.11	Inf	-Inf	3	Vertical	35	1.94
6905MHz	Pass	AV	7.135G	55.32	68.20	-12.88	3	Vertical	35	1.94
6905MHz	Pass	AV	7.25G	53.36	54.00	-0.64	3	Vertical	35	1.94
6905MHz	Pass	PK	6.935G	101.23	Inf	-Inf	3	Vertical	35	1.94
6905MHz	Pass	PK	7.159G	70.83	88.20	-17.37	3	Vertical	35	1.94
6905MHz	Pass	PK	7.257G	65.01	74.00	-8.99	3	Vertical	35	1.94
6905MHz	Pass	AV	6.853G	89.97	Inf	-Inf	3	Horizontal	0	2.79
6905MHz	Pass	AV	7.131G	53.44	68.20	-14.76	3	Horizontal	0	2.79
6905MHz	Pass	AV	7.25G	52.09	54.00	-1.91	3	Horizontal	0	2.79
6905MHz	Pass	PK	6.853G	101.97	Inf	-Inf	3	Horizontal	0	2.79
6905MHz	Pass	PK	7.129G	66.84	88.20	-21.36	3	Horizontal	0	2.79
6905MHz	Pass	PK	7.281G	63.23	74.00	-10.77	3	Horizontal	0	2.79
6905MHz	Pass	AV	13.90152G	44.47	68.20	-23.73	3	Vertical	74	1.50
6905MHz	Pass	PK	13.70568G	57.06	88.20	-31.14	3	Vertical	74	1.50
6905MHz	Pass	AV	13.90024G	44.46	68.20	-23.74	3	Horizontal	221	1.50
6905MHz	Pass	PK	13.88808G	57.31	88.20	-30.89	3	Horizontal	221	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_2_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_2_1TX

6105MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_1TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_8_1TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.931G	90.11	Inf	-Inf	10.08	3	Vertical	35	1.94	80.03	36.10	9.23	35.25
AV	7.135G	55.32	68.20	-12.88	10.97	3	Vertical	35	1.94	44.35	36.81	9.41	35.25
AV	7.25G	53.36	54.00	-0.64	11.41	3	Vertical	35	1.94	41.95	37.20	9.46	35.25
PK	6.935G	101.23	Inf	-Inf	10.09	3	Vertical	35	1.94	91.14	36.10	9.24	35.25
PK	7.159G	70.83	88.20	-17.37	11.12	3	Vertical	35	1.94	59.71	36.94	9.43	35.25
PK	7.257G	65.01	74.00	-8.99	11.40	3	Vertical	35	1.94	53.61	37.19	9.46	35.25

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_8_1TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.853G	89.97	Inf	-Inf	9.99	3	Horizontal	0	2.79	79.98	36.10	9.14	35.25
AV	7.131G	53.44	68.20	-14.76	10.95	3	Horizontal	0	2.79	42.49	36.79	9.41	35.25
AV	7.25G	52.09	54.00	-1.91	11.41	3	Horizontal	0	2.79	40.68	37.20	9.46	35.25
PK	6.853G	101.97	Inf	-Inf	9.99	3	Horizontal	0	2.79	91.98	36.10	9.14	35.25
PK	7.129G	66.84	88.20	-21.36	10.93	3	Horizontal	0	2.79	55.91	36.77	9.41	35.25
PK	7.281G	63.23	74.00	-10.77	11.35	3	Horizontal	0	2.79	51.88	37.14	9.46	35.25


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_1TX

6905MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	AV	11.93448G	42.86	54.00	-11.14	3	Vertical	134	2.05
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	Pass	AV	5.9205G	67.66	68.20	-0.54	3	Vertical	350	2.82
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	Pass	AV	5.924G	67.16	68.20	-1.04	3	Horizontal	343	2.93
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	AV	7.1744G	52.99	68.20	-15.21	3	Vertical	169	2.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	Pass	PK	7.1415G	84.23	88.20	-3.97	3	Horizontal	184	2.65
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX	Pass	AV	7.25G	53.68	54.00	-0.32	3	Vertical	166	2.35

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	53.85	68.20	-14.35	3	Vertical	348	2.55
5985MHz	Pass	AV	6.0195G	98.30	Inf	-Inf	3	Vertical	348	2.55
5985MHz	Pass	PK	5.9215G	68.42	88.20	-19.78	3	Vertical	348	2.55
5985MHz	Pass	PK	5.981G	109.77	Inf	-Inf	3	Vertical	348	2.55
5985MHz	Pass	AV	5.9225G	54.21	68.20	-13.99	3	Horizontal	346	2.87
5985MHz	Pass	AV	6.023G	98.61	Inf	-Inf	3	Horizontal	346	2.87
5985MHz	Pass	PK	5.9205G	68.12	88.20	-20.08	3	Horizontal	346	2.87
5985MHz	Pass	PK	5.9835G	109.97	Inf	-Inf	3	Horizontal	346	2.87
5985MHz	Pass	AV	11.93448G	42.86	54.00	-11.14	3	Vertical	134	2.05
5985MHz	Pass	PK	11.98232G	55.46	74.00	-18.54	3	Vertical	134	2.05
5985MHz	Pass	AV	11.9324G	42.83	54.00	-11.17	3	Horizontal	121	1.50
5985MHz	Pass	PK	11.9796G	56.04	74.00	-17.96	3	Horizontal	121	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.013G	99.44	Inf	-Inf	3	Vertical	169	2.61
7025MHz	Pass	AV	7.1744G	52.99	68.20	-15.21	3	Vertical	169	2.61
7025MHz	Pass	PK	7.034G	110.70	Inf	-Inf	3	Vertical	169	2.61
7025MHz	Pass	PK	7.1576G	65.17	88.20	-23.03	3	Vertical	169	2.61
7025MHz	Pass	AV	7.0514G	98.60	Inf	-Inf	3	Horizontal	186	2.45
7025MHz	Pass	AV	7.175G	52.99	68.20	-15.21	3	Horizontal	186	2.45
7025MHz	Pass	PK	7.0106G	110.67	Inf	-Inf	3	Horizontal	186	2.45
7025MHz	Pass	PK	7.1744G	65.03	88.20	-23.17	3	Horizontal	186	2.45
7025MHz	Pass	AV	14.05992G	44.63	68.20	-23.57	3	Vertical	60	1.50
7025MHz	Pass	PK	14.02072G	58.16	88.20	-30.04	3	Vertical	60	1.50
7025MHz	Pass	AV	14.05976G	44.65	68.20	-23.55	3	Horizontal	309	1.50
7025MHz	Pass	PK	14.08744G	58.39	88.20	-29.81	3	Horizontal	309	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9205G	67.66	68.20	-0.54	3	Vertical	350	2.82
6025MHz	Pass	AV	6.0385G	98.40	Inf	-Inf	3	Vertical	350	2.82
6025MHz	Pass	PK	5.9235G	82.19	88.20	-6.01	3	Vertical	350	2.82
6025MHz	Pass	PK	6.039G	110.79	Inf	-Inf	3	Vertical	350	2.82
6025MHz	Pass	AV	5.925G	67.21	68.20	-0.99	3	Horizontal	343	2.82
6025MHz	Pass	AV	6.066G	99.04	Inf	-Inf	3	Horizontal	343	2.82
6025MHz	Pass	PK	5.9105G	81.39	88.20	-6.81	3	Horizontal	343	2.82
6025MHz	Pass	PK	5.964G	110.84	Inf	-Inf	3	Horizontal	343	2.82
6025MHz	Pass	AV	12.06184G	42.78	54.00	-11.22	3	Vertical	280	1.50
6025MHz	Pass	PK	12.05096G	55.61	74.00	-18.39	3	Vertical	280	1.50
6025MHz	Pass	AV	12.06056G	42.75	54.00	-11.25	3	Horizontal	77	1.90
6025MHz	Pass	PK	12.01448G	55.72	74.00	-18.28	3	Horizontal	77	1.90
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9205G	65.36	68.20	-2.84	3	Vertical	351	2.57
6025MHz	Pass	AV	6.019G	98.18	Inf	-Inf	3	Vertical	351	2.57
6025MHz	Pass	PK	5.9215G	81.13	88.20	-7.07	3	Vertical	351	2.57
6025MHz	Pass	PK	5.9995G	111.01	Inf	-Inf	3	Vertical	351	2.57
6025MHz	Pass	AV	5.9245G	65.53	68.20	-2.67	3	Horizontal	347	3.00
6025MHz	Pass	AV	6.044G	99.24	Inf	-Inf	3	Horizontal	347	3.00
6025MHz	Pass	PK	5.9225G	80.77	88.20	-7.43	3	Horizontal	347	3.00
6025MHz	Pass	PK	6.006G	112.02	Inf	-Inf	3	Horizontal	347	3.00
6025MHz	Pass	AV	12.04712G	42.80	54.00	-11.20	3	Vertical	92	1.50
6025MHz	Pass	PK	12.05832G	56.26	74.00	-17.74	3	Vertical	92	1.50
6025MHz	Pass	AV	12.03688G	42.79	54.00	-11.21	3	Horizontal	175	1.86
6025MHz	Pass	PK	12.04008G	55.75	74.00	-18.25	3	Horizontal	175	1.86
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.9515G	98.64	Inf	-Inf	3	Vertical	166	2.82
6985MHz	Pass	AV	7.1315G	62.44	68.20	-5.76	3	Vertical	166	2.82
6985MHz	Pass	PK	6.953G	110.83	Inf	-Inf	3	Vertical	166	2.82
6985MHz	Pass	PK	7.1425G	83.57	88.20	-4.63	3	Vertical	166	2.82
6985MHz	Pass	AV	6.95G	97.79	Inf	-Inf	3	Horizontal	184	2.65
6985MHz	Pass	AV	7.1315G	61.22	68.20	-6.98	3	Horizontal	184	2.65
6985MHz	Pass	PK	6.991G	109.77	Inf	-Inf	3	Horizontal	184	2.65
6985MHz	Pass	PK	7.1415G	84.23	88.20	-3.97	3	Horizontal	184	2.65

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	14.0212G	44.70	68.20	-23.50	3	Vertical	7	1.50
6985MHz	Pass	PK	13.90504G	57.45	88.20	-30.75	3	Vertical	7	1.50
6985MHz	Pass	AV	14.04968G	44.67	68.20	-23.53	3	Horizontal	195	1.50
6985MHz	Pass	PK	13.98824G	57.52	88.20	-30.68	3	Horizontal	195	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX										
6985MHz	Pass	AV	6.932G	99.04	Inf	-Inf	3	Vertical	167	2.79
6985MHz	Pass	AV	7.1315G	62.58	68.20	-5.62	3	Vertical	167	2.79
6985MHz	Pass	PK	6.951G	111.03	Inf	-Inf	3	Vertical	167	2.79
6985MHz	Pass	PK	7.132G	81.20	88.20	-7.00	3	Vertical	167	2.79
6985MHz	Pass	AV	6.9345G	98.45	Inf	-Inf	3	Horizontal	195	2.46
6985MHz	Pass	AV	7.134G	60.82	68.20	-7.38	3	Horizontal	195	2.46
6985MHz	Pass	PK	6.936G	109.88	Inf	-Inf	3	Horizontal	195	2.46
6985MHz	Pass	PK	7.1425G	82.16	88.20	-6.04	3	Horizontal	195	2.46
6985MHz	Pass	AV	14.04808G	44.72	68.20	-23.48	3	Vertical	90	2.66
6985MHz	Pass	PK	14.04808G	57.59	88.20	-30.61	3	Vertical	90	2.66
6985MHz	Pass	AV	14.04904G	44.66	68.20	-23.54	3	Horizontal	315	1.50
6985MHz	Pass	PK	13.9908G	57.50	88.20	-30.70	3	Horizontal	315	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_2TX										
6105MHz	Pass	AV	5.92G	66.87	68.20	-1.33	3	Vertical	348	2.97
6105MHz	Pass	AV	6.119G	95.82	Inf	-Inf	3	Vertical	348	2.97
6105MHz	Pass	PK	5.921G	79.32	88.20	-8.88	3	Vertical	348	2.97
6105MHz	Pass	PK	6.159G	107.08	Inf	-Inf	3	Vertical	348	2.97
6105MHz	Pass	AV	5.924G	66.93	68.20	-1.27	3	Horizontal	344	2.88
6105MHz	Pass	AV	6.124G	96.20	Inf	-Inf	3	Horizontal	344	2.88
6105MHz	Pass	PK	5.925G	78.70	88.20	-9.50	3	Horizontal	344	2.88
6105MHz	Pass	PK	6.045G	108.79	Inf	-Inf	3	Horizontal	344	2.88
6105MHz	Pass	AV	12.06472G	42.80	54.00	-11.20	3	Vertical	74	1.31
6105MHz	Pass	PK	12.20296G	55.57	74.00	-18.43	3	Vertical	74	1.31
6105MHz	Pass	AV	12.07368G	42.80	54.00	-11.20	3	Horizontal	260	1.82
6105MHz	Pass	PK	12.10504G	55.28	74.00	-18.72	3	Horizontal	260	1.82
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX										
6105MHz	Pass	AV	5.92G	67.03	68.20	-1.17	3	Vertical	349	2.78
6105MHz	Pass	AV	6.119G	96.04	Inf	-Inf	3	Vertical	349	2.78
6105MHz	Pass	PK	5.92G	80.84	88.20	-7.36	3	Vertical	349	2.78
6105MHz	Pass	PK	6.056G	107.81	Inf	-Inf	3	Vertical	349	2.78
6105MHz	Pass	AV	5.924G	67.16	68.20	-1.04	3	Horizontal	343	2.93
6105MHz	Pass	AV	6.126G	96.75	Inf	-Inf	3	Horizontal	343	2.93
6105MHz	Pass	PK	5.915G	82.55	88.20	-5.65	3	Horizontal	343	2.93
6105MHz	Pass	PK	6.067G	109.87	Inf	-Inf	3	Horizontal	343	2.93
6105MHz	Pass	AV	12.0628G	42.80	54.00	-11.20	3	Vertical	178	1.50
6105MHz	Pass	PK	12.10056G	55.33	74.00	-18.67	3	Vertical	178	1.50
6105MHz	Pass	AV	12.06344G	42.79	54.00	-11.21	3	Horizontal	334	1.50
6105MHz	Pass	PK	12.09992G	55.45	74.00	-18.55	3	Horizontal	334	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX										
6105MHz	Pass	AV	5.921G	61.95	68.20	-6.25	3	Vertical	348	2.61
6105MHz	Pass	AV	6.117G	96.75	Inf	-Inf	3	Vertical	348	2.61
6105MHz	Pass	PK	5.923G	74.87	88.20	-13.33	3	Vertical	348	2.61
6105MHz	Pass	PK	6.119G	109.11	Inf	-Inf	3	Vertical	348	2.61
6105MHz	Pass	AV	5.925G	61.04	68.20	-7.16	3	Horizontal	342	2.79
6105MHz	Pass	AV	6.125G	97.02	Inf	-Inf	3	Horizontal	342	2.79
6105MHz	Pass	PK	5.923G	73.40	88.20	-14.80	3	Horizontal	342	2.79
6105MHz	Pass	PK	6.125G	108.33	Inf	-Inf	3	Horizontal	342	2.79
6105MHz	Pass	AV	12.07304G	42.79	54.00	-11.21	3	Vertical	30	2.08
6105MHz	Pass	PK	12.13064G	55.50	74.00	-18.50	3	Vertical	30	2.08
6105MHz	Pass	AV	12.05448G	42.80	54.00	-11.20	3	Horizontal	302	2.95
6105MHz	Pass	PK	12.23432G	55.63	74.00	-18.37	3	Horizontal	302	2.95
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX										
6905MHz	Pass	AV	6.931G	94.83	Inf	-Inf	3	Vertical	169	2.51
6905MHz	Pass	AV	7.133G	58.14	68.20	-10.06	3	Vertical	169	2.51
6905MHz	Pass	AV	7.251G	53.60	54.00	-0.40	3	Vertical	169	2.51
6905MHz	Pass	PK	6.993G	105.89	Inf	-Inf	3	Vertical	169	2.51
6905MHz	Pass	PK	7.193G	78.33	88.20	-9.87	3	Vertical	169	2.51

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	7.277G	66.59	74.00	-7.41	3	Vertical	169	2.51
6905MHz	Pass	AV	6.927G	94.45	Inf	-Inf	3	Horizontal	333	2.58
6905MHz	Pass	AV	7.127G	57.61	68.20	-10.59	3	Horizontal	333	2.58
6905MHz	Pass	AV	7.25G	53.33	54.00	-0.67	3	Horizontal	333	2.58
6905MHz	Pass	PK	6.967G	105.32	Inf	-Inf	3	Horizontal	333	2.58
6905MHz	Pass	PK	7.201G	75.16	88.20	-13.04	3	Horizontal	333	2.58
6905MHz	Pass	PK	7.301G	64.76	74.00	-9.24	3	Horizontal	333	2.58
6905MHz	Pass	AV	13.92456G	44.52	68.20	-23.68	3	Vertical	323	1.17
6905MHz	Pass	PK	13.95464G	57.33	88.20	-30.87	3	Vertical	323	1.17
6905MHz	Pass	AV	13.90024G	44.53	68.20	-23.67	3	Horizontal	251	2.66
6905MHz	Pass	PK	13.72296G	57.31	88.20	-30.89	3	Horizontal	251	2.66
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX										
6905MHz	Pass	AV	6.851G	95.22	Inf	-Inf	3	Vertical	166	2.35
6905MHz	Pass	AV	7.131G	56.40	68.20	-11.80	3	Vertical	166	2.35
6905MHz	Pass	AV	7.251G	53.28	54.00	-0.72	3	Vertical	166	2.35
6905MHz	Pass	PK	6.849G	106.50	Inf	-Inf	3	Vertical	166	2.35
6905MHz	Pass	PK	7.129G	76.35	88.20	-11.85	3	Vertical	166	2.35
6905MHz	Pass	PK	7.303G	67.90	74.00	-6.10	3	Vertical	166	2.35
6905MHz	Pass	AV	6.867G	94.65	Inf	-Inf	3	Horizontal	334	2.92
6905MHz	Pass	AV	7.127G	56.05	68.20	-12.15	3	Horizontal	334	2.92
6905MHz	Pass	AV	7.25G	53.18	54.00	-0.82	3	Horizontal	334	2.92
6905MHz	Pass	PK	7.049G	105.83	Inf	-Inf	3	Horizontal	334	2.92
6905MHz	Pass	PK	7.135G	74.92	88.20	-13.28	3	Horizontal	334	2.92
6905MHz	Pass	PK	7.293G	67.17	74.00	-6.83	3	Horizontal	334	2.92
6905MHz	Pass	AV	13.89896G	44.31	68.20	-23.89	3	Vertical	228	1.50
6905MHz	Pass	PK	13.88168G	57.01	88.20	-31.19	3	Vertical	228	1.50
6905MHz	Pass	AV	13.89704G	44.32	68.20	-23.88	3	Horizontal	234	1.50
6905MHz	Pass	PK	13.66088G	57.05	88.20	-31.15	3	Horizontal	234	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX										
6905MHz	Pass	AV	6.851G	96.75	Inf	-Inf	3	Vertical	166	2.35
6905MHz	Pass	AV	7.131G	60.33	68.20	-7.87	3	Vertical	166	2.35
6905MHz	Pass	AV	7.25G	53.68	54.00	-0.32	3	Vertical	166	2.35
6905MHz	Pass	PK	6.949G	109.22	Inf	-Inf	3	Vertical	166	2.35
6905MHz	Pass	PK	7.127G	76.75	88.20	-11.45	3	Vertical	166	2.35
6905MHz	Pass	PK	7.273G	64.10	74.00	-9.90	3	Vertical	166	2.35
6905MHz	Pass	AV	6.947G	95.89	Inf	-Inf	3	Horizontal	335	2.63
6905MHz	Pass	AV	7.129G	59.27	68.20	-8.93	3	Horizontal	335	2.63
6905MHz	Pass	AV	7.25G	53.39	54.00	-0.61	3	Horizontal	335	2.63
6905MHz	Pass	PK	6.847G	107.31	Inf	-Inf	3	Horizontal	335	2.63
6905MHz	Pass	PK	7.127G	73.26	88.20	-14.94	3	Horizontal	335	2.63
6905MHz	Pass	PK	7.253G	64.71	74.00	-9.29	3	Horizontal	335	2.63
6905MHz	Pass	AV	13.93736G	44.48	68.20	-23.72	3	Vertical	346	1.50
6905MHz	Pass	PK	13.6692G	56.98	88.20	-31.22	3	Vertical	346	1.50
6905MHz	Pass	AV	13.90088G	44.49	68.20	-23.71	3	Horizontal	208	1.87
6905MHz	Pass	PK	13.84008G	57.56	88.20	-30.64	3	Horizontal	208	1.87


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.851G	96.75	Inf	-Inf	9.99	3	Vertical	166	2.35	86.76	36.10	9.14	35.25
AV	7.131G	60.33	68.20	-7.87	10.95	3	Vertical	166	2.35	49.38	36.79	9.41	35.25
AV	7.25G	53.68	54.00	-0.32	11.41	3	Vertical	166	2.35	42.27	37.20	9.46	35.25
PK	6.949G	109.22	Inf	-Inf	10.09	3	Vertical	166	2.35	99.13	36.10	9.25	35.26
PK	7.127G	76.75	88.20	-11.45	10.92	3	Vertical	166	2.35	65.83	36.76	9.41	35.25
PK	7.273G	64.10	74.00	-9.90	11.36	3	Vertical	166	2.35	52.74	37.15	9.46	35.25

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.947G	95.89	Inf	-Inf	10.09	3	Horizontal	335	2.63	85.80	36.10	9.25	35.26
AV	7.129G	59.27	68.20	-8.93	10.93	3	Horizontal	335	2.63	48.34	36.77	9.41	35.25
AV	7.25G	53.39	54.00	-0.61	11.41	3	Horizontal	335	2.63	41.98	37.20	9.46	35.25
PK	6.847G	107.31	Inf	-Inf	9.99	3	Horizontal	335	2.63	97.32	36.11	9.13	35.25
PK	7.127G	73.26	88.20	-14.94	10.92	3	Horizontal	335	2.63	62.34	36.76	9.41	35.25
PK	7.253G	64.71	74.00	-9.29	11.40	3	Horizontal	335	2.63	53.31	37.19	9.46	35.25

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_2TX

6905MHz_TX

