

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	17.9002G	43.94	54.00	-10.06	3	Vertical	121	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	17.9354G	44.21	54.00	-9.79	3	Vertical	152	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	17.96696G	44.59	54.00	-9.41	3	Horizontal	45	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9085G	57.41	68.20	-10.79	3	Vertical	14	2.32
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.922G	54.90	68.20	-13.30	3	Vertical	349	1.78
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	19.29812G	29.61	54.00	-24.39	3	Vertical	234	1.24
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	19.32564G	29.30	54.00	-24.70	3	Vertical	214	1.91
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	19.3962G	29.29	54.00	-24.71	3	Vertical	334	1.42
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	19.51236G	32.32	54.00	-21.68	3	Horizontal	82	1.66
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	19.7772G	33.06	54.00	-20.94	3	Horizontal	114	1.67
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39002G	40.62	54.00	-13.38	3	Vertical	0	2.66
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	13.382G	54.27	74.00	-19.73	3	Vertical	202	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	20.577G	36.89	54.00	-17.11	3	Vertical	61	1.67
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	20.3316G	45.02	54.00	-8.98	3	Vertical	64	1.60
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	20.2656G	39.05	54.00	-14.95	3	Vertical	286	1.71
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	68.11	68.20	-0.09	3	Vertical	283	1.47
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	7.1324G	70.88	88.20	-17.32	3	Horizontal	317	1.45
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	47.26	68.20	-20.94	3	Horizontal	332	1.63
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	PK	7.127G	80.28	88.20	-7.92	3	Vertical	265	1.25
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	PK	7.302G	73.28	74.00	-0.72	3	Horizontal	315	2.01



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	43.07	68.20	-25.13	3	Vertical	22	2.32
5955MHz	Pass	AV	5.946G	93.91	Inf	-Inf	3	Vertical	22	2.32
5955MHz	Pass	PK	5.9244G	56.58	88.20	-31.62	3	Vertical	22	2.32
5955MHz	Pass	PK	5.9463G	109.65	Inf	-Inf	3	Vertical	22	2.32
5955MHz	Pass	AV	5.9235G	43.21	68.20	-24.99	3	Horizontal	327	2.07
5955MHz	Pass	AV	5.9475G	95.94	Inf	-Inf	3	Horizontal	327	2.07
5955MHz	Pass	PK	5.9232G	58.50	88.20	-29.70	3	Horizontal	327	2.07
5955MHz	Pass	PK	5.9481G	110.44	Inf	-Inf	3	Horizontal	327	2.07
5955MHz	Pass	AV	11.9469G	38.58	54.00	-15.42	3	Vertical	288	1.18
5955MHz	Pass	AV	17.9002G	43.94	54.00	-10.06	3	Vertical	121	1.50
5955MHz	Pass	PK	11.9259G	51.16	74.00	-22.84	3	Vertical	288	1.18
5955MHz	Pass	PK	17.9118G	56.30	74.00	-17.70	3	Vertical	121	1.50
5955MHz	Pass	AV	11.9299G	38.44	54.00	-15.56	3	Horizontal	325	1.50
5955MHz	Pass	AV	17.9039G	43.93	54.00	-10.07	3	Horizontal	150	1.50
5955MHz	Pass	PK	11.955G	52.16	74.00	-21.84	3	Horizontal	325	1.50
5955MHz	Pass	PK	17.9073G	57.12	74.00	-16.88	3	Horizontal	150	1.50
6195MHz	Pass	AV	12.37176G	38.43	54.00	-15.57	3	Vertical	295	2.97
6195MHz	Pass	AV	18.58084G	28.79	54.00	-25.21	3	Vertical	73	2.29
6195MHz	Pass	PK	12.39928G	51.37	74.00	-22.63	3	Vertical	295	2.97
6195MHz	Pass	PK	18.57992G	40.59	74.00	-33.41	3	Vertical	73	2.29
6195MHz	Pass	AV	12.38736G	38.38	54.00	-15.62	3	Horizontal	340	2.63
6195MHz	Pass	AV	18.58248G	28.68	54.00	-25.32	3	Horizontal	217	1.76
6195MHz	Pass	PK	12.3732G	50.95	74.00	-23.05	3	Horizontal	340	2.63
6195MHz	Pass	PK	18.5914G	40.82	74.00	-33.18	3	Horizontal	217	1.76
6415MHz	Pass	AV	12.81024G	39.66	68.20	-28.54	3	Vertical	49	1.27
6415MHz	Pass	AV	19.23676G	29.67	54.00	-24.33	3	Vertical	216	1.98
6415MHz	Pass	PK	12.83688G	52.11	88.20	-36.09	3	Vertical	49	1.27
6415MHz	Pass	PK	19.25196G	41.78	74.00	-32.22	3	Vertical	216	1.98
6415MHz	Pass	AV	12.81448G	39.82	68.20	-28.38	3	Horizontal	347	1.70
6415MHz	Pass	AV	19.23624G	29.62	54.00	-24.38	3	Horizontal	76	1.27
6415MHz	Pass	PK	12.84688G	51.65	88.20	-36.55	3	Horizontal	347	1.70
6415MHz	Pass	PK	19.24704G	41.41	74.00	-32.59	3	Horizontal	76	1.27
6435MHz	Pass	AV	12.87024G	39.71	68.20	-28.49	3	Vertical	298	1.81
6435MHz	Pass	AV	19.29812G	29.61	54.00	-24.39	3	Vertical	234	1.24
6435MHz	Pass	PK	12.88104G	52.03	88.20	-36.17	3	Vertical	298	1.81
6435MHz	Pass	PK	19.31148G	41.66	74.00	-32.34	3	Vertical	234	1.24
6435MHz	Pass	AV	12.85376G	39.82	68.20	-28.38	3	Horizontal	321	1.75
6435MHz	Pass	AV	19.30044G	29.53	54.00	-24.47	3	Horizontal	86	2.25
6435MHz	Pass	PK	12.87464G	52.58	88.20	-35.62	3	Horizontal	321	1.75
6435MHz	Pass	PK	19.3132G	41.06	74.00	-32.94	3	Horizontal	86	2.25
6475MHz	Pass	AV	12.93112G	39.93	68.20	-28.27	3	Vertical	133	2.92
6475MHz	Pass	AV	19.43036G	29.30	54.00	-24.70	3	Vertical	122	2.07
6475MHz	Pass	PK	12.93456G	51.95	88.20	-36.25	3	Vertical	133	2.92
6475MHz	Pass	PK	19.4178G	41.14	74.00	-32.86	3	Vertical	122	2.07
6475MHz	Pass	AV	12.94936G	39.89	68.20	-28.31	3	Horizontal	117	1.52
6475MHz	Pass	AV	19.42748G	29.28	54.00	-24.72	3	Horizontal	4	2.78
6475MHz	Pass	PK	12.94056G	51.61	88.20	-36.59	3	Horizontal	117	1.52
6475MHz	Pass	PK	19.43088G	40.92	74.00	-33.08	3	Horizontal	4	2.78
6515MHz	Pass	AV	13.0436G	39.76	68.20	-28.44	3	Vertical	276	2.26
6515MHz	Pass	AV	19.54876G	29.45	54.00	-24.55	3	Vertical	358	1.12
6515MHz	Pass	PK	13.03856G	52.90	88.20	-35.30	3	Vertical	276	2.26
6515MHz	Pass	PK	19.5476G	41.15	74.00	-32.85	3	Vertical	358	1.12
6515MHz	Pass	AV	13.01352G	39.76	68.20	-28.44	3	Horizontal	18	1.09
6515MHz	Pass	AV	19.54244G	29.54	54.00	-24.46	3	Horizontal	74	1.69
6515MHz	Pass	PK	13.03984G	52.55	88.20	-35.65	3	Horizontal	18	1.09
6515MHz	Pass	PK	19.54604G	41.99	74.00	-32.01	3	Horizontal	74	1.69
6535MHz	Pass	AV	13.0884G	39.94	68.20	-28.26	3	Vertical	68	1.63
6535MHz	Pass	AV	19.61052G	29.27	54.00	-24.73	3	Vertical	302	1.50
6535MHz	Pass	PK	13.06856G	52.09	88.20	-36.11	3	Vertical	68	1.63
6535MHz	Pass	PK	19.60212G	41.53	74.00	-32.47	3	Vertical	302	1.50



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6535MHz	Pass	AV	13.08864G	39.83	68.20	-28.37	3	Horizontal	175	1.06
6535MHz	Pass	AV	19.61156G	29.31	54.00	-24.69	3	Horizontal	352	1.18
6535MHz	Pass	PK	13.0712G	52.26	88.20	-35.94	3	Horizontal	175	1.06
6535MHz	Pass	PK	19.59868G	41.02	74.00	-32.98	3	Horizontal	352	1.18
6695MHz	Pass	AV	13.39002G	40.62	54.00	-13.38	3	Vertical	0	2.66
6695MHz	Pass	AV	20.08668G	29.49	54.00	-24.51	3	Vertical	65	1.62
6695MHz	Pass	PK	13.39198G	53.83	74.00	-20.17	3	Vertical	0	2.66
6695MHz	Pass	PK	20.08654G	42.09	74.00	-31.91	3	Vertical	65	1.62
6695MHz	Pass	AV	13.38542G	40.61	54.00	-13.39	3	Horizontal	27	1.85
6695MHz	Pass	AV	20.08734G	29.24	54.00	-24.76	3	Horizontal	142	1.50
6695MHz	Pass	PK	13.38246G	53.53	74.00	-20.47	3	Horizontal	27	1.85
6695MHz	Pass	PK	20.09096G	41.35	74.00	-32.65	3	Horizontal	142	1.50
6875MHz	Pass	AV	13.76088G	41.13	68.20	-27.07	3	Vertical	314	2.43
6875MHz	Pass	AV	20.63312G	29.39	54.00	-24.61	3	Vertical	129	1.72
6875MHz	Pass	PK	13.736G	53.30	88.20	-34.90	3	Vertical	314	2.43
6875MHz	Pass	PK	20.62668G	41.95	74.00	-32.05	3	Vertical	129	1.72
6875MHz	Pass	AV	13.7332G	40.89	68.20	-27.31	3	Horizontal	83	2.73
6875MHz	Pass	AV	20.63396G	29.29	54.00	-24.71	3	Horizontal	277	2.16
6875MHz	Pass	PK	13.76728G	53.80	88.20	-34.40	3	Horizontal	83	2.73
6875MHz	Pass	PK	20.62832G	41.71	74.00	-32.29	3	Horizontal	277	2.16
6895MHz	Pass	AV	13.7916G	41.02	68.20	-27.18	3	Vertical	309	2.27
6895MHz	Pass	AV	20.68376G	29.56	54.00	-24.44	3	Vertical	62	1.22
6895MHz	Pass	PK	13.80064G	53.60	88.20	-34.60	3	Vertical	309	2.27
6895MHz	Pass	PK	20.68708G	42.99	74.00	-31.01	3	Vertical	62	1.22
6895MHz	Pass	AV	13.7804G	40.99	68.20	-27.21	3	Horizontal	157	1.34
6895MHz	Pass	AV	20.69308G	29.52	54.00	-24.48	3	Horizontal	156	1.79
6895MHz	Pass	PK	13.78176G	53.64	88.20	-34.56	3	Horizontal	157	1.34
6895MHz	Pass	PK	20.688G	41.58	74.00	-32.42	3	Horizontal	156	1.79
6995MHz	Pass	AV	14.00992G	41.58	68.20	-26.62	3	Vertical	251	2.24
6995MHz	Pass	AV	20.98224G	29.41	54.00	-24.59	3	Vertical	5	2.23
6995MHz	Pass	PK	14.00648G	54.60	88.20	-33.60	3	Vertical	251	2.24
6995MHz	Pass	PK	20.99456G	42.30	74.00	-31.70	3	Vertical	5	2.23
6995MHz	Pass	AV	13.99112G	41.68	68.20	-26.52	3	Horizontal	273	1.58
6995MHz	Pass	AV	20.98228G	29.48	54.00	-24.52	3	Horizontal	332	2.74
6995MHz	Pass	PK	13.9736G	54.58	88.20	-33.62	3	Horizontal	273	1.58
6995MHz	Pass	PK	20.9942G	42.02	74.00	-31.98	3	Horizontal	332	2.74
7095MHz	Pass	AV	7.1034G	90.88	Inf	-Inf	3	Vertical	321	1.40
7095MHz	Pass	AV	7.2432G	47.82	68.20	-20.38	3	Vertical	321	1.40
7095MHz	Pass	PK	7.104G	103.02	Inf	-Inf	3	Vertical	321	1.40
7095MHz	Pass	PK	7.1958G	61.05	88.20	-27.15	3	Vertical	321	1.40
7095MHz	Pass	AV	7.0905G	97.85	Inf	-Inf	3	Horizontal	341	1.44
7095MHz	Pass	AV	7.2384G	47.88	68.20	-20.32	3	Horizontal	341	1.44
7095MHz	Pass	PK	7.0899G	111.13	Inf	-Inf	3	Horizontal	341	1.44
7095MHz	Pass	PK	7.2381G	61.55	88.20	-26.65	3	Horizontal	341	1.44
7095MHz	Pass	AV	14.17872G	42.29	68.20	-25.91	3	Vertical	285	1.63
7095MHz	Pass	AV	21.2858G	29.50	54.00	-24.50	3	Vertical	119	1.32
7095MHz	Pass	PK	14.198G	54.58	88.20	-33.62	3	Vertical	285	1.63
7095MHz	Pass	PK	21.2946G	42.99	74.00	-31.01	3	Vertical	119	1.32
7095MHz	Pass	AV	14.19448G	42.42	68.20	-25.78	3	Horizontal	174	1.84
7095MHz	Pass	AV	21.28456G	29.60	54.00	-24.40	3	Horizontal	232	1.59
7095MHz	Pass	PK	14.18064G	54.49	88.20	-33.71	3	Horizontal	174	1.84
7095MHz	Pass	PK	21.27932G	41.17	74.00	-32.83	3	Horizontal	232	1.59
7115MHz	Pass	AV	7.1225G	95.50	Inf	-Inf	3	Vertical	283	1.47
7115MHz	Pass	AV	7.1255G	68.11	68.20	-0.09	3	Vertical	283	1.47
7115MHz	Pass	PK	7.1225G	101.86	Inf	-Inf	3	Vertical	283	1.47
7115MHz	Pass	PK	7.1255G	79.99	88.20	-8.21	3	Vertical	283	1.47
7115MHz	Pass	AV	7.1065G	101.28	Inf	-Inf	3	Horizontal	311	1.36
7115MHz	Pass	AV	7.1255G	67.56	68.20	-0.64	3	Horizontal	311	1.36
7115MHz	Pass	PK	7.1065G	107.24	Inf	-Inf	3	Horizontal	311	1.36
7115MHz	Pass	PK	7.1255G	79.09	88.20	-9.11	3	Horizontal	311	1.36
7115MHz	Pass	AV	14.21376G	42.25	68.20	-25.95	3	Vertical	12	2.68
7115MHz	Pass	AV	21.3518G	29.35	54.00	-24.65	3	Vertical	202	1.09



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	PK	14.2228G	54.23	88.20	-33.97	3	Vertical	12	2.68
7115MHz	Pass	PK	21.33972G	42.88	74.00	-31.12	3	Vertical	202	1.09
7115MHz	Pass	AV	14.21376G	42.23	68.20	-25.97	3	Horizontal	357	2.84
7115MHz	Pass	AV	21.35392G	29.19	54.00	-24.81	3	Horizontal	341	2.69
7115MHz	Pass	PK	14.23896G	54.05	88.20	-34.15	3	Horizontal	357	2.84
7115MHz	Pass	PK	21.34596G	41.34	74.00	-32.66	3	Horizontal	341	2.69
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9221G	43.09	68.20	-25.11	3	Vertical	28	1.51
5965MHz	Pass	AV	5.947G	96.30	Inf	-Inf	3	Vertical	28	1.51
5965MHz	Pass	PK	5.9242G	63.23	88.20	-24.97	3	Vertical	28	1.51
5965MHz	Pass	PK	5.947G	110.25	Inf	-Inf	3	Vertical	28	1.51
5965MHz	Pass	AV	5.923G	43.91	68.20	-24.29	3	Horizontal	326	2.10
5965MHz	Pass	AV	5.983G	96.82	Inf	-Inf	3	Horizontal	326	2.10
5965MHz	Pass	PK	5.9137G	66.58	88.20	-21.62	3	Horizontal	326	2.10
5965MHz	Pass	PK	5.9827G	109.96	Inf	-Inf	3	Horizontal	326	2.10
5965MHz	Pass	AV	11.9299G	38.47	54.00	-15.53	3	Vertical	92	2.74
5965MHz	Pass	AV	17.9354G	44.21	54.00	-9.79	3	Vertical	152	1.50
5965MHz	Pass	PK	11.953G	51.18	74.00	-22.82	3	Vertical	92	2.74
5965MHz	Pass	PK	17.9162G	56.60	74.00	-17.40	3	Vertical	152	1.50
5965MHz	Pass	AV	11.9312G	38.34	54.00	-15.66	3	Horizontal	193	1.50
5965MHz	Pass	AV	17.9357G	44.13	54.00	-9.87	3	Horizontal	290	1.50
5965MHz	Pass	PK	11.9322G	50.95	74.00	-23.05	3	Horizontal	193	1.50
5965MHz	Pass	PK	17.9306G	56.50	74.00	-17.50	3	Horizontal	290	1.50
6205MHz	Pass	AV	12.392G	38.10	54.00	-15.90	3	Vertical	307	1.46
6205MHz	Pass	AV	18.61412G	28.87	54.00	-25.13	3	Vertical	310	2.75
6205MHz	Pass	PK	12.41848G	50.42	74.00	-23.58	3	Vertical	307	1.46
6205MHz	Pass	PK	18.61324G	42.00	74.00	-32.00	3	Vertical	310	2.75
6205MHz	Pass	AV	12.39096G	38.12	54.00	-15.88	3	Horizontal	114	2.96
6205MHz	Pass	AV	18.62972G	28.81	54.00	-25.19	3	Horizontal	358	1.89
6205MHz	Pass	PK	12.42272G	50.97	74.00	-23.03	3	Horizontal	114	2.96
6205MHz	Pass	PK	18.6126G	41.97	74.00	-32.03	3	Horizontal	358	1.89
6405MHz	Pass	AV	12.82928G	39.49	68.20	-28.71	3	Vertical	314	1.36
6405MHz	Pass	AV	19.21428G	30.07	54.00	-23.93	3	Vertical	354	1.65
6405MHz	Pass	PK	12.81168G	53.01	88.20	-35.19	3	Vertical	314	1.36
6405MHz	Pass	PK	19.20828G	43.37	74.00	-30.63	3	Vertical	354	1.65
6405MHz	Pass	AV	12.79368G	39.55	68.20	-28.65	3	Horizontal	290	2.17
6405MHz	Pass	AV	19.21412G	30.00	54.00	-24.00	3	Horizontal	60	1.64
6405MHz	Pass	PK	12.82184G	53.25	88.20	-34.95	3	Horizontal	290	2.17
6405MHz	Pass	PK	19.21372G	42.86	74.00	-31.14	3	Horizontal	60	1.64
6445MHz	Pass	AV	12.90176G	39.50	68.20	-28.70	3	Vertical	93	1.72
6445MHz	Pass	AV	19.32564G	29.30	54.00	-24.70	3	Vertical	214	1.91
6445MHz	Pass	PK	12.87368G	52.05	88.20	-36.15	3	Vertical	93	1.72
6445MHz	Pass	PK	19.32404G	41.62	74.00	-32.38	3	Vertical	214	1.91
6445MHz	Pass	AV	12.90128G	39.60	68.20	-28.60	3	Horizontal	108	2.56
6445MHz	Pass	AV	19.32908G	29.25	54.00	-24.75	3	Horizontal	267	1.07
6445MHz	Pass	PK	12.88856G	52.31	88.20	-35.89	3	Horizontal	108	2.56
6445MHz	Pass	PK	19.31908G	42.09	74.00	-31.91	3	Horizontal	267	1.07
6485MHz	Pass	AV	12.96616G	39.66	68.20	-28.54	3	Vertical	160	1.86
6485MHz	Pass	AV	19.44124G	29.05	54.00	-24.95	3	Vertical	186	1.12
6485MHz	Pass	PK	12.95504G	52.34	88.20	-35.86	3	Vertical	160	1.86
6485MHz	Pass	PK	19.45196G	41.52	74.00	-32.48	3	Vertical	186	1.12
6485MHz	Pass	AV	12.96176G	39.63	68.20	-28.57	3	Horizontal	118	1.50
6485MHz	Pass	AV	19.45316G	29.01	54.00	-24.99	3	Horizontal	263	2.59
6485MHz	Pass	PK	12.974G	51.98	88.20	-36.22	3	Horizontal	118	1.50
6485MHz	Pass	PK	19.4574G	41.63	74.00	-32.37	3	Horizontal	263	2.59
6525MHz	Pass	AV	13.05824G	39.59	68.20	-28.61	3	Vertical	92	2.14
6525MHz	Pass	AV	19.563G	29.30	54.00	-24.70	3	Vertical	80	2.00
6525MHz	Pass	PK	13.05624G	52.86	88.20	-35.34	3	Vertical	92	2.14
6525MHz	Pass	PK	19.59396G	41.72	74.00	-32.28	3	Vertical	80	2.00
6525MHz	Pass	AV	13.06888G	39.56	68.20	-28.64	3	Horizontal	60	2.51
6525MHz	Pass	AV	19.57868G	29.26	54.00	-24.74	3	Horizontal	332	2.72
6525MHz	Pass	PK	13.04024G	52.73	88.20	-35.47	3	Horizontal	60	2.51



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz	Pass	PK	19.5946G	41.37	74.00	-32.63	3	Horizontal	332	2.72
6565MHz	Pass	AV	13.1364G	39.90	68.20	-28.30	3	Vertical	277	1.51
6565MHz	Pass	AV	19.69292G	29.08	54.00	-24.92	3	Vertical	53	1.40
6565MHz	Pass	PK	13.12912G	53.60	88.20	-34.60	3	Vertical	277	1.51
6565MHz	Pass	PK	19.71428G	42.51	74.00	-31.49	3	Vertical	53	1.40
6565MHz	Pass	AV	13.13352G	40.03	68.20	-28.17	3	Horizontal	154	2.40
6565MHz	Pass	AV	19.70964G	29.07	54.00	-24.93	3	Horizontal	345	2.72
6565MHz	Pass	PK	13.12984G	52.57	88.20	-35.63	3	Horizontal	154	2.40
6565MHz	Pass	PK	19.67628G	41.32	74.00	-32.68	3	Horizontal	345	2.72
6685MHz	Pass	AV	13.4166G	40.61	68.20	-27.59	3	Vertical	202	1.50
6685MHz	Pass	AV	20.0216G	29.22	54.00	-24.78	3	Vertical	153	1.50
6685MHz	Pass	PK	13.382G	54.27	74.00	-19.73	3	Vertical	202	1.50
6685MHz	Pass	PK	20.0322G	41.85	74.00	-32.15	3	Vertical	153	1.50
6685MHz	Pass	AV	13.4158G	40.54	68.20	-27.66	3	Horizontal	196	1.50
6685MHz	Pass	AV	20.0572G	30.60	54.00	-23.40	3	Horizontal	75	1.67
6685MHz	Pass	PK	13.403G	53.50	88.20	-34.70	3	Horizontal	196	1.50
6685MHz	Pass	PK	20.061G	44.10	74.00	-29.90	3	Horizontal	75	1.67
6885MHz	Pass	AV	13.76056G	40.76	68.20	-27.44	3	Vertical	263	1.87
6885MHz	Pass	AV	20.6738G	29.90	54.00	-24.10	3	Vertical	0	1.76
6885MHz	Pass	PK	13.77312G	53.19	88.20	-35.01	3	Vertical	263	1.87
6885MHz	Pass	PK	20.6932G	42.85	74.00	-31.15	3	Vertical	0	1.76
6885MHz	Pass	AV	13.78544G	40.82	68.20	-27.38	3	Horizontal	230	2.24
6885MHz	Pass	AV	20.6528G	31.52	54.00	-22.48	3	Horizontal	315	1.53
6885MHz	Pass	PK	13.75936G	53.37	88.20	-34.83	3	Horizontal	230	2.24
6885MHz	Pass	PK	20.6562G	44.24	74.00	-29.76	3	Horizontal	315	1.53
6925MHz	Pass	AV	13.85912G	41.03	68.20	-27.17	3	Vertical	115	1.79
6925MHz	Pass	AV	20.76452G	29.42	54.00	-24.58	3	Vertical	69	1.18
6925MHz	Pass	PK	13.8332G	53.16	88.20	-35.04	3	Vertical	115	1.79
6925MHz	Pass	PK	20.75916G	42.17	74.00	-31.83	3	Vertical	69	1.18
6925MHz	Pass	AV	13.85912G	41.04	68.20	-27.16	3	Horizontal	251	2.13
6925MHz	Pass	AV	20.76252G	29.42	54.00	-24.58	3	Horizontal	177	1.50
6925MHz	Pass	PK	13.8592G	53.58	88.20	-34.62	3	Horizontal	251	2.13
6925MHz	Pass	PK	20.781G	41.81	74.00	-32.19	3	Horizontal	177	1.50
7005MHz	Pass	AV	14.01752G	41.48	68.20	-26.72	3	Vertical	177	2.30
7005MHz	Pass	AV	21.01612G	29.29	54.00	-24.71	3	Vertical	18	2.50
7005MHz	Pass	PK	14.00568G	54.30	88.20	-33.90	3	Vertical	177	2.30
7005MHz	Pass	PK	21.02884G	42.68	74.00	-31.32	3	Vertical	18	2.50
7005MHz	Pass	AV	14.0188G	41.45	68.20	-26.75	3	Horizontal	236	2.09
7005MHz	Pass	AV	21.0154G	29.22	54.00	-24.78	3	Horizontal	113	1.29
7005MHz	Pass	PK	14.01832G	54.55	88.20	-33.65	3	Horizontal	236	2.09
7005MHz	Pass	PK	21.01684G	41.90	74.00	-32.10	3	Horizontal	113	1.29
7085MHz	Pass	AV	7.0922G	92.25	Inf	-Inf	3	Vertical	285	1.48
7085MHz	Pass	AV	7.2344G	47.49	68.20	-20.71	3	Vertical	285	1.48
7085MHz	Pass	PK	7.0925G	105.63	Inf	-Inf	3	Vertical	285	1.48
7085MHz	Pass	PK	7.1258G	64.41	88.20	-23.79	3	Vertical	285	1.48
7085MHz	Pass	AV	7.079G	96.39	Inf	-Inf	3	Horizontal	317	1.45
7085MHz	Pass	AV	7.235G	47.50	68.20	-20.70	3	Horizontal	317	1.45
7085MHz	Pass	PK	7.0763G	110.24	Inf	-Inf	3	Horizontal	317	1.45
7085MHz	Pass	PK	7.1324G	70.88	88.20	-17.32	3	Horizontal	317	1.45
7085MHz	Pass	AV	14.1776G	42.28	68.20	-25.92	3	Vertical	240	1.39
7085MHz	Pass	AV	21.26668G	29.33	54.00	-24.67	3	Vertical	160	1.14
7085MHz	Pass	PK	14.15464G	54.54	88.20	-33.66	3	Vertical	240	1.39
7085MHz	Pass	PK	21.25212G	41.42	74.00	-32.58	3	Vertical	160	1.14
7085MHz	Pass	AV	14.1804G	42.29	68.20	-25.91	3	Horizontal	289	1.38
7085MHz	Pass	AV	21.2594G	29.33	54.00	-24.67	3	Horizontal	199	2.71
7085MHz	Pass	PK	14.16088G	54.58	88.20	-33.62	3	Horizontal	289	1.38
7085MHz	Pass	PK	21.2702G	42.13	74.00	-31.87	3	Horizontal	199	2.71
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	50.34	68.20	-17.86	3	Vertical	30	1.52
5985MHz	Pass	AV	6G	96.55	Inf	-Inf	3	Vertical	30	1.52
5985MHz	Pass	PK	5.9125G	67.41	88.20	-20.79	3	Vertical	30	1.52
5985MHz	Pass	PK	5.9985G	108.88	Inf	-Inf	3	Vertical	30	1.52



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9225G	49.26	68.20	-18.94	3	Horizontal	321	2.12
5985MHz	Pass	AV	5.986G	96.95	Inf	-Inf	3	Horizontal	321	2.12
5985MHz	Pass	PK	5.901G	65.66	88.20	-22.54	3	Horizontal	321	2.12
5985MHz	Pass	PK	5.9895G	108.58	Inf	-Inf	3	Horizontal	321	2.12
5985MHz	Pass	AV	11.9641G	38.49	54.00	-15.51	3	Vertical	0	2.14
5985MHz	Pass	AV	17.963G	44.49	54.00	-9.51	3	Vertical	227	1.88
5985MHz	Pass	PK	12.0042G	51.30	74.00	-22.70	3	Vertical	0	2.14
5985MHz	Pass	PK	17.9742G	57.52	74.00	-16.48	3	Vertical	227	1.88
5985MHz	Pass	AV	11.9774G	38.41	54.00	-15.59	3	Horizontal	303	1.57
5985MHz	Pass	AV	17.96696G	44.59	54.00	-9.41	3	Horizontal	45	1.50
5985MHz	Pass	PK	11.97952G	50.85	74.00	-23.15	3	Horizontal	303	1.57
5985MHz	Pass	PK	17.93936G	58.04	74.00	-15.96	3	Horizontal	45	1.50
6225MHz	Pass	AV	12.44272G	38.01	54.00	-15.99	3	Vertical	208	1.06
6225MHz	Pass	AV	18.68352G	29.89	54.00	-24.11	3	Vertical	189	1.89
6225MHz	Pass	PK	12.46368G	50.63	74.00	-23.37	3	Vertical	208	1.06
6225MHz	Pass	PK	18.67152G	44.09	74.00	-29.91	3	Vertical	189	1.89
6225MHz	Pass	AV	12.4392G	38.03	54.00	-15.97	3	Horizontal	265	2.03
6225MHz	Pass	AV	18.68364G	30.06	54.00	-23.94	3	Horizontal	185	2.32
6225MHz	Pass	PK	12.46008G	50.87	74.00	-23.13	3	Horizontal	265	2.03
6225MHz	Pass	PK	18.67998G	43.86	74.00	-30.14	3	Horizontal	185	2.32
6385MHz	Pass	AV	12.78256G	39.54	68.20	-28.66	3	Vertical	118	2.37
6385MHz	Pass	AV	19.1784G	30.50	54.00	-23.50	3	Vertical	353	1.66
6385MHz	Pass	PK	12.77808G	53.13	88.20	-35.07	3	Vertical	118	2.37
6385MHz	Pass	PK	19.18092G	42.68	74.00	-31.32	3	Vertical	353	1.66
6385MHz	Pass	AV	12.76168G	39.72	68.20	-28.48	3	Horizontal	99	1.65
6385MHz	Pass	AV	19.18392G	30.37	54.00	-23.63	3	Horizontal	108	1.62
6385MHz	Pass	PK	12.7732G	52.24	88.20	-35.96	3	Horizontal	99	1.65
6385MHz	Pass	PK	19.15032G	44.19	74.00	-29.81	3	Horizontal	108	1.62
6465MHz	Pass	AV	12.92304G	39.60	68.20	-28.60	3	Vertical	178	1.57
6465MHz	Pass	AV	19.3962G	29.29	54.00	-24.71	3	Vertical	334	1.42
6465MHz	Pass	PK	12.92264G	52.32	88.20	-35.88	3	Vertical	178	1.57
6465MHz	Pass	PK	19.40988G	41.68	74.00	-32.32	3	Vertical	334	1.42
6465MHz	Pass	AV	12.92496G	39.63	68.20	-28.57	3	Horizontal	29	1.61
6465MHz	Pass	AV	19.39692G	29.27	54.00	-24.73	3	Horizontal	53	1.45
6465MHz	Pass	PK	12.92952G	52.41	88.20	-35.79	3	Horizontal	29	1.61
6465MHz	Pass	PK	19.39788G	41.00	74.00	-33.00	3	Horizontal	53	1.45
6545MHz	Pass	AV	13.10808G	39.69	68.20	-28.51	3	Vertical	92	1.75
6545MHz	Pass	AV	19.62252G	29.10	54.00	-24.90	3	Vertical	24	1.62
6545MHz	Pass	PK	13.10608G	53.05	88.20	-35.15	3	Vertical	92	1.75
6545MHz	Pass	PK	19.64472G	42.12	74.00	-31.88	3	Vertical	24	1.62
6545MHz	Pass	AV	13.10176G	39.67	68.20	-28.53	3	Horizontal	85	2.80
6545MHz	Pass	AV	19.61412G	29.24	54.00	-24.76	3	Horizontal	28	2.23
6545MHz	Pass	PK	13.0776G	53.04	88.20	-35.16	3	Horizontal	85	2.80
6545MHz	Pass	PK	19.66116G	41.64	74.00	-32.36	3	Horizontal	28	2.23
6625MHz	Pass	AV	13.2336G	40.18	68.20	-28.02	3	Vertical	99	2.45
6625MHz	Pass	AV	19.85592G	29.22	54.00	-24.78	3	Vertical	350	1.34
6625MHz	Pass	PK	13.23456G	52.90	88.20	-35.30	3	Vertical	99	2.45
6625MHz	Pass	PK	19.88688G	42.11	74.00	-31.89	3	Vertical	350	1.34
6625MHz	Pass	AV	13.24032G	40.14	68.20	-28.06	3	Horizontal	149	2.11
6625MHz	Pass	AV	19.8594G	29.29	54.00	-24.71	3	Horizontal	21	1.50
6625MHz	Pass	PK	13.24288G	52.87	88.20	-35.33	3	Horizontal	149	2.11
6625MHz	Pass	PK	19.84932G	41.89	74.00	-32.11	3	Horizontal	21	1.50
6705MHz	Pass	AV	13.42984G	40.45	68.20	-27.75	3	Vertical	22	1.83
6705MHz	Pass	AV	20.08848G	29.14	54.00	-24.86	3	Vertical	355	1.96
6705MHz	Pass	PK	13.40624G	53.14	88.20	-35.06	3	Vertical	22	1.83
6705MHz	Pass	PK	20.14356G	41.05	74.00	-32.95	3	Vertical	355	1.96
6705MHz	Pass	AV	13.4008G	40.45	68.20	-27.75	3	Horizontal	153	2.83
6705MHz	Pass	AV	20.0892G	29.13	54.00	-24.87	3	Horizontal	76	2.43
6705MHz	Pass	PK	13.41384G	52.97	88.20	-35.23	3	Horizontal	153	2.83
6705MHz	Pass	PK	20.08524G	41.65	74.00	-32.35	3	Horizontal	76	2.43
6785MHz	Pass	AV	13.55656G	41.24	68.20	-26.96	3	Vertical	244	2.57
6785MHz	Pass	AV	20.3508G	32.07	54.00	-21.93	3	Vertical	67	1.71



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6785MHz	Pass	PK	13.57656G	54.17	88.20	-34.03	3	Vertical	244	2.57
6785MHz	Pass	PK	20.3562G	45.33	74.00	-28.67	3	Vertical	67	1.71
6785MHz	Pass	AV	13.56064G	41.16	68.20	-27.04	3	Horizontal	357	1.36
6785MHz	Pass	AV	20.3472G	31.06	54.00	-22.94	3	Horizontal	75	1.75
6785MHz	Pass	PK	13.58328G	53.60	88.20	-34.60	3	Horizontal	357	1.36
6785MHz	Pass	PK	20.3724G	42.81	74.00	-31.19	3	Horizontal	75	1.75
6865MHz	Pass	AV	13.73368G	40.69	68.20	-27.51	3	Vertical	360	2.53
6865MHz	Pass	AV	20.577G	36.89	54.00	-17.11	3	Vertical	61	1.67
6865MHz	Pass	PK	13.72448G	54.19	88.20	-34.01	3	Vertical	360	2.53
6865MHz	Pass	PK	20.5638G	52.27	74.00	-21.73	3	Vertical	61	1.67
6865MHz	Pass	AV	13.7276G	40.69	68.20	-27.51	3	Horizontal	183	1.68
6865MHz	Pass	AV	20.5782G	34.38	54.00	-19.62	3	Horizontal	315	1.50
6865MHz	Pass	PK	13.72416G	54.36	88.20	-33.84	3	Horizontal	183	1.68
6865MHz	Pass	PK	20.5836G	50.86	74.00	-23.14	3	Horizontal	315	1.50
6945MHz	Pass	AV	13.89496G	41.28	68.20	-26.92	3	Vertical	146	1.39
6945MHz	Pass	AV	20.7648G	29.74	54.00	-24.26	3	Vertical	76	1.66
6945MHz	Pass	PK	13.90696G	53.37	88.20	-34.83	3	Vertical	146	1.39
6945MHz	Pass	PK	20.7648G	42.97	74.00	-31.03	3	Vertical	76	1.66
6945MHz	Pass	AV	13.8924G	41.23	68.20	-26.97	3	Horizontal	144	2.28
6945MHz	Pass	AV	20.82G	31.31	54.00	-22.69	3	Horizontal	327	1.63
6945MHz	Pass	PK	13.90312G	54.18	88.20	-34.02	3	Horizontal	144	2.28
6945MHz	Pass	PK	20.8704G	43.63	74.00	-30.37	3	Horizontal	327	1.63
7025MHz	Pass	AV	7.0622G	89.36	Inf	-Inf	3	Vertical	313	1.86
7025MHz	Pass	AV	7.1723G	46.95	68.20	-21.25	3	Vertical	313	1.86
7025MHz	Pass	PK	7.0043G	103.21	Inf	-Inf	3	Vertical	313	1.86
7025MHz	Pass	PK	7.1552G	60.14	88.20	-28.06	3	Vertical	313	1.86
7025MHz	Pass	AV	7.0478G	97.22	Inf	-Inf	3	Horizontal	332	1.63
7025MHz	Pass	AV	7.1252G	47.26	68.20	-20.94	3	Horizontal	332	1.63
7025MHz	Pass	PK	7.0481G	110.31	Inf	-Inf	3	Horizontal	332	1.63
7025MHz	Pass	PK	7.1276G	61.23	88.20	-26.97	3	Horizontal	332	1.63
7025MHz	Pass	AV	14.06832G	41.92	68.20	-26.28	3	Vertical	201	1.82
7025MHz	Pass	AV	21.08256G	29.34	54.00	-24.66	3	Vertical	263	1.88
7025MHz	Pass	PK	14.0512G	54.42	88.20	-33.78	3	Vertical	201	1.82
7025MHz	Pass	PK	21.04848G	42.26	74.00	-31.74	3	Vertical	263	1.88
7025MHz	Pass	AV	14.06968G	41.85	68.20	-26.35	3	Horizontal	1	1.49
7025MHz	Pass	AV	21.0732G	29.44	54.00	-24.56	3	Horizontal	76	2.78
7025MHz	Pass	PK	14.0484G	54.47	88.20	-33.73	3	Horizontal	1	1.49
7025MHz	Pass	PK	21.093G	42.26	74.00	-31.74	3	Horizontal	76	2.78
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9085G	57.41	68.20	-10.79	3	Vertical	14	2.32
6025MHz	Pass	AV	6.0075G	93.14	Inf	-Inf	3	Vertical	14	2.32
6025MHz	Pass	PK	5.922G	76.71	88.20	-11.49	3	Vertical	14	2.32
6025MHz	Pass	PK	6.005G	105.29	Inf	-Inf	3	Vertical	14	2.32
6025MHz	Pass	AV	5.922G	54.59	68.20	-13.61	3	Horizontal	324	2.17
6025MHz	Pass	AV	6.0555G	94.97	Inf	-Inf	3	Horizontal	324	2.17
6025MHz	Pass	PK	5.913G	71.93	88.20	-16.27	3	Horizontal	324	2.17
6025MHz	Pass	PK	6.0495G	108.20	Inf	-Inf	3	Horizontal	324	2.17
6025MHz	Pass	AV	12.06744G	38.79	54.00	-15.21	3	Vertical	163	2.11
6025MHz	Pass	AV	18.04956G	30.19	54.00	-23.81	3	Vertical	357	1.65
6025MHz	Pass	PK	12.05488G	50.36	74.00	-23.64	3	Vertical	163	2.11
6025MHz	Pass	PK	18.07176G	42.64	74.00	-31.36	3	Vertical	357	1.65
6025MHz	Pass	AV	12.05856G	38.71	54.00	-15.29	3	Horizontal	21	1.71
6025MHz	Pass	AV	18.05316G	32.04	54.00	-21.96	3	Horizontal	80	1.70
6025MHz	Pass	PK	12.0316G	51.59	74.00	-22.41	3	Horizontal	21	1.71
6025MHz	Pass	PK	18.08652G	44.59	74.00	-29.41	3	Horizontal	80	1.70
6185MHz	Pass	AV	12.3512G	38.39	54.00	-15.61	3	Vertical	237	2.89
6185MHz	Pass	AV	18.56916G	30.00	54.00	-24.00	3	Vertical	351	1.65
6185MHz	Pass	PK	12.36032G	51.32	74.00	-22.68	3	Vertical	237	2.89
6185MHz	Pass	PK	18.5706G	42.42	74.00	-31.58	3	Vertical	351	1.65
6185MHz	Pass	AV	12.35544G	38.41	54.00	-15.59	3	Horizontal	3	1.98
6185MHz	Pass	AV	18.57384G	30.76	54.00	-23.24	3	Horizontal	354	1.60
6185MHz	Pass	PK	12.38296G	50.87	74.00	-23.13	3	Horizontal	3	1.98



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	18.56892G	43.68	74.00	-30.32	3	Horizontal	354	1.60
6345MHz	Pass	AV	12.67288G	39.65	54.00	-14.35	3	Vertical	64	2.95
6345MHz	Pass	AV	19.03908G	28.99	54.00	-25.01	3	Vertical	104	1.50
6345MHz	Pass	PK	12.67392G	52.09	74.00	-21.91	3	Vertical	64	2.95
6345MHz	Pass	PK	19.05072G	41.69	74.00	-32.31	3	Vertical	104	1.50
6345MHz	Pass	AV	12.67416G	39.60	54.00	-14.40	3	Horizontal	133	1.95
6345MHz	Pass	AV	19.03788G	29.12	54.00	-24.88	3	Horizontal	321	1.50
6345MHz	Pass	PK	12.67064G	52.96	74.00	-21.04	3	Horizontal	133	1.95
6345MHz	Pass	PK	19.03668G	41.50	74.00	-32.50	3	Horizontal	321	1.50
6505MHz	Pass	AV	12.99352G	39.68	68.20	-28.52	3	Vertical	303	1.56
6505MHz	Pass	AV	19.48752G	30.34	54.00	-23.66	3	Vertical	59	1.57
6505MHz	Pass	PK	12.99864G	52.24	88.20	-35.96	3	Vertical	303	1.56
6505MHz	Pass	PK	19.4922G	43.48	74.00	-30.52	3	Vertical	59	1.57
6505MHz	Pass	AV	13.02824G	39.62	68.20	-28.58	3	Horizontal	186	2.38
6505MHz	Pass	AV	19.51236G	32.32	54.00	-21.68	3	Horizontal	82	1.66
6505MHz	Pass	PK	12.9932G	52.11	88.20	-36.09	3	Horizontal	186	2.38
6505MHz	Pass	PK	19.51932G	46.51	74.00	-27.49	3	Horizontal	82	1.66
6665MHz	Pass	AV	13.32936G	40.39	54.00	-13.61	3	Vertical	341	2.55
6665MHz	Pass	AV	20.01576G	33.73	54.00	-20.27	3	Vertical	68	1.66
6665MHz	Pass	PK	13.31208G	53.26	74.00	-20.74	3	Vertical	341	2.55
6665MHz	Pass	PK	20.0112G	49.68	74.00	-24.32	3	Vertical	68	1.66
6665MHz	Pass	AV	13.33376G	40.36	54.00	-13.64	3	Horizontal	210	1.68
6665MHz	Pass	AV	20.01144G	36.44	54.00	-17.56	3	Horizontal	75	1.69
6665MHz	Pass	PK	13.3336G	53.30	74.00	-20.70	3	Horizontal	210	1.68
6665MHz	Pass	PK	20.00964G	50.74	74.00	-23.26	3	Horizontal	75	1.69
6825MHz	Pass	AV	13.66928G	40.72	68.20	-27.48	3	Vertical	160	1.79
6825MHz	Pass	AV	20.3316G	45.02	54.00	-8.98	3	Vertical	64	1.60
6825MHz	Pass	PK	13.63344G	53.68	88.20	-34.52	3	Vertical	160	1.79
6825MHz	Pass	PK	20.4276G	60.55	74.00	-13.45	3	Vertical	64	1.60
6825MHz	Pass	AV	13.64144G	40.74	68.20	-27.46	3	Horizontal	69	1.20
6825MHz	Pass	AV	20.4252G	37.00	54.00	-17.00	3	Horizontal	341	1.71
6825MHz	Pass	PK	13.64544G	53.30	88.20	-34.90	3	Horizontal	69	1.20
6825MHz	Pass	PK	20.4204G	50.01	74.00	-23.99	3	Horizontal	341	1.71
6985MHz	Pass	AV	6.9395G	90.68	Inf	-Inf	3	Vertical	265	1.25
6985MHz	Pass	AV	7.128G	53.78	68.20	-14.42	3	Vertical	265	1.25
6985MHz	Pass	PK	6.94G	105.69	Inf	-Inf	3	Vertical	265	1.25
6985MHz	Pass	PK	7.127G	80.28	88.20	-7.92	3	Vertical	265	1.25
6985MHz	Pass	AV	6.9465G	96.41	Inf	-Inf	3	Horizontal	316	1.50
6985MHz	Pass	AV	7.1315G	57.28	68.20	-10.92	3	Horizontal	316	1.50
6985MHz	Pass	PK	6.9115G	111.16	Inf	-Inf	3	Horizontal	316	1.50
6985MHz	Pass	PK	7.1395G	80.26	88.20	-7.94	3	Horizontal	316	1.50
6985MHz	Pass	AV	13.98984G	41.33	68.20	-26.87	3	Vertical	177	1.45
6985MHz	Pass	AV	20.9634G	30.53	54.00	-23.47	3	Vertical	0	1.83
6985MHz	Pass	PK	13.96096G	54.90	88.20	-33.30	3	Vertical	177	1.45
6985MHz	Pass	PK	20.9328G	43.42	74.00	-30.58	3	Vertical	0	1.83
6985MHz	Pass	AV	13.9504G	41.45	68.20	-26.75	3	Horizontal	11	2.79
6985MHz	Pass	AV	20.9358G	31.82	54.00	-22.18	3	Horizontal	327	1.70
6985MHz	Pass	PK	13.95464G	53.51	88.20	-34.69	3	Horizontal	11	2.79
6985MHz	Pass	PK	21.024G	44.49	74.00	-29.51	3	Horizontal	327	1.70
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	54.90	68.20	-13.30	3	Vertical	349	1.78
6105MHz	Pass	AV	6.044G	89.98	Inf	-Inf	3	Vertical	349	1.78
6105MHz	Pass	PK	5.922G	72.64	88.20	-15.56	3	Vertical	349	1.78
6105MHz	Pass	PK	6.045G	102.30	Inf	-Inf	3	Vertical	349	1.78
6105MHz	Pass	AV	5.922G	51.24	68.20	-16.96	3	Horizontal	302	1.91
6105MHz	Pass	AV	6.254G	91.60	Inf	-Inf	3	Horizontal	302	1.91
6105MHz	Pass	PK	5.916G	70.90	88.20	-17.30	3	Horizontal	302	1.91
6105MHz	Pass	PK	6.254G	105.03	Inf	-Inf	3	Horizontal	302	1.91
6105MHz	Pass	AV	12.21096G	38.94	54.00	-15.06	3	Vertical	38	2.35
6105MHz	Pass	AV	18.2634G	28.48	54.00	-25.52	3	Vertical	198	1.50
6105MHz	Pass	PK	12.19872G	51.70	74.00	-22.30	3	Vertical	38	2.35
6105MHz	Pass	PK	18.252G	42.63	74.00	-31.37	3	Vertical	198	1.50



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.21416G	38.97	54.00	-15.03	3	Horizontal	107	2.96
6105MHz	Pass	AV	18.2364G	28.44	54.00	-25.56	3	Horizontal	274	1.50
6105MHz	Pass	PK	12.20384G	51.38	74.00	-22.62	3	Horizontal	107	2.96
6105MHz	Pass	PK	18.249G	41.53	74.00	-32.47	3	Horizontal	274	1.50
6265MHz	Pass	AV	5.8933G	52.76	68.20	-15.44	3	Vertical	356	1.94
6265MHz	Pass	AV	6.4189G	87.61	Inf	-Inf	3	Vertical	356	1.94
6265MHz	Pass	PK	5.8996G	70.42	88.20	-17.78	3	Vertical	356	1.94
6265MHz	Pass	PK	6.4189G	101.37	Inf	-Inf	3	Vertical	356	1.94
6265MHz	Pass	AV	5.896G	51.10	68.20	-17.10	3	Horizontal	313	1.95
6265MHz	Pass	AV	6.283G	92.00	Inf	-Inf	3	Horizontal	313	1.95
6265MHz	Pass	PK	5.896G	66.71	88.20	-21.49	3	Horizontal	313	1.95
6265MHz	Pass	PK	6.3685G	105.53	Inf	-Inf	3	Horizontal	313	1.95
6265MHz	Pass	AV	12.54592G	38.72	54.00	-15.28	3	Vertical	214	2.83
6265MHz	Pass	AV	18.807G	29.40	54.00	-24.60	3	Vertical	22	1.50
6265MHz	Pass	PK	12.51736G	51.30	74.00	-22.70	3	Vertical	214	2.83
6265MHz	Pass	PK	18.8106G	42.07	74.00	-31.93	3	Vertical	22	1.50
6265MHz	Pass	AV	12.5452G	38.67	54.00	-15.33	3	Horizontal	283	1.31
6265MHz	Pass	AV	18.8256G	30.57	54.00	-23.43	3	Horizontal	343	1.50
6265MHz	Pass	PK	12.5316G	52.01	74.00	-21.99	3	Horizontal	283	1.31
6265MHz	Pass	PK	18.8166G	42.73	74.00	-31.27	3	Horizontal	343	1.50
6425MHz	Pass	AV	12.86056G	39.83	68.20	-28.37	3	Vertical	54	2.78
6425MHz	Pass	AV	19.2552G	32.21	54.00	-21.79	3	Vertical	321	1.66
6425MHz	Pass	PK	12.83984G	52.19	88.20	-36.01	3	Vertical	54	2.78
6425MHz	Pass	PK	19.2276G	45.53	74.00	-28.47	3	Vertical	321	1.66
6425MHz	Pass	AV	12.86896G	39.60	68.20	-28.60	3	Horizontal	255	2.10
6425MHz	Pass	AV	19.3092G	30.20	54.00	-23.80	3	Horizontal	323	1.48
6425MHz	Pass	PK	12.86264G	51.77	88.20	-36.43	3	Horizontal	255	2.10
6425MHz	Pass	PK	19.2276G	44.12	74.00	-29.88	3	Horizontal	323	1.48
6585MHz	Pass	AV	13.16648G	40.01	68.20	-28.19	3	Vertical	244	2.39
6585MHz	Pass	AV	19.7826G	32.93	54.00	-21.07	3	Vertical	328	1.85
6585MHz	Pass	PK	13.18432G	52.78	88.20	-35.42	3	Vertical	244	2.39
6585MHz	Pass	PK	19.7736G	47.50	74.00	-26.50	3	Vertical	328	1.85
6585MHz	Pass	AV	13.1588G	40.01	68.20	-28.19	3	Horizontal	336	1.76
6585MHz	Pass	AV	19.7772G	33.06	54.00	-20.94	3	Horizontal	114	1.67
6585MHz	Pass	PK	13.17712G	53.00	88.20	-35.20	3	Horizontal	336	1.76
6585MHz	Pass	PK	19.7874G	46.12	74.00	-27.88	3	Horizontal	114	1.67
6745MHz	Pass	AV	13.486G	40.89	68.20	-27.31	3	Vertical	133	1.93
6745MHz	Pass	AV	20.2656G	39.05	54.00	-14.95	3	Vertical	286	1.71
6745MHz	Pass	PK	13.49184G	53.33	88.20	-34.87	3	Vertical	133	1.93
6745MHz	Pass	PK	20.2698G	51.14	74.00	-22.86	3	Vertical	286	1.71
6745MHz	Pass	AV	13.47696G	40.95	68.20	-27.25	3	Horizontal	275	2.01
6745MHz	Pass	AV	20.2614G	36.84	54.00	-17.16	3	Horizontal	236	1.56
6745MHz	Pass	PK	13.494G	52.97	88.20	-35.23	3	Horizontal	275	2.01
6745MHz	Pass	PK	20.271G	46.98	74.00	-27.02	3	Horizontal	236	1.56
6905MHz	Pass	AV	6.778G	90.77	Inf	-Inf	3	Vertical	8	1.72
6905MHz	Pass	AV	7.25G	48.42	54.00	-5.58	3	Vertical	8	1.72
6905MHz	Pass	AV	7.293G	51.20	54.00	-2.80	3	Vertical	8	1.72
6905MHz	Pass	PK	6.773G	103.74	Inf	-Inf	3	Vertical	8	1.72
6905MHz	Pass	PK	7.216G	74.97	88.20	-13.23	3	Vertical	8	1.72
6905MHz	Pass	PK	7.297G	69.93	74.00	-4.07	3	Vertical	8	1.72
6905MHz	Pass	AV	6.783G	89.77	Inf	-Inf	3	Horizontal	315	2.01
6905MHz	Pass	AV	7.25G	50.07	54.00	-3.93	3	Horizontal	315	2.01
6905MHz	Pass	AV	7.293G	52.46	54.00	-1.54	3	Horizontal	315	2.01
6905MHz	Pass	PK	6.896G	103.83	Inf	-Inf	3	Horizontal	315	2.01
6905MHz	Pass	PK	7.193G	80.47	88.20	-7.73	3	Horizontal	315	2.01
6905MHz	Pass	PK	7.302G	73.28	74.00	-0.72	3	Horizontal	315	2.01
6905MHz	Pass	AV	13.82648G	40.98	68.20	-27.22	3	Vertical	231	1.62
6905MHz	Pass	AV	20.5818G	37.98	54.00	-16.02	3	Vertical	61	1.66
6905MHz	Pass	PK	13.82624G	53.70	88.20	-34.50	3	Vertical	231	1.62
6905MHz	Pass	PK	20.5734G	53.70	74.00	-20.30	3	Vertical	61	1.66
6905MHz	Pass	AV	13.81592G	40.90	68.20	-27.30	3	Horizontal	230	2.18
6905MHz	Pass	AV	20.3856G	35.57	54.00	-18.43	3	Horizontal	318	1.55



RSE TX above 1GHz_Beamforming_Radio 2_2T1S


Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	13.79712G	53.27	88.20	-34.93	3	Horizontal	230	2.18
6905MHz	Pass	PK	20.5908G	51.16	74.00	-22.84	3	Horizontal	318	1.55



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9247G	43.07	68.20	-25.13	1.89	3	Vertical	22	2.32	41.18	34.55	5.18	37.84
AV	5.946G	93.91	Inf	-Inf	1.89	3	Vertical	22	2.32	92.02	34.51	5.21	37.83
PK	5.9244G	56.58	88.20	-31.62	1.89	3	Vertical	22	2.32	54.69	34.55	5.18	37.84
PK	5.9463G	109.65	Inf	-Inf	1.89	3	Vertical	22	2.32	107.76	34.51	5.21	37.83

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	43.21	68.20	-24.99	1.89	3	Horizontal	327	2.07	41.32	34.55	5.18	37.84
AV	5.9475G	95.94	Inf	-Inf	1.90	3	Horizontal	327	2.07	94.04	34.51	5.21	37.82
PK	5.9232G	58.50	88.20	-29.70	1.88	3	Horizontal	327	2.07	56.62	34.55	5.17	37.84
PK	5.9481G	110.44	Inf	-Inf	1.89	3	Horizontal	327	2.07	108.55	34.50	5.21	37.82


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9221G	43.09	68.20	-25.11	1.88	3	Vertical	28	1.51	41.21	34.56	5.17	37.85
AV	5.947G	96.30	Inf	-Inf	1.90	3	Vertical	28	1.51	94.40	34.51	5.21	37.82
PK	5.9242G	63.23	88.20	-24.97	1.89	3	Vertical	28	1.51	61.34	34.55	5.18	37.84
PK	5.947G	110.25	Inf	-Inf	1.90	3	Vertical	28	1.51	108.35	34.51	5.21	37.82

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.923G	43.91	68.20	-24.29	1.88	3	Horizontal	326	2.10	42.03	34.55	5.17	37.84
AV	5.983G	96.82	Inf	-Inf	1.97	3	Horizontal	326	2.10	94.85	34.50	5.26	37.79
PK	5.9137G	66.58	88.20	-21.62	1.88	3	Horizontal	326	2.10	64.70	34.57	5.16	37.85
PK	5.9827G	109.96	Inf	-Inf	1.97	3	Horizontal	326	2.10	107.99	34.50	5.26	37.79




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.92G	50.34	68.20	-17.86	1.88	3	Vertical	30	1.52	48.46	34.56	5.17	37.85				
AV	6G	96.55	Inf	-Inf	2.01	3	Vertical	30	1.52	94.54	34.50	5.29	37.78				
PK	5.9125G	67.41	88.20	-20.79	1.89	3	Vertical	30	1.52	65.52	34.58	5.16	37.85				
PK	5.9985G	108.88	Inf	-Inf	2.01	3	Vertical	30	1.52	106.87	34.50	5.29	37.78				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.9225G	49.26	68.20	-18.94	1.87	3	Horizontal	321	2.12	47.39	34.55	5.17	37.85			
AV	5.986G	96.95	Inf	-Inf	1.98	3	Horizontal	321	2.12	94.97	34.50	5.27	37.79			
PK	5.901G	65.66	88.20	-22.54	1.88	3	Horizontal	321	2.12	63.78	34.60	5.14	37.86			
PK	5.9895G	108.58	Inf	-Inf	1.98	3	Horizontal	321	2.12	106.60	34.50	5.27	37.79			


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9085G	57.41	68.20	-10.79	1.87	3	Vertical	14	2.32	55.54	34.58	5.15	37.86
AV	6.0075G	93.14	Inf	-Inf	2.01	3	Vertical	14	2.32	91.13	34.50	5.29	37.78
PK	5.922G	76.71	88.20	-11.49	1.88	3	Vertical	14	2.32	74.83	34.56	5.17	37.85
PK	6.005G	105.29	Inf	-Inf	2.01	3	Vertical	14	2.32	103.28	34.50	5.29	37.78

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.922G	54.59	68.20	-13.61	1.88	3	Horizontal	324	2.17	52.71	34.56	5.17	37.85
AV	6.0555G	94.97	Inf	-Inf	2.05	3	Horizontal	324	2.17	92.92	34.49	5.31	37.75
PK	5.913G	71.93	88.20	-16.27	1.88	3	Horizontal	324	2.17	70.05	34.57	5.16	37.85
PK	6.0495G	108.20	Inf	-Inf	2.06	3	Horizontal	324	2.17	106.14	34.50	5.31	37.75

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.06744G	38.79	54.00	-15.21	9.86	3	Vertical	163	2.11	28.93	39.43	8.44	38.01
AV	18.04956G	30.19	54.00	-23.81	-25.70	3	Vertical	357	1.65	55.89	37.80	10.69	64.65
PK	12.05488G	50.36	74.00	-23.64	9.84	3	Vertical	163	2.11	40.52	39.41	8.43	38.00
PK	18.07176G	42.64	74.00	-31.36	-25.58	3	Vertical	357	1.65	68.22	37.93	10.70	64.67

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05856G	38.71	54.00	-15.29	9.85	3	Horizontal	21	1.71	28.86	39.42	8.43	38.00
AV	18.05316G	32.04	54.00	-21.96	-25.68	3	Horizontal	80	1.70	57.72	37.82	10.69	64.65
PK	12.0316G	51.59	74.00	-22.41	9.79	3	Horizontal	21	1.71	41.80	39.36	8.42	37.99
PK	18.08652G	44.59	74.00	-29.41	-25.50	3	Horizontal	80	1.70	70.09	38.02	10.71	64.69

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.922G	54.90	68.20	-13.30	1.88	3	Vertical	349	1.78	53.02	34.56	5.17	37.85
AV	6.044G	89.98	Inf	-Inf	2.06	3	Vertical	349	1.78	87.92	34.50	5.31	37.75
PK	5.922G	72.64	88.20	-15.56	1.88	3	Vertical	349	1.78	70.76	34.56	5.17	37.85
PK	6.045G	102.30	Inf	-Inf	2.06	3	Vertical	349	1.78	100.24	34.50	5.31	37.75

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.922G	51.24	68.20	-16.96	1.88	3	Horizontal	302	1.91	49.36	34.56	5.17	37.85
AV	6.254G	91.60	Inf	-Inf	2.49	3	Horizontal	302	1.91	89.11	34.70	5.42	37.63
PK	5.916G	70.90	88.20	-17.30	1.88	3	Horizontal	302	1.91	69.02	34.57	5.16	37.85
PK	6.254G	105.03	Inf	-Inf	2.49	3	Horizontal	302	1.91	102.54	34.70	5.42	37.63


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.87024G	39.71	68.20	-28.49	10.37	3	Vertical	298	1.81	29.34	40.00	8.89	38.52
AV	19.29812G	29.61	54.00	-24.39	-24.77	3	Vertical	234	1.24	54.38	38.41	11.34	64.98
PK	12.88104G	52.03	88.20	-36.17	10.36	3	Vertical	298	1.81	41.67	40.00	8.89	38.53
PK	19.31148G	41.66	74.00	-32.34	-24.77	3	Vertical	234	1.24	66.43	38.40	11.35	64.98

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.85376G	39.82	68.20	-28.38	10.38	3	Horizontal	321	1.75	29.44	40.00	8.88	38.50
AV	19.30044G	29.53	54.00	-24.47	-24.78	3	Horizontal	86	2.25	54.31	38.40	11.34	64.98
PK	12.87464G	52.58	88.20	-35.62	10.37	3	Horizontal	321	1.75	42.21	40.00	8.89	38.52
PK	19.3132G	41.06	74.00	-32.94	-24.76	3	Horizontal	86	2.25	65.82	38.40	11.35	64.97




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX






6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.16648G	40.01	68.20	-28.19	10.29	3	Vertical	244	2.39	29.72	39.87	9.05	38.63
AV	19.7826G	32.93	54.00	-21.07	-24.64	3	Vertical	328	1.85	57.57	38.03	11.60	64.73
PK	13.18432G	52.78	88.20	-35.42	10.26	3	Vertical	244	2.39	42.52	39.83	9.06	38.63
PK	19.7736G	47.50	74.00	-26.50	-24.64	3	Vertical	328	1.85	72.14	38.05	11.59	64.74

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1588G	40.01	68.20	-28.19	10.30	3	Horizontal	336	1.76	29.71	39.88	9.05	38.63
AV	19.7772G	33.06	54.00	-20.94	-24.63	3	Horizontal	114	1.67	57.69	38.05	11.59	64.73
PK	13.17712G	53.00	88.20	-35.20	10.28	3	Horizontal	336	1.76	42.72	39.85	9.06	38.63
PK	19.7874G	46.12	74.00	-27.88	-24.64	3	Horizontal	114	1.67	70.76	38.03	11.60	64.73


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX





6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.4166G	40.61	68.20	-27.59	10.92	3	Vertical	202	1.50	29.69	40.37	9.19	38.64
AV	20.0216G	29.22	54.00	-24.78	-24.40	3	Vertical	153	1.50	53.62	38.00	11.71	64.57
PK	13.382G	54.27	74.00	-19.73	10.83	3	Vertical	202	1.50	43.44	40.30	9.17	38.64
PK	20.0322G	41.85	74.00	-32.15	-24.38	3	Vertical	153	1.50	66.23	38.00	11.71	64.55

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.4158G	40.54	68.20	-27.66	10.91	3	Horizontal	196	1.50	29.63	40.36	9.19	38.64
AV	20.0572G	30.60	54.00	-23.40	-24.34	3	Horizontal	75	1.67	54.94	38.00	11.72	64.52
PK	13.403G	53.50	88.20	-34.70	10.86	3	Horizontal	196	1.50	42.64	40.31	9.19	38.64
PK	20.061G	44.10	74.00	-29.90	-24.33	3	Horizontal	75	1.67	68.43	38.00	11.72	64.51


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX






6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1225G	95.50	Inf	-Inf	5.58	3	Vertical	283	1.47	89.92	36.93	5.86	37.21
AV	7.1255G	68.11	68.20	-0.09	5.61	3	Vertical	283	1.47	62.50	36.95	5.87	37.21
PK	7.1225G	101.86	Inf	-Inf	5.58	3	Vertical	283	1.47	96.28	36.93	5.86	37.21
PK	7.1255G	79.99	88.20	-8.21	5.61	3	Vertical	283	1.47	74.38	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1065G	101.28	Inf	-Inf	5.47	3	Horizontal	311	1.36	95.81	36.84	5.86	37.23
AV	7.1255G	67.56	68.20	-0.64	5.61	3	Horizontal	311	1.36	61.95	36.95	5.87	37.21
PK	7.1065G	107.24	Inf	-Inf	5.47	3	Horizontal	311	1.36	101.77	36.84	5.86	37.23
PK	7.1255G	79.09	88.20	-9.11	5.61	3	Horizontal	311	1.36	73.48	36.95	5.87	37.21


6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0922G	92.25	Inf	-Inf	5.36	3	Vertical	285	1.48	86.89	36.75	5.86	37.25
AV	7.2344G	47.49	68.20	-20.71	6.22	3	Vertical	285	1.48	41.27	37.37	5.92	37.07
PK	7.0925G	105.63	Inf	-Inf	5.37	3	Vertical	285	1.48	100.26	36.76	5.86	37.25
PK	7.1258G	64.41	88.20	-23.79	5.61	3	Vertical	285	1.48	58.80	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.079G	96.39	Inf	-Inf	5.26	3	Horizontal	317	1.45	91.13	36.67	5.86	37.27
AV	7.235G	47.50	68.20	-20.70	6.22	3	Horizontal	317	1.45	41.28	37.37	5.92	37.07
PK	7.0763G	110.24	Inf	-Inf	5.25	3	Horizontal	317	1.45	104.99	36.66	5.86	37.27
PK	7.1324G	70.88	88.20	-17.32	5.66	3	Horizontal	317	1.45	65.22	36.99	5.87	37.20


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0622G	89.36	Inf	-Inf	5.13	3	Vertical	313	1.86	84.23	36.57	5.85	37.29
AV	7.1723G	46.95	68.20	-21.25	5.91	3	Vertical	313	1.86	41.04	37.19	5.87	37.15
PK	7.0043G	103.21	Inf	-Inf	4.71	3	Vertical	313	1.86	98.50	36.23	5.84	37.36
PK	7.1552G	60.14	88.20	-28.06	5.82	3	Vertical	313	1.86	54.32	37.12	5.87	37.17

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0478G	97.22	Inf	-Inf	5.03	3	Horizontal	332	1.63	92.19	36.49	5.85	37.31
AV	7.1252G	47.26	68.20	-20.94	5.61	3	Horizontal	332	1.63	41.65	36.95	5.87	37.21
PK	7.0481G	110.31	Inf	-Inf	5.03	3	Horizontal	332	1.63	105.28	36.49	5.85	37.31
PK	7.1276G	61.23	88.20	-26.97	5.63	3	Horizontal	332	1.63	55.60	36.97	5.87	37.21

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.06832G	41.92	68.20	-26.28	12.20	3	Vertical	201	1.82	29.72	40.94	9.55	38.29
AV	21.08256G	29.34	54.00	-24.66	-22.72	3	Vertical	263	1.88	52.06	38.17	11.82	63.17
PK	14.0512G	54.42	88.20	-33.78	12.14	3	Vertical	201	1.82	42.28	40.90	9.54	38.30
PK	21.04848G	42.26	74.00	-31.74	-22.84	3	Vertical	263	1.88	65.10	38.10	11.82	63.22

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.06968G	41.85	68.20	-26.35	12.20	3	Horizontal	1	1.49	29.65	40.94	9.55	38.29
AV	21.0732G	29.44	54.00	-24.56	-22.75	3	Horizontal	76	2.78	52.19	38.15	11.82	63.18
PK	14.0484G	54.47	88.20	-33.73	12.14	3	Horizontal	1	1.49	42.33	40.90	9.54	38.30
PK	21.093G	42.26	74.00	-31.74	-22.68	3	Horizontal	76	2.78	64.94	38.19	11.82	63.15

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9395G	90.68	Inf	-Inf	4.74	3	Vertical	265	1.25	85.94	36.30	5.82	37.38
AV	7.128G	53.78	68.20	-14.42	5.63	3	Vertical	265	1.25	48.15	36.97	5.87	37.21
PK	6.94G	105.69	Inf	-Inf	4.74	3	Vertical	265	1.25	100.95	36.30	5.82	37.38
PK	7.127G	80.28	88.20	-7.92	5.62	3	Vertical	265	1.25	74.66	36.96	5.87	37.21

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9465G	96.41	Inf	-Inf	4.74	3	Horizontal	316	1.50	91.67	36.30	5.82	37.38
AV	7.1315G	57.28	68.20	-10.92	5.66	3	Horizontal	316	1.50	51.62	36.99	5.87	37.20
PK	6.9115G	111.16	Inf	-Inf	4.72	3	Horizontal	316	1.50	106.44	36.30	5.81	37.39
PK	7.1395G	80.26	88.20	-7.94	5.72	3	Horizontal	316	1.50	74.54	37.04	5.87	37.19

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.98984G	41.33	68.20	-26.87	11.97	3	Vertical	177	1.45	29.36	40.78	9.51	38.32
AV	20.9634G	30.53	54.00	-23.47	-22.94	3	Vertical	0	1.83	53.47	38.13	11.81	63.34
PK	13.96096G	54.90	88.20	-33.30	11.88	3	Vertical	177	1.45	43.02	40.72	9.50	38.34
PK	20.9328G	43.42	74.00	-30.58	-23.01	3	Vertical	0	1.83	66.43	38.10	11.81	63.38

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.9504G	41.45	68.20	-26.75	11.85	3	Horizontal	11	2.79	29.60	40.70	9.49	38.34
AV	20.9358G	31.82	54.00	-22.18	-23.01	3	Horizontal	327	1.70	54.83	38.10	11.81	63.38
PK	13.95464G	53.51	88.20	-34.69	11.86	3	Horizontal	11	2.79	41.65	40.71	9.49	38.34
PK	21.024G	44.49	74.00	-29.51	-22.83	3	Horizontal	327	1.70	67.32	38.15	11.82	63.26


6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX





Antenna Gain(dBi)											
2.88											

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-62.00	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-62.88	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-62.00	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-76.88	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-65.88	OFF	10	100	90	Pass
				Center	6105	-62.88	OFF	10	100	90	Pass
				High edge	6260	-62.00	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-62.88	OFF	10	100	90	Pass
				Center	6425	-62.00	OFF	10	100	90	Pass
				High edge	6580	-62.00	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	56.24	OFF	10	100	90	Pass
				Center	6585	-63.88	OFF	10	100	90	Pass
				High edge	6740	-62.00	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-66.88	OFF	10	100	90	Pass
				Center	6905	-63.88	OFF	10	100	90	Pass
				High edge	7060	-71.88	OFF	10	100	90	Pass



Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-59.12	2.88	-62.00	≤ -62
						Minimal	-60.12	2.88	-63.00	≤ -62
						ON	-61.12	2.88	-64.00	≤ -62
6	101	20	6455	Center	6455	OFF	-60.00	2.88	-62.88	≤ -62
						Minimal	-61.00	2.88	-63.88	≤ -62
						ON	-62.00	2.88	-64.88	≤ -62
7	149	20	6695	Center	6695	OFF	-59.12	2.88	-62.00	≤ -62
						Minimal	-60.12	2.88	-63.00	≤ -62
						ON	-61.12	2.88	-64.00	≤ -62
8	213	20	7015	Center	7015	OFF	-74.00	2.88	-76.88	≤ -62
						Minimal	-75.00	2.88	-77.88	≤ -62
						ON	-76.00	2.88	-78.88	≤ -62


Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-63.00	2.88	-65.88	≤ -62
						Minimal	-64.00	2.88	-66.88	
						ON	-65.00	2.88	-67.88	
				Center	6105	OFF	-60.00	2.88	-62.88	≤ -62
						Minimal	-61.00	2.88	-63.88	
						ON	-62.00	2.88	-64.88	
				High edge	6260	OFF	-59.12	2.88	-62.00	≤ -62
						Minimal	-60.12	2.88	-63.00	
						ON	-61.12	2.88	-64.00	
5,6,7	95	320	6425	Low edge	6270	OFF	-60.00	2.88	-62.88	≤ -62
						Minimal	-61.00	2.88	-63.88	
						ON	-62.00	2.88	-64.88	
				Center	6425	OFF	-59.12	2.88	-62.00	≤ -62
						Minimal	-60.12	2.88	-63.00	
						ON	-61.12	2.88	-64.00	
				High edge	6580	OFF	-59.12	2.88	-62.00	≤ -62
						Minimal	-60.12	2.88	-63.00	
						ON	-61.12	2.88	-64.00	
6,7	127	320	6585	Low edge	6430	OFF	59.12	2.88	56.24	≤ -62
						Minimal	-60.12	2.88	-63.00	
						ON	-61.12	2.88	-64.00	
				Center	6585	OFF	-61.00	2.88	-63.88	≤ -62
						Minimal	-62.00	2.88	-64.88	
						ON	-63.00	2.88	-65.88	
				High edge	6740	OFF	-59.12	2.88	-62.00	≤ -62
						Minimal	-60.12	2.88	-63.00	
						ON	-61.12	2.88	-64.00	
7,8	191	320	6905	Low edge	6750	OFF	-64.00	2.88	-66.88	≤ -62
						Minimal	-65.00	2.88	-67.88	
						ON	-66.00	2.88	-68.88	
				Center	6905	OFF	-61.00	2.88	-63.88	≤ -62
						Minimal	-62.00	2.88	-64.88	
						ON	-63.00	2.88	-65.88	
				High edge	7060	OFF	-69.00	2.88	-71.88	≤ -62
						Minimal	-70.00	2.88	-72.88	
						ON	-71.00	2.88	-73.88	



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




26/12/2024
Sample Time
25us
All TX Time
96.225ms
All TX Sample
3849
Duty Cycle
0.962009
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




26/12/2024
Sample Time
25us
All TX Time
94.475ms
All TX Sample
3779
Duty Cycle
0.944514
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




26/12/2024
Sample Time
25us
All TX Time
76.975ms
All TX Sample
3079
Duty Cycle
0.769558
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




26/12/2024
Sample Time
25us
All TX Time
96.525ms
All TX Sample
3861
Duty Cycle
0.965009
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs



Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main



26/12/2024

Sample Time

25us

All TX Time

59.05ms

All TX Sample

2362

Duty Cycle

0.590352

T1[s]

T2[s]

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



26/12/2024

Sample Time

25us

All TX Time

59.325ms

All TX Sample

2373

Duty Cycle

0.593102

T1[s]

T2[s]

NaNs

T3[s]

T4[s]

NaNs


NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main



26/12/2024

Sample Time

25us

All TX Time

59.8ms

All TX Sample

2392

Duty Cycle

0.597851

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main



26/12/2024

Sample Time

25us

All TX Time

59.125ms

All TX Sample

2365

Duty Cycle

0.591102

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main




26/12/2024
Sample Time
25us
All TX Time
61.75ms
All TX Sample
2470
Duty Cycle
0.617346
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main




26/12/2024
Sample Time
25us
All TX Time
68.725ms
All TX Sample
2749
Duty Cycle
0.687078
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



26/12/2024

Sample Time

25us

All TX Time

62.475ms

All TX Sample

2499

Duty Cycle

0.624594

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



26/12/2024

Sample Time

25us

All TX Time

67.475ms

All TX Sample

2699

Duty Cycle

0.674581

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]

NaNs


NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main




26/12/2024
Sample Time
25us
All TX Time
68.725ms
All TX Sample
2749
Duty Cycle
0.687078
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main




26/12/2024
Sample Time
25us
All TX Time
71.325ms
All TX Sample
2853
Duty Cycle
0.713072
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



26/12/2024

Sample Time

25us

All TX Time

72.725ms

All TX Sample

2909

Duty Cycle

0.727068

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



26/12/2024

Sample Time

25us

All TX Time

68.975ms

All TX Sample

2759

Duty Cycle

0.689578


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 26.DEC.2024 05:06:04


Frequency (MHz): 7015 MHz



Date: 26.DEC.2024 05:06:50


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 26.DEC.2024 05:07:26

Frequency (MHz): 6105 MHz




Date: 26.DEC.2024 05:07:53

Frequency (MHz): 6260 MHz




Date: 26.DEC.2024 05:08:28

Frequency (MHz): 6270 MHz




Date: 26.DEC.2024 05:08:54

Frequency (MHz): 6425 MHz




Date: 26.DEC.2024 05:09:27

Frequency (MHz): 6430 MHz




Date: 26.DEC.2024 05:10:22

Frequency (MHz): 6580 MHz




Date: 26.DEC.2024 05:09:56

Frequency (MHz): 6585 MHz




Date: 26.DEC.2024 05:10:53

Frequency (MHz): 6740 MHz




Date: 26.DEC.2024 05:11:25

Frequency (MHz): 6750 MHz




Date: 26.DEC.2024 05:11:59

Frequency (MHz): 6905 MHz




Date: 26.DEC.2024 05:12:52

Frequency (MHz): 7060 MHz




Date: 26.DEC.2024 05:13:20

2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -61.12 dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -63dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -65dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -60dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -61dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -62dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -59.12dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -60.12dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -61.12dBm)

Time Analysis



Antenna Gain(dBi)											
2.88											

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-66.88	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-65.88	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-67.88	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-74.88	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-70.88	OFF	10	100	90	Pass
				Center	6105	-70.88	OFF	10	100	90	Pass
				High edge	6260	-64.88	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-68.88	OFF	10	100	90	Pass
				Center	6425	-67.88	OFF	10	100	90	Pass
				High edge	6580	-72.88	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-67.88	OFF	10	100	90	Pass
				Center	6585	-74.88	OFF	10	100	90	Pass
				High edge	6740	-64.88	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-71.88	OFF	10	100	90	Pass
				Center	6905	-73.88	OFF	10	100	90	Pass
				High edge	7060	-70.88	OFF	10	100	90	Pass



Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-64.00	2.88	-62.00	≤ -62
						Minimal	-65.00	2.88	-63.00	≤ -62
						ON	-66.00	2.88	-64.00	≤ -62
6	101	20	6455	Center	6455	OFF	-63.00	2.88	-62.88	≤ -62
						Minimal	-64.00	2.88	-63.88	≤ -62
						ON	-65.00	2.88	-64.88	≤ -62
7	149	20	6695	Center	6695	OFF	-65.00	2.88	-62.00	≤ -62
						Minimal	-66.00	2.88	-63.00	≤ -62
						ON	-67.00	2.88	-64.00	≤ -62
8	213	20	7015	Center	7015	OFF	-72.00	2.88	-76.88	≤ -62
						Minimal	-73.00	2.88	-77.88	≤ -62
						ON	-74.00	2.88	-78.88	≤ -62


Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-68.00	2.88	-70.88	≤ -62
						Minimal	-69.00	2.88	-71.88	
						ON	-70.00	2.88	-72.88	
				Center	6105	OFF	-68.00	2.88	-70.88	≤ -62
						Minimal	-69.00	2.88	-71.88	
						ON	-70.00	2.88	-72.88	
				High edge	6260	OFF	-62.00	2.88	-64.88	≤ -62
						Minimal	-63.00	2.88	-65.88	
						ON	-64.00	2.88	-66.88	
5,6,7	95	320	6425	Low edge	6270	OFF	-66.00	2.88	-68.88	≤ -62
						Minimal	-67.00	2.88	-69.88	
						ON	-68.00	2.88	-70.88	
				Center	6425	OFF	-65.00	2.88	-67.88	≤ -62
						Minimal	-66.00	2.88	-68.88	
						ON	-67.00	2.88	-69.88	
				High edge	6580	OFF	-70.00	2.88	-72.88	≤ -62
						Minimal	-71.00	2.88	-73.88	
						ON	-72.00	2.88	-74.88	
6,7	127	320	6585	Low edge	6430	OFF	-65.00	2.88	-67.88	≤ -62
						Minimal	-66.00	2.88	-68.88	
						ON	-67.00	2.88	-69.88	
				Center	6585	OFF	-72.00	2.88	-74.88	≤ -62
						Minimal	-73.00	2.88	-75.88	
						ON	-74.00	2.88	-76.88	
				High edge	6740	OFF	-62.00	2.88	-64.88	≤ -62
						Minimal	-63.00	2.88	-65.88	
						ON	-64.00	2.88	-66.88	
7,8	191	320	6905	Low edge	6750	OFF	-69.00	2.88	-71.88	≤ -62
						Minimal	-70.00	2.88	-72.88	
						ON	-71.00	2.88	-73.88	
				Center	6905	OFF	-71.00	2.88	-73.88	≤ -62
						Minimal	-72.00	2.88	-74.88	
						ON	-73.00	2.88	-75.88	
				High edge	7060	OFF	-68.00	2.88	-70.88	≤ -62
						Minimal	-69.00	2.88	-71.88	
						ON	-70.00	2.88	-72.88	



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




18/12/2024	
Sample Time	
25us	
All TX Time	
75.075ms	
All TX Sample	
3003	
Duty Cycle	
0.750562	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




18/12/2024	
Sample Time	
25us	
All TX Time	
81.275ms	
All TX Sample	
3251	
Duty Cycle	
0.812547	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




18/12/2024
Sample Time
25us
All TX Time
90.85ms
All TX Sample
3634
Duty Cycle
0.908273
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




18/12/2024
Sample Time
25us
All TX Time
92.15ms
All TX Sample
3686
Duty Cycle
0.92127
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



18/12/2024

Sample Time

25us

All TX Time

23.8ms

All TX Sample

952

Duty Cycle

0.237941

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



19/12/2024

Sample Time

25us

All TX Time

23.075ms

All TX Sample

923

Duty Cycle

0.230692

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



19/12/2024

Sample Time

25us

All TX Time

34.2ms

All TX Sample

1368

Duty Cycle

0.341915

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



19/12/2024

Sample Time

25us

All TX Time

39.45ms

All TX Sample

1578

Duty Cycle

0.394401


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 18.DEC.2024 11:29:48


Frequency (MHz): 7015 MHz



Date: 18.DEC.2024 11:30:52


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 18.DEC.2024 11:31:38

Frequency (MHz): 6105 MHz




Date: 18.DEC.2024 11:32:21

Frequency (MHz): 6260 MHz




Date: 18.DEC.2024 11:32:59

Frequency (MHz): 6270 MHz




Date: 18.DEC.2024 11:33:32

Frequency (MHz): 6425 MHz




Date: 18.DEC.2024 11:34:02

Frequency (MHz): 6430 MHz




Date: 18.DEC.2024 11:34:58

Frequency (MHz): 6580 MHz




Date: 18.DEC.2024 11:34:30

Frequency (MHz): 6585 MHz




Date: 18.DEC.2024 11:35:33

Frequency (MHz): 6740 MHz




Date: 18.DEC.2024 11:36:05

Frequency (MHz): 6750 MHz




Date: 18.DEC.2024 11:36:39

Frequency (MHz): 6905 MHz




Date: 18.DEC.2024 11:37:13

Frequency (MHz): 7060 MHz




Date: 18.DEC.2024 11:37:54

2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -66dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -70dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -70dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -62dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -63dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -64dBm)

Time Analysis






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	5.68084G	52.35	74.00	-21.65	Horizontal

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.19615G	24.03	54.00	-29.97	3	Vertical	244	2.00
Mode 1	Pass	AV	1.35411G	23.68	54.00	-30.32	3	Vertical	162	1.00
Mode 1	Pass	AV	5.96115G	31.86	54.00	-22.14	3	Vertical	28	1.52
Mode 1	Pass	PK	1.19615G	40.59	74.00	-33.41	3	Vertical	244	2.00
Mode 1	Pass	PK	1.35411G	37.09	74.00	-36.91	3	Vertical	162	1.00
Mode 1	Pass	PK	5.96115G	50.24	74.00	-23.76	3	Vertical	28	1.52
Mode 1	Pass	AV	1.15423G	24.56	54.00	-29.44	3	Horizontal	341	1.04
Mode 1	Pass	AV	2.07577G	25.94	54.00	-28.06	3	Horizontal	30	1.00
Mode 1	Pass	AV	5.68084G	32.13	54.00	-21.87	3	Horizontal	27	2.00
Mode 1	Pass	PK	1.15423G	37.73	74.00	-36.27	3	Horizontal	341	1.04
Mode 1	Pass	PK	2.07577G	39.42	74.00	-34.58	3	Horizontal	30	1.00
Mode 1	Pass	PK	5.68084G	52.35	74.00	-21.65	3	Horizontal	27	2.00

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19615G	24.03	54.00	-29.97	-6.32	3	Vertical	244	2.00	30.35	26.10	3.14	35.56
AV	1.35411G	23.68	54.00	-30.32	-6.12	3	Vertical	162	1.00	29.80	25.86	3.35	35.33
AV	5.96115G	31.86	54.00	-22.14	6.08	3	Vertical	28	1.52	25.78	34.02	7.32	35.26
PK	1.19615G	40.59	74.00	-33.41	-6.32	3	Vertical	244	2.00	46.91	26.10	3.14	35.56
PK	1.35411G	37.09	74.00	-36.91	-6.12	3	Vertical	162	1.00	43.21	25.86	3.35	35.33
PK	5.96115G	50.24	74.00	-23.76	6.08	3	Vertical	28	1.52	44.16	34.02	7.32	35.26

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.15423G	24.56	54.00	-29.44	-6.47	3	Horizontal	341	1.04	31.03	26.06	3.09	35.62
AV	2.07577G	25.94	54.00	-28.06	-3.29	3	Horizontal	30	1.00	29.23	27.50	4.21	35.00
AV	5.68084G	32.13	54.00	-21.87	5.45	3	Horizontal	27	2.00	26.68	33.41	7.19	35.15
PK	1.15423G	37.73	74.00	-36.27	-6.47	3	Horizontal	341	1.04	44.20	26.06	3.09	35.62
PK	2.07577G	39.42	74.00	-34.58	-3.29	3	Horizontal	30	1.00	42.71	27.50	4.21	35.00
PK	5.68084G	52.35	74.00	-21.65	5.45	3	Horizontal	27	2.00	46.90	33.41	7.19	35.15