



RSE TX below 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.8

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	105.66M	29.66	43.50	-13.84	3	Vertical	0	1.00
6225MHz	Pass	PK	220.12M	34.31	46.00	-11.69	3	Vertical	0	1.00
6225MHz	Pass	PK	286.08M	31.62	46.00	-14.38	3	Vertical	0	1.00
6225MHz	Pass	PK	485.9M	30.19	46.00	-15.81	3	Vertical	0	1.00
6225MHz	Pass	PK	627.52M	34.19	46.00	-11.81	3	Vertical	0	1.00
6225MHz	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00
6225MHz	Pass	PK	31.94M	25.71	40.00	-14.29	3	Horizontal	360	1.00
6225MHz	Pass	PK	115.36M	30.52	43.50	-12.98	3	Horizontal	360	1.00
6225MHz	Pass	PK	220.12M	32.99	46.00	-13.01	3	Horizontal	360	1.00
6225MHz	Pass	PK	289.96M	37.57	46.00	-8.43	3	Horizontal	360	1.00
6225MHz	Pass	PK	487.84M	30.14	46.00	-15.86	3	Horizontal	360	1.00
6225MHz	Pass	PK	631.4M	34.45	46.00	-11.55	3	Horizontal	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.8

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
PK	105.66M	29.66	43.50	-13.84	-8.46	3	Vertical	0	1.00	38.12	17.77	1.05	27.28				
PK	220.12M	34.31	46.00	-11.69	-9.48	3	Vertical	0	1.00	43.79	15.30	2.08	26.86				
PK	286.08M	31.62	46.00	-14.38	-5.45	3	Vertical	0	1.00	37.07	19.04	2.22	26.71				
PK	485.9M	30.19	46.00	-15.81	-1.41	3	Vertical	0	1.00	31.60	23.54	3.14	28.09				
PK	627.52M	34.19	46.00	-11.81	0.46	3	Vertical	0	1.00	33.73	24.99	3.69	28.22				
QP	36.82M	31.75	40.00	-8.25	-6.41	3	Vertical	332	1.00	38.16	20.79	0.29	27.49				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
PK	31.94M	25.71	40.00	-14.29	-3.93	3	Horizontal	360	1.00	29.64	23.31	0.26	27.50				
PK	115.36M	30.52	43.50	-12.98	-7.61	3	Horizontal	360	1.00	38.13	18.43	1.20	27.24				
PK	220.12M	32.99	46.00	-13.01	-9.48	3	Horizontal	360	1.00	42.47	15.30	2.08	26.86				
PK	289.96M	37.57	46.00	-8.43	-5.35	3	Horizontal	360	1.00	42.92	19.14	2.22	26.71				
PK	487.84M	30.14	46.00	-15.86	-1.40	3	Horizontal	360	1.00	31.54	23.54	3.16	28.10				
PK	631.4M	34.45	46.00	-11.55	0.52	3	Horizontal	360	1.00	33.93	25.04	3.70	28.22				



RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	Pass	AV	5.925G	64.29	68.20	-3.91	3	Vertical	337	2.01
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	Pass	AV	5.9245G	66.13	68.20	-2.07	3	Vertical	341	1.90
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	Pass	AV	5.924G	62.40	68.20	-5.80	3	Vertical	342	1.71



RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	64.29	68.20	-3.91	3	Vertical	337	2.01
5985MHz	Pass	AV	5.9995G	97.22	Inf	-Inf	3	Vertical	337	2.01
5985MHz	Pass	PK	5.9165G	82.00	88.20	-6.20	3	Vertical	337	2.01
5985MHz	Pass	PK	5.9965G	110.41	Inf	-Inf	3	Vertical	337	2.01
5985MHz	Pass	AV	5.925G	62.51	68.20	-5.69	3	Horizontal	318	2.05
5985MHz	Pass	AV	6.0035G	96.98	Inf	-Inf	3	Horizontal	318	2.05
5985MHz	Pass	PK	5.9235G	79.60	88.20	-8.60	3	Horizontal	318	2.05
5985MHz	Pass	PK	5.9795G	110.21	Inf	-Inf	3	Horizontal	318	2.05
5985MHz	Pass	AV	11.96158G	37.72	54.00	-16.28	3	Vertical	340	2.42
5985MHz	Pass	PK	11.9648G	50.98	74.00	-23.02	3	Vertical	340	2.42
5985MHz	Pass	AV	11.96312G	37.72	54.00	-16.28	3	Horizontal	242	2.52
5985MHz	Pass	PK	11.97904G	50.41	74.00	-23.59	3	Horizontal	242	2.52
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	66.13	68.20	-2.07	3	Vertical	341	1.90
6025MHz	Pass	AV	6.008G	94.31	Inf	-Inf	3	Vertical	341	1.90
6025MHz	Pass	PK	5.8975G	82.49	88.20	-5.71	3	Vertical	341	1.90
6025MHz	Pass	PK	6.0145G	108.18	Inf	-Inf	3	Vertical	341	1.90
6025MHz	Pass	AV	5.924G	63.62	68.20	-4.58	3	Horizontal	318	2.16
6025MHz	Pass	AV	6.0395G	93.85	Inf	-Inf	3	Horizontal	318	2.16
6025MHz	Pass	PK	5.896G	81.64	88.20	-6.56	3	Horizontal	318	2.16
6025MHz	Pass	PK	6.036G	107.71	Inf	-Inf	3	Horizontal	318	2.16
6025MHz	Pass	AV	12.05758G	38.15	54.00	-15.85	3	Vertical	210	2.24
6025MHz	Pass	PK	12.05084G	50.18	74.00	-23.82	3	Vertical	210	2.24
6025MHz	Pass	AV	12.05988G	38.19	54.00	-15.81	3	Horizontal	9	2.26
6025MHz	Pass	PK	12.05712G	51.41	74.00	-22.59	3	Horizontal	9	2.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	62.17	68.20	-6.03	3	Vertical	358	1.81
6025MHz	Pass	AV	6.056G	94.11	Inf	-Inf	3	Vertical	358	1.81
6025MHz	Pass	PK	5.924G	76.24	88.20	-11.96	3	Vertical	358	1.81
6025MHz	Pass	PK	6.0395G	107.95	Inf	-Inf	3	Vertical	358	1.81
6025MHz	Pass	AV	5.9245G	61.23	68.20	-6.97	3	Horizontal	315	2.19
6025MHz	Pass	AV	6.0385G	93.57	Inf	-Inf	3	Horizontal	315	2.19
6025MHz	Pass	PK	5.9195G	79.42	88.20	-8.78	3	Horizontal	315	2.19
6025MHz	Pass	PK	5.9895G	106.65	Inf	-Inf	3	Horizontal	315	2.19
6025MHz	Pass	AV	12.05826G	38.17	54.00	-15.83	3	Vertical	102	1.40
6025MHz	Pass	PK	12.05742G	51.45	74.00	-22.55	3	Vertical	102	1.40
6025MHz	Pass	AV	12.05878G	38.16	54.00	-15.84	3	Horizontal	126	2.41
6025MHz	Pass	PK	12.04966G	51.47	74.00	-22.53	3	Horizontal	126	2.41
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	62.40	68.20	-5.80	3	Vertical	342	1.71
6105MHz	Pass	AV	6.028G	90.52	Inf	-Inf	3	Vertical	342	1.71
6105MHz	Pass	PK	5.915G	80.37	88.20	-7.83	3	Vertical	342	1.71
6105MHz	Pass	PK	5.98G	103.21	Inf	-Inf	3	Vertical	342	1.71
6105MHz	Pass	AV	5.924G	61.08	68.20	-7.12	3	Horizontal	315	2.33
6105MHz	Pass	AV	6.042G	90.27	Inf	-Inf	3	Horizontal	315	2.33
6105MHz	Pass	PK	5.913G	79.38	88.20	-8.82	3	Horizontal	315	2.33
6105MHz	Pass	PK	6.044G	103.36	Inf	-Inf	3	Horizontal	315	2.33
6105MHz	Pass	AV	12.21914G	38.68	54.00	-15.32	3	Vertical	335	2.35
6105MHz	Pass	PK	12.21962G	52.13	74.00	-21.87	3	Vertical	335	2.35
6105MHz	Pass	AV	12.20994G	38.69	54.00	-15.31	3	Horizontal	77	2.19
6105MHz	Pass	PK	12.20212G	51.93	74.00	-22.07	3	Horizontal	77	2.19
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	61.29	68.20	-6.91	3	Vertical	342	1.72
6105MHz	Pass	AV	6.031G	90.73	Inf	-Inf	3	Vertical	342	1.72
6105MHz	Pass	PK	5.919G	78.45	88.20	-9.75	3	Vertical	342	1.72
6105MHz	Pass	PK	6.003G	104.39	Inf	-Inf	3	Vertical	342	1.72
6105MHz	Pass	AV	5.925G	60.07	68.20	-8.13	3	Horizontal	315	2.21
6105MHz	Pass	AV	6.035G	90.55	Inf	-Inf	3	Horizontal	315	2.21
6105MHz	Pass	PK	5.916G	80.84	88.20	-7.36	3	Horizontal	315	2.21
6105MHz	Pass	PK	6.006G	104.00	Inf	-Inf	3	Horizontal	315	2.21



RSE TX above 1GHz Non-Beamforming Radio 2 1T1S Multi-RU Appendix E.9


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.21696G	38.67	54.00	-15.33	3	Vertical	349	1.12
6105MHz	Pass	PK	12.20112G	51.48	74.00	-22.52	3	Vertical	349	1.12
6105MHz	Pass	AV	12.20984G	38.67	54.00	-15.33	3	Horizontal	171	1.94
6105MHz	Pass	PK	12.21058G	51.45	74.00	-22.55	3	Horizontal	171	1.94
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	57.05	68.20	-11.15	3	Vertical	339	1.72
6105MHz	Pass	AV	6.03G	90.05	Inf	-Inf	3	Vertical	339	1.72
6105MHz	Pass	PK	5.909G	75.20	88.20	-13.00	3	Vertical	339	1.72
6105MHz	Pass	PK	5.989G	103.12	Inf	-Inf	3	Vertical	339	1.72
6105MHz	Pass	AV	5.924G	55.10	68.20	-13.10	3	Horizontal	310	2.16
6105MHz	Pass	AV	6.007G	89.55	Inf	-Inf	3	Horizontal	310	2.16
6105MHz	Pass	PK	5.913G	74.04	88.20	-14.16	3	Horizontal	310	2.16
6105MHz	Pass	PK	6.017G	103.29	Inf	-Inf	3	Horizontal	310	2.16
6105MHz	Pass	AV	12.21876G	38.83	54.00	-15.17	3	Vertical	242	1.63
6105MHz	Pass	PK	12.21132G	52.76	74.00	-21.24	3	Vertical	242	1.63
6105MHz	Pass	AV	12.20994G	38.88	54.00	-15.12	3	Horizontal	338	1.49
6105MHz	Pass	PK	12.2168G	52.10	74.00	-21.90	3	Horizontal	338	1.49



RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

6025MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

6025MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX

6105MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_1T1S_Multi-RU Appendix E.9


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX

6105MHz_TX





RSE TX below 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00



RSE TX below 1GHz Non-Beamforming Radio 2 2T1S Full RU Appendix E.10

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	105.66M	29.66	43.50	-13.84	3	Vertical	0	1.00
6225MHz	Pass	PK	220.12M	34.31	46.00	-11.69	3	Vertical	0	1.00
6225MHz	Pass	PK	286.08M	31.62	46.00	-14.38	3	Vertical	0	1.00
6225MHz	Pass	PK	485.9M	30.19	46.00	-15.81	3	Vertical	0	1.00
6225MHz	Pass	PK	627.52M	34.19	46.00	-11.81	3	Vertical	0	1.00
6225MHz	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00
6225MHz	Pass	PK	31.94M	25.71	40.00	-14.29	3	Horizontal	360	1.00
6225MHz	Pass	PK	115.36M	30.52	43.50	-12.98	3	Horizontal	360	1.00
6225MHz	Pass	PK	220.12M	32.99	46.00	-13.01	3	Horizontal	360	1.00
6225MHz	Pass	PK	289.96M	37.57	46.00	-8.43	3	Horizontal	360	1.00
6225MHz	Pass	PK	487.84M	30.14	46.00	-15.86	3	Horizontal	360	1.00
6225MHz	Pass	PK	631.4M	34.45	46.00	-11.55	3	Horizontal	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.10

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	105.66M	29.66	43.50	-13.84	-8.46	3	Vertical	0	1.00	38.12	17.77	1.05	27.28
PK	220.12M	34.31	46.00	-11.69	-9.48	3	Vertical	0	1.00	43.79	15.30	2.08	26.86
PK	286.08M	31.62	46.00	-14.38	-5.45	3	Vertical	0	1.00	37.07	19.04	2.22	26.71
PK	485.9M	30.19	46.00	-15.81	-1.41	3	Vertical	0	1.00	31.60	23.54	3.14	28.09
PK	627.52M	34.19	46.00	-11.81	0.46	3	Vertical	0	1.00	33.73	24.99	3.69	28.22
QP	36.82M	31.75	40.00	-8.25	-6.41	3	Vertical	332	1.00	38.16	20.79	0.29	27.49

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	25.71	40.00	-14.29	-3.93	3	Horizontal	360	1.00	29.64	23.31	0.26	27.50
PK	115.36M	30.52	43.50	-12.98	-7.61	3	Horizontal	360	1.00	38.13	18.43	1.20	27.24
PK	220.12M	32.99	46.00	-13.01	-9.48	3	Horizontal	360	1.00	42.47	15.30	2.08	26.86
PK	289.96M	37.57	46.00	-8.43	-5.35	3	Horizontal	360	1.00	42.92	19.14	2.22	26.71
PK	487.84M	30.14	46.00	-15.86	-1.40	3	Horizontal	360	1.00	31.54	23.54	3.16	28.10
PK	631.4M	34.45	46.00	-11.55	0.52	3	Horizontal	360	1.00	33.93	25.04	3.70	28.22



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S Full RU Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.9193G	57.63	68.20	-10.57	3	Horizontal	326	2.13
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	64.59	68.20	-3.61	3	Horizontal	323	2.12
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.9235G	65.41	68.20	-2.79	3	Horizontal	321	2.26
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	62.86	68.20	-5.34	3	Horizontal	325	2.32
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.65	68.20	-0.55	3	Horizontal	327	2.28
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.3815G	40.14	54.00	-13.86	3	Horizontal	283	1.46
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.37568G	40.12	54.00	-13.88	3	Vertical	27	2.81
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.25784G	40.07	54.00	-13.93	3	Vertical	275	1.96
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.32214G	40.12	54.00	-13.88	3	Horizontal	237	1.77



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S Full RU Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	57.30	68.20	-10.90	3	Vertical	345	1.99
5955MHz	Pass	AV	5.9565G	105.36	Inf	-Inf	3	Vertical	345	1.99
5955MHz	Pass	PK	5.9211G	75.66	88.20	-12.54	3	Vertical	345	1.99
5955MHz	Pass	PK	5.9568G	118.35	Inf	-Inf	3	Vertical	345	1.99
5955MHz	Pass	AV	5.9193G	57.63	68.20	-10.57	3	Horizontal	326	2.13
5955MHz	Pass	AV	5.9562G	107.36	Inf	-Inf	3	Horizontal	326	2.13
5955MHz	Pass	PK	5.9181G	76.28	88.20	-11.92	3	Horizontal	326	2.13
5955MHz	Pass	PK	5.9568G	120.66	Inf	-Inf	3	Horizontal	326	2.13
5955MHz	Pass	AV	11.9096G	38.08	54.00	-15.92	3	Vertical	40	1.91
5955MHz	Pass	PK	11.91854G	51.81	74.00	-22.19	3	Vertical	40	1.91
5955MHz	Pass	AV	11.9062G	38.08	54.00	-15.92	3	Horizontal	292	2.54
5955MHz	Pass	PK	11.90706G	52.05	74.00	-21.95	3	Horizontal	292	2.54
6195MHz	Pass	AV	12.38046G	38.08	54.00	-15.92	3	Vertical	296	2.70
6195MHz	Pass	PK	12.38792G	50.73	74.00	-23.27	3	Vertical	296	2.70
6195MHz	Pass	AV	12.3868G	38.09	54.00	-15.91	3	Horizontal	148	1.73
6195MHz	Pass	PK	12.39612G	51.30	74.00	-22.70	3	Horizontal	148	1.73
6415MHz	Pass	AV	12.83526G	39.36	68.20	-28.84	3	Vertical	239	2.09
6415MHz	Pass	PK	12.82986G	51.72	88.20	-36.48	3	Vertical	239	2.09
6415MHz	Pass	AV	12.83746G	39.36	68.20	-28.84	3	Horizontal	87	1.65
6415MHz	Pass	PK	12.83556G	51.58	88.20	-36.62	3	Horizontal	87	1.65
6535MHz	Pass	AV	13.06516G	39.51	68.20	-28.69	3	Vertical	92	2.63
6535MHz	Pass	PK	13.07328G	52.06	88.20	-36.14	3	Vertical	92	2.63
6535MHz	Pass	AV	13.06658G	39.48	68.20	-28.72	3	Horizontal	351	2.34
6535MHz	Pass	PK	13.06308G	52.78	88.20	-35.42	3	Horizontal	351	2.34
6695MHz	Pass	AV	13.38328G	40.13	54.00	-13.87	3	Vertical	9	1.00
6695MHz	Pass	PK	13.38052G	52.83	74.00	-21.17	3	Vertical	9	1.00
6695MHz	Pass	AV	13.3815G	40.14	54.00	-13.86	3	Horizontal	283	1.46
6695MHz	Pass	PK	13.3986G	52.90	74.00	-21.10	3	Horizontal	283	1.46
6855MHz	Pass	AV	13.7023G	40.38	68.20	-27.82	3	Vertical	271	2.66
6855MHz	Pass	PK	13.71626G	52.09	88.20	-36.11	3	Vertical	271	2.66
6855MHz	Pass	AV	13.70342G	40.34	68.20	-27.86	3	Horizontal	11	1.33
6855MHz	Pass	PK	13.7086G	53.29	88.20	-34.91	3	Horizontal	11	1.33
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	62.56	68.20	-5.64	3	Vertical	349	1.62
5965MHz	Pass	AV	5.9833G	103.20	Inf	-Inf	3	Vertical	349	1.62
5965MHz	Pass	PK	5.9248G	77.76	88.20	-10.44	3	Vertical	349	1.62
5965MHz	Pass	PK	5.9833G	116.11	Inf	-Inf	3	Vertical	349	1.62
5965MHz	Pass	AV	5.9248G	64.59	68.20	-3.61	3	Horizontal	323	2.12
5965MHz	Pass	AV	5.9836G	105.11	Inf	-Inf	3	Horizontal	323	2.12
5965MHz	Pass	PK	5.9245G	79.87	88.20	-8.33	3	Horizontal	323	2.12
5965MHz	Pass	PK	5.9836G	117.68	Inf	-Inf	3	Horizontal	323	2.12
5965MHz	Pass	AV	11.92396G	38.36	54.00	-15.64	3	Vertical	360	1.50
5965MHz	Pass	PK	11.92318G	51.28	74.00	-22.72	3	Vertical	360	1.50
5965MHz	Pass	AV	11.9241G	38.26	54.00	-15.74	3	Horizontal	290	1.86
5965MHz	Pass	PK	11.93204G	50.98	74.00	-23.02	3	Horizontal	290	1.86
6205MHz	Pass	AV	12.40388G	37.92	54.00	-16.08	3	Vertical	350	2.62
6205MHz	Pass	PK	12.41022G	50.40	74.00	-23.60	3	Vertical	350	2.62
6205MHz	Pass	AV	12.4166G	37.93	54.00	-16.07	3	Horizontal	297	2.98
6205MHz	Pass	PK	12.41826G	50.41	74.00	-23.59	3	Horizontal	297	2.98
6405MHz	Pass	AV	12.80142G	39.39	68.20	-28.81	3	Vertical	43	1.37
6405MHz	Pass	PK	12.81992G	52.07	88.20	-36.13	3	Vertical	43	1.37
6405MHz	Pass	AV	12.80192G	39.41	68.20	-28.79	3	Horizontal	51	2.27
6405MHz	Pass	PK	12.80394G	51.82	88.20	-36.38	3	Horizontal	51	2.27
6565MHz	Pass	AV	13.13694G	39.72	68.20	-28.48	3	Vertical	268	1.37
6565MHz	Pass	PK	13.12608G	52.54	88.20	-35.66	3	Vertical	268	1.37
6565MHz	Pass	AV	13.1372G	39.76	68.20	-28.44	3	Horizontal	246	2.35
6565MHz	Pass	PK	13.13038G	52.17	88.20	-36.03	3	Horizontal	246	2.35
6685MHz	Pass	AV	13.37568G	40.12	54.00	-13.88	3	Vertical	27	2.81
6685MHz	Pass	PK	13.37124G	52.52	74.00	-21.48	3	Vertical	27	2.81
6685MHz	Pass	AV	13.3763G	40.08	54.00	-13.92	3	Horizontal	158	2.39



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S Full RU Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6885MHz	Pass	PK	13.36174G	52.65	74.00	-21.35	3	Horizontal	158	2.39
6845MHz	Pass	AV	13.6962G	40.41	68.20	-27.79	3	Vertical	8	2.70
6845MHz	Pass	PK	13.69988G	52.52	88.20	-35.68	3	Vertical	8	2.70
6845MHz	Pass	AV	13.69632G	40.35	68.20	-27.85	3	Horizontal	346	1.70
6845MHz	Pass	PK	13.6927G	53.03	88.20	-35.17	3	Horizontal	346	1.70
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.921G	63.07	68.20	-5.13	3	Vertical	350	1.76
5985MHz	Pass	AV	6.006G	100.42	Inf	-Inf	3	Vertical	350	1.76
5985MHz	Pass	PK	5.9225G	78.09	88.20	-10.11	3	Vertical	350	1.76
5985MHz	Pass	PK	5.9675G	113.07	Inf	-Inf	3	Vertical	350	1.76
5985MHz	Pass	AV	5.9235G	65.41	68.20	-2.79	3	Horizontal	321	2.26
5985MHz	Pass	AV	6.0065G	102.79	Inf	-Inf	3	Horizontal	321	2.26
5985MHz	Pass	PK	5.9225G	79.49	88.20	-8.71	3	Horizontal	321	2.26
5985MHz	Pass	PK	6.0065G	116.20	Inf	-Inf	3	Horizontal	321	2.26
5985MHz	Pass	AV	11.96064G	38.09	54.00	-15.91	3	Vertical	208	2.01
5985MHz	Pass	PK	11.97266G	51.13	74.00	-22.87	3	Vertical	208	2.01
5985MHz	Pass	AV	11.96112G	38.34	54.00	-15.66	3	Horizontal	131	1.43
5985MHz	Pass	PK	11.97262G	50.35	74.00	-23.65	3	Horizontal	131	1.43
6225MHz	Pass	AV	12.4557G	38.00	54.00	-16.00	3	Vertical	237	1.96
6225MHz	Pass	PK	12.4434G	50.77	74.00	-23.23	3	Vertical	237	1.96
6225MHz	Pass	AV	12.44006G	38.04	54.00	-15.96	3	Horizontal	19	1.23
6225MHz	Pass	PK	12.45436G	50.79	74.00	-23.21	3	Horizontal	19	1.23
6385MHz	Pass	AV	12.77016G	39.49	68.20	-28.71	3	Vertical	342	1.74
6385MHz	Pass	PK	12.76416G	52.00	88.20	-36.20	3	Vertical	342	1.74
6385MHz	Pass	AV	12.76142G	39.43	68.20	-28.77	3	Horizontal	160	2.00
6385MHz	Pass	PK	12.76814G	52.23	88.20	-35.97	3	Horizontal	160	2.00
6625MHz	Pass	AV	13.25784G	40.07	54.00	-13.93	3	Vertical	275	1.96
6625MHz	Pass	PK	13.25602G	52.48	74.00	-21.52	3	Vertical	275	1.96
6625MHz	Pass	AV	13.24524G	39.78	68.20	-28.42	3	Horizontal	115	2.48
6625MHz	Pass	PK	13.24514G	52.60	88.20	-35.60	3	Horizontal	115	2.48
6705MHz	Pass	AV	13.40984G	40.29	68.20	-27.91	3	Vertical	37	1.25
6705MHz	Pass	PK	13.40622G	53.34	88.20	-34.86	3	Vertical	37	1.25
6705MHz	Pass	AV	13.40644G	40.26	68.20	-27.94	3	Horizontal	54	2.23
6705MHz	Pass	PK	13.40292G	53.78	88.20	-34.42	3	Horizontal	54	2.23
6785MHz	Pass	AV	13.56946G	40.88	68.20	-27.32	3	Vertical	51	1.64
6785MHz	Pass	PK	13.56144G	53.88	88.20	-34.32	3	Vertical	51	1.64
6785MHz	Pass	AV	13.56916G	40.90	68.20	-27.30	3	Horizontal	143	2.98
6785MHz	Pass	PK	13.5741G	53.35	88.20	-34.85	3	Horizontal	143	2.98
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	61.42	68.20	-6.78	3	Vertical	351	1.71
6025MHz	Pass	AV	6.087G	96.62	Inf	-Inf	3	Vertical	351	1.71
6025MHz	Pass	PK	5.909G	76.64	88.20	-11.56	3	Vertical	351	1.71
6025MHz	Pass	PK	6.0855G	109.83	Inf	-Inf	3	Vertical	351	1.71
6025MHz	Pass	AV	5.9245G	62.86	68.20	-5.34	3	Horizontal	325	2.32
6025MHz	Pass	AV	6.047G	99.22	Inf	-Inf	3	Horizontal	325	2.32
6025MHz	Pass	PK	5.909G	76.43	88.20	-11.77	3	Horizontal	325	2.32
6025MHz	Pass	PK	6.048G	113.17	Inf	-Inf	3	Horizontal	325	2.32
6025MHz	Pass	AV	12.05068G	38.33	54.00	-15.67	3	Vertical	58	1.15
6025MHz	Pass	PK	12.055G	51.98	74.00	-22.02	3	Vertical	58	1.15
6025MHz	Pass	AV	12.04942G	38.51	54.00	-15.49	3	Horizontal	340	1.44
6025MHz	Pass	PK	12.05538G	51.05	74.00	-22.95	3	Horizontal	340	1.44
6185MHz	Pass	AV	12.36094G	38.23	54.00	-15.77	3	Vertical	127	1.84
6185MHz	Pass	PK	12.36536G	50.51	74.00	-23.49	3	Vertical	127	1.84
6185MHz	Pass	AV	12.36068G	38.24	54.00	-15.76	3	Horizontal	130	1.37
6185MHz	Pass	PK	12.36704G	51.33	74.00	-22.67	3	Horizontal	130	1.37
6345MHz	Pass	AV	12.68742G	39.44	54.00	-14.56	3	Vertical	207	2.34
6345MHz	Pass	PK	12.68252G	51.85	74.00	-22.15	3	Vertical	207	2.34
6345MHz	Pass	AV	12.68592G	39.41	54.00	-14.59	3	Horizontal	150	1.99
6345MHz	Pass	PK	12.68136G	52.13	74.00	-21.87	3	Horizontal	150	1.99
6665MHz	Pass	AV	13.3217G	40.10	54.00	-13.90	3	Vertical	260	2.20
6665MHz	Pass	PK	13.32452G	52.50	74.00	-21.50	3	Vertical	260	2.20
6665MHz	Pass	AV	13.32214G	40.12	54.00	-13.88	3	Horizontal	237	1.77



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S Full RU Appendix E.11


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.3219G	52.69	74.00	-21.31	3	Horizontal	237	1.77
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	65.47	68.20	-2.73	3	Vertical	353	1.61
6105MHz	Pass	AV	6.085G	94.43	Inf	-Inf	3	Vertical	353	1.61
6105MHz	Pass	PK	5.922G	78.29	88.20	-9.91	3	Vertical	353	1.61
6105MHz	Pass	PK	6.129G	107.42	Inf	-Inf	3	Vertical	353	1.61
6105MHz	Pass	AV	5.925G	67.65	68.20	-0.55	3	Horizontal	327	2.28
6105MHz	Pass	AV	6.086G	96.77	Inf	-Inf	3	Horizontal	327	2.28
6105MHz	Pass	PK	5.924G	80.81	88.20	-7.39	3	Horizontal	327	2.28
6105MHz	Pass	PK	6.066G	109.50	Inf	-Inf	3	Horizontal	327	2.28
6105MHz	Pass	AV	12.21058G	38.65	54.00	-15.35	3	Vertical	298	2.52
6105MHz	Pass	PK	12.20778G	51.67	74.00	-22.33	3	Vertical	298	2.52
6105MHz	Pass	AV	12.20602G	38.92	54.00	-15.08	3	Horizontal	196	2.87
6105MHz	Pass	PK	12.21842G	52.42	74.00	-21.58	3	Horizontal	196	2.87
6265MHz	Pass	AV	5.9226G	60.47	68.20	-7.73	3	Vertical	351	1.58
6265MHz	Pass	AV	6.12596G	93.51	Inf	-Inf	3	Vertical	351	1.58
6265MHz	Pass	PK	5.92136G	74.90	88.20	-13.30	3	Vertical	351	1.58
6265MHz	Pass	PK	6.12596G	106.19	Inf	-Inf	3	Vertical	351	1.58
6265MHz	Pass	AV	5.92384G	61.49	68.20	-6.71	3	Horizontal	329	2.16
6265MHz	Pass	AV	6.12596G	95.31	Inf	-Inf	3	Horizontal	329	2.16
6265MHz	Pass	PK	5.92136G	75.34	88.20	-12.86	3	Horizontal	329	2.16
6265MHz	Pass	PK	6.1272G	108.59	Inf	-Inf	3	Horizontal	329	2.16
6265MHz	Pass	AV	12.53958G	38.36	54.00	-15.64	3	Vertical	141	1.89
6265MHz	Pass	PK	12.53G	51.32	74.00	-22.68	3	Vertical	141	1.89
6265MHz	Pass	AV	12.53972G	38.35	54.00	-15.65	3	Horizontal	114	1.84
6265MHz	Pass	PK	12.53372G	51.71	74.00	-22.29	3	Horizontal	114	1.84



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	62.56	68.20	-5.64	1.89	3	Vertical	349	1.62	60.67	34.55	5.18	37.84
AV	5.9833G	103.20	Inf	-Inf	1.97	3	Vertical	349	1.62	101.23	34.50	5.26	37.79
PK	5.9248G	77.76	88.20	-10.44	1.89	3	Vertical	349	1.62	75.87	34.55	5.18	37.84
PK	5.9833G	116.11	Inf	-Inf	1.97	3	Vertical	349	1.62	114.14	34.50	5.26	37.79

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	64.59	68.20	-3.61	1.89	3	Horizontal	323	2.12	62.70	34.55	5.18	37.84
AV	5.9836G	105.11	Inf	-Inf	1.98	3	Horizontal	323	2.12	103.13	34.50	5.27	37.79
PK	5.9245G	79.87	88.20	-8.33	1.89	3	Horizontal	323	2.12	77.98	34.55	5.18	37.84
PK	5.9836G	117.68	Inf	-Inf	1.98	3	Horizontal	323	2.12	115.70	34.50	5.27	37.79



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	63.07	68.20	-5.13	1.88	3	Vertical	350	1.76	61.19	34.56	5.17	37.85
AV	6.006G	100.42	Inf	-Inf	2.01	3	Vertical	350	1.76	98.41	34.50	5.29	37.78
PK	5.9225G	78.09	88.20	-10.11	1.87	3	Vertical	350	1.76	76.22	34.55	5.17	37.85
PK	5.9675G	113.07	Inf	-Inf	1.93	3	Vertical	350	1.76	111.14	34.50	5.24	37.81

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	65.41	68.20	-2.79	1.89	3	Horizontal	321	2.26	63.52	34.55	5.18	37.84
AV	6.0065G	102.79	Inf	-Inf	2.01	3	Horizontal	321	2.26	100.78	34.50	5.29	37.78
PK	5.9225G	79.49	88.20	-8.71	1.87	3	Horizontal	321	2.26	77.62	34.55	5.17	37.85
PK	6.0065G	116.20	Inf	-Inf	2.01	3	Horizontal	321	2.26	114.19	34.50	5.29	37.78



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	61.42	68.20	-6.78	1.89	3	Vertical	351	1.71	59.53	34.55	5.18	37.84
AV	6.087G	96.62	Inf	-Inf	2.02	3	Vertical	351	1.71	94.60	34.43	5.32	37.73
PK	5.909G	76.64	88.20	-11.56	1.87	3	Vertical	351	1.71	74.77	34.58	5.15	37.86
PK	6.0855G	109.83	Inf	-Inf	2.02	3	Vertical	351	1.71	107.81	34.43	5.32	37.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	62.86	68.20	-5.34	1.89	3	Horizontal	325	2.32	60.97	34.55	5.18	37.84
AV	6.047G	99.22	Inf	-Inf	2.06	3	Horizontal	325	2.32	97.16	34.50	5.31	37.75
PK	5.909G	76.43	88.20	-11.77	1.87	3	Horizontal	325	2.32	74.56	34.58	5.15	37.86
PK	6.048G	113.17	Inf	-Inf	2.06	3	Horizontal	325	2.32	111.11	34.50	5.31	37.75



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	65.47	68.20	-2.73	1.89	3	Vertical	353	1.61	63.58	34.55	5.18	37.84
AV	6.085G	94.43	Inf	-Inf	2.02	3	Vertical	353	1.61	92.41	34.43	5.32	37.73
PK	5.922G	78.29	88.20	-9.91	1.88	3	Vertical	353	1.61	76.41	34.56	5.17	37.85
PK	6.129G	107.42	Inf	-Inf	2.16	3	Vertical	353	1.61	105.26	34.52	5.34	37.70

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	67.65	68.20	-0.55	1.89	3	Horizontal	327	2.28	65.76	34.55	5.18	37.84
AV	6.086G	96.77	Inf	-Inf	2.02	3	Horizontal	327	2.28	94.75	34.43	5.32	37.73
PK	5.924G	80.81	88.20	-7.39	1.89	3	Horizontal	327	2.28	78.92	34.55	5.18	37.84
PK	6.066G	109.50	Inf	-Inf	2.04	3	Horizontal	327	2.28	107.46	34.47	5.31	37.74



RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_2T1S_Full RU Appendix E.11


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6225MHz	Pass	PK	105.66M	29.66	43.50	-13.84	3	Vertical	0	1.00
6225MHz	Pass	PK	220.12M	34.31	46.00	-11.69	3	Vertical	0	1.00
6225MHz	Pass	PK	286.08M	31.62	46.00	-14.38	3	Vertical	0	1.00
6225MHz	Pass	PK	485.9M	30.19	46.00	-15.81	3	Vertical	0	1.00
6225MHz	Pass	PK	627.52M	34.19	46.00	-11.81	3	Vertical	0	1.00
6225MHz	Pass	QP	36.82M	31.75	40.00	-8.25	3	Vertical	332	1.00
6225MHz	Pass	PK	31.94M	25.71	40.00	-14.29	3	Horizontal	360	1.00
6225MHz	Pass	PK	115.36M	30.52	43.50	-12.98	3	Horizontal	360	1.00
6225MHz	Pass	PK	220.12M	32.99	46.00	-13.01	3	Horizontal	360	1.00
6225MHz	Pass	PK	289.96M	37.57	46.00	-8.43	3	Horizontal	360	1.00
6225MHz	Pass	PK	487.84M	30.14	46.00	-15.86	3	Horizontal	360	1.00
6225MHz	Pass	PK	631.4M	34.45	46.00	-11.55	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_PoE





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	AV	5.9245G	64.45	68.20	-3.75	3	Vertical	348	1.70
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	Pass	AV	5.925G	67.73	68.20	-0.47	3	Vertical	347	1.88
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	Pass	AV	5.923G	65.01	68.20	-3.19	3	Vertical	353	1.72



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	64.45	68.20	-3.75	3	Vertical	348	1.70
5985MHz	Pass	AV	6.0235G	100.05	Inf	-Inf	3	Vertical	348	1.70
5985MHz	Pass	PK	5.922G	82.40	88.20	-5.80	3	Vertical	348	1.70
5985MHz	Pass	PK	6.022G	112.77	Inf	-Inf	3	Vertical	348	1.70
5985MHz	Pass	AV	5.925G	63.01	68.20	-5.19	3	Horizontal	323	2.23
5985MHz	Pass	AV	5.985G	101.91	Inf	-Inf	3	Horizontal	323	2.23
5985MHz	Pass	PK	5.9205G	81.35	88.20	-6.85	3	Horizontal	323	2.23
5985MHz	Pass	PK	6.0075G	114.64	Inf	-Inf	3	Horizontal	323	2.23
5985MHz	Pass	AV	11.9618G	37.88	54.00	-16.12	3	Vertical	2	2.93
5985MHz	Pass	PK	11.9763G	51.45	74.00	-22.55	3	Vertical	2	2.93
5985MHz	Pass	AV	11.96172G	37.91	54.00	-16.09	3	Horizontal	209	1.01
5985MHz	Pass	PK	11.97994G	50.17	74.00	-23.83	3	Horizontal	209	1.01
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	67.73	68.20	-0.47	3	Vertical	347	1.88
6025MHz	Pass	AV	6.0865G	97.37	Inf	-Inf	3	Vertical	347	1.88
6025MHz	Pass	PK	5.921G	84.29	88.20	-3.91	3	Vertical	347	1.88
6025MHz	Pass	PK	6.0855G	110.69	Inf	-Inf	3	Vertical	347	1.88
6025MHz	Pass	AV	5.925G	63.44	68.20	-4.76	3	Horizontal	312	2.89
6025MHz	Pass	AV	6.092G	98.33	Inf	-Inf	3	Horizontal	312	2.89
6025MHz	Pass	PK	5.901G	84.70	88.20	-3.50	3	Horizontal	312	2.89
6025MHz	Pass	PK	6.0905G	111.58	Inf	-Inf	3	Horizontal	312	2.89
6025MHz	Pass	AV	12.04094G	38.41	54.00	-15.59	3	Vertical	282	2.55
6025MHz	Pass	PK	12.04544G	51.51	74.00	-22.49	3	Vertical	282	2.55
6025MHz	Pass	AV	12.05598G	38.42	54.00	-15.58	3	Horizontal	224	1.66
6025MHz	Pass	PK	12.05944G	51.69	74.00	-22.31	3	Horizontal	224	1.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	65.27	68.20	-2.93	3	Vertical	348	1.80
6025MHz	Pass	AV	6.0435G	97.35	Inf	-Inf	3	Vertical	348	1.80
6025MHz	Pass	PK	5.923G	82.80	88.20	-5.40	3	Vertical	348	1.80
6025MHz	Pass	PK	5.963G	110.50	Inf	-Inf	3	Vertical	348	1.80
6025MHz	Pass	AV	5.925G	62.82	68.20	-5.38	3	Horizontal	321	2.63
6025MHz	Pass	AV	6.0485G	98.87	Inf	-Inf	3	Horizontal	321	2.63
6025MHz	Pass	PK	5.909G	80.05	88.20	-8.15	3	Horizontal	321	2.63
6025MHz	Pass	PK	6.051G	111.84	Inf	-Inf	3	Horizontal	321	2.63
6025MHz	Pass	AV	12.04528G	38.41	54.00	-15.59	3	Vertical	115	1.56
6025MHz	Pass	PK	12.056G	50.79	74.00	-23.21	3	Vertical	115	1.56
6025MHz	Pass	AV	12.05978G	38.42	54.00	-15.58	3	Horizontal	185	1.33
6025MHz	Pass	PK	12.04016G	50.52	74.00	-23.48	3	Horizontal	185	1.33
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	65.01	68.20	-3.19	3	Vertical	353	1.72
6105MHz	Pass	AV	6.165G	94.79	Inf	-Inf	3	Vertical	353	1.72
6105MHz	Pass	PK	5.924G	78.95	88.20	-9.25	3	Vertical	353	1.72
6105MHz	Pass	PK	6.147G	107.91	Inf	-Inf	3	Vertical	353	1.72
6105MHz	Pass	AV	5.925G	64.34	68.20	-3.86	3	Horizontal	322	2.60
6105MHz	Pass	AV	6.089G	95.86	Inf	-Inf	3	Horizontal	322	2.60
6105MHz	Pass	PK	5.916G	83.73	88.20	-4.47	3	Horizontal	322	2.60
6105MHz	Pass	PK	6.169G	109.05	Inf	-Inf	3	Horizontal	322	2.60
6105MHz	Pass	AV	12.21776G	38.99	54.00	-15.01	3	Vertical	53	1.32
6105MHz	Pass	PK	12.20132G	51.50	74.00	-22.50	3	Vertical	53	1.32
6105MHz	Pass	AV	12.20184G	38.93	54.00	-15.07	3	Horizontal	135	1.17
6105MHz	Pass	PK	12.21496G	51.13	74.00	-22.87	3	Horizontal	135	1.17
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	61.14	68.20	-7.06	3	Vertical	348	1.64
6105MHz	Pass	AV	6.166G	94.76	Inf	-Inf	3	Vertical	348	1.64
6105MHz	Pass	PK	5.923G	76.68	88.20	-11.52	3	Vertical	348	1.64
6105MHz	Pass	PK	6.167G	107.41	Inf	-Inf	3	Vertical	348	1.64
6105MHz	Pass	AV	5.925G	57.18	68.20	-11.02	3	Horizontal	310	2.84
6105MHz	Pass	AV	6.153G	94.89	Inf	-Inf	3	Horizontal	310	2.84
6105MHz	Pass	PK	5.915G	79.54	88.20	-8.66	3	Horizontal	310	2.84
6105MHz	Pass	PK	6.092G	108.75	Inf	-Inf	3	Horizontal	310	2.84




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.21702G	38.79	54.00	-15.21	3	Vertical	346	2.68
6105MHz	Pass	PK	12.21878G	52.08	74.00	-21.92	3	Vertical	346	2.68
6105MHz	Pass	AV	12.21768G	38.73	54.00	-15.27	3	Horizontal	68	2.22
6105MHz	Pass	PK	12.209G	52.21	74.00	-21.79	3	Horizontal	68	2.22
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	57.30	68.20	-10.90	3	Vertical	347	1.64
6105MHz	Pass	AV	6.166G	94.77	Inf	-Inf	3	Vertical	347	1.64
6105MHz	Pass	PK	5.914G	77.08	88.20	-11.12	3	Vertical	347	1.64
6105MHz	Pass	PK	6.126G	108.20	Inf	-Inf	3	Vertical	347	1.64
6105MHz	Pass	AV	5.925G	55.09	68.20	-13.11	3	Horizontal	317	2.63
6105MHz	Pass	AV	6.151G	95.22	Inf	-Inf	3	Horizontal	317	2.63
6105MHz	Pass	PK	5.921G	75.33	88.20	-12.87	3	Horizontal	317	2.63
6105MHz	Pass	PK	6.153G	108.12	Inf	-Inf	3	Horizontal	317	2.63
6105MHz	Pass	AV	12.21592G	38.73	54.00	-15.27	3	Vertical	303	1.54
6105MHz	Pass	PK	12.22G	51.53	74.00	-22.47	3	Vertical	303	1.54
6105MHz	Pass	AV	12.21888G	38.93	54.00	-15.07	3	Horizontal	182	1.28
6105MHz	Pass	PK	12.20422G	51.59	74.00	-22.41	3	Horizontal	182	1.28




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX


6025MHz_TX





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	65.01	68.20	-3.19	1.88	3	Vertical	353	1.72	63.13	34.55	5.17	37.84
AV	6.165G	94.79	Inf	-Inf	2.27	3	Vertical	353	1.72	92.52	34.60	5.35	37.68
PK	5.924G	78.95	88.20	-9.25	1.89	3	Vertical	353	1.72	77.06	34.55	5.18	37.84
PK	6.147G	107.91	Inf	-Inf	2.24	3	Vertical	353	1.72	105.67	34.59	5.34	37.69

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	64.34	68.20	-3.86	1.89	3	Horizontal	322	2.60	62.45	34.55	5.18	37.84
AV	6.089G	95.86	Inf	-Inf	2.01	3	Horizontal	322	2.60	93.85	34.42	5.32	37.73
PK	5.916G	83.73	88.20	-4.47	1.88	3	Horizontal	322	2.60	81.85	34.57	5.16	37.85
PK	6.169G	109.05	Inf	-Inf	2.27	3	Horizontal	322	2.60	106.78	34.60	5.35	37.68




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

6105MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9226G	79.68	88.20	-8.52	3	Horizontal	319	2.38
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9173G	84.97	88.20	-3.23	3	Vertical	29	1.56
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9225G	60.66	68.20	-7.54	3	Vertical	29	1.53
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9085G	57.41	68.20	-10.79	3	Vertical	14	2.32
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.922G	54.90	68.20	-13.30	3	Vertical	349	1.78
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	20.09256G	50.60	54.00	-3.40	3	Horizontal	73	1.68
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	20.53254G	46.51	54.00	-7.49	3	Vertical	60	1.65
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	20.3524G	47.28	54.00	-6.72	3	Vertical	64	1.66
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32936G	40.39	54.00	-13.61	3	Vertical	341	2.55



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	55.74	68.20	-12.46	3	Vertical	287	1.64
5955MHz	Pass	AV	5.9631G	101.14	Inf	-Inf	3	Vertical	287	1.64
5955MHz	Pass	PK	5.9238G	77.39	88.20	-10.81	3	Vertical	287	1.64
5955MHz	Pass	PK	5.9634G	114.74	Inf	-Inf	3	Vertical	287	1.64
5955MHz	Pass	AV	5.9247G	58.14	68.20	-10.06	3	Horizontal	319	2.38
5955MHz	Pass	AV	5.9472G	102.35	Inf	-Inf	3	Horizontal	319	2.38
5955MHz	Pass	PK	5.9226G	79.68	88.20	-8.52	3	Horizontal	319	2.38
5955MHz	Pass	PK	5.9496G	117.73	Inf	-Inf	3	Horizontal	319	2.38
5955MHz	Pass	AV	11.91504G	38.56	54.00	-15.44	3	Vertical	8	1.64
5955MHz	Pass	AV	17.87421G	43.60	54.00	-10.40	3	Vertical	253	1.33
5955MHz	Pass	PK	11.91714G	51.72	74.00	-22.28	3	Vertical	8	1.64
5955MHz	Pass	PK	17.87247G	55.67	74.00	-18.33	3	Vertical	253	1.33
5955MHz	Pass	AV	11.91378G	38.33	54.00	-15.67	3	Horizontal	241	2.50
5955MHz	Pass	AV	17.87034G	43.68	54.00	-10.32	3	Horizontal	98	2.90
5955MHz	Pass	PK	11.90004G	50.92	74.00	-23.08	3	Horizontal	241	2.50
5955MHz	Pass	PK	17.87112G	57.00	74.00	-17.00	3	Horizontal	98	2.90
6195MHz	Pass	AV	12.37932G	38.24	54.00	-15.76	3	Vertical	322	1.50
6195MHz	Pass	AV	18.58068G	35.05	54.00	-18.95	3	Vertical	338	1.72
6195MHz	Pass	PK	12.39942G	50.59	74.00	-23.41	3	Vertical	322	1.50
6195MHz	Pass	PK	18.59632G	49.12	74.00	-24.88	3	Vertical	338	1.72
6195MHz	Pass	AV	12.39504G	38.26	54.00	-15.74	3	Horizontal	183	1.50
6195MHz	Pass	AV	18.58228G	37.87	54.00	-16.13	3	Horizontal	352	1.56
6195MHz	Pass	PK	12.38928G	52.09	74.00	-21.91	3	Horizontal	183	1.50
6195MHz	Pass	PK	18.60348G	52.40	74.00	-21.60	3	Horizontal	352	1.56
6415MHz	Pass	AV	12.81938G	39.62	68.20	-28.58	3	Vertical	231	2.47
6415MHz	Pass	AV	19.25068G	39.26	54.00	-14.74	3	Vertical	325	1.85
6415MHz	Pass	PK	12.8411G	51.90	88.20	-36.30	3	Vertical	231	2.47
6415MHz	Pass	PK	19.25456G	56.94	74.00	-17.06	3	Vertical	325	1.85
6415MHz	Pass	AV	12.83978G	39.59	68.20	-28.61	3	Horizontal	70	2.19
6415MHz	Pass	AV	19.22904G	36.40	54.00	-17.60	3	Horizontal	62	1.50
6415MHz	Pass	PK	12.83156G	51.71	88.20	-36.49	3	Horizontal	70	2.19
6415MHz	Pass	PK	19.23536G	56.07	74.00	-17.93	3	Horizontal	62	1.50
6535MHz	Pass	AV	13.07702G	39.78	68.20	-28.42	3	Vertical	304	1.90
6535MHz	Pass	AV	19.61154G	38.05	54.00	-15.95	3	Vertical	64	1.67
6535MHz	Pass	PK	13.06412G	52.48	88.20	-35.72	3	Vertical	304	1.90
6535MHz	Pass	PK	19.60836G	50.29	74.00	-23.71	3	Vertical	64	1.67
6535MHz	Pass	AV	13.08098G	39.72	68.20	-28.48	3	Horizontal	229	2.35
6535MHz	Pass	AV	19.605G	41.45	54.00	-12.55	3	Horizontal	77	1.64
6535MHz	Pass	PK	13.05722G	52.53	88.20	-35.67	3	Horizontal	229	2.35
6535MHz	Pass	PK	19.61154G	56.90	74.00	-17.10	3	Horizontal	77	1.64
6695MHz	Pass	AV	13.39744G	40.41	54.00	-13.59	3	Vertical	193	1.71
6695MHz	Pass	AV	20.08986G	46.40	54.00	-7.60	3	Vertical	63	1.67
6695MHz	Pass	PK	13.40236G	52.16	88.20	-36.04	3	Vertical	193	1.71
6695MHz	Pass	PK	20.08482G	64.74	74.00	-9.26	3	Vertical	63	1.67
6695MHz	Pass	AV	13.37872G	40.41	54.00	-13.59	3	Horizontal	60	2.69
6695MHz	Pass	AV	20.09256G	50.60	54.00	-3.40	3	Horizontal	73	1.68
6695MHz	Pass	PK	13.39504G	53.56	74.00	-20.44	3	Horizontal	60	2.69
6695MHz	Pass	PK	20.09862G	63.95	74.00	-10.05	3	Horizontal	73	1.68
6855MHz	Pass	AV	13.72014G	40.78	68.20	-27.42	3	Vertical	63	2.96
6855MHz	Pass	AV	20.5633G	44.77	54.00	-9.23	3	Vertical	61	1.67
6855MHz	Pass	PK	13.7019G	52.86	88.20	-35.34	3	Vertical	63	2.96
6855MHz	Pass	PK	20.561G	61.63	74.00	-12.37	3	Vertical	61	1.67
6855MHz	Pass	AV	13.69596G	40.60	68.20	-27.60	3	Horizontal	143	1.23
6855MHz	Pass	AV	20.5629G	41.45	54.00	-12.55	3	Horizontal	317	1.54
6855MHz	Pass	PK	13.72458G	53.04	88.20	-35.16	3	Horizontal	143	1.23
6855MHz	Pass	PK	20.5529G	58.40	74.00	-15.60	3	Horizontal	317	1.54
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9188G	58.41	68.20	-9.79	3	Vertical	29	1.56
5965MHz	Pass	AV	5.9467G	100.05	Inf	-Inf	3	Vertical	29	1.56
5965MHz	Pass	PK	5.9173G	84.97	88.20	-3.23	3	Vertical	29	1.56



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9467G	113.93	Inf	-Inf	3	Vertical	29	1.56
5965MHz	Pass	AV	5.9248G	59.37	68.20	-8.83	3	Horizontal	319	2.01
5965MHz	Pass	AV	5.9815G	100.14	Inf	-Inf	3	Horizontal	319	2.01
5965MHz	Pass	PK	5.9173G	81.08	88.20	-7.12	3	Horizontal	319	2.01
5965MHz	Pass	PK	5.9764G	114.22	Inf	-Inf	3	Horizontal	319	2.01
5965MHz	Pass	AV	11.93078G	38.30	54.00	-15.70	3	Vertical	193	1.50
5965MHz	Pass	AV	17.9052G	43.81	54.00	-10.19	3	Vertical	59	1.67
5965MHz	Pass	PK	11.9231G	52.00	74.00	-22.00	3	Vertical	193	1.50
5965MHz	Pass	PK	17.88162G	57.59	74.00	-16.41	3	Vertical	59	1.67
5965MHz	Pass	AV	11.93252G	38.26	54.00	-15.74	3	Horizontal	273	1.12
5965MHz	Pass	AV	17.90442G	43.86	54.00	-10.14	3	Horizontal	69	1.50
5965MHz	Pass	PK	11.9312G	51.76	74.00	-22.24	3	Horizontal	273	1.12
5965MHz	Pass	PK	17.88186G	57.79	74.00	-16.21	3	Horizontal	69	1.50
6205MHz	Pass	AV	12.41432G	37.94	54.00	-16.06	3	Vertical	222	2.21
6205MHz	Pass	AV	18.6123G	33.09	54.00	-20.91	3	Vertical	338	1.83
6205MHz	Pass	PK	12.4064G	50.95	74.00	-23.05	3	Vertical	222	2.21
6205MHz	Pass	PK	18.6263G	45.62	74.00	-28.38	3	Vertical	338	1.83
6205MHz	Pass	AV	12.39518G	37.99	54.00	-16.01	3	Horizontal	262	2.24
6205MHz	Pass	AV	18.6078G	35.31	54.00	-18.69	3	Horizontal	352	1.55
6205MHz	Pass	PK	12.4067G	50.47	74.00	-23.53	3	Horizontal	262	2.24
6205MHz	Pass	PK	18.6108G	51.42	74.00	-22.58	3	Horizontal	352	1.55
6405MHz	Pass	AV	12.81036G	39.36	68.20	-28.84	3	Vertical	43	2.63
6405MHz	Pass	AV	19.2112G	35.51	54.00	-18.49	3	Vertical	328	1.82
6405MHz	Pass	PK	12.82062G	54.34	88.20	-33.86	3	Vertical	43	2.63
6405MHz	Pass	PK	19.2157G	50.97	74.00	-23.03	3	Vertical	328	1.82
6405MHz	Pass	AV	12.81174G	39.39	68.20	-28.81	3	Horizontal	268	1.30
6405MHz	Pass	AV	19.2101G	33.83	54.00	-20.17	3	Horizontal	320	1.52
6405MHz	Pass	PK	12.819G	51.40	88.20	-36.80	3	Horizontal	268	1.30
6405MHz	Pass	PK	19.2099G	48.87	74.00	-25.13	3	Horizontal	320	1.52
6565MHz	Pass	AV	13.13798G	39.83	68.20	-28.37	3	Vertical	19	2.30
6565MHz	Pass	AV	19.6977G	38.20	54.00	-15.80	3	Vertical	326	1.87
6565MHz	Pass	PK	13.1261G	52.20	88.20	-36.00	3	Vertical	19	2.30
6565MHz	Pass	PK	19.7115G	54.37	74.00	-19.63	3	Vertical	326	1.87
6565MHz	Pass	AV	13.1342G	39.73	68.20	-28.47	3	Horizontal	23	1.47
6565MHz	Pass	AV	19.7013G	38.93	54.00	-15.07	3	Horizontal	75	1.64
6565MHz	Pass	PK	13.11998G	52.14	88.20	-36.06	3	Horizontal	23	1.47
6565MHz	Pass	PK	19.7053G	55.30	74.00	-18.70	3	Horizontal	75	1.64
6685MHz	Pass	AV	13.3616G	40.32	54.00	-13.68	3	Vertical	245	1.07
6685MHz	Pass	AV	20.0372G	40.56	54.00	-13.44	3	Vertical	68	1.66
6685MHz	Pass	PK	13.38098G	52.72	74.00	-21.28	3	Vertical	245	1.07
6685MHz	Pass	PK	20.0693G	56.99	74.00	-17.01	3	Vertical	68	1.66
6685MHz	Pass	AV	13.35662G	40.19	54.00	-13.81	3	Horizontal	246	1.09
6685MHz	Pass	AV	20.0524G	41.33	54.00	-12.67	3	Horizontal	71	1.69
6685MHz	Pass	PK	13.373G	52.49	74.00	-21.51	3	Horizontal	246	1.09
6685MHz	Pass	PK	20.0457G	58.05	74.00	-15.95	3	Horizontal	71	1.69
6845MHz	Pass	AV	13.6984G	40.45	68.20	-27.75	3	Vertical	304	1.82
6845MHz	Pass	AV	20.53254G	46.51	54.00	-7.49	3	Vertical	60	1.65
6845MHz	Pass	PK	13.6903G	53.36	88.20	-34.84	3	Vertical	304	1.82
6845MHz	Pass	PK	20.52546G	63.41	74.00	-10.59	3	Vertical	60	1.65
6845MHz	Pass	AV	13.70056G	40.47	68.20	-27.73	3	Horizontal	1	2.91
6845MHz	Pass	AV	20.5308G	43.16	54.00	-10.84	3	Horizontal	316	1.55
6845MHz	Pass	PK	13.70056G	52.46	88.20	-35.74	3	Horizontal	1	2.91
6845MHz	Pass	PK	20.52012G	61.35	74.00	-12.65	3	Horizontal	316	1.55
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9225G	60.66	68.20	-7.54	3	Vertical	29	1.53
5985MHz	Pass	AV	5.9505G	96.49	Inf	-Inf	3	Vertical	29	1.53
5985MHz	Pass	PK	5.9215G	80.17	88.20	-8.03	3	Vertical	29	1.53
5985MHz	Pass	PK	5.9855G	109.24	Inf	-Inf	3	Vertical	29	1.53
5985MHz	Pass	AV	5.92G	59.75	68.20	-8.45	3	Horizontal	321	2.12
5985MHz	Pass	AV	6.002G	98.81	Inf	-Inf	3	Horizontal	321	2.12
5985MHz	Pass	PK	5.919G	78.90	88.20	-9.30	3	Horizontal	321	2.12
5985MHz	Pass	PK	6.0025G	111.34	Inf	-Inf	3	Horizontal	321	2.12



RSE TX above 1GHz Beamforming Radio 2 2T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	11.96034G	38.34	54.00	-15.66	3	Vertical	298	1.48
5985MHz	Pass	AV	17.96697G	44.60	54.00	-9.40	3	Vertical	178	1.50
5985MHz	Pass	PK	11.95986G	50.81	74.00	-23.19	3	Vertical	298	1.48
5985MHz	Pass	PK	17.95035G	57.45	74.00	-16.55	3	Vertical	178	1.50
5985MHz	Pass	AV	11.96526G	38.35	54.00	-15.65	3	Horizontal	330	1.76
5985MHz	Pass	AV	17.96511G	44.63	54.00	-9.37	3	Horizontal	88	1.50
5985MHz	Pass	PK	11.97624G	51.56	74.00	-22.44	3	Horizontal	330	1.76
5985MHz	Pass	PK	17.96574G	57.04	74.00	-16.96	3	Horizontal	88	1.50
6225MHz	Pass	AV	12.4608G	38.10	54.00	-15.90	3	Vertical	64	2.43
6225MHz	Pass	AV	18.6686G	31.95	54.00	-22.05	3	Vertical	333	1.60
6225MHz	Pass	PK	12.43512G	50.06	74.00	-23.94	3	Vertical	64	2.43
6225MHz	Pass	PK	18.66108G	45.59	74.00	-28.41	3	Vertical	333	1.60
6225MHz	Pass	AV	12.45132G	37.98	54.00	-16.02	3	Horizontal	270	2.84
6225MHz	Pass	AV	18.72172G	32.91	54.00	-21.09	3	Horizontal	342	1.50
6225MHz	Pass	PK	12.45906G	50.64	74.00	-23.36	3	Horizontal	270	2.84
6225MHz	Pass	PK	18.65692G	46.84	74.00	-27.16	3	Horizontal	342	1.50
6385MHz	Pass	AV	12.77498G	39.53	68.20	-28.67	3	Vertical	136	1.52
6385MHz	Pass	AV	19.18604G	31.81	54.00	-22.19	3	Vertical	353	1.67
6385MHz	Pass	PK	12.78152G	51.36	88.20	-36.84	3	Vertical	136	1.52
6385MHz	Pass	PK	19.1734G	44.84	74.00	-29.16	3	Vertical	353	1.67
6385MHz	Pass	AV	12.7739G	39.45	68.20	-28.75	3	Horizontal	119	1.39
6385MHz	Pass	AV	19.20428G	31.53	54.00	-22.47	3	Horizontal	110	1.62
6385MHz	Pass	PK	12.77282G	52.33	88.20	-35.87	3	Horizontal	119	1.39
6385MHz	Pass	PK	19.20876G	44.42	74.00	-29.58	3	Horizontal	110	1.62
6625MHz	Pass	AV	13.25318G	40.16	54.00	-13.84	3	Vertical	185	2.62
6625MHz	Pass	AV	19.92316G	34.77	54.00	-19.23	3	Vertical	289	1.66
6625MHz	Pass	PK	13.24916G	52.08	88.20	-36.12	3	Vertical	185	2.62
6625MHz	Pass	PK	19.90044G	46.99	74.00	-27.01	3	Vertical	289	1.66
6625MHz	Pass	AV	13.25528G	40.02	54.00	-13.98	3	Horizontal	143	2.94
6625MHz	Pass	AV	19.92188G	37.43	54.00	-16.57	3	Horizontal	73	1.63
6625MHz	Pass	PK	13.25066G	52.72	74.00	-21.28	3	Horizontal	143	2.94
6625MHz	Pass	PK	19.9254G	53.11	74.00	-20.89	3	Horizontal	73	1.63
6705MHz	Pass	AV	13.40082G	40.31	68.20	-27.89	3	Vertical	298	2.09
6705MHz	Pass	AV	20.15788G	40.26	54.00	-13.74	3	Vertical	65	1.66
6705MHz	Pass	PK	13.41402G	53.56	88.20	-34.64	3	Vertical	298	2.09
6705MHz	Pass	PK	20.10428G	53.30	74.00	-20.70	3	Vertical	65	1.66
6705MHz	Pass	AV	13.41654G	40.32	68.20	-27.88	3	Horizontal	349	1.19
6705MHz	Pass	AV	20.15804G	40.98	54.00	-13.02	3	Horizontal	69	1.66
6705MHz	Pass	PK	13.41354G	52.86	88.20	-35.34	3	Horizontal	349	1.19
6705MHz	Pass	PK	20.16476G	58.17	74.00	-15.83	3	Horizontal	69	1.66
6785MHz	Pass	AV	13.56142G	41.11	68.20	-27.09	3	Vertical	332	2.36
6785MHz	Pass	AV	20.3524G	47.28	54.00	-6.72	3	Vertical	64	1.66
6785MHz	Pass	PK	13.58434G	53.10	88.20	-35.10	3	Vertical	332	2.36
6785MHz	Pass	PK	20.3378G	63.73	74.00	-10.27	3	Vertical	64	1.66
6785MHz	Pass	AV	13.56262G	41.15	68.20	-27.05	3	Horizontal	344	1.39
6785MHz	Pass	AV	20.3506G	40.83	54.00	-13.17	3	Horizontal	182	1.68
6785MHz	Pass	PK	13.57432G	54.30	88.20	-33.90	3	Horizontal	344	1.39
6785MHz	Pass	PK	20.3412G	56.17	74.00	-17.83	3	Horizontal	182	1.68
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9085G	57.41	68.20	-10.79	3	Vertical	14	2.32
6025MHz	Pass	AV	6.0075G	93.14	Inf	-Inf	3	Vertical	14	2.32
6025MHz	Pass	PK	5.922G	76.71	88.20	-11.49	3	Vertical	14	2.32
6025MHz	Pass	PK	6.005G	105.29	Inf	-Inf	3	Vertical	14	2.32
6025MHz	Pass	AV	5.922G	54.59	68.20	-13.61	3	Horizontal	324	2.17
6025MHz	Pass	AV	6.0555G	94.97	Inf	-Inf	3	Horizontal	324	2.17
6025MHz	Pass	PK	5.913G	71.93	88.20	-16.27	3	Horizontal	324	2.17
6025MHz	Pass	PK	6.0495G	108.20	Inf	-Inf	3	Horizontal	324	2.17
6025MHz	Pass	AV	12.06744G	38.79	54.00	-15.21	3	Vertical	163	2.11
6025MHz	Pass	AV	18.04956G	30.19	54.00	-23.81	3	Vertical	357	1.65
6025MHz	Pass	PK	12.05488G	50.36	74.00	-23.64	3	Vertical	163	2.11
6025MHz	Pass	PK	18.07176G	42.64	74.00	-31.36	3	Vertical	357	1.65
6025MHz	Pass	AV	12.05856G	38.71	54.00	-15.29	3	Horizontal	21	1.71



RSE TX above 1GHz Beamforming Radio 2 2T1S


Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	18.05316G	32.04	54.00	-21.96	3	Horizontal	80	1.70
6025MHz	Pass	PK	12.0316G	51.59	74.00	-22.41	3	Horizontal	21	1.71
6025MHz	Pass	PK	18.08652G	44.59	74.00	-29.41	3	Horizontal	80	1.70
6185MHz	Pass	AV	12.3512G	38.39	54.00	-15.61	3	Vertical	237	2.89
6185MHz	Pass	AV	18.56916G	30.00	54.00	-24.00	3	Vertical	351	1.65
6185MHz	Pass	PK	12.36032G	51.32	74.00	-22.68	3	Vertical	237	2.89
6185MHz	Pass	PK	18.5706G	42.42	74.00	-31.58	3	Vertical	351	1.65
6185MHz	Pass	AV	12.35544G	38.41	54.00	-15.59	3	Horizontal	3	1.98
6185MHz	Pass	AV	18.57384G	30.76	54.00	-23.24	3	Horizontal	354	1.60
6185MHz	Pass	PK	12.38296G	50.87	74.00	-23.13	3	Horizontal	3	1.98
6185MHz	Pass	PK	18.56892G	43.68	74.00	-30.32	3	Horizontal	354	1.60
6345MHz	Pass	AV	12.67288G	39.65	54.00	-14.35	3	Vertical	64	2.95
6345MHz	Pass	AV	19.03908G	28.99	54.00	-25.01	3	Vertical	104	1.50
6345MHz	Pass	PK	12.67392G	52.09	74.00	-21.91	3	Vertical	64	2.95
6345MHz	Pass	PK	19.05072G	41.69	74.00	-32.31	3	Vertical	104	1.50
6345MHz	Pass	AV	12.67416G	39.60	54.00	-14.40	3	Horizontal	133	1.95
6345MHz	Pass	AV	19.03788G	29.12	54.00	-24.88	3	Horizontal	321	1.50
6345MHz	Pass	PK	12.67064G	52.96	74.00	-21.04	3	Horizontal	133	1.95
6345MHz	Pass	PK	19.03668G	41.50	74.00	-32.50	3	Horizontal	321	1.50
6665MHz	Pass	AV	13.32936G	40.39	54.00	-13.61	3	Vertical	341	2.55
6665MHz	Pass	AV	20.01576G	33.73	54.00	-20.27	3	Vertical	68	1.66
6665MHz	Pass	PK	13.31208G	53.26	74.00	-20.74	3	Vertical	341	2.55
6665MHz	Pass	PK	20.0112G	49.68	74.00	-24.32	3	Vertical	68	1.66
6665MHz	Pass	AV	13.33376G	40.36	54.00	-13.64	3	Horizontal	210	1.68
6665MHz	Pass	AV	20.01144G	36.44	54.00	-17.56	3	Horizontal	75	1.69
6665MHz	Pass	PK	13.3336G	53.30	74.00	-20.70	3	Horizontal	210	1.68
6665MHz	Pass	PK	20.00964G	50.74	74.00	-23.26	3	Horizontal	75	1.69
802.11be EHT320-BF_Nss1,(MCS0)_2TX										
6105MHz	Pass	AV	5.922G	54.90	68.20	-13.30	3	Vertical	349	1.78
6105MHz	Pass	AV	6.044G	89.98	Inf	-Inf	3	Vertical	349	1.78
6105MHz	Pass	PK	5.922G	72.64	88.20	-15.56	3	Vertical	349	1.78
6105MHz	Pass	PK	6.045G	102.30	Inf	-Inf	3	Vertical	349	1.78
6105MHz	Pass	AV	5.922G	51.24	68.20	-16.96	3	Horizontal	302	1.91
6105MHz	Pass	AV	6.254G	91.60	Inf	-Inf	3	Horizontal	302	1.91
6105MHz	Pass	PK	5.916G	70.90	88.20	-17.30	3	Horizontal	302	1.91
6105MHz	Pass	PK	6.254G	105.03	Inf	-Inf	3	Horizontal	302	1.91
6105MHz	Pass	AV	12.21096G	38.94	54.00	-15.06	3	Vertical	38	2.35
6105MHz	Pass	AV	18.2634G	28.48	54.00	-25.52	3	Vertical	198	1.50
6105MHz	Pass	PK	12.19872G	51.70	74.00	-22.30	3	Vertical	38	2.35
6105MHz	Pass	PK	18.252G	42.63	74.00	-31.37	3	Vertical	198	1.50
6105MHz	Pass	AV	12.21416G	38.97	54.00	-15.03	3	Horizontal	107	2.96
6105MHz	Pass	AV	18.2364G	28.44	54.00	-25.56	3	Horizontal	274	1.50
6105MHz	Pass	PK	12.20384G	51.38	74.00	-22.62	3	Horizontal	107	2.96
6105MHz	Pass	PK	18.249G	41.53	74.00	-32.47	3	Horizontal	274	1.50
6265MHz	Pass	AV	5.8933G	52.76	68.20	-15.44	3	Vertical	356	1.94
6265MHz	Pass	AV	6.4189G	87.61	Inf	-Inf	3	Vertical	356	1.94
6265MHz	Pass	PK	5.8996G	70.42	88.20	-17.78	3	Vertical	356	1.94
6265MHz	Pass	PK	6.4189G	101.37	Inf	-Inf	3	Vertical	356	1.94
6265MHz	Pass	AV	5.896G	51.10	68.20	-17.10	3	Horizontal	313	1.95
6265MHz	Pass	AV	6.283G	92.00	Inf	-Inf	3	Horizontal	313	1.95
6265MHz	Pass	PK	5.896G	66.71	88.20	-21.49	3	Horizontal	313	1.95
6265MHz	Pass	PK	6.3685G	105.53	Inf	-Inf	3	Horizontal	313	1.95
6265MHz	Pass	AV	12.54592G	38.72	54.00	-15.28	3	Vertical	214	2.83
6265MHz	Pass	AV	18.807G	29.40	54.00	-24.60	3	Vertical	22	1.50
6265MHz	Pass	PK	12.51736G	51.30	74.00	-22.70	3	Vertical	214	2.83
6265MHz	Pass	PK	18.8106G	42.07	74.00	-31.93	3	Vertical	22	1.50
6265MHz	Pass	AV	12.5452G	38.67	54.00	-15.33	3	Horizontal	283	1.31
6265MHz	Pass	AV	18.8256G	30.57	54.00	-23.43	3	Horizontal	343	1.50
6265MHz	Pass	PK	12.5316G	52.01	74.00	-21.99	3	Horizontal	283	1.31
6265MHz	Pass	PK	18.8166G	42.73	74.00	-31.27	3	Horizontal	343	1.50




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX






5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	5.9188G	58.41	68.20	-9.79	1.88	3	Vertical	29	1.56	56.53	34.56	5.17	37.85
AV	5.9467G	100.05	Inf	-Inf	1.90	3	Vertical	29	1.56	98.15	34.51	5.21	37.82
PK	5.9173G	84.97	88.20	-3.23	1.89	3	Vertical	29	1.56	83.08	34.57	5.17	37.85
PK	5.9467G	113.93	Inf	-Inf	1.90	3	Vertical	29	1.56	112.03	34.51	5.21	37.82

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	5.9248G	59.37	68.20	-8.83	1.89	3	Horizontal	319	2.01	57.48	34.55	5.18	37.84
AV	5.9815G	100.14	Inf	-Inf	1.96	3	Horizontal	319	2.01	98.18	34.50	5.26	37.80
PK	5.9173G	81.08	88.20	-7.12	1.89	3	Horizontal	319	2.01	79.19	34.57	5.17	37.85
PK	5.9764G	114.22	Inf	-Inf	1.95	3	Horizontal	319	2.01	112.27	34.50	5.25	37.80




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.9225G	60.66	68.20	-7.54	1.87	3	Vertical	29	1.53	58.79	34.55	5.17	37.85				
AV	5.9505G	96.49	Inf	-Inf	1.90	3	Vertical	29	1.53	94.59	34.50	5.22	37.82				
PK	5.9215G	80.17	88.20	-8.03	1.88	3	Vertical	29	1.53	78.29	34.56	5.17	37.85				
PK	5.9855G	109.24	Inf	-Inf	1.98	3	Vertical	29	1.53	107.26	34.50	5.27	37.79				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.92G	59.75	68.20	-8.45	1.88	3	Horizontal	321	2.12	57.87	34.56	5.17	37.85			
AV	6.002G	98.81	Inf	-Inf	2.01	3	Horizontal	321	2.12	96.80	34.50	5.29	37.78			
PK	5.919G	78.90	88.20	-9.30	1.88	3	Horizontal	321	2.12	77.02	34.56	5.17	37.85			
PK	6.0025G	111.34	Inf	-Inf	2.01	3	Horizontal	321	2.12	109.33	34.50	5.29	37.78			



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96034G	38.34	54.00	-15.66	9.64	3	Vertical	298	1.48	28.70	39.22	8.38	37.96
AV	17.96697G	44.60	54.00	-9.40	14.57	3	Vertical	178	1.50	30.03	41.37	10.66	37.46
PK	11.95986G	50.81	74.00	-23.19	9.64	3	Vertical	298	1.48	41.17	39.22	8.38	37.96
PK	17.95035G	57.45	74.00	-16.55	14.46	3	Vertical	178	1.50	42.99	41.30	10.65	37.49

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96526G	38.35	54.00	-15.65	9.65	3	Horizontal	330	1.76	28.70	39.23	8.38	37.96
AV	17.96511G	44.63	54.00	-9.37	14.56	3	Horizontal	88	1.50	30.07	41.36	10.66	37.46
PK	11.97624G	51.56	74.00	-22.44	9.67	3	Horizontal	330	1.76	41.89	39.25	8.39	37.97
PK	17.96574G	57.04	74.00	-16.96	14.56	3	Horizontal	88	1.50	42.48	41.36	10.66	37.46

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9085G	57.41	68.20	-10.79	1.87	3	Vertical	14	2.32	55.54	34.58	5.15	37.86
AV	6.0075G	93.14	Inf	-Inf	2.01	3	Vertical	14	2.32	91.13	34.50	5.29	37.78
PK	5.922G	76.71	88.20	-11.49	1.88	3	Vertical	14	2.32	74.83	34.56	5.17	37.85
PK	6.005G	105.29	Inf	-Inf	2.01	3	Vertical	14	2.32	103.28	34.50	5.29	37.78

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	54.59	68.20	-13.61	1.88	3	Horizontal	324	2.17	52.71	34.56	5.17	37.85
AV	6.0555G	94.97	Inf	-Inf	2.05	3	Horizontal	324	2.17	92.92	34.49	5.31	37.75
PK	5.913G	71.93	88.20	-16.27	1.88	3	Horizontal	324	2.17	70.05	34.57	5.16	37.85
PK	6.0495G	108.20	Inf	-Inf	2.06	3	Horizontal	324	2.17	106.14	34.50	5.31	37.75

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.06744G	38.79	54.00	-15.21	9.86	3	Vertical	163	2.11	28.93	39.43	8.44	38.01
AV	18.04956G	30.19	54.00	-23.81	-25.70	3	Vertical	357	1.65	55.89	37.80	10.69	64.65
PK	12.05488G	50.36	74.00	-23.64	9.84	3	Vertical	163	2.11	40.52	39.41	8.43	38.00
PK	18.07176G	42.64	74.00	-31.36	-25.58	3	Vertical	357	1.65	68.22	37.93	10.70	64.67

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05856G	38.71	54.00	-15.29	9.85	3	Horizontal	21	1.71	28.86	39.42	8.43	38.00
AV	18.05316G	32.04	54.00	-21.96	-25.68	3	Horizontal	80	1.70	57.72	37.82	10.69	64.65
PK	12.0316G	51.59	74.00	-22.41	9.79	3	Horizontal	21	1.71	41.80	39.36	8.42	37.99
PK	18.08652G	44.59	74.00	-29.41	-25.50	3	Horizontal	80	1.70	70.09	38.02	10.71	64.69



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.922G	54.90	68.20	-13.30	1.88	3	Vertical	349	1.78	53.02	34.56	5.17	37.85
AV	6.044G	89.98	Inf	-Inf	2.06	3	Vertical	349	1.78	87.92	34.50	5.31	37.75
PK	5.922G	72.64	88.20	-15.56	1.88	3	Vertical	349	1.78	70.76	34.56	5.17	37.85
PK	6.045G	102.30	Inf	-Inf	2.06	3	Vertical	349	1.78	100.24	34.50	5.31	37.75

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.922G	51.24	68.20	-16.96	1.88	3	Horizontal	302	1.91	49.36	34.56	5.17	37.85
AV	6.254G	91.60	Inf	-Inf	2.49	3	Horizontal	302	1.91	89.11	34.70	5.42	37.63
PK	5.916G	70.90	88.20	-17.30	1.88	3	Horizontal	302	1.91	69.02	34.57	5.16	37.85
PK	6.254G	105.03	Inf	-Inf	2.49	3	Horizontal	302	1.91	102.54	34.70	5.42	37.63




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX





6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	13.39744G	40.41	54.00	-13.59	10.84	3	Vertical	193	1.71	29.57	40.30	9.18	38.64				
AV	20.08986G	46.40	54.00	-7.60	-24.29	3	Vertical	63	1.67	70.69	38.00	11.72	64.47				
PK	13.40236G	52.16	88.20	-36.04	10.86	3	Vertical	193	1.71	41.30	40.31	9.19	38.64				
PK	20.08482G	64.74	74.00	-9.26	-24.30	3	Vertical	63	1.67	89.04	38.00	11.72	64.48				

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	13.37872G	40.41	54.00	-13.59	10.83	3	Horizontal	60	2.69	29.58	40.30	9.17	38.64				
AV	20.09256G	50.60	54.00	-3.40	-24.29	3	Horizontal	73	1.68	74.89	38.00	11.72	64.47				
PK	13.39504G	53.56	74.00	-20.44	10.84	3	Horizontal	60	2.69	42.72	40.30	9.18	38.64				
PK	20.09862G	63.95	74.00	-10.05	-24.28	3	Horizontal	73	1.68	88.23	38.00	11.72	64.46				




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6845MHz_TX





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56142G	41.11	68.20	-27.09	11.42	3	Vertical	332	2.36	29.69	40.75	9.27	38.60
AV	20.3524G	47.28	54.00	-6.72	-23.80	3	Vertical	64	1.66	71.08	38.10	11.75	64.11
PK	13.58434G	53.10	88.20	-35.10	11.37	3	Vertical	332	2.36	41.73	40.66	9.29	38.58
PK	20.3378G	63.73	74.00	-10.27	-23.84	3	Vertical	64	1.66	87.57	38.08	11.75	64.13

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56262G	41.15	68.20	-27.05	11.43	3	Horizontal	344	1.39	29.72	40.75	9.28	38.60
AV	20.3506G	40.83	54.00	-13.17	-23.80	3	Horizontal	182	1.68	64.63	38.10	11.75	64.11
PK	13.57432G	54.30	88.20	-33.90	11.39	3	Horizontal	344	1.39	42.91	40.70	9.28	38.59
PK	20.3412G	56.17	74.00	-17.83	-23.83	3	Horizontal	182	1.68	80.00	38.08	11.75	64.12



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32936G	40.39	54.00	-13.61	10.76	3	Vertical	341	2.55	29.63	40.26	9.14	38.64
AV	20.01576G	33.73	54.00	-20.27	-24.41	3	Vertical	68	1.66	58.14	38.00	11.71	64.58
PK	13.31208G	53.26	74.00	-20.74	10.71	3	Vertical	341	2.55	42.55	40.22	9.13	38.64
PK	20.0112G	49.68	74.00	-24.32	-24.41	3	Vertical	68	1.66	74.09	38.00	11.71	64.58

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33376G	40.36	54.00	-13.64	10.78	3	Horizontal	210	1.68	29.58	40.27	9.15	38.64
AV	20.01144G	36.44	54.00	-17.56	-24.41	3	Horizontal	75	1.69	60.85	38.00	11.71	64.58
PK	13.3336G	53.30	74.00	-20.70	10.78	3	Horizontal	210	1.68	42.52	40.27	9.15	38.64
PK	20.00964G	50.74	74.00	-23.26	-24.42	3	Horizontal	75	1.69	75.16	38.00	11.71	64.59




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	5.68084G	52.35	74.00	-21.65	Horizontal

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.19615G	24.03	54.00	-29.97	3	Vertical	244	2.00
Mode 1	Pass	AV	1.35411G	23.68	54.00	-30.32	3	Vertical	162	1.00
Mode 1	Pass	AV	5.96115G	31.86	54.00	-22.14	3	Vertical	28	1.52
Mode 1	Pass	PK	1.19615G	40.59	74.00	-33.41	3	Vertical	244	2.00
Mode 1	Pass	PK	1.35411G	37.09	74.00	-36.91	3	Vertical	162	1.00
Mode 1	Pass	PK	5.96115G	50.24	74.00	-23.76	3	Vertical	28	1.52
Mode 1	Pass	AV	1.15423G	24.56	54.00	-29.44	3	Horizontal	341	1.04
Mode 1	Pass	AV	2.07577G	25.94	54.00	-28.06	3	Horizontal	30	1.00
Mode 1	Pass	AV	5.68084G	32.13	54.00	-21.87	3	Horizontal	27	2.00
Mode 1	Pass	PK	1.15423G	37.73	74.00	-36.27	3	Horizontal	341	1.04
Mode 1	Pass	PK	2.07577G	39.42	74.00	-34.58	3	Horizontal	30	1.00
Mode 1	Pass	PK	5.68084G	52.35	74.00	-21.65	3	Horizontal	27	2.00

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19615G	24.03	54.00	-29.97	-6.32	3	Vertical	244	2.00	30.35	26.10	3.14	35.56
AV	1.35411G	23.68	54.00	-30.32	-6.12	3	Vertical	162	1.00	29.80	25.86	3.35	35.33
AV	5.96115G	31.86	54.00	-22.14	6.08	3	Vertical	28	1.52	25.78	34.02	7.32	35.26
PK	1.19615G	40.59	74.00	-33.41	-6.32	3	Vertical	244	2.00	46.91	26.10	3.14	35.56
PK	1.35411G	37.09	74.00	-36.91	-6.12	3	Vertical	162	1.00	43.21	25.86	3.35	35.33
PK	5.96115G	50.24	74.00	-23.76	6.08	3	Vertical	28	1.52	44.16	34.02	7.32	35.26

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.15423G	24.56	54.00	-29.44	-6.47	3	Horizontal	341	1.04	31.03	26.06	3.09	35.62
AV	2.07577G	25.94	54.00	-28.06	-3.29	3	Horizontal	30	1.00	29.23	27.50	4.21	35.00
AV	5.68084G	32.13	54.00	-21.87	5.45	3	Horizontal	27	2.00	26.68	33.41	7.19	35.15
PK	1.15423G	37.73	74.00	-36.27	-6.47	3	Horizontal	341	1.04	44.20	26.06	3.09	35.62
PK	2.07577G	39.42	74.00	-34.58	-3.29	3	Horizontal	30	1.00	42.71	27.50	4.21	35.00
PK	5.68084G	52.35	74.00	-21.65	5.45	3	Horizontal	27	2.00	46.90	33.41	7.19	35.15