



AFC DUT TEST HARNESS REPORT

FCC ID : UDX-600215010

Equipment : Cisco Wireless 9172H Series Wi-Fi 7 Access Point

Brand Name : CISCO

Model Name : CW9172H

Applicant : Cisco Systems, Inc.
170 West Tasman Drive, San Jose, CA 95134 USA

Manufacturer : Cisco Systems, Inc.
170 West Tasman Drive, San Jose, CA 95134 USA

Standard : 47 CFR FCC Part 15.407

The product was received on Oct. 30, 2024, and testing was started from Feb. 25, 2025 and completed on Feb. 27, 2025. We, Sporton International Inc. Hsinhua Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in AFC Device (AFC DUT) Compliance Test Plan Version 1.5 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Hsinhua Laboratory, the test report shall not be reproduced except in full.


Approved by: Jackson Tsai

Sporton International Inc. Hsinhua Laboratory

No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)



Table of Contents

1	General Description	5
1.1	Product Feature of Equipment Under Test	5
1.2	Antenna Information	6
1.3	Accessories	8
1.4	Support Equipment	8
1.5	Applicable Standards	9
1.6	Testing Location	9
2	Measurement Environment	10
2.1	AFC DUT General Capabilities Declaration	10
2.2	Test Configuration	11
3	Protocol Test Results	13
3.1	Successful Registration and Spectrum Access Request	13
3.2	Unsuccessful Spectrum Access Request	15
3.3	Successful Spectrum Access Update	16
3.4	Unsuccessful Spectrum Access Update	18
3.5	Unsuccessful Server Validation	20
4	Test Equipment and Calibration Data	21
5	Measurement Uncertainty	22

Appendix A. Tools Report

Appendix B. DUT Spectrum Inquiry Request/Response Logs

Appendix C. RF Measurement Plots

Photographs of EUT v01



Summary of Test Result

Report Clause	Ref Std. Clause	Test Case Name	Result (PASS/FAIL)	Remark
AFC capability - Inquired Frequency Test Group: Inquired Frequency – Always				
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_40MHz_10612_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_320MHz_10713_1	PASS	-
3.2	3.2.4	CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1	PASS	-
3.3	3.3.4	CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1	PASS	-
3.4	3.4.4	CT_AFC_SP_AP_AFCDUUA34_Frequency_10617_1	PASS	-
AFC capability - Server Validation – Mandatory Test Group: Server Validation - Always				
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1	PASS	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the chapter "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Jason Su

Report Producer: Debby Hung



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature of Equipment Under Test	
Power Type	From power adapter
EUT Type	☒ Standard Power Access Point with Proxy ☐ Standard Power Access Point without Proxy ☐ Fixed Client with Proxy ☐ Fixed Client without Proxy
Bandwidth (MHz)	20 / 40 / 80 / 160 / 320
Condition of EUT	☒ Indoor ☐ Outdoor
Professional Installation	☐ Yes ☒ No
Firmware Version	31-1-202502130208-Gff213c89def7-rel-permit
Software Version	31-1-202502130208-Gff213c89def7-rel-permit
Hardware Version	NA
Proxy Firmware Version	NA
Proxy Software Version	NA
Proxy Hardware Version	NA

Note: The above information was declared by manufacturer.

1.2 Antenna Information

Ant.	Brand	Model Name	Antenna Type	Connector	Support	Radio
1	Sercomm	61720064WA	PIFA	I-Pex	2.4G	Radio1
					5G	Radio 2
2	Sercomm	61720065WA	PIFA	I-Pex	2.4G	Radio1
					5G	Radio 2
3	Sercomm	61720062WA	PIFA	I-Pex	6G	Radio 2
4	Sercomm	61720063WA	PIFA	I-Pex	6G	Radio 2
5	Sercomm	61720067WA	PIFA	I-Pex	2.4G/5G/6G	Radio 3
6	Sercomm	61720066WA	PIFA	I-Pex	BT	BT

Ant.	Port	Gain (dBi)									
		2.4G	5G				6G				BT
			UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-5	UNII-6	UNII-7	UNII-8	
1	1	2.68	4.35	5.91	5.86	5	-	-	-	-	-
2	2	2.04	3.5	3.74	5.92	4.6	-	-	-	-	-
3	1	-	-	-	-	-	5.04	4.33	4.45	4.49	-
4	2	-	-	-	-	-	2.88	2.88	3.11	2.92	-
5	1	1.05	4.02	4.78	3.61	2.68	3.33	2.51	1.64	1.01	-
6	1	-	-	-	-	-	-	-	-	-	4.57

Composite Gain (dBi)										
Ant.	Wi-Fi Mode	2.4G	5G				6G			
		Radio 1	Radio 2				Radio 2			
			UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-5	UNII-6	UNII-7	UNII-8
1-2	DG [1SS]	2.86	6.34	6.89	7.56	6.98	-	-	-	-
	DG [2SS]	2.68	4.35	5.91	5.92	5	-	-	-	-
3-4	DG [1SS]	-	-	-	-	-	5.27	5.41	6.31	6.38
	DG [2SS]	-	-	-	-	-	5.04	4.33	4.45	4.49

Note 1: The EUT has six antennas.

Note 2: The composite gain is derived as KDB 662911 D03 v01 which was used as directional gain. For more detail information, please refer to the Antenna Pattern Report AP481514-01.

For 2.4GHz function:

For IEEE 802.11 b/g/n/VHT/ax/be mode (1TX/1RX) (Radio 1)

Ant. 1 (port 1) could transmit/receive.

For IEEE 802.11 b/g/n/VHT/ax/be mode (2TX/2RX) (Radio 1)

Ant. 1 (port 1) and Ant. 2 (port 2) could transmit/receive simultaneously.

For IEEE 802.11 b/g/n/VHT/ax mode (1RX) (Radio 3)

Ant. 5 (port 1) could receive.

For 5GHz function:

For IEEE 802.11 a/n/ac/ax/be mode (1TX/1RX) (Radio 2)

Ant. 1 (port 1) could transmit/receive.

For IEEE 802.11 a/n/ac/ax/be mode (2TX/2RX) (Radio 2)

Ant. 1 (port 1) and Ant. 2 (port 2) could transmit/receive simultaneously.

For IEEE 802.11 a/n/ac/ax mode (1RX) (Radio 3)

Ant. 5 (port 1) could receive.

For BT function:

For IEEE 802.15.1 Bluetooth mode (1TX/1RX)

Ant. 6 (port 1) could transmit/receive.

For 6GHz function:

For IEEE 802.11 ax/be mode (1TX/1RX) (Radio 2)

Ant. 3 (port 1) could transmit/receive.

For IEEE 802.11 ax/be mode (2TX/2RX) (Radio 2)

Ant. 3 (port 1) and Ant. 4 (port 2) could transmit/receive simultaneously.

For IEEE 802.11 ax mode (1RX) (Radio 3)

Ant. 5 (port 1) could receive.



1.3 Accessories

Accessories				
Bracket wall mount	Brand Name	Cisco	Model Name	CW-MNT-H1
RJ45 Cable (main source)	Brand Name	TUNG-LI	Model Name	5U422WC880L0B/D065MM-1
	Category	Cat5e	In/Out door	Indoor
	Signal Line	0.05meter,non-shielded cable		
RJ45 Cable (2nd source)	Brand Name	NIEN-YI	Model Name	NYS6142
	Category	Cat5e	In/Out door	Indoor
	Signal Line	0.05meter,non-shielded cable		

1.4 Support Equipment

Support Equipment				
No.	Equipment	Brand Name	Model Name	FCC ID
1	Notebook	HP	HSTNN-I42C	-
2	Notebook	HP	HSTNN-I42C	-
3	Client(Slave)	CISCO	Hornet	provided by customer
4	AP (Master)	ASUS	RT-AX88U	-
5	PoE	PHIHONG	POE60U-BTA(X664-R)	provided by customer



1.5 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15.407

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ AFC Device (AFC DUT) Compliance Test Plan Version 1.5
- ♦ FCC KDB 987594 D05 v01r01

1.6 Testing Location

Testing Location Information	
Test Lab. : Sporton International Inc. Hsinhua Laboratory	
Hsinhua	ADD: No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)
(TAF: 3785)	TEL: 886-3-327-3456 FAX: 886-3-327-0973
Test site Designation No. TW3785 with FCC.	

Test Condition	Test Site No.	Test Engineer	Test Environment (°C / %)	Test Date
RF Conducted	DFS03-HY	Peng Huang	23.2~23.5°C / 51~55%	25/Feb/2025~27/Feb/2025



2 Measurement Environment


Measurement Environment Information	
AFC DUT Test Harness version	2.0.65.184

2.1 AFC DUT General Capabilities Declaration


Item	Question	Vendor Response
1	AFC DUT Type	Proxy Standard Power AP
2	What is the AFC DUT supports sending an Available Spectrum Inquiry Request type?	Frequency
3	Does the AFC DUT need to be supplied with BSS configuration parameters?	No
4	Does the AFC DUT manufacturer attest to AFC DUT compliance with rules for LPI operation?	Yes
5	Does the AFC DUT need to be supplied with mandatory registration information to formulate an Available Spectrum Inquiry Request	No
6	If the Answer to Item 7 is "Yes". What is the geographic Supported by the AFC DUT?	-
7	Does the AFC DUT supports 160 MHz channel width operation?	Yes
8	Which method does AFC DUT acting as a Fixed Client uses for sending an Available Spectrum Inquiry Request?	-
9	Does the AFC DUT supports 320 MHz channel width operation?	Yes

Note: The above information was declared by manufacturer.

2.2 Test Configuration



Fixed Client Device Test Setup





3 Protocol Test Results

3.1 Successful Registration and Spectrum Access Request

3.1.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquired Frequency Range and/or the inquired Channels fields*.
4	AFC DUT Test Harness validates the presence of mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout Step 1 to Step 4, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
8	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
9	AFC DUT Test Harness validates the presence of mandatory registration information
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5.
11	Wait for 5 minutes (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the latest Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.



18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds
20	RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
21	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods
22	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
23	AFC DUT Test Harness validates the presence of mandatory registration information
24	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 17.
25	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
	Wait for 60 seconds (configurable)
	RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.1.2 Test Result

Refer as Appendix A~C

3.2 Unsuccessful Spectrum Access Request

3.2.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 7
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Test Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
6	Throughout Step 2 to Step 5 and subsequent to Step 5, RF Test Equipment monitors the output of the AFC DUT to confirm the following: - For SP only operation, AFC DUT does not transmit in the band. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
7	If the AFC DUT is Fixed Client, go to Step 8 else Stop the test
8	The AFC DUT set to Initial Pre-test State.
9	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
10	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
11	AFC DUT Test Harness validates mandatory registration information.
12	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available using either In-band or Out-of-band methods.
13	If AFC DUT used Out-of-band method, initiate connection procedure between Fixed Client and SP Access Point by following instructions provided by the AFC DUT Vendor
13	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.2.2 Test Result

Refer as Appendix A~C



3.3 Successful Spectrum Access Update

3.3.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the preceding steps, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: • In the band if the AFC DUT supports only SP operation Or • Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the following and STOP the test • For SP only operation, AFC DUT does not transmit in the band. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 9
9	AFC DUT Test Harness evaluates validity of mandatory registration information
10	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5. • During the 60 seconds wait time: • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT does not transmit above LPI threshold limits • For SP only operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT doesn't transmit in the band
11	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test



13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel and STOP the test. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 21
22	AFC DUT Test Harness evaluates validity of mandatory registration information
23	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from step 17. During the 60 seconds wait time, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.3.2 Test Result

Refer as Appendix A~C



3.4 Unsuccessful Spectrum Access Update

3.4.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the DUT with AFC System URL and server root certificate. Trigger the DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields.
4	AFC DUT Test Harness validates mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the Step 2 to 5, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds - If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the DUT to verify the following and STOP the test: - For SP only operation, AFC DUT does not transmit in the band, - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. - If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 8
9	AFC DUT Test Harness evaluates validity of mandatory registration information.
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
11	Throughout Step 7 to 10 and subsequent to Step 10 Test Equipment monitors the output of the AFC DUT to confirm that: For SP only operation, AFC DUT does not transmit in the band. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information



17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel., If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 22 else STOP the test
22	AFC DUT Test Harness evaluates validity of mandatory registration information.
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.4.2 Test Result

Refer as Appendix A~C



3.5 Unsuccessful Server Validation

3.5.1 Test Procedure

Step	Description
1	The AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT Test Harness with TLS configuration that is the same as the default configuration defined in Section 2.3.1 except for the following: - Run 1: A different server certificate (and private key) with SAN domain name entry "badafc.com" (i.e. that does not match AFC system URL's domain name); signed by the same root certificate as per Section 2.3.1 - Run 2: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1, but the certificate is signed by a different root certificate - Run 3: A different server certificate (and private key) with SAN domain name entry "wfatestorg.org" only (i.e. SAN domain name only matches suffix of AFC server's hostname); signed by the same root certificate as per Section 2.3.1 - Run 4: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1 signed by the same root certificate as per Section 2.3.1, but the server certificate is revoked as indicated in stapled OCSP response - Run 5: Same configuration as per Section 2.3.1, except OCSP stapling is disabled and CRL/OCSP servers are not available - Run 6: Same configuration as per Section 2.3.1, except stapled OCSP response has expired and CRL/OCSP servers are not available - Run 7: Same configuration as per Section 2.3.1, except only the TLS cipher suite "eNULL" (no encryption) is enabled - Run 8: N/A (same configuration as per Section 2.3.1) Configure the AFC DUT with the AFC System URL and the following root certificate: - Runs 1-7: Root certificate as per Section 2.3.1 - Run 8: No root certificate Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
2	AFC DUT Test Harness waits 10 seconds, and verifies no Available Spectrum Inquiry Request is sent to it.
3	Steps 1 and 2 are repeated for each of the remaining Runs

3.5.2 Test Result

Refer as Appendix A



4 Test Equipment and Calibration Data

Instrument	Manufacturer/ Brand	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date
EXA Signal Analyzer	KEYSIGHT	N9010A	MY54200885	10Hz~44GHz	15/Aug/2024	14/Aug/2025
SENSE-15407_NII	Sporton	V5.11.23	N/A	N/A	N/A	N/A
WFA-Quick Track-Tool	WI-FI ALLIANCE	2.0.65.184	N/A	N/A	N/A	N/A



5 Measurement Uncertainty

Test Items	Uncertainty	Remark
Conducted Emission	0.66 dB	Confidence levels of 95%

AFC DUT Compliance Test Report

DUT Information

AFC DUT System	Cisco Wireless 9172H Series Wi-Fi 7 Access Point
DUT Vendor Name	CISCO
DUT Product Model	CW9172H

Test Result

FCC Requirements	TestCaseName	Test Result
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NoRootCA 10639 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 TLSCipherSuiteENULL 10638 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 StapledOCSPRespExpired 10637 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 OCSPStaplingDisabled 10636 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 ServerCertRevoked 10635 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 MatchSuffixSAN 10634 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 DifferentRootCA 10633 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NonMatchSAN 10632 1 (Unsuccessful server validation)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Frequency 320MHz 10713 1 (Successful registration and spectrum access request)	PASS

15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT AFC SP AP AFCDUAU34_Frequency_10617_1 (Unsuccessful spectrum access update)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT AFC SP AP AFCDSAU33_Frequency_10616_1 (Successful spectrum access update)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii)	CT AFC SP AP AFCDUSA32_Frequency_10615_1 (Unsuccessful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31_Frequency_160MHz_10614_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31_Frequency_80MHz_10613_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31_Frequency_40MHz_10612_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31_Frequency_20MHz_10611_1 (Successful registration and spectrum access request)	PASS

**Test Measurements**

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Frequency_320MHz_10713_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (7.4 dBm/MHz PSD) in Spectrum Reponse] on channel center frequency index 31 bandwidth 320.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (-1.8 dBm/MHz PSD) in Spectrum Reponse] on channel center frequency index 31 bandwidth 320.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1 (Unsuccessful spectrum access update)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (23 dBm/MHz PSD) in Spectrum Reponse] on channel 137 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditons in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1 (Successful spectrum access update)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION_1	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (15.7 dBm/MHz PSD) in Spectrum Response] on channel 173 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_SP_OPERATION_2	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (21.5 dBm/MHz PSD) in Spectrum Response] on channel 53 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1 (Unsuccessful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE	AFC DUT conforms to the conditons in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1 (Successful registration and spectrum access request)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRY_RESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (11.6 dBm/MHz PSD) in Spectrum Reponse] on channel center frequency index 47 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRY_RESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (9.1 dBm/MHz PSD) in Spectrum Reponse] on channel center frequency index 79 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (12.9 dBm/MHz PSD) in Spectrum Reponse] on channel center frequency index 7 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (10.1 dBm/MHz PSD) in Spectrum Reponse] on channel center frequency index 71 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Frequency_40MHz_10612_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (19.5 dBm/MHz PSD) in Spectrum Reponse] on channel center frequency index 35 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (18.3 dBm/MHz PSD) in Spectrum Reponse] on channel center frequency index 91 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (15.9 dBm/MHz PSD) in Spectrum Reponse] on channel 5 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (21.7 dBm/MHz PSD) in Spectrum Reponse] on channel 133 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

AFC capability - Inquired Frequency

CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1

2025-02-25T06:30:11Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}
```

```
}
  ]
}
}

##### 2025-02-25T06:30:12Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 11.8
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 15.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 15.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 18.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 19.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 20.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 13.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6365,
            "lowFrequency": 6345
          },
          "maxPsd": 16.3
        }
      ]
    }
  ]
}
```

```

        "frequencyRange": {
          "highFrequency": 6385,
          "lowFrequency": 6365
        },
        "maxPsd": 16.0
      },
      {
        "frequencyRange": {
          "highFrequency": 6405,
          "lowFrequency": 6385
        },
        "maxPsd": 13.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6425,
          "lowFrequency": 6405
        },
        "maxPsd": 17.1
      },
      {
        "frequencyRange": {
          "highFrequency": 6765,
          "lowFrequency": 6745
        },
        "maxPsd": 19.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6785,
          "lowFrequency": 6765
        },
        "maxPsd": 12.5
      },
      {
        "frequencyRange": {
          "highFrequency": 6805,
          "lowFrequency": 6785
        },
        "maxPsd": 18.6
      },
      {
        "frequencyRange": {
          "highFrequency": 6825,
          "lowFrequency": 6805
        },
        "maxPsd": 9.0
      }
    ],
    "requestId": "154517913633936",
    "availabilityExpireTime": "2025-02-26T06:30:12Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}

##### 2025-02-25T06:30:12Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [

```

```
"rulesetId": "US_47_CFR_PART_15_SUBPART_E",  
  "id": "UDX-600215010"  
},  
    ],  
    },  
    "location": {  
      "ellipse": {  
        "center": {  
          "latitude": 38,  
          "longitude": -122  
        },  
        "majorAxis": 20,  
        "minorAxis": 20,  
        "orientation": 0  
      },  
      "elevation": {  
        "height": 10.0,  
        "heightType": "AGL",  
        "verticalUncertainty": 10.0  
      },  
      "indoorDeployment": 1  
    },  
    "inquiredFrequencyRange": [  
      {  
        "lowFrequency": 5945,  
        "highFrequency": 6875  
      }  
    ],  
    "inquiredChannels": [  
      {  
        "globalOperatingClass": 131  
      }  
    ],  
    "vendorExtensions": [  
      {  
        "extensionId": "CiscoApInfo",  
        "parameters": {  
          "version": "1.4",  
          "PID": "CW9172H"  
        }  
      }  
    ]  
  }  
},  
  "vendorExtensions": [  
    {  
      "extensionId": "CiscoInfo",  
      "parameters": {  
        "version": "1.4",  
        "source": "Cloud",  
        "identity": 1003  
      }  
    }  
  ]  
}  
  
##### 2025-02-25T06:30:13Z #####  
{  
  "availableSpectrumInquiryResponses": [  
    {  
      "response": {  
        "responseCode": 0,  
        "shortDescription": "SUCCESS"  
      },  
      "availableFrequencyInfo": [  
        {  
          "frequencyRange": {  
            "highFrequency": 5965,  
            "lowFrequency": 5945  
          },  
          "maxPsd": 11.8  
        },  
        {  
          "frequencyRange": {  
            "highFrequency": 5985,  
            "lowFrequency": 5965  
          },
```

```

    "maxPsd": 15.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6005,
      "lowFrequency": 5985
    },
    "maxPsd": 15.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6025,
      "lowFrequency": 6005
    },
    "maxPsd": 18.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 19.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 20.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 13.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 16.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 16.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 16.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 13.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 17.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6765,
      "lowFrequency": 6745
    },
    "maxPsd": 19.8
  }

```



```

    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 12.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 9.0
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:30:13Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}
##### 2025-02-25T06:30:16Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,

```

```

        "highFrequency": 6875
      }
    },
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9172H"
        }
      }
    ]
  }
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

##### 2025-02-25T06:30:16Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 11.8
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 15.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 15.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 18.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 19.7
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 20.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 13.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 16.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 16.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 16.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 13.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 17.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 19.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 12.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 9.0
    }
  },
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:30:16Z",

```

```

    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
  "version": "1.4"
}
##### 2025-02-25T06:30:17Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

```

```

    }
  ]
}

##### 2025-02-25T06:30:17Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 11.8
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 15.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 15.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 18.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 19.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 20.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 13.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6365,
            "lowFrequency": 6345
          },
          "maxPsd": 16.3
        }
      ]
    }
  ],
}

```

```

    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 16.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 13.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 17.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 19.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 12.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 9.0
    }
  },
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:30:17Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}

```

```

##### 2025-02-25T06:35:04Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",

```

```

        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600215070"
          }
        ],
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoInfo",
            "parameters": {
              "version": "1.4",
              "source": "Cloud",
              "identity": 1003
            }
          }
        ]
      }
    ]
  }
}

##### 2025-02-25T06:35:04Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 9.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,

```

```

        "lowFrequency": 6045
      },
      "maxPsd": 10.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 12.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 10.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 15.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 16.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 9.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 20.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 11.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 13.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585

```



```

    },
    "maxPsd": 14.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 21.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 12.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 13.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 8.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 21.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 16.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 16.7
  }
},
"requestId": "154517913633936",
"availabilityExpireTime": "2025-02-26T06:35:04Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-25T06:35:05Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",

```

```

    "deviceDescriptor": {
      "serialNumber": "Q5BD-2NAR-CY4K",
      "certificationId": [
        {
          "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
          "id": "UDX-600215010"
        }
      ]
    },
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 1
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9172H"
        }
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

##### 2025-02-25T06:35:05Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 9.1
        }
      ]
    }
  ]
}

```

```

    "frequencyRange": {
      "highFrequency": 6065,
      "lowFrequency": 6045
    },
    "maxPsd": 10.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6085,
      "lowFrequency": 6065
    },
    "maxPsd": 12.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 10.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 18.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 13.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 15.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 16.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 9.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 20.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 11.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 13.3
  },
  {
    "frequencyRange": {

```

```

        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 14.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 21.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 12.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 13.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 8.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 21.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 16.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 16.7
    }
  },
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:35:05Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
"version": "1.4"
}

```

CT_AFC_SP_AP_AFCRSA31_Frequency_40MHz_10612_1

2025-02-25T06:41:16Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscolInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}
```

```

}
}
##### 2025-02-25T06:41:16Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 20.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 19.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 15.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 12.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 16.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6305,
            "lowFrequency": 6285
          },
          "maxPsd": 16.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6325,
            "lowFrequency": 6305
          },
          "maxPsd": 17.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6345,
            "lowFrequency": 6325
          },
          "maxPsd": 19.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6685,
            "lowFrequency": 6665
          },
          "maxPsd": 19.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6705,

```

```

        "lowFrequency": 6685
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 9.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 12.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 16.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 17.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 11.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 11.5
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:41:16Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-25T06:41:17Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/.*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        }
      }
    ]
  }
}

```

```

    }
  ]
},
"location": {
  "ellipse": {
    "center": {
      "latitude": 38,
      "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 1
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"inquiredChannels": [
  {
    "globalOperatingClass": 131
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9172H"
    }
  }
]
}
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}
}

```

```

##### 2025-02-25T06:41:17Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 20.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 19.5
        }
      ]
    }
  ]
}

```



```

{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 15.6
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 12.1
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 16.7
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 16.1
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 17.0
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 19.9
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 19.8
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 12.7
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 9.9
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 12.6
},
{
  "frequencyRange": {
    "highFrequency": 6765,
    "lowFrequency": 6745
  },
  "maxPsd": 16.0
},
{

```

```

        "frequencyRange": {
            "highFrequency": 6785,
            "lowFrequency": 6765
        },
        "maxPsd": 17.1
    },
    {
        "frequencyRange": {
            "highFrequency": 6805,
            "lowFrequency": 6785
        },
        "maxPsd": 11.0
    },
    {
        "frequencyRange": {
            "highFrequency": 6825,
            "lowFrequency": 6805
        },
        "maxPsd": 11.5
    }
},
"requestId": "154517913633936",
"availabilityExpireTime": "2025-02-26T06:41:17Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}
##### 2025-02-25T06:45:40Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "User-Agent": "curl/7.68.0",
        "Accept": "*/*",
        "Content-Type": "application/json",
        "X-Forwarded-For": "158.115.159.133",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "763",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "154517913633936",
                "deviceDescriptor": {
                    "serialNumber": "Q5BD-2NAR-CY4K",
                    "certificationId": [
                        {
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                            "id": "UDX-600215010"
                        }
                    ]
                }
            }
        ],
        "location": {
            "ellipse": {
                "center": {
                    "latitude": 38,
                    "longitude": -122
                },
                "majorAxis": 20,
                "minorAxis": 20,
                "orientation": 0
            },
            "elevation": {
                "height": 10.0,
                "heightType": "AGL",
                "verticalUncertainty": 10.0
            },
            "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
            {
                "lowFrequency": 5945,
                "highFrequency": 6875
            }
        ]
    }
}

```

```

    },
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9172H"
        }
      }
    ]
  }
},
"vendorExtensions": [
  {
    "extensionId": "CiscolInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}
}
##### 2025-02-25T06:45:41Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.1
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 16.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 20.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 12.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 15.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          }
        }
      ]
    }
  ]
}

```



```

    "maxPsd": 16.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 15.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 15.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 17.0
  }
},
"requestId": "154517913633936",
"availabilityExpireTime": "2025-02-26T06:45:41Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-25T06:45:42Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",
        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 1
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,

```

```

        "highFrequency": 6875
      }
    },
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9172H"
        }
      }
    ]
  }
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

##### 2025-02-25T06:45:42Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.1
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 16.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 20.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 12.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 15.5
        },
        {
          "frequencyRange": {

```

```

    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 9.1
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 12.5
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 12.2
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 20.1
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 11.8
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 17.3
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 10.8
},
{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 18.3
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 20.6
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 18.3
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 21.8
},
{
  "frequencyRange": {
    "highFrequency": 6605,

```

```

        "lowFrequency": 6585
      },
      "maxPsd": 16.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 15.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 15.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 17.0
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:45:42Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}

```

CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1

```

##### 2025-02-25T06:49:14Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "latitude": 38,
          "longitude": -122
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "height": 10.0,
        "heightType": "AGL",

```



```

        "verticalUncertainty": 10.0
      },
      "indoorDeployment": 1
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5945,
        "highFrequency": 6875
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9172H"
        }
      }
    ]
  }
]
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}
}

```

2025-02-25T06:49:15Z

```

{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 20.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 21.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 17.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 12.9
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 17.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 15.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 13.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 21.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 8.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 15.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 8.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 8.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 10.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 9.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,

```

```

        "lowFrequency": 6805
      },
      "maxPsd": 14.4
    }
  },
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:49:15Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}
##### 2025-02-25T06:49:15Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        }
      },
      {
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ]
  }
}
],
}

```

```

"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

##### 2025-02-25T06:49:16Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 20.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 21.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 17.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 12.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 17.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6625,
            "lowFrequency": 6605
          },
          "maxPsd": 15.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6645,
            "lowFrequency": 6625
          },
          "maxPsd": 13.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6665,
            "lowFrequency": 6645
          },
          "maxPsd": 12.7
        }
      ]
    }
  ]
}

```

```

    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 21.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 8.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 15.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 8.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 8.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 10.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 9.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 14.4
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:49:15Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}
##### 2025-02-25T06:55:18Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },

```

```

"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "154517913633936",
      "deviceDescriptor": {
        "serialNumber": "Q5BD-2NAR-CY4K",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600215010"
          }
        ]
      },
      "location": {
        "ellipse": {
          "center": {
            "latitude": 38,
            "longitude": -122
          },
          "majorAxis": 20,
          "minorAxis": 20,
          "orientation": 0
        },
        "elevation": {
          "height": 10.0,
          "heightType": "AGL",
          "verticalUncertainty": 10.0
        },
        "indoorDeployment": 1
      },
      "inquiredFrequencyRange": [
        {
          "lowFrequency": 5945,
          "highFrequency": 6875
        }
      ],
      "inquiredChannels": [
        {
          "globalOperatingClass": 131
        }
      ],
      "vendorExtensions": [
        {
          "extensionId": "CiscoApInfo",
          "parameters": {
            "version": "1.4",
            "PID": "CW9172H"
          }
        }
      ]
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

```

```

##### 2025-02-25T06:55:19Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,

```

```

        "lowFrequency": 6025
      },
      "maxPsd": 16.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 8.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 16.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
      "maxPsd": 18.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 8.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 9.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 14.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 10.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 12.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },

```

```

    },
    "maxPsd": 19.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 13.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 17.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 12.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 10.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 15.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 17.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 19.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 12.1
  }
},
"requestId": "154517913633936",
"availabilityExpireTime": "2025-02-26T06:55:19Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-25T06:55:19Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",

```



```

"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "154517913633936",
      "deviceDescriptor": {
        "serialNumber": "Q5BD-2NAR-CY4K",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600215010"
          }
        ]
      },
      "location": {
        "ellipse": {
          "center": {
            "latitude": 38,
            "longitude": -122
          },
          "majorAxis": 20,
          "minorAxis": 20,
          "orientation": 0
        },
        "elevation": {
          "height": 10.0,
          "heightType": "AGL",
          "verticalUncertainty": 10.0
        },
        "indoorDeployment": 1
      },
      "inquiredFrequencyRange": [
        {
          "lowFrequency": 5945,
          "highFrequency": 6875
        }
      ],
      "inquiredChannels": [
        {
          "globalOperatingClass": 131
        }
      ],
      "vendorExtensions": [
        {
          "extensionId": "CiscoApInfo",
          "parameters": {
            "version": "1.4",
            "PID": "CW9172H"
          }
        }
      ]
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
}

##### 2025-02-25T06:55:20Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {

```

```

    "frequencyRange": {
      "highFrequency": 6045,
      "lowFrequency": 6025
    },
    "maxPsd": 16.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6065,
      "lowFrequency": 6045
    },
    "maxPsd": 13.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6085,
      "lowFrequency": 6065
    },
    "maxPsd": 8.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 16.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 18.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 8.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 9.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 14.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 10.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 12.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 12.6
  },
  {
    "frequencyRange": {

```

```

        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 19.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 13.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 17.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 12.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 10.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 15.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 17.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 19.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 12.1
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T06:55:20Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}

```

CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1

2025-02-25T07:01:07Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*"
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoAplInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}
```

```

    ]
  }
}

##### 2025-02-25T07:01:07Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 15.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 17.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 11.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 13.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 18.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 15.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 11.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 20.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 15.0
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 19.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 13.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 21.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 15.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 10.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 15.1
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:01:07Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
"version": "1.4"
}

##### 2025-02-25T07:01:08Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/.*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",

```

```

    "id": "UDX-600215010"
  }
}
},
"location": {
  "ellipse": {
    "center": {
      "latitude": 38,
      "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 1
},
"inquiredFrequencyRange": [
{
  "lowFrequency": 5945,
  "highFrequency": 6875
}
],
"inquiredChannels": [
{
  "globalOperatingClass": 131
}
],
"vendorExtensions": [
{
  "extensionId": "CiscoApInfo",
  "parameters": {
    "version": "1.4",
    "PID": "CW9172H"
  }
}
]
}
},
"vendorExtensions": [
{
  "extensionId": "CiscolInfo",
  "parameters": {
    "version": "1.4",
    "source": "Cloud",
    "identity": 1003
  }
}
]
}
}
}
##### 2025-02-25T07:01:08Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 15.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 17.8
        }
      ]
    }
  ]
}

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 11.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 13.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 18.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 15.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 11.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 20.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 19.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 13.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 21.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 15.9
    },
  },

```



```

    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 10.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 15.1
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:01:08Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-25T07:04:51Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ]
      }
    ]
  }
}

```

```

    }
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9172H"
      }
    }
  ]
}
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}
}
##### 2025-02-25T07:04:51Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.4
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 20.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 8.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 8.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,

```

```

        "lowFrequency": 6045
      },
      "maxPsd": 8.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 10.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 9.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 20.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 11.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 12.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 16.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 17.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 12.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 20.6
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:04:51Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"

```

```

    }
    },
    "version": "1.4"
}

##### 2025-02-25T07:04:52Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

```

```

    }
  }
}

##### 2025-02-25T07:04:52Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.4
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 20.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 8.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 8.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 8.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 10.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 12.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 9.1
        }
      ]
    }
  ]
}

```

```

    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 20.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 11.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 12.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 16.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 17.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 12.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 20.6
  }
},
"requestId": "154517913633936",
"availabilityExpireTime": "2025-02-26T07:04:52Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
"version": "1.4"
}

```

CT_AFC_SP_AP_AFCRSA31_Frequency_320MHz_10713_1

2025-02-25T07:56:12Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/.*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoAplInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}
```

```

    ]
  }
}

##### 2025-02-25T07:56:12Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 17.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 14.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 16.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 11.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 15.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 7.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 13.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 15.8
        },
        {
          "frequencyRange": {

```



```

        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 17.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 8.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 10.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 13.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 15.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 11.0
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:56:12Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
"version": "1.4"
}

##### 2025-02-25T07:56:13Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",

```

```

    "id": "UDX-600215010"
  }
}
},
"location": {
  "ellipse": {
    "center": {
      "latitude": 38,
      "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 1
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"inquiredChannels": [
  {
    "globalOperatingClass": 131
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9172H"
    }
  }
]
}
},
"vendorExtensions": [
  {
    "extensionId": "CiscolInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}
}
}
##### 2025-02-25T07:56:13Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 17.0
        }
      ]
    }
  ]
}

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 14.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 16.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 11.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 15.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 7.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 13.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 15.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 17.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 8.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 10.3
    },
  },

```

```

    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 13.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 15.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 11.0
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:56:13Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-25T07:56:20Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ]
      }
    ]
  }
}

```

```

    }
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9172H"
      }
    }
  ]
}
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}
}
##### 2025-02-25T07:56:20Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 17.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 14.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 16.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 11.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,

```

```

        "lowFrequency": 6205
      },
      "maxPsd": 15.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 7.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 13.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 15.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 17.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 8.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 10.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 13.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 15.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 11.0
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:56:20Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"

```

```

    }
  },
  "version": "1.4"
}

##### 2025-02-25T07:56:21Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

```

```

    }
  ]
}

##### 2025-02-25T07:56:21Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 17.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 14.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 16.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 11.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 15.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 7.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 13.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 15.8
        }
      ]
    }
  ]
}

```



```

        "frequencyRange": {
            "highFrequency": 6305,
            "lowFrequency": 6285
        },
        "maxPsd": 13.4
    },
    {
        "frequencyRange": {
            "highFrequency": 6325,
            "lowFrequency": 6305
        },
        "maxPsd": 17.7
    },
    {
        "frequencyRange": {
            "highFrequency": 6345,
            "lowFrequency": 6325
        },
        "maxPsd": 8.4
    },
    {
        "frequencyRange": {
            "highFrequency": 6365,
            "lowFrequency": 6345
        },
        "maxPsd": 10.3
    },
    {
        "frequencyRange": {
            "highFrequency": 6385,
            "lowFrequency": 6365
        },
        "maxPsd": 13.5
    },
    {
        "frequencyRange": {
            "highFrequency": 6405,
            "lowFrequency": 6385
        },
        "maxPsd": 15.3
    },
    {
        "frequencyRange": {
            "highFrequency": 6425,
            "lowFrequency": 6405
        },
        "maxPsd": 11.0
    }
},
"requestId": "154517913633936",
"availabilityExpireTime": "2025-02-26T07:56:21Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-25T08:08:08Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "User-Agent": "curl/7.68.0",
        "Accept": "*/*",
        "Content-Type": "application/json",
        "X-Forwarded-For": "158.115.159.133",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "763",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "154517913633936",
                "deviceDescriptor": {
                    "serialNumber": "Q5BD-2NAR-CY4K",
                    "certificationId": [

```

```

    {
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
      "id": "UDX-600215010"
    }
  ]
},
"location": {
  "ellipse": {
    "center": {
      "latitude": 38,
      "longitude": -122
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "height": 10.0,
    "heightType": "AGL",
    "verticalUncertainty": 10.0
  },
  "indoorDeployment": 1
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5945,
    "highFrequency": 6875
  }
],
"inquiredChannels": [
  {
    "globalOperatingClass": 131
  }
],
"vendorExtensions": [
  {
    "extensionId": "CiscoApInfo",
    "parameters": {
      "version": "1.4",
      "PID": "CW9172H"
    }
  }
]
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

```

```

##### 2025-02-25T08:08:08Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.0
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          }
        }
      ]
    }
  ]
}

```

```

    },
    "maxPsd": 7.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6005,
      "lowFrequency": 5985
    },
    "maxPsd": 1.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6025,
      "lowFrequency": 6005
    },
    "maxPsd": 10.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6045,
      "lowFrequency": 6025
    },
    "maxPsd": 2.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6065,
      "lowFrequency": 6045
    },
    "maxPsd": 2.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6085,
      "lowFrequency": 6065
    },
    "maxPsd": 5.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 11.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 0.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 9.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 9.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 8.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
  },

```

```

    "maxPsd": -0.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": -1.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 4.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 2.0
  }
},
"requestId": "154517913633936",
"availabilityExpireTime": "2025-02-26T08:08:08Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-25T08:08:09Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/.*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,

```

```

        "highFrequency": 6875
      }
    },
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoApInfo",
        "parameters": {
          "version": "1.4",
          "PID": "CW9172H"
        }
      }
    ]
  }
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}

##### 2025-02-25T08:08:09Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.0
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 7.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 1.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 10.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 2.9
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 2.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 5.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 11.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
      "maxPsd": 0.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 9.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 9.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 8.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": -0.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": -1.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 4.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 2.0
    }
  },
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T08:08:09Z",

```

```

    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
  "version": "1.4"
}

```

CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1

```

##### 2025-02-25T07:11:05Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoAplInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {

```

```

        "extensionId": "CiscoInfo",
        "parameters": {
            "version": "1.4",
            "source": "Cloud",
            "identity": 1003
        }
    }
}

##### 2025-02-25T07:11:05Z #####
{
    "availableSpectrumInquiryResponses": [
        {
            "response": {
                "responseCode": 0,
                "shortDescription": "SUCCESS"
            },
            "availableFrequencyInfo": [],
            "requestId": "154517913633936",
            "availabilityExpireTime": "2025-02-26T07:11:05Z",
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
        }
    ],
    "version": "1.4"
}

##### 2025-02-25T07:11:06Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "*/*",
        "Content-Type": "application/json",
        "X-Forwarded-For": "158.115.159.133",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "763",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "154517913633936",
                "deviceDescriptor": {
                    "serialNumber": "Q5BD-2NAR-CY4K",
                    "certificationId": [
                        {
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                            "id": "UDX-600215010"
                        }
                    ]
                },
                "location": {
                    "ellipse": {
                        "center": {
                            "latitude": 38,
                            "longitude": -122
                        },
                        "majorAxis": 20,
                        "minorAxis": 20,
                        "orientation": 0
                    },
                    "elevation": {
                        "height": 10.0,
                        "heightType": "AGL",
                        "verticalUncertainty": 10.0
                    },
                    "indoorDeployment": 1
                },
                "inquiredFrequencyRange": [
                    {
                        "lowFrequency": 5945,
                        "highFrequency": 6875
                    }
                ],
                "inquiredChannels": [

```



```

    {
      "globalOperatingClass": 131
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoApInfo",
      "parameters": {
        "version": "1.4",
        "PID": "CW9172H"
      }
    }
  ]
}
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}
}
##### 2025-02-25T07:11:06Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "requestId": "154517913633936",
      "availabilityExpireTime": "2025-02-26T07:11:06Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}

```

```

CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1
##### 2025-02-25T07:14:09Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/.*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {

```

```
"center": {  
    "latitude": 38,  
    "longitude": -122  
},  
    "majorAxis": 20,  
    "minorAxis": 20,  
    "orientation": 0  
},  
    "elevation": {  
        "height": 10.0,  
        "heightType": "AGL",  
        "verticalUncertainty": 10.0  
    },  
    "indoorDeployment": 1  
},  
    "inquiredFrequencyRange": [  
        {  
            "lowFrequency": 5945,  
            "highFrequency": 6875  
        }  
    ],  
    "inquiredChannels": [  
        {  
            "globalOperatingClass": 131  
        }  
    ],  
    "vendorExtensions": [  
        {  
            "extensionId": "CiscoApInfo",  
            "parameters": {  
                "version": "1.4",  
                "PID": "CW9172H"  
            }  
        }  
    ]  
}  
  
    "vendorExtensions": [  
        {  
            "extensionId": "CiscoInfo",  
            "parameters": {  
                "version": "1.4",  
                "source": "Cloud",  
                "identity": 1003  
            }  
        }  
    ]  
}  
}
```

```
#####      2025-02-25T07:14:09Z      #####  
{  
    "availableSpectrumInquiryResponses": [  
        {  
            "response": {  
                "responseCode": 0,  
                "shortDescription": "SUCCESS"  
            },  
            "availableFrequencyInfo": [  
                {  
                    "frequencyRange": {  
                        "highFrequency": 6045,  
                        "lowFrequency": 6025  
                    },  
                    "maxPsd": 21.9  
                },  
                {  
                    "frequencyRange": {  
                        "highFrequency": 6065,  
                        "lowFrequency": 6045  
                    },  
                    "maxPsd": 14.5  
                },  
                {  
                    "frequencyRange": {  
                        "highFrequency": 6085,  
                        "lowFrequency": 6065  
                    }  
                }  
            ]  
        }  
    ]  
}
```

```

    "maxPsd": 18.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 10.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 9.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 20.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 19.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 17.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 10.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 8.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 21.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 15.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6765,
      "lowFrequency": 6745
    },
    "maxPsd": 10.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6785,
      "lowFrequency": 6765
    },
    "maxPsd": 11.4
  }

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 12.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 15.7
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:14:09Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}
##### 2025-02-25T07:14:10Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ]
      }
    ]
  }
}

```

```

        "vendorExtensions": [
            {
                "extensionId": "CiscoAplInfo",
                "parameters": {
                    "version": "1.4",
                    "PID": "CW9172H"
                }
            }
        ]
    }
}

    },
    "vendorExtensions": [
        {
            "extensionId": "CiscoInfo",
            "parameters": {
                "version": "1.4",
                "source": "Cloud",
                "identity": 1003
            }
        }
    ]
}
}

##### 2025-02-25T07:14:10Z #####
{
    "availableSpectrumInquiryResponses": [
        {
            "response": {
                "responseCode": 0,
                "shortDescription": "SUCCESS"
            },
            "availableFrequencyInfo": [
                {
                    "frequencyRange": {
                        "highFrequency": 6045,
                        "lowFrequency": 6025
                    },
                    "maxPsd": 21.9
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6065,
                        "lowFrequency": 6045
                    },
                    "maxPsd": 14.5
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6085,
                        "lowFrequency": 6065
                    },
                    "maxPsd": 18.7
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6105,
                        "lowFrequency": 6085
                    },
                    "maxPsd": 10.2
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6125,
                        "lowFrequency": 6105
                    },
                    "maxPsd": 9.4
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6145,
                        "lowFrequency": 6125
                    },
                    "maxPsd": 20.4
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6165,

```

```

        "lowFrequency": 6145
      },
      "maxPsd": 19.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 17.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 10.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 8.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 21.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 15.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 10.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 11.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 12.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 15.7
    }
  ],
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:14:10Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}
##### 2025-02-25T07:24:11Z #####
{

```

```

"headers": {
  "Host": "testserver.wfatestorg.org",
  "User-Agent": "curl/7.68.0",
  "Accept": "*/*",
  "Content-Type": "application/json",
  "X-Forwarded-For": "158.115.159.133",
  "X-Forwarded-Host": "testserver.wfatestorg.org",
  "X-Forwarded-Server": "testserver.wfatestorg.org",
  "Content-Length": "763",
  "Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "154517913633936",
      "deviceDescriptor": {
        "serialNumber": "Q5BD-2NAR-CY4K",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600215010"
          }
        ]
      },
      "location": {
        "ellipse": {
          "center": {
            "latitude": 38,
            "longitude": -122
          },
          "majorAxis": 20,
          "minorAxis": 20,
          "orientation": 0
        },
        "elevation": {
          "height": 10.0,
          "heightType": "AGL",
          "verticalUncertainty": 10.0
        },
        "indoorDeployment": 1
      },
      "inquiredFrequencyRange": [
        {
          "lowFrequency": 5945,
          "highFrequency": 6875
        }
      ],
      "inquiredChannels": [
        {
          "globalOperatingClass": 131
        }
      ],
      "vendorExtensions": [
        {
          "extensionId": "CiscoApInfo",
          "parameters": {
            "version": "1.4",
            "PID": "CW9172H"
          }
        }
      ]
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}

```

2025-02-25T07:32:15Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 9.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 15.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 20.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 13.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 20.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6305,
            "lowFrequency": 6285
          },
          "maxPsd": 17.0
        }
      ]
    }
  ]
}
```



```

{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 21.0
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 20.1
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 15.5
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 19.6
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 20.3
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 18.6
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 19.9
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 19.2
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 13.4
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 14.7
}
},
"requestId": "154517913633936",
"availabilityExpireTime": "2025-02-26T07:32:15Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
"version": "1.4"
}

```

```
##### 2025-02-25T07:32:16Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "/*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}
```

```
##### 2025-02-25T07:32:16Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 9.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 15.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 20.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 13.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 20.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6305,
            "lowFrequency": 6285
          },
          "maxPsd": 21.5
        }
      ]
    }
  ]
}
```

```

    "maxPsd": 17.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 21.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 20.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 15.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 19.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 20.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 18.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 19.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 19.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 13.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 14.7
  }
},
{
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:32:16Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
]

```

```

"version": "1.4"
}
##### 2025-02-25T07:32:23Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoAplInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

```

```

    ]
  }
}

##### 2025-02-25T07:32:23Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 9.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 15.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 20.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 13.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 20.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 17.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 21.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 20.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 15.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 19.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 20.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 19.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 19.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 14.7
    }
  },
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:32:23Z",

```

```

    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
  "version": "1.4"
}
##### 2025-02-25T07:32:24Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

```



```

    }
  ]
}

##### 2025-02-25T07:32:24Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 9.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 15.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 20.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 13.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 20.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 21.5
        }
      ]
    }
  ],
}

```

```

{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 17.0
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 21.0
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 20.1
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 15.5
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 19.6
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 20.3
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 18.6
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 19.9
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 19.2
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 13.4
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 14.7
},
},
],

```

```

    "requestId": "154517913633936",
    "availabilityExpireTime": "2025-02-26T07:32:24Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
  },
  "version": "1.4"
}

##### 2025-02-25T07:33:11Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*//*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {

```

```

        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
    }
}
]
}
}

##### 2025-02-25T07:33:11Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 9.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 15.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 20.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 13.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 20.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          }
        }
      ]
    }
  ]
}

```

```

    },
    "maxPsd": 21.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 17.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 21.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 20.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 15.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 19.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 20.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 18.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 19.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 19.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 13.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
  },

```

```

        "maxPsd": 14.7
      }
    },
    "requestId": "154517913633936",
    "availabilityExpireTime": "2025-02-26T07:33:11Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
},
"version": "1.4"
}
##### 2025-02-25T07:33:12Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [

```

```

        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

##### 2025-02-25T07:33:12Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 9.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 15.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 20.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 13.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 20.8
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 21.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 17.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 21.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 20.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 15.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 19.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 20.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 19.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 19.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 13.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,

```



```

        "lowFrequency": 6725
      },
      "maxPsd": 14.7
    }
  },
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:33:12Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

```

```

CT AFC SP AP AFCDUAU34 Frequency 10617 1
##### -2025-02-25T07:42:45Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ]
  }
}

```

```
    }
  ]
}
},
"vendorExtensions": [
  {
    "extensionId": "CiscoInfo",
    "parameters": {
      "version": "1.4",
      "source": "Cloud",
      "identity": 1003
    }
  }
]
}
}
}

##### 2025-02-25T07:42:46Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
```

```

        "lowFrequency": 6085
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },

```

```

    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6545,
      "lowFrequency": 6525
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6565,
      "lowFrequency": 6545
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6585,
      "lowFrequency": 6565
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 23
  },
  },

```

```

    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6765,
      "lowFrequency": 6745
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6785,
      "lowFrequency": 6765
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6805,
      "lowFrequency": 6785
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6825,
      "lowFrequency": 6805
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6845,
      "lowFrequency": 6825
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6865,
      "lowFrequency": 6845
    },
    "maxPsd": 23
  }
},
{
  "requestId": "154517913633936",
  "availabilityExpireTime": "2025-02-26T07:42:46Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
]

```

```

"version": "1.4"
}
##### 2025-02-25T07:42:46Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoApInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",
          "identity": 1003
        }
      }
    ]
  }
}

```

```

}
}
##### 2025-02-25T07:42:47Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,

```

```

        "lowFrequency": 6125
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 23
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 23
    }
  ]

```



```

    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6545,
      "lowFrequency": 6525
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6565,
      "lowFrequency": 6545
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6585,
      "lowFrequency": 6565
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 23
  },
  },

```



```
        "maxPsd": 23
      },
      {
        "frequencyRange": {
          "highFrequency": 6725,
          "lowFrequency": 6705
        },
        "maxPsd": 23
      },
      {
        "frequencyRange": {
          "highFrequency": 6745,
          "lowFrequency": 6725
        },
        "maxPsd": 23
      },
      {
        "frequencyRange": {
          "highFrequency": 6765,
          "lowFrequency": 6745
        },
        "maxPsd": 23
      },
      {
        "frequencyRange": {
          "highFrequency": 6785,
          "lowFrequency": 6765
        },
        "maxPsd": 23
      },
      {
        "frequencyRange": {
          "highFrequency": 6805,
          "lowFrequency": 6785
        },
        "maxPsd": 23
      },
      {
        "frequencyRange": {
          "highFrequency": 6825,
          "lowFrequency": 6805
        },
        "maxPsd": 23
      },
      {
        "frequencyRange": {
          "highFrequency": 6845,
          "lowFrequency": 6825
        },
        "maxPsd": 23
      },
      {
        "frequencyRange": {
          "highFrequency": 6865,
          "lowFrequency": 6845
        },
        "maxPsd": 23
      }
    ],
    "requestId": "154517913633936",
    "availabilityExpireTime": "2025-02-26T07:42:47Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  {
    "version": "1.4"
  }
}

##### 2025-02-25T07:54:14Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "curl/7.68.0",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
  }
}
```

```

"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "154517913633936",
      "deviceDescriptor": {
        "serialNumber": "Q5BD-2NAR-CY4K",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "UDX-600215010"
          }
        ]
      },
      "location": {
        "ellipse": {
          "center": {
            "latitude": 38,
            "longitude": -122
          },
          "majorAxis": 20,
          "minorAxis": 20,
          "orientation": 0
        },
        "elevation": {
          "height": 10.0,
          "heightType": "AGL",
          "verticalUncertainty": 10.0
        },
        "indoorDeployment": 1
      },
      "inquiredFrequencyRange": [
        {
          "lowFrequency": 5945,
          "highFrequency": 6875
        }
      ],
      "inquiredChannels": [
        {
          "globalOperatingClass": 131
        }
      ],
      "vendorExtensions": [
        {
          "extensionId": "CiscoApInfo",
          "parameters": {
            "version": "1.4",
            "PID": "CW9172H"
          }
        }
      ]
    }
  ],
  "vendorExtensions": [
    {
      "extensionId": "CiscoInfo",
      "parameters": {
        "version": "1.4",
        "source": "Cloud",
        "identity": 1003
      }
    }
  ]
}
}

##### 2025-02-25T07:54:14Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "requestId": "154517913633936",

```

```

    "availabilityExpireTime": "2025-02-26T07:54:14Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}

##### 2025-02-25T07:54:15Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "*/*",
    "Content-Type": "application/json",
    "X-Forwarded-For": "158.115.159.133",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "763",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "154517913633936",
        "deviceDescriptor": {
          "serialNumber": "Q5BD-2NAR-CY4K",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "UDX-600215010"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "latitude": 38,
              "longitude": -122
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "height": 10.0,
            "heightType": "AGL",
            "verticalUncertainty": 10.0
          },
          "indoorDeployment": 1
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5945,
            "highFrequency": 6875
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ],
        "vendorExtensions": [
          {
            "extensionId": "CiscoAplInfo",
            "parameters": {
              "version": "1.4",
              "PID": "CW9172H"
            }
          }
        ]
      }
    ],
    "vendorExtensions": [
      {
        "extensionId": "CiscoInfo",
        "parameters": {
          "version": "1.4",
          "source": "Cloud",

```



```
        "identity": 1003
      }
    ]
  }
}

##### 2025-02-25T07:54:15Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "requestId": "154517913633936",
      "availabilityExpireTime": "2025-02-26T07:54:15Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}
```

AFC capability - Inquired Frequency & Channel
AFCD.RSA: Successful registration and spectrum access request

Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
5955	LPI	20	5.04	10.99	16.03	-	N/A	-2.53	2.51	5	Pass
5975	SP	20	5.04	15.98	21.02	-	N/A	2.59	7.63	15.9	Pass
6615	SP	20	4.45	15.21	19.66	-	N/A	1.64	6.09	21.7	Pass
5965	LPI	40	5.04	14.07	19.11	-	N/A	-2.30	2.74	5	Pass
6125	SP	40	5.04	15.45	20.49	-	N/A	-1.28	3.76	19.5	Pass
6405	SP	40	5.04	15.70	20.74	-	N/A	-1.02	4.02	18.3	Pass
5985	LPI	80	5.04	15.79	20.83	-	N/A	-3.75	1.29	5	Pass
5985	SP	80	5.04	15.66	20.7	-	N/A	-2.72	2.32	12.9	Pass
6305	SP	80	5.04	15.72	20.76	-	N/A	-3.89	1.15	10.1	Pass
6025	LPI	160	5.04	15.22	20.26	-	N/A	-7.24	-2.2	5	Pass
6185	SP	160	5.04	15.27	20.31	-	N/A	-7.24	-2.2	11.6	Pass
6345	SP	160	5.04	15.66	20.7	-	N/A	-6.13	-1.09	9.1	Pass
6105	LPI	320	5.04	16.23	21.27	-	N/A	-9.20	-4.16	5	Pass
6105	SP	320	5.04	16.14	21.18	-	N/A	-8.26	-3.22	7.4	Pass
6105	SP	320	5.04	16.18	21.22	-	N/A	-7.80	-2.76	-1.8	Pass

AFCD.USA: Unsuccessful spectrum access request

Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
5955	LPI	20	5.04	11.00	16.04	-	N/A	-2.57	2.47	5	Pass
5955	LPI	20	5.04	10.97	16.01	-	N/A	-2.44	2.6	5	Pass

AFCD.SAU: Successful spectrum access update

Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
5955	LPI	20	5.04	11.01	16.05	-	N/A	-2.48	2.56	5	Pass
6815	SP	20	4.45	14.57	19.02	-	N/A	0.97	5.42	15.7	Pass
5955	LPI	20	5.04	11.02	16.06	-	N/A	-2.44	2.6	5	Pass
6215	SP	20	5.04	15.69	20.73	-	N/A	1.97	7.01	21.5	Pass

AFCD.UAU: Unsuccessful spectrum access update

Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
5955	LPI	20	5.04	11.01	16.05	-	N/A	-2.51	2.53	5	Pass
6635	SP	20	4.45	15.24	19.69	-	N/A	1.71	6.16	23	Pass
5955	LPI	20	5.04	11.05	16.09	-	N/A	-2.43	2.61	5	Pass

AFC capability - Inquired Frequency

CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1


Frequency (MHz): 5955

5.925-6.425GHz_802.11be EHT20 LPI_1TX

AV Power

5955MHz_TX

25/02/2025




5.925-6.425GHz_802.11be EHT20 LPI_1TX

PSD

5955MHz

25/02/2025



Frequency (MHz): 5975

5.925-6.425GHz_802.11be EHT20 SP_1TX


AV Power

5975MHz_TX

25/02/2025

CF (Hz)
5.975G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.98	15.98


5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

5975MHz

25/02/2025

CF (Hz)
5.975G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.59	2.59	2.59

Frequency (MHz): 6615

6.525-6.875GHz_802.11be EHT20 SP_1TX


AV Power

6615MHz_TX

25/02/2025

CF (Hz)
6.615G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.21	15.21


6.525-6.875GHz_802.11be EHT20 SP_1TX

PSD

6615MHz

25/02/2025

CF (Hz)
6.615G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.64	1.64	1.64

CT_AFC_SP_AP_AFCRSA31_Frequency_40MHz_10612_1

Frequency (MHz): 5965

5.925-6.425GHz_802.11be EHT40 LPI_1TX


AV Power

5965MHz_TX

25/02/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Sum(dBm)	P1(dBm)
14.07	14.07


5.925-6.425GHz_802.11be EHT40 LPI_1TX

PSD

5965MHz

25/02/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.30	-2.30	-2.30

Frequency (MHz): 6125

5.925-6.425GHz_802.11be EHT40 SP_1TX


AV Power

6125MHz_TX

25/02/2025

CF (Hz)
6.125G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.45	15.45


5.925-6.425GHz_802.11be EHT40 SP_1TX

PSD

6125MHz

25/02/2025

CF (Hz)
6.125G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.28	-1.28	-1.28

Frequency (MHz): 6405

5.925-6.425GHz_802.11be EHT40 SP_1TX


AV Power

6405MHz_TX

25/02/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.70	15.70


5.925-6.425GHz_802.11be EHT40 SP_1TX

PSD

6405MHz

25/02/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.02	-1.02	-1.02

CT_AFC_SP_AP_AFCRSA31_Frequency_80MHz_10613_1


Frequency (MHz): 5985

5.925-6.425GHz_802.11be EHT80 LPI_1TX

AV Power

5985MHz_TX

25/02/2025




5.925-6.425GHz_802.11be EHT80 LPI_1TX

PSD

5985MHz

25/02/2025



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.75	-3.75	-3.75

Frequency (MHz): 5985


5.925-6.425GHz_802.11be EHT80 SP_1TX

AV Power

5985MHz_TX

25/02/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
80M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
15.66	15.66


5.925-6.425GHz_802.11be EHT80 SP_1TX

PSD

5985MHz

25/02/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.72	-2.72	-2.72

Frequency (MHz): 6305

5.925-6.425GHz_802.11be EHT80 SP_1TX


AV Power

6305MHz_TX

25/02/2025

CF (Hz)
6.305G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.72	15.72


5.925-6.425GHz_802.11be EHT80 SP_1TX

PSD

6305MHz

25/02/2025

CF (Hz)
6.305G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.89	-3.89	-3.89

CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1

Frequency (MHz): 6025

5.925-6.425GHz_802.11be EHT160 LPI_1TX


AV Power

6025MHz_TX

25/02/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Sum(dBm)	P1(dBm)
15.22	15.22


5.925-6.425GHz_802.11be EHT160 LPI_1TX

PSD

6025MHz

25/02/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.24	-7.24	-7.24

Frequency (MHz): 6185

5.925-6.425GHz_802.11be EHT160 SP_1TX


AV Power

6185MHz_TX

25/02/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.27	15.27


5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6185MHz

25/02/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.24	-7.24	-7.24

Frequency (MHz): 6345

5.925-6.425GHz_802.11be EHT160 SP_1TX


AV Power

6345MHz_TX

25/02/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Sum(dBm)	P1(dBm)
15.66	15.66


5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6345MHz

25/02/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.13	-6.13	-6.13

CT_AFC_SP_AP_AFCDRSA31_Frequency_320MHz_10713_1

Frequency (MHz): 6105

5.925-6.425GHz_802.11be EHT320 LPI_1TX

AV Power

6105MHz_TX

25/02/2025

CF (Hz)
6.105G

Span (Hz)
480M

RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

CP BW (Hz)
320M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
16.23	16.23

5.925-6.425GHz_802.11be EHT320 LPI_1TX

PSD

6105MHz

25/02/2025

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.20	-9.20	-9.20

Frequency (MHz): 6105

5.925-6.425GHz_802.11be EHT320 SP_1TX


AV Power

6105MHz_TX

25/02/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
320M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
16.14	16.14


5.925-6.425GHz_802.11be EHT320 SP_1TX

PSD

6105MHz

25/02/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.26	-8.26	-8.26

Frequency (MHz): 6105

5.925-6.425GHz_802.11be EHT320 SP_1TX


AV Power

6105MHz_TX

25/02/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
320M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
16.18	16.18


5.925-6.425GHz_802.11be EHT320 SP_1TX

PSD

6105MHz

25/02/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.80	-7.80	-7.80

CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1

Bandwidth: 20MHz


Frequency (MHz): 5955

5.925-6.425GHz_802.11be EHT20 LPI_1TX

AV Power

5955MHz_TX

25/02/2025




Sum=Total Power
PX=Port X

5.925-6.425GHz_802.11be EHT20 LPI_1TX

PSD

5955MHz

25/02/2025



Frequency (MHz): 5955

5.925-6.425GHz_802.11be EHT20 LPI_1TX


AV Power

5955MHz_TX

25/02/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
10.97	10.97


5.925-6.425GHz_802.11be EHT20 LPI_1TX

PSD

5955MHz

25/02/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.44	-2.44	-2.44

CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1

Bandwidth: 20MHz


Frequency (MHz): 5955

5.925-6.425GHz_802.11be EHT20 LPI_1TX

AV Power

5955MHz_TX

25/02/2025



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
11.01	11.01

5.925-6.425GHz_802.11be EHT20 LPI_1TX

PSD

5955MHz

25/02/2025



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
-2.48	-2.48	-2.48

Frequency (MHz): 6815

6.525-6.875GHz_802.11be EHT20 SP_1TX


AV Power

6815MHz_TX

25/02/2025

CF (Hz)
6.815G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
14.57	14.57


6.525-6.875GHz_802.11be EHT20 SP_1TX

PSD

6815MHz

25/02/2025

CF (Hz)
6.815G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.97	0.97	0.97


Frequency (MHz): 5955

5.925-6.425GHz_802.11be EHT20 LPI_1TX

AV Power

5955MHz_TX

25/02/2025



Sum=Total Power
 PX=Port X

Sum(dBm)	P1(dBm)
11.02	11.02


Port 1

5.925-6.425GHz_802.11be EHT20 LPI_1TX

PSD

5955MHz

25/02/2025



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.44	-2.44	-2.44

Port 1

Frequency (MHz): 6215

5.925-6.425GHz_802.11be EHT20 SP_1TX


AV Power

6215MHz_TX

25/02/2025

CF (Hz)
6.215G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.69	15.69


5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6215MHz

25/02/2025

CF (Hz)
6.215G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.97	1.97	1.97

CT_AFC_SP_AP_AFCDUAU34_Frequency_10617_1

Bandwidth: 20MHz

Frequency (MHz): 5955

5.925-6.425GHz_802.11be EHT20 LPI_1TX

AV Power

5955MHz_TX

25/02/2025




5.925-6.425GHz_802.11be EHT20 LPI_1TX

PSD

5955MHz

25/02/2025



Frequency (MHz): 6635

6.525-6.875GHz_802.11be EHT20 SP_1TX


AV Power

6635MHz_TX

25/02/2025

CF (Hz)
6.635G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.24	15.24


6.525-6.875GHz_802.11be EHT20 SP_1TX

PSD

6635MHz

25/02/2025

CF (Hz)
6.635G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.71	1.71	1.71

Frequency (MHz): 5955

5.925-6.425GHz_802.11be EHT20 LPI_1TX


AV Power

5955MHz_TX

25/02/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
11.05	11.05


5.925-6.425GHz_802.11be EHT20 LPI_1TX

PSD

5955MHz

25/02/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.43	-2.43	-2.43

Duty Cycle


Bandwidth: 20 MHz

DC;be20;BWch:20




Bandwidth: 40 MHz

DC;be40;BWch:40




Bandwidth: 80 MHz

DC;be80;BWch:80




Bandwidth: 160 MHz

DC;be160;BWch:160



Bandwidth: 320 MHz

DC;be320;BWch:320



——THE END——