


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04152G	60.31	74.00	-13.69	54.44	3	Vertical	359	1.76	-	39.17	12.08	45.38
AV	12.06G	46.34	54.00	-7.66	40.41	3	Vertical	359	1.76	-	39.24	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04952G	59.90	74.00	-14.10	54.01	3	Horizontal	86	1.59	-	39.20	12.08	45.39
AV	12.04996G	44.80	54.00	-9.20	38.91	3	Horizontal	86	1.59	-	39.20	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07492G	55.90	83.54	-27.64	51.27	1	Vertical	97	1.60	-	37.55	15.29	48.21
AV	18.07448G	41.62	63.54	-21.92	36.99	1	Vertical	97	1.60	-	37.55	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08008G	55.73	83.54	-27.81	51.08	1	Horizontal	215	1.92	-	37.58	15.29	48.22
AV	18.07448G	41.76	63.54	-21.78	37.13	1	Horizontal	215	1.92	-	37.55	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	78.30	88.20	-9.90	73.23	3	Vertical	27	1.57	-	32.40	7.25	34.58
RMS	5.9235G	62.74	68.20	-5.46	57.67	3	Vertical	27	1.57	-	32.40	7.27	34.60
PK	6.092G	110.07	Inf	-Inf	104.79	3	Vertical	27	1.57	-	32.50	7.37	34.59
RMS	6.059G	99.46	Inf	-Inf	94.23	3	Vertical	27	1.57	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	76.46	88.20	-11.74	71.39	3	Horizontal	12	1.48	-	32.40	7.27	34.60
RMS	5.925G	60.78	68.20	-7.42	55.71	3	Horizontal	12	1.48	-	32.40	7.27	34.60
PK	6.054G	107.86	Inf	-Inf	102.64	3	Horizontal	12	1.48	-	32.50	7.35	34.63
RMS	6.0515G	97.11	Inf	-Inf	91.89	3	Horizontal	12	1.48	-	32.50	7.35	34.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04428G	58.06	74.00	-15.94	52.18	3	Vertical	360	1.88	-	39.18	12.08	45.38
AV	12.05424G	43.73	54.00	-10.27	37.82	3	Vertical	360	1.88	-	39.22	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05808G	58.42	74.00	-15.58	52.50	3	Horizontal	232	1.66	-	39.23	12.08	45.39
AV	12.05748G	44.50	54.00	-9.50	38.58	3	Horizontal	232	1.66	-	39.23	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.05764G	56.42	83.54	-27.12	51.89	1	Vertical	204	1.89	-	37.45	15.29	48.21
AV	18.055G	42.47	63.54	-21.07	37.96	1	Vertical	204	1.89	-	37.43	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 21
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08052G	56.42	83.54	-27.12	51.77	1	Horizontal	187	1.84	-	37.58	15.29	48.22
AV	18.055G	42.46	63.54	-21.08	37.95	1	Horizontal	187	1.84	-	37.43	15.29	48.21

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUTY_1TX
Setting 20
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9105G	110.26	Inf	-Inf	98.45	3	Vertical	335	1.74	-	36.52	7.97	32.68
RMS	6.9095G	100.07	Inf	-Inf	88.26	3	Vertical	335	1.74	-	36.52	7.97	32.68
PK	7.1525G	73.49	88.20	-14.71	61.33	3	Vertical	335	1.74	-	36.91	7.94	32.69
RMS	7.138G	59.08	68.20	-9.12	46.95	3	Vertical	335	1.74	-	36.88	7.95	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.938G	108.28	Inf	-Inf	96.43	3	Horizontal	19	1.58	-	36.58	7.97	32.70
RMS	6.9335G	98.39	Inf	-Inf	86.55	3	Horizontal	19	1.58	-	36.57	7.97	32.70
PK	7.142G	78.52	88.20	-9.68	66.39	3	Horizontal	19	1.58	-	36.88	7.95	32.70
RMS	7.1425G	57.46	68.20	-10.74	45.33	3	Horizontal	19	1.58	-	36.88	7.95	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.97076G	61.08	88.20	-27.12	51.08	3	Vertical	288	1.61	-	40.90	13.43	44.33
RMS	13.97334G	47.52	68.20	-20.68	37.51	3	Vertical	288	1.61	-	40.90	13.44	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96912G	61.07	88.20	-27.13	51.07	3	Horizontal	131	1.89	-	40.90	13.43	44.33
RMS	13.97072G	47.53	68.20	-20.67	37.53	3	Horizontal	131	1.89	-	40.90	13.43	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9555G	58.07	83.54	-25.47	52.91	1	Vertical	131	1.88	-	37.91	15.95	48.70
AV	20.95488G	45.32	63.54	-18.22	40.16	1	Vertical	131	1.88	-	37.91	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9536G	58.03	83.54	-25.51	52.87	1	Horizontal	331	1.47	-	37.91	15.95	48.70
AV	20.95526G	45.33	63.54	-18.21	40.17	1	Horizontal	331	1.47	-	37.91	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUTY_1TX
Setting 20.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.921G	111.10	Inf	-Inf	99.28	3	Vertical	334	1.80	-	36.54	7.97	32.69
RMS	6.9095G	100.15	Inf	-Inf	88.34	3	Vertical	334	1.80	-	36.52	7.97	32.68
PK	7.138G	72.53	88.20	-15.67	60.40	3	Vertical	334	1.80	-	36.88	7.95	32.70
RMS	7.1315G	59.94	68.20	-8.26	47.83	3	Vertical	334	1.80	-	36.86	7.95	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUTY_1TX
Setting 20.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.92G	111.27	Inf	-Inf	99.45	3	Horizontal	17	1.57	-	36.54	7.97	32.69
RMS	6.9185G	99.67	Inf	-Inf	87.85	3	Horizontal	17	1.57	-	36.54	7.97	32.69
PK	7.14G	78.14	88.20	-10.06	66.01	3	Horizontal	17	1.57	-	36.88	7.95	32.70
RMS	7.1335G	59.56	68.20	-8.64	47.44	3	Horizontal	17	1.57	-	36.87	7.95	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.97728G	61.21	88.20	-26.99	51.20	3	Vertical	58	1.74	-	40.90	13.44	44.33
RMS	13.97362G	47.52	68.20	-20.68	37.51	3	Vertical	58	1.74	-	40.90	13.44	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97126G	60.42	88.20	-27.78	50.42	3	Horizontal	104	1.74	-	40.90	13.43	44.33
RMS	13.9717G	47.57	68.20	-20.63	37.57	3	Horizontal	104	1.74	-	40.90	13.43	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95436G	60.38	83.54	-23.16	55.22	1	Vertical	314	1.80	-	37.91	15.95	48.70
AV	20.95764G	46.41	63.54	-17.13	41.24	1	Vertical	314	1.80	-	37.92	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6985MHz_TX




EUT_Y_1TX
Setting 20.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95538G	60.33	83.54	-23.21	55.17	1	Horizontal	70	1.45	-	37.91	15.95	48.70
AV	20.95226G	46.42	63.54	-17.12	41.27	1	Horizontal	70	1.45	-	37.90	15.95	48.70

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	77.62	88.20	-10.58	72.55	3	Vertical	26	1.59	-	32.40	7.27	34.60
RMS	5.9242G	66.42	68.20	-1.78	61.35	3	Vertical	26	1.59	-	32.40	7.27	34.60
PK	6.0714G	108.44	Inf	-Inf	103.19	3	Vertical	26	1.59	-	32.50	7.36	34.61
RMS	6.0602G	97.07	Inf	-Inf	91.84	3	Vertical	26	1.59	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUTY_1TX
Setting 22
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	74.85	88.20	-13.35	69.78	3	Horizontal	18	1.50	-	32.40	7.27	34.60
RMS	5.925G	64.85	68.20	-3.35	59.78	3	Horizontal	18	1.50	-	32.40	7.27	34.60
PK	6.2314G	106.71	Inf	-Inf	100.66	3	Horizontal	18	1.50	-	33.05	7.45	34.45
RMS	6.2498G	96.06	Inf	-Inf	89.84	3	Horizontal	18	1.50	-	33.20	7.46	34.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21428G	56.70	74.00	-17.30	51.07	3	Vertical	267	1.44	-	39.04	12.07	45.48
AV	12.20364G	42.70	54.00	-11.30	37.01	3	Vertical	267	1.44	-	39.09	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUTY_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.201G	57.91	74.00	-16.09	52.21	3	Horizontal	40	1.61	-	39.10	12.07	45.47
AV	12.20092G	42.66	54.00	-11.34	36.96	3	Horizontal	40	1.61	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3072G	56.28	83.54	-27.26	51.66	1	Vertical	306	1.91	-	37.61	15.27	48.26
AV	18.305G	42.06	63.54	-21.48	37.44	1	Vertical	306	1.91	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31076G	56.20	83.54	-27.34	51.57	1	Horizontal	184	1.59	-	37.62	15.27	48.26
AV	18.305G	41.89	63.54	-21.65	37.27	1	Horizontal	184	1.59	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUTY_1TX
Setting 22.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	78.30	88.20	-9.90	73.23	3	Vertical	26	1.56	-	32.40	7.27	34.60
RMS	5.925G	67.23	68.20	-0.97	62.16	3	Vertical	26	1.56	-	32.40	7.27	34.60
PK	6.0938G	108.85	Inf	-Inf	103.57	3	Vertical	26	1.56	-	32.50	7.37	34.59
RMS	6.0594G	98.07	Inf	-Inf	92.84	3	Vertical	26	1.56	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	76.37	88.20	-11.83	71.30	3	Horizontal	27	1.74	-	32.40	7.27	34.60
RMS	5.925G	65.25	68.20	-2.95	60.18	3	Horizontal	27	1.74	-	32.40	7.27	34.60
PK	6.2586G	107.28	Inf	-Inf	101.04	3	Horizontal	27	1.74	-	33.20	7.47	34.43
RMS	6.2586G	96.86	Inf	-Inf	90.62	3	Horizontal	27	1.74	-	33.20	7.47	34.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20416G	56.97	74.00	-17.03	51.29	3	Vertical	231	1.45	-	39.08	12.07	45.47
AV	12.20736G	42.80	54.00	-11.20	37.13	3	Vertical	231	1.45	-	39.07	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUTY_1TX
Setting 22.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2022G	57.24	74.00	-16.76	51.55	3	Horizontal	202	1.44	-	39.09	12.07	45.47
AV	12.20112G	42.85	54.00	-11.15	37.15	3	Horizontal	202	1.44	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31536G	56.52	83.54	-27.02	51.88	1	Vertical	93	1.78	-	37.63	15.27	48.26
AV	18.305G	41.81	63.54	-21.73	37.19	1	Vertical	93	1.78	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31368G	55.81	83.54	-27.73	51.17	1	Horizontal	233	1.74	-	37.63	15.27	48.26
AV	18.3078G	41.84	63.54	-21.70	37.21	1	Horizontal	233	1.74	-	37.62	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUTY_1TX
Setting 22
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	79.88	88.20	-8.32	74.81	3	Vertical	27	1.53	-	32.40	7.26	34.59
RMS	5.925G	67.87	68.20	-0.33	62.80	3	Vertical	27	1.53	-	32.40	7.27	34.60
PK	6.1002G	109.34	Inf	-Inf	104.04	3	Vertical	27	1.53	-	32.50	7.38	34.58
RMS	6.0674G	98.57	Inf	-Inf	93.32	3	Vertical	27	1.53	-	32.50	7.36	34.61

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	81.28	88.20	-6.92	76.21	3	Horizontal	13	1.60	-	32.40	7.26	34.59
RMS	5.9242G	66.67	68.20	-1.53	61.60	3	Horizontal	13	1.60	-	32.40	7.27	34.60
PK	6.121G	107.00	Inf	-Inf	101.59	3	Horizontal	13	1.60	-	32.58	7.39	34.56
RMS	6.073G	96.65	Inf	-Inf	91.40	3	Horizontal	13	1.60	-	32.50	7.36	34.61

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2032G	57.81	74.00	-16.19	52.12	3	Vertical	265	1.84	-	39.09	12.07	45.47
AV	12.20388G	43.28	54.00	-10.72	37.60	3	Vertical	265	1.84	-	39.08	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21468G	57.99	74.00	-16.01	52.36	3	Horizontal	206	1.66	-	39.04	12.07	45.48
AV	12.20356G	43.31	54.00	-10.69	37.62	3	Horizontal	206	1.66	-	39.09	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31892G	56.23	83.54	-27.31	51.58	1	Vertical	68	1.58	-	37.64	15.27	48.26
AV	18.305G	41.78	63.54	-21.76	37.16	1	Vertical	68	1.58	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30548G	56.26	83.54	-27.28	51.64	1	Horizontal	106	1.57	-	37.61	15.27	48.26
AV	18.305G	41.80	63.54	-21.74	37.18	1	Horizontal	106	1.57	-	37.61	15.27	48.26

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUTY_1TX
Setting 22
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8938G	107.27	Inf	-Inf	98.49	3	Vertical	337	1.64	-	34.86	8.10	34.18
AV	6.8906G	95.89	Inf	-Inf	87.13	3	Vertical	337	1.64	-	34.84	8.10	34.18
PK	7.2938G	64.81	74.00	-9.19	53.86	3	Vertical	337	1.64	-	36.58	8.56	34.19
AV	7.25G	51.26	54.00	-2.74	40.53	3	Vertical	337	1.64	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUTY_1TX
Setting 22
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8154G	107.01	Inf	-Inf	98.75	3	Horizontal	21	1.58	-	34.46	7.98	34.18
AV	6.873G	95.05	Inf	-Inf	86.42	3	Horizontal	21	1.58	-	34.74	8.07	34.18
PK	7.2874G	67.26	74.00	-6.74	56.35	3	Horizontal	21	1.58	-	36.55	8.55	34.19
AV	7.2522G	53.03	54.00	-0.97	42.29	3	Horizontal	21	1.58	-	36.41	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81892G	59.27	88.20	-28.93	51.12	3	Vertical	65	1.52	-	40.56	12.03	44.44
RMS	13.8006G	45.65	68.20	-22.55	37.47	3	Vertical	65	1.52	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80228G	59.81	88.20	-28.39	51.63	3	Horizontal	0	1.80	-	40.60	12.03	44.45
RMS	13.80524G	45.67	68.20	-22.53	37.50	3	Horizontal	0	1.80	-	40.59	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71996G	57.05	83.54	-26.49	52.09	1	Vertical	160	1.45	-	37.90	15.76	48.70
AV	20.70584G	43.91	63.54	-19.63	38.96	1	Vertical	160	1.45	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_1TX

6905MHz_TX




EUT_Y_1TX
Setting 22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71944G	57.16	83.54	-26.38	52.20	1	Horizontal	67	1.98	-	37.90	15.76	48.70
AV	20.70588G	43.94	63.54	-19.60	38.99	1	Horizontal	67	1.98	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUTY_1TX
Setting 21.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	106.79	Inf	-Inf	97.85	3	Vertical	338	1.67	-	34.98	8.14	34.18
AV	6.913G	96.41	Inf	-Inf	87.47	3	Vertical	338	1.67	-	34.98	8.14	34.18
PK	7.2826G	62.79	74.00	-11.21	51.90	3	Vertical	338	1.67	-	36.53	8.55	34.19
AV	7.25G	49.14	54.00	-4.86	38.41	3	Vertical	338	1.67	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUTY_1TX
Setting 21.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9114G	107.20	Inf	-Inf	98.28	3	Horizontal	18	1.60	-	34.97	8.13	34.18
AV	6.9114G	96.28	Inf	-Inf	87.36	3	Horizontal	18	1.60	-	34.97	8.13	34.18
PK	7.3002G	66.06	74.00	-7.94	55.08	3	Horizontal	18	1.60	-	36.60	8.57	34.19
AV	7.25G	51.01	54.00	-2.99	40.28	3	Horizontal	18	1.60	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.81048G	59.23	88.20	-28.97	51.06	3	Vertical	8	1.76	-	40.58	12.03	44.44
RMS	13.80832G	45.91	68.20	-22.29	37.74	3	Vertical	8	1.76	-	40.58	12.03	44.44

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.81808G	59.33	88.20	-28.87	51.18	3	Horizontal	232	1.98	-	40.56	12.03	44.44
RMS	13.80096G	45.94	68.20	-22.26	37.76	3	Horizontal	232	1.98	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70872G	56.02	83.54	-27.52	51.07	1	Vertical	115	1.72	-	37.90	15.75	48.70
AV	20.70584G	43.38	63.54	-20.16	38.43	1	Vertical	115	1.72	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70672G	57.36	83.54	-26.18	52.41	1	Horizontal	40	1.64	-	37.90	15.75	48.70
AV	20.7058G	43.39	63.54	-20.15	38.44	1	Horizontal	40	1.64	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	108.41	Inf	-Inf	99.40	3	Vertical	338	1.80	-	35.04	8.15	34.18
AV	6.9018G	96.48	Inf	-Inf	87.63	3	Vertical	338	1.80	-	34.91	8.12	34.18
PK	7.1882G	76.58	88.20	-11.62	66.11	3	Vertical	338	1.80	-	36.18	8.47	34.18
AV	7.25G	46.94	54.00	-7.06	36.21	3	Vertical	338	1.80	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8682G	107.83	Inf	-Inf	99.24	3	Horizontal	22	1.80	-	34.71	8.06	34.18
AV	6.913G	96.05	Inf	-Inf	87.11	3	Horizontal	22	1.80	-	34.98	8.14	34.18
PK	7.2618G	65.01	74.00	-8.99	54.22	3	Horizontal	22	1.80	-	36.45	8.53	34.19
AV	7.25G	48.42	54.00	-5.58	37.69	3	Horizontal	22	1.80	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.814G	59.34	88.20	-28.86	51.18	3	Vertical	285	1.94	-	40.57	12.03	44.44
RMS	13.8088G	45.98	68.20	-22.22	37.81	3	Vertical	285	1.94	-	40.58	12.03	44.44

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.80296G	59.15	88.20	-29.05	50.98	3	Horizontal	359	1.61	-	40.59	12.03	44.45
RMS	13.80124G	45.87	68.20	-22.33	37.69	3	Horizontal	359	1.61	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71748G	56.56	83.54	-26.98	51.61	1	Vertical	197	1.53	-	37.90	15.75	48.70
AV	20.7058G	43.29	63.54	-20.25	38.34	1	Vertical	197	1.53	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_1TX

6905MHz_TX




EUT_Y_1TX
Setting 21
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70988G	56.61	83.54	-26.93	51.66	1	Horizontal	350	1.59	-	37.90	15.75	48.70
AV	20.7058G	43.28	63.54	-20.26	38.33	1	Horizontal	350	1.59	-	37.90	15.75	48.70

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	61.52	88.20	-26.68	56.45	3	Vertical	28	1.65	-	32.40	7.27	34.60
RMS	5.9186G	50.35	68.20	-17.85	45.28	3	Vertical	28	1.65	-	32.40	7.26	34.59
PK	6.0218G	110.08	Inf	-Inf	104.91	3	Vertical	28	1.65	-	32.50	7.33	34.66
RMS	6.0206G	99.70	Inf	-Inf	94.53	3	Vertical	28	1.65	-	32.50	7.33	34.66

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	60.58	88.20	-27.62	55.51	3	Horizontal	339	1.50	-	32.40	7.27	34.60
RMS	5.925G	49.83	68.20	-18.37	44.76	3	Horizontal	339	1.50	-	32.40	7.27	34.60
PK	6.009G	109.19	Inf	-Inf	104.04	3	Horizontal	339	1.50	-	32.50	7.32	34.67
RMS	6.0098G	98.81	Inf	-Inf	93.65	3	Horizontal	339	1.50	-	32.50	7.33	34.67

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96228G	58.76	74.00	-15.24	53.13	3	Vertical	125	1.74	-	38.92	12.06	45.35
AV	11.97128G	44.06	54.00	-9.94	38.41	3	Vertical	125	1.74	-	38.94	12.06	45.35
PK	17.95312G	60.78	74.00	-13.22	40.04	3	Vertical	237	1.36	-	50.95	14.08	44.29
AV	17.96288G	46.20	54.00	-7.80	24.97	3	Vertical	237	1.36	-	51.42	14.09	44.28

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97568G	58.87	74.00	-15.13	53.21	3	Horizontal	173	1.67	-	38.95	12.06	45.35
AV	11.97372G	43.99	54.00	-10.01	38.33	3	Horizontal	173	1.67	-	38.95	12.06	45.35
PK	17.96308G	59.30	74.00	-14.70	38.06	3	Horizontal	150	1.60	-	51.43	14.09	44.28
AV	17.96328G	46.12	54.00	-7.88	24.87	3	Horizontal	150	1.60	-	51.44	14.09	44.28

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93688G	58.23	83.54	-25.31	49.55	1	Vertical	124	1.55	-	39.00	17.31	47.63
AV	23.9312G	43.83	63.54	-19.71	35.15	1	Vertical	124	1.55	-	39.00	17.31	47.63

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 13
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94292G	58.77	83.54	-24.77	50.08	1	Horizontal	201	1.97	-	39.00	17.31	47.62
AV	23.93108G	43.93	63.54	-19.61	35.25	1	Horizontal	201	1.97	-	39.00	17.31	47.63

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.993G	108.92	Inf	-Inf	99.46	3	Vertical	4	1.36	-	35.37	8.27	34.18
RMS	6.9934G	98.99	Inf	-Inf	89.53	3	Vertical	4	1.36	-	35.37	8.27	34.18
PK	7.1362G	55.02	88.20	-33.18	44.71	3	Vertical	4	1.36	-	36.07	8.42	34.18
RMS	7.1298G	44.01	68.20	-24.19	33.72	3	Vertical	4	1.36	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	110.55	Inf	-Inf	101.04	3	Horizontal	19	1.65	-	35.41	8.28	34.18
RMS	7.0038G	99.65	Inf	-Inf	90.13	3	Horizontal	19	1.65	-	35.42	8.28	34.18
PK	7.125G	54.61	88.20	-33.59	44.34	3	Horizontal	19	1.65	-	36.05	8.40	34.18
RMS	7.125G	44.59	68.20	-23.61	34.32	3	Horizontal	19	1.65	-	36.05	8.40	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.05548G	59.56	88.20	-28.64	50.77	3	Vertical	285	1.59	-	41.12	12.06	44.39
RMS	14.05428G	45.62	68.20	-22.58	36.82	3	Vertical	285	1.59	-	41.12	12.06	44.38

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 12
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05268G	59.42	88.20	-28.78	50.63	3	Horizontal	317	1.92	-	41.11	12.06	44.38
RMS	14.05728G	45.62	68.20	-22.58	36.82	3	Horizontal	317	1.92	-	41.13	12.06	44.39

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 12
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06564G	60.71	83.54	-22.83	55.36	1	Vertical	173	1.50	-	38.00	16.04	48.69
AV	21.08464G	47.46	63.54	-16.08	42.09	1	Vertical	173	1.50	-	38.00	16.05	48.68

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 12
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08212G	60.81	83.54	-22.73	55.44	1	Horizontal	87	1.96	-	38.00	16.05	48.68
AV	21.0846G	47.39	63.54	-16.15	42.02	1	Horizontal	87	1.96	-	38.00	16.05	48.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	64.63	88.20	-23.57	59.56	3	Vertical	26	1.80	-	32.40	7.26	34.59
RMS	5.92G	52.12	68.20	-16.08	47.06	3	Vertical	26	1.80	-	32.40	7.26	34.60
PK	6.059G	110.33	Inf	-Inf	105.10	3	Vertical	26	1.80	-	32.50	7.35	34.62
RMS	6.0595G	100.06	Inf	-Inf	94.83	3	Vertical	26	1.80	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	64.42	88.20	-23.78	59.35	3	Horizontal	336	1.61	-	32.40	7.27	34.60
RMS	5.925G	51.83	68.20	-16.37	46.76	3	Horizontal	336	1.61	-	32.40	7.27	34.60
PK	6.089G	109.54	Inf	-Inf	104.26	3	Horizontal	336	1.61	-	32.50	7.37	34.59
RMS	6.07G	99.59	Inf	-Inf	94.34	3	Horizontal	336	1.61	-	32.50	7.36	34.61

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05864G	61.09	74.00	-12.91	55.17	3	Vertical	27	2.00	-	39.23	12.08	45.39
AV	12.05992G	46.96	54.00	-7.04	41.03	3	Vertical	27	2.00	-	39.24	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05564G	59.97	74.00	-14.03	54.06	3	Horizontal	242	1.43	-	39.22	12.08	45.39
AV	12.0492G	44.79	54.00	-9.21	38.90	3	Horizontal	242	1.43	-	39.20	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07432G	56.94	83.54	-26.60	52.31	1	Vertical	314	1.87	-	37.55	15.29	48.21
AV	18.07448G	42.25	63.54	-21.29	37.62	1	Vertical	314	1.87	-	37.55	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06896G	56.29	83.54	-27.25	51.70	1	Horizontal	56	1.39	-	37.51	15.29	48.21
AV	18.06608G	42.08	63.54	-21.46	37.50	1	Horizontal	56	1.39	-	37.50	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	69.10	88.20	-19.10	64.03	3	Vertical	29	1.80	-	32.40	7.26	34.59
RMS	5.9205G	53.02	68.20	-15.18	47.96	3	Vertical	29	1.80	-	32.40	7.26	34.60
PK	6.019G	109.77	Inf	-Inf	104.60	3	Vertical	29	1.80	-	32.50	7.33	34.66
RMS	6.06G	99.69	Inf	-Inf	94.46	3	Vertical	29	1.80	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	68.07	88.20	-20.13	63.00	3	Horizontal	13	1.63	-	32.40	7.27	34.60
RMS	5.925G	52.47	68.20	-15.73	47.40	3	Horizontal	13	1.63	-	32.40	7.27	34.60
PK	6.031G	109.70	Inf	-Inf	104.51	3	Horizontal	13	1.63	-	32.50	7.34	34.65
RMS	6.03G	99.55	Inf	-Inf	94.36	3	Horizontal	13	1.63	-	32.50	7.34	34.65

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05912G	57.57	74.00	-16.43	51.64	3	Vertical	290	1.37	-	39.24	12.08	45.39
AV	12.05416G	43.71	54.00	-10.29	37.80	3	Vertical	290	1.37	-	39.22	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04852G	58.14	74.00	-15.86	52.26	3	Horizontal	343	1.67	-	39.19	12.08	45.39
AV	12.05672G	44.55	54.00	-9.45	38.63	3	Horizontal	343	1.67	-	39.23	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.09044G	55.70	83.54	-27.84	51.00	1	Vertical	178	1.75	-	37.64	15.28	48.22
AV	18.055G	42.50	63.54	-21.04	37.99	1	Vertical	178	1.75	-	37.43	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 17
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.09156G	56.09	83.54	-27.45	51.38	1	Horizontal	281	1.36	-	37.65	15.28	48.22
AV	18.055G	42.47	63.54	-21.07	37.96	1	Horizontal	281	1.36	-	37.43	15.29	48.21

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	109.67	Inf	-Inf	100.73	3	Vertical	7	1.49	-	34.98	8.14	34.18
RMS	6.914G	99.47	Inf	-Inf	90.53	3	Vertical	7	1.49	-	34.98	8.14	34.18
PK	7.141G	64.06	88.20	-24.14	53.74	3	Vertical	7	1.49	-	36.08	8.42	34.18
RMS	7.131G	49.05	68.20	-19.15	38.76	3	Vertical	7	1.49	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.924G	109.47	Inf	-Inf	100.46	3	Horizontal	19	1.46	-	35.04	8.15	34.18
RMS	6.9245G	99.21	Inf	-Inf	90.18	3	Horizontal	19	1.46	-	35.05	8.16	34.18
PK	7.138G	63.21	88.20	-24.99	52.89	3	Horizontal	19	1.46	-	36.08	8.42	34.18
RMS	7.125G	48.16	68.20	-20.04	37.89	3	Horizontal	19	1.46	-	36.05	8.40	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.961G	60.18	88.20	-28.02	51.66	3	Vertical	196	1.91	-	40.84	12.02	44.34
RMS	13.97624G	45.75	68.20	-22.45	37.16	3	Vertical	196	1.91	-	40.90	12.02	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9754G	59.10	88.20	-29.10	50.51	3	Horizontal	347	1.42	-	40.90	12.02	44.33
RMS	13.974G	45.75	68.20	-22.45	37.16	3	Horizontal	347	1.42	-	40.90	12.02	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95472G	58.90	83.54	-24.64	53.74	1	Vertical	289	1.51	-	37.91	15.95	48.70
AV	20.9574G	45.14	63.54	-18.40	39.98	1	Vertical	289	1.51	-	37.91	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95532G	58.37	83.54	-25.17	53.21	1	Horizontal	162	1.93	-	37.91	15.95	48.70
AV	20.95464G	45.19	63.54	-18.35	40.03	1	Horizontal	162	1.93	-	37.91	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 14.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.914G	108.71	Inf	-Inf	96.90	3	Vertical	19	1.80	-	36.53	7.97	32.69
RMS	6.934G	99.31	Inf	-Inf	87.47	3	Vertical	19	1.80	-	36.57	7.97	32.70
PK	7.1265G	65.23	88.20	-22.97	53.13	3	Vertical	19	1.80	-	36.85	7.95	32.70
RMS	7.133G	54.28	68.20	-13.92	42.16	3	Vertical	19	1.80	-	36.87	7.95	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 14.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9065G	109.37	Inf	-Inf	97.57	3	Horizontal	17	1.54	-	36.51	7.97	32.68
RMS	6.924G	100.43	Inf	-Inf	88.60	3	Horizontal	17	1.54	-	36.55	7.97	32.69
PK	7.161G	67.37	88.20	-20.83	55.15	3	Horizontal	17	1.54	-	36.97	7.94	32.69
RMS	7.139G	54.45	68.20	-13.75	42.32	3	Horizontal	17	1.54	-	36.88	7.95	32.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 14.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96324G	60.75	88.20	-27.45	50.76	3	Vertical	114	1.97	-	40.90	13.43	44.34
RMS	13.9616G	47.49	68.20	-20.71	37.50	3	Vertical	114	1.97	-	40.90	13.43	44.34

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 14.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96542G	60.73	88.20	-27.47	50.73	3	Horizontal	298	1.52	-	40.90	13.43	44.33
RMS	13.97372G	47.54	68.20	-20.66	37.53	3	Horizontal	298	1.52	-	40.90	13.44	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX



EUT_Y_2TX
 Setting 14.5
 01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95928G	60.93	83.54	-22.61	55.76	1	Vertical	259	1.69	-	37.92	15.95	48.70
AV	20.9521G	46.34	63.54	-17.20	41.19	1	Vertical	259	1.69	-	37.90	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 14.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95024G	60.05	83.54	-23.49	54.91	1	Horizontal	336	1.54	-	37.90	15.94	48.70
AV	20.95768G	46.41	63.54	-17.13	41.24	1	Horizontal	336	1.54	-	37.92	15.95	48.70

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 20
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	75.21	88.20	-12.99	70.14	3	Vertical	28	1.58	-	32.40	7.27	34.60
RMS	5.9226G	60.13	68.20	-8.07	55.06	3	Vertical	28	1.58	-	32.40	7.27	34.60
PK	6.1402G	110.82	Inf	-Inf	105.30	3	Vertical	28	1.58	-	32.66	7.40	34.54
RMS	6.0594G	99.92	Inf	-Inf	94.69	3	Vertical	28	1.58	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 20
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	70.00	88.20	-18.20	64.93	3	Horizontal	23	1.66	-	32.40	7.27	34.60
RMS	5.9122G	57.49	68.20	-10.71	52.42	3	Horizontal	23	1.66	-	32.40	7.26	34.59
PK	6.1082G	109.43	Inf	-Inf	104.09	3	Horizontal	23	1.66	-	32.53	7.38	34.57
RMS	6.1298G	99.21	Inf	-Inf	93.75	3	Horizontal	23	1.66	-	32.62	7.39	34.55

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 20
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.20356G	56.56	74.00	-17.44	50.87	3	Vertical	282	1.46	-	39.09	12.07	45.47
AV	12.20088G	42.70	54.00	-11.30	37.00	3	Vertical	282	1.46	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20048G	57.46	74.00	-16.54	51.76	3	Horizontal	171	1.72	-	39.10	12.07	45.47
AV	12.20088G	42.68	54.00	-11.32	36.98	3	Horizontal	171	1.72	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31664G	56.11	83.54	-27.43	51.47	1	Vertical	331	1.43	-	37.63	15.27	48.26
AV	18.305G	41.79	63.54	-21.75	37.17	1	Vertical	331	1.43	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3078G	55.48	83.54	-28.06	50.85	1	Horizontal	132	1.75	-	37.62	15.27	48.26
AV	18.30504G	41.75	63.54	-21.79	37.13	1	Horizontal	132	1.75	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	67.81	88.20	-20.39	62.74	3	Vertical	28	1.80	-	32.40	7.27	34.60
RMS	5.9218G	56.00	68.20	-12.20	50.93	3	Vertical	28	1.80	-	32.40	7.27	34.60
PK	6.0794G	109.07	Inf	-Inf	103.81	3	Vertical	28	1.80	-	32.50	7.36	34.60
RMS	6.0594G	99.49	Inf	-Inf	94.26	3	Vertical	28	1.80	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	68.83	88.20	-19.37	63.77	3	Horizontal	14	1.59	-	32.40	7.26	34.60
RMS	5.925G	54.34	68.20	-13.86	49.27	3	Horizontal	14	1.59	-	32.40	7.27	34.60
PK	6.249G	110.24	Inf	-Inf	104.03	3	Horizontal	14	1.59	-	33.19	7.46	34.44
RMS	6.249G	99.69	Inf	-Inf	93.48	3	Horizontal	14	1.59	-	33.19	7.46	34.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21104G	56.43	74.00	-17.57	50.77	3	Vertical	352	1.40	-	39.06	12.07	45.47
AV	12.20108G	42.88	54.00	-11.12	37.18	3	Vertical	352	1.40	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21588G	56.37	74.00	-17.63	50.74	3	Horizontal	268	1.37	-	39.04	12.07	45.48
AV	12.20116G	42.87	54.00	-11.13	37.17	3	Horizontal	268	1.37	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3174G	55.36	83.54	-28.18	50.72	1	Vertical	169	1.94	-	37.63	15.27	48.26
AV	18.305G	41.80	63.54	-21.74	37.18	1	Vertical	169	1.94	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30768G	55.49	83.54	-28.05	50.86	1	Horizontal	99	1.62	-	37.62	15.27	48.26
AV	18.305G	41.73	63.54	-21.81	37.11	1	Horizontal	99	1.62	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	69.20	88.20	-19.00	64.13	3	Vertical	28	1.58	-	32.40	7.27	34.60
RMS	5.9234G	53.83	68.20	-14.37	48.76	3	Vertical	28	1.58	-	32.40	7.27	34.60
PK	6.057G	109.98	Inf	-Inf	104.75	3	Vertical	28	1.58	-	32.50	7.35	34.62
RMS	6.0594G	99.79	Inf	-Inf	94.56	3	Vertical	28	1.58	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	67.00	88.20	-21.20	61.93	3	Horizontal	19	1.66	-	32.40	7.27	34.60
RMS	5.9122G	51.76	68.20	-16.44	46.69	3	Horizontal	19	1.66	-	32.40	7.26	34.59
PK	6.1306G	109.95	Inf	-Inf	104.49	3	Horizontal	19	1.66	-	32.62	7.39	34.55
RMS	6.169G	99.32	Inf	-Inf	93.68	3	Horizontal	19	1.66	-	32.74	7.41	34.51

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20772G	56.72	74.00	-17.28	51.05	3	Vertical	318	1.66	-	39.07	12.07	45.47
AV	12.20084G	42.71	54.00	-11.29	37.01	3	Vertical	318	1.66	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20528G	58.60	74.00	-15.40	52.92	3	Horizontal	259	1.90	-	39.08	12.07	45.47
AV	12.20392G	43.32	54.00	-10.68	37.64	3	Horizontal	259	1.90	-	39.08	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31328G	55.84	83.54	-27.70	51.20	1	Vertical	208	1.97	-	37.63	15.27	48.26
AV	18.305G	41.82	63.54	-21.72	37.20	1	Vertical	208	1.97	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30772G	56.08	83.54	-27.46	51.45	1	Horizontal	208	1.40	-	37.62	15.27	48.26
AV	18.305G	41.80	63.54	-21.74	37.18	1	Horizontal	208	1.40	-	37.61	15.27	48.26

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8346G	108.82	Inf	-Inf	100.45	3	Vertical	21	1.56	-	34.54	8.01	34.18
AV	6.7546G	98.80	Inf	-Inf	90.62	3	Vertical	21	1.56	-	34.40	7.96	34.18
PK	7.3034G	63.84	74.00	-10.16	52.86	3	Vertical	21	1.56	-	36.60	8.57	34.19
AV	7.2554G	49.11	54.00	-4.89	38.35	3	Vertical	21	1.56	-	36.42	8.53	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7642G	109.38	Inf	-Inf	101.20	3	Horizontal	339	1.49	-	34.40	7.96	34.18
AV	6.7642G	98.51	Inf	-Inf	90.33	3	Horizontal	339	1.49	-	34.40	7.96	34.18
PK	7.2938G	63.47	74.00	-10.53	52.52	3	Horizontal	339	1.49	-	36.58	8.56	34.19
AV	7.25G	49.08	54.00	-4.92	38.35	3	Horizontal	339	1.49	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.80996G	60.78	88.20	-27.42	52.61	3	Vertical	230	1.95	-	40.58	12.03	44.44
RMS	13.80212G	45.65	68.20	-22.55	37.47	3	Vertical	230	1.95	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.81024G	59.49	88.20	-28.71	51.32	3	Horizontal	359	1.40	-	40.58	12.03	44.44
RMS	13.8006G	45.66	68.20	-22.54	37.48	3	Horizontal	359	1.40	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71252G	57.20	83.54	-26.34	52.25	1	Vertical	93	1.87	-	37.90	15.75	48.70
AV	20.70588G	43.73	63.54	-19.81	38.78	1	Vertical	93	1.87	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 19
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71156G	57.02	83.54	-26.52	52.07	1	Horizontal	330	1.74	-	37.90	15.75	48.70
AV	20.7058G	43.80	63.54	-19.74	38.85	1	Horizontal	330	1.74	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7546G	108.38	Inf	-Inf	100.20	3	Vertical	27	1.62	-	34.40	7.96	34.18
AV	6.7546G	97.89	Inf	-Inf	89.71	3	Vertical	27	1.62	-	34.40	7.96	34.18
PK	7.3034G	63.87	74.00	-10.13	52.89	3	Vertical	27	1.62	-	36.60	8.57	34.19
AV	7.2538G	47.48	54.00	-6.52	36.72	3	Vertical	27	1.62	-	36.42	8.53	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	108.99	Inf	-Inf	99.98	3	Horizontal	23	1.60	-	35.04	8.15	34.18
AV	6.7642G	98.52	Inf	-Inf	90.34	3	Horizontal	23	1.60	-	34.40	7.96	34.18
PK	7.2906G	64.08	74.00	-9.92	53.15	3	Horizontal	23	1.60	-	36.56	8.56	34.19
AV	7.25G	49.51	54.00	-4.49	38.78	3	Horizontal	23	1.60	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.80484G	59.74	88.20	-28.46	51.57	3	Vertical	133	1.38	-	40.59	12.03	44.45
RMS	13.80856G	45.98	68.20	-22.22	37.81	3	Vertical	133	1.38	-	40.58	12.03	44.44

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8166G	59.65	88.20	-28.55	51.49	3	Horizontal	104	1.53	-	40.57	12.03	44.44
RMS	13.801G	45.90	68.20	-22.30	37.72	3	Horizontal	104	1.53	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71872G	56.98	83.54	-26.56	52.02	1	Vertical	22	1.37	-	37.90	15.76	48.70
AV	20.70584G	43.33	63.54	-20.21	38.38	1	Vertical	22	1.37	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




EUT_Y_2TX
Setting 18
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70888G	56.62	83.54	-26.92	51.67	1	Horizontal	51	1.50	-	37.90	15.75	48.70
AV	20.70576G	43.25	63.54	-20.29	38.30	1	Horizontal	51	1.50	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9354G	109.53	Inf	-Inf	100.43	3	Vertical	17	1.56	-	35.11	8.17	34.18
AV	6.8554G	98.67	Inf	-Inf	90.18	3	Vertical	17	1.56	-	34.63	8.04	34.18
PK	7.2682G	55.17	74.00	-18.83	44.35	3	Vertical	17	1.56	-	36.47	8.54	34.19
AV	7.25G	44.52	54.00	-9.48	33.79	3	Vertical	17	1.56	-	36.40	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9434G	109.71	Inf	-Inf	100.54	3	Horizontal	20	1.57	-	35.16	8.19	34.18
AV	6.8458G	98.91	Inf	-Inf	90.48	3	Horizontal	20	1.57	-	34.58	8.03	34.18
PK	7.2602G	57.22	74.00	-16.78	46.44	3	Horizontal	20	1.57	-	36.44	8.53	34.19
AV	7.2522G	44.66	54.00	-9.34	33.92	3	Horizontal	20	1.57	-	36.41	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80628G	58.92	88.20	-29.28	50.75	3	Vertical	193	1.92	-	40.59	12.03	44.45
RMS	13.80852G	45.94	68.20	-22.26	37.77	3	Vertical	193	1.92	-	40.58	12.03	44.44

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.81496G	59.88	88.20	-28.32	51.72	3	Horizontal	74	1.39	-	40.57	12.03	44.44
RMS	13.80228G	45.94	68.20	-22.26	37.76	3	Horizontal	74	1.39	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7234G	56.19	83.54	-27.35	51.23	1	Vertical	340	1.58	-	37.90	15.76	48.70
AV	20.7058G	43.20	63.54	-20.34	38.25	1	Vertical	340	1.58	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71736G	57.07	83.54	-26.47	52.12	1	Horizontal	319	1.47	-	37.90	15.75	48.70
AV	20.70572G	43.26	63.54	-20.28	38.31	1	Horizontal	319	1.47	-	37.90	15.75	48.70

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	59.91	88.20	-28.29	54.83	3	Vertical	333	1.57	-	32.40	7.26	34.58
RMS	5.9134G	49.15	68.20	-19.05	44.08	3	Vertical	333	1.57	-	32.40	7.26	34.59
PK	6.0146G	109.92	Inf	-Inf	104.76	3	Vertical	333	1.57	-	32.50	7.33	34.67
RMS	6.0142G	99.74	Inf	-Inf	94.58	3	Vertical	333	1.57	-	32.50	7.33	34.67

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	59.72	88.20	-28.48	54.65	3	Horizontal	13	1.80	-	32.40	7.26	34.59
RMS	5.9134G	49.25	68.20	-18.95	44.18	3	Horizontal	13	1.80	-	32.40	7.26	34.59
PK	5.9562G	108.70	Inf	-Inf	103.63	3	Horizontal	13	1.80	-	32.41	7.29	34.63
RMS	5.9758G	99.03	Inf	-Inf	93.93	3	Horizontal	13	1.80	-	32.45	7.30	34.65

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96148G	58.05	74.00	-15.95	52.43	3	Vertical	126	1.91	-	38.92	12.05	45.35
AV	11.97992G	43.97	54.00	-10.03	38.30	3	Vertical	126	1.91	-	38.96	12.07	45.36
PK	17.96232G	63.76	74.00	-10.24	42.57	3	Vertical	130	2.00	-	51.39	14.09	44.29
AV	17.96316G	49.49	54.00	-4.51	28.25	3	Vertical	130	2.00	-	51.43	14.09	44.28

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96368G	57.79	74.00	-16.21	52.15	3	Horizontal	153	1.46	-	38.93	12.06	45.35
AV	11.97992G	43.97	54.00	-10.03	38.30	3	Horizontal	153	1.46	-	38.96	12.07	45.36
PK	17.95792G	63.31	74.00	-10.69	42.33	3	Horizontal	174	1.67	-	51.18	14.09	44.29
AV	17.96292G	48.71	54.00	-5.29	27.48	3	Horizontal	174	1.67	-	51.42	14.09	44.28

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93476G	59.03	83.54	-24.51	50.35	1	Vertical	204	1.94	-	39.00	17.31	47.63
AV	23.93108G	43.68	63.54	-19.86	35.00	1	Vertical	204	1.94	-	39.00	17.31	47.63

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9384G	58.02	83.54	-25.52	49.33	1	Horizontal	255	1.63	-	39.00	17.31	47.62
AV	23.93136G	43.47	63.54	-20.07	34.79	1	Horizontal	255	1.63	-	39.00	17.31	47.63

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 7.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0554G	108.17	Inf	-Inf	98.37	3	Vertical	18	1.59	-	35.64	8.34	34.18
RMS	6.995G	99.56	Inf	-Inf	90.09	3	Vertical	18	1.59	-	35.38	8.27	34.18
PK	7.2058G	54.64	88.20	-33.56	44.12	3	Vertical	18	1.59	-	36.22	8.48	34.18
RMS	7.1802G	43.01	68.20	-25.19	32.57	3	Vertical	18	1.59	-	36.16	8.46	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 7.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0266G	108.32	Inf	-Inf	98.68	3	Horizontal	23	1.52	-	35.51	8.31	34.18
RMS	6.9862G	99.05	Inf	-Inf	89.63	3	Horizontal	23	1.52	-	35.34	8.26	34.18
PK	7.201G	53.73	88.20	-34.47	43.23	3	Horizontal	23	1.52	-	36.20	8.48	34.18
RMS	7.1274G	43.47	68.20	-24.73	33.19	3	Horizontal	23	1.52	-	36.05	8.41	34.18

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT Y_4TX
Setting 7.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.04184G	59.58	88.20	-28.62	50.82	3	Vertical	312	1.57	-	41.08	12.05	44.37
RMS	14.0538G	45.59	68.20	-22.61	36.79	3	Vertical	312	1.57	-	41.12	12.06	44.38

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 7.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0498G	59.55	88.20	-28.65	50.78	3	Horizontal	87	1.52	-	41.10	12.05	44.38
RMS	14.05424G	45.68	68.20	-22.52	36.88	3	Horizontal	87	1.52	-	41.12	12.06	44.38

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 7.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08476G	61.20	83.54	-22.34	55.83	1	Vertical	247	1.40	-	38.00	16.05	48.68
AV	21.08456G	47.26	63.54	-16.28	41.89	1	Vertical	247	1.40	-	38.00	16.05	48.68

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




EUT_Y_4TX
 Setting 7.5
 01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08192G	61.13	83.54	-22.41	55.76	1	Horizontal	77	1.64	-	38.00	16.05	48.68
AV	21.08188G	47.30	63.54	-16.24	41.93	1	Horizontal	77	1.64	-	38.00	16.05	48.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	60.79	88.20	-27.41	55.73	3	Vertical	336	1.80	-	32.40	7.26	34.60
RMS	5.9155G	49.54	68.20	-18.66	44.47	3	Vertical	336	1.80	-	32.40	7.26	34.59
PK	6.095G	109.24	Inf	-Inf	103.96	3	Vertical	336	1.80	-	32.50	7.37	34.59
RMS	6.096G	99.33	Inf	-Inf	94.05	3	Vertical	336	1.80	-	32.50	7.37	34.59

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	60.31	88.20	-27.89	55.24	3	Horizontal	17	1.60	-	32.40	7.27	34.60
RMS	5.925G	50.12	68.20	-18.08	45.05	3	Horizontal	17	1.60	-	32.40	7.27	34.60
PK	6.086G	110.85	Inf	-Inf	105.58	3	Horizontal	17	1.60	-	32.50	7.37	34.60
RMS	6.0865G	99.65	Inf	-Inf	94.38	3	Horizontal	17	1.60	-	32.50	7.37	34.60

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT Y_4TX
Setting 14
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.03064G	58.04	74.00	-15.96	52.22	3	Vertical	76	1.42	-	39.12	12.08	45.38
AV	12.05408G	43.91	54.00	-10.09	38.00	3	Vertical	76	1.42	-	39.22	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06032G	59.80	74.00	-14.20	53.87	3	Horizontal	125	1.40	-	39.24	12.08	45.39
AV	12.0568G	45.48	54.00	-8.52	39.56	3	Horizontal	125	1.40	-	39.23	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07448G	56.63	83.54	-26.91	52.00	1	Vertical	49	1.47	-	37.55	15.29	48.21
AV	18.07452G	42.27	63.54	-21.27	37.64	1	Vertical	49	1.47	-	37.55	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06876G	56.67	83.54	-26.87	52.08	1	Horizontal	318	1.37	-	37.51	15.29	48.21
AV	18.07172G	42.10	63.54	-21.44	37.49	1	Horizontal	318	1.37	-	37.53	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.06	88.20	-27.14	55.99	3	Vertical	334	1.80	-	32.40	7.27	34.60
RMS	5.9205G	49.49	68.20	-18.71	44.43	3	Vertical	334	1.80	-	32.40	7.26	34.60
PK	6.053G	109.75	Inf	-Inf	104.53	3	Vertical	334	1.80	-	32.50	7.35	34.63
RMS	6.0545G	99.57	Inf	-Inf	94.35	3	Vertical	334	1.80	-	32.50	7.35	34.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	60.16	88.20	-28.04	55.10	3	Horizontal	336	1.80	-	32.40	7.26	34.60
RMS	5.921G	49.69	68.20	-18.51	44.63	3	Horizontal	336	1.80	-	32.40	7.26	34.60
PK	6.064G	107.84	Inf	-Inf	102.60	3	Horizontal	336	1.80	-	32.50	7.36	34.62
RMS	6.0625G	98.66	Inf	-Inf	93.43	3	Horizontal	336	1.80	-	32.50	7.35	34.62

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 13.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05148G	59.12	74.00	-14.88	53.22	3	Vertical	68	1.64	-	39.21	12.08	45.39
AV	12.05128G	45.15	54.00	-8.85	39.25	3	Vertical	68	1.64	-	39.21	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05096G	59.99	74.00	-14.01	54.10	3	Horizontal	271	1.99	-	39.20	12.08	45.39
AV	12.05144G	45.40	54.00	-8.60	39.50	3	Horizontal	271	1.99	-	39.21	12.08	45.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.05892G	56.07	83.54	-27.47	51.54	1	Vertical	257	1.81	-	37.45	15.29	48.21
AV	18.055G	42.52	63.54	-21.02	38.01	1	Vertical	257	1.81	-	37.43	15.29	48.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 13.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.05796G	56.87	83.54	-26.67	52.34	1	Horizontal	147	1.73	-	37.45	15.29	48.21
AV	18.055G	42.48	63.54	-21.06	37.97	1	Horizontal	147	1.73	-	37.43	15.29	48.21

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_Y_4TX
Setting 10.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.975G	109.43	Inf	-Inf	100.07	3	Vertical	20	1.80	-	35.30	8.24	34.18
RMS	6.915G	99.43	Inf	-Inf	90.48	3	Vertical	20	1.80	-	34.99	8.14	34.18
PK	7.137G	60.01	88.20	-28.19	49.70	3	Vertical	20	1.80	-	36.07	8.42	34.18
RMS	7.1385G	45.14	68.20	-23.06	34.82	3	Vertical	20	1.80	-	36.08	8.42	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_Y_4TX
Setting 10.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.907G	110.58	Inf	-Inf	101.69	3	Horizontal	18	1.80	-	34.94	8.13	34.18
RMS	6.907G	99.76	Inf	-Inf	90.87	3	Horizontal	18	1.80	-	34.94	8.13	34.18
PK	7.133G	59.33	88.20	-28.87	49.03	3	Horizontal	18	1.80	-	36.07	8.41	34.18
RMS	7.131G	45.47	68.20	-22.73	35.18	3	Horizontal	18	1.80	-	36.06	8.41	34.18

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_Y_4TX
Setting 10.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.97516G	58.99	88.20	-29.21	50.40	3	Vertical	159	1.86	-	40.90	12.02	44.33
RMS	13.97408G	45.76	68.20	-22.44	37.17	3	Vertical	159	1.86	-	40.90	12.02	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT_Y_4TX
Setting 10.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96156G	59.15	88.20	-29.05	50.62	3	Horizontal	287	1.87	-	40.85	12.02	44.34
RMS	13.97064G	45.77	68.20	-22.43	37.20	3	Horizontal	287	1.87	-	40.88	12.02	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT Y_4TX
Setting 10.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95748G	58.61	83.54	-24.93	53.45	1	Vertical	296	1.48	-	37.91	15.95	48.70
AV	20.95452G	45.09	63.54	-18.45	39.93	1	Vertical	296	1.48	-	37.91	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6985MHz_TX




EUT Y_4TX
Setting 10.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95684G	59.12	83.54	-24.42	53.96	1	Horizontal	284	1.39	-	37.91	15.95	48.70
AV	20.95472G	45.21	63.54	-18.33	40.05	1	Horizontal	284	1.39	-	37.91	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 11.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9165G	110.47	Inf	-Inf	98.66	3	Vertical	18	1.80	-	36.53	7.97	32.69
RMS	6.9165G	100.34	Inf	-Inf	88.53	3	Vertical	18	1.80	-	36.53	7.97	32.69
PK	7.1505G	64.52	88.20	-23.68	52.37	3	Vertical	18	1.80	-	36.90	7.94	32.69
RMS	7.2075G	54.09	68.20	-14.11	41.61	3	Vertical	18	1.80	-	37.21	7.94	32.67

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 11.5
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9085G	108.82	Inf	-Inf	97.01	3	Horizontal	24	1.80	-	36.52	7.97	32.68
RMS	6.908G	100.17	Inf	-Inf	88.36	3	Horizontal	24	1.80	-	36.52	7.97	32.68
PK	7.161G	65.94	88.20	-22.26	53.72	3	Horizontal	24	1.80	-	36.97	7.94	32.69
RMS	7.2175G	54.05	68.20	-14.15	41.53	3	Horizontal	24	1.80	-	37.24	7.95	32.67

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 11.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9743G	60.73	88.20	-27.47	50.72	3	Vertical	206	1.89	-	40.90	13.44	44.33
RMS	13.9739G	47.66	68.20	-20.54	37.65	3	Vertical	206	1.89	-	40.90	13.44	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT Y_4TX
Setting 11.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.97052G	60.48	88.20	-27.72	50.48	3	Horizontal	165	1.42	-	40.90	13.43	44.33
RMS	13.97358G	47.43	68.20	-20.77	37.42	3	Horizontal	165	1.42	-	40.90	13.44	44.33

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT Y_4TX
Setting 11.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95578G	59.89	83.54	-23.65	54.73	1	Vertical	199	1.60	-	37.91	15.95	48.70
AV	20.95518G	46.29	63.54	-17.25	41.13	1	Vertical	199	1.60	-	37.91	15.95	48.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 11.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95764G	59.41	83.54	-24.13	54.24	1	Horizontal	0	1.37	-	37.92	15.95	48.70
AV	20.95508G	46.31	63.54	-17.23	41.15	1	Horizontal	0	1.37	-	37.91	15.95	48.70

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	62.97	88.20	-25.23	57.90	3	Vertical	354	1.80	-	32.40	7.27	34.60
RMS	5.925G	50.71	68.20	-17.49	45.64	3	Vertical	354	1.80	-	32.40	7.27	34.60
PK	6.2554G	109.65	Inf	-Inf	103.42	3	Vertical	354	1.80	-	33.20	7.46	34.43
RMS	6.2354G	99.59	Inf	-Inf	93.51	3	Vertical	354	1.80	-	33.08	7.45	34.45

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.5
06-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	65.09	88.20	-23.11	60.03	3	Horizontal	339	1.58	-	32.40	7.26	34.60
RMS	5.9162G	50.18	68.20	-18.02	45.11	3	Horizontal	339	1.58	-	32.40	7.26	34.59
PK	6.2058G	109.62	Inf	-Inf	103.82	3	Horizontal	339	1.58	-	32.85	7.43	34.48
RMS	6.2458G	99.90	Inf	-Inf	93.71	3	Horizontal	339	1.58	-	33.17	7.46	34.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT Y_4TX
Setting 15.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20544G	57.61	74.00	-16.39	51.93	3	Vertical	1	1.49	-	39.08	12.07	45.47
AV	12.20084G	42.69	54.00	-11.31	36.99	3	Vertical	1	1.49	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT Y_4TX
Setting 15.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2008G	57.24	74.00	-16.76	51.54	3	Horizontal	92	1.37	-	39.10	12.07	45.47
AV	12.2008G	42.88	54.00	-11.12	37.18	3	Horizontal	92	1.37	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT Y_4TX
Setting 15.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30576G	55.75	83.54	-27.79	51.13	1	Vertical	124	1.78	-	37.61	15.27	48.26
AV	18.305G	41.74	63.54	-21.80	37.12	1	Vertical	124	1.78	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31064G	56.23	83.54	-27.31	51.60	1	Horizontal	41	1.73	-	37.62	15.27	48.26
AV	18.305G	41.78	63.54	-21.76	37.16	1	Horizontal	41	1.73	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	61.87	88.20	-26.33	56.80	3	Vertical	354	1.70	-	32.40	7.26	34.59
RMS	5.925G	49.85	68.20	-18.35	44.78	3	Vertical	354	1.70	-	32.40	7.27	34.60
PK	6.257G	108.85	Inf	-Inf	102.62	3	Vertical	354	1.70	-	33.20	7.46	34.43
RMS	6.257G	99.74	Inf	-Inf	93.51	3	Vertical	354	1.70	-	33.20	7.46	34.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.5
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	63.56	88.20	-24.64	58.49	3	Horizontal	24	1.61	-	32.40	7.27	34.60
RMS	5.9146G	49.77	68.20	-18.43	44.70	3	Horizontal	24	1.61	-	32.40	7.26	34.59
PK	6.2458G	109.48	Inf	-Inf	103.29	3	Horizontal	24	1.61	-	33.17	7.46	34.44
RMS	6.245G	99.85	Inf	-Inf	93.67	3	Horizontal	24	1.61	-	33.16	7.46	34.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 15.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2086G	56.61	74.00	-17.39	50.94	3	Vertical	341	1.69	-	39.07	12.07	45.47
AV	12.2008G	42.87	54.00	-11.13	37.17	3	Vertical	341	1.69	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2038G	56.63	74.00	-17.37	50.95	3	Horizontal	92	1.96	-	39.08	12.07	45.47
AV	12.20112G	42.89	54.00	-11.11	37.19	3	Horizontal	92	1.96	-	39.10	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 15.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30572G	54.88	83.54	-28.66	50.26	1	Vertical	45	1.73	-	37.61	15.27	48.26
AV	18.305G	41.78	63.54	-21.76	37.16	1	Vertical	45	1.73	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 15.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32168G	54.93	83.54	-28.61	50.28	1	Horizontal	294	1.71	-	37.64	15.27	48.26
AV	18.305G	41.76	63.54	-21.78	37.14	1	Horizontal	294	1.71	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	63.77	88.20	-24.43	58.70	3	Vertical	336	1.80	-	32.40	7.26	34.59
RMS	5.921G	50.21	68.20	-17.99	45.15	3	Vertical	336	1.80	-	32.40	7.26	34.60
PK	6.1162G	110.33	Inf	-Inf	104.96	3	Vertical	336	1.80	-	32.56	7.38	34.57
RMS	6.177G	99.74	Inf	-Inf	94.08	3	Vertical	336	1.80	-	32.75	7.42	34.51

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16
06-I-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	65.16	88.20	-23.04	60.10	3	Horizontal	332	1.69	-	32.40	7.26	34.60
RMS	5.9202G	50.52	68.20	-17.68	45.46	3	Horizontal	332	1.69	-	32.40	7.26	34.60
PK	6.0682G	108.66	Inf	-Inf	103.41	3	Horizontal	332	1.69	-	32.50	7.36	34.61
RMS	6.1482G	99.28	Inf	-Inf	93.72	3	Horizontal	332	1.69	-	32.69	7.40	34.53

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20848G	55.99	74.00	-18.01	50.32	3	Vertical	136	1.47	-	39.07	12.07	45.47
AV	12.205G	42.92	54.00	-11.08	37.24	3	Vertical	136	1.47	-	39.08	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20152G	56.90	74.00	-17.10	51.21	3	Horizontal	186	1.58	-	39.09	12.07	45.47
AV	12.20752G	42.79	54.00	-11.21	37.12	3	Horizontal	186	1.58	-	39.07	12.07	45.47

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31052G	55.26	83.54	-28.28	50.63	1	Vertical	70	1.55	-	37.62	15.27	48.26
AV	18.305G	41.86	63.54	-21.68	37.24	1	Vertical	70	1.55	-	37.61	15.27	48.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 16
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31076G	55.76	83.54	-27.78	51.13	1	Horizontal	186	1.81	-	37.62	15.27	48.26
AV	18.30776G	41.93	63.54	-21.61	37.30	1	Horizontal	186	1.81	-	37.62	15.27	48.26

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8186G	110.32	Inf	-Inf	102.05	3	Vertical	22	1.60	-	34.47	7.98	34.18
AV	6.7562G	98.66	Inf	-Inf	90.48	3	Vertical	22	1.60	-	34.40	7.96	34.18
PK	7.2538G	56.52	74.00	-17.48	45.76	3	Vertical	22	1.60	-	36.42	8.53	34.19
AV	7.265G	43.89	54.00	-10.11	33.08	3	Vertical	22	1.60	-	36.46	8.54	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.761G	107.72	Inf	-Inf	99.54	3	Horizontal	22	1.80	-	34.40	7.96	34.18
AV	6.8842G	97.57	Inf	-Inf	88.85	3	Horizontal	22	1.80	-	34.81	8.09	34.18
PK	7.2954G	55.87	74.00	-18.13	44.92	3	Horizontal	22	1.80	-	36.58	8.56	34.19
AV	7.2522G	43.65	54.00	-10.35	32.91	3	Horizontal	22	1.80	-	36.41	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81332G	60.52	88.20	-27.68	52.36	3	Vertical	340	1.80	-	40.57	12.03	44.44
RMS	13.80236G	46.04	68.20	-22.16	37.86	3	Vertical	340	1.80	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.81008G	60.04	88.20	-28.16	51.87	3	Horizontal	26	1.53	-	40.58	12.03	44.44
RMS	13.80088G	45.94	68.20	-22.26	37.76	3	Horizontal	26	1.53	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT_Y_4TX
 Setting 13.5
 01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72112G	57.33	83.54	-26.21	52.37	1	Vertical	175	1.73	-	37.90	15.76	48.70
AV	20.70584G	44.26	63.54	-19.28	39.31	1	Vertical	175	1.73	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

6905MHz_TX




EUT Y_4TX
Setting 13.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72052G	57.90	83.54	-25.64	52.94	1	Horizontal	49	1.44	-	37.90	15.76	48.70
AV	20.7058G	44.55	63.54	-18.99	39.60	1	Horizontal	49	1.44	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7594G	107.65	Inf	-Inf	99.47	3	Vertical	24	1.50	-	34.40	7.96	34.18
AV	6.7578G	98.27	Inf	-Inf	90.09	3	Vertical	24	1.50	-	34.40	7.96	34.18
PK	7.257G	55.03	74.00	-18.97	44.26	3	Vertical	24	1.50	-	36.43	8.53	34.19
AV	7.257G	43.98	54.00	-10.02	33.21	3	Vertical	24	1.50	-	36.43	8.53	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7658G	108.60	Inf	-Inf	100.42	3	Horizontal	344	1.61	-	34.40	7.96	34.18
AV	6.7466G	98.89	Inf	-Inf	90.72	3	Horizontal	344	1.61	-	34.40	7.96	34.19
PK	7.2858G	56.54	74.00	-17.46	45.64	3	Horizontal	344	1.61	-	36.54	8.55	34.19
AV	7.2522G	44.33	54.00	-9.67	33.59	3	Horizontal	344	1.61	-	36.41	8.52	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.80976G	59.66	88.20	-28.54	51.49	3	Vertical	358	1.88	-	40.58	12.03	44.44
RMS	13.80952G	45.87	68.20	-22.33	37.70	3	Vertical	358	1.88	-	40.58	12.03	44.44

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 13
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81432G	59.50	88.20	-28.70	51.34	3	Horizontal	182	1.70	-	40.57	12.03	44.44
RMS	13.8022G	45.95	68.20	-22.25	37.77	3	Horizontal	182	1.70	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT Y_4TX
Setting 13
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71244G	57.23	83.54	-26.31	52.28	1	Vertical	322	1.51	-	37.90	15.75	48.70
AV	20.7058G	43.51	63.54	-20.03	38.56	1	Vertical	322	1.51	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

6905MHz_TX




EUT Y_4TX
Setting 13
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71256G	56.95	83.54	-26.59	52.00	1	Horizontal	41	1.49	-	37.90	15.75	48.70
AV	20.7058G	43.29	63.54	-20.25	38.34	1	Horizontal	41	1.49	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 12.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8586G	110.22	Inf	-Inf	101.70	3	Vertical	23	1.60	-	34.65	8.05	34.18
AV	6.8378G	98.94	Inf	-Inf	90.56	3	Vertical	23	1.60	-	34.55	8.01	34.18
PK	7.2842G	53.79	74.00	-20.21	42.89	3	Vertical	23	1.60	-	36.54	8.55	34.19
AV	7.2906G	42.66	54.00	-11.34	31.73	3	Vertical	23	1.60	-	36.56	8.56	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 12.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8298G	109.21	Inf	-Inf	100.87	3	Horizontal	348	1.60	-	34.52	8.00	34.18
AV	6.849G	98.12	Inf	-Inf	89.67	3	Horizontal	348	1.60	-	34.60	8.03	34.18
PK	7.2762G	53.94	74.00	-20.06	43.09	3	Horizontal	348	1.60	-	36.50	8.54	34.19
AV	7.3018G	42.70	54.00	-11.30	31.72	3	Horizontal	348	1.60	-	36.60	8.57	34.19

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 12.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8188G	59.33	88.20	-28.87	51.18	3	Vertical	330	1.40	-	40.56	12.03	44.44
RMS	13.8098G	45.98	68.20	-22.22	37.81	3	Vertical	330	1.40	-	40.58	12.03	44.44

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 12.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.80452G	59.68	88.20	-28.52	51.51	3	Horizontal	354	1.86	-	40.59	12.03	44.45
RMS	13.80128G	45.86	68.20	-22.34	37.68	3	Horizontal	354	1.86	-	40.60	12.03	44.45

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX




EUT Y_4TX
Setting 12.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70584G	56.78	83.54	-26.76	51.83	1	Vertical	337	1.69	-	37.90	15.75	48.70
AV	20.70576G	43.34	63.54	-20.20	38.39	1	Vertical	337	1.69	-	37.90	15.75	48.70

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

6905MHz_TX



EUT Y_4TX
Setting 12.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71784G	56.24	83.54	-27.30	51.28	1	Horizontal	320	1.46	-	37.90	15.76	48.70
AV	20.7058G	43.37	63.54	-20.17	38.42	1	Horizontal	320	1.46	-	37.90	15.75	48.70



**RSE TX above 1GHz_R4_Standard Power AP_
Narrow Beam_Full RU_Non-BF mode**


Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	RMS	5.9195G	67.68	68.20	-0.52	3	Vertical	358	1.80	21.5

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9241G	77.47	88.20	-10.73	67.53	3	Vertical	354	1.80	22	34.94	7.44	32.44
RMS	5.925G	62.62	68.20	-5.58	52.67	3	Vertical	354	1.80	22	34.95	7.44	32.44
PK	5.961G	122.38	Inf	-Inf	112.21	3	Vertical	354	1.80	22	35.14	7.47	32.44
RMS	5.9637G	109.14	Inf	-Inf	98.96	3	Vertical	354	1.80	22	35.15	7.47	32.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTY_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9208G	76.13	88.20	-12.07	66.21	3	Horizontal	355	1.80	22	34.92	7.44	32.44
RMS	5.925G	60.63	68.20	-7.57	50.68	3	Horizontal	355	1.80	22	34.95	7.44	32.44
PK	5.9628G	120.51	Inf	-Inf	110.33	3	Horizontal	355	1.80	22	35.15	7.47	32.44
RMS	5.9628G	107.05	Inf	-Inf	96.87	3	Horizontal	355	1.80	22	35.15	7.47	32.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90966G	52.23	74.00	-21.77	66.98	3	Vertical	242	1.25	-	38.78	12.27	65.80
AV	11.9109G	40.17	54.00	-13.83	54.92	3	Vertical	242	1.25	-	38.78	12.27	65.80
PK	17.8654G	59.11	74.00	-14.89	66.30	3	Vertical	123	1.46	-	41.16	14.19	62.54
AV	17.86186G	46.82	54.00	-7.18	54.03	3	Vertical	123	1.46	-	41.15	14.19	62.55

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91006G	52.05	74.00	-21.95	66.80	3	Horizontal	108	2.32	-	38.78	12.27	65.80
AV	11.91095G	40.14	54.00	-13.86	54.89	3	Horizontal	108	2.32	-	38.78	12.27	65.80
PK	17.86884G	58.97	74.00	-15.03	66.14	3	Horizontal	28	1.74	-	41.18	14.19	62.54
AV	17.8648G	46.84	54.00	-7.16	54.03	3	Horizontal	28	1.74	-	41.16	14.19	62.54

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.82348G	45.52	83.54	-38.02	36.81	1	Vertical	326	1.56	-	39.10	17.28	47.67
AV	23.82276G	35.39	63.54	-28.15	26.68	1	Vertical	326	1.56	-	39.10	17.28	47.67

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82336G	45.34	83.54	-38.20	36.63	1	Horizontal	298	1.98	-	39.10	17.28	47.67
AV	23.82312G	35.30	63.54	-28.24	26.59	1	Horizontal	298	1.98	-	39.10	17.28	47.67

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38989G	51.94	74.00	-22.06	66.18	3	Vertical	61	2.94	-	38.58	12.57	65.39
AV	12.3893G	39.64	54.00	-14.36	53.88	3	Vertical	61	2.94	-	38.58	12.57	65.39

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39087G	52.92	74.00	-21.08	67.16	3	Horizontal	180	2.82	-	38.58	12.57	65.39
AV	12.39072G	39.67	54.00	-14.33	53.91	3	Horizontal	180	2.82	-	38.58	12.57	65.39

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5784G	49.14	83.54	-34.40	44.46	1	Vertical	149	1.61	-	37.80	15.26	48.38
AV	18.58764G	38.31	63.54	-25.23	33.65	1	Vertical	149	1.61	-	37.80	15.25	48.39

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5802G	48.24	83.54	-35.30	43.56	1	Horizontal	159	1.47	-	37.80	15.26	48.38
AV	18.5874G	38.35	63.54	-25.19	33.69	1	Horizontal	159	1.47	-	37.80	15.25	48.39

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83051G	52.67	88.20	-35.53	65.79	3	Vertical	340	2.43	-	39.32	12.81	65.25
RMS	12.82922G	41.07	68.20	-27.13	54.19	3	Vertical	340	2.43	-	39.32	12.81	65.25

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.83021G	52.93	88.20	-35.27	66.05	3	Horizontal	86	1.88	-	39.32	12.81	65.25
RMS	12.82919G	41.06	68.20	-27.14	54.18	3	Horizontal	86	1.88	-	39.32	12.81	65.25

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24452G	45.99	83.54	-37.55	41.59	1	Vertical	276	1.59	-	37.98	15.22	48.80
AV	19.24764G	35.32	63.54	-28.22	30.91	1	Vertical	276	1.59	-	37.99	15.22	48.80

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24848G	44.72	83.54	-38.82	40.31	1	Horizontal	137	1.85	-	37.99	15.22	48.80
AV	19.24824G	35.39	63.54	-28.15	30.98	1	Horizontal	137	1.85	-	37.99	15.22	48.80

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0707G	53.13	88.20	-35.07	65.64	3	Vertical	182	2.91	-	39.64	12.94	65.09
RMS	13.07098G	40.64	68.20	-27.56	53.15	3	Vertical	182	2.91	-	39.64	12.94	65.09

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0699G	52.69	88.20	-35.51	65.20	3	Horizontal	269	2.46	-	39.64	12.94	65.09
RMS	13.07078G	40.57	68.20	-27.63	53.08	3	Horizontal	269	2.46	-	39.64	12.94	65.09

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59012G	44.25	83.54	-39.29	40.16	1	Vertical	246	1.55	-	37.70	15.19	48.80
AV	19.60944G	35.01	63.54	-28.53	30.92	1	Vertical	246	1.55	-	37.70	15.19	48.80

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5912G	44.03	83.54	-39.51	39.94	1	Horizontal	149	1.61	-	37.70	15.19	48.80
AV	19.6092G	35.14	63.54	-28.40	31.05	1	Horizontal	149	1.61	-	37.70	15.19	48.80

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3899G	54.17	74.00	-19.83	65.32	3	Vertical	237	1.22	-	40.20	13.12	64.47
AV	13.38949G	42.95	54.00	-11.05	54.10	3	Vertical	237	1.22	-	40.20	13.12	64.47

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38904G	54.61	74.00	-19.39	65.77	3	Horizontal	50	1.29	-	40.20	13.12	64.48
AV	13.39093G	42.95	54.00	-11.05	54.10	3	Horizontal	50	1.29	-	40.20	13.12	64.47

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07852G	60.09	83.54	-23.45	55.84	1	Vertical	218	1.82	-	37.80	15.23	48.78
AV	20.07876G	47.01	63.54	-16.53	42.76	1	Vertical	218	1.82	-	37.80	15.23	48.78

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07924G	57.03	83.54	-26.51	52.78	1	Horizontal	300	1.90	-	37.80	15.23	48.78
AV	20.079G	47.03	63.54	-16.51	42.78	1	Horizontal	300	1.90	-	37.80	15.23	48.78

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71085G	55.19	88.20	-33.01	65.82	3	Vertical	302	2.29	-	40.42	13.29	64.34
RMS	13.70912G	42.84	68.20	-25.36	53.47	3	Vertical	302	2.29	-	40.42	13.29	64.34

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7101G	55.57	88.20	-32.63	66.20	3	Horizontal	240	2.06	-	40.42	13.29	64.34
RMS	13.70913G	42.85	68.20	-25.35	53.48	3	Horizontal	240	2.06	-	40.42	13.29	64.34

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56212G	52.44	83.54	-31.10	47.61	1	Vertical	0	1.43	-	37.90	15.63	48.70
AV	20.56236G	41.56	63.54	-21.98	36.73	1	Vertical	0	1.43	-	37.90	15.63	48.70

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56284G	50.54	83.54	-33.00	45.71	1	Horizontal	324	1.99	-	37.90	15.63	48.70
AV	20.5614G	41.47	63.54	-22.07	36.64	1	Horizontal	324	1.99	-	37.90	15.63	48.70

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUTY_1TX
SET 21
22\16.5\21.5\19\20\20.5\21
-5.17\15.51\0.73\11.27\8.05\5.79\1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9227G	80.22	88.20	-7.98	70.28	3	Vertical	353	1.80	21	34.94	7.44	32.44
RMS	5.925G	66.63	68.20	-1.57	56.68	3	Vertical	353	1.80	21	34.95	7.44	32.44
PK	5.9728G	118.29	Inf	-Inf	108.06	3	Vertical	353	1.80	21	35.19	7.48	32.44
RMS	5.983G	105.97	Inf	-Inf	95.69	3	Vertical	353	1.80	21	35.23	7.49	32.44

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUTY_1TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9236G	78.06	88.20	-10.14	68.12	3	Horizontal	355	1.80	21	34.94	7.44	32.44
RMS	5.925G	63.84	68.20	-4.36	53.89	3	Horizontal	355	1.80	21	34.95	7.44	32.44
PK	5.9773G	116.66	Inf	-Inf	106.41	3	Horizontal	355	1.80	21	35.21	7.48	32.44
RMS	5.9815G	103.36	Inf	-Inf	93.08	3	Horizontal	355	1.80	21	35.23	7.49	32.44

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 21
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92962G	51.70	74.00	-22.30	66.46	3	Vertical	323	2.62	-	38.74	12.29	65.79
AV	11.9291G	39.67	54.00	-14.33	54.43	3	Vertical	323	2.62	-	38.74	12.29	65.79
PK	17.898G	59.04	74.00	-14.96	66.03	3	Vertical	334	1.77	-	41.29	14.20	62.48
AV	17.90454G	46.46	54.00	-7.54	53.42	3	Vertical	334	1.77	-	41.31	14.20	62.47

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 21
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92969G	51.72	74.00	-22.28	66.48	3	Horizontal	211	2.13	-	38.74	12.29	65.79
AV	11.92912G	39.65	54.00	-14.35	54.41	3	Horizontal	211	2.13	-	38.74	12.29	65.79
PK	17.89574G	58.65	74.00	-15.35	65.65	3	Horizontal	334	1.78	-	41.28	14.20	62.48
AV	17.90468G	46.45	54.00	-7.55	53.41	3	Horizontal	334	1.78	-	41.31	14.20	62.47

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 21
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85364G	41.69	83.54	-41.85	32.97	1	Vertical	181	1.90	-	39.09	17.29	47.66
AV	23.8372G	31.44	63.54	-32.10	22.72	1	Vertical	181	1.90	-	39.10	17.29	47.67

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 21
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.83972G	42.06	83.54	-41.48	33.33	1	Horizontal	191	1.67	-	39.10	17.29	47.66
AV	23.83192G	31.44	63.54	-32.10	22.72	1	Horizontal	191	1.67	-	39.10	17.29	47.67

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41002G	51.76	74.00	-22.24	65.93	3	Vertical	33	2.56	-	38.62	12.58	65.37
AV	12.40946G	40.05	54.00	-13.95	54.22	3	Vertical	33	2.56	-	38.62	12.58	65.37

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41055G	51.94	74.00	-22.06	66.11	3	Horizontal	181	2.68	-	38.62	12.58	65.37
AV	12.40946G	40.04	54.00	-13.96	54.21	3	Horizontal	181	2.68	-	38.62	12.58	65.37

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.63912G	39.76	83.54	-43.78	35.07	1	Vertical	208	1.43	-	37.88	15.25	48.44
AV	18.60516G	28.61	63.54	-34.93	23.96	1	Vertical	208	1.43	-	37.81	15.25	48.41

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.58536G	39.65	83.54	-43.89	34.99	1	Horizontal	200	1.83	-	37.80	15.25	48.39
AV	18.60372G	28.63	63.54	-34.91	23.97	1	Horizontal	200	1.83	-	37.81	15.25	48.40

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80927G	53.18	88.20	-35.02	66.39	3	Vertical	249	1.36	-	39.24	12.80	65.25
RMS	12.80919G	41.44	68.20	-26.76	54.65	3	Vertical	249	1.36	-	39.24	12.80	65.25

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80981G	53.77	88.20	-34.43	66.98	3	Horizontal	9	2.22	-	39.24	12.80	65.25
RMS	12.80915G	41.43	68.20	-26.77	54.64	3	Horizontal	9	2.22	-	39.24	12.80	65.25

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22892G	39.71	83.54	-43.83	35.37	1	Vertical	280	1.53	-	37.92	15.22	48.80
AV	19.236G	28.95	63.54	-34.59	24.59	1	Vertical	280	1.53	-	37.94	15.22	48.80

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23648G	39.60	83.54	-43.94	35.23	1	Horizontal	29	1.71	-	37.95	15.22	48.80
AV	19.23696G	28.96	63.54	-34.58	24.59	1	Horizontal	29	1.71	-	37.95	15.22	48.80

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12987G	52.90	88.20	-35.30	65.14	3	Vertical	243	1.10	-	39.76	12.98	64.98
RMS	13.13091G	41.06	68.20	-27.14	53.30	3	Vertical	243	1.10	-	39.76	12.98	64.98

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.12941G	52.92	88.20	-35.28	65.16	3	Horizontal	226	1.93	-	39.76	12.98	64.98
RMS	13.13094G	41.08	68.20	-27.12	53.32	3	Horizontal	226	1.93	-	39.76	12.98	64.98

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.67664G	39.50	83.54	-44.04	35.41	1	Vertical	241	1.57	-	37.70	15.19	48.80
AV	19.7244G	28.66	63.54	-34.88	24.57	1	Vertical	241	1.57	-	37.70	15.19	48.80

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.72116G	39.10	83.54	-44.44	35.01	1	Horizontal	60	1.86	-	37.70	15.19	48.80
AV	19.72308G	28.63	63.54	-34.91	24.54	1	Horizontal	60	1.86	-	37.70	15.19	48.80

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37097G	55.07	74.00	-18.93	66.27	3	Vertical	160	2.33	-	40.20	13.11	64.51
AV	13.37096G	42.73	54.00	-11.27	53.93	3	Vertical	160	2.33	-	40.20	13.11	64.51

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37089G	54.11	74.00	-19.89	65.31	3	Horizontal	138	2.86	-	40.20	13.11	64.51
AV	13.37093G	42.75	54.00	-11.25	53.95	3	Horizontal	138	2.86	-	40.20	13.11	64.51

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.72044G	39.77	83.54	-43.77	35.68	1	Vertical	279	1.43	-	37.70	15.19	48.80
AV	19.72476G	28.66	63.54	-34.88	24.57	1	Vertical	279	1.43	-	37.70	15.19	48.80

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70616G	39.93	83.54	-43.61	35.84	1	Horizontal	170	1.75	-	37.70	15.19	48.80
AV	19.72488G	28.67	63.54	-34.87	24.58	1	Horizontal	170	1.75	-	37.70	15.19	48.80

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69002G	54.61	88.20	-33.59	65.29	3	Vertical	14	1.93	-	40.38	13.28	64.34
RMS	13.68921G	43.10	68.20	-25.10	53.78	3	Vertical	14	1.93	-	40.38	13.28	64.34

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69092G	55.21	88.20	-32.99	65.89	3	Horizontal	6	2.88	-	40.38	13.28	64.34
RMS	13.68945G	43.10	68.20	-25.10	53.78	3	Horizontal	6	2.88	-	40.38	13.28	64.34

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56272G	50.93	83.54	-32.61	46.10	1	Vertical	137	1.54	-	37.90	15.63	48.70
AV	20.56164G	41.90	63.54	-21.64	37.07	1	Vertical	137	1.54	-	37.90	15.63	48.70

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56056G	51.13	83.54	-32.41	46.30	1	Horizontal	286	1.47	-	37.90	15.63	48.70
AV	20.56176G	41.87	63.54	-21.67	37.04	1	Horizontal	286	1.47	-	37.90	15.63	48.70

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 21.5
22\20.5\21.5
-1.38\7.92\2.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9245G	78.59	88.20	-9.61	68.64	3	Vertical	355	1.80	21.5	34.95	7.44	32.44
RMS	5.925G	65.45	68.20	-2.75	55.50	3	Vertical	355	1.80	21.5	34.95	7.44	32.44
PK	5.994G	114.61	Inf	-Inf	104.27	3	Vertical	355	1.80	21.5	35.28	7.50	32.44
RMS	6.015G	102.42	Inf	-Inf	92.02	3	Vertical	355	1.80	21.5	35.33	7.51	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUTY_1TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9175G	76.05	88.20	-12.15	66.14	3	Horizontal	358	1.80	21.5	34.91	7.44	32.44
RMS	5.925G	63.32	68.20	-4.88	53.37	3	Horizontal	358	1.80	21.5	34.95	7.44	32.44
PK	5.996G	112.58	Inf	-Inf	102.24	3	Horizontal	358	1.80	21.5	35.28	7.50	32.44
RMS	6.0175G	100.20	Inf	-Inf	89.79	3	Horizontal	358	1.80	21.5	35.34	7.51	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 21.5
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.971G	53.23	74.00	-20.77	67.96	3	Vertical	290	2.99	-	38.70	12.33	65.76
AV	11.96929G	40.85	54.00	-13.15	55.58	3	Vertical	290	2.99	-	38.70	12.33	65.76
PK	17.95245G	58.18	74.00	-15.82	64.93	3	Vertical	294	1.70	-	41.40	14.22	62.37
AV	17.94702G	46.72	54.00	-7.28	53.50	3	Vertical	294	1.70	-	41.39	14.21	62.38

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 21.5
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97034G	53.22	74.00	-20.78	67.95	3	Horizontal	19	2.07	-	38.70	12.33	65.76
AV	11.9692G	40.84	54.00	-13.16	55.57	3	Horizontal	19	2.07	-	38.70	12.33	65.76
PK	17.96883G	57.83	74.00	-16.17	64.51	3	Horizontal	251	1.71	-	41.44	14.22	62.34
AV	17.94687G	46.26	54.00	-7.74	53.04	3	Horizontal	251	1.71	-	41.39	14.21	62.38

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 21.5
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9478G	42.05	83.54	-41.49	33.35	1	Vertical	309	1.90	-	39.00	17.32	47.62
AV	23.91864G	31.29	63.54	-32.25	22.61	1	Vertical	309	1.90	-	39.00	17.31	47.63

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 21.5
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.92128G	41.83	83.54	-41.71	33.15	1	Horizontal	250	1.46	-	39.00	17.31	47.63
AV	23.9238G	31.26	63.54	-32.28	22.58	1	Horizontal	250	1.46	-	39.00	17.31	47.63

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45096G	52.73	74.00	-21.27	66.75	3	Vertical	247	1.53	-	38.70	12.61	65.33
AV	12.45088G	39.82	54.00	-14.18	53.84	3	Vertical	247	1.53	-	38.70	12.61	65.33

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45083G	53.47	74.00	-20.53	67.49	3	Horizontal	121	1.37	-	38.70	12.61	65.33
AV	12.451G	39.82	54.00	-14.18	53.84	3	Horizontal	121	1.37	-	38.70	12.61	65.33

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68172G	40.25	83.54	-43.29	35.58	1	Vertical	221	1.50	-	37.90	15.25	48.48
AV	18.69444G	29.28	63.54	-34.26	24.62	1	Vertical	221	1.50	-	37.90	15.25	48.49

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7026G	39.95	83.54	-43.59	35.30	1	Horizontal	191	1.77	-	37.90	15.25	48.50
AV	18.70296G	29.32	63.54	-34.22	24.67	1	Horizontal	191	1.77	-	37.90	15.25	48.50

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77044G	53.20	88.20	-35.00	66.54	3	Vertical	247	2.55	-	39.14	12.78	65.26
RMS	12.77091G	41.30	68.20	-26.90	54.64	3	Vertical	247	2.55	-	39.14	12.78	65.26

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77007G	54.13	88.20	-34.07	67.47	3	Horizontal	230	2.60	-	39.14	12.78	65.26
RMS	12.77076G	41.28	68.20	-26.92	54.62	3	Horizontal	230	2.60	-	39.14	12.78	65.26

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15788G	40.78	83.54	-42.76	36.39	1	Vertical	245	1.93	-	37.97	15.22	48.80
AV	19.14696G	29.05	63.54	-34.49	24.63	1	Vertical	245	1.93	-	38.00	15.22	48.80

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.17204G	39.38	83.54	-44.16	35.05	1	Horizontal	333	1.61	-	37.91	15.22	48.80
AV	19.1442G	29.12	63.54	-34.42	24.70	1	Horizontal	333	1.61	-	38.00	15.22	48.80

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24982G	54.07	88.20	-34.13	65.78	3	Vertical	67	2.36	-	40.00	13.04	64.75
RMS	13.24906G	42.48	68.20	-25.72	54.19	3	Vertical	67	2.36	-	40.00	13.04	64.75

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25028G	54.44	74.00	-19.56	66.14	3	Horizontal	199	2.75	-	40.00	13.04	64.74
RMS	13.2492G	42.49	68.20	-25.71	54.20	3	Horizontal	199	2.75	-	40.00	13.04	64.75

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88004G	39.52	83.54	-44.02	35.44	1	Vertical	5	1.80	-	37.70	15.18	48.80
AV	19.90464G	28.49	63.54	-35.05	24.40	1	Vertical	5	1.80	-	37.71	15.18	48.80

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88964G	41.07	83.54	-42.47	36.99	1	Horizontal	71	1.44	-	37.70	15.18	48.80
AV	19.84608G	28.37	63.54	-35.17	24.29	1	Horizontal	71	1.44	-	37.70	15.18	48.80

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40967G	55.06	88.20	-33.14	66.17	3	Vertical	76	1.87	-	40.20	13.13	64.44
RMS	13.40984G	42.79	68.20	-25.41	53.89	3	Vertical	76	1.87	-	40.20	13.13	64.43

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.40901G	55.33	88.20	-32.87	66.44	3	Horizontal	271	1.84	-	40.20	13.13	64.44
RMS	13.40977G	42.80	68.20	-25.40	53.91	3	Horizontal	271	1.84	-	40.20	13.13	64.44

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.13888G	38.86	83.54	-44.68	34.55	1	Vertical	257	1.39	-	37.80	15.28	48.77
AV	20.08512G	28.38	63.54	-35.16	24.12	1	Vertical	257	1.39	-	37.80	15.24	48.78

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08872G	38.13	83.54	-45.41	33.87	1	Horizontal	133	1.80	-	37.80	15.24	48.78
AV	20.08824G	28.39	63.54	-35.15	24.13	1	Horizontal	133	1.80	-	37.80	15.24	48.78

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5694G	54.89	88.20	-33.31	65.60	3	Vertical	336	2.01	-	40.36	13.22	64.29			
RMS	13.56953G	43.04	68.20	-25.16	53.75	3	Vertical	336	2.01	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.57069G	54.36	88.20	-33.84	65.07	3	Horizontal	33	1.69	-	40.36	13.22	64.29
RMS	13.57003G	43.06	68.20	-25.14	53.77	3	Horizontal	33	1.69	-	40.36	13.22	64.29

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.38308G	40.09	83.54	-43.45	35.50	1	Vertical	144	1.51	-	37.83	15.48	48.72
AV	20.35764G	28.80	63.54	-34.74	24.19	1	Vertical	144	1.51	-	37.88	15.46	48.73

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.33208G	40.87	83.54	-42.67	36.30	1	Horizontal	217	1.94	-	37.86	15.44	48.73
AV	20.36076G	28.82	63.54	-34.72	24.21	1	Horizontal	217	1.94	-	37.88	15.46	48.73

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	78.70	88.20	-9.50	68.77	3	Vertical	353	1.80	22	34.93	7.44	32.44
AV	5.9245G	65.98	68.20	-2.22	56.03	3	Vertical	353	1.80	22	34.95	7.44	32.44
PK	6.0135G	112.54	Inf	-Inf	102.14	3	Vertical	353	1.80	22	35.33	7.51	32.44
AV	6.014G	99.70	Inf	-Inf	89.30	3	Vertical	353	1.80	22	35.33	7.51	32.44

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9235G	76.39	88.20	-11.81	66.45	3	Horizontal	1	1.80	22	34.94	7.44	32.44
AV	5.925G	63.95	68.20	-4.25	54.00	3	Horizontal	1	1.80	22	34.95	7.44	32.44
PK	6.1015G	112.84	Inf	-Inf	102.32	3	Horizontal	1	1.80	22	35.40	7.55	32.43
AV	6.094G	99.23	Inf	-Inf	88.72	3	Horizontal	1	1.80	22	35.40	7.54	32.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04966G	52.69	74.00	-21.31	67.40	3	Vertical	157	2.17	-	38.60	12.39	65.70
AV	12.05017G	40.85	54.00	-13.15	55.55	3	Vertical	157	2.17	-	38.60	12.39	65.69

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04954G	54.27	74.00	-19.73	68.98	3	Horizontal	27	2.67	-	38.60	12.39	65.70			
AV	12.05012G	40.86	54.00	-13.14	55.56	3	Horizontal	27	2.67	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.04896G	39.77	83.54	-43.77	35.28	1	Vertical	304	1.86	-	37.41	15.29	48.21
AV	18.10488G	29.37	63.54	-34.17	24.63	1	Vertical	304	1.86	-	37.68	15.28	48.22

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.09948G	40.30	83.54	-43.24	35.54	1	Horizontal	253	1.59	-	37.70	15.28	48.22
AV	18.10368G	29.34	63.54	-34.20	24.59	1	Horizontal	253	1.59	-	37.69	15.28	48.22

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36936G	51.99	74.00	-22.01	66.30	3	Vertical	168	1.24	-	38.54	12.56	65.41
AV	12.36901G	39.48	54.00	-14.52	53.79	3	Vertical	168	1.24	-	38.54	12.56	65.41

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36989G	51.26	74.00	-22.74	65.57	3	Horizontal	181	2.26	-	38.54	12.56	65.41
AV	12.36905G	39.60	54.00	-14.40	53.91	3	Horizontal	181	2.26	-	38.54	12.56	65.41

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53292G	39.76	83.54	-43.78	35.03	1	Vertical	67	1.73	-	37.80	15.26	48.33
AV	18.52656G	28.62	63.54	-34.92	23.89	1	Vertical	67	1.73	-	37.80	15.26	48.33

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58356G	39.34	83.54	-44.20	34.67	1	Horizontal	88	1.65	-	37.80	15.25	48.38
AV	18.52512G	28.62	63.54	-34.92	23.89	1	Horizontal	88	1.65	-	37.80	15.26	48.33

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68932G	52.97	74.00	-21.03	66.42	3	Vertical	87	2.22	-	39.08	12.74	65.27
AV	12.69089G	41.08	54.00	-12.92	54.53	3	Vertical	87	2.22	-	39.08	12.74	65.27

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX



EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69058G	52.74	74.00	-21.26	66.19	3	Horizontal	129	2.68	-	39.08	12.74	65.27
AV	12.69093G	41.54	54.00	-12.46	54.99	3	Horizontal	129	2.68	-	39.08	12.74	65.27