


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0532G	59.98	74.00	-14.02	54.08	3	Horizontal	311	1.78	-	39.21	12.08	45.39			
AV	12.03152G	45.82	54.00	-8.18	39.99	3	Horizontal	311	1.78	-	39.13	12.08	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07716G	56.62	83.54	-26.92	51.99	1	Vertical	11	1.65	-	37.56	15.29	48.22			
AV	18.055G	42.39	63.54	-21.15	37.88	1	Vertical	11	1.65	-	37.43	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06372G	56.50	83.54	-27.04	51.94	1	Horizontal	286	1.40	-	37.48	15.29	48.21			
AV	18.055G	42.38	63.54	-21.16	37.87	1	Horizontal	286	1.40	-	37.43	15.29	48.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	78.26	88.20	-9.94	73.19	3	Vertical	354	1.80	-	32.40	7.26	34.59			
RMS	5.925G	65.75	68.20	-2.45	60.68	3	Vertical	354	1.80	-	32.40	7.27	34.60			
PK	6.1962G	114.97	Inf	-Inf	109.24	3	Vertical	354	1.80	-	32.79	7.43	34.49			
RMS	6.2554G	104.49	Inf	-Inf	98.26	3	Vertical	354	1.80	-	33.20	7.46	34.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
06-I-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	77.58	88.20	-10.62	72.51	3	Horizontal	339	1.58	-	32.40	7.26	34.59			
RMS	5.9162G	66.08	68.20	-2.12	61.01	3	Horizontal	339	1.58	-	32.40	7.26	34.59			
PK	6.225G	114.76	Inf	-Inf	108.78	3	Horizontal	339	1.58	-	33.00	7.44	34.46			
RMS	6.245G	104.85	Inf	-Inf	98.67	3	Horizontal	339	1.58	-	33.16	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT Y_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20312G	57.97	74.00	-16.03	52.28	3	Vertical	192	1.53	-	39.09	12.07	45.47			
AV	12.20344G	43.64	54.00	-10.36	37.95	3	Vertical	192	1.53	-	39.09	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_V_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20504G	56.73	74.00	-17.27	51.05	3	Horizontal	328	1.80	-	39.08	12.07	45.47			
AV	12.19032G	43.17	54.00	-10.83	37.42	3	Horizontal	328	1.80	-	39.14	12.07	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_V_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32068G	55.06	83.54	-28.48	50.41	1	Vertical	196	1.41	-	37.64	15.27	48.26			
AV	18.305G	41.78	63.54	-21.76	37.16	1	Vertical	196	1.41	-	37.61	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

6105MHz_TX




EUT_V_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31924G	55.43	83.54	-28.11	50.78	1	Horizontal	20	1.73	-	37.64	15.27	48.26			
AV	18.305G	41.79	63.54	-21.75	37.17	1	Horizontal	20	1.73	-	37.61	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9242G	76.53	88.20	-11.67	71.46	3	Vertical	334	1.50	-	32.40	7.27	34.60				
RMS	5.925G	66.11	68.20	-2.09	61.04	3	Vertical	334	1.50	-	32.40	7.27	34.60				
PK	6.2362G	116.92	Inf	-Inf	110.83	3	Vertical	334	1.50	-	33.09	7.45	34.45				
RMS	6.2562G	106.07	Inf	-Inf	99.84	3	Vertical	334	1.50	-	33.20	7.46	34.43				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	79.91	88.20	-8.29	74.84	3	Horizontal	18	1.50	-	32.40	7.26	34.59			
RMS	5.925G	66.57	68.20	-1.63	61.50	3	Horizontal	18	1.50	-	32.40	7.27	34.60			
PK	6.1882G	114.69	Inf	-Inf	108.99	3	Horizontal	18	1.50	-	32.78	7.42	34.50			
RMS	6.249G	105.09	Inf	-Inf	98.88	3	Horizontal	18	1.50	-	33.19	7.46	34.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19336G	57.37	74.00	-16.63	51.63	3	Vertical	21	1.59	-	39.13	12.07	45.46			
AV	12.19808G	43.52	54.00	-10.48	37.81	3	Vertical	21	1.59	-	39.11	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2264G	56.94	74.00	-17.06	51.36	3	Horizontal	39	1.77	-	38.99	12.07	45.48			
AV	12.20392G	43.50	54.00	-10.50	37.82	3	Horizontal	39	1.77	-	39.08	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31004G	54.95	83.54	-28.59	50.32	1	Vertical	255	1.93	-	37.62	15.27	48.26			
AV	18.305G	41.77	63.54	-21.77	37.15	1	Vertical	255	1.93	-	37.61	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30592G	55.07	83.54	-28.47	50.45	1	Horizontal	145	1.42	-	37.61	15.27	48.26			
AV	18.30784G	41.76	63.54	-21.78	37.13	1	Horizontal	145	1.42	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9066G	79.59	88.20	-8.61	74.52	3	Vertical	0	1.50	-	32.40	7.25	34.58			
RMS	5.925G	67.15	68.20	-1.05	62.08	3	Vertical	0	1.50	-	32.40	7.27	34.60			
PK	6.1754G	114.90	Inf	-Inf	109.24	3	Vertical	0	1.50	-	32.75	7.42	34.51			
RMS	6.1746G	104.93	Inf	-Inf	99.27	3	Vertical	0	1.50	-	32.75	7.42	34.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
06-I-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	87.22	88.20	-0.98	82.15	3	Horizontal	15	1.50	-	32.40	7.26	34.59			
RMS	5.9162G	66.28	68.20	-1.92	61.21	3	Horizontal	15	1.50	-	32.40	7.26	34.59			
PK	6.1658G	115.37	Inf	-Inf	109.75	3	Horizontal	15	1.50	-	32.73	7.41	34.52			
RMS	6.1658G	105.18	Inf	-Inf	99.56	3	Horizontal	15	1.50	-	32.73	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22832G	57.14	74.00	-16.86	51.56	3	Vertical	20	2.73	-	38.99	12.07	45.48			
AV	12.20968G	43.90	54.00	-10.10	38.24	3	Vertical	20	2.73	-	39.06	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20368G	56.93	74.00	-17.07	51.24	3	Horizontal	73	1.45	-	39.09	12.07	45.47			
AV	12.20384G	43.38	54.00	-10.62	37.70	3	Horizontal	73	1.45	-	39.08	12.07	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31636G	55.14	83.54	-28.40	50.50	1	Vertical	242	1.87	-	37.63	15.27	48.26			
AV	18.305G	41.85	63.54	-21.69	37.23	1	Vertical	242	1.87	-	37.61	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX



EUT_V_4TX
Setting 20.5
01-C-G-5


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3132G	55.05	83.54	-28.49	50.41	1	Horizontal	241	1.60	-	37.63	15.27	48.26			
AV	18.305G	41.80	63.54	-21.74	37.18	1	Horizontal	241	1.60	-	37.61	15.27	48.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

24/12/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

24/12/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

24/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41305G	-4.41	6.38365G	-58.13	-44.41	-13.72	1

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

24/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.432826G	-5.07	6.46615G	-57.85	-45.07	-12.78	1

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

24/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

24/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

24/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

24/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

24/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.872976G	-6.06	6.90605G	-57.04	-46.06	-10.98	1

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

24/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8955G	-6.05	6.92575G	-56.95	-45.84	-11.11	1

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

24/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

24/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7115MHz_TX

24/12/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

27/12/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

27/12/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

24/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

24/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

27/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

27/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868327G	-9.90	6.862975G	-42.98	-29.90	-13.08	1

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.887702G	-9.46	6.88315G	-41.47	-29.47	-12.00	1

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7115MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

26/12/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4513G	-4.24	6.5105G	-35.17	-24.25	-10.92	1


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

26/12/2024

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5348G	-3.94	6.5001G	-33.85	-23.96	-9.89	1

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59581G	-1.61	6.6694G	-30.80	-21.68	-9.12	1

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71G	-2.21	6.6609G	-30.05	-22.33	-7.72	1

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6425MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43744G	0.21	6.0814G	-48.39	-39.79	-8.60	1

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6745MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60024G	0.17	6.2374G	-48.46	-39.83	-8.63	1

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.186627G	-15.08	6.207G	-49.06	-35.08	-13.98	1
6.202073G	-15.21	6.23375G	-69.08	-55.21	-13.87	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409851G	-15.21	6.374325G	-66.81	-55.21	-11.60	1
6.422123G	-15.46	6.45115G	-66.92	-55.46	-11.46	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.505927G	-15.37	6.46515G	-68.51	-55.37	-13.14	1
6.521098G	-15.55	6.476625G	-68.74	-55.55	-13.19	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526802G	-14.90	6.52305G	-47.50	-34.99	-12.51	1
6.541623G	-15.07	6.500175G	-68.62	-55.07	-13.55	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888802G	-13.86	6.88325G	-45.42	-33.86	-11.56	1
6.903973G	-14.02	6.883175G	-44.93	-34.08	-10.85	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.990651G	-14.28	6.9554G	-67.65	-54.28	-13.37	1
6.987352G	-14.92	6.98315G	-46.36	-34.98	-11.38	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.867104G	-8.55	6.9077G	-40.42	-28.63	-11.79	1
6.868504G	-8.85	6.86265G	-39.47	-27.95	-11.52	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.906855G	-9.55	6.94795G	-42.61	-29.66	-12.95	1
6.908504G	-10.16	6.9024G	-41.81	-29.86	-11.95	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

27/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0049G	-7.13	6.0299G	-36.42	-27.15	-9.27	1
6.01639G	-7.51	6.0299G	-37.05	-27.51	-9.54	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.223G	-8.22	6.1795G	-38.81	-28.27	-10.54	1
6.2153G	-8.45	6.2706G	-39.73	-28.46	-11.27	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41149G	-8.51	6.3407G	-36.96	-28.54	-8.42	1
6.3948G	-8.66	6.3414G	-36.75	-28.67	-8.08	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4598G	-8.64	6.4209G	-36.46	-28.24	-8.22	1
6.4622G	-8.96	6.5109G	-38.90	-28.98	-9.92	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58089G	-9.00	6.4997G	-38.45	-29.01	-9.44	1
6.5424G	-8.97	6.5902G	-39.25	-29.01	-10.24	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58871G	-5.78	6.579G	-37.09	-25.80	-11.29	1
6.58951G	-6.52	6.5809G	-35.11	-26.58	-8.53	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.82831G	-5.74	6.8201G	-34.56	-25.76	-8.80	1
6.83701G	-5.66	6.8191G	-36.59	-25.70	-10.89	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9358G	-8.01	6.9004G	-36.66	-28.10	-8.56	1
6.90971G	-8.20	6.8999G	-37.94	-28.22	-9.72	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

27/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

27/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

27/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

27/12/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8182G	-5.76	6.4878G	-55.47	-45.76	-9.71	1
6.8356G	-6.34	6.5076G	-56.15	-46.34	-9.81	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92721G	-5.35	6.6734G	-55.54	-45.35	-10.19	1
6.91342G	-5.72	6.6666G	-55.96	-45.72	-10.24	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14219G	-3.77	6.607G	-54.35	-43.77	-10.58	1
6.20058G	-3.62	6.6046G	-54.14	-43.62	-10.52	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.251G	-3.70	6.783G	-55.28	-43.70	-11.58	1
6.23781G	-4.24	6.7646G	-55.28	-44.24	-11.04	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26944G	-3.53	6.929G	-54.40	-43.53	-10.87	1
6.45259G	-4.34	6.923G	-54.99	-44.34	-10.65	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46983G	-4.07	6.0818G	-53.14	-44.07	-9.07	1
6.55781G	-4.45	6.0658G	-55.06	-44.45	-10.61	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

27/12/2024



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

27/12/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963423G	-16.97	5.990275G	-69.12	-56.97	-12.15	1
5.962498G	-16.56	5.966775G	-48.29	-36.58	-11.71	2
5.962848G	-16.50	5.9671G	-49.12	-36.60	-12.52	3
5.963523G	-16.65	5.9895G	-69.65	-56.65	-13.00	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

27/12/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202798G	-17.05	6.239875G	-69.54	-57.05	-12.49	1
6.202598G	-17.21	6.240025G	-68.04	-57.21	-10.83	2
6.203448G	-17.57	6.2399G	-68.77	-57.57	-11.20	3
6.202698G	-17.07	6.239975G	-69.11	-57.07	-12.04	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422173G	-17.81	6.374275G	-67.31	-57.81	-9.50	1
6.407452G	-18.17	6.451175G	-67.51	-58.17	-9.34	2
6.416525G	-18.00	6.374325G	-66.79	-58.00	-8.79	3
6.406652G	-17.86	6.374325G	-68.33	-57.86	-10.47	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

27/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.443273G	-18.16	6.4696G	-69.23	-58.16	-11.07	1
6.429326G	-18.15	6.4791G	-69.37	-58.15	-11.22	2
6.441348G	-18.42	6.39695G	-69.07	-58.42	-10.65	3
6.426152G	-18.12	6.471125G	-69.46	-58.12	-11.34	4


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

27/12/2024

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.477349G	-18.52	6.4257G	-69.41	-58.52	-10.89	1
6.483623G	-18.87	6.5088G	-69.29	-58.87	-10.42	2
6.482698G	-18.72	6.425825G	-69.16	-58.72	-10.44	3
6.472301G	-18.79	6.429625G	-69.49	-58.79	-10.70	4


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

27/12/2024

CF (Hz)
6.515G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.521098G	-18.28	6.47185G	-69.26	-58.28	-10.98	1
6.506152G	-18.68	6.476775G	-69.24	-58.68	-10.56	2
6.524048G	-18.50	6.50355G	-47.23	-38.55	-8.68	3
6.507102G	-18.50	6.466125G	-69.30	-58.50	-10.80	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.865627G	-18.63	6.835125G	-68.36	-58.63	-9.73	1
6.867952G	-18.80	6.911975G	-67.03	-58.80	-8.23	2
6.866702G	-18.79	6.91975G	-68.52	-58.79	-9.73	3
6.882798G	-18.88	6.9071G	-68.80	-58.88	-9.92	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.886427G	-19.18	6.932975G	-68.58	-59.18	-9.40	1
6.901923G	-19.09	6.930875G	-68.45	-59.09	-9.36	2
6.889576G	-19.43	6.9431G	-68.44	-59.43	-9.01	3
6.886377G	-19.07	6.941675G	-68.72	-59.07	-9.65	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

27/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

27/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.107427G	-27.90	7.149675G	-72.77	-67.90	-4.87	1
7.106877G	-27.47	7.0655G	-72.40	-67.47	-4.93	2
7.108802G	-27.89	7.149925G	-73.22	-67.89	-5.33	3
7.119824G	-27.53	7.164125G	-73.21	-67.53	-5.68	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

27/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982846G	-12.78	5.98725G	-44.03	-32.79	-11.24	1
5.983095G	-13.08	5.9873G	-43.98	-33.15	-10.83	2
5.983245G	-12.80	6.04675G	-65.17	-52.80	-12.37	3
5.974148G	-13.16	5.98705G	-43.73	-32.86	-10.87	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

27/12/2024

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203G	-13.06	6.1829G	-43.31	-33.12	-10.19	1
6.192953G	-13.26	6.18305G	-41.86	-33.16	-8.70	2
6.186405G	-13.41	6.2977G	-64.36	-53.41	-10.95	3
6.2068G	-12.95	6.1824G	-44.64	-33.01	-11.63	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

27/12/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417947G	-13.70	6.38275G	-44.49	-33.71	-10.78	1
6.401751G	-14.27	6.49025G	-64.76	-54.27	-10.49	2
6.422346G	-14.21	6.50485G	-64.64	-54.21	-10.43	3
6.388704G	-13.77	6.38285G	-44.31	-33.83	-10.48	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

27/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

27/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

27/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

27/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

27/12/2024



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

27/12/2024

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.067704G	-14.42	6.98885G	-63.47	-54.42	-9.05	1
7.072603G	-14.45	6.98895G	-63.02	-54.45	-8.57	2
7.088249G	-14.26	6.9867G	-63.99	-54.26	-9.73	3
7.092998G	-14.58	7.0631G	-43.86	-34.62	-9.24	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

27/12/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02249G	-9.60	6.0288G	-37.67	-29.60	-8.07	1
6.02309G	-10.12	6.0301G	-39.69	-30.22	-9.47	2
6.0038G	-9.60	6.029G	-37.28	-29.40	-7.88	3
6.02039G	-9.90	6.0289G	-37.86	-29.96	-7.90	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.218G	-10.40	6.2698G	-39.10	-30.40	-8.70	1
6.2336G	-10.61	6.3749G	-61.82	-50.61	-11.21	2
6.2272G	-10.92	6.1816G	-38.39	-30.95	-7.44	3
6.2118G	-10.27	6.3745G	-59.96	-50.27	-9.69	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

27/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41919G	-11.52	6.3401G	-40.76	-31.60	-9.16	1
6.3906G	-12.41	6.4297G	-41.22	-32.44	-8.78	2
6.40779G	-11.58	6.4289G	-39.80	-31.58	-8.22	3
6.3978G	-11.88	6.3407G	-40.19	-31.91	-8.28	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

27/12/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43161G	-12.02	6.421G	-40.38	-32.06	-8.32	1
6.49019G	-12.49	6.5099G	-42.11	-32.53	-9.58	2
6.4589G	-12.54	6.2974G	-61.71	-52.54	-9.17	3
6.4465G	-12.28	6.2971G	-61.20	-52.28	-8.92	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

27/12/2024

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51021G	-11.91	6.5005G	-40.89	-31.94	-8.95	1
6.5373G	-12.36	6.501G	-40.86	-32.40	-8.46	2
6.51711G	-12.34	6.5012G	-40.32	-32.36	-7.96	3
6.5361G	-12.46	6.5009G	-40.65	-32.48	-8.17	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

27/12/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59041G	-11.01	6.5801G	-40.29	-31.05	-9.24	1
6.59021G	-12.31	6.4822G	-61.78	-52.31	-9.47	2
6.60141G	-11.64	6.451G	-61.35	-51.64	-9.71	3
6.6153G	-11.92	6.5809G	-40.28	-31.94	-8.34	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

27/12/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66991G	-12.14	6.8708G	-61.45	-52.14	-9.31	1
6.67921G	-12.77	6.8757G	-61.52	-52.77	-8.75	2
6.66731G	-12.32	6.8716G	-61.36	-52.32	-9.04	3
6.67391G	-12.33	6.8963G	-60.54	-52.33	-8.21	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

27/12/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75781G	-13.14	6.9629G	-60.90	-53.14	-7.76	1
6.7711G	-13.40	6.9492G	-61.17	-53.40	-7.77	2
6.81999G	-13.50	6.985G	-61.07	-53.50	-7.57	3
6.7898G	-13.16	6.9284G	-60.82	-53.16	-7.66	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

27/12/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8553G	-10.87	6.8202G	-39.92	-30.92	-9.00	1
6.83261G	-10.80	6.82G	-40.17	-30.95	-9.22	2
6.83241G	-11.20	7.003G	-61.15	-51.20	-9.95	3
6.83361G	-11.66	6.822G	-38.48	-31.26	-7.22	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

27/12/2024

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92391G	-13.24	6.7585G	-62.23	-53.24	-8.99	1
6.91291G	-13.32	6.7581G	-62.06	-53.32	-8.74	2
6.9399G	-14.08	6.7742G	-62.07	-54.08	-7.99	3
6.91161G	-13.49	6.8021G	-61.16	-53.49	-7.67	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

27/12/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99991G	-12.71	6.8826G	-60.83	-52.71	-8.12	1
6.98681G	-13.06	6.8822G	-61.41	-53.06	-8.35	2
7.06189G	-13.14	6.9813G	-41.09	-33.19	-7.90	3
6.98791G	-12.88	6.8853G	-60.34	-52.88	-7.46	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09818G	-7.82	6.3178G	-57.27	-47.82	-9.45	1
6.0142G	-8.00	6.3744G	-57.56	-48.00	-9.56	2
6.039G	-8.09	6.2976G	-57.49	-48.09	-9.40	3
6.045G	-8.01	6.3196G	-55.70	-48.01	-7.69	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21419G	-8.33	6.4516G	-57.72	-48.33	-9.39	1
6.23339G	-8.38	6.4872G	-57.48	-48.38	-9.10	2
6.21399G	-7.80	6.4914G	-57.06	-47.80	-9.26	3
6.22839G	-8.37	6.5088G	-55.35	-48.37	-6.98	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26822G	-8.04	6.0678G	-57.74	-48.04	-9.70	1
6.39559G	-8.63	6.6168G	-58.88	-48.63	-10.25	2
6.42178G	-8.29	6.6812G	-57.84	-48.29	-9.55	3
6.31821G	-8.58	6.0488G	-55.20	-48.58	-6.62	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44541G	-9.39	6.2228G	-57.88	-49.39	-8.49	1
6.5096G	-9.52	6.8344G	-58.31	-49.52	-8.79	2
6.46241G	-9.49	6.8228G	-58.19	-49.49	-8.70	3
6.517G	-9.86	6.225G	-56.24	-49.86	-6.38	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

27/12/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

27/12/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

27/12/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91702G	-10.31	6.6308G	-57.85	-50.31	-7.54	1
6.91482G	-10.37	6.6516G	-58.21	-50.37	-7.84	2
6.92142G	-11.02	6.6342G	-58.09	-51.02	-7.07	3
6.91462G	-10.50	6.6822G	-56.04	-50.50	-5.54	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

27/12/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.125G	-6.48	6.6114G	-56.17	-46.48	-9.69	1
6.21777G	-6.61	6.5942G	-55.64	-46.61	-9.03	2
6.16459G	-6.94	6.609G	-55.70	-46.94	-8.76	3
6.07221G	-6.83	6.6138G	-55.25	-46.83	-8.42	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2726G	-5.87	6.8126G	-55.80	-45.87	-9.93	1
6.21141G	-6.54	6.763G	-55.54	-46.47	-9.07	2
6.40696G	-7.27	6.813G	-56.17	-47.27	-8.90	3
6.23301G	-6.08	6.769G	-54.56	-46.08	-8.48	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.28144G	-7.43	6.9538G	-55.82	-47.43	-8.39	1
6.44819G	-7.83	6.9358G	-55.90	-47.83	-8.07	2
6.4198G	-7.76	6.931G	-55.92	-47.76	-8.16	3
6.26984G	-8.02	6.9206G	-54.85	-47.97	-6.88	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54181G	-7.33	6.0666G	-55.40	-47.33	-8.07	1
6.5682G	-7.54	6.0782G	-56.74	-47.54	-9.20	2
6.605G	-7.21	6.0702G	-56.20	-47.21	-8.99	3
6.65618G	-7.56	6.0774G	-54.80	-47.56	-7.24	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

27/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61063G	-7.75	6.2426G	-54.93	-47.71	-7.22	1
6.59104G	-7.69	6.2442G	-55.93	-47.69	-8.24	2
6.60304G	-7.23	6.2458G	-55.80	-47.06	-8.74	3
6.7346G	-7.63	6.2298G	-54.81	-47.63	-7.18	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

27/12/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41395G	-12.21	6.38185G	-54.97	-52.21	-2.76	1
6.405652G	-12.10	6.3704G	-55.26	-52.10	-3.16	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.431126G	-14.13	6.394975G	-64.70	-54.13	-10.57	1
6.427877G	-14.90	6.388725G	-64.97	-54.90	-10.07	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.473925G	-12.86	6.441625G	-64.74	-52.86	-11.88	1
6.478799G	-14.23	6.4359G	-65.07	-54.23	-10.84	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.522198G	-13.87	6.468925G	-64.52	-53.87	-10.65	1
6.512476G	-14.33	6.5496G	-64.98	-54.33	-10.65	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542973G	-13.25	6.49145G	-64.91	-53.25	-11.66	1
6.53415G	-10.72	6.50225G	-64.95	-50.72	-14.23	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690301G	-13.49	6.649625G	-64.53	-53.49	-11.04	1
6.702248G	-13.43	6.73975G	-64.55	-53.43	-11.12	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868652G	-12.57	6.911925G	-63.44	-52.57	-10.87	1
6.866102G	-13.08	6.835175G	-63.32	-53.08	-10.24	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.889951G	-13.04	6.8455G	-64.32	-53.04	-11.28	1
6.901398G	-12.98	6.859925G	-64.18	-52.98	-11.20	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.117399G	-17.72	7.073225G	-67.24	-57.72	-9.52	1
7.110701G	-17.34	7.07845G	-67.23	-57.34	-9.89	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.981396G	-7.72	6.0641G	-61.01	-47.72	-13.29	1
5.955502G	-9.34	6.04935G	-61.66	-49.34	-12.32	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/12/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.432603G	-10.39	6.3741G	-60.21	-50.39	-9.82	1
6.462446G	-10.54	6.37435G	-60.18	-50.54	-9.64	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.501546G	-9.41	6.4183G	-60.63	-49.41	-11.22	1
6.473403G	-10.01	6.4175G	-61.00	-50.01	-10.99	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538547G	-10.20	6.42505G	-60.87	-50.20	-10.67	1
6.510604G	-9.23	6.45125G	-60.91	-49.23	-11.68	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.550654G	-8.72	6.48915G	-60.70	-48.72	-11.98	1
6.582446G	-9.90	6.49825G	-61.00	-49.90	-11.10	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.667554G	-9.02	6.6025G	-60.67	-49.02	-11.65	1
6.703345G	-10.12	6.7538G	-60.97	-50.12	-10.85	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.874003G	-9.50	6.97865G	-59.78	-49.50	-10.28	1
6.901746G	-10.28	6.9828G	-59.97	-50.28	-9.69	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.910204G	-10.80	6.9887G	-59.45	-50.80	-8.65	1
6.910104G	-10.32	6.9991G	-59.39	-50.32	-9.07	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.988054G	-10.72	6.90865G	-60.64	-50.72	-9.92	1
7.002301G	-10.75	6.9374G	-60.57	-50.75	-9.82	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.068904G	-10.24	6.9886G	-62.43	-50.24	-12.19	1
7.102396G	-10.48	6.98875G	-62.09	-50.48	-11.61	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00769G	-5.75	6.1845G	-57.29	-45.75	-11.54	1
6.02229G	-6.40	6.1654G	-57.73	-46.40	-11.33	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18861G	-6.26	6.3745G	-57.20	-46.26	-10.94	1
6.2128G	-7.38	6.3742G	-57.34	-47.38	-9.96	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35311G	-6.20	6.1953G	-57.07	-46.20	-10.87	1
6.3717G	-6.62	6.547G	-57.79	-46.62	-11.17	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43941G	-5.96	6.3109G	-57.25	-45.96	-11.29	1
6.4767G	-5.44	6.3229G	-57.59	-45.44	-12.15	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52101G	-6.84	6.3491G	-57.10	-46.84	-10.26	1
6.56979G	-6.05	6.3745G	-57.26	-46.05	-11.21	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65819G	-6.36	6.4275G	-57.10	-46.36	-10.74	1
6.6089G	-6.63	6.4511G	-57.69	-46.63	-11.06	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72889G	-6.58	6.8455G	-57.40	-46.58	-10.82	1
6.7018G	-6.81	6.5317G	-57.50	-46.81	-10.69	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.801G	-6.59	6.9833G	-56.93	-46.59	-10.34	1
6.75841G	-7.03	6.9771G	-56.95	-47.03	-9.92	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8703G	-6.24	6.9992G	-56.53	-45.60	-10.93	1
6.84261G	-6.14	6.9995G	-56.83	-46.14	-10.69	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9308G	-8.30	6.7999G	-57.03	-48.30	-8.73	1
6.90871G	-7.28	6.7927G	-57.13	-47.28	-9.85	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98851G	-8.04	6.8542G	-56.91	-48.04	-8.87	1
6.98881G	-8.03	6.8354G	-56.89	-48.03	-8.86	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3492G	-4.21	6.6042G	-54.49	-44.21	-10.28	1
6.29401G	-4.34	6.6068G	-54.72	-44.34	-10.38	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54659G	-3.58	6.196G	-53.39	-43.58	-9.81	1
6.47721G	-2.97	6.8038G	-54.82	-42.97	-11.85	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6524G	-4.20	6.3598G	-53.83	-44.20	-9.63	1
6.60841G	-4.20	6.9894G	-54.07	-44.20	-9.87	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79741G	-4.31	6.4836G	-53.87	-44.31	-9.56	1
6.845G	-4.59	6.451G	-54.33	-44.59	-9.74	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91102G	-6.06	6.6022G	-53.80	-46.06	-7.74	1
6.91822G	-4.81	6.6046G	-53.69	-44.81	-8.88	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15699G	-2.44	6.6038G	-52.08	-42.43	-9.65	1
6.22977G	-2.64	6.6054G	-52.23	-42.46	-9.77	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18102G	-2.28	6.8126G	-52.05	-42.28	-9.77	1
6.21461G	-3.08	6.785G	-52.32	-43.08	-9.24	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52857G	-2.34	6.9826G	-51.87	-42.34	-9.53	1
6.47899G	-1.37	6.979G	-52.52	-41.37	-11.15	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54141G	-1.11	6.0542G	-51.18	-41.11	-10.07	1
6.47663G	-1.20	6.0774G	-52.74	-41.20	-11.54	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64902G	-2.40	6.2006G	-50.20	-42.40	-7.80	1
6.60543G	-2.76	6.2418G	-51.98	-42.76	-9.22	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80582G	-3.19	6.3482G	-51.00	-43.19	-7.81	1
6.83702G	-3.36	6.3738G	-51.38	-43.36	-8.02	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

26/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959324G	-18.44	5.919475G	-66.25	-58.44	-7.81	1
5.947077G	-19.35	5.91455G	-66.45	-59.35	-7.10	2
5.962148G	-19.00	5.91555G	-66.76	-59.00	-7.76	3
5.963698G	-18.71	5.98925G	-66.65	-58.71	-7.94	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

26/12/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.186802G	-18.57	6.2406G	-65.62	-58.57	-7.05	1
6.198149G	-19.62	6.23995G	-65.44	-59.62	-5.82	2
6.190001G	-19.47	6.239975G	-65.33	-59.47	-5.86	3
6.199974G	-18.76	6.242275G	-65.84	-58.76	-7.08	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

26/12/2024

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41365G	-18.51	6.37435G	-63.18	-58.51	-4.67	1
6.408702G	-19.84	6.3743G	-63.02	-59.84	-3.18	2
6.410226G	-19.44	6.374325G	-62.48	-59.44	-3.04	3
6.406377G	-18.64	6.374325G	-64.44	-58.64	-5.80	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.441173G	-18.33	6.39605G	-64.93	-58.33	-6.60	1
6.431776G	-20.02	6.38815G	-65.34	-60.02	-5.32	2
6.429401G	-19.59	6.385575G	-65.13	-59.59	-5.54	3
6.444198G	-18.81	6.4692G	-65.28	-58.81	-6.47	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481223G	-20.16	6.42775G	-65.08	-60.16	-4.92	1
6.480649G	-21.51	6.434125G	-65.30	-61.51	-3.79	2
6.481398G	-19.81	6.4399G	-65.53	-59.81	-5.72	3
6.468052G	-20.64	6.52175G	-65.20	-60.64	-4.56	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

26/12/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

26/12/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

26/12/2024

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888652G	-19.46	6.845075G	-64.82	-59.46	-5.36	1
6.887177G	-20.48	6.940075G	-64.48	-60.48	-4.00	2
6.903148G	-20.38	6.857625G	-64.63	-60.38	-4.25	3
6.901148G	-20.59	6.943325G	-64.91	-60.59	-4.32	4


6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

26/12/2024

CF (Hz)
6.995G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001173G	-19.95	6.957125G	-64.39	-59.95	-4.44	1
7.003198G	-20.14	6.952625G	-64.41	-60.14	-4.27	2
6.987652G	-20.42	6.962G	-64.35	-60.42	-3.93	3
6.985877G	-20.58	6.9617G	-64.54	-60.47	-4.07	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.086677G	-17.81	7.0587G	-67.69	-57.81	-9.88	1
7.087227G	-18.93	7.058625G	-67.65	-58.93	-8.72	2
7.101348G	-18.87	7.05015G	-67.87	-58.87	-9.00	3
7.103948G	-18.95	7.05535G	-67.92	-58.95	-8.97	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.108702G	-22.43	7.068725G	-67.74	-62.43	-5.31	1
7.108177G	-23.50	7.065525G	-67.65	-63.50	-4.15	2
7.122498G	-23.45	7.080125G	-67.60	-63.45	-4.15	3
7.121123G	-24.25	7.07195G	-68.02	-64.25	-3.77	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

26/12/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.416097G	-14.85	6.3396G	-61.47	-54.85	-6.62	1
6.407849G	-15.89	6.3403G	-61.58	-55.89	-5.69	2
6.423195G	-15.87	6.4738G	-61.72	-55.87	-5.85	3
6.387754G	-15.25	6.31085G	-61.73	-55.25	-6.48	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

26/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427654G	-15.51	6.37445G	-60.67	-55.51	-5.16	1
6.430504G	-16.53	6.3742G	-60.52	-56.53	-3.99	2
6.428954G	-16.64	6.37425G	-60.51	-56.64	-3.87	3
6.462446G	-15.14	6.37425G	-61.12	-55.14	-5.98	4


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

26/12/2024

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.500946G	-14.62	6.4049G	-61.42	-54.62	-6.80	1
6.478952G	-16.63	6.40675G	-61.55	-56.63	-4.92	2
6.498547G	-16.03	6.3917G	-61.70	-56.03	-5.67	3
6.466405G	-13.80	6.4144G	-61.77	-53.80	-7.97	4


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

26/12/2024

CF (Hz)
6.525G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.518702G	-16.31	6.4463G	-61.30	-56.31	-4.99	1
6.507654G	-15.11	6.4512G	-61.26	-55.11	-6.15	2
6.510104G	-16.56	6.451G	-61.49	-56.56	-4.93	3
6.542846G	-14.34	6.42775G	-61.94	-54.34	-7.60	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

26/12/2024

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.579996G	-15.64	6.48675G	-61.45	-55.64	-5.81	1
6.581296G	-14.93	6.48725G	-61.80	-54.93	-6.87	2
6.549104G	-15.29	6.49045G	-61.72	-55.29	-6.43	3
6.556302G	-16.51	6.4851G	-61.91	-56.51	-5.40	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

26/12/2024

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.677452G	-15.93	6.60465G	-61.44	-55.93	-5.51	1
6.702846G	-16.58	6.7572G	-61.42	-56.58	-4.84	2
6.687999G	-16.61	6.77975G	-61.48	-56.61	-4.87	3
6.669554G	-16.61	6.77775G	-61.54	-56.61	-4.93	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

26/12/2024

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868754G	-14.45	6.9842G	-60.25	-54.45	-5.80	1
6.867304G	-16.27	6.97895G	-59.97	-56.27	-3.70	2
6.901896G	-16.39	6.9816G	-60.36	-56.39	-3.97	3
6.903145G	-16.56	6.98005G	-60.45	-56.56	-3.89	4


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

26/12/2024

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.933648G	-17.86	6.98885G	-60.00	-57.86	-2.14	1
6.939346G	-18.38	6.99585G	-59.87	-58.38	-1.49	2
6.916352G	-17.70	6.9972G	-59.85	-57.70	-2.15	3
6.907954G	-17.01	6.9969G	-60.21	-57.01	-3.20	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

26/12/2024

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.016347G	-16.62	6.9386G	-61.10	-56.62	-4.48	1
7.009099G	-16.90	6.94015G	-61.05	-56.90	-4.15	2
6.990404G	-16.31	6.9182G	-61.24	-56.31	-4.93	3
6.986705G	-16.80	6.93715G	-61.20	-56.80	-4.40	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

26/12/2024

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.076102G	-14.67	6.98875G	-63.08	-54.67	-8.41	1
7.098047G	-15.52	6.98865G	-62.13	-55.52	-6.61	2
7.067704G	-15.21	6.98895G	-63.61	-55.21	-8.40	3
7.101846G	-15.48	6.98865G	-63.70	-55.48	-8.22	4


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

26/12/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01199G	-11.32	6.1824G	-58.51	-51.32	-7.19	1
6.01589G	-12.09	6.1442G	-59.05	-52.09	-6.96	2
5.96091G	-10.87	6.1824G	-59.08	-50.87	-8.21	3
5.9985G	-10.95	6.1689G	-58.53	-50.95	-7.58	4


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

26/12/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18801G	-10.96	6.3743G	-57.73	-50.96	-6.77	1
6.2322G	-11.80	6.3744G	-57.95	-51.80	-6.15	2
6.26249G	-11.03	6.3742G	-58.18	-51.03	-7.15	3
6.2175G	-11.54	6.3743G	-58.25	-51.54	-6.71	4


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

26/12/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41619G	-11.70	6.1973G	-58.30	-51.70	-6.60	1
6.40689G	-12.47	6.197G	-58.76	-52.47	-6.29	2
6.35111G	-12.23	6.2019G	-58.86	-52.23	-6.63	3
6.36261G	-11.64	6.2087G	-58.27	-51.64	-6.63	4


6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

26/12/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.49699G	-11.52	6.3306G	-58.52	-51.52	-7.00	1
6.4762G	-12.60	6.2979G	-58.58	-52.60	-5.98	2
6.50279G	-11.77	6.6046G	-58.72	-51.77	-6.95	3
6.4692G	-11.06	6.5989G	-58.16	-51.06	-7.10	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52441G	-12.57	6.3744G	-57.89	-52.57	-5.32	1
6.58279G	-10.79	6.3741G	-57.81	-50.79	-7.02	2
6.51511G	-12.64	6.3744G	-58.07	-52.64	-5.43	3
6.5527G	-12.30	6.3744G	-58.13	-52.30	-5.83	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

26/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58801G	-12.72	6.8234G	-58.17	-52.72	-5.45	1
6.59471G	-12.64	6.8205G	-58.36	-52.64	-5.72	2
6.65729G	-13.95	6.8167G	-58.48	-53.95	-4.53	3
6.6336G	-13.18	6.809G	-58.26	-53.18	-5.08	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

26/12/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7209G	-13.24	6.8402G	-58.19	-53.24	-4.95	1
6.6987G	-13.12	6.8351G	-57.97	-52.96	-5.01	2
6.6866G	-13.92	6.8427G	-58.45	-53.92	-4.53	3
6.74019G	-13.36	6.8744G	-58.19	-53.36	-4.83	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

26/12/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8G	-11.92	6.9793G	-57.26	-51.92	-5.34	1
6.7704G	-12.99	6.9806G	-57.33	-52.99	-4.34	2
6.81789G	-13.09	6.9754G	-57.39	-53.09	-4.30	3
6.82119G	-13.19	6.9847G	-57.56	-53.19	-4.37	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

26/12/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8778G	-12.22	6.9975G	-57.05	-52.22	-4.83	1
6.8461G	-12.52	6.9982G	-56.93	-52.52	-4.41	2
6.83551G	-13.01	6.9988G	-57.31	-53.01	-4.30	3
6.82841G	-13.30	6.9975G	-57.22	-53.30	-3.92	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

26/12/2024

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9535G	-13.79	6.8004G	-58.03	-53.79	-4.24	1
6.92271G	-14.16	6.8107G	-58.13	-54.16	-3.97	2
6.91721G	-12.79	6.8072G	-58.16	-52.79	-5.37	3
6.90821G	-13.24	6.7554G	-58.13	-53.24	-4.89	4


6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

26/12/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99631G	-13.45	6.8348G	-57.83	-53.45	-4.38	1
6.99901G	-13.41	6.8353G	-57.74	-53.41	-4.33	2
6.99201G	-12.65	6.8423G	-57.85	-52.65	-5.20	3
7.0368G	-13.89	6.875G	-57.68	-53.89	-3.79	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

26/12/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96242G	-8.20	6.3746G	-55.13	-48.20	-6.93	1
6.09698G	-10.60	6.3744G	-55.24	-50.60	-4.64	2
5.96881G	-9.71	6.3736G	-55.78	-49.71	-6.07	3
6.0076G	-9.19	6.3088G	-54.98	-49.19	-5.79	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1792G	-9.06	6.5448G	-56.02	-49.06	-6.96	1
6.23439G	-9.81	6.4472G	-56.26	-49.81	-6.45	2
6.26198G	-9.81	6.4856G	-56.02	-49.81	-6.21	3
6.20739G	-9.55	6.445G	-55.27	-49.55	-5.72	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

26/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3374G	-8.18	6.7416G	-55.78	-48.18	-7.60	1
6.40618G	-9.71	6.6212G	-56.13	-49.71	-6.42	2
6.26922G	-7.92	6.6078G	-55.93	-47.92	-8.01	3
6.3602G	-8.81	6.6052G	-54.93	-48.81	-6.12	4

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

26/12/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4974G	-7.33	6.8022G	-55.23	-47.33	-7.90	1
6.58238G	-8.02	6.826G	-55.78	-48.02	-7.76	2
6.5154G	-7.36	6.8434G	-55.42	-47.36	-8.06	3
6.46881G	-7.00	6.156G	-54.42	-47.00	-7.42	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

26/12/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58862G	-8.31	6.996G	-54.33	-48.31	-6.02	1
6.59882G	-7.62	6.9876G	-54.42	-47.62	-6.80	2
6.6552G	-8.28	6.9912G	-54.53	-48.28	-6.25	3
6.63241G	-8.01	6.9978G	-54.33	-48.01	-6.32	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80181G	-8.46	6.447G	-55.04	-48.46	-6.58	1
6.76781G	-9.65	6.5636G	-55.72	-49.65	-6.07	2
6.8166G	-9.82	6.5016G	-55.46	-49.82	-5.64	3
6.8298G	-10.02	6.5312G	-55.03	-50.02	-5.01	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93381G	-10.65	6.6048G	-55.55	-50.65	-4.90	1
6.91722G	-10.50	6.6112G	-55.47	-50.50	-4.97	2
6.92202G	-8.75	6.6014G	-55.41	-48.75	-6.66	3
6.91022G	-9.82	6.6008G	-54.63	-49.82	-4.81	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19098G	-5.68	6.6538G	-53.44	-45.68	-7.76	1
6.22777G	-6.01	6.6074G	-53.68	-45.97	-7.71	2
6.25616G	-6.94	6.6266G	-53.71	-46.94	-6.77	3
6.14059G	-6.79	6.6086G	-53.43	-46.79	-6.64	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

26/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18062G	-6.52	6.9942G	-52.97	-46.52	-6.45	1
6.22821G	-8.00	6.9982G	-53.31	-48.00	-5.31	2
6.2702G	-7.18	6.993G	-53.34	-47.18	-6.16	3
6.13703G	-7.81	6.9998G	-53.35	-47.81	-5.54	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

26/12/2024



6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

26/12/2024

