


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11546G	63.13	83.54	-20.41	58.85	1	Vertical	291	1.55	-	37.80	15.26	48.78			
AV	20.11409G	50.12	63.54	-13.42	45.84	1	Vertical	291	1.55	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.11443G	59.92	83.54	-23.62	55.64	1	Horizontal	340	1.50	-	37.80	15.26	48.78				
AV	20.11458G	47.08	63.54	-16.46	42.80	1	Horizontal	340	1.50	-	37.80	15.26	48.78				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.58374G	53.46	88.20	-34.74	65.64	3	Vertical	56	1.70	-	40.40	11.71	64.29			
RMS	13.56277G	41.38	68.20	-26.82	53.56	3	Vertical	56	1.70	-	40.40	11.71	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56277G	53.78	88.20	-34.42	65.96	3	Horizontal	88	2.31	-	40.40	11.71	64.29			
RMS	13.58344G	41.05	68.20	-27.15	53.23	3	Horizontal	88	2.31	-	40.40	11.71	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35599G	63.13	83.54	-20.41	58.51	1	Vertical	259	1.53	-	37.89	15.46	48.73			
AV	20.35547G	50.53	63.54	-13.01	45.91	1	Vertical	259	1.53	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35432G	59.72	83.54	-23.82	55.10	1	Horizontal	237	1.50	-	37.89	15.46	48.73			
AV	20.35541G	47.50	63.54	-16.04	42.88	1	Horizontal	237	1.50	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 21.5
22\20.5\21.5
-1.38\8.67\2.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.917G	77.23	88.20	-10.97	69.82	3	Vertical	27	1.80	21.5	34.53	8.08	35.20			
RMS	5.92G	66.19	68.20	-2.01	58.76	3	Vertical	27	1.80	21.5	34.54	8.09	35.20			
PK	6.06G	114.10	Inf	-Inf	106.37	3	Vertical	27	1.80	21.5	34.66	8.26	35.19			
RMS	6.078G	104.14	Inf	-Inf	96.27	3	Vertical	27	1.80	21.5	34.77	8.29	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 SET 21
 21.5\20.5\21
 -0.63\6.32\2.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	75.57	88.20	-12.63	68.13	3	Horizontal	335	1.63	21	34.55	8.09	35.20			
RMS	5.925G	65.40	68.20	-2.80	57.96	3	Horizontal	335	1.63	21	34.55	8.09	35.20			
PK	6.0875G	115.11	Inf	-Inf	107.18	3	Horizontal	335	1.63	21	34.83	8.30	35.20			
RMS	6.0875G	104.34	Inf	-Inf	96.41	3	Horizontal	335	1.63	21	34.83	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0605G	57.46	74.00	-16.54	72.34	3	Vertical	120	1.64	-	38.98	11.83	65.69			
AV	12.04985G	43.35	54.00	-10.65	58.22	3	Vertical	120	1.64	-	39.00	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0578G	55.41	74.00	-18.59	70.29	3	Horizontal	131	1.50	-	38.98	11.83	65.69			
AV	12.06128G	41.27	54.00	-12.73	56.14	3	Horizontal	131	1.50	-	38.98	11.83	65.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0756G	63.07	83.54	-20.47	58.45	1	Vertical	121	1.52	-	37.55	15.29	48.22			
AV	18.07588G	50.88	63.54	-12.66	46.25	1	Vertical	121	1.52	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0756G	59.56	83.54	-23.98	54.94	1	Horizontal	33	1.50	-	37.55	15.29	48.22			
AV	18.0759G	47.85	63.54	-15.69	43.22	1	Horizontal	33	1.50	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38449G	58.29	74.00	-15.71	73.25	3	Vertical	199	1.97	-	38.63	11.80	65.39			
AV	12.36919G	43.43	54.00	-10.57	58.38	3	Vertical	199	1.97	-	38.66	11.80	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3805G	57.95	74.00	-16.05	72.91	3	Horizontal	127	1.62	-	38.64	11.80	65.40			
AV	12.37537G	43.88	54.00	-10.12	58.83	3	Horizontal	127	1.62	-	38.65	11.80	65.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22
03-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55512G	63.08	83.54	-20.46	58.38	1	Vertical	311	1.55	-	37.80	15.26	48.36			
AV	18.55478G	50.91	63.54	-12.63	46.20	1	Vertical	311	1.55	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55446G	59.64	83.54	-23.90	54.93	1	Horizontal	346	1.54	-	37.80	15.26	48.35			
AV	18.55442G	47.79	63.54	-15.75	43.08	1	Horizontal	346	1.54	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69914G	56.71	74.00	-17.29	71.30	3	Vertical	211	1.79	-	38.90	11.78	65.27			
AV	12.67788G	43.36	54.00	-10.64	57.99	3	Vertical	211	1.79	-	38.86	11.78	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68622G	60.47	74.00	-13.53	75.09	3	Horizontal	130	1.75	-	38.87	11.78	65.27			
AV	12.6879G	46.27	54.00	-7.73	60.88	3	Horizontal	130	1.75	-	38.88	11.78	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03569G	62.75	83.54	-20.79	58.39	1	Vertical	8	1.51	-	37.93	15.23	48.80			
AV	19.03554G	50.79	63.54	-12.75	46.43	1	Vertical	8	1.51	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.03599G	59.34	83.54	-24.20	54.98	1	Horizontal	271	1.55	-	37.93	15.23	48.80				
AV	19.03556G	46.75	63.54	-16.79	42.39	1	Horizontal	271	1.55	-	37.93	15.23	48.80				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.34041G	55.93	74.00	-18.07	68.77	3	Vertical	160	1.81	-	40.00	11.73	64.57			
AV	13.31536G	42.72	54.00	-11.28	55.61	3	Vertical	160	1.81	-	40.00	11.73	64.62			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33969G	57.53	74.00	-16.47	70.37	3	Horizontal	142	1.83	-	40.00	11.73	64.57			
AV	13.3189G	45.40	54.00	-8.60	58.28	3	Horizontal	142	1.83	-	40.00	11.73	64.61			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99557G	62.38	83.54	-21.16	58.30	1	Vertical	267	1.52	-	37.71	15.17	48.80			
AV	19.994G	50.44	63.54	-13.10	46.36	1	Vertical	267	1.52	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9942G	59.77	83.54	-23.77	55.69	1	Horizontal	236	1.52	-	37.71	15.17	48.80			
AV	19.994G	47.41	63.54	-16.13	43.33	1	Horizontal	236	1.52	-	37.71	15.17	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.924G	78.20	88.20	-10.00	70.76	3	Vertical	29	1.80	22	34.55	8.09	35.20				
RMS	5.921G	66.78	68.20	-1.42	59.35	3	Vertical	29	1.80	22	34.54	8.09	35.20				
PK	6.238G	111.67	Inf	-Inf	103.42	3	Vertical	29	1.80	22	34.92	8.53	35.20				
RMS	6.257G	101.76	Inf	-Inf	93.52	3	Vertical	29	1.80	22	34.89	8.56	35.21				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.50	88.20	-9.70	71.07	3	Horizontal	337	1.52	22	34.54	8.09	35.20			
RMS	5.925G	67.21	68.20	-0.99	59.77	3	Horizontal	337	1.52	22	34.55	8.09	35.20			
PK	6.189G	113.38	Inf	-Inf	105.15	3	Horizontal	337	1.52	22	34.98	8.45	35.20			
RMS	6.247G	102.33	Inf	-Inf	94.08	3	Horizontal	337	1.52	22	34.91	8.54	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20379G	48.30	74.00	-25.70	62.71	3	Vertical	317	2.47	-	39.08	12.07	65.56			
AV	12.19866G	36.64	54.00	-17.36	51.02	3	Vertical	317	2.47	-	39.11	12.07	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.222G	46.31	74.00	-27.69	60.77	3	Horizontal	8	1.59	-	39.01	12.07	65.54			
AV	12.19863G	34.78	54.00	-19.22	49.16	3	Horizontal	8	1.59	-	39.11	12.07	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31414G	62.37	83.54	-21.17	57.73	1	Vertical	273	1.53	-	37.63	15.27	48.26			
AV	18.31442G	49.92	63.54	-13.62	45.28	1	Vertical	273	1.53	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31472G	60.12	83.54	-23.42	55.48	1	Horizontal	18	1.51	-	37.63	15.27	48.26			
AV	18.31437G	47.90	63.54	-15.64	43.26	1	Horizontal	18	1.51	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.51797G	48.12	74.00	-25.88	62.79	3	Vertical	78	2.88	-	38.56	12.06	65.29			
AV	12.51638G	36.69	54.00	-17.31	51.35	3	Vertical	78	2.88	-	38.57	12.06	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX



EUT_Y_2TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53051G	45.94	74.00	-28.06	60.63	3	Horizontal	323	1.33	-	38.54	12.06	65.29			
AV	12.51677G	33.72	54.00	-20.28	48.38	3	Horizontal	323	1.33	-	38.57	12.06	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 22
03-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79566G	62.91	83.54	-20.63	58.37	1	Vertical	74	1.52	-	37.90	15.24	48.60			
AV	18.79407G	51.00	63.54	-12.54	46.45	1	Vertical	74	1.52	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79502G	59.28	83.54	-24.26	54.74	1	Horizontal	203	1.55	-	37.90	15.24	48.60			
AV	18.79425G	46.96	63.54	-16.58	42.41	1	Horizontal	203	1.55	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	76.53	88.20	-11.67	69.09	3	Vertical	14	1.80	22	34.55	8.09	35.20			
AV	5.925G	66.05	68.20	-2.15	58.61	3	Vertical	14	1.80	22	34.55	8.09	35.20			
PK	5.9535G	125.18	Inf	-Inf	117.65	3	Vertical	14	1.80	22	34.60	8.12	35.19			
AV	5.9523G	114.93	Inf	-Inf	107.40	3	Vertical	14	1.80	22	34.60	8.12	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9223G	79.36	88.20	-8.84	71.93	3	Horizontal	10	1.80	22	34.54	8.09	35.20			
AV	5.9238G	67.03	68.20	-1.17	59.59	3	Horizontal	10	1.80	22	34.55	8.09	35.20			
PK	5.9637G	125.54	Inf	-Inf	118.00	3	Horizontal	10	1.80	22	34.60	8.13	35.19			
AV	5.9628G	115.59	Inf	-Inf	108.05	3	Horizontal	10	1.80	22	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89853G	66.03	74.00	-7.97	60.38	3	Vertical	308	1.75	22	39.20	11.79	45.34			
AV	11.89917G	51.11	54.00	-2.89	45.46	3	Vertical	308	1.75	22	39.20	11.79	45.34			
PK	17.86768G	57.49	74.00	-16.51	42.76	3	Vertical	354	1.67	22	44.86	14.19	44.32			
AV	17.86744G	43.96	54.00	-10.04	29.22	3	Vertical	354	1.67	22	44.87	14.19	44.32			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91008G	62.80	74.00	-11.20	57.15	3	Horizontal	304	1.80	22	39.20	11.79	45.34			
AV	11.91004G	50.00	54.00	-4.00	44.35	3	Horizontal	304	1.80	22	39.20	11.79	45.34			
PK	17.8606G	53.70	74.00	-20.30	38.97	3	Horizontal	8	1.88	22	44.88	14.18	44.33			
AV	17.863G	41.77	54.00	-12.23	27.04	3	Horizontal	8	1.88	22	44.87	14.18	44.32			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80998G	58.68	83.54	-24.86	49.98	1	Vertical	168	1.69	-	39.10	17.28	47.68			
AV	23.80974G	44.28	63.54	-19.26	35.58	1	Vertical	168	1.69	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82846G	57.87	83.54	-25.67	49.16	1	Horizontal	174	1.60	-	39.10	17.28	47.67			
AV	23.82882G	43.99	63.54	-19.55	35.28	1	Horizontal	174	1.60	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38141G	64.62	74.00	-9.38	59.75	3	Vertical	23	1.41	21.5	38.64	11.80	45.57			
AV	12.38868G	51.02	54.00	-2.98	46.17	3	Vertical	23	1.41	21.5	38.62	11.80	45.57			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39172G	64.90	74.00	-9.10	60.05	3	Horizontal	305	1.63	21.5	38.62	11.80	45.57			
AV	12.3914G	52.35	54.00	-1.65	47.50	3	Horizontal	305	1.63	21.5	38.62	11.80	45.57			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58896G	64.86	83.54	-18.68	60.20	1	Vertical	228	1.58	-	37.80	15.25	48.39			
AV	18.58884G	50.51	63.54	-13.03	45.85	1	Vertical	228	1.58	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58902G	63.23	83.54	-20.31	58.57	1	Horizontal	117	1.80	-	37.80	15.25	48.39			
AV	18.58884G	49.46	63.54	-14.08	44.80	1	Horizontal	117	1.80	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82936G	62.57	88.20	-25.63	56.94	3	Vertical	35	1.80	20.5	39.12	11.77	45.26			
RMS	12.82984G	50.89	68.20	-17.31	45.26	3	Vertical	35	1.80	20.5	39.12	11.77	45.26			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83687G	66.83	88.20	-21.37	61.16	3	Horizontal	316	1.91	20.5	39.15	11.77	45.25			
RMS	12.83747G	52.49	68.20	-15.71	46.82	3	Horizontal	316	1.91	20.5	39.15	11.77	45.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 20.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23612G	62.68	83.54	-20.86	58.32	1	Vertical	190	2.48	-	37.94	15.22	48.80			
AV	19.2429G	50.39	63.54	-13.15	46.00	1	Vertical	190	2.48	-	37.97	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 20.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2378G	63.29	83.54	-20.25	58.92	1	Horizontal	150	2.47	-	37.95	15.22	48.80			
AV	19.23924G	49.33	63.54	-14.21	44.95	1	Horizontal	150	2.47	-	37.96	15.22	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07024G	63.96	88.20	-24.24	57.74	3	Vertical	33	1.80	22	39.48	11.75	45.01			
RMS	13.06992G	51.85	68.20	-16.35	45.63	3	Vertical	33	1.80	22	39.48	11.75	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07967G	65.18	88.20	-23.02	58.91	3	Horizontal	322	1.80	22	39.52	11.75	45.00			
RMS	13.07695G	51.57	68.20	-16.63	45.32	3	Horizontal	322	1.80	22	39.51	11.75	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 21.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60476G	64.22	83.54	-19.32	60.13	1	Vertical	164	1.50	-	37.70	15.19	48.80			
AV	19.60414G	50.99	63.54	-12.55	46.90	1	Vertical	164	1.50	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 21.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60574G	63.36	83.54	-20.18	59.27	1	Horizontal	0	1.55	-	37.70	15.19	48.80			
AV	19.60422G	51.23	63.54	-12.31	47.14	1	Horizontal	0	1.55	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38984G	65.48	74.00	-8.52	58.42	3	Vertical	329	2.13	22	40.08	11.73	44.75			
AV	13.38944G	51.69	54.00	-2.31	44.63	3	Vertical	329	2.13	22	40.08	11.73	44.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.39555G	68.15	74.00	-5.85	61.08	3	Horizontal	329	1.80	21.5	40.09	11.73	44.75				
AV	13.39575G	53.24	54.00	-0.76	46.17	3	Horizontal	329	1.80	21.5	40.09	11.73	44.75				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 21.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08575G	62.82	83.54	-20.72	58.56	1	Vertical	209	1.52	-	37.80	15.24	48.78			
AV	20.08501G	50.41	63.54	-13.13	46.15	1	Vertical	209	1.52	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 21.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08591G	63.06	83.54	-20.48	58.80	1	Horizontal	233	1.54	-	37.80	15.24	48.78			
AV	20.08449G	53.17	63.54	-10.37	48.91	1	Horizontal	233	1.54	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72039G	58.95	88.20	-29.25	51.28	3	Vertical	326	2.03	20.5	40.48	11.70	44.51			
RMS	13.70788G	45.63	68.20	-22.57	38.01	3	Vertical	326	2.03	20.5	40.43	11.70	44.51			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72035G	62.26	88.20	-25.94	54.59	3	Horizontal	30	1.80	20.5	40.48	11.70	44.51			
RMS	13.72047G	47.80	68.20	-20.40	40.13	3	Horizontal	30	1.80	20.5	40.48	11.70	44.51			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 20.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56562G	63.53	83.54	-20.01	58.70	1	Vertical	317	1.55	-	37.90	15.63	48.70			
AV	20.564G	50.81	63.54	-12.73	45.98	1	Vertical	317	1.55	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 20.5
03-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56468G	64.51	83.54	-19.03	59.68	1	Horizontal	34	1.53	-	37.90	15.63	48.70			
AV	20.564G	52.37	63.54	-11.17	47.54	1	Horizontal	34	1.53	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9248G	78.07	88.20	-10.13	70.63	3	Vertical	341	1.59	20.5	34.55	8.09	35.20				
RMS	5.925G	67.56	68.20	-0.64	60.12	3	Vertical	341	1.59	20.5	34.55	8.09	35.20				
PK	5.9662G	123.49	Inf	-Inf	115.95	3	Vertical	341	1.59	20.5	34.60	8.13	35.19				
RMS	5.9728G	111.52	Inf	-Inf	103.97	3	Vertical	341	1.59	20.5	34.60	8.14	35.19				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9233G	81.80	88.20	-6.40	74.36	3	Horizontal	338	1.80	20.5	34.55	8.09	35.20			
RMS	5.9245G	68.11	68.20	-0.09	60.67	3	Horizontal	338	1.80	20.5	34.55	8.09	35.20			
PK	5.9635G	122.03	Inf	-Inf	114.49	3	Horizontal	338	1.80	20.5	34.60	8.13	35.19			
RMS	5.9836G	110.97	Inf	-Inf	103.41	3	Horizontal	338	1.80	20.5	34.60	8.15	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9263G	56.64	74.00	-17.36	71.55	3	Vertical	309	1.65	-	38.85	12.03	65.79				
AV	11.92368G	41.98	54.00	-12.02	56.89	3	Vertical	309	1.65	-	38.85	12.03	65.79				
PK	17.90168G	53.68	74.00	-20.32	53.02	3	Vertical	276	2.08	-	49.06	14.07	62.47				
AV	17.90396G	40.30	54.00	-13.70	39.56	3	Vertical	276	2.08	-	49.14	14.07	62.47				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.93544G	55.71	74.00	-18.29	70.58	3	Horizontal	310	1.49	-	38.87	12.04	65.78				
AV	11.93444G	42.47	54.00	-11.53	57.34	3	Horizontal	310	1.49	-	38.87	12.04	65.78				
PK	17.90472G	54.62	74.00	-19.38	53.85	3	Horizontal	307	1.67	-	49.17	14.07	62.47				
AV	17.90406G	41.17	54.00	-12.83	40.42	3	Horizontal	307	1.67	-	49.15	14.07	62.47				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87344G	58.12	83.54	-25.42	49.42	1	Vertical	186	1.02	-	39.05	17.30	47.65			
AV	23.87434G	43.96	63.54	-19.58	35.26	1	Vertical	186	1.02	-	39.05	17.30	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87062G	57.20	83.54	-26.34	48.49	1	Horizontal	181	2.65	-	39.06	17.30	47.65			
AV	23.87164G	46.85	63.54	-16.69	38.14	1	Horizontal	181	2.65	-	39.06	17.30	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40322G	63.84	74.00	-10.16	78.36	3	Vertical	23	1.48	-	38.79	12.07	65.38			
AV	12.41024G	49.83	54.00	-4.17	64.35	3	Vertical	23	1.48	-	38.78	12.07	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41106G	64.67	74.00	-9.33	79.19	3	Horizontal	300.9	1.58	-	38.78	12.07	65.37			
AV	12.41036G	50.47	54.00	-3.53	64.99	3	Horizontal	300.9	1.58	-	38.78	12.07	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62328G	64.15	83.54	-19.39	59.47	1	Vertical	66	1.15	-	37.85	15.25	48.42			
AV	18.60126G	53.89	63.54	-9.65	49.24	1	Vertical	66	1.15	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60906G	62.96	83.54	-20.58	58.30	1	Horizontal	291	2.41	-	37.82	15.25	48.41			
AV	18.60084G	51.08	63.54	-12.46	46.43	1	Horizontal	291	2.41	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 22
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81032G	63.77	88.20	-24.43	77.76	3	Vertical	33	1.80	-	39.20	12.06	65.25			
RMS	12.81016G	49.80	68.20	-18.40	63.79	3	Vertical	33	1.80	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80888G	62.28	88.20	-25.92	76.27	3	Horizontal	301	1.80	-	39.20	12.06	65.25			
RMS	12.809G	48.69	68.20	-19.51	62.68	3	Horizontal	301	1.80	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 22
03-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21518G	63.29	83.54	-20.25	59.01	1	Vertical	182	1.55	-	37.86	15.22	48.80			
AV	19.21432G	49.74	63.54	-13.80	45.46	1	Vertical	182	1.55	-	37.86	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21416G	63.11	83.54	-20.43	58.83	1	Horizontal	60	1.50	-	37.86	15.22	48.80			
AV	19.21401G	52.37	63.54	-11.17	48.09	1	Horizontal	60	1.50	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1186G	62.45	88.20	-25.75	76.05	3	Vertical	329	1.75	-	39.35	12.05	65.00			
RMS	13.1194G	50.18	68.20	-18.02	63.77	3	Vertical	329	1.75	-	39.36	12.05	65.00			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11992G	63.93	88.20	-24.27	77.52	3	Horizontal	60	1.80	-	39.36	12.05	65.00			
RMS	13.1194G	49.58	68.20	-18.62	63.17	3	Horizontal	60	1.80	-	39.36	12.05	65.00			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 22
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69558G	62.60	83.54	-20.94	58.51	1	Vertical	94	1.53	-	37.70	15.19	48.80			
AV	19.6941G	51.74	63.54	-11.80	47.65	1	Vertical	94	1.53	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69565G	63.60	83.54	-19.94	59.51	1	Horizontal	24	1.50	-	37.70	15.19	48.80			
AV	19.694G	52.36	63.54	-11.18	48.27	1	Horizontal	24	1.50	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36052G	59.50	74.00	-14.50	71.99	3	Vertical	353	1.80	-	40.00	12.04	64.53			
AV	13.36052G	46.30	54.00	-7.70	58.79	3	Vertical	353	1.80	-	40.00	12.04	64.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36852G	64.40	74.00	-9.60	76.88	3	Horizontal	330.9	1.38	-	40.00	12.04	64.52			
AV	13.3672G	50.13	54.00	-3.87	62.61	3	Horizontal	330.9	1.38	-	40.00	12.04	64.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05455G	61.47	83.54	-22.07	57.25	1	Vertical	320	1.51	-	37.80	15.21	48.79			
AV	20.05423G	49.46	63.54	-14.08	45.24	1	Vertical	320	1.51	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05576G	62.55	83.54	-20.99	58.32	1	Horizontal	267	1.55	-	37.80	15.22	48.79			
AV	20.05522G	51.77	63.54	-11.77	47.54	1	Horizontal	267	1.55	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68852G	59.99	88.20	-28.21	72.00	3	Vertical	321	2.06	-	40.30	12.03	64.34			
RMS	13.689G	46.33	68.20	-21.87	58.34	3	Vertical	321	2.06	-	40.30	12.03	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69016G	62.32	88.20	-25.88	74.33	3	Horizontal	60	1.71	-	40.30	12.03	64.34			
RMS	13.69G	49.13	68.20	-19.07	61.14	3	Horizontal	60	1.71	-	40.30	12.03	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 22
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53528G	62.22	83.54	-21.32	57.41	1	Vertical	51	1.53	-	37.90	15.61	48.70			
AV	20.53402G	49.23	63.54	-14.31	44.42	1	Vertical	51	1.53	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53487G	62.81	83.54	-20.73	58.00	1	Horizontal	242	1.54	-	37.90	15.61	48.70			
AV	20.53599G	55.25	63.54	-8.29	50.44	1	Horizontal	295	1.50	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 21
22\17\21.5\19.5\20.5\21
-4.81\13.22\1.03\7.85\3.69\1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	77.16	88.20	-11.04	69.73	3	Vertical	340	1.62	21	34.54	8.09	35.20			
AV	5.912G	67.09	68.20	-1.11	59.69	3	Vertical	340	1.62	21	34.52	8.08	35.20			
PK	6.013G	121.42	Inf	-Inf	113.82	3	Vertical	340	1.62	21	34.60	8.19	35.19			
AV	6.0125G	109.42	Inf	-Inf	101.82	3	Vertical	340	1.62	21	34.60	8.19	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 20.5
21\18\20.5
-2.73\10.90\0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	79.31	88.20	-8.89	71.87	3	Horizontal	336	1.68	20.5	34.55	8.09	35.20			
AV	5.9225G	67.62	68.20	-0.58	60.18	3	Horizontal	336	1.68	20.5	34.55	8.09	35.20			
PK	6.022G	118.76	Inf	-Inf	111.15	3	Horizontal	336	1.68	20.5	34.60	8.20	35.19			
AV	6.023G	108.75	Inf	-Inf	101.14	3	Horizontal	336	1.68	20.5	34.60	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 20.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9766G	53.17	74.00	-20.83	67.92	3	Vertical	246	1.37	-	38.95	12.06	65.76				
AV	11.97504G	40.65	54.00	-13.35	55.40	3	Vertical	246	1.37	-	38.95	12.06	65.76				
PK	17.96692G	56.38	74.00	-17.62	53.02	3	Vertical	360	1.80	-	51.61	14.09	62.34				
AV	17.97248G	43.31	54.00	-10.69	39.67	3	Vertical	360	1.80	-	51.88	14.09	62.33				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 20.5
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.954G	56.09	74.00	-17.91	70.90	3	Horizontal	311	1.50	-	38.91	12.05	65.77			
AV	11.97484G	41.01	54.00	-12.99	55.76	3	Horizontal	311	1.50	-	38.95	12.06	65.76			
PK	17.96216G	57.61	74.00	-16.39	54.49	3	Horizontal	326	1.80	-	51.38	14.09	62.35			
AV	17.96284G	44.72	54.00	-9.28	41.56	3	Horizontal	326	1.80	-	51.42	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 20.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92692G	65.91	83.54	-17.63	57.23	1	Vertical	153	1.93	-	39.00	17.31	47.63			
AV	23.9334G	53.24	63.54	-10.30	44.56	1	Vertical	153	1.93	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 20.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93778G	65.58	83.54	-17.96	56.89	1	Horizontal	171	1.94	-	39.00	17.31	47.62			
AV	23.9526G	53.27	63.54	-10.27	44.56	1	Horizontal	171	1.94	-	39.01	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43896G	63.68	74.00	-10.32	78.23	3	Vertical	23	1.80	-	38.72	12.07	65.34			
AV	12.43808G	49.23	54.00	-4.77	63.79	3	Vertical	23	1.80	-	38.72	12.07	65.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4402G	62.80	74.00	-11.20	77.35	3	Horizontal	4.9	1.80	-	38.72	12.07	65.34			
AV	12.4396G	48.19	54.00	-5.81	62.74	3	Horizontal	4.9	1.80	-	38.72	12.07	65.34			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67531G	62.98	83.54	-20.56	58.31	1	Vertical	69	1.53	-	37.90	15.25	48.48			
AV	18.6742G	50.73	63.54	-12.81	46.05	1	Vertical	69	1.53	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67452G	63.51	83.54	-20.03	58.83	1	Horizontal	156	1.51	-	37.90	15.25	48.47			
AV	18.67404G	51.09	63.54	-12.45	46.41	1	Horizontal	156	1.51	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76852G	52.36	88.20	-35.84	66.55	3	Vertical	342	2.66	-	39.01	12.06	65.26			
RMS	12.7694G	40.54	68.20	-27.66	54.72	3	Vertical	342	2.66	-	39.02	12.06	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76112G	59.15	88.20	-29.05	73.38	3	Horizontal	310	1.89	-	38.97	12.06	65.26			
RMS	12.75972G	44.39	68.20	-23.81	58.63	3	Horizontal	310	1.89	-	38.96	12.06	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15578G	63.33	83.54	-20.21	58.93	1	Vertical	16	1.53	-	37.98	15.22	48.80			
AV	19.15434G	51.23	63.54	-12.31	46.83	1	Vertical	16	1.53	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15501G	63.47	83.54	-20.07	59.07	1	Horizontal	108	1.52	-	37.98	15.22	48.80			
AV	19.154G	52.13	63.54	-11.41	47.73	1	Horizontal	108	1.52	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26032G	62.13	74.00	-11.87	75.19	3	Vertical	328.1	1.91	-	39.62	12.04	64.72			
AV	13.26012G	47.04	54.00	-6.96	60.11	3	Vertical	328.1	1.91	-	39.62	12.04	64.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26144G	63.89	74.00	-10.11	76.95	3	Horizontal	326	1.80	-	39.62	12.04	64.72			
AV	13.26116G	49.16	54.00	-4.84	62.22	3	Horizontal	326	1.80	-	39.62	12.04	64.72			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 22
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87556G	63.03	83.54	-20.51	58.95	1	Vertical	288	1.53	-	37.70	15.18	48.80			
AV	19.87428G	51.37	63.54	-12.17	47.29	1	Vertical	288	1.53	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 22
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87468G	63.33	83.54	-20.21	59.25	1	Horizontal	142	1.55	-	37.70	15.18	48.80			
AV	19.87415G	52.94	63.54	-10.60	48.86	1	Horizontal	142	1.55	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4292G	58.28	88.20	-29.92	70.52	3	Vertical	7	1.46	-	40.12	12.04	64.40			
RMS	13.42948G	44.35	68.20	-23.85	56.59	3	Vertical	7	1.46	-	40.12	12.04	64.40			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41616G	63.98	88.20	-24.22	76.30	3	Horizontal	327	1.75	-	40.06	12.04	64.42			
RMS	13.4164G	48.14	68.20	-20.06	60.45	3	Horizontal	327	1.75	-	40.07	12.04	64.42			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11585G	63.03	83.54	-20.51	58.75	1	Vertical	325	1.55	-	37.80	15.26	48.78			
AV	20.11555G	50.63	63.54	-12.91	46.35	1	Vertical	325	1.55	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11533G	64.40	83.54	-19.14	60.12	1	Horizontal	81	1.54	-	37.80	15.26	48.78			
AV	20.11504G	51.46	63.54	-12.08	47.18	1	Horizontal	81	1.54	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.55304G	57.93	88.20	-30.27	69.50	3	Vertical	108	2.17	-	40.68	12.03	64.28			
RMS	13.55364G	44.61	68.20	-23.59	56.18	3	Vertical	108	2.17	-	40.68	12.03	64.28			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56052G	60.79	88.20	-27.41	72.40	3	Horizontal	330	1.42	-	40.64	12.03	64.28			
RMS	13.5608G	47.89	68.20	-20.31	59.50	3	Horizontal	330	1.42	-	40.64	12.03	64.28			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35478G	62.01	83.54	-21.53	57.39	1	Vertical	72	1.52	-	37.89	15.46	48.73			
AV	20.35542G	48.89	63.54	-14.65	44.27	1	Vertical	72	1.52	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35464G	63.34	83.54	-20.20	58.72	1	Horizontal	56	1.50	-	37.89	15.46	48.73			
AV	20.35542G	50.97	63.54	-12.57	46.35	1	Horizontal	56	1.50	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 21.5
22\18.5\21.5
-3.13\13.44\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.914G	78.09	88.20	-10.11	70.68	3	Vertical	12	1.58	21.5	34.53	8.08	35.20			
RMS	5.915G	67.95	68.20	-0.25	60.54	3	Vertical	12	1.58	21.5	34.53	8.08	35.20			
PK	6.096G	117.71	Inf	-Inf	109.72	3	Vertical	12	1.58	21.5	34.88	8.31	35.20			
RMS	6.0965G	107.84	Inf	-Inf	99.85	3	Vertical	12	1.58	21.5	34.88	8.31	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 21
21.5\18.5\21
-2.71\12.59\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	76.87	88.20	-11.33	69.43	3	Horizontal	340	1.80	21	34.55	8.09	35.20			
RMS	5.925G	67.41	68.20	-0.79	59.97	3	Horizontal	340	1.80	21	34.55	8.09	35.20			
PK	6.0875G	115.45	Inf	-Inf	107.52	3	Horizontal	340	1.80	21	34.83	8.30	35.20			
RMS	6.0875G	105.85	Inf	-Inf	97.92	3	Horizontal	340	1.80	21	34.83	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 21
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0606G	61.36	74.00	-12.64	75.73	3	Vertical	303.9	1.58	-	39.24	12.08	65.69			
AV	12.05872G	45.75	54.00	-8.25	60.13	3	Vertical	303.9	1.58	-	39.23	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0694G	59.53	74.00	-14.47	73.85	3	Horizontal	308	1.80	-	39.28	12.08	65.68			
AV	12.0496G	43.81	54.00	-10.19	58.23	3	Horizontal	308	1.80	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 21
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0757G	63.92	83.54	-19.62	59.30	1	Vertical	54	1.53	-	37.55	15.29	48.22			
AV	18.07596G	51.13	63.54	-12.41	46.50	1	Vertical	54	1.53	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 21
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07401G	63.04	83.54	-20.50	58.42	1	Horizontal	330	1.53	-	37.54	15.29	48.21			
AV	18.07593G	51.37	63.54	-12.17	46.74	1	Horizontal	330	1.53	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38952G	59.29	74.00	-14.71	73.81	3	Vertical	29	1.51	-	38.80	12.07	65.39			
AV	12.37064G	43.32	54.00	-10.68	57.86	3	Vertical	29	1.51	-	38.80	12.07	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38984G	60.12	74.00	-13.88	74.64	3	Horizontal	300.9	1.64	-	38.80	12.07	65.39			
AV	12.35056G	45.47	54.00	-8.53	60.02	3	Horizontal	300.9	1.64	-	38.80	12.07	65.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55593G	63.95	83.54	-19.59	59.25	1	Vertical	231	1.50	-	37.80	15.26	48.36			
AV	18.55571G	51.78	63.54	-11.76	47.08	1	Vertical	231	1.50	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55547G	64.42	83.54	-19.12	59.72	1	Horizontal	347	1.55	-	37.80	15.26	48.36			
AV	18.55409G	50.70	63.54	-12.84	45.99	1	Horizontal	347	1.55	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69984G	55.81	74.00	-18.19	70.02	3	Vertical	260	1.53	-	39.00	12.06	65.27			
AV	12.69924G	39.76	54.00	-14.24	53.97	3	Vertical	260	1.53	-	39.00	12.06	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69852G	62.03	74.00	-11.97	76.24	3	Horizontal	313.9	1.98	-	39.00	12.06	65.27			
AV	12.67904G	46.76	54.00	-7.24	61.01	3	Horizontal	313.9	1.98	-	38.96	12.06	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0346G	63.57	83.54	-19.97	59.21	1	Vertical	142	1.50	-	37.93	15.23	48.80			
AV	19.0354G	51.25	63.54	-12.29	46.89	1	Vertical	142	1.50	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 22
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03444G	64.38	83.54	-19.16	60.02	1	Horizontal	204	1.54	-	37.93	15.23	48.80			
AV	19.03556G	51.34	63.54	-12.20	46.98	1	Horizontal	204	1.54	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.34664G	55.07	74.00	-18.93	67.61	3	Vertical	101	1.67	-	39.98	12.04	64.56			
AV	13.34568G	39.12	54.00	-14.88	51.67	3	Vertical	101	1.67	-	39.97	12.04	64.56			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3466G	55.20	74.00	-18.80	67.74	3	Horizontal	30	1.80	-	39.98	12.04	64.56			
AV	13.34572G	39.09	54.00	-14.91	51.64	3	Horizontal	30	1.80	-	39.97	12.04	64.56			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99475G	62.01	83.54	-21.53	57.93	1	Vertical	117	1.50	-	37.71	15.17	48.80			
AV	19.99447G	51.13	63.54	-12.41	47.05	1	Vertical	117	1.50	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99537G	63.17	83.54	-20.37	59.09	1	Horizontal	276	1.51	-	37.71	15.17	48.80			
AV	19.99446G	52.99	63.54	-10.55	48.91	1	Horizontal	276	1.51	-	37.71	15.17	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.17	88.20	-12.03	68.74	3	Vertical	11	1.78	22	34.54	8.09	35.20			
RMS	5.92G	65.82	68.20	-2.38	58.39	3	Vertical	11	1.78	22	34.54	8.09	35.20			
PK	6.196G	117.58	Inf	-Inf	109.33	3	Vertical	11	1.78	22	34.99	8.46	35.20			
RMS	6.197G	105.10	Inf	-Inf	96.84	3	Vertical	11	1.78	22	34.99	8.47	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 21.5
22\21.5
-0.14\4.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.914G	73.64	88.20	-14.56	66.23	3	Horizontal	21	1.80	21.5	34.53	8.08	35.20			
RMS	5.913G	64.00	68.20	-4.20	56.59	3	Horizontal	21	1.80	21.5	34.53	8.08	35.20			
PK	6.263G	115.52	Inf	-Inf	107.30	3	Horizontal	21	1.80	21.5	34.87	8.56	35.21			
RMS	6.263G	105.94	Inf	-Inf	97.72	3	Horizontal	21	1.80	21.5	34.87	8.56	35.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
 Setting 21.5
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2262G	58.46	74.00	-15.54	72.93	3	Vertical	133	2.11	-	39.00	12.07	65.54			
AV	12.2072G	41.29	54.00	-12.71	55.70	3	Vertical	133	2.11	-	39.07	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21.5
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22848G	58.99	74.00	-15.01	73.46	3	Horizontal	299	1.80	-	38.99	12.07	65.53			
AV	12.22828G	41.96	54.00	-12.04	56.43	3	Horizontal	299	1.80	-	38.99	12.07	65.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21.5
03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31495G	62.18	83.54	-21.36	57.54	1	Vertical	149	1.51	-	37.63	15.27	48.26			
AV	18.31408G	49.74	63.54	-13.80	45.10	1	Vertical	149	1.51	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 21.5
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31418G	63.02	83.54	-20.52	58.38	1	Horizontal	67	1.53	-	37.63	15.27	48.26			
AV	18.314G	50.53	63.54	-13.01	45.89	1	Horizontal	67	1.53	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22
06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.544G	59.77	74.00	-14.23	74.48	3	Vertical	16	1.80	-	38.51	12.06	65.28			
AV	12.51828G	45.05	54.00	-8.95	59.72	3	Vertical	16	1.80	-	38.56	12.06	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
 Setting 22
 06-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.54408G	61.63	74.00	-12.37	76.34	3	Horizontal	3	1.74	-	38.51	12.06	65.28			
AV	12.53768G	45.88	54.00	-8.12	60.59	3	Horizontal	3	1.74	-	38.52	12.06	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX



EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79488G	61.94	83.54	-21.60	57.39	1	Vertical	155	1.52	-	37.90	15.24	48.59			
AV	18.794G	48.73	63.54	-14.81	44.18	1	Vertical	155	1.52	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX



EUT_Y_4TX
 Setting 22
 03-P-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79598G	63.27	83.54	-20.27	58.73	1	Horizontal	301	1.55	-	37.90	15.24	48.60			
AV	18.794G	51.76	63.54	-11.78	47.21	1	Horizontal	301	1.55	-	37.90	15.24	48.59			



**RSE TX above 1GHz_R4_Standard Power AP_Wide Beam_
Full RU_BF mode**


Appendix E.22

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.9246G	68.18	68.20	-0.02	3	Horizontal	183	1.46	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
05-L-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	79.71	88.20	-8.49	72.49	3	Vertical	350	1.83	-	34.30	8.50	35.58
RMS	5.9248G	65.73	68.20	-2.47	58.50	3	Vertical	350	1.83	-	34.30	8.51	35.58
PK	5.953G	123.90	Inf	-Inf	116.68	3	Vertical	350	1.83	-	34.29	8.52	35.59
RMS	5.9482G	113.68	Inf	-Inf	106.45	3	Vertical	350	1.83	-	34.30	8.52	35.59

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
05-L-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	80.84	88.20	-7.36	73.61	3	Horizontal	3	1.92	-	34.30	8.51	35.58			
RMS	5.9248G	65.95	68.20	-2.25	58.72	3	Horizontal	3	1.92	-	34.30	8.51	35.58			
PK	5.9506G	126.50	Inf	-Inf	119.27	3	Horizontal	3	1.92	-	34.30	8.52	35.59			
RMS	5.951G	115.43	Inf	-Inf	108.20	3	Horizontal	3	1.92	-	34.30	8.52	35.59			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
05-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90985G	61.14	74.00	-12.86	76.24	3	Vertical	228	1.03	-	38.62	12.08	65.80			
AV	11.91094G	46.72	54.00	-7.28	61.82	3	Vertical	228	1.03	-	38.62	12.08	65.80			
PK	17.8644G	50.49	74.00	-23.51	56.09	3	Vertical	44	2.30	-	41.72	15.23	62.55			
AV	17.8686G	35.85	54.00	-18.15	41.41	3	Vertical	44	2.30	-	41.75	15.23	62.54			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
05-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90903G	61.08	74.00	-12.92	76.18	3	Horizontal	278	1.80	-	38.62	12.08	65.80			
AV	11.91036G	46.03	54.00	-7.97	61.13	3	Horizontal	278	1.80	-	38.62	12.08	65.80			
PK	17.8712G	50.94	74.00	-23.06	56.47	3	Horizontal	321	1.42	-	41.77	15.23	62.53			
AV	17.869G	35.99	54.00	-18.01	41.55	3	Horizontal	321	1.42	-	41.75	15.23	62.54			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 24
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8139G	52.92	83.54	-30.62	44.21	1	Vertical	357.1	1.66	-	39.10	17.28	47.67			
AV	23.814G	40.81	63.54	-22.73	32.10	1	Vertical	357.1	1.66	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 24
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8257G	56.65	83.54	-26.89	47.94	1	Horizontal	331.4	1.39	-	39.10	17.28	47.67			
AV	23.8249G	43.16	63.54	-20.38	34.45	1	Horizontal	331.4	1.39	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39002G	61.63	74.00	-12.37	75.58	3	Vertical	65	1.20	-	38.90	12.54	65.39			
AV	12.39284G	46.61	54.00	-7.39	60.56	3	Vertical	65	1.20	-	38.90	12.54	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39276G	61.78	74.00	-12.22	75.73	3	Horizontal	312	1.10	-	38.90	12.54	65.39			
AV	12.3925G	46.53	54.00	-7.47	60.48	3	Horizontal	312	1.10	-	38.90	12.54	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5937G	54.00	83.54	-29.54	49.34	1	Vertical	54	1.80	-	37.80	15.25	48.39			
AV	18.5921G	40.79	63.54	-22.75	36.13	1	Vertical	54	1.80	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5798G	55.96	83.54	-27.58	51.28	1	Horizontal	310.6	1.76	-	37.80	15.26	48.38			
AV	18.584G	42.36	63.54	-21.18	37.69	1	Horizontal	310.6	1.76	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83344G	61.50	88.20	-26.70	73.95	3	Vertical	285	2.97	-	39.80	13.00	65.25			
RMS	12.83212G	46.79	68.20	-21.41	59.24	3	Vertical	285	2.97	-	39.80	13.00	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83372G	61.13	88.20	-27.07	73.58	3	Horizontal	60	2.01	-	39.80	13.00	65.25			
RMS	12.83336G	46.75	68.20	-21.45	59.20	3	Horizontal	60	2.01	-	39.80	13.00	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2618G	53.66	83.54	-29.88	49.30	1	Vertical	180	1.67	-	37.95	15.21	48.80			
AV	19.2889G	41.81	63.54	-21.73	37.56	1	Vertical	180	1.67	-	37.84	15.21	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2708G	55.68	83.54	-27.86	51.35	1	Horizontal	119	2.50	-	37.92	15.21	48.80			
AV	19.1987G	42.88	63.54	-20.66	38.65	1	Horizontal	119	2.50	-	37.81	15.22	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07132G	61.39	88.20	-26.81	73.40	3	Vertical	354	1.93	-	39.84	13.24	65.09			
RMS	13.0652G	46.52	68.20	-21.68	58.55	3	Vertical	354	1.93	-	39.83	13.24	65.10			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06596G	61.93	88.20	-26.27	73.96	3	Horizontal	46	2.31	-	39.83	13.24	65.10			
RMS	13.06802G	46.46	68.20	-21.74	58.48	3	Horizontal	46	2.31	-	39.84	13.24	65.10			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6163G	53.52	83.54	-30.02	49.43	1	Vertical	281	1.05	-	37.70	15.19	48.80			
AV	19.6147G	42.27	63.54	-21.27	38.18	1	Vertical	281	1.05	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6262G	54.41	83.54	-29.13	50.32	1	Horizontal	355	2.88	-	37.70	15.19	48.80			
AV	19.6308G	42.22	63.54	-21.32	38.13	1	Horizontal	355	2.88	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 25
05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38654G	61.96	74.00	-12.04	72.54	3	Vertical	159	1.08	-	40.33	13.57	64.48			
AV	13.39208G	46.36	54.00	-7.64	56.93	3	Vertical	159	1.08	-	40.32	13.58	64.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 25
05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39064G	61.89	74.00	-12.11	72.46	3	Horizontal	165	1.26	-	40.32	13.58	64.47			
AV	13.39424G	46.32	54.00	-7.68	56.90	3	Horizontal	165	1.26	-	40.31	13.58	64.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0436G	55.19	83.54	-28.35	50.98	1	Vertical	42	1.39	-	37.79	15.21	48.79			
AV	20.1076G	42.56	63.54	-20.98	38.28	1	Vertical	42	1.39	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0357G	55.11	83.54	-28.43	50.93	1	Horizontal	165	2.36	-	37.77	15.20	48.79			
AV	20.1079G	42.98	63.54	-20.56	38.70	1	Horizontal	165	2.36	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70658G	61.10	88.20	-27.10	71.04	3	Vertical	217	1.87	-	40.50	13.90	64.34			
RMS	13.71322G	46.03	68.20	-22.17	55.97	3	Vertical	217	1.87	-	40.50	13.91	64.35			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71038G	61.41	88.20	-26.79	71.34	3	Horizontal	209	1.49	-	40.50	13.91	64.34			
RMS	13.71356G	46.96	68.20	-21.24	56.90	3	Horizontal	209	1.49	-	40.50	13.91	64.35			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5651G	52.90	83.54	-30.64	48.07	1	Vertical	283	1.22	-	37.90	15.63	48.70			
AV	20.6107G	42.12	63.54	-21.42	37.25	1	Vertical	283	1.22	-	37.90	15.67	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.604G	53.87	83.54	-29.67	49.01	1	Horizontal	138	1.65	-	37.90	15.66	48.70			
AV	20.6039G	41.01	63.54	-22.53	36.15	1	Horizontal	138	1.65	-	37.90	15.66	48.70			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	76.10	88.20	-12.10	68.87	3	Vertical	201	1.55	-	34.30	8.51	35.58			
RMS	5.925G	56.33	68.20	-11.87	49.10	3	Vertical	201	1.55	-	34.30	8.51	35.58			
PK	5.9754G	115.00	Inf	-Inf	107.82	3	Vertical	201	1.55	-	34.25	8.53	35.60			
RMS	5.9756G	104.83	Inf	-Inf	97.65	3	Vertical	201	1.55	-	34.25	8.53	35.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	79.71	88.20	-8.49	72.48	3	Horizontal	191	1.57	-	34.30	8.51	35.58			
RMS	5.9248G	64.89	68.20	-3.31	57.66	3	Horizontal	191	1.57	-	34.30	8.51	35.58			
PK	5.9562G	118.61	Inf	-Inf	111.39	3	Horizontal	191	1.57	-	34.29	8.52	35.59			
RMS	5.9468G	108.20	Inf	-Inf	100.97	3	Horizontal	191	1.57	-	34.30	8.52	35.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9384G	46.25	74.00	-27.75	61.25	3	Vertical	74	1.81	-	38.68	12.10	65.78				
AV	11.92292G	34.45	54.00	-19.55	49.50	3	Vertical	74	1.81	-	38.65	12.09	65.79				
PK	17.8963G	44.90	74.00	-29.10	50.16	3	Vertical	189	1.80	-	41.97	15.25	62.48				
AV	17.891G	32.69	54.00	-21.31	38.01	3	Vertical	189	1.80	-	41.93	15.24	62.49				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91352G	46.36	74.00	-27.64	61.45	3	Horizontal	349	1.80	-	38.63	12.08	65.80			
AV	11.91616G	33.86	54.00	-20.14	48.94	3	Horizontal	349	1.80	-	38.63	12.09	65.80			
PK	17.896G	44.97	74.00	-29.03	50.23	3	Horizontal	63	1.00	-	41.97	15.25	62.48			
AV	17.8941G	33.18	54.00	-20.82	38.48	3	Horizontal	63	1.00	-	41.95	15.24	62.49			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85984G	47.79	83.54	-35.75	39.08	1	Vertical	336	1.56	-	39.08	17.29	47.66			
AV	23.85984G	37.53	63.54	-26.01	28.82	1	Vertical	336	1.56	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86G	48.32	83.54	-35.22	39.61	1	Horizontal	317	1.60	-	39.08	17.29	47.66			
AV	23.8597G	38.43	63.54	-25.11	29.72	1	Horizontal	317	1.60	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 25
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39674G	52.19	74.00	-21.81	66.13	3	Vertical	303.1	1.70	-	38.90	12.54	65.38			
AV	12.40982G	38.93	54.00	-15.07	52.82	3	Vertical	303.1	1.70	-	38.92	12.56	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41192G	47.10	74.00	-26.90	60.99	3	Horizontal	311	1.79	-	38.92	12.56	65.37			
AV	12.42254G	35.28	54.00	-18.72	49.12	3	Horizontal	311	1.79	-	38.95	12.57	65.36			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.63465G	53.74	83.54	-29.80	49.05	1	Vertical	52.5	1.59	-	37.87	15.25	48.43			
AV	18.62155G	40.17	63.54	-23.37	35.50	1	Vertical	52.5	1.59	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.628G	55.92	83.54	-27.62	51.24	1	Horizontal	309.9	1.75	-	37.86	15.25	48.43			
AV	18.6218G	41.61	63.54	-21.93	36.94	1	Horizontal	309.9	1.75	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7955G	50.86	88.20	-37.34	63.38	3	Vertical	0	1.80	-	39.77	12.96	65.25			
RMS	12.7941G	37.70	68.20	-30.50	50.23	3	Vertical	0	1.80	-	39.76	12.96	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8242G	52.67	88.20	-35.53	65.13	3	Horizontal	68.9	1.80	-	39.80	12.99	65.25			
RMS	12.8101G	39.16	68.20	-29.04	51.64	3	Horizontal	68.9	1.80	-	39.80	12.97	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1959G	52.15	83.54	-31.39	47.91	1	Vertical	112	1.94	-	37.82	15.22	48.80			
AV	19.21165G	44.21	63.54	-19.33	39.94	1	Vertical	112	1.94	-	37.85	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22315G	53.90	83.54	-29.64	49.59	1	Horizontal	66	2.84	-	37.89	15.22	48.80			
AV	19.19255G	44.34	63.54	-19.20	40.09	1	Horizontal	66	2.84	-	37.83	15.22	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 25
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13408G	60.74	88.20	-27.46	72.36	3	Vertical	349	1.80	-	40.04	13.31	64.97			
RMS	13.13864G	46.92	68.20	-21.28	58.52	3	Vertical	349	1.80	-	40.05	13.31	64.96			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11608G	57.36	88.20	-30.84	69.11	3	Horizontal	316.8	1.80	-	39.96	13.29	65.00			
RMS	13.11764G	45.04	68.20	-23.16	56.78	3	Horizontal	316.8	1.80	-	39.97	13.29	65.00			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69015G	51.65	83.54	-31.89	47.56	1	Vertical	6	2.01	-	37.70	15.19	48.80			
AV	19.7153G	41.12	63.54	-22.42	37.03	1	Vertical	6	2.01	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7116G	52.12	83.54	-31.42	48.03	1	Horizontal	222	2.00	-	37.70	15.19	48.80			
AV	19.72G	40.18	63.54	-23.36	36.09	1	Horizontal	222	2.00	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37432G	56.41	74.00	-17.59	67.00	3	Vertical	357.6	1.80	-	40.35	13.56	64.50			
AV	13.37024G	44.31	54.00	-9.69	54.90	3	Vertical	357.6	1.80	-	40.36	13.56	64.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38776G	60.49	74.00	-13.51	71.08	3	Horizontal	65.8	1.80	-	40.32	13.57	64.48			
AV	13.37024G	48.68	54.00	-5.32	59.27	3	Horizontal	65.8	1.80	-	40.36	13.56	64.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07545G	51.11	83.54	-32.43	46.86	1	Vertical	244	2.40	-	37.80	15.23	48.78			
AV	20.07525G	42.02	63.54	-21.52	37.77	1	Vertical	244	2.40	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07015G	51.18	83.54	-32.36	46.94	1	Horizontal	180	2.48	-	37.80	15.23	48.79			
AV	20.0791G	42.05	63.54	-21.49	37.80	1	Horizontal	180	2.48	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 25
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69028G	56.51	88.20	-31.69	66.46	3	Vertical	319.5	1.80	-	40.50	13.89	64.34			
RMS	13.69126G	43.14	68.20	-25.06	53.09	3	Vertical	319.5	1.80	-	40.50	13.89	64.34			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 25
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6858G	61.28	88.20	-26.92	71.23	3	Horizontal	73.1	1.80	-	40.50	13.88	64.33			
RMS	13.6907G	48.07	68.20	-20.13	58.02	3	Horizontal	73.1	1.80	-	40.50	13.89	64.34			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5293G	52.22	83.54	-31.32	47.42	1	Vertical	359	1.68	-	37.90	15.60	48.70			
AV	20.5344G	40.39	63.54	-23.15	35.58	1	Vertical	359	1.68	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5226G	54.66	83.54	-28.88	49.86	1	Horizontal	168	1.58	-	37.90	15.60	48.70			
AV	20.52155G	42.29	63.54	-21.25	37.49	1	Horizontal	168	1.58	-	37.90	15.60	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	76.78	88.20	-11.42	69.56	3	Vertical	203	1.49	-	34.30	8.50	35.58			
RMS	5.9186G	59.87	68.20	-8.33	52.65	3	Vertical	203	1.49	-	34.30	8.50	35.58			
PK	6.0194G	111.86	Inf	-Inf	104.64	3	Vertical	203	1.49	-	34.24	8.55	35.57			
RMS	5.9774G	102.24	Inf	-Inf	95.06	3	Vertical	203	1.49	-	34.25	8.53	35.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	81.15	88.20	-7.05	73.93	3	Horizontal	193	1.47	-	34.30	8.50	35.58			
RMS	5.925G	67.32	68.20	-0.88	60.09	3	Horizontal	193	1.47	-	34.30	8.51	35.58			
PK	5.9946G	117.10	Inf	-Inf	109.96	3	Horizontal	193	1.47	-	34.21	8.54	35.61			
RMS	5.9874G	106.59	Inf	-Inf	99.44	3	Horizontal	193	1.47	-	34.23	8.53	35.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96986G	46.25	74.00	-27.75	61.16	3	Vertical	110	2.39	-	38.74	12.11	65.76			
AV	11.9698G	34.98	54.00	-19.02	49.89	3	Vertical	110	2.39	-	38.74	12.11	65.76			
PK	17.95623G	45.87	74.00	-28.13	50.72	3	Vertical	258	2.45	-	42.24	15.28	62.37			
AV	17.95363G	33.78	54.00	-20.22	38.65	3	Vertical	258	2.45	-	42.22	15.28	62.37			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9777G	45.64	74.00	-28.36	60.51	3	Horizontal	351	1.83	-	38.76	12.12	65.75			
AV	11.99002G	34.19	54.00	-19.81	49.04	3	Horizontal	351	1.83	-	38.78	12.12	65.75			
PK	17.95198G	45.15	74.00	-28.85	50.04	3	Horizontal	274	2.28	-	42.21	15.27	62.37			
AV	17.95198G	33.72	54.00	-20.28	38.61	3	Horizontal	274	2.28	-	42.21	15.27	62.37			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93585G	50.64	83.54	-32.90	41.96	1	Vertical	359	1.70	-	39.00	17.31	47.63			
AV	23.92755G	38.23	63.54	-25.31	29.55	1	Vertical	359	1.70	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92045G	47.69	83.54	-35.85	39.01	1	Horizontal	54.7	1.63	-	39.00	17.31	47.63			
AV	23.9398G	37.88	63.54	-25.66	29.19	1	Horizontal	54.7	1.63	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4422G	52.60	74.00	-21.40	66.37	3	Vertical	4	1.79	-	38.98	12.59	65.34			
AV	12.4641G	40.01	54.00	-13.99	53.69	3	Vertical	4	1.79	-	39.03	12.61	65.32			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4745G	56.36	74.00	-17.64	70.00	3	Horizontal	304	1.68	-	39.05	12.62	65.31			
AV	12.4426G	43.80	54.00	-10.20	57.56	3	Horizontal	304	1.68	-	38.99	12.59	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67875G	50.79	83.54	-32.75	46.12	1	Vertical	8.1	1.76	-	37.90	15.25	48.48			
AV	18.65G	36.97	63.54	-26.57	32.27	1	Vertical	8.1	1.76	-	37.90	15.25	48.45			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68465G	51.57	83.54	-31.97	46.90	1	Horizontal	310.5	1.80	-	37.90	15.25	48.48			
AV	18.66505G	38.32	63.54	-25.22	33.64	1	Horizontal	310.5	1.80	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76987G	54.35	88.20	-33.85	67.06	3	Vertical	4	2.62	-	39.62	12.93	65.26			
RMS	12.76957G	39.54	68.20	-28.66	52.25	3	Vertical	4	2.62	-	39.62	12.93	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 25
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77276G	53.82	88.20	-34.38	66.51	3	Horizontal	355	1.85	-	39.64	12.93	65.26			
RMS	12.78212G	40.36	68.20	-27.84	52.99	3	Horizontal	355	1.85	-	39.69	12.94	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.153G	50.69	83.54	-32.85	46.28	1	Vertical	100	2.94	-	37.99	15.22	48.80			
AV	19.1468G	37.20	63.54	-26.34	32.78	1	Vertical	100	2.94	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1596G	51.98	83.54	-31.56	47.60	1	Horizontal	150	2.72	-	37.96	15.22	48.80			
AV	19.14925G	36.19	63.54	-27.35	31.77	1	Horizontal	150	2.72	-	38.00	15.22	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.22664G	57.15	88.20	-31.05	68.53	3	Vertical	60.4	1.54	-	40.00	13.41	64.79			
RMS	13.21992G	45.04	68.20	-23.16	56.44	3	Vertical	60.4	1.54	-	40.00	13.40	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.22876G	57.99	88.20	-30.21	69.37	3	Horizontal	72	1.74	-	40.00	13.41	64.79			
RMS	13.24172G	46.45	68.20	-21.75	57.79	3	Horizontal	72	1.74	-	40.00	13.42	64.76			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8741G	52.57	83.54	-30.97	48.49	1	Vertical	345	2.94	-	37.70	15.18	48.80			
AV	19.8873G	37.96	63.54	-25.58	33.88	1	Vertical	345	2.94	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8777G	51.00	83.54	-32.54	46.92	1	Horizontal	322	1.79	-	37.70	15.18	48.80			
AV	19.8508G	36.97	63.54	-26.57	32.89	1	Horizontal	322	1.79	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 25
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41128G	55.97	88.20	-32.23	66.43	3	Vertical	359	1.69	-	40.37	13.60	64.43			
RMS	13.41G	43.29	68.20	-24.91	53.76	3	Vertical	359	1.69	-	40.36	13.60	64.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.42568G	59.32	88.20	-28.88	69.66	3	Horizontal	65.7	1.80	-	40.45	13.61	64.40			
RMS	13.4212G	46.83	68.20	-21.37	57.20	3	Horizontal	65.7	1.80	-	40.43	13.61	64.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12195G	51.69	83.54	-31.85	47.40	1	Vertical	88	1.28	-	37.80	15.27	48.78			
AV	20.1203G	38.03	63.54	-25.51	33.74	1	Vertical	88	1.28	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1371G	50.87	83.54	-32.67	46.56	1	Horizontal	26	2.73	-	37.80	15.28	48.77			
AV	20.1114G	36.99	63.54	-26.55	32.71	1	Horizontal	26	2.73	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.60008G	56.81	88.20	-31.39	66.62	3	Vertical	329.8	2.67	-	40.70	13.79	64.30			
RMS	13.58472G	44.21	68.20	-23.99	53.96	3	Vertical	329.8	2.67	-	40.76	13.78	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57736G	55.17	88.20	-33.03	64.90	3	Horizontal	80	1.80	-	40.79	13.77	64.29			
RMS	13.57G	43.93	68.20	-24.27	53.64	3	Horizontal	80	1.80	-	40.82	13.76	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3385G	51.98	83.54	-31.56	47.38	1	Vertical	172	1.99	-	37.88	15.45	48.73			
AV	20.3782G	38.41	63.54	-25.13	33.81	1	Vertical	172	1.99	-	37.84	15.48	48.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.33705G	50.69	83.54	-32.85	46.11	1	Horizontal	300	1.77	-	37.87	15.44	48.73			
AV	20.37685G	37.41	63.54	-26.13	32.80	1	Horizontal	300	1.77	-	37.85	15.48	48.72			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 23
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	75.70	88.20	-12.50	68.47	3	Vertical	204	1.61	-	34.30	8.51	35.58			
RMS	5.925G	62.88	68.20	-5.32	55.65	3	Vertical	204	1.61	-	34.30	8.51	35.58			
PK	6.093G	111.05	Inf	-Inf	103.69	3	Vertical	204	1.61	-	34.21	8.58	35.43			
RMS	5.9745G	100.10	Inf	-Inf	92.92	3	Vertical	204	1.61	-	34.25	8.53	35.60			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 23
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	83.62	88.20	-4.58	76.39	3	Horizontal	194	1.56	-	34.30	8.51	35.58			
RMS	5.925G	67.91	68.20	-0.29	60.68	3	Horizontal	194	1.56	-	34.30	8.51	35.58			
PK	5.987G	114.61	Inf	-Inf	107.46	3	Horizontal	194	1.56	-	34.23	8.53	35.61			
RMS	5.992G	103.63	Inf	-Inf	96.48	3	Horizontal	194	1.56	-	34.22	8.54	35.61			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 23
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.098G	46.56	74.00	-27.44	60.98	3	Vertical	1.5	1.80	-	39.00	12.23	65.65			
AV	12.0388G	35.40	54.00	-18.60	50.06	3	Vertical	1.5	1.80	-	38.88	12.17	65.71			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 23
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.09224G	49.08	74.00	-24.92	63.53	3	Horizontal	350	1.80	-	38.98	12.23	65.66			
AV	12.09288G	36.14	54.00	-17.86	50.58	3	Horizontal	350	1.80	-	38.99	12.23	65.66			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 23
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.09075G	49.38	83.54	-34.16	44.68	1	Vertical	348	1.80	-	37.64	15.28	48.22			
AV	18.09505G	36.83	63.54	-26.71	32.10	1	Vertical	348	1.80	-	37.67	15.28	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 23
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06345G	47.59	83.54	-35.95	43.03	1	Horizontal	337	1.80	-	37.48	15.29	48.21			
AV	18.09085G	35.63	63.54	-27.91	30.92	1	Horizontal	337	1.80	-	37.65	15.28	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.391G	50.19	74.00	-23.81	64.14	3	Vertical	300.1	1.80	-	38.90	12.54	65.39			
AV	12.3982G	37.25	54.00	-16.75	51.19	3	Vertical	300.1	1.80	-	38.90	12.54	65.38			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3904G	52.90	74.00	-21.10	66.85	3	Horizontal	302	1.80	-	38.90	12.54	65.39			
AV	12.3698G	39.13	54.00	-14.87	53.13	3	Horizontal	302	1.80	-	38.90	12.51	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5401G	48.10	83.54	-35.44	43.38	1	Vertical	70	1.98	-	37.80	15.26	48.34			
AV	18.57785G	36.39	63.54	-27.15	31.71	1	Vertical	70	1.98	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5657G	48.19	83.54	-35.35	43.50	1	Horizontal	312	1.94	-	37.80	15.26	48.37			
AV	18.57455G	37.30	63.54	-26.24	32.61	1	Horizontal	312	1.94	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 25
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.696G	47.08	74.00	-26.92	60.10	3	Vertical	324	1.80	-	39.40	12.85	65.27			
AV	12.6742G	35.72	54.00	-18.28	48.76	3	Vertical	324	1.80	-	39.40	12.83	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.687G	49.95	74.00	-24.05	62.98	3	Horizontal	355.2	1.80	-	39.40	12.84	65.27			
AV	12.6864G	37.06	54.00	-16.94	50.09	3	Horizontal	355.2	1.80	-	39.40	12.84	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0431G	49.07	83.54	-34.47	44.73	1	Vertical	229	1.23	-	37.91	15.23	48.80			
AV	19.05835G	34.38	63.54	-29.16	30.03	1	Vertical	229	1.23	-	37.92	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0481G	47.73	83.54	-35.81	43.40	1	Horizontal	226	2.89	-	37.90	15.23	48.80			
AV	19.0591G	35.38	63.54	-28.16	31.03	1	Horizontal	226	2.89	-	37.92	15.23	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.349G	55.37	74.00	-18.63	65.99	3	Vertical	5.8	1.27	-	40.40	13.53	64.55			
AV	13.3498G	43.22	54.00	-10.78	53.84	3	Vertical	5.8	1.27	-	40.40	13.53	64.55			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3514G	56.24	74.00	-17.76	66.85	3	Horizontal	69	1.80	-	40.40	13.54	64.55			
AV	13.3528G	43.83	54.00	-10.17	54.45	3	Horizontal	69	1.80	-	40.39	13.54	64.55			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 25
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.97555G	49.83	83.54	-33.71	45.71	1	Vertical	97	2.46	-	37.75	15.17	48.80			
AV	19.9705G	35.53	63.54	-28.01	31.40	1	Vertical	97	2.46	-	37.76	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.97715G	48.07	83.54	-35.47	43.95	1	Horizontal	156	2.82	-	37.75	15.17	48.80			
AV	19.97085G	35.53	63.54	-28.01	31.40	1	Horizontal	156	2.82	-	37.76	15.17	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 23
05-L-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	70.22	88.20	-17.98	63.00	3	Vertical	191	1.80	-	34.30	8.50	35.58			
RMS	5.925G	59.23	68.20	-8.97	52.00	3	Vertical	191	1.80	-	34.30	8.51	35.58			
PK	6.193G	110.66	Inf	-Inf	102.88	3	Vertical	191	1.80	-	34.39	8.62	35.23			
RMS	6.183G	99.76	Inf	-Inf	92.03	3	Vertical	191	1.80	-	34.37	8.61	35.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 23
05-L-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	76.19	88.20	-12.01	68.96	3	Horizontal	193.3	1.80	-	34.30	8.51	35.58			
RMS	5.925G	64.36	68.20	-3.84	57.13	3	Horizontal	193.3	1.80	-	34.30	8.51	35.58			
PK	6.255G	111.84	Inf	-Inf	103.80	3	Horizontal	193.3	1.80	-	34.50	8.65	35.11			
RMS	6.203G	102.31	Inf	-Inf	94.49	3	Horizontal	193.3	1.80	-	34.41	8.62	35.21			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2392G	54.84	74.00	-19.16	68.88	3	Vertical	336.8	1.44	-	39.10	12.38	65.52			
AV	12.2392G	40.42	54.00	-13.58	54.46	3	Vertical	336.8	1.44	-	39.10	12.38	65.52			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2286G	53.31	74.00	-20.69	67.37	3	Horizontal	348.2	1.00	-	39.10	12.37	65.53			
AV	12.179G	39.67	54.00	-14.33	53.87	3	Horizontal	348.2	1.00	-	39.06	12.32	65.58			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3527G	45.85	83.54	-37.69	41.15	1	Vertical	347.9	1.82	-	37.70	15.27	48.27			
AV	18.3639G	33.81	63.54	-29.73	29.11	1	Vertical	347.9	1.82	-	37.70	15.27	48.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 23
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.338G	48.08	83.54	-35.46	43.40	1	Horizontal	9.2	1.60	-	37.68	15.27	48.27			
AV	18.3631G	34.65	63.54	-28.89	29.95	1	Horizontal	9.2	1.60	-	37.70	15.27	48.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5446G	50.29	74.00	-23.71	63.77	3	Vertical	333.3	1.43	-	39.10	12.70	65.28			
AV	12.4806G	38.86	54.00	-15.14	52.48	3	Vertical	333.3	1.43	-	39.06	12.63	65.31			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4822G	50.80	74.00	-23.20	64.42	3	Horizontal	343	1.80	-	39.06	12.63	65.31			
AV	12.4806G	37.91	54.00	-16.09	51.53	3	Horizontal	343	1.80	-	39.06	12.63	65.31			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.8087G	52.88	83.54	-30.66	48.33	1	Vertical	47	1.79	-	37.92	15.24	48.61			
AV	18.829G	38.68	63.54	-24.86	34.11	1	Vertical	47	1.79	-	37.96	15.24	48.63			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 25
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.8171G	54.47	83.54	-29.07	49.92	1	Horizontal	2	1.07	-	37.93	15.24	48.62			
AV	18.7483G	37.61	63.54	-25.93	33.01	1	Horizontal	2	1.07	-	37.90	15.25	48.55			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 28
05-L-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.23	88.20	-8.97	72.00	3	Vertical	264.6	1.80	-	34.30	8.51	35.58			
RMS	5.925G	63.26	68.20	-4.94	56.03	3	Vertical	264.6	1.80	-	34.30	8.51	35.58			
PK	5.9598G	120.71	Inf	-Inf	113.50	3	Vertical	264.6	1.80	-	34.28	8.52	35.59			
RMS	5.9588G	109.75	Inf	-Inf	102.54	3	Vertical	264.6	1.80	-	34.28	8.52	35.59			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 28
05-L-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	78.48	88.20	-9.72	71.25	3	Horizontal	136.5	1.80	-	34.30	8.51	35.58			
RMS	5.925G	64.25	68.20	-3.95	57.02	3	Horizontal	136.5	1.80	-	34.30	8.51	35.58			
PK	5.9462G	123.32	Inf	-Inf	116.09	3	Horizontal	136.5	1.80	-	34.30	8.52	35.59			
RMS	5.9616G	112.91	Inf	-Inf	105.71	3	Horizontal	136.5	1.80	-	34.28	8.52	35.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91976G	62.23	74.00	-11.77	77.29	3	Vertical	297	1.76	-	38.64	12.09	65.79				
AV	11.91G	48.39	54.00	-5.61	63.49	3	Vertical	297	1.76	-	38.62	12.08	65.80				
PK	17.88364G	50.61	74.00	-23.39	56.01	3	Vertical	359	1.58	-	41.87	15.24	62.51				
AV	17.87036G	36.79	54.00	-17.21	42.33	3	Vertical	359	1.58	-	41.76	15.23	62.53				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91232G	62.38	74.00	-11.62	77.48	3	Horizontal	309	1.80	-	38.62	12.08	65.80			
AV	11.9126G	50.62	54.00	-3.38	65.71	3	Horizontal	309	1.80	-	38.63	12.08	65.80			
PK	17.87052G	52.06	74.00	-21.94	57.60	3	Horizontal	1	1.81	-	41.76	15.23	62.53			
AV	17.8706G	38.18	54.00	-15.82	43.72	3	Horizontal	1	1.81	-	41.76	15.23	62.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.803G	52.23	83.54	-31.31	43.53	1	Vertical	5.2	1.67	-	39.10	17.28	47.68			
AV	23.8198G	43.32	63.54	-20.22	34.61	1	Vertical	5.2	1.67	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8196G	55.24	83.54	-28.30	46.53	1	Horizontal	336.1	1.64	-	39.10	17.28	47.67			
AV	23.8197G	44.66	63.54	-18.88	35.95	1	Horizontal	336.1	1.64	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
 Setting 27
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.37872G	66.72	74.00	-7.28	80.70	3	Vertical	23.9	1.96	-	38.90	12.52	65.40				
AV	12.3904G	53.00	54.00	-1.00	66.95	3	Vertical	23.9	1.96	-	38.90	12.54	65.39				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
 Setting 27
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3872G	66.47	74.00	-7.53	80.43	3	Horizontal	307.4	1.80	-	38.90	12.53	65.39			
AV	12.38984G	52.49	54.00	-1.51	66.44	3	Horizontal	307.4	1.80	-	38.90	12.54	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
 Setting 27
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5945G	56.28	83.54	-27.26	51.62	1	Vertical	12.2	1.80	-	37.80	15.25	48.39			
AV	18.58525G	42.20	63.54	-21.34	37.54	1	Vertical	12.2	1.80	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
 Setting 27
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58715G	57.35	83.54	-26.19	52.69	1	Horizontal	352.4	1.80	-	37.80	15.25	48.39			
AV	18.58755G	42.19	63.54	-21.35	37.53	1	Horizontal	352.4	1.80	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.82512G	68.49	88.20	-19.71	80.95	3	Vertical	1	1.80	-	39.80	12.99	65.25				
RMS	12.83G	54.55	68.20	-13.65	67.01	3	Vertical	1	1.80	-	39.80	12.99	65.25				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83456G	69.34	88.20	-18.86	81.79	3	Horizontal	19.8	1.70	-	39.80	13.00	65.25			
RMS	12.82952G	56.32	68.20	-11.88	68.78	3	Horizontal	19.8	1.70	-	39.80	12.99	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26955G	58.43	83.54	-25.11	54.10	1	Vertical	185	1.11	-	37.92	15.21	48.80			
AV	19.25005G	41.05	63.54	-22.49	36.64	1	Vertical	185	1.11	-	38.00	15.21	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25675G	57.71	83.54	-25.83	53.33	1	Horizontal	315	2.96	-	37.97	15.21	48.80			
AV	19.2449G	42.08	63.54	-21.46	37.68	1	Horizontal	315	2.96	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06168G	68.01	88.20	-20.19	80.07	3	Vertical	21	1.58	-	39.82	13.23	65.11			
RMS	13.05272G	56.07	68.20	-12.13	68.17	3	Vertical	21	1.58	-	39.81	13.22	65.13			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX



EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07648G	66.99	88.20	-21.21	78.97	3	Horizontal	68	2.76	-	39.85	13.25	65.08			
RMS	13.0532G	55.93	68.20	-12.27	68.02	3	Horizontal	68	2.76	-	39.81	13.23	65.13			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX



EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.58575G	57.78	83.54	-25.76	53.69	1	Vertical	78	1.13	-	37.70	15.19	48.80			
AV	19.6105G	42.48	63.54	-21.06	38.39	1	Vertical	78	1.13	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5978G	58.69	83.54	-24.85	54.60	1	Horizontal	254	2.56	-	37.70	15.19	48.80			
AV	19.61955G	42.51	63.54	-21.03	38.42	1	Horizontal	254	2.56	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4056G	68.73	88.20	-19.47	79.25	3	Vertical	146	1.33	-	40.33	13.59	64.44			
RMS	13.40536G	57.14	68.20	-11.06	67.66	3	Vertical	146	1.33	-	40.33	13.59	64.44			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40456G	68.14	88.20	-20.06	78.67	3	Horizontal	336	1.49	-	40.33	13.59	64.45			
RMS	13.40896G	66.19	68.20	-2.01	76.68	3	Horizontal	336	1.49	-	40.35	13.60	64.44			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1047G	58.20	83.54	-25.34	53.92	1	Vertical	160	2.03	-	37.80	15.26	48.78			
AV	20.1081G	43.10	63.54	-20.44	38.82	1	Vertical	160	2.03	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06435G	57.63	83.54	-25.91	53.40	1	Horizontal	231	1.35	-	37.80	15.22	48.79			
AV	20.085G	43.04	63.54	-20.50	38.78	1	Horizontal	231	1.35	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7092G	68.12	88.20	-20.08	78.05	3	Vertical	336.5	1.94	-	40.50	13.91	64.34			
RMS	13.71048G	54.41	68.20	-13.79	64.34	3	Vertical	336.5	1.94	-	40.50	13.91	64.34			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71416G	70.19	88.20	-18.01	80.13	3	Horizontal	328.1	1.80	-	40.50	13.91	64.35			
RMS	13.70944G	56.32	68.20	-11.88	66.25	3	Horizontal	328.1	1.80	-	40.50	13.91	64.34			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.58755G	58.40	83.54	-25.14	53.55	1	Vertical	256	1.32	-	37.90	15.65	48.70			
AV	20.56005G	43.03	63.54	-20.51	38.20	1	Vertical	256	1.32	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58875G	57.68	83.54	-25.86	52.83	1	Horizontal	213	1.04	-	37.90	15.65	48.70			
AV	20.5561G	42.05	63.54	-21.49	37.23	1	Horizontal	213	1.04	-	37.90	15.62	48.70			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
05-L-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9222G	83.97	88.20	-4.23	76.75	3	Vertical	160.1	1.80	-	34.30	8.50	35.58			
RMS	5.925G	66.67	68.20	-1.53	59.44	3	Vertical	160.1	1.80	-	34.30	8.51	35.58			
PK	5.9722G	120.26	Inf	-Inf	113.07	3	Vertical	160.1	1.80	-	34.26	8.53	35.60			
RMS	5.9564G	106.96	Inf	-Inf	99.74	3	Vertical	160.1	1.80	-	34.29	8.52	35.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
05-L-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	81.10	88.20	-7.10	73.87	3	Horizontal	176.1	1.80	-	34.30	8.51	35.58			
RMS	5.9222G	61.16	68.20	-7.04	53.94	3	Horizontal	176.1	1.80	-	34.30	8.50	35.58			
PK	5.9678G	120.10	Inf	-Inf	112.91	3	Horizontal	176.1	1.80	-	34.26	8.53	35.60			
RMS	5.9728G	105.21	Inf	-Inf	98.03	3	Horizontal	176.1	1.80	-	34.25	8.53	35.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9256G	59.83	74.00	-14.17	74.88	3	Vertical	297.7	1.80	-	38.65	12.09	65.79				
AV	11.92504G	44.34	54.00	-9.66	59.39	3	Vertical	297.7	1.80	-	38.65	12.09	65.79				
PK	17.91428G	47.45	74.00	-26.55	52.59	3	Vertical	39	1.81	-	42.06	15.25	62.45				
AV	17.913G	38.25	54.00	-15.75	43.40	3	Vertical	39	1.81	-	42.05	15.25	62.45				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9208G	59.82	74.00	-14.18	74.88	3	Horizontal	309.4	1.70	-	38.64	12.09	65.79				
AV	11.92824G	47.18	54.00	-6.82	62.22	3	Horizontal	309.4	1.70	-	38.66	12.09	65.79				
PK	17.91268G	47.00	74.00	-27.00	52.15	3	Horizontal	337	1.80	-	42.05	15.25	62.45				
AV	17.91276G	38.00	54.00	-16.00	43.15	3	Horizontal	337	1.80	-	42.05	15.25	62.45				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 26
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8543G	50.56	83.54	-32.98	41.84	1	Vertical	321.7	1.84	-	39.09	17.29	47.66			
AV	23.85975G	42.09	63.54	-21.45	33.38	1	Vertical	321.7	1.84	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
 Setting 26
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8598G	52.66	83.54	-30.88	43.95	1	Horizontal	335.3	1.61	-	39.08	17.29	47.66			
AV	23.8598G	43.34	63.54	-20.20	34.63	1	Horizontal	335.3	1.61	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40608G	60.61	74.00	-13.39	74.52	3	Vertical	359	1.80	-	38.91	12.55	65.37			
AV	12.41G	48.47	54.00	-5.53	62.36	3	Vertical	359	1.80	-	38.92	12.56	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39672G	63.89	74.00	-10.11	77.83	3	Horizontal	303.7	1.57	-	38.90	12.54	65.38			
AV	12.4008G	51.20	54.00	-2.80	65.13	3	Horizontal	303.7	1.57	-	38.90	12.55	65.38			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6125G	56.23	83.54	-27.31	51.57	1	Vertical	50.8	1.60	-	37.82	15.25	48.41			
AV	18.61545G	41.67	63.54	-21.87	37.01	1	Vertical	50.8	1.60	-	37.83	15.25	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6114G	54.29	83.54	-29.25	49.63	1	Horizontal	310.1	1.75	-	37.82	15.25	48.41			
AV	18.61075G	40.98	63.54	-22.56	36.32	1	Horizontal	310.1	1.75	-	37.82	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79624G	65.64	88.20	-22.56	78.15	3	Vertical	31.1	1.75	-	39.78	12.96	65.25			
RMS	12.80112G	51.58	68.20	-16.62	64.07	3	Vertical	31.1	1.75	-	39.80	12.96	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79432G	66.85	88.20	-21.35	79.37	3	Horizontal	18	1.80	-	39.77	12.96	65.25			
RMS	12.81056G	52.33	68.20	-15.87	64.81	3	Horizontal	18	1.80	-	39.80	12.97	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.19835G	55.33	83.54	-28.21	51.10	1	Vertical	236	1.19	-	37.81	15.22	48.80			
AV	19.19G	42.11	63.54	-21.43	37.85	1	Vertical	236	1.19	-	37.84	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.19745G	56.95	83.54	-26.59	52.72	1	Horizontal	310.1	1.75	-	37.81	15.22	48.80			
AV	19.1974G	42.14	63.54	-21.40	37.91	1	Horizontal	310.1	1.75	-	37.81	15.22	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13432G	67.19	88.20	-21.01	78.81	3	Vertical	60	1.58	-	40.04	13.31	64.97			
RMS	13.142G	53.64	68.20	-14.56	65.20	3	Vertical	60	1.58	-	40.07	13.32	64.95			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14528G	66.39	88.20	-21.81	77.94	3	Horizontal	352	1.46	-	40.08	13.32	64.95			
RMS	13.1388G	52.60	68.20	-15.60	64.19	3	Horizontal	352	1.46	-	40.06	13.31	64.96			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7111G	55.15	83.54	-28.39	51.06	1	Vertical	210	2.68	-	37.70	15.19	48.80			
AV	19.713G	43.19	63.54	-20.35	39.10	1	Vertical	210	2.68	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68815G	55.45	83.54	-28.09	51.36	1	Horizontal	27	1.56	-	37.70	15.19	48.80			
AV	19.71205G	42.29	63.54	-21.25	38.20	1	Horizontal	27	1.56	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 26
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37656G	60.55	74.00	-13.45	71.14	3	Vertical	336.1	1.80	-	40.35	13.56	64.50			
AV	13.3696G	46.35	54.00	-7.65	56.95	3	Vertical	336.1	1.80	-	40.36	13.55	64.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 26
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3756G	66.68	74.00	-7.32	77.27	3	Horizontal	325.7	1.79	-	40.35	13.56	64.50			
AV	13.37296G	52.36	54.00	-1.64	62.96	3	Horizontal	325.7	1.79	-	40.35	13.56	64.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
 Setting 28
 05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0747G	55.50	83.54	-28.04	51.26	1	Vertical	60	1.97	-	37.80	15.23	48.79			
AV	20.0691G	42.76	63.54	-20.78	38.52	1	Vertical	60	1.97	-	37.80	15.23	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX



EUT_Y_4TX
Setting 28
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0755G	54.92	83.54	-28.62	50.67	1	Horizontal	47	2.48	-	37.80	15.23	48.78			
AV	20.0706G	42.78	63.54	-20.76	38.54	1	Horizontal	47	2.48	-	37.80	15.23	48.79			