


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0074G	40.58	83.54	-42.96	36.16	1	Vertical	295	1.71	-	37.99	15.23	48.80			
AV	19.04184G	29.60	63.54	-33.94	25.25	1	Vertical	295	1.71	-	37.92	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.01892G	40.23	83.54	-43.31	35.84	1	Horizontal	4	1.76	-	37.96	15.23	48.80			
AV	19.02876G	29.55	63.54	-33.99	25.18	1	Horizontal	4	1.76	-	37.94	15.23	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33075G	54.35	74.00	-19.65	65.69	3	Vertical	241	2.34	-	40.16	13.09	64.59			
AV	13.33096G	42.68	54.00	-11.32	54.02	3	Vertical	241	2.34	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3305G	55.36	74.00	-18.64	66.70	3	Horizontal	170	2.35	-	40.16	13.09	64.59			
AV	13.33084G	42.33	54.00	-11.67	53.67	3	Horizontal	170	2.35	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99476G	40.11	83.54	-43.43	36.03	1	Vertical	184	1.41	-	37.71	15.17	48.80			
AV	19.98516G	29.01	63.54	-34.53	24.91	1	Vertical	184	1.41	-	37.73	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99956G	39.76	83.54	-43.78	35.69	1	Horizontal	244	1.58	-	37.70	15.17	48.80			
AV	20.01072G	29.08	63.54	-34.46	24.98	1	Horizontal	244	1.58	-	37.72	15.18	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.17	88.20	-9.03	69.22	3	Vertical	357	1.80	22	34.95	7.44	32.44			
RMS	5.925G	66.78	68.20	-1.42	56.83	3	Vertical	357	1.80	22	34.95	7.44	32.44			
PK	6.246G	110.60	Inf	-Inf	100.07	3	Vertical	357	1.80	22	35.30	7.64	32.41			
RMS	6.262G	98.25	Inf	-Inf	87.70	3	Vertical	357	1.80	22	35.30	7.66	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.10	88.20	-11.10	67.15	3	Horizontal	0	1.80	22	34.95	7.44	32.44			
RMS	5.925G	64.91	68.20	-3.29	54.96	3	Horizontal	0	1.80	22	34.95	7.44	32.44			
PK	6.208G	110.61	Inf	-Inf	100.13	3	Horizontal	0	1.80	22	35.30	7.60	32.42			
RMS	6.16G	97.72	Inf	-Inf	87.27	3	Horizontal	0	1.80	22	35.30	7.57	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2106G	53.28	74.00	-20.72	67.88	3	Vertical	333	1.95	-	38.48	12.47	65.55			
AV	12.20987G	40.74	54.00	-13.26	55.34	3	Vertical	333	1.95	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21046G	52.16	74.00	-21.84	66.76	3	Horizontal	336	2.04	-	38.48	12.47	65.55			
AV	12.2099G	40.87	54.00	-13.13	55.47	3	Horizontal	336	2.04	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.29964G	40.46	83.54	-43.08	35.85	1	Vertical	242	1.92	-	37.60	15.27	48.26			
AV	18.345G	30.21	63.54	-33.33	25.52	1	Vertical	242	1.92	-	37.69	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32568G	40.70	83.54	-42.84	36.05	1	Horizontal	100	1.93	-	37.65	15.27	48.27			
AV	18.34368G	30.23	63.54	-33.31	25.54	1	Horizontal	100	1.93	-	37.69	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5293G	53.04	74.00	-20.96	66.94	3	Vertical	67	2.98	-	38.74	12.65	65.29			
AV	12.52925G	40.08	54.00	-13.92	53.98	3	Vertical	67	2.98	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52977G	52.57	74.00	-21.43	66.47	3	Horizontal	30	1.12	-	38.74	12.65	65.29			
AV	12.52927G	40.04	54.00	-13.96	53.94	3	Horizontal	30	1.12	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.78156G	40.86	83.54	-42.68	36.30	1	Vertical	205	1.97	-	37.90	15.24	48.58			
AV	18.81792G	29.96	63.54	-33.58	25.40	1	Vertical	205	1.97	-	37.94	15.24	48.62			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7836G	40.16	83.54	-43.38	35.60	1	Horizontal	1	1.93	-	37.90	15.24	48.58			
AV	18.825G	29.96	63.54	-33.58	25.39	1	Horizontal	1	1.93	-	37.95	15.24	48.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	81.12	88.20	-7.08	71.17	3	Vertical	360	1.80	22	34.95	7.44	32.44			
RMS	5.925G	65.17	68.20	-3.03	55.22	3	Vertical	360	1.80	22	34.95	7.44	32.44			
PK	5.9499G	124.76	Inf	-Inf	114.64	3	Vertical	360	1.80	22	35.10	7.46	32.44			
RMS	5.9496G	113.78	Inf	-Inf	103.66	3	Vertical	360	1.80	22	35.10	7.46	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9199G	78.80	88.20	-9.40	68.88	3	Horizontal	355	1.80	22	34.92	7.44	32.44			
RMS	5.9226G	62.91	68.20	-5.29	52.97	3	Horizontal	355	1.80	22	34.94	7.44	32.44			
PK	5.9583G	124.97	Inf	-Inf	114.81	3	Horizontal	355	1.80	22	35.13	7.47	32.44			
RMS	5.9592G	113.26	Inf	-Inf	103.09	3	Horizontal	355	1.80	22	35.14	7.47	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90901G	52.19	74.00	-21.81	66.94	3	Vertical	298	1.80	-	38.78	12.27	65.80			
AV	11.91096G	40.09	54.00	-13.91	54.84	3	Vertical	298	1.80	-	38.78	12.27	65.80			
PK	17.86928G	59.17	74.00	-14.83	66.34	3	Vertical	324	1.78	-	41.18	14.19	62.54			
AV	17.86116G	46.80	54.00	-7.20	54.02	3	Vertical	324	1.78	-	41.14	14.19	62.55			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90957G	51.99	74.00	-22.01	66.74	3	Horizontal	217	1.76	-	38.78	12.27	65.80			
AV	11.91099G	40.08	54.00	-13.92	54.83	3	Horizontal	217	1.76	-	38.78	12.27	65.80			
PK	17.86812G	58.83	74.00	-15.17	66.01	3	Horizontal	154	1.81	-	41.17	14.19	62.54			
AV	17.86186G	46.82	54.00	-7.18	54.03	3	Horizontal	154	1.81	-	41.15	14.19	62.55			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39078G	51.93	74.00	-22.07	66.17	3	Vertical	0	1.99	-	38.58	12.57	65.39			
AV	12.39091G	39.68	54.00	-14.32	53.92	3	Vertical	0	1.99	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38983G	52.16	74.00	-21.84	66.40	3	Horizontal	317	1.71	-	38.58	12.57	65.39			
AV	12.38984G	39.65	54.00	-14.35	53.89	3	Horizontal	317	1.71	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59784G	49.09	83.54	-34.45	44.44	1	Vertical	253	1.35	-	37.80	15.25	48.40			
AV	18.58776G	38.36	63.54	-25.18	33.70	1	Vertical	253	1.35	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57888G	51.30	83.54	-32.24	46.62	1	Horizontal	337	1.47	-	37.80	15.26	48.38			
AV	18.58752G	38.42	63.54	-25.12	33.76	1	Horizontal	337	1.47	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82957G	53.19	88.20	-35.01	66.31	3	Vertical	38	2.20	-	39.32	12.81	65.25			
RMS	12.82918G	41.08	68.20	-27.12	54.20	3	Vertical	38	2.20	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82978G	52.90	88.20	-35.30	66.02	3	Horizontal	37	2.89	-	39.32	12.81	65.25			
RMS	12.82927G	41.08	68.20	-27.12	54.20	3	Horizontal	37	2.89	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2654G	44.43	83.54	-39.11	40.08	1	Vertical	243	1.66	-	37.94	15.21	48.80			
AV	19.24788G	35.45	63.54	-28.09	31.04	1	Vertical	243	1.66	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24524G	45.14	83.54	-38.40	40.74	1	Horizontal	8	1.42	-	37.98	15.22	48.80			
AV	19.24704G	35.58	63.54	-27.96	31.17	1	Horizontal	8	1.42	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07019G	52.41	88.20	-35.79	64.92	3	Vertical	41	1.81	-	39.64	12.94	65.09			
RMS	13.07095G	40.58	68.20	-27.62	53.09	3	Vertical	41	1.81	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0693G	51.86	88.20	-36.34	64.38	3	Horizontal	284	1.48	-	39.64	12.94	65.10			
RMS	13.07089G	40.59	68.20	-27.61	53.10	3	Horizontal	284	1.48	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60968G	44.29	83.54	-39.25	40.20	1	Vertical	327	1.83	-	37.70	15.19	48.80			
AV	19.60956G	35.19	63.54	-28.35	31.10	1	Vertical	327	1.83	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60224G	43.68	83.54	-39.86	39.59	1	Horizontal	320	1.98	-	37.70	15.19	48.80			
AV	19.6092G	35.10	63.54	-28.44	31.01	1	Horizontal	320	1.98	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38921G	54.96	74.00	-19.04	66.11	3	Vertical	140	1.55	-	40.20	13.12	64.47			
RMS	13.39089G	42.94	54.00	-11.06	54.09	3	Vertical	140	1.55	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39099G	54.88	74.00	-19.12	66.03	3	Horizontal	272	2.10	-	40.20	13.12	64.47			
RMS	13.39078G	42.93	54.00	-11.07	54.08	3	Horizontal	272	2.10	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07924G	57.25	83.54	-26.29	53.00	1	Vertical	360	1.66	-	37.80	15.23	48.78			
AV	20.0784G	47.01	63.54	-16.53	42.76	1	Vertical	360	1.66	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07984G	56.20	83.54	-27.34	51.94	1	Horizontal	62	1.59	-	37.80	15.24	48.78			
AV	20.07888G	46.98	63.54	-16.56	42.73	1	Horizontal	62	1.59	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71053G	54.58	88.20	-33.62	65.21	3	Vertical	82	1.19	-	40.42	13.29	64.34			
RMS	13.70975G	42.83	68.20	-25.37	53.46	3	Vertical	82	1.19	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71093G	54.39	88.20	-33.81	65.02	3	Horizontal	168	1.68	-	40.42	13.29	64.34			
RMS	13.70927G	42.83	68.20	-25.37	53.46	3	Horizontal	168	1.68	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56236G	52.48	83.54	-31.06	47.65	1	Vertical	341	1.93	-	37.90	15.63	48.70			
AV	20.56176G	41.70	63.54	-21.84	36.87	1	Vertical	341	1.93	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56128G	50.36	83.54	-33.18	45.53	1	Horizontal	159	1.53	-	37.90	15.63	48.70			
AV	20.5614G	41.61	63.54	-21.93	36.78	1	Horizontal	159	1.53	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 21
22\16\21.5\19\20\20.5\21
-5.60\15.89\1.51\11.88\8.46\5.59\1.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9185G	82.43	88.20	-5.77	72.52	3	Vertical	358	1.80	21	34.91	7.44	32.44			
RMS	5.9209G	66.79	68.20	-1.41	56.86	3	Vertical	358	1.80	21	34.93	7.44	32.44			
PK	5.9821G	123.37	Inf	-Inf	113.09	3	Vertical	358	1.80	21	35.23	7.49	32.44			
RMS	5.9794G	110.59	Inf	-Inf	100.33	3	Vertical	358	1.80	21	35.22	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	81.75	88.20	-6.45	71.80	3	Horizontal	1	1.80	21	34.95	7.44	32.44			
RMS	5.925G	67.62	68.20	-0.58	57.67	3	Horizontal	1	1.80	21	34.95	7.44	32.44			
PK	5.971G	121.15	Inf	-Inf	110.93	3	Horizontal	1	1.80	21	35.18	7.48	32.44			
RMS	5.9701G	109.14	Inf	-Inf	98.92	3	Horizontal	1	1.80	21	35.18	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.93026G	52.50	74.00	-21.50	67.26	3	Vertical	56	1.81	-	38.74	12.29	65.79				
AV	11.92907G	40.20	54.00	-13.80	54.96	3	Vertical	56	1.81	-	38.74	12.29	65.79				
PK	17.89314G	57.98	74.00	-16.02	65.00	3	Vertical	54	1.64	-	41.27	14.20	62.49				
AV	17.88072G	46.63	54.00	-7.37	53.72	3	Vertical	54	1.64	-	41.22	14.20	62.51				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92963G	52.53	74.00	-21.47	67.29	3	Horizontal	108	2.73	-	38.74	12.29	65.79			
AV	11.92911G	40.17	54.00	-13.83	54.93	3	Horizontal	108	2.73	-	38.74	12.29	65.79			
PK	17.88672G	58.08	74.00	-15.92	65.13	3	Horizontal	268	1.50	-	41.25	14.20	62.50			
AV	17.88129G	46.63	54.00	-7.37	53.71	3	Horizontal	268	1.50	-	41.23	14.20	62.51			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.88712G	42.25	83.54	-41.29	33.57	1	Vertical	302	1.89	-	39.03	17.30	47.65			
AV	23.84128G	31.56	63.54	-31.98	22.83	1	Vertical	302	1.89	-	39.10	17.29	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.854G	43.00	83.54	-40.54	34.28	1	Horizontal	12	1.64	-	39.09	17.29	47.66			
AV	23.83264G	31.57	63.54	-31.97	22.85	1	Horizontal	12	1.64	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40915G	52.18	74.00	-21.82	66.35	3	Vertical	343	1.61	-	38.62	12.58	65.37			
AV	12.40948G	40.54	54.00	-13.46	54.71	3	Vertical	343	1.61	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40953G	51.49	74.00	-22.51	65.66	3	Horizontal	33	2.96	-	38.62	12.58	65.37			
AV	12.40906G	40.20	54.00	-13.80	54.37	3	Horizontal	33	2.96	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.63588G	39.24	83.54	-44.30	34.56	1	Vertical	288	1.97	-	37.87	15.25	48.44			
AV	18.60456G	28.79	63.54	-34.75	24.13	1	Vertical	288	1.97	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59052G	39.87	83.54	-43.67	35.21	1	Horizontal	29	1.74	-	37.80	15.25	48.39			
AV	18.60516G	28.73	63.54	-34.81	24.08	1	Horizontal	29	1.74	-	37.81	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80988G	53.58	88.20	-34.62	66.79	3	Vertical	52	2.13	-	39.24	12.80	65.25			
RMS	12.80904G	41.62	68.20	-26.58	54.83	3	Vertical	52	2.13	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80939G	53.00	88.20	-35.20	66.21	3	Horizontal	92	1.85	-	39.24	12.80	65.25			
RMS	12.80916G	41.62	68.20	-26.58	54.83	3	Horizontal	92	1.85	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21176G	39.77	83.54	-43.77	35.50	1	Vertical	292	1.39	-	37.85	15.22	48.80			
AV	19.23708G	29.05	63.54	-34.49	24.68	1	Vertical	292	1.39	-	37.95	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24164G	40.00	83.54	-43.54	35.61	1	Horizontal	176	1.40	-	37.97	15.22	48.80			
AV	19.2342G	29.10	63.54	-34.44	24.74	1	Horizontal	176	1.40	-	37.94	15.22	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12963G	52.86	88.20	-35.34	65.10	3	Vertical	318	2.22	-	39.76	12.98	64.98			
RMS	13.13085G	41.26	68.20	-26.94	53.50	3	Vertical	318	2.22	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13006G	53.42	88.20	-34.78	65.66	3	Horizontal	251	2.64	-	39.76	12.98	64.98			
RMS	13.13094G	41.27	68.20	-26.93	53.51	3	Horizontal	251	2.64	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70628G	39.65	83.54	-43.89	35.56	1	Vertical	195	1.36	-	37.70	15.19	48.80			
AV	19.71696G	28.76	63.54	-34.78	24.67	1	Vertical	195	1.36	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7106G	39.53	83.54	-44.01	35.44	1	Horizontal	217	1.52	-	37.70	15.19	48.80			
AV	19.72452G	28.78	63.54	-34.76	24.69	1	Horizontal	217	1.52	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36999G	54.57	74.00	-19.43	65.77	3	Vertical	212	1.35	-	40.20	13.11	64.51			
AV	13.37099G	42.67	54.00	-11.33	53.87	3	Vertical	212	1.35	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37053G	54.80	74.00	-19.20	66.00	3	Horizontal	304	1.13	-	40.20	13.11	64.51			
AV	13.37094G	42.87	54.00	-11.13	54.07	3	Horizontal	304	1.13	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05464G	41.51	83.54	-42.03	37.29	1	Vertical	334	1.69	-	37.80	15.21	48.79			
AV	20.02524G	28.74	63.54	-34.80	24.59	1	Vertical	334	1.69	-	37.75	15.19	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06208G	39.05	83.54	-44.49	34.82	1	Horizontal	259	1.83	-	37.80	15.22	48.79			
AV	20.025G	28.75	63.54	-34.79	24.60	1	Horizontal	259	1.83	-	37.75	15.19	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68921G	56.44	88.20	-31.76	67.12	3	Vertical	66	1.72	-	40.38	13.28	64.34			
RMS	13.68953G	43.17	68.20	-25.03	53.85	3	Vertical	66	1.72	-	40.38	13.28	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68946G	55.00	88.20	-33.20	65.68	3	Horizontal	121	1.81	-	40.38	13.28	64.34			
RMS	13.68917G	43.17	68.20	-25.03	53.85	3	Horizontal	121	1.81	-	40.38	13.28	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53404G	40.22	83.54	-43.32	35.41	1	Vertical	158	1.99	-	37.90	15.61	48.70			
AV	20.53992G	29.56	63.54	-33.98	24.75	1	Vertical	158	1.99	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.50548G	41.38	83.54	-42.16	36.60	1	Horizontal	356	1.42	-	37.90	15.58	48.70			
AV	20.53716G	29.58	63.54	-33.96	24.77	1	Horizontal	356	1.42	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 21
22\16.5\21.5\19\20\20.5\21
-5.50\14.99\1.77\10.91\6.84\4.42\0.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	78.59	88.20	-9.61	68.67	3	Vertical	0	1.80	21	34.92	7.44	32.44			
RMS	5.919G	67.43	68.20	-0.77	57.52	3	Vertical	0	1.80	21	34.91	7.44	32.44			
PK	6.02G	120.59	Inf	-Inf	110.18	3	Vertical	0	1.80	21	35.34	7.51	32.44			
RMS	6.0185G	107.63	Inf	-Inf	97.22	3	Vertical	0	1.80	21	35.34	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	76.19	88.20	-12.01	66.24	3	Horizontal	360	1.80	21	34.95	7.44	32.44			
RMS	5.925G	66.07	68.20	-2.13	56.12	3	Horizontal	360	1.80	21	34.95	7.44	32.44			
PK	6.012G	117.10	Inf	-Inf	106.71	3	Horizontal	360	1.80	21	35.32	7.51	32.44			
RMS	5.9895G	106.12	Inf	-Inf	95.81	3	Horizontal	360	1.80	21	35.26	7.49	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9705G	53.59	74.00	-20.41	68.32	3	Vertical	199	1.35	-	38.70	12.33	65.76				
AV	11.96919G	41.10	54.00	-12.90	55.83	3	Vertical	199	1.35	-	38.70	12.33	65.76				
PK	17.96667G	57.86	74.00	-16.14	64.56	3	Vertical	197	1.65	-	41.43	14.22	62.35				
AV	17.94723G	46.41	54.00	-7.59	53.19	3	Vertical	197	1.65	-	41.39	14.21	62.38				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97025G	53.84	74.00	-20.16	68.57	3	Horizontal	199	2.95	-	38.70	12.33	65.76			
AV	11.96923G	41.09	54.00	-12.91	55.82	3	Horizontal	199	2.95	-	38.70	12.33	65.76			
PK	17.94996G	57.78	74.00	-16.22	64.54	3	Horizontal	53	1.99	-	41.40	14.22	62.38			
AV	17.94669G	46.38	54.00	-7.62	53.16	3	Horizontal	53	1.99	-	41.39	14.21	62.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.96184G	41.44	83.54	-42.10	32.72	1	Vertical	343	1.36	-	39.02	17.32	47.62			
AV	23.91252G	31.34	63.54	-32.20	22.66	1	Vertical	343	1.36	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95272G	41.44	83.54	-42.10	32.73	1	Horizontal	157	1.90	-	39.01	17.32	47.62			
AV	23.91972G	31.34	63.54	-32.20	22.66	1	Horizontal	157	1.90	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44974G	51.82	74.00	-22.18	65.85	3	Vertical	277	2.91	-	38.70	12.61	65.34			
AV	12.45097G	40.00	54.00	-14.00	54.02	3	Vertical	277	2.91	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44907G	52.93	74.00	-21.07	66.97	3	Horizontal	140	1.11	-	38.70	12.60	65.34			
AV	12.45098G	40.23	54.00	-13.77	54.25	3	Horizontal	140	1.11	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.69936G	39.87	83.54	-43.67	35.22	1	Vertical	307	1.39	-	37.90	15.25	48.50			
AV	18.70224G	29.41	63.54	-34.13	24.76	1	Vertical	307	1.39	-	37.90	15.25	48.50			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.69816G	40.26	83.54	-43.28	35.61	1	Horizontal	234	1.45	-	37.90	15.25	48.50			
AV	18.702G	29.44	63.54	-34.10	24.79	1	Horizontal	234	1.45	-	37.90	15.25	48.50			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7709G	54.40	88.20	-33.80	67.74	3	Vertical	143	1.80	-	39.14	12.78	65.26			
RMS	12.771G	41.37	68.20	-26.83	54.71	3	Vertical	143	1.80	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76948G	53.43	88.20	-34.77	66.77	3	Horizontal	56	1.20	-	39.14	12.78	65.26			
RMS	12.77092G	41.36	68.20	-26.84	54.70	3	Horizontal	56	1.20	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.13148G	39.93	83.54	-43.61	35.51	1	Vertical	13	1.51	-	38.00	15.22	48.80			
AV	19.14492G	29.16	63.54	-34.38	24.74	1	Vertical	13	1.51	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.13328G	39.69	83.54	-43.85	35.27	1	Horizontal	318	1.75	-	38.00	15.22	48.80			
AV	19.143G	29.13	63.54	-34.41	24.71	1	Horizontal	318	1.75	-	38.00	15.22	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24967G	53.78	88.20	-34.42	65.49	3	Vertical	324	1.04	-	40.00	13.04	64.75			
RMS	13.24926G	42.51	68.20	-25.69	54.22	3	Vertical	324	1.04	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24917G	54.50	88.20	-33.70	66.21	3	Horizontal	285	1.95	-	40.00	13.04	64.75			
RMS	13.24909G	42.51	68.20	-25.69	54.22	3	Horizontal	285	1.95	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86324G	38.80	83.54	-44.74	34.72	1	Vertical	312	1.53	-	37.70	15.18	48.80			
AV	19.85952G	28.58	63.54	-34.96	24.50	1	Vertical	312	1.53	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86936G	39.31	83.54	-44.23	35.23	1	Horizontal	284	1.75	-	37.70	15.18	48.80			
AV	19.84644G	28.47	63.54	-35.07	24.39	1	Horizontal	284	1.75	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41006G	54.55	88.20	-33.65	65.65	3	Vertical	324	1.56	-	40.20	13.13	64.43			
RMS	13.40989G	42.98	68.20	-25.22	54.08	3	Vertical	324	1.56	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX



EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41087G	54.54	88.20	-33.66	65.64	3	Horizontal	314	1.71	-	40.20	13.13	64.43			
RMS	13.40923G	42.98	68.20	-25.22	54.09	3	Horizontal	314	1.71	-	40.20	13.13	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09808G	58.43	83.54	-25.11	54.16	1	Vertical	334.7	1.50	-	37.80	15.25	48.78			
AV	20.09736G	45.11	63.54	-18.43	40.84	1	Vertical	334.7	1.50	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09808G	55.79	83.54	-27.75	51.52	1	Horizontal	145	1.47	-	37.80	15.25	48.78			
AV	20.0982G	45.15	63.54	-18.39	40.88	1	Horizontal	145	1.47	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56994G	55.04	88.20	-33.16	65.75	3	Vertical	306	1.06	-	40.36	13.22	64.29			
RMS	13.57051G	43.04	68.20	-25.16	53.75	3	Vertical	306	1.06	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57024G	54.70	88.20	-33.50	65.41	3	Horizontal	160	1.25	-	40.36	13.22	64.29			
RMS	13.56934G	43.03	68.20	-25.17	53.74	3	Horizontal	160	1.25	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.37024G	39.88	83.54	-43.66	35.28	1	Vertical	217	1.44	-	37.86	15.47	48.73			
AV	20.35308G	28.83	63.54	-34.71	24.21	1	Vertical	217	1.44	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.33472G	40.07	83.54	-43.47	35.49	1	Horizontal	105	1.41	-	37.87	15.44	48.73			
AV	20.35728G	28.86	63.54	-34.68	24.24	1	Horizontal	105	1.41	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 21.5
22\18.5\21.5
-3.22\13.97\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	80.49	88.20	-7.71	70.57	3	Vertical	358	1.80	21.5	34.92	7.44	32.44			
RMS	5.9195G	67.68	68.20	-0.52	57.76	3	Vertical	358	1.80	21.5	34.92	7.44	32.44			
PK	5.9985G	117.69	Inf	-Inf	107.34	3	Vertical	358	1.80	21.5	35.29	7.50	32.44			
RSM	6.0985G	104.96	Inf	-Inf	94.45	3	Vertical	358	1.80	21.5	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.15	88.20	-11.05	67.20	3	Horizontal	0	1.80	21.5	34.95	7.44	32.44			
RMS	5.925G	66.74	68.20	-1.46	56.79	3	Horizontal	0	1.80	21.5	34.95	7.44	32.44			
PK	6.009G	115.96	Inf	-Inf	105.58	3	Horizontal	0	1.80	21.5	35.32	7.50	32.44			
RMS	6.0885G	104.72	Inf	-Inf	94.21	3	Horizontal	0	1.80	21.5	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05093G	53.29	74.00	-20.71	67.99	3	Vertical	328	1.49	-	38.60	12.39	65.69			
AV	12.05069G	40.91	54.00	-13.09	55.61	3	Vertical	328	1.49	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04955G	52.89	74.00	-21.11	67.60	3	Horizontal	59	1.20	-	38.60	12.39	65.70			
AV	12.05039G	40.89	54.00	-13.11	55.59	3	Horizontal	59	1.20	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08832G	40.03	83.54	-43.51	35.34	1	Vertical	197	1.99	-	37.63	15.28	48.22			
AV	18.105G	29.38	63.54	-34.16	24.64	1	Vertical	197	1.99	-	37.68	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08388G	40.26	83.54	-43.28	35.60	1	Horizontal	103	1.68	-	37.60	15.28	48.22			
AV	18.10476G	29.42	63.54	-34.12	24.68	1	Horizontal	103	1.68	-	37.68	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3695G	50.85	74.00	-23.15	65.16	3	Vertical	77	1.61	-	38.54	12.56	65.41			
AV	12.36923G	39.79	54.00	-14.21	54.10	3	Vertical	77	1.61	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36967G	51.48	74.00	-22.52	65.79	3	Horizontal	235	1.21	-	38.54	12.56	65.41			
AV	12.36913G	39.66	54.00	-14.34	53.97	3	Horizontal	235	1.21	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56964G	39.58	83.54	-43.96	34.89	1	Vertical	28	1.36	-	37.80	15.26	48.37			
AV	18.5652G	28.60	63.54	-34.94	23.91	1	Vertical	28	1.36	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54876G	39.09	83.54	-44.45	34.38	1	Horizontal	277	1.79	-	37.80	15.26	48.35			
AV	18.56232G	28.58	63.54	-34.96	23.88	1	Horizontal	277	1.79	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69015G	52.97	74.00	-21.03	66.42	3	Vertical	3	3.00	-	39.08	12.74	65.27			
AV	12.69099G	41.11	54.00	-12.89	54.56	3	Vertical	3	3.00	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69068G	53.57	74.00	-20.43	67.02	3	Horizontal	234	2.97	-	39.08	12.74	65.27			
AV	12.691G	41.08	54.00	-12.92	54.53	3	Horizontal	234	2.97	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04016G	40.78	83.54	-42.76	36.43	1	Vertical	191	1.47	-	37.92	15.23	48.80			
AV	19.04412G	29.55	63.54	-33.99	25.21	1	Vertical	191	1.47	-	37.91	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0116G	39.94	83.54	-43.60	35.53	1	Horizontal	12	1.96	-	37.98	15.23	48.80			
AV	19.04328G	29.56	63.54	-33.98	25.22	1	Horizontal	12	1.96	-	37.91	15.23	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3299G	54.60	74.00	-19.40	65.95	3	Vertical	58	2.17	-	40.16	13.08	64.59			
AV	13.33092G	42.80	54.00	-11.20	54.14	3	Vertical	58	2.17	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32995G	54.56	74.00	-19.44	65.91	3	Horizontal	300	2.14	-	40.16	13.08	64.59			
AV	13.33078G	42.43	54.00	-11.57	53.77	3	Horizontal	300	2.14	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9998G	40.30	83.54	-43.24	36.23	1	Vertical	6	2.00	-	37.70	15.17	48.80			
AV	19.99356G	28.95	63.54	-34.59	24.87	1	Vertical	6	2.00	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0088G	40.55	83.54	-42.99	36.45	1	Horizontal	178	1.77	-	37.72	15.18	48.80			
AV	19.9824G	28.97	63.54	-34.57	24.86	1	Horizontal	178	1.77	-	37.74	15.17	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 21.5
22\18.5\21.5
-3.30\15.54\1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	79.84	88.20	-8.36	69.92	3	Vertical	0	1.80	21.5	34.92	7.44	32.44			
RMS	5.919G	67.15	68.20	-1.05	57.24	3	Vertical	0	1.80	21.5	34.91	7.44	32.44			
PK	6.218G	116.09	Inf	-Inf	105.59	3	Vertical	0	1.80	21.5	35.30	7.61	32.41			
RMS	6.158G	103.28	Inf	-Inf	92.83	3	Vertical	0	1.80	21.5	35.30	7.57	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	77.51	88.20	-10.69	67.66	3	Horizontal	360	1.80	21.5	34.86	7.43	32.44			
RMS	5.925G	65.41	68.20	-2.79	55.46	3	Horizontal	360	1.80	21.5	34.95	7.44	32.44			
PK	6.25G	115.08	Inf	-Inf	104.54	3	Horizontal	360	1.80	21.5	35.30	7.65	32.41			
RMS	6.227G	102.86	Inf	-Inf	92.35	3	Horizontal	360	1.80	21.5	35.30	7.62	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2102G	52.88	74.00	-21.12	67.48	3	Vertical	232	2.46	-	38.48	12.47	65.55			
AV	12.21084G	41.08	54.00	-12.92	55.68	3	Vertical	232	2.46	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21057G	52.47	74.00	-21.53	67.07	3	Horizontal	284	1.50	-	38.48	12.47	65.55			
AV	12.20968G	40.78	54.00	-13.22	55.38	3	Horizontal	284	1.50	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.29412G	41.40	83.54	-42.14	36.79	1	Vertical	37	1.45	-	37.60	15.27	48.26			
AV	18.34452G	30.12	63.54	-33.42	25.43	1	Vertical	37	1.45	-	37.69	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30468G	40.22	83.54	-43.32	35.60	1	Horizontal	159	1.98	-	37.61	15.27	48.26			
AV	18.34404G	30.11	63.54	-33.43	25.42	1	Horizontal	159	1.98	-	37.69	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52957G	52.78	74.00	-21.22	66.68	3	Vertical	77	1.50	-	38.74	12.65	65.29			
AV	12.52929G	40.66	54.00	-13.34	54.56	3	Vertical	77	1.50	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53038G	52.35	74.00	-21.65	66.25	3	Horizontal	274	1.29	-	38.74	12.65	65.29			
AV	12.52988G	40.30	54.00	-13.70	54.20	3	Horizontal	274	1.29	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7872G	40.07	83.54	-43.47	35.52	1	Vertical	73	1.58	-	37.90	15.24	48.59			
AV	18.825G	29.96	63.54	-33.58	25.39	1	Vertical	73	1.58	-	37.95	15.24	48.62			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80364G	40.93	83.54	-42.61	36.38	1	Horizontal	224	1.56	-	37.91	15.24	48.60			
AV	18.82488G	29.90	63.54	-33.64	25.33	1	Horizontal	224	1.56	-	37.95	15.24	48.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 22
01-V-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.83	88.20	-7.37	70.88	3	Vertical	353	1.80	-	34.95	7.44	32.44			
RMS	5.925G	67.43	68.20	-0.77	57.48	3	Vertical	353	1.80	-	34.95	7.44	32.44			
PK	5.9525G	127.83	Inf	-Inf	117.70	3	Vertical	353	1.80	-	35.11	7.46	32.44			
RMS	5.953G	117.05	Inf	-Inf	106.92	3	Vertical	353	1.80	-	35.11	7.46	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 22
01-V-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	79.24	88.20	-8.96	69.29	3	Horizontal	352	1.80	-	34.95	7.44	32.44			
RMS	5.925G	65.89	68.20	-2.31	55.94	3	Horizontal	352	1.80	-	34.95	7.44	32.44			
PK	5.9459G	126.27	Inf	-Inf	116.17	3	Horizontal	352	1.80	-	35.08	7.46	32.44			
RMS	5.9461G	115.16	Inf	-Inf	105.06	3	Horizontal	352	1.80	-	35.08	7.46	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 22
01-V-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90775G	52.51	74.00	-21.49	67.26	3	Vertical	21	1.80	-	38.78	12.27	65.80			
AV	11.90844G	40.79	54.00	-13.21	55.54	3	Vertical	21	1.80	-	38.78	12.27	65.80			
PK	17.8665G	58.91	74.00	-15.09	66.09	3	Vertical	91	1.84	-	41.17	14.19	62.54			
AV	17.85651G	46.72	54.00	-7.28	53.96	3	Vertical	91	1.84	-	41.13	14.19	62.56			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 22
01-V-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91174G	56.75	74.00	-17.25	71.50	3	Horizontal	295	1.99	-	38.78	12.27	65.80			
AV	11.91003G	44.78	54.00	-9.22	59.53	3	Horizontal	295	1.99	-	38.78	12.27	65.80			
PK	17.85924G	59.27	74.00	-14.73	66.50	3	Horizontal	15	1.80	-	41.14	14.19	62.56			
AV	17.86299G	46.83	54.00	-7.17	54.04	3	Horizontal	15	1.80	-	41.15	14.19	62.55			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 22
01-V-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8216G	48.60	83.54	-34.94	39.89	1	Vertical	8	1.50	-	39.10	17.28	47.67			
AV	23.82272G	37.92	63.54	-25.62	29.21	1	Vertical	8	1.50	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 22
01-V-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82304G	50.03	83.54	-33.51	41.32	1	Horizontal	1	1.38	-	39.10	17.28	47.67			
AV	23.82272G	37.74	63.54	-25.80	29.03	1	Horizontal	1	1.38	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 20.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39222G	53.58	74.00	-20.42	67.82	3	Vertical	164	1.77	-	38.58	12.57	65.39			
AV	12.39004G	41.62	54.00	-12.38	55.86	3	Vertical	164	1.77	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 20.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39108G	52.95	74.00	-21.05	67.19	3	Horizontal	232	1.92	-	38.58	12.57	65.39			
AV	12.39024G	41.56	54.00	-12.44	55.80	3	Horizontal	232	1.92	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 20.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58804G	48.48	83.54	-35.06	43.82	1	Vertical	3.4	1.59	-	37.80	15.25	48.39			
AV	18.58788G	38.05	63.54	-25.49	33.39	1	Vertical	3.4	1.59	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 20.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5738G	50.61	83.54	-32.93	45.92	1	Horizontal	353	1.50	-	37.80	15.26	48.37			
AV	18.59348G	37.48	63.54	-26.06	32.82	1	Horizontal	353	1.50	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 19
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83734G	54.05	88.20	-34.15	67.13	3	Vertical	60	1.76	-	39.35	12.82	65.25			
RMS	12.8371G	41.75	68.20	-26.45	54.83	3	Vertical	60	1.76	-	39.35	12.82	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 19
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83896G	53.58	88.20	-34.62	66.65	3	Horizontal	11	1.78	-	39.36	12.82	65.25			
RMS	12.83718G	41.77	68.20	-26.43	54.85	3	Horizontal	11	1.78	-	39.35	12.82	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 19
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24524G	46.75	83.54	-36.79	42.35	1	Vertical	256	1.60	-	37.98	15.22	48.80			
AV	19.24776G	35.57	63.54	-27.97	31.16	1	Vertical	256	1.60	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 19
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23108G	47.16	83.54	-36.38	42.82	1	Horizontal	296	1.69	-	37.92	15.22	48.80			
AV	19.24836G	35.90	63.54	-27.64	31.49	1	Horizontal	296	1.69	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 17.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06994G	52.69	88.20	-35.51	65.20	3	Vertical	47	2.58	-	39.64	12.94	65.09			
RMS	13.06962G	40.43	68.20	-27.77	52.94	3	Vertical	47	2.58	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 17.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07081G	53.40	88.20	-34.80	65.91	3	Horizontal	256	2.73	-	39.64	12.94	65.09			
RMS	13.06965G	40.44	68.20	-27.76	52.95	3	Horizontal	256	2.73	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 17.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5918G	44.94	83.54	-38.60	40.85	1	Vertical	55	1.93	-	37.70	15.19	48.80			
AV	19.60932G	35.21	63.54	-28.33	31.12	1	Vertical	55	1.93	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 17.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6104G	44.86	83.54	-38.68	40.77	1	Horizontal	306	1.58	-	37.70	15.19	48.80			
AV	19.60992G	35.18	63.54	-28.36	31.09	1	Horizontal	306	1.58	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 18
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39006G	54.66	74.00	-19.34	65.81	3	Vertical	234	1.18	-	40.20	13.12	64.47			
AV	13.39093G	42.81	54.00	-11.19	53.96	3	Vertical	234	1.18	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 18
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38949G	54.60	74.00	-19.40	65.75	3	Horizontal	225	2.89	-	40.20	13.12	64.47			
AV	13.39091G	42.84	54.00	-11.16	53.99	3	Horizontal	225	2.89	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 18
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08284G	55.11	83.54	-28.43	50.85	1	Vertical	28.3	1.50	-	37.80	15.24	48.78			
AV	20.08368G	45.03	63.54	-18.51	40.77	1	Vertical	28.3	1.50	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 18
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09712G	58.31	83.54	-25.23	54.04	1	Horizontal	334.7	1.50	-	37.80	15.25	48.78			
AV	20.07924G	46.93	63.54	-16.61	42.68	1	Horizontal	334.7	1.50	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 18.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7103G	54.66	88.20	-33.54	65.29	3	Vertical	168	1.45	-	40.42	13.29	64.34			
RMS	13.70938G	42.76	68.20	-25.44	53.39	3	Vertical	168	1.45	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 18.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70935G	56.25	88.20	-31.95	66.88	3	Horizontal	92	2.37	-	40.42	13.29	64.34			
RMS	13.70912G	42.77	68.20	-25.43	53.40	3	Horizontal	92	2.37	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 18.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56044G	51.16	83.54	-32.38	46.33	1	Vertical	200	1.59	-	37.90	15.63	48.70			
AV	20.56104G	41.63	63.54	-21.91	36.80	1	Vertical	200	1.59	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 18.5
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56008G	52.21	83.54	-31.33	47.38	1	Horizontal	141	1.56	-	37.90	15.63	48.70			
AV	20.5614G	41.67	63.54	-21.87	36.84	1	Horizontal	141	1.56	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 20.5
22\12\21.5\17\19\20\20.5\21\20.5
-10.52\16.62\6.23\13.33\9.54\5.15\1.23\3.04\1.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9221G	81.60	88.20	-6.60	71.67	3	Vertical	4	1.80	20.5	34.93	7.44	32.44			
RMS	5.9221G	66.95	68.20	-1.25	57.02	3	Vertical	4	1.80	20.5	34.93	7.44	32.44			
PK	5.9833G	124.78	Inf	-Inf	114.50	3	Vertical	4	1.80	20.5	35.23	7.49	32.44			
RMS	5.9833G	113.06	Inf	-Inf	102.78	3	Vertical	4	1.80	20.5	35.23	7.49	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9203G	78.26	88.20	-9.94	68.34	3	Horizontal	0	1.80	20.5	34.92	7.44	32.44			
RMS	5.925G	63.13	68.20	-5.07	53.18	3	Horizontal	0	1.80	20.5	34.95	7.44	32.44			
PK	5.9521G	123.45	Inf	-Inf	113.32	3	Horizontal	0	1.80	20.5	35.11	7.46	32.44			
RMS	5.9734G	111.84	Inf	-Inf	101.61	3	Horizontal	0	1.80	20.5	35.19	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93023G	52.13	74.00	-21.87	66.89	3	Vertical	71	2.94	-	38.74	12.29	65.79			
AV	11.92901G	39.87	54.00	-14.13	54.63	3	Vertical	71	2.94	-	38.74	12.29	65.79			
PK	17.90643G	58.14	74.00	-15.86	65.09	3	Vertical	58	1.67	-	41.31	14.20	62.46			
AV	17.88147G	45.93	54.00	-8.07	53.01	3	Vertical	58	1.67	-	41.23	14.20	62.51			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93039G	51.93	74.00	-22.07	66.69	3	Horizontal	166	2.86	-	38.74	12.29	65.79			
AV	11.92913G	39.89	54.00	-14.11	54.65	3	Horizontal	166	2.86	-	38.74	12.29	65.79			
PK	17.90127G	57.77	74.00	-16.23	64.74	3	Horizontal	43	1.76	-	41.30	14.20	62.47			
AV	17.88153G	45.78	54.00	-8.22	52.86	3	Horizontal	43	1.76	-	41.23	14.20	62.51			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 20.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.88232G	42.88	83.54	-40.66	34.19	1	Vertical	347	1.81	-	39.04	17.30	47.65			
AV	23.83372G	31.52	63.54	-32.02	22.80	1	Vertical	347	1.81	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 20.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.88052G	41.79	83.54	-41.75	33.10	1	Horizontal	7	1.64	-	39.04	17.30	47.65			
AV	23.833G	31.61	63.54	-31.93	22.89	1	Horizontal	7	1.64	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41094G	53.02	74.00	-20.98	67.19	3	Vertical	145	2.52	-	38.62	12.58	65.37			
AV	12.40901G	40.16	54.00	-13.84	54.33	3	Vertical	145	2.52	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40923G	52.46	74.00	-21.54	66.63	3	Horizontal	252	1.14	-	38.62	12.58	65.37			
AV	12.40905G	40.36	54.00	-13.64	54.53	3	Horizontal	252	1.14	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60204G	40.52	83.54	-43.02	35.87	1	Vertical	103	1.47	-	37.80	15.25	48.40			
AV	18.60624G	28.65	63.54	-34.89	24.00	1	Vertical	103	1.47	-	37.81	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61464G	41.37	83.54	-42.17	36.70	1	Horizontal	197	2.00	-	37.83	15.25	48.41			
AV	18.60684G	28.69	63.54	-34.85	24.04	1	Horizontal	197	2.00	-	37.81	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81047G	53.36	88.20	-34.84	66.57	3	Vertical	255	2.24	-	39.24	12.80	65.25			
RMS	12.80903G	41.60	68.20	-26.60	54.81	3	Vertical	255	2.24	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80915G	52.90	88.20	-35.30	66.11	3	Horizontal	254	2.11	-	39.24	12.80	65.25			
RMS	12.80942G	41.61	68.20	-26.59	54.82	3	Horizontal	254	2.11	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.19484G	39.17	83.54	-44.37	34.93	1	Vertical	350	1.63	-	37.82	15.22	48.80			
AV	19.23924G	29.09	63.54	-34.45	24.71	1	Vertical	350	1.63	-	37.96	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22604G	40.47	83.54	-43.07	36.15	1	Horizontal	311	1.71	-	37.90	15.22	48.80			
AV	19.2342G	29.00	63.54	-34.54	24.64	1	Horizontal	311	1.71	-	37.94	15.22	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12968G	53.30	88.20	-34.90	65.54	3	Vertical	154	2.16	-	39.76	12.98	64.98			
RMS	13.13082G	41.25	68.20	-26.95	53.49	3	Vertical	154	2.16	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12929G	52.95	88.20	-35.25	65.19	3	Horizontal	57	1.76	-	39.76	12.98	64.98			
RMS	13.13099G	41.26	68.20	-26.94	53.50	3	Horizontal	57	1.76	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68648G	40.22	83.54	-43.32	36.13	1	Vertical	248	1.85	-	37.70	15.19	48.80			
AV	19.7202G	28.74	63.54	-34.80	24.65	1	Vertical	248	1.85	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7154G	39.41	83.54	-44.13	35.32	1	Horizontal	306	1.70	-	37.70	15.19	48.80			
AV	19.7202G	28.73	63.54	-34.81	24.64	1	Horizontal	306	1.70	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36934G	54.42	74.00	-19.58	65.62	3	Vertical	330	2.47	-	40.20	13.11	64.51			
AV	13.37088G	42.45	54.00	-11.55	53.65	3	Vertical	330	2.47	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37019G	54.74	74.00	-19.26	65.94	3	Horizontal	54	2.52	-	40.20	13.11	64.51			
AV	13.37085G	42.85	54.00	-11.15	54.05	3	Horizontal	54	2.52	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.079G	57.30	83.54	-26.24	53.05	1	Vertical	334	1.47	-	37.80	15.23	48.78			
AV	20.07864G	47.20	63.54	-16.34	42.95	1	Vertical	334	1.47	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07804G	56.96	83.54	-26.58	52.71	1	Horizontal	266	1.92	-	37.80	15.23	48.78			
AV	20.07912G	47.30	63.54	-16.24	43.05	1	Horizontal	266	1.92	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68938G	55.78	88.20	-32.42	66.46	3	Vertical	25	1.71	-	40.38	13.28	64.34			
RMS	13.68935G	43.18	68.20	-25.02	53.86	3	Vertical	25	1.71	-	40.38	13.28	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6897G	55.64	88.20	-32.56	66.32	3	Horizontal	214	2.46	-	40.38	13.28	64.34			
RMS	13.68923G	43.17	68.20	-25.03	53.85	3	Horizontal	214	2.46	-	40.38	13.28	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5494G	40.34	83.54	-43.20	35.52	1	Vertical	71	1.73	-	37.90	15.62	48.70			
AV	20.54136G	29.45	63.54	-34.09	24.64	1	Vertical	71	1.73	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.51508G	40.38	83.54	-43.16	35.59	1	Horizontal	321	1.73	-	37.90	15.59	48.70			
AV	20.53788G	29.49	63.54	-34.05	24.68	1	Horizontal	321	1.73	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 20.5
22\14\21.5\18\19.5\20\21\20.5
-7.63\15.89\3.58\11.98\7.36\5.31\0.43\2.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	76.56	88.20	-11.64	66.66	3	Vertical	353	1.80	20.5	34.90	7.44	32.44			
RMS	5.9155G	65.61	68.20	-2.59	55.72	3	Vertical	353	1.80	20.5	34.89	7.44	32.44			
PK	5.982G	120.20	Inf	-Inf	109.92	3	Vertical	353	1.80	20.5	35.23	7.49	32.44			
RMS	6.0165G	109.59	Inf	-Inf	99.19	3	Vertical	353	1.80	20.5	35.33	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.05	88.20	-12.15	66.12	3	Horizontal	1	1.80	20.5	34.93	7.44	32.44			
RMS	5.9205G	62.98	68.20	-5.22	53.06	3	Horizontal	1	1.80	20.5	34.92	7.44	32.44			
PK	5.9955G	119.97	Inf	-Inf	109.63	3	Horizontal	1	1.80	20.5	35.28	7.50	32.44			
RMS	5.9945G	108.71	Inf	-Inf	98.37	3	Horizontal	1	1.80	20.5	35.28	7.50	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 20.5
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96954G	53.46	74.00	-20.54	68.19	3	Vertical	151	1.90	-	38.70	12.33	65.76			
AV	11.96931G	41.06	54.00	-12.94	55.79	3	Vertical	151	1.90	-	38.70	12.33	65.76			
PK	17.94909G	58.27	74.00	-15.73	65.03	3	Vertical	21	1.41	-	41.40	14.22	62.38			
AV	17.94672G	46.42	54.00	-7.58	53.20	3	Vertical	21	1.41	-	41.39	14.21	62.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 20.5
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97001G	53.20	74.00	-20.80	67.93	3	Horizontal	19	1.28	-	38.70	12.33	65.76			
AV	11.96925G	41.05	54.00	-12.95	55.78	3	Horizontal	19	1.28	-	38.70	12.33	65.76			
PK	17.94723G	57.70	74.00	-16.30	64.48	3	Horizontal	351	1.63	-	41.39	14.21	62.38			
AV	17.94726G	45.43	54.00	-8.57	52.21	3	Horizontal	351	1.63	-	41.39	14.21	62.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 20.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92872G	41.96	83.54	-41.58	33.28	1	Vertical	236	1.56	-	39.00	17.31	47.63			
AV	23.91912G	31.33	63.54	-32.21	22.65	1	Vertical	236	1.56	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 20.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9352G	42.06	83.54	-41.48	33.38	1	Horizontal	258	1.78	-	39.00	17.31	47.63			
AV	23.91408G	31.37	63.54	-32.17	22.69	1	Horizontal	258	1.78	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44995G	52.55	74.00	-21.45	66.58	3	Vertical	294	1.30	-	38.70	12.61	65.34			
AV	12.45094G	39.18	54.00	-14.82	53.20	3	Vertical	294	1.30	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45067G	51.79	74.00	-22.21	65.81	3	Horizontal	174	2.52	-	38.70	12.61	65.33			
AV	12.4509G	39.97	54.00	-14.03	53.99	3	Horizontal	174	2.52	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.69996G	40.44	83.54	-43.10	35.79	1	Vertical	235	1.65	-	37.90	15.25	48.50			
AV	18.70308G	29.42	63.54	-34.12	24.77	1	Vertical	235	1.65	-	37.90	15.25	48.50			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68652G	39.59	83.54	-43.95	34.93	1	Horizontal	274	1.37	-	37.90	15.25	48.49			
AV	18.70104G	29.36	63.54	-34.18	24.71	1	Horizontal	274	1.37	-	37.90	15.25	48.50			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77054G	53.24	88.20	-34.96	66.58	3	Vertical	225	1.27	-	39.14	12.78	65.26			
RMS	12.77091G	41.39	68.20	-26.81	54.73	3	Vertical	225	1.27	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76919G	52.82	88.20	-35.38	66.16	3	Horizontal	45	1.97	-	39.14	12.78	65.26			
RMS	12.7709G	41.40	68.20	-26.80	54.74	3	Horizontal	45	1.97	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14828G	40.18	83.54	-43.36	35.76	1	Vertical	178	1.91	-	38.00	15.22	48.80			
AV	19.14384G	29.03	63.54	-34.51	24.61	1	Vertical	178	1.91	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16112G	39.26	83.54	-44.28	34.88	1	Horizontal	133	1.80	-	37.96	15.22	48.80			
AV	19.1484G	29.08	63.54	-34.46	24.66	1	Horizontal	133	1.80	-	38.00	15.22	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24921G	55.51	88.20	-32.69	67.22	3	Vertical	237	1.37	-	40.00	13.04	64.75			
RMS	13.249G	42.51	68.20	-25.69	54.22	3	Vertical	237	1.37	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2507G	54.82	74.00	-19.18	66.52	3	Horizontal	283	1.72	-	40.00	13.04	64.74			
RMS	13.24923G	42.53	68.20	-25.67	54.24	3	Horizontal	283	1.72	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.85328G	39.88	83.54	-43.66	35.80	1	Vertical	19	1.47	-	37.70	15.18	48.80			
AV	19.8558G	28.44	63.54	-35.10	24.36	1	Vertical	19	1.47	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.88244G	40.21	83.54	-43.33	36.13	1	Horizontal	219	1.73	-	37.70	15.18	48.80				
AV	19.84896G	28.48	63.54	-35.06	24.40	1	Horizontal	219	1.73	-	37.70	15.18	48.80				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41065G	54.83	88.20	-33.37	65.93	3	Vertical	241	1.31	-	40.20	13.13	64.43			
RMS	13.41092G	42.96	68.20	-25.24	54.06	3	Vertical	241	1.31	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41054G	54.74	88.20	-33.46	65.84	3	Horizontal	202	2.63	-	40.20	13.13	64.43			
RMS	13.40956G	42.98	68.20	-25.22	54.09	3	Horizontal	202	2.63	-	40.20	13.13	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX



EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10012G	56.22	83.54	-27.32	51.95	1	Vertical	220	1.59	-	37.80	15.25	48.78			
AV	20.09832G	45.07	63.54	-18.47	40.80	1	Vertical	220	1.59	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09868G	58.75	83.54	-24.79	54.48	1	Horizontal	72	1.50	-	37.80	15.25	48.78			
AV	20.09796G	45.04	63.54	-18.50	40.77	1	Horizontal	72	1.50	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56974G	54.74	88.20	-33.46	65.45	3	Vertical	57	2.17	-	40.36	13.22	64.29			
RMS	13.5704G	43.06	68.20	-25.14	53.77	3	Vertical	57	2.17	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56916G	55.13	88.20	-33.07	65.84	3	Horizontal	268	2.85	-	40.36	13.22	64.29			
RMS	13.57066G	43.06	68.20	-25.14	53.77	3	Horizontal	268	2.85	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3838G	40.58	83.54	-42.96	35.99	1	Vertical	288	1.78	-	37.83	15.48	48.72			
AV	20.35704G	28.85	63.54	-34.69	24.23	1	Vertical	288	1.78	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3646G	40.17	83.54	-43.37	35.56	1	Horizontal	60	1.76	-	37.87	15.47	48.73			
AV	20.35692G	28.91	63.54	-34.63	24.29	1	Horizontal	60	1.76	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 21
22\15.5\21.5\18.5\20\20.5\21
-6.18\15.31\2.24\13.46\7.76\4.85\1.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.912G	78.44	88.20	-9.76	68.58	3	Vertical	357	1.80	21	34.87	7.43	32.44			
RMS	5.9245G	67.20	68.20	-1.00	57.25	3	Vertical	357	1.80	21	34.95	7.44	32.44			
PK	6.0945G	119.59	Inf	-Inf	109.08	3	Vertical	357	1.80	21	35.40	7.54	32.43			
RMS	6.093G	108.11	Inf	-Inf	97.60	3	Vertical	357	1.80	21	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	77.36	88.20	-10.84	67.49	3	Horizontal	0	1.80	21	34.88	7.43	32.44			
RMS	5.9135G	65.30	68.20	-2.90	55.42	3	Horizontal	0	1.80	21	34.88	7.44	32.44			
PK	6.095G	118.07	Inf	-Inf	107.56	3	Horizontal	0	1.80	21	35.40	7.54	32.43			
RMS	6.1015G	106.38	Inf	-Inf	95.86	3	Horizontal	0	1.80	21	35.40	7.55	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05087G	52.78	74.00	-21.22	67.48	3	Vertical	286	2.29	-	38.60	12.39	65.69			
AV	12.0507G	40.92	54.00	-13.08	55.62	3	Vertical	286	2.29	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0503G	54.03	74.00	-19.97	68.73	3	Horizontal	174	1.79	-	38.60	12.39	65.69			
AV	12.05098G	40.33	54.00	-13.67	55.03	3	Horizontal	174	1.79	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.09G	39.14	83.54	-44.40	34.44	1	Vertical	14	1.89	-	37.64	15.28	48.22			
AV	18.10224G	29.39	63.54	-34.15	24.64	1	Vertical	14	1.89	-	37.69	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.10236G	39.70	83.54	-43.84	34.95	1	Horizontal	244	1.36	-	37.69	15.28	48.22			
AV	18.10428G	29.36	63.54	-34.18	24.62	1	Horizontal	244	1.36	-	37.68	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36986G	51.63	74.00	-22.37	65.94	3	Vertical	5	1.88	-	38.54	12.56	65.41			
AV	12.36928G	39.67	54.00	-14.33	53.98	3	Vertical	5	1.88	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36981G	51.66	74.00	-22.34	65.97	3	Horizontal	112	1.14	-	38.54	12.56	65.41			
AV	12.36902G	40.31	54.00	-13.69	54.62	3	Horizontal	112	1.14	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.53904G	39.08	83.54	-44.46	34.36	1	Vertical	346	1.80	-	37.80	15.26	48.34			
AV	18.52824G	28.64	63.54	-34.90	23.91	1	Vertical	346	1.80	-	37.80	15.26	48.33			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.573G	41.49	83.54	-42.05	36.80	1	Horizontal	30	1.48	-	37.80	15.26	48.37			
AV	18.52836G	28.57	63.54	-34.97	23.84	1	Horizontal	30	1.48	-	37.80	15.26	48.33			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68915G	52.64	74.00	-21.36	66.09	3	Vertical	239	2.55	-	39.08	12.74	65.27			
AV	12.69024G	41.09	54.00	-12.91	54.54	3	Vertical	239	2.55	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69011G	52.43	74.00	-21.57	65.88	3	Horizontal	137	1.19	-	39.08	12.74	65.27			
AV	12.69097G	41.12	54.00	-12.88	54.57	3	Horizontal	137	1.19	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03044G	40.96	83.54	-42.58	36.59	1	Vertical	165	2.00	-	37.94	15.23	48.80			
AV	19.04736G	29.55	63.54	-33.99	25.21	1	Vertical	165	2.00	-	37.91	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03044G	40.31	83.54	-43.23	35.94	1	Horizontal	184	2.00	-	37.94	15.23	48.80			
AV	19.047G	29.60	63.54	-33.94	25.26	1	Horizontal	184	2.00	-	37.91	15.23	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33053G	54.11	74.00	-19.89	65.45	3	Vertical	293	2.07	-	40.16	13.09	64.59			
AV	13.33091G	42.78	54.00	-11.22	54.12	3	Vertical	293	2.07	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32988G	54.51	74.00	-19.49	65.86	3	Horizontal	302	3.00	-	40.16	13.08	64.59			
AV	13.331G	42.77	54.00	-11.23	54.11	3	Horizontal	302	3.00	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.01588G	39.73	83.54	-43.81	35.62	1	Vertical	295	1.96	-	37.73	15.18	48.80			
AV	19.99752G	28.97	63.54	-34.57	24.90	1	Vertical	295	1.96	-	37.70	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00328G	38.85	83.54	-44.69	34.77	1	Horizontal	294	1.76	-	37.71	15.17	48.80			
AV	19.99176G	28.96	63.54	-34.58	24.87	1	Horizontal	294	1.76	-	37.72	15.17	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 21
22\15.5\21.5\18.5\20\20.5\21
-6.14\15.60\1.51\13.50\9.17\5.93\1.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.924G	78.27	88.20	-9.93	68.33	3	Vertical	357	1.80	21	34.94	7.44	32.44				
AV	5.924G	66.69	68.20	-1.51	56.75	3	Vertical	357	1.80	21	34.94	7.44	32.44				
PK	6.255G	119.63	Inf	-Inf	109.09	3	Vertical	357	1.80	21	35.30	7.65	32.41				
AV	6.254G	106.88	Inf	-Inf	96.34	3	Vertical	357	1.80	21	35.30	7.65	32.41				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.914G	76.20	88.20	-12.00	66.32	3	Horizontal	0	1.80	21	34.88	7.44	32.44			
AV	5.912G	63.48	68.20	-4.72	53.62	3	Horizontal	0	1.80	21	34.87	7.43	32.44			
PK	6.244G	117.17	Inf	-Inf	106.64	3	Horizontal	0	1.80	21	35.30	7.64	32.41			
AV	6.263G	105.55	Inf	-Inf	95.00	3	Horizontal	0	1.80	21	35.30	7.66	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20975G	52.36	74.00	-21.64	66.96	3	Vertical	180	2.59	-	38.48	12.47	65.55			
AV	12.21038G	40.81	54.00	-13.19	55.41	3	Vertical	180	2.59	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20956G	52.66	74.00	-21.34	67.26	3	Horizontal	63	1.16	-	38.48	12.47	65.55			
AV	12.20943G	41.02	54.00	-12.98	55.62	3	Horizontal	63	1.16	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.33864G	40.16	83.54	-43.38	35.48	1	Vertical	47	1.96	-	37.68	15.27	48.27			
AV	18.34476G	30.10	63.54	-33.44	25.41	1	Vertical	47	1.96	-	37.69	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.29592G	40.81	83.54	-42.73	36.20	1	Horizontal	271	1.47	-	37.60	15.27	48.26			
AV	18.34236G	30.14	63.54	-33.40	25.46	1	Horizontal	271	1.47	-	37.68	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52945G	53.92	74.00	-20.08	67.82	3	Vertical	311	1.11	-	38.74	12.65	65.29			
AV	12.52921G	40.26	54.00	-13.74	54.16	3	Vertical	311	1.11	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53097G	52.04	74.00	-21.96	65.94	3	Horizontal	29	1.74	-	38.74	12.65	65.29			
AV	12.52932G	40.28	54.00	-13.72	54.18	3	Horizontal	29	1.74	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.81492G	41.03	83.54	-42.51	36.47	1	Vertical	162	1.57	-	37.93	15.24	48.61			
AV	18.82392G	29.95	63.54	-33.59	25.38	1	Vertical	162	1.57	-	37.95	15.24	48.62			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX



EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7926G	40.72	83.54	-42.82	36.17	1	Horizontal	59	1.40	-	37.90	15.24	48.59			
AV	18.82416G	29.93	63.54	-33.61	25.36	1	Horizontal	59	1.40	-	37.95	15.24	48.62			



**RSE TX above 1GHz_R4_Standard Power AP_
Narrow Beam_Full RU_BF mode**


Appendix E.18

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.925G	67.88	68.20	-0.32	3	Horizontal	358.1	1.33	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
06-E-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9235G	69.03	88.20	-19.17	63.96	3	Vertical	359.9	1.52	-	32.40	7.27	34.60			
RMS	5.9242G	54.98	68.20	-13.22	49.91	3	Vertical	359.9	1.52	-	32.40	7.27	34.60			
PK	5.9632G	123.77	Inf	-Inf	118.69	3	Vertical	359.9	1.52	-	32.43	7.29	34.64			
RMS	5.9624G	109.93	Inf	-Inf	104.86	3	Vertical	359.9	1.52	-	32.42	7.29	34.64			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
06-E-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.924G	85.06	88.20	-3.14	79.99	3	Horizontal	360	1.50	-	32.40	7.27	34.60				
RMS	5.9249G	67.72	68.20	-0.48	62.65	3	Horizontal	360	1.50	-	32.40	7.27	34.60				
PK	5.9493G	129.02	Inf	-Inf	123.97	3	Horizontal	360	1.50	-	32.40	7.28	34.63				
RMS	5.9626G	116.14	Inf	-Inf	111.06	3	Horizontal	360	1.50	-	32.43	7.29	34.64				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91964G	53.70	74.00	-20.30	68.62	3	Vertical	341	2.12	-	38.84	12.03	65.79				
AV	11.91G	39.59	54.00	-14.41	54.55	3	Vertical	341	2.12	-	38.82	12.02	65.80				
PK	17.85772G	55.23	74.00	-18.77	56.26	3	Vertical	82	1.97	-	47.48	14.05	62.56				
AV	17.87302G	43.01	54.00	-10.99	43.45	3	Vertical	82	1.97	-	48.03	14.06	62.53				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91544G	55.63	74.00	-18.37	70.57	3	Horizontal	140	1.29	-	38.83	12.03	65.80			
AV	11.91446G	41.47	54.00	-12.53	56.42	3	Horizontal	140	1.29	-	38.83	12.02	65.80			
PK	17.8568G	54.80	74.00	-19.20	55.87	3	Horizontal	194	2.88	-	47.44	14.05	62.56			
AV	17.8719G	42.55	54.00	-11.45	43.03	3	Horizontal	194	2.88	-	47.99	14.06	62.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81922G	48.33	83.54	-35.21	39.62	1	Vertical	138	1.49	-	39.10	17.28	47.67			
AV	23.81928G	40.64	63.54	-22.90	31.93	1	Vertical	138	1.49	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8191G	51.10	83.54	-32.44	42.39	1	Horizontal	136.2	1.50	-	39.10	17.28	47.67			
AV	23.81922G	44.87	63.54	-18.67	36.16	1	Horizontal	136.2	1.50	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39138G	50.37	74.00	-23.63	64.89	3	Vertical	5	1.64	-	38.80	12.07	65.39			
AV	12.39096G	37.60	54.00	-16.40	52.12	3	Vertical	5	1.64	-	38.80	12.07	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39294G	56.19	74.00	-17.81	70.71	3	Horizontal	142	2.67	-	38.80	12.07	65.39			
AV	12.39994G	40.78	54.00	-13.22	55.29	3	Horizontal	142	2.67	-	38.80	12.07	65.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58G	43.74	83.54	-39.80	39.06	1	Vertical	2	2.46	-	37.80	15.26	48.38			
AV	18.59134G	32.81	63.54	-30.73	28.15	1	Vertical	2	2.46	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5824G	44.22	83.54	-39.32	39.54	1	Horizontal	201	1.25	-	37.80	15.26	48.38			
AV	18.57984G	32.80	63.54	-30.74	28.12	1	Horizontal	201	1.25	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82724G	53.72	88.20	-34.48	67.71	3	Vertical	204	2.92	-	39.20	12.06	65.25			
RMS	12.83342G	38.64	68.20	-29.56	52.64	3	Vertical	204	2.92	-	39.20	12.05	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8202G	53.16	88.20	-35.04	67.15	3	Horizontal	252	2.47	-	39.20	12.06	65.25			
RMS	12.8333G	39.09	68.20	-29.11	53.08	3	Horizontal	252	2.47	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24738G	43.75	83.54	-39.79	39.34	1	Vertical	170	1.78	-	37.99	15.22	48.80			
AV	19.2402G	31.71	63.54	-31.83	27.33	1	Vertical	170	1.78	-	37.96	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25252G	43.45	83.54	-40.09	39.05	1	Horizontal	282	1.96	-	37.99	15.21	48.80			
AV	19.24382G	31.85	63.54	-31.69	27.45	1	Horizontal	282	1.96	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07528G	54.10	88.20	-34.10	67.93	3	Vertical	104	1.08	-	39.20	12.05	65.08			
RMS	13.07226G	38.63	68.20	-29.57	52.47	3	Vertical	104	1.08	-	39.20	12.05	65.09			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07256G	53.88	88.20	-34.32	67.72	3	Horizontal	161	1.36	-	39.20	12.05	65.09			
RMS	13.06992G	38.69	68.20	-29.51	52.53	3	Horizontal	161	1.36	-	39.20	12.05	65.09			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60396G	44.52	83.54	-39.02	40.43	1	Vertical	65	2.67	-	37.70	15.19	48.80			
AV	19.59702G	32.35	63.54	-31.19	28.26	1	Vertical	65	2.67	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5967G	44.12	83.54	-39.42	40.03	1	Horizontal	305	1.81	-	37.70	15.19	48.80			
AV	19.60124G	32.54	63.54	-31.00	28.45	1	Horizontal	305	1.81	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 24
06-E-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38172G	52.62	74.00	-21.38	65.07	3	Vertical	347	2.94	-	40.00	12.04	64.49			
AV	13.3897G	39.73	54.00	-14.27	52.16	3	Vertical	347	2.94	-	40.00	12.04	64.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 24
06-E-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39966G	57.35	74.00	-16.65	69.76	3	Horizontal	92	1.34	-	40.00	12.04	64.45			
AV	13.39568G	42.14	54.00	-11.86	54.56	3	Horizontal	92	1.34	-	40.00	12.04	64.46			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07806G	43.16	83.54	-40.38	38.91	1	Vertical	129	2.80	-	37.80	15.23	48.78			
AV	20.08096G	31.65	63.54	-31.89	27.39	1	Vertical	129	2.80	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08462G	43.67	83.54	-39.87	39.41	1	Horizontal	114	1.67	-	37.80	15.24	48.78			
AV	20.09226G	31.90	63.54	-31.64	27.63	1	Horizontal	114	1.67	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71328G	55.38	88.20	-32.82	67.37	3	Vertical	44	1.66	-	40.33	12.03	64.35			
RMS	13.70044G	41.12	68.20	-27.08	53.13	3	Vertical	44	1.66	-	40.30	12.03	64.34			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70892G	61.87	88.20	-26.33	73.86	3	Horizontal	198	1.26	-	40.32	12.03	64.34			
RMS	13.70984G	48.16	68.20	-20.04	60.15	3	Horizontal	198	1.26	-	40.32	12.03	64.34			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55996G	44.05	83.54	-39.49	39.22	1	Vertical	360	1.40	-	37.90	15.63	48.70			
AV	20.5715G	32.20	63.54	-31.34	27.36	1	Vertical	360	1.40	-	37.90	15.64	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55986G	43.38	83.54	-40.16	38.55	1	Horizontal	260	2.91	-	37.90	15.63	48.70			
AV	20.57202G	32.20	63.54	-31.34	27.36	1	Horizontal	260	2.91	-	37.90	15.64	48.70			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
06-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	84.95	88.20	-3.25	79.88	3	Vertical	0.5	1.53	-	32.40	7.27	34.60			
RMS	5.9228G	61.19	68.20	-7.01	56.12	3	Vertical	0.5	1.53	-	32.40	7.27	34.60			
PK	5.9608G	119.74	Inf	-Inf	114.67	3	Vertical	0.5	1.53	-	32.42	7.29	34.64			
RMS	5.9736G	103.22	Inf	-Inf	98.12	3	Vertical	0.5	1.53	-	32.45	7.30	34.65			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9216G	85.38	88.20	-2.82	80.31	3	Horizontal	358.1	1.33	-	32.40	7.27	34.60			
RMS	5.925G	67.88	68.20	-0.32	62.81	3	Horizontal	358.1	1.33	-	32.40	7.27	34.60			
PK	5.9826G	122.80	Inf	-Inf	117.68	3	Horizontal	358.1	1.33	-	32.47	7.31	34.66			
RMS	5.983G	112.77	Inf	-Inf	107.65	3	Horizontal	358.1	1.33	-	32.47	7.31	34.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93796G	45.65	74.00	-28.35	60.51	3	Vertical	208	2.45	-	38.88	12.04	65.78			
AV	11.92984G	32.38	54.00	-21.62	47.28	3	Vertical	208	2.45	-	38.86	12.03	65.79			
PK	17.8989G	55.56	74.00	-18.44	55.01	3	Vertical	151	1.83	-	48.96	14.07	62.48			
AV	17.90402G	43.02	54.00	-10.98	42.28	3	Vertical	151	1.83	-	49.14	14.07	62.47			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93528G	45.20	74.00	-28.80	60.07	3	Horizontal	9	2.82	-	38.87	12.04	65.78			
AV	11.92978G	32.55	54.00	-21.45	47.45	3	Horizontal	9	2.82	-	38.86	12.03	65.79			
PK	17.8962G	56.12	74.00	-17.88	55.68	3	Horizontal	320	2.55	-	48.86	14.06	62.48			
AV	17.90374G	43.48	54.00	-10.52	42.75	3	Horizontal	320	2.55	-	49.13	14.07	62.47			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8591G	49.24	83.54	-34.30	40.53	1	Vertical	139.9	1.50	-	39.08	17.29	47.66			
AV	23.8592G	42.92	63.54	-20.62	34.21	1	Vertical	139.9	1.50	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85916G	49.22	83.54	-34.32	40.51	1	Horizontal	135.5	1.49	-	39.08	17.29	47.66			
AV	23.85918G	43.69	63.54	-19.85	34.98	1	Horizontal	135.5	1.49	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4198G	50.65	74.00	-23.35	65.18	3	Vertical	333	2.88	-	38.76	12.07	65.36			
AV	12.41878G	35.97	54.00	-18.03	50.50	3	Vertical	333	2.88	-	38.76	12.07	65.36			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40998G	58.28	74.00	-15.72	72.80	3	Horizontal	262	2.68	-	38.78	12.07	65.37			
AV	12.40982G	42.05	54.00	-11.95	56.57	3	Horizontal	262	2.68	-	38.78	12.07	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61016G	45.32	83.54	-38.22	40.66	1	Vertical	324	2.80	-	37.82	15.25	48.41			
AV	18.61374G	32.39	63.54	-31.15	27.72	1	Vertical	324	2.80	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6149G	45.42	83.54	-38.12	40.75	1	Horizontal	262	2.91	-	37.83	15.25	48.41			
AV	18.60832G	32.29	63.54	-31.25	27.63	1	Horizontal	262	2.91	-	37.82	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76274G	43.91	88.20	-44.29	58.13	3	Vertical	248	2.18	-	38.98	12.06	65.26			
RMS	12.76038G	30.94	68.20	-37.26	45.18	3	Vertical	248	2.18	-	38.96	12.06	65.26			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76756G	44.20	88.20	-44.00	58.39	3	Horizontal	309	1.24	-	39.01	12.06	65.26			
RMS	12.76104G	31.14	68.20	-37.06	45.37	3	Horizontal	309	1.24	-	38.97	12.06	65.26			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20578G	43.23	83.54	-40.31	38.99	1	Vertical	92	2.19	-	37.82	15.22	48.80			
AV	19.2064G	31.53	63.54	-32.01	27.28	1	Vertical	92	2.19	-	37.83	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2236G	43.56	83.54	-39.98	39.25	1	Horizontal	215	1.39	-	37.89	15.22	48.80			
AV	19.21446G	31.46	63.54	-32.08	27.18	1	Horizontal	215	1.39	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12464G	52.26	88.20	-35.94	65.80	3	Vertical	181	1.64	-	39.40	12.05	64.99			
RMS	13.12998G	36.22	68.20	-31.98	49.71	3	Vertical	181	1.64	-	39.44	12.05	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1308G	50.72	88.20	-37.48	64.20	3	Horizontal	103	1.28	-	39.45	12.05	64.98			
RMS	13.12952G	36.22	68.20	-31.98	49.71	3	Horizontal	103	1.28	-	39.44	12.05	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6903G	43.72	83.54	-39.82	39.63	1	Vertical	232	2.75	-	37.70	15.19	48.80			
AV	19.69476G	31.38	63.54	-32.16	27.29	1	Vertical	232	2.75	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69152G	44.17	83.54	-39.37	40.08	1	Horizontal	189	1.44	-	37.70	15.19	48.80			
AV	19.6884G	31.45	63.54	-32.09	27.36	1	Horizontal	189	1.44	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37688G	51.09	74.00	-22.91	63.55	3	Vertical	63	1.10	-	40.00	12.04	64.50			
AV	13.36026G	36.95	54.00	-17.05	49.44	3	Vertical	63	1.10	-	40.00	12.04	64.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37614G	50.73	74.00	-23.27	63.19	3	Horizontal	26	1.21	-	40.00	12.04	64.50			
AV	13.3603G	36.88	54.00	-17.12	49.37	3	Horizontal	26	1.21	-	40.00	12.04	64.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.04636G	43.32	83.54	-40.22	39.11	1	Vertical	190	2.34	-	37.79	15.21	48.79			
AV	20.05064G	31.32	63.54	-32.22	27.10	1	Vertical	190	2.34	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.061G	43.36	83.54	-40.18	39.13	1	Horizontal	199	2.48	-	37.80	15.22	48.79			
AV	20.0492G	31.32	63.54	-32.22	27.10	1	Horizontal	199	2.48	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69666G	53.97	88.20	-34.23	65.98	3	Vertical	113	1.66	-	40.30	12.03	64.34			
RMS	13.68008G	38.08	68.20	-30.12	50.08	3	Vertical	113	1.66	-	40.30	12.03	64.33			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69316G	54.44	88.20	-33.76	66.45	3	Horizontal	314	1.53	-	40.30	12.03	64.34			
RMS	13.68992G	36.78	68.20	-31.42	48.79	3	Horizontal	314	1.53	-	40.30	12.03	64.34			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5335G	43.93	83.54	-39.61	39.13	1	Vertical	218	1.39	-	37.90	15.60	48.70			
AV	20.53928G	31.55	63.54	-31.99	26.74	1	Vertical	218	1.39	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54078G	43.15	83.54	-40.39	38.34	1	Horizontal	293	1.48	-	37.90	15.61	48.70			
AV	20.54114G	31.55	63.54	-31.99	26.74	1	Horizontal	293	1.48	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8985G	75.32	88.20	-12.88	70.25	3	Vertical	360	1.46	-	32.39	7.25	34.57			
RMS	5.9165G	61.24	68.20	-6.96	56.17	3	Vertical	360	1.46	-	32.40	7.26	34.59			
PK	5.963G	114.37	Inf	-Inf	109.29	3	Vertical	360	1.46	-	32.43	7.29	34.64			
RMS	5.959G	97.92	Inf	-Inf	92.85	3	Vertical	360	1.46	-	32.42	7.29	34.64			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	83.20	88.20	-5.00	78.13	3	Horizontal	360.1	1.32	-	32.40	7.27	34.60			
RMS	5.925G	65.27	68.20	-2.93	60.20	3	Horizontal	360.1	1.32	-	32.40	7.27	34.60			
PK	6.0145G	119.38	Inf	-Inf	114.22	3	Horizontal	360.1	1.32	-	32.50	7.33	34.67			
RMS	6.0205G	108.80	Inf	-Inf	103.63	3	Horizontal	360.1	1.32	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97136G	46.31	74.00	-27.69	61.07	3	Vertical	8	2.57	-	38.94	12.06	65.76			
AV	11.97418G	32.91	54.00	-21.09	47.66	3	Vertical	8	2.57	-	38.95	12.06	65.76			
PK	17.96252G	55.48	74.00	-18.52	52.34	3	Vertical	151	1.52	-	51.40	14.09	62.35			
AV	17.96358G	42.63	54.00	-11.37	39.44	3	Vertical	151	1.52	-	51.45	14.09	62.35			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96252G	46.28	74.00	-27.72	61.05	3	Horizontal	296	1.08	-	38.93	12.06	65.76			
AV	11.97424G	32.86	54.00	-21.14	47.61	3	Horizontal	296	1.08	-	38.95	12.06	65.76			
PK	17.95404G	55.63	74.00	-18.37	52.93	3	Horizontal	128	1.63	-	50.99	14.08	62.37			
AV	17.96494G	42.71	54.00	-11.29	39.45	3	Horizontal	128	1.63	-	51.52	14.09	62.35			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9388G	44.94	83.54	-38.60	36.25	1	Vertical	67	1.37	-	39.00	17.31	47.62			
AV	23.93984G	33.83	63.54	-29.71	25.14	1	Vertical	67	1.37	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93422G	45.36	83.54	-38.18	36.68	1	Horizontal	333	1.10	-	39.00	17.31	47.63			
AV	23.9367G	33.82	63.54	-29.72	25.14	1	Horizontal	333	1.10	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4495G	46.91	74.00	-27.09	61.48	3	Vertical	94	1.48	-	38.70	12.07	65.34			
AV	12.44818G	34.38	54.00	-19.62	48.95	3	Vertical	94	1.48	-	38.70	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45002G	47.11	74.00	-26.89	61.67	3	Horizontal	8	1.11	-	38.70	12.07	65.33			
AV	12.44796G	34.42	54.00	-19.58	48.99	3	Horizontal	8	1.11	-	38.70	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 25
06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67348G	49.13	83.54	-34.41	44.45	1	Vertical	244	1.02	-	37.90	15.25	48.47			
AV	18.6838G	37.05	63.54	-26.49	32.38	1	Vertical	244	1.02	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 25
06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.67628G	49.48	83.54	-34.06	44.81	1	Horizontal	263	1.57	-	37.90	15.25	48.48				
AV	18.66512G	37.06	63.54	-26.48	32.38	1	Horizontal	263	1.57	-	37.90	15.25	48.47				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76808G	49.78	88.20	-38.42	63.97	3	Vertical	167	2.82	-	39.01	12.06	65.26			
RMS	12.76966G	36.27	68.20	-31.93	50.45	3	Vertical	167	2.82	-	39.02	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77494G	49.17	88.20	-39.03	63.32	3	Horizontal	285	2.27	-	39.05	12.06	65.26			
RMS	12.76952G	36.22	68.20	-31.98	50.40	3	Horizontal	285	2.27	-	39.02	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX



EUT_Y_2TX
Setting 25
06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15448G	49.28	83.54	-34.26	44.88	1	Vertical	352	2.69	-	37.98	15.22	48.80			
AV	19.14914G	37.11	63.54	-26.43	32.69	1	Vertical	352	2.69	-	38.00	15.22	48.80			