


6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 16  
05-L-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.7904G      | 104.47            | Inf               | -Inf           | 94.43         | 3           | Vertical  | 178.5          | 1.63          | -       | 36.12      | 8.96       | 35.04      |  |  |  |
| RMS  | 6.9422G      | 93.53             | Inf               | -Inf           | 83.54         | 3           | Vertical  | 178.5          | 1.63          | -       | 36.08      | 9.17       | 35.26      |  |  |  |
| PK   | 7.1822G      | 63.34             | 88.20             | -24.86         | 52.02         | 3           | Vertical  | 178.5          | 1.63          | -       | 37.03      | 9.30       | 35.01      |  |  |  |
| RMS  | 7.1822G      | 53.82             | 68.20             | -14.38         | 42.50         | 3           | Vertical  | 178.5          | 1.63          | -       | 37.03      | 9.30       | 35.01      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 16  
05-L-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8714G      | 109.93            | Inf               | -Inf           | 100.03        | 3           | Horizontal | 185.2          | 1.43          | -       | 36.00      | 9.06       | 35.16      |  |  |  |
| RMS  | 6.9788G      | 99.84             | Inf               | -Inf           | 89.77         | 3           | Horizontal | 185.2          | 1.43          | -       | 36.16      | 9.22       | 35.31      |  |  |  |
| PK   | 7.1396G      | 65.17             | 88.20             | -23.03         | 54.14         | 3           | Horizontal | 185.2          | 1.43          | -       | 36.84      | 9.28       | 35.09      |  |  |  |
| RMS  | 7.1504G      | 54.32             | 68.20             | -13.88         | 43.20         | 3           | Horizontal | 185.2          | 1.43          | -       | 36.90      | 9.29       | 35.07      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 16  
05-L-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81107G | 54.35    | 88.20    | -33.85 | 33.53  | 3    | Vertical  | 136     | 2.16   | -       | 40.30 | 14.01 | 33.49 |  |  |  |
| RMS  | 13.81262G | 43.83    | 68.20    | -24.37 | 23.00  | 3    | Vertical  | 136     | 2.16   | -       | 40.30 | 14.02 | 33.49 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 16  
05-L-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80977G | 54.55    | 88.20    | -33.65 | 33.73  | 3    | Horizontal | 190     | 2.51   | -       | 40.30 | 14.01 | 33.49 |  |  |  |
| RMS  | 13.81364G | 42.21    | 68.20    | -25.99 | 21.38  | 3    | Horizontal | 190     | 2.51   | -       | 40.30 | 14.02 | 33.49 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 16  
05-L-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71455G | 45.68    | 83.54    | -37.86 | 40.73  | 1    | Vertical  | 59      | 2.47   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| AV   | 20.71478G | 32.69    | 63.54    | -30.85 | 27.74  | 1    | Vertical  | 59      | 2.47   | -       | 37.90 | 15.75 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX



EUT\_V\_4TX  
Setting 16  
05-L-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71504G    | 46.19             | 83.54             | -37.35         | 41.24         | 1           | Horizontal | 210            | 1.84          | -       | 37.90      | 15.75      | 48.70      |  |  |  |
| AV   | 20.71457G    | 32.15             | 63.54             | -31.39         | 27.20         | 1           | Horizontal | 210            | 1.84          | -       | 37.90      | 15.75      | 48.70      |  |  |  |




**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 6.525-6.875GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11be EHT320_Nss1.(MCS0)_1TX | Pass   | AV   | 7.405G       | 52.69             | 54.00             | -1.31          | 3           | Vertical  | 153            | 1.73          | -        |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 16.25/5.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9118G | 64.66    | 88.20    | -23.54 | 57.23  | 3    | Vertical  | 204     | 1.76   | -       | 34.55 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.925G  | 53.34    | 68.20    | -14.86 | 45.85  | 3    | Vertical  | 204     | 1.76   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.021G  | 110.00   | Inf      | -Inf   | 102.25 | 3    | Vertical  | 204     | 1.76   | -       | 34.74 | 8.20 | 35.19 |  |  |  |
| RMS  | 6.0228G | 99.36    | Inf      | -Inf   | 91.60  | 3    | Vertical  | 204     | 1.76   | -       | 34.75 | 8.20 | 35.19 |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUTY\_1TX  
Setting 16.25/5.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9196G | 62.44    | 88.20    | -25.76 | 54.97  | 3    | Horizontal | 193     | 1.73   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.919G  | 52.39    | 68.20    | -15.81 | 44.93  | 3    | Horizontal | 193     | 1.73   | -       | 34.58 | 8.08 | 35.20 |  |  |  |
| PK   | 5.9772G | 106.29   | Inf      | -Inf   | 98.63  | 3    | Horizontal | 193     | 1.73   | -       | 34.70 | 8.15 | 35.19 |  |  |  |
| RMS  | 6.018G  | 95.97    | Inf      | -Inf   | 88.22  | 3    | Horizontal | 193     | 1.73   | -       | 34.74 | 8.20 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 16.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.96971G | 49.87    | 74.00    | -24.13 | 64.61  | 3    | Vertical  | 163     | 2.39   | -       | 39.20 | 11.82 | 65.76 |  |  |  |  |
| AV   | 11.9698G  | 40.01    | 54.00    | -13.99 | 54.75  | 3    | Vertical  | 163     | 2.39   | -       | 39.20 | 11.82 | 65.76 |  |  |  |  |
| PK   | 17.95271G | 56.87    | 74.00    | -17.13 | 60.30  | 3    | Vertical  | 161     | 1.80   | -       | 44.71 | 14.23 | 62.37 |  |  |  |  |
| AV   | 17.95012G | 44.52    | 54.00    | -9.48  | 47.97  | 3    | Vertical  | 161     | 1.80   | -       | 44.70 | 14.23 | 62.38 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 16.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.96947G | 48.92    | 74.00    | -25.08 | 63.66  | 3    | Horizontal | 191     | 3.00   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| AV   | 11.96993G | 38.19    | 54.00    | -15.81 | 52.93  | 3    | Horizontal | 191     | 3.00   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| PK   | 17.95949G | 57.85    | 74.00    | -16.15 | 61.26  | 3    | Horizontal | 103     | 1.75   | -       | 44.72 | 14.23 | 62.36 |  |  |  |
| AV   | 17.95422G | 44.57    | 54.00    | -9.43  | 48.00  | 3    | Horizontal | 103     | 1.75   | -       | 44.71 | 14.23 | 62.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_V\_1TX  
Setting 16.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94429G | 47.64    | 83.54    | -35.90 | 38.94  | 1    | Vertical  | 117     | 1.50   | -       | 39.00 | 17.32 | 47.62 |  |  |  |
| RMS  | 23.93781G | 35.63    | 63.54    | -27.91 | 26.94  | 1    | Vertical  | 117     | 1.50   | -       | 39.00 | 17.31 | 47.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_V\_1TX  
Setting 16.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94104G | 47.64    | 83.54    | -35.90 | 38.95  | 1    | Horizontal | 233     | 1.50   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| RMS  | 23.94198G | 35.76    | 63.54    | -27.78 | 27.07  | 1    | Horizontal | 233     | 1.50   | -       | 39.00 | 17.31 | 47.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 11.75/8  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.9166G | 62.98    | 88.20    | -25.22 | 55.53  | 3    | Vertical  | 204     | 1.68   | -       | 34.57 | 8.08 | 35.20 |  |  |  |  |
| RMS  | 5.9028G | 51.82    | 68.20    | -16.38 | 44.44  | 3    | Vertical  | 204     | 1.68   | -       | 34.51 | 8.07 | 35.20 |  |  |  |  |
| PK   | 6.021G  | 110.05   | Inf      | -Inf   | 102.30 | 3    | Vertical  | 204     | 1.68   | -       | 34.74 | 8.20 | 35.19 |  |  |  |  |
| RMS  | 6.0138G | 99.16    | Inf      | -Inf   | 91.43  | 3    | Vertical  | 204     | 1.68   | -       | 34.73 | 8.19 | 35.19 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT Y\_1TX  
Setting 11.75/8  
03-P-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8944G      | 61.65             | 88.20             | -26.55         | 54.31         | 3           | Horizontal | 184            | 1.64          | -       | 34.48      | 8.06       | 35.20      |  |  |  |
| RMS  | 5.9076G      | 51.65             | 68.20             | -16.55         | 44.25         | 3           | Horizontal | 184            | 1.64          | -       | 34.53      | 8.07       | 35.20      |  |  |  |
| PK   | 6.0222G      | 106.40            | Inf               | -Inf           | 98.65         | 3           | Horizontal | 184            | 1.64          | -       | 34.74      | 8.20       | 35.19      |  |  |  |
| RMS  | 6.0228G      | 96.47             | Inf               | -Inf           | 88.71         | 3           | Horizontal | 184            | 1.64          | -       | 34.75      | 8.20       | 35.19      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 11.75/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.97141G | 49.29    | 74.00    | -24.71 | 64.03  | 3    | Vertical  | 70      | 2.11   | -       | 39.20 | 11.82 | 65.76 |  |  |  |  |
| AV   | 11.97274G | 37.25    | 54.00    | -16.75 | 51.99  | 3    | Vertical  | 70      | 2.11   | -       | 39.20 | 11.82 | 65.76 |  |  |  |  |
| PK   | 17.95654G | 57.03    | 74.00    | -16.97 | 60.46  | 3    | Vertical  | 166     | 2.02   | -       | 44.71 | 14.23 | 62.37 |  |  |  |  |
| AV   | 17.95727G | 44.59    | 54.00    | -9.41  | 48.01  | 3    | Vertical  | 166     | 2.02   | -       | 44.71 | 14.23 | 62.36 |  |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 11.75/8  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.97248G    | 49.21             | 74.00             | -24.79         | 63.95         | 3           | Horizontal | 295            | 2.54          | -       | 39.20      | 11.82      | 65.76      |  |  |  |
| AV   | 11.97304G    | 37.19             | 54.00             | -16.81         | 51.93         | 3           | Horizontal | 295            | 2.54          | -       | 39.20      | 11.82      | 65.76      |  |  |  |
| PK   | 17.9578G     | 56.79             | 74.00             | -17.21         | 60.20         | 3           | Horizontal | 95             | 2.12          | -       | 44.72      | 14.23      | 62.36      |  |  |  |
| AV   | 17.95438G    | 44.56             | 54.00             | -9.44          | 47.99         | 3           | Horizontal | 95             | 2.12          | -       | 44.71      | 14.23      | 62.37      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_V\_1TX  
Setting 11.75/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93833G | 47.93    | 83.54    | -35.61 | 39.24  | 1    | Vertical  | 322     | 1.85   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| RMS  | 23.9352G  | 35.63    | 63.54    | -27.91 | 26.95  | 1    | Vertical  | 322     | 1.85   | -       | 39.00 | 17.31 | 47.63 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

5985MHz\_TX




EUT\_V\_1TX  
Setting 11.75/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94249G | 47.35    | 83.54    | -36.19 | 38.66  | 1    | Horizontal | 211     | 1.63   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| RMS  | 23.93829G | 35.63    | 63.54    | -27.91 | 26.94  | 1    | Horizontal | 211     | 1.63   | -       | 39.00 | 17.31 | 47.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT Y\_1TX  
Setting 17.75/4  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0626G | 109.85   | Inf      | -Inf   | 100.87 | 3    | Vertical  | 151     | 1.80   | -       | 35.70 | 8.42 | 35.14 |  |  |  |
| RMS  | 6.9974G | 99.67    | Inf      | -Inf   | 90.73  | 3    | Vertical  | 151     | 1.80   | -       | 35.69 | 8.38 | 35.13 |  |  |  |
| PK   | 7.129G  | 63.96    | 88.20    | -24.24 | 54.75  | 3    | Vertical  | 151     | 1.80   | -       | 35.87 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1254G | 52.96    | 68.20    | -15.24 | 43.77  | 3    | Vertical  | 151     | 1.80   | -       | 35.85 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT Y\_1TX  
Setting 17.75/4  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0014G | 109.70   | Inf      | -Inf   | 100.76 | 3    | Horizontal | 194     | 2.04   | -       | 35.70 | 8.37 | 35.13 |  |  |  |
| RMS  | 6.989G  | 98.93    | Inf      | -Inf   | 89.97  | 3    | Horizontal | 194     | 2.04   | -       | 35.68 | 8.41 | 35.13 |  |  |  |
| PK   | 7.125G  | 66.58    | 88.20    | -21.62 | 57.39  | 3    | Horizontal | 194     | 2.04   | -       | 35.85 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1254G | 52.49    | 68.20    | -15.71 | 43.30  | 3    | Horizontal | 194     | 2.04   | -       | 35.85 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 17.75/4  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.05156G    | 50.40             | 88.20             | -37.80         | 61.83         | 3           | Vertical  | 198            | 1.02          | -       | 41.20      | 11.72      | 64.35      |  |  |  |
| RMS  | 14.04591G    | 38.43             | 88.20             | -49.77         | 49.88         | 3           | Vertical  | 198            | 1.02          | -       | 41.19      | 11.72      | 64.36      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_Y\_1TX  
Setting 17.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0497G  | 50.72    | 88.20    | -37.48 | 62.15  | 3    | Horizontal | 83      | 1.27   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.05065G | 38.41    | 88.20    | -49.79 | 49.84  | 3    | Horizontal | 83      | 1.27   | -       | 41.20 | 11.72 | 64.35 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 17.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07188G | 45.62    | 83.54    | -37.92 | 40.27  | 1    | Vertical  | 278     | 1.27   | -       | 38.00 | 16.04 | 48.69 |  |  |  |
| RMS  | 21.07808G | 33.83    | 63.54    | -29.71 | 28.46  | 1    | Vertical  | 278     | 1.27   | -       | 38.00 | 16.05 | 48.68 |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 17.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07405G | 45.87    | 83.54    | -37.67 | 40.51  | 1    | Horizontal | 211     | 1.11   | -       | 38.00 | 16.05 | 48.69 |  |  |  |
| RMS  | 21.07411G | 33.78    | 63.54    | -29.76 | 28.42  | 1    | Horizontal | 211     | 1.11   | -       | 38.00 | 16.05 | 48.69 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT Y\_1TX  
Setting 12.75/7  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9902G | 109.25   | Inf      | -Inf   | 100.30 | 3    | Vertical  | 152     | 1.72   | -       | 35.68 | 8.40 | 35.13 |  |  |  |
| RMS  | 6.9906G | 99.65    | Inf      | -Inf   | 90.70  | 3    | Vertical  | 152     | 1.72   | -       | 35.68 | 8.40 | 35.13 |  |  |  |
| PK   | 7.2218G | 61.43    | 88.20    | -26.77 | 51.60  | 3    | Vertical  | 152     | 1.72   | -       | 36.43 | 8.55 | 35.15 |  |  |  |
| RMS  | 7.223G  | 51.98    | 68.20    | -16.22 | 42.14  | 3    | Vertical  | 152     | 1.72   | -       | 36.44 | 8.55 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT Y\_1TX  
Setting 12.75/7  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9894G | 108.42   | Inf      | -Inf   | 99.47  | 3    | Horizontal | 193     | 1.94   | -       | 35.68 | 8.40 | 35.13 |  |  |  |
| RMS  | 6.9882G | 98.70    | Inf      | -Inf   | 89.74  | 3    | Horizontal | 193     | 1.94   | -       | 35.68 | 8.41 | 35.13 |  |  |  |
| PK   | 7.1266G | 61.70    | 88.20    | -26.50 | 52.50  | 3    | Horizontal | 193     | 1.94   | -       | 35.86 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.2238G | 51.99    | 68.20    | -16.21 | 42.14  | 3    | Horizontal | 193     | 1.94   | -       | 36.44 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 12.75/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05145G | 50.61    | 88.20    | -37.59 | 62.04  | 3    | Vertical  | 23      | 2.68   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.04959G | 38.35    | 88.20    | -49.85 | 49.78  | 3    | Vertical  | 23      | 2.68   | -       | 41.20 | 11.72 | 64.35 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 12.75/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05085G | 50.45    | 88.20    | -37.75 | 61.88  | 3    | Horizontal | 207     | 2.68   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.04867G | 38.40    | 88.20    | -49.80 | 49.83  | 3    | Horizontal | 207     | 2.68   | -       | 41.20 | 11.72 | 64.35 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 12.75/7  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.07626G    | 45.90             | 83.54             | -37.64         | 40.53         | 1           | Vertical  | 35             | 2.29          | -       | 38.00      | 16.05      | 48.68      |  |  |  |
| RMS  | 21.07823G    | 33.83             | 63.54             | -29.71         | 28.46         | 1           | Vertical  | 35             | 2.29          | -       | 38.00      | 16.05      | 48.68      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 12.75/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0734G  | 46.50    | 83.54    | -37.04 | 41.15  | 1    | Horizontal | 85      | 2.60   | -       | 38.00 | 16.04 | 48.69 |  |  |  |
| RMS  | 21.07464G | 33.91    | 63.54    | -29.63 | 28.55  | 1    | Horizontal | 85      | 2.60   | -       | 38.00 | 16.05 | 48.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 18.5/7  
03-P-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 70.60             | 88.20             | -17.60         | 63.13         | 3           | Vertical  | 204            | 1.60          | -       | 34.58      | 8.09       | 35.20      |  |  |  |
| RMS  | 5.9234G      | 56.55             | 68.20             | -11.65         | 49.07         | 3           | Vertical  | 204            | 1.60          | -       | 34.59      | 8.09       | 35.20      |  |  |  |
| PK   | 6.0754G      | 109.13            | Inf               | -Inf           | 101.14        | 3           | Vertical  | 204            | 1.60          | -       | 34.90      | 8.28       | 35.19      |  |  |  |
| RMS  | 6.0586G      | 99.25             | Inf               | -Inf           | 91.35         | 3           | Vertical  | 204            | 1.60          | -       | 34.83      | 8.26       | 35.19      |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUTY\_1TX  
Setting 18.5/7  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9074G | 66.35    | 88.20    | -21.85 | 58.95  | 3    | Horizontal | 192     | 1.80   | -       | 34.53 | 8.07 | 35.20 |  |  |  |
| RMS  | 5.925G  | 54.74    | 68.20    | -13.46 | 47.25  | 3    | Horizontal | 192     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0506G | 106.87   | Inf      | -Inf   | 99.01  | 3    | Horizontal | 192     | 1.80   | -       | 34.80 | 8.25 | 35.19 |  |  |  |
| RMS  | 6.0602G | 96.42    | Inf      | -Inf   | 88.51  | 3    | Horizontal | 192     | 1.80   | -       | 34.84 | 8.26 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX


6025MHz\_TX

EUT\_V\_1TX  
Setting 18.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04541G | 48.35    | 74.00    | -25.65 | 63.11  | 3    | Vertical  | 154     | 2.45   | -       | 39.11 | 11.83 | 65.70 |  |  |  |
| AV   | 12.05051G | 36.92    | 54.00    | -17.08 | 51.68  | 3    | Vertical  | 154     | 2.45   | -       | 39.10 | 11.83 | 65.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 18.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04999G | 48.80    | 74.00    | -25.20 | 63.57  | 3    | Horizontal | 359     | 2.59   | -       | 39.10 | 11.83 | 65.70 |  |  |  |
| AV   | 12.04594G | 36.98    | 54.00    | -17.02 | 51.74  | 3    | Horizontal | 359     | 2.59   | -       | 39.11 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 18.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07877G | 46.79    | 83.54    | -36.75 | 42.15  | 1    | Vertical  | 105     | 1.90   | -       | 37.57 | 15.29 | 48.22 |  |  |  |
| RMS  | 18.07875G | 34.51    | 63.54    | -29.03 | 29.87  | 1    | Vertical  | 105     | 1.90   | -       | 37.57 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 18.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07683G | 46.48    | 83.54    | -37.06 | 41.85  | 1    | Horizontal | 61      | 1.68   | -       | 37.56 | 15.29 | 48.22 |  |  |  |
| RMS  | 18.07898G | 34.51    | 63.54    | -29.03 | 29.87  | 1    | Horizontal | 61      | 1.68   | -       | 37.57 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 16/8.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9242G | 67.64    | 88.20    | -20.56 | 60.15  | 3    | Vertical  | 203     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 54.77    | 68.20    | -13.43 | 47.28  | 3    | Vertical  | 203     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0426G | 109.45   | Inf      | -Inf   | 101.62 | 3    | Vertical  | 203     | 1.80   | -       | 34.79 | 8.23 | 35.19 |  |  |  |
| RMS  | 6.0866G | 99.40    | Inf      | -Inf   | 91.35  | 3    | Vertical  | 203     | 1.80   | -       | 34.95 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 16/8.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9186G | 65.88    | 88.20    | -22.32 | 58.43  | 3    | Horizontal | 188     | 1.63   | -       | 34.57 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.925G  | 54.25    | 68.20    | -13.95 | 46.76  | 3    | Horizontal | 188     | 1.63   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.1018G | 107.41   | Inf      | -Inf   | 99.29  | 3    | Horizontal | 188     | 1.63   | -       | 35.00 | 8.32 | 35.20 |  |  |  |
| RMS  | 6.0946G | 97.21    | Inf      | -Inf   | 89.12  | 3    | Horizontal | 188     | 1.63   | -       | 34.98 | 8.31 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 16/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0502G  | 48.72    | 74.00    | -25.28 | 63.48  | 3    | Vertical  | 30      | 2.61   | -       | 39.10 | 11.83 | 65.69 |  |  |  |
| AV   | 12.05441G | 36.64    | 54.00    | -17.36 | 51.42  | 3    | Vertical  | 30      | 2.61   | -       | 39.08 | 11.83 | 65.69 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 16/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04944G | 48.85    | 74.00    | -25.15 | 63.62  | 3    | Horizontal | 157     | 2.59   | -       | 39.10 | 11.83 | 65.70 |  |  |  |
| AV   | 12.04796G | 36.67    | 54.00    | -17.33 | 51.44  | 3    | Horizontal | 157     | 2.59   | -       | 39.10 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 16/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07896G | 46.28    | 83.54    | -37.26 | 41.64  | 1    | Vertical  | 193     | 1.13   | -       | 37.57 | 15.29 | 48.22 |  |  |  |
| RMS  | 18.07851G | 34.30    | 63.54    | -29.24 | 29.66  | 1    | Vertical  | 193     | 1.13   | -       | 37.57 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 16/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07622G | 46.55    | 83.54    | -36.99 | 41.92  | 1    | Horizontal | 90      | 2.90   | -       | 37.56 | 15.29 | 48.22 |  |  |  |
| RMS  | 18.07617G | 34.25    | 63.54    | -29.29 | 29.62  | 1    | Horizontal | 90      | 2.90   | -       | 37.56 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 14/9.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.773G  | 61.89    | 88.20    | -26.31 | 54.99  | 3    | Vertical  | 202     | 1.64   | -       | 34.20 | 7.91 | 35.21 |  |  |  |
| RMS  | 5.925G  | 52.43    | 68.20    | -15.77 | 44.94  | 3    | Vertical  | 202     | 1.64   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0994G | 108.96   | Inf      | -Inf   | 100.84 | 3    | Vertical  | 202     | 1.64   | -       | 35.00 | 8.32 | 35.20 |  |  |  |
| RMS  | 6.0738G | 99.72    | Inf      | -Inf   | 91.73  | 3    | Vertical  | 202     | 1.64   | -       | 34.90 | 8.28 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUTY\_1TX  
Setting 14/9.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.8786G | 62.05    | 88.20    | -26.15 | 54.80  | 3    | Horizontal | 187     | 1.80   | -       | 34.41 | 8.04 | 35.20 |  |  |  |
| RMS  | 5.925G  | 52.21    | 68.20    | -15.99 | 44.72  | 3    | Horizontal | 187     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.101G  | 106.91   | Inf      | -Inf   | 98.79  | 3    | Horizontal | 187     | 1.80   | -       | 35.00 | 8.32 | 35.20 |  |  |  |
| RMS  | 6.0714G | 96.69    | Inf      | -Inf   | 88.71  | 3    | Horizontal | 187     | 1.80   | -       | 34.89 | 8.28 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 14/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04719G | 48.59    | 74.00    | -25.41 | 63.35  | 3    | Vertical  | 275     | 1.86   | -       | 39.11 | 11.83 | 65.70 |  |  |  |
| AV   | 12.05088G | 36.93    | 54.00    | -17.07 | 51.69  | 3    | Vertical  | 275     | 1.86   | -       | 39.10 | 11.83 | 65.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 14/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05086G | 48.58    | 74.00    | -25.42 | 63.34  | 3    | Horizontal | 10      | 1.99   | -       | 39.10 | 11.83 | 65.69 |  |  |  |
| AV   | 12.04501G | 36.91    | 54.00    | -17.09 | 51.67  | 3    | Horizontal | 10      | 1.99   | -       | 39.11 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 14/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07725G | 46.39    | 83.54    | -37.15 | 41.76  | 1    | Vertical  | 171     | 2.29   | -       | 37.56 | 15.29 | 48.22 |  |  |  |
| RMS  | 18.07245G | 34.48    | 63.54    | -29.06 | 29.87  | 1    | Vertical  | 171     | 2.29   | -       | 37.53 | 15.29 | 48.21 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6025MHz\_TX




EUT\_V\_1TX  
Setting 14/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07354G | 46.42    | 83.54    | -37.12 | 41.80  | 1    | Horizontal | 255     | 1.89   | -       | 37.54 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07606G | 34.46    | 63.54    | -29.08 | 29.83  | 1    | Horizontal | 255     | 1.89   | -       | 37.56 | 15.29 | 48.22 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 19/6.5  
03-P-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.909G       | 108.59            | Inf               | -Inf           | 99.39         | 3           | Vertical  | 183            | 1.57          | -       | 35.68      | 8.67       | 35.15      |
| RMS  | 6.909G       | 99.07             | Inf               | -Inf           | 89.87         | 3           | Vertical  | 183            | 1.57          | -       | 35.68      | 8.67       | 35.15      |
| PK   | 7.129G       | 72.89             | 88.20             | -15.31         | 63.68         | 3           | Vertical  | 183            | 1.57          | -       | 35.87      | 8.48       | 35.14      |
| RMS  | 7.1274G      | 56.45             | 68.20             | -11.75         | 47.25         | 3           | Vertical  | 183            | 1.57          | -       | 35.86      | 8.48       | 35.14      |
| PK   | 7.3322G      | 62.75             | 74.00             | -11.25         | 52.42         | 3           | Vertical  | 183            | 1.57          | -       | 36.86      | 8.63       | 35.16      |
| AV   | 7.3498G      | 52.92             | 54.00             | -1.08          | 42.54         | 3           | Vertical  | 183            | 1.57          | -       | 36.90      | 8.64       | 35.16      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 19/6.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9058G | 107.62   | Inf      | -Inf   | 98.40  | 3    | Horizontal | 193     | 1.63   | -       | 35.69 | 8.68 | 35.15 |  |  |  |
| RMS  | 6.909G  | 98.06    | Inf      | -Inf   | 88.86  | 3    | Horizontal | 193     | 1.63   | -       | 35.68 | 8.67 | 35.15 |  |  |  |
| PK   | 7.1426G | 72.76    | 88.20    | -15.44 | 63.45  | 3    | Horizontal | 193     | 1.63   | -       | 35.96 | 8.49 | 35.14 |  |  |  |
| RMS  | 7.1314G | 56.25    | 68.20    | -11.95 | 47.02  | 3    | Horizontal | 193     | 1.63   | -       | 35.89 | 8.48 | 35.14 |  |  |  |
| PK   | 7.2602G | 61.90    | 74.00    | -12.10 | 51.83  | 3    | Horizontal | 193     | 1.63   | -       | 36.64 | 8.58 | 35.15 |  |  |  |
| AV   | 7.3194G | 52.95    | 54.00    | -1.05  | 42.65  | 3    | Horizontal | 193     | 1.63   | -       | 36.84 | 8.62 | 35.16 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX


6985MHz\_TX

EUT\_V\_1TX  
Setting 19/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97126G | 50.24    | 88.20    | -37.96 | 62.02  | 3    | Vertical  | 84      | 2.58   | -       | 40.99 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97001G | 38.30    | 88.20    | -49.90 | 50.09  | 3    | Vertical  | 84      | 2.58   | -       | 40.98 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 19/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.969G   | 50.05    | 88.20    | -38.15 | 61.84  | 3    | Horizontal | 218     | 1.33   | -       | 40.98 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97488G | 38.27    | 88.20    | -49.93 | 50.04  | 3    | Horizontal | 218     | 1.33   | -       | 41.00 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX


6985MHz\_TX

EUT\_V\_1TX  
Setting 19/6.5  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95781G    | 46.22             | 83.54             | -37.32         | 41.05         | 1           | Vertical  | 343            | 1.35          | -       | 37.92      | 15.95      | 48.70      |  |  |  |
| RMS  | 20.95063G    | 34.20             | 63.54             | -29.34         | 29.06         | 1           | Vertical  | 343            | 1.35          | -       | 37.90      | 15.94      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 19/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95285G | 45.82    | 83.54    | -37.72 | 40.66  | 1    | Horizontal | 87      | 2.43   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95568G | 34.07    | 63.54    | -29.47 | 28.91  | 1    | Horizontal | 87      | 2.43   | -       | 37.91 | 15.95 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6985MHz\_TX




EUT Y\_1TX  
Setting 17.5/7  
03-P-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9194G      | 108.67            | Inf               | -Inf           | 99.52         | 3           | Vertical  | 151            | 1.80          | -       | 35.66      | 8.63       | 35.14      |  |  |  |
| RMS  | 6.9106G      | 99.39             | Inf               | -Inf           | 90.20         | 3           | Vertical  | 151            | 1.80          | -       | 35.68      | 8.66       | 35.15      |  |  |  |
| PK   | 7.129G       | 68.95             | 88.20             | -19.25         | 59.74         | 3           | Vertical  | 151            | 1.80          | -       | 35.87      | 8.48       | 35.14      |  |  |  |
| RMS  | 7.125G       | 53.93             | 68.20             | -14.27         | 44.74         | 3           | Vertical  | 151            | 1.80          | -       | 35.85      | 8.48       | 35.14      |  |  |  |
| PK   | 7.2778G      | 63.30             | 74.00             | -10.70         | 53.15         | 3           | Vertical  | 151            | 1.80          | -       | 36.71      | 8.59       | 35.15      |  |  |  |
| AV   | 7.3282G      | 52.48             | 54.00             | -1.52          | 42.16         | 3           | Vertical  | 151            | 1.80          | -       | 36.86      | 8.62       | 35.16      |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 17.5/7  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9202G | 108.38   | Inf      | -Inf   | 99.23  | 3    | Horizontal | 196     | 1.80   | -       | 35.66 | 8.63 | 35.14 |  |  |  |
| RMS  | 6.9082G | 98.07    | Inf      | -Inf   | 88.87  | 3    | Horizontal | 196     | 1.80   | -       | 35.68 | 8.67 | 35.15 |  |  |  |
| PK   | 7.1258G | 65.05    | 88.20    | -23.15 | 55.86  | 3    | Horizontal | 196     | 1.80   | -       | 35.85 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1266G | 53.11    | 68.20    | -15.09 | 43.91  | 3    | Horizontal | 196     | 1.80   | -       | 35.86 | 8.48 | 35.14 |  |  |  |
| PK   | 7.301G  | 61.93    | 74.00    | -12.07 | 51.67  | 3    | Horizontal | 196     | 1.80   | -       | 36.80 | 8.61 | 35.15 |  |  |  |
| AV   | 7.3234G | 52.40    | 54.00    | -1.60  | 42.09  | 3    | Horizontal | 196     | 1.80   | -       | 36.85 | 8.62 | 35.16 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 17.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9677G  | 50.09    | 88.20    | -38.11 | 61.89  | 3    | Vertical  | 337     | 2.10   | -       | 40.97 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97442G | 38.11    | 68.20    | -30.09 | 49.88  | 3    | Vertical  | 337     | 2.10   | -       | 41.00 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 17.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97487G | 50.42    | 88.20    | -37.78 | 62.19  | 3    | Horizontal | 37      | 1.60   | -       | 41.00 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97491G | 38.11    | 68.20    | -30.09 | 49.88  | 3    | Horizontal | 37      | 1.60   | -       | 41.00 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 17.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95122G | 46.27    | 83.54    | -37.27 | 41.12  | 1    | Vertical  | 65      | 1.05   | -       | 37.90 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95832G | 33.94    | 63.54    | -29.60 | 28.77  | 1    | Vertical  | 65      | 1.05   | -       | 37.92 | 15.95 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 17.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95551G | 46.28    | 83.54    | -37.26 | 41.12  | 1    | Horizontal | 293     | 1.52   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95032G | 33.83    | 63.54    | -29.71 | 28.69  | 1    | Horizontal | 293     | 1.52   | -       | 37.90 | 15.94 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 15/8.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 6.9074G | 109.69   | Inf      | -Inf   | 100.48 | 3    | Vertical  | 183     | 1.57   | -       | 35.69 | 8.67 | 35.15 |
| RMS  | 6.9098G | 99.29    | Inf      | -Inf   | 90.10  | 3    | Vertical  | 183     | 1.57   | -       | 35.68 | 8.66 | 35.15 |
| PK   | 7.145G  | 68.30    | 88.20    | -19.90 | 58.98  | 3    | Vertical  | 183     | 1.57   | -       | 35.97 | 8.49 | 35.14 |
| RMS  | 7.1634G | 53.00    | 68.20    | -15.20 | 43.55  | 3    | Vertical  | 183     | 1.57   | -       | 36.08 | 8.51 | 35.14 |
| PK   | 7.261G  | 62.44    | 74.00    | -11.56 | 52.37  | 3    | Vertical  | 183     | 1.57   | -       | 36.64 | 8.58 | 35.15 |
| AV   | 7.3194G | 52.71    | 54.00    | -1.29  | 42.41  | 3    | Vertical  | 183     | 1.57   | -       | 36.84 | 8.62 | 35.16 |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 15/8.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9162G | 108.23   | Inf      | -Inf   | 99.07  | 3    | Horizontal | 195     | 1.80   | -       | 35.67 | 8.64 | 35.15 |  |  |  |
| RMS  | 6.9138G | 98.21    | Inf      | -Inf   | 89.04  | 3    | Horizontal | 195     | 1.80   | -       | 35.67 | 8.65 | 35.15 |  |  |  |
| PK   | 7.165G  | 68.14    | 88.20    | -20.06 | 58.68  | 3    | Horizontal | 195     | 1.80   | -       | 36.09 | 8.51 | 35.14 |  |  |  |
| RMS  | 7.1722G | 52.55    | 68.20    | -15.65 | 43.04  | 3    | Horizontal | 195     | 1.80   | -       | 36.13 | 8.52 | 35.14 |  |  |  |
| PK   | 7.2746G | 62.17    | 74.00    | -11.83 | 52.03  | 3    | Horizontal | 195     | 1.80   | -       | 36.70 | 8.59 | 35.15 |  |  |  |
| AV   | 7.3274G | 52.74    | 54.00    | -1.26  | 42.43  | 3    | Horizontal | 195     | 1.80   | -       | 36.85 | 8.62 | 35.16 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 15/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9719G  | 50.41    | 88.20    | -37.79 | 62.19  | 3    | Vertical  | 194     | 1.25   | -       | 40.99 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97446G | 38.35    | 68.20    | -29.85 | 50.12  | 3    | Vertical  | 194     | 1.25   | -       | 41.00 | 11.68 | 64.45 |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 15/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97417G | 50.31    | 88.20    | -37.89 | 62.08  | 3    | Horizontal | 119     | 1.66   | -       | 41.00 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97411G | 38.25    | 68.20    | -29.95 | 50.02  | 3    | Horizontal | 119     | 1.66   | -       | 41.00 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 15/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9576G  | 46.92    | 83.54    | -36.62 | 41.75  | 1    | Vertical  | 232     | 1.12   | -       | 37.92 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95104G | 33.96    | 63.54    | -29.58 | 28.81  | 1    | Vertical  | 232     | 1.12   | -       | 37.90 | 15.95 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_1TX

6985MHz\_TX




EUT\_V\_1TX  
Setting 15/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95447G | 45.91    | 83.54    | -37.63 | 40.75  | 1    | Horizontal | 195     | 1.84   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95991G | 34.05    | 63.54    | -29.49 | 28.88  | 1    | Horizontal | 195     | 1.84   | -       | 37.92 | 15.95 | 48.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

6105MHz\_TX




EUTY\_1TX  
Setting 19.75/8  
03-P-E-3-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.923G | 76.13    | 88.20    | -12.07 | 68.65  | 3    | Vertical  | 203     | 1.63   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G | 59.29    | 68.20    | -8.91  | 51.80  | 3    | Vertical  | 203     | 1.63   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.132G | 107.79   | Inf      | -Inf   | 99.62  | 3    | Vertical  | 203     | 1.63   | -       | 35.00 | 8.37 | 35.20 |  |  |  |
| RMS  | 6.069G | 97.05    | Inf      | -Inf   | 89.09  | 3    | Vertical  | 203     | 1.63   | -       | 34.88 | 8.27 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 19.75/8  
03-P-E-3-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.917G | 73.31    | 88.20    | -14.89 | 65.86  | 3    | Horizontal | 189     | 1.80   | -       | 34.57 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.925G | 57.10    | 68.20    | -11.10 | 49.61  | 3    | Horizontal | 189     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.159G | 104.70   | Inf      | -Inf   | 96.49  | 3    | Horizontal | 189     | 1.80   | -       | 35.00 | 8.41 | 35.20 |  |  |  |
| RMS  | 6.134G | 94.85    | Inf      | -Inf   | 86.68  | 3    | Horizontal | 189     | 1.80   | -       | 35.00 | 8.37 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.75/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.2058G  | 48.74    | 74.00    | -25.26 | 63.59  | 3    | Vertical  | 162     | 2.69   | -       | 38.89 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20515G | 37.21    | 54.00    | -16.79 | 52.07  | 3    | Vertical  | 162     | 2.69   | -       | 38.89 | 11.81 | 65.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.75/8  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.20563G    | 49.32             | 74.00             | -24.68         | 64.17         | 3           | Horizontal | 249            | 1.32          | -       | 38.89      | 11.81      | 65.55      |  |  |  |
| AV   | 12.20865G    | 37.18             | 54.00             | -16.82         | 52.04         | 3           | Horizontal | 249            | 1.32          | -       | 38.88      | 11.81      | 65.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.75/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 18.3191G  | 47.17    | 83.54    | -36.37 | 42.52  | 1    | Vertical  | 148     | 1.47   | -       | 37.64 | 15.27 | 48.26 |  |  |  |  |
| RMS  | 18.31065G | 34.86    | 63.54    | -28.68 | 30.23  | 1    | Vertical  | 148     | 1.47   | -       | 37.62 | 15.27 | 48.26 |  |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.75/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31026G | 46.87    | 83.54    | -36.67 | 42.24  | 1    | Horizontal | 122     | 2.20   | -       | 37.62 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31366G | 34.85    | 63.54    | -28.69 | 30.21  | 1    | Horizontal | 122     | 2.20   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 19.75/7  
03-P-E-3-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.921G | 74.08    | 88.20    | -14.12 | 66.61  | 3    | Vertical  | 204     | 1.59   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G | 59.23    | 68.20    | -8.97  | 51.74  | 3    | Vertical  | 204     | 1.59   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.17G  | 108.37   | Inf      | -Inf   | 100.14 | 3    | Vertical  | 204     | 1.59   | -       | 35.00 | 8.43 | 35.20 |  |  |  |
| RMS  | 6.043G | 96.95    | Inf      | -Inf   | 89.12  | 3    | Vertical  | 204     | 1.59   | -       | 34.79 | 8.23 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_1TX

6105MHz\_TX




EUTY\_1TX  
Setting 19.75/7  
03-P-E-3-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G | 72.48    | 88.20    | -15.72 | 64.99  | 3    | Horizontal | 190     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G | 56.59    | 68.20    | -11.61 | 49.10  | 3    | Horizontal | 190     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.066G | 105.48   | Inf      | -Inf   | 97.54  | 3    | Horizontal | 190     | 1.80   | -       | 34.86 | 8.27 | 35.19 |  |  |  |
| RMS  | 6.093G | 94.34    | Inf      | -Inf   | 86.26  | 3    | Horizontal | 190     | 1.80   | -       | 34.97 | 8.31 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.75/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21142G | 48.96    | 74.00    | -25.04 | 63.82  | 3    | Vertical  | 3       | 2.58   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20541G | 36.73    | 54.00    | -17.27 | 51.59  | 3    | Vertical  | 3       | 2.58   | -       | 38.89 | 11.81 | 65.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.75/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21219G | 49.42    | 74.00    | -24.58 | 64.28  | 3    | Horizontal | 360     | 2.60   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20833G | 36.72    | 54.00    | -17.28 | 51.58  | 3    | Horizontal | 360     | 2.60   | -       | 38.88 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.75/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31991G | 47.12    | 83.54    | -36.42 | 42.47  | 1    | Vertical  | 85      | 2.54   | -       | 37.64 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31254G | 34.35    | 63.54    | -29.19 | 29.71  | 1    | Vertical  | 85      | 2.54   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.75/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31467G | 47.11    | 83.54    | -36.43 | 42.47  | 1    | Horizontal | 124     | 2.02   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31614G | 34.43    | 63.54    | -29.11 | 29.79  | 1    | Horizontal | 124     | 2.02   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6105MHz\_TX




EUTY\_1TX  
Setting 19.25/6.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9226G | 67.67    | 88.20    | -20.53 | 60.19  | 3    | Vertical  | 190     | 1.80   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 54.67    | 68.20    | -13.53 | 47.18  | 3    | Vertical  | 190     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.2478G | 108.27   | Inf      | -Inf   | 100.03 | 3    | Vertical  | 190     | 1.80   | -       | 34.90 | 8.54 | 35.20 |  |  |  |
| RMS  | 6.249G  | 97.46    | Inf      | -Inf   | 89.22  | 3    | Vertical  | 190     | 1.80   | -       | 34.90 | 8.54 | 35.20 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 19.25/6.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9226G | 64.84    | 88.20    | -23.36 | 57.36  | 3    | Horizontal | 193     | 1.61   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 53.70    | 68.20    | -14.50 | 46.21  | 3    | Horizontal | 193     | 1.61   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.2418G | 107.09   | Inf      | -Inf   | 98.84  | 3    | Horizontal | 193     | 1.61   | -       | 34.92 | 8.53 | 35.20 |  |  |  |
| RMS  | 6.2478G | 96.60    | Inf      | -Inf   | 88.36  | 3    | Horizontal | 193     | 1.61   | -       | 34.90 | 8.54 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20573G | 49.82    | 74.00    | -24.18 | 64.67  | 3    | Vertical  | 91      | 1.00   | -       | 38.89 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20724G | 36.75    | 54.00    | -17.25 | 51.60  | 3    | Vertical  | 91      | 1.00   | -       | 38.89 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20594G | 49.86    | 74.00    | -24.14 | 64.71  | 3    | Horizontal | 59      | 1.49   | -       | 38.89 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20574G | 36.72    | 54.00    | -17.28 | 51.57  | 3    | Horizontal | 59      | 1.49   | -       | 38.89 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31378G | 46.74    | 83.54    | -36.80 | 42.10  | 1    | Vertical  | 265     | 1.34   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31253G | 34.35    | 63.54    | -29.19 | 29.71  | 1    | Vertical  | 265     | 1.34   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6105MHz\_TX




EUT\_V\_1TX  
Setting 19.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31888G | 46.60    | 83.54    | -36.94 | 41.95  | 1    | Horizontal | 281     | 2.96   | -       | 37.64 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31251G | 34.35    | 63.54    | -29.19 | 29.71  | 1    | Horizontal | 281     | 2.96   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_1TX

6905MHz\_TX




EUT Y\_1TX  
Setting 19.25/7.5  
03-P-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.855G       | 107.88            | Inf               | -Inf           | 98.50         | 3           | Vertical  | 153            | 1.73          | -       | 35.70      | 8.84       | 35.16      |
| AV   | 6.862G       | 96.82             | Inf               | -Inf           | 87.45         | 3           | Vertical  | 153            | 1.73          | -       | 35.70      | 8.82       | 35.15      |
| PK   | 7.336G       | 61.75             | 74.00             | -12.25         | 51.41         | 3           | Vertical  | 153            | 1.73          | -       | 36.87      | 8.63       | 35.16      |
| AV   | 7.405G       | 52.69             | 54.00             | -1.31          | 42.17         | 3           | Vertical  | 153            | 1.73          | -       | 37.00      | 8.68       | 35.16      |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_1TX

6905MHz\_TX




EUT\_Y\_1TX  
Setting 19.25/7.5  
03-P-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.838G       | 105.44            | Inf               | -Inf           | 96.00         | 3           | Horizontal | 195            | 1.66          | -       | 35.70      | 8.90       | 35.16      |
| AV   | 6.862G       | 95.98             | Inf               | -Inf           | 86.61         | 3           | Horizontal | 195            | 1.66          | -       | 35.70      | 8.82       | 35.15      |
| PK   | 7.328G       | 62.49             | 74.00             | -11.51         | 52.17         | 3           | Horizontal | 195            | 1.66          | -       | 36.86      | 8.62       | 35.16      |
| AV   | 7.326G       | 52.67             | 54.00             | -1.33          | 42.36         | 3           | Horizontal | 195            | 1.66          | -       | 36.85      | 8.62       | 35.16      |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_1TX

6905MHz\_TX




EUT\_Y\_1TX  
Setting 19.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81178G | 50.06    | 88.20    | -38.14 | 62.03  | 3    | Vertical  | 126     | 1.66   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.80843G | 37.87    | 68.20    | -30.33 | 49.84  | 3    | Vertical  | 126     | 1.66   | -       | 40.72 | 11.69 | 64.38 |  |  |  |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_1TX

6905MHz\_TX




EUT\_V\_1TX  
Setting 19.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81458G | 49.71    | 88.20    | -38.49 | 61.68  | 3    | Horizontal | 111     | 1.59   | -       | 40.73 | 11.69 | 64.39 |  |  |  |
| RMS  | 13.81221G | 37.98    | 68.20    | -30.22 | 49.95  | 3    | Horizontal | 111     | 1.59   | -       | 40.72 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_1TX

6905MHz\_TX




EUT\_V\_1TX  
Setting 19.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71643G | 46.43    | 83.54    | -37.11 | 41.48  | 1    | Vertical  | 210     | 1.54   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| RMS  | 20.718G   | 34.45    | 63.54    | -29.09 | 29.49  | 1    | Vertical  | 210     | 1.54   | -       | 37.90 | 15.76 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_1TX

6905MHz\_TX




EUT\_V\_1TX  
Setting 19.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71902G | 45.98    | 83.54    | -37.56 | 41.02  | 1    | Horizontal | 136     | 2.63   | -       | 37.90 | 15.76 | 48.70 |  |  |  |
| RMS  | 20.71073G | 34.62    | 63.54    | -28.92 | 29.67  | 1    | Horizontal | 136     | 2.63   | -       | 37.90 | 15.75 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6905MHz\_TX




EUT\_Y\_1TX  
Setting 18.25/7.5  
03-P-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.749G       | 107.04            | Inf               | -Inf           | 97.73         | 3           | Vertical  | 186            | 1.56          | -       | 35.50      | 8.99       | 35.18      |
| AV   | 6.748G       | 97.20             | Inf               | -Inf           | 87.90         | 3           | Vertical  | 186            | 1.56          | -       | 35.49      | 8.99       | 35.18      |
| PK   | 7.279G       | 62.66             | 74.00             | -11.34         | 52.50         | 3           | Vertical  | 186            | 1.56          | -       | 36.72      | 8.59       | 35.15      |
| AV   | 7.402G       | 52.02             | 54.00             | -1.98          | 41.51         | 3           | Vertical  | 186            | 1.56          | -       | 37.00      | 8.67       | 35.16      |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6905MHz\_TX




EUT\_Y\_1TX  
Setting 18.25/7.5  
03-P-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.804G       | 105.31            | Inf               | -Inf           | 95.77         | 3           | Horizontal | 197            | 1.68          | -       | 35.70      | 9.01       | 35.17      |
| AV   | 6.817G       | 95.76             | Inf               | -Inf           | 86.26         | 3           | Horizontal | 197            | 1.68          | -       | 35.70      | 8.96       | 35.16      |
| PK   | 7.334G       | 63.85             | 74.00             | -10.15         | 53.51         | 3           | Horizontal | 197            | 1.68          | -       | 36.87      | 8.63       | 35.16      |
| AV   | 7.405G       | 51.97             | 54.00             | -2.03          | 41.45         | 3           | Horizontal | 197            | 1.68          | -       | 37.00      | 8.68       | 35.16      |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6905MHz\_TX




EUT\_V\_1TX  
Setting 18.25/7.5  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.80737G    | 50.16             | 88.20             | -38.04         | 62.14         | 3           | Vertical  | 139            | 1.92          | -       | 40.71      | 11.69      | 64.38      |  |  |  |
| RMS  | 13.81441G    | 37.49             | 68.20             | -30.71         | 49.46         | 3           | Vertical  | 139            | 1.92          | -       | 40.73      | 11.69      | 64.39      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6905MHz\_TX




EUT\_V\_1TX  
Setting 18.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81039G | 49.68    | 88.20    | -38.52 | 61.65  | 3    | Horizontal | 334     | 1.85   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81303G | 37.47    | 68.20    | -30.73 | 49.44  | 3    | Horizontal | 334     | 1.85   | -       | 40.73 | 11.69 | 64.39 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6905MHz\_TX




EUT\_V\_1TX  
Setting 18.25/7.5  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71772G    | 46.78             | 83.54             | -36.76         | 41.83         | 1           | Vertical  | 101            | 2.63          | -       | 37.90      | 15.75      | 48.70      |  |  |  |
| RMS  | 20.71896G    | 34.03             | 63.54             | -29.51         | 29.07         | 1           | Vertical  | 101            | 2.63          | -       | 37.90      | 15.76      | 48.70      |  |  |  |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_1TX

6905MHz\_TX




EUT\_V\_1TX  
Setting 18.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71407G | 46.47    | 83.54    | -37.07 | 41.52  | 1    | Horizontal | 279     | 1.64   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| RMS  | 20.71896G | 34.03    | 63.54    | -29.51 | 29.07  | 1    | Horizontal | 279     | 1.64   | -       | 37.90 | 15.76 | 48.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9226G | 61.81    | 88.20    | -26.39 | 54.33  | 3    | Vertical  | 204     | 1.80   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.9208G | 51.89    | 68.20    | -16.31 | 44.42  | 3    | Vertical  | 204     | 1.80   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| PK   | 6.021G  | 110.63   | Inf      | -Inf   | 102.88 | 3    | Vertical  | 204     | 1.80   | -       | 34.74 | 8.20 | 35.19 |  |  |  |
| RMS  | 6.0186G | 99.60    | Inf      | -Inf   | 91.85  | 3    | Vertical  | 204     | 1.80   | -       | 34.74 | 8.20 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9148G | 61.84    | 88.20    | -26.36 | 54.40  | 3    | Horizontal | 191     | 1.73   | -       | 34.56 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.9136G | 51.53    | 68.20    | -16.67 | 44.10  | 3    | Horizontal | 191     | 1.73   | -       | 34.55 | 8.08 | 35.20 |  |  |  |
| PK   | 6.0078G | 110.01   | Inf      | -Inf   | 102.30 | 3    | Horizontal | 191     | 1.73   | -       | 34.72 | 8.18 | 35.19 |  |  |  |
| RMS  | 6.0096G | 99.10    | Inf      | -Inf   | 91.39  | 3    | Horizontal | 191     | 1.73   | -       | 34.72 | 8.18 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.97419G | 49.54    | 74.00    | -24.46 | 64.28  | 3    | Vertical  | 260     | 1.92   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| AV   | 11.97296G | 37.14    | 54.00    | -16.86 | 51.88  | 3    | Vertical  | 260     | 1.92   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| PK   | 17.95431G | 57.44    | 74.00    | -16.56 | 60.87  | 3    | Vertical  | 322     | 2.22   | -       | 44.71 | 14.23 | 62.37 |  |  |  |
| AV   | 17.953G   | 44.52    | 54.00    | -9.48  | 47.95  | 3    | Vertical  | 322     | 2.22   | -       | 44.71 | 14.23 | 62.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.97217G | 49.11    | 74.00    | -24.89 | 63.85  | 3    | Horizontal | 43      | 1.10   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| AV   | 11.97279G | 37.17    | 54.00    | -16.83 | 51.91  | 3    | Horizontal | 43      | 1.10   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| PK   | 17.95551G | 57.03    | 74.00    | -16.97 | 60.46  | 3    | Horizontal | 107     | 1.95   | -       | 44.71 | 14.23 | 62.37 |  |  |  |
| AV   | 17.95378G | 44.54    | 54.00    | -9.46  | 47.97  | 3    | Horizontal | 107     | 1.95   | -       | 44.71 | 14.23 | 62.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93991G | 49.96    | 83.54    | -33.58 | 41.27  | 1    | Vertical  | 222     | 1.63   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| RMS  | 23.93514G | 37.73    | 63.54    | -25.81 | 29.05  | 1    | Vertical  | 222     | 1.63   | -       | 39.00 | 17.31 | 47.63 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94279G | 49.81    | 83.54    | -33.73 | 41.12  | 1    | Horizontal | 102     | 1.50   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| RMS  | 23.93565G | 37.73    | 63.54    | -25.81 | 29.05  | 1    | Horizontal | 102     | 1.50   | -       | 39.00 | 17.31 | 47.63 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 11.25/5.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.868G  | 62.18    | 88.20    | -26.02 | 54.98  | 3    | Vertical  | 203     | 1.80   | -       | 34.37 | 8.03 | 35.20 |  |  |  |
| RMS  | 5.9034G | 51.36    | 68.20    | -16.84 | 43.98  | 3    | Vertical  | 203     | 1.80   | -       | 34.51 | 8.07 | 35.20 |  |  |  |
| PK   | 6.0192G | 109.04   | Inf      | -Inf   | 101.29 | 3    | Vertical  | 203     | 1.80   | -       | 34.74 | 8.20 | 35.19 |  |  |  |
| RMS  | 6.0186G | 99.67    | Inf      | -Inf   | 91.92  | 3    | Vertical  | 203     | 1.80   | -       | 34.74 | 8.20 | 35.19 |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 11.25/5.5  
03-P-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9106G | 63.74    | 88.20    | -24.46 | 56.32  | 3    | Horizontal | 190     | 1.66   | -       | 34.54 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.9082G | 51.30    | 68.20    | -16.90 | 43.90  | 3    | Horizontal | 190     | 1.66   | -       | 34.53 | 8.07 | 35.20 |  |  |  |
| PK   | 6.009G  | 109.52   | Inf      | -Inf   | 101.81 | 3    | Horizontal | 190     | 1.66   | -       | 34.72 | 8.18 | 35.19 |  |  |  |
| RMS  | 6.0084G | 99.34    | Inf      | -Inf   | 91.63  | 3    | Horizontal | 190     | 1.66   | -       | 34.72 | 8.18 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

5985MHz\_TX




EUT Y\_2TX  
Setting 11.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.96865G | 49.21    | 74.00    | -24.79 | 63.95  | 3    | Vertical  | 73      | 2.36   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| AV   | 11.97323G | 37.12    | 54.00    | -16.88 | 51.86  | 3    | Vertical  | 73      | 2.36   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| PK   | 17.95682G | 56.70    | 74.00    | -17.30 | 60.12  | 3    | Vertical  | 127     | 1.80   | -       | 44.71 | 14.23 | 62.36 |  |  |  |
| AV   | 17.95307G | 44.52    | 54.00    | -9.48  | 47.95  | 3    | Vertical  | 127     | 1.80   | -       | 44.71 | 14.23 | 62.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 11.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.97344G | 49.38    | 74.00    | -24.62 | 64.12  | 3    | Horizontal | 104     | 2.89   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| AV   | 11.97297G | 37.11    | 54.00    | -16.89 | 51.85  | 3    | Horizontal | 104     | 2.89   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| PK   | 17.95418G | 56.77    | 74.00    | -17.23 | 60.20  | 3    | Horizontal | 312     | 1.66   | -       | 44.71 | 14.23 | 62.37 |  |  |  |
| AV   | 17.95357G | 44.55    | 54.00    | -9.45  | 47.98  | 3    | Horizontal | 312     | 1.66   | -       | 44.71 | 14.23 | 62.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 11.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94228G | 50.33    | 83.54    | -33.21 | 41.64  | 1    | Vertical  | 223     | 1.75   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| RMS  | 23.93552G | 37.73    | 63.54    | -25.81 | 29.05  | 1    | Vertical  | 223     | 1.75   | -       | 39.00 | 17.31 | 47.63 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX


5985MHz\_TX

EUT\_Y\_2TX  
Setting 11.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93633G | 50.15    | 83.54    | -33.39 | 41.47  | 1    | Horizontal | 96      | 1.48   | -       | 39.00 | 17.31 | 47.63 |  |  |  |
| RMS  | 23.93505G | 37.73    | 63.54    | -25.81 | 29.05  | 1    | Horizontal | 96      | 1.48   | -       | 39.00 | 17.31 | 47.63 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9922G | 109.54   | Inf      | -Inf   | 100.59 | 3    | Vertical  | 193     | 1.72   | -       | 35.68 | 8.40 | 35.13 |  |  |  |
| RMS  | 6.9914G | 99.74    | Inf      | -Inf   | 90.79  | 3    | Vertical  | 193     | 1.72   | -       | 35.68 | 8.40 | 35.13 |  |  |  |
| PK   | 7.2158G | 61.18    | 88.20    | -27.02 | 51.39  | 3    | Vertical  | 193     | 1.72   | -       | 36.39 | 8.55 | 35.15 |  |  |  |
| RMS  | 7.2202G | 51.37    | 68.20    | -16.83 | 41.55  | 3    | Vertical  | 193     | 1.72   | -       | 36.42 | 8.55 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9994G | 109.86   | Inf      | -Inf   | 100.92 | 3    | Horizontal | 196     | 2.00   | -       | 35.70 | 8.37 | 35.13 |  |  |  |
| RMS  | 6.9998G | 99.47    | Inf      | -Inf   | 90.53  | 3    | Horizontal | 196     | 2.00   | -       | 35.70 | 8.37 | 35.13 |  |  |  |
| PK   | 7.2062G | 62.02    | 88.20    | -26.18 | 52.29  | 3    | Horizontal | 196     | 2.00   | -       | 36.34 | 8.54 | 35.15 |  |  |  |
| RMS  | 7.2166G | 51.32    | 68.20    | -16.88 | 41.52  | 3    | Horizontal | 196     | 2.00   | -       | 36.40 | 8.55 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.054G   | 50.35    | 88.20    | -37.85 | 61.77  | 3    | Vertical  | 156     | 2.30   | -       | 41.20 | 11.72 | 64.34 |  |  |  |
| RMS  | 14.04987G | 38.31    | 68.20    | -29.89 | 49.74  | 3    | Vertical  | 156     | 2.30   | -       | 41.20 | 11.72 | 64.35 |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04979G | 50.17    | 88.20    | -38.03 | 61.60  | 3    | Horizontal | 211     | 1.49   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.04995G | 38.24    | 68.20    | -29.96 | 49.67  | 3    | Horizontal | 211     | 1.49   | -       | 41.20 | 11.72 | 64.35 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07776G | 46.32    | 83.54    | -37.22 | 40.95  | 1    | Vertical  | 220     | 1.68   | -       | 38.00 | 16.05 | 48.68 |  |  |  |
| RMS  | 21.08G    | 34.50    | 63.54    | -29.04 | 29.13  | 1    | Vertical  | 220     | 1.68   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 15.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07525G | 47.02    | 83.54    | -36.52 | 41.65  | 1    | Horizontal | 2       | 2.10   | -       | 38.00 | 16.05 | 48.68 |  |  |  |
| RMS  | 21.07905G | 34.49    | 63.54    | -29.05 | 29.12  | 1    | Horizontal | 2       | 2.10   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 9.25/7.5  
03-G-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0514G      | 109.51            | Inf               | -Inf           | 100.53        | 3           | Vertical  | 190            | 1.97          | -       | 35.70      | 8.41       | 35.13      |  |  |  |
| RMS  | 7.0502G      | 99.28             | Inf               | -Inf           | 90.30         | 3           | Vertical  | 190            | 1.97          | -       | 35.70      | 8.41       | 35.13      |  |  |  |
| PK   | 7.213G       | 66.50             | 88.20             | -21.70         | 56.72         | 3           | Vertical  | 190            | 1.97          | -       | 36.38      | 8.55       | 35.15      |  |  |  |
| RMS  | 7.2222G      | 54.97             | 68.20             | -13.23         | 45.14         | 3           | Vertical  | 190            | 1.97          | -       | 36.43      | 8.55       | 35.15      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 9.25/7.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.001G  | 108.41   | Inf      | -Inf   | 99.47  | 3    | Horizontal | 196     | 1.80   | -       | 35.70 | 8.37 | 35.13 |  |  |  |
| RMS  | 7.0018G | 99.72    | Inf      | -Inf   | 90.78  | 3    | Horizontal | 196     | 1.80   | -       | 35.70 | 8.37 | 35.13 |  |  |  |
| PK   | 7.205G  | 65.11    | 88.20    | -23.09 | 55.39  | 3    | Horizontal | 196     | 1.80   | -       | 36.33 | 8.54 | 35.15 |  |  |  |
| RMS  | 7.2246G | 55.03    | 68.20    | -13.17 | 45.17  | 3    | Horizontal | 196     | 1.80   | -       | 36.45 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 9.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0506G  | 50.61    | 88.20    | -37.59 | 62.04  | 3    | Vertical  | 213     | 2.29   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.05471G | 38.32    | 68.20    | -29.88 | 49.74  | 3    | Vertical  | 213     | 2.29   | -       | 41.20 | 11.72 | 64.34 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 9.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05226G | 50.56    | 88.20    | -37.64 | 61.99  | 3    | Horizontal | 66      | 2.24   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.05399G | 38.24    | 68.20    | -29.96 | 49.66  | 3    | Horizontal | 66      | 2.24   | -       | 41.20 | 11.72 | 64.34 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 9.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07459G | 47.00    | 83.54    | -36.54 | 41.64  | 1    | Vertical  | 110     | 1.05   | -       | 38.00 | 16.05 | 48.69 |  |  |  |
| RMS  | 21.07902G | 34.49    | 63.54    | -29.05 | 29.12  | 1    | Vertical  | 110     | 1.05   | -       | 38.00 | 16.05 | 48.68 |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 9.25/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07692G | 46.94    | 83.54    | -36.60 | 41.57  | 1    | Horizontal | 13      | 2.51   | -       | 38.00 | 16.05 | 48.68 |  |  |  |
| RMS  | 21.07897G | 34.49    | 63.54    | -29.05 | 29.12  | 1    | Horizontal | 13      | 2.51   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 15.5/7  
03-G-G-5-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.919G | 65.91    | 88.20    | -22.29 | 58.45  | 3    | Vertical  | 202     | 1.80   | -       | 34.58 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.923G | 53.67    | 68.20    | -14.53 | 46.19  | 3    | Vertical  | 202     | 1.80   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| PK   | 6.04G  | 110.21   | Inf      | -Inf   | 102.39 | 3    | Vertical  | 202     | 1.80   | -       | 34.78 | 8.23 | 35.19 |  |  |  |
| RMS  | 6.098G | 99.44    | Inf      | -Inf   | 91.33  | 3    | Vertical  | 202     | 1.80   | -       | 34.99 | 8.32 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 15.5/7  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.921G  | 65.71    | 88.20    | -22.49 | 58.24  | 3    | Horizontal | 199     | 1.67   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.9125G | 53.56    | 68.20    | -14.64 | 46.13  | 3    | Horizontal | 199     | 1.67   | -       | 34.55 | 8.08 | 35.20 |  |  |  |
| PK   | 6.085G  | 109.39   | Inf      | -Inf   | 101.35 | 3    | Horizontal | 199     | 1.67   | -       | 34.94 | 8.30 | 35.20 |  |  |  |
| RMS  | 6.0875G | 99.06    | Inf      | -Inf   | 91.01  | 3    | Horizontal | 199     | 1.67   | -       | 34.95 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX


6025MHz\_TX

EUT\_Y\_2TX  
Setting 15.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0521G  | 49.03    | 74.00    | -24.97 | 63.80  | 3    | Vertical  | 274     | 1.90   | -       | 39.09 | 11.83 | 65.69 |  |  |  |
| AV   | 12.05123G | 37.02    | 54.00    | -16.98 | 51.78  | 3    | Vertical  | 274     | 1.90   | -       | 39.10 | 11.83 | 65.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6025MHz\_TX




EUT\_V\_2TX  
Setting 15.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04742G | 49.03    | 74.00    | -24.97 | 63.79  | 3    | Horizontal | 24      | 2.61   | -       | 39.11 | 11.83 | 65.70 |  |  |  |
| AV   | 12.04571G | 37.00    | 54.00    | -17.00 | 51.76  | 3    | Horizontal | 24      | 2.61   | -       | 39.11 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 15.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07481G | 45.88    | 83.54    | -37.66 | 41.25  | 1    | Vertical  | 13      | 2.83   | -       | 37.55 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07637G | 34.21    | 63.54    | -29.33 | 29.58  | 1    | Vertical  | 13      | 2.83   | -       | 37.56 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 15.5/7  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07197G | 45.77    | 83.54    | -37.77 | 41.16  | 1    | Horizontal | 343     | 2.11   | -       | 37.53 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07972G | 34.28    | 63.54    | -29.26 | 29.63  | 1    | Horizontal | 343     | 2.11   | -       | 37.58 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 13/8.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9215G | 65.87    | 88.20    | -22.33 | 58.39  | 3    | Vertical  | 201     | 1.80   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.9195G | 53.23    | 68.20    | -14.97 | 45.76  | 3    | Vertical  | 201     | 1.80   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0965G | 108.51   | Inf      | -Inf   | 100.41 | 3    | Vertical  | 201     | 1.80   | -       | 34.99 | 8.31 | 35.20 |  |  |  |
| RMS  | 6.098G  | 99.19    | Inf      | -Inf   | 91.08  | 3    | Vertical  | 201     | 1.80   | -       | 34.99 | 8.32 | 35.20 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 13/8.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9125G | 63.68    | 88.20    | -24.52 | 56.25  | 3    | Horizontal | 191     | 1.65   | -       | 34.55 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.925G  | 53.08    | 68.20    | -15.12 | 45.59  | 3    | Horizontal | 191     | 1.65   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0875G | 109.29   | Inf      | -Inf   | 101.24 | 3    | Horizontal | 191     | 1.65   | -       | 34.95 | 8.30 | 35.20 |  |  |  |
| RMS  | 6.088G  | 99.31    | Inf      | -Inf   | 91.26  | 3    | Horizontal | 191     | 1.65   | -       | 34.95 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 13/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04987G | 49.07    | 74.00    | -24.93 | 63.84  | 3    | Vertical  | 316     | 2.02   | -       | 39.10 | 11.83 | 65.70 |  |  |  |
| AV   | 12.0463G  | 36.76    | 54.00    | -17.24 | 51.52  | 3    | Vertical  | 316     | 2.02   | -       | 39.11 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 13/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04637G | 49.09    | 74.00    | -24.91 | 63.85  | 3    | Horizontal | 309     | 2.41   | -       | 39.11 | 11.83 | 65.70 |  |  |  |
| AV   | 12.0451G  | 36.66    | 54.00    | -17.34 | 51.42  | 3    | Horizontal | 309     | 2.41   | -       | 39.11 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX


6025MHz\_TX

EUT\_Y\_2TX  
Setting 13/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0725G  | 46.64    | 83.54    | -36.90 | 42.02  | 1    | Vertical  | 246     | 2.62   | -       | 37.54 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07867G | 34.07    | 63.54    | -29.47 | 29.43  | 1    | Vertical  | 246     | 2.62   | -       | 37.57 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 13/8.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07347G | 46.86    | 83.54    | -36.68 | 42.24  | 1    | Horizontal | 265     | 2.09   | -       | 37.54 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07827G | 34.07    | 63.54    | -29.47 | 29.43  | 1    | Horizontal | 265     | 2.09   | -       | 37.57 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.922G  | 63.62    | 88.20    | -24.58 | 56.14  | 3    | Vertical  | 202     | 1.75   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 53.27    | 68.20    | -14.93 | 45.78  | 3    | Vertical  | 202     | 1.75   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.099G  | 109.33   | Inf      | -Inf   | 101.21 | 3    | Vertical  | 202     | 1.75   | -       | 35.00 | 8.32 | 35.20 |  |  |  |
| RMS  | 6.0975G | 99.49    | Inf      | -Inf   | 91.38  | 3    | Vertical  | 202     | 1.75   | -       | 34.99 | 8.32 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.918G  | 63.45    | 88.20    | -24.75 | 56.00  | 3    | Horizontal | 192     | 1.67   | -       | 34.57 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.9235G | 53.24    | 68.20    | -14.96 | 45.76  | 3    | Horizontal | 192     | 1.67   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0885G | 108.83   | Inf      | -Inf   | 100.78 | 3    | Horizontal | 192     | 1.67   | -       | 34.95 | 8.30 | 35.20 |  |  |  |
| RMS  | 6.0875G | 98.91    | Inf      | -Inf   | 90.86  | 3    | Horizontal | 192     | 1.67   | -       | 34.95 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05147G | 49.04    | 74.00    | -24.96 | 63.81  | 3    | Vertical  | 152     | 1.46   | -       | 39.09 | 11.83 | 65.69 |  |  |  |
| AV   | 12.04896G | 37.05    | 54.00    | -16.95 | 51.82  | 3    | Vertical  | 152     | 1.46   | -       | 39.10 | 11.83 | 65.70 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05171G | 48.77    | 74.00    | -25.23 | 63.54  | 3    | Horizontal | 159     | 2.09   | -       | 39.09 | 11.83 | 65.69 |  |  |  |
| AV   | 12.04556G | 36.99    | 54.00    | -17.01 | 51.75  | 3    | Horizontal | 159     | 2.09   | -       | 39.11 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07645G | 45.63    | 83.54    | -37.91 | 41.00  | 1    | Vertical  | 196     | 1.67   | -       | 37.56 | 15.29 | 48.22 |  |  |  |
| RMS  | 18.0792G  | 34.28    | 63.54    | -29.26 | 29.63  | 1    | Vertical  | 196     | 1.67   | -       | 37.58 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07473G | 46.47    | 83.54    | -37.07 | 41.84  | 1    | Horizontal | 5       | 2.70   | -       | 37.55 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07789G | 34.25    | 63.54    | -29.29 | 29.61  | 1    | Horizontal | 5       | 2.70   | -       | 37.57 | 15.29 | 48.22 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 15/7.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9115G | 109.45   | Inf      | -Inf   | 100.26 | 3    | Vertical  | 183     | 1.56   | -       | 35.68 | 8.66 | 35.15 |  |  |  |
| RMS  | 6.9115G | 99.09    | Inf      | -Inf   | 89.90  | 3    | Vertical  | 183     | 1.56   | -       | 35.68 | 8.66 | 35.15 |  |  |  |
| PK   | 7.151G  | 65.90    | 88.20    | -22.30 | 56.53  | 3    | Vertical  | 183     | 1.56   | -       | 36.01 | 8.50 | 35.14 |  |  |  |
| RMS  | 7.2285G | 55.53    | 68.20    | -12.67 | 45.65  | 3    | Vertical  | 183     | 1.56   | -       | 36.47 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 15/7.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.004G  | 108.06   | Inf      | -Inf   | 99.12  | 3    | Horizontal | 194     | 1.67   | -       | 35.70 | 8.37 | 35.13 |  |  |  |
| RMS  | 6.922G  | 99.40    | Inf      | -Inf   | 90.26  | 3    | Horizontal | 194     | 1.67   | -       | 35.66 | 8.62 | 35.14 |  |  |  |
| PK   | 7.139G  | 65.96    | 88.20    | -22.24 | 56.68  | 3    | Horizontal | 194     | 1.67   | -       | 35.93 | 8.49 | 35.14 |  |  |  |
| RMS  | 7.2245G | 55.63    | 68.20    | -12.57 | 45.77  | 3    | Horizontal | 194     | 1.67   | -       | 36.45 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 15/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96582G | 50.19    | 88.20    | -38.01 | 62.00  | 3    | Vertical  | 160     | 2.50   | -       | 40.96 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.9731G  | 38.39    | 68.20    | -29.81 | 50.17  | 3    | Vertical  | 160     | 2.50   | -       | 40.99 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 15/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9745G  | 50.21    | 88.20    | -37.99 | 61.98  | 3    | Horizontal | 107     | 2.33   | -       | 41.00 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97126G | 38.35    | 68.20    | -29.85 | 50.13  | 3    | Horizontal | 107     | 2.33   | -       | 40.99 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 15/7.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95628G | 45.93    | 83.54    | -37.61 | 40.77  | 1    | Vertical  | 45      | 2.35   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95204G | 34.72    | 63.54    | -28.82 | 29.57  | 1    | Vertical  | 45      | 2.35   | -       | 37.90 | 15.95 | 48.70 |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 15/7.5  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95797G    | 46.75             | 83.54             | -36.79         | 41.58         | 1           | Horizontal | 133            | 2.65          | -       | 37.92      | 15.95      | 48.70      |  |  |  |
| RMS  | 20.95781G    | 34.71             | 63.54             | -28.83         | 29.54         | 1           | Horizontal | 133            | 2.65          | -       | 37.92      | 15.95      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 13.5/8  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9115G | 109.31   | Inf      | -Inf   | 100.12 | 3    | Vertical  | 182     | 1.55   | -       | 35.68 | 8.66 | 35.15 |  |  |  |
| RMS  | 6.912G  | 99.61    | Inf      | -Inf   | 90.42  | 3    | Vertical  | 182     | 1.55   | -       | 35.68 | 8.66 | 35.15 |  |  |  |
| PK   | 7.2125G | 66.09    | 88.20    | -22.11 | 56.32  | 3    | Vertical  | 182     | 1.55   | -       | 36.37 | 8.55 | 35.15 |  |  |  |
| RMS  | 7.225G  | 55.08    | 68.20    | -13.12 | 45.22  | 3    | Vertical  | 182     | 1.55   | -       | 36.45 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 13.5/8  
03-G-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.921G       | 109.71            | Inf               | -Inf           | 100.56        | 3           | Horizontal | 196            | 1.67          | -       | 35.66      | 8.63       | 35.14      |  |  |  |
| RMS  | 6.9225G      | 99.74             | Inf               | -Inf           | 90.60         | 3           | Horizontal | 196            | 1.67          | -       | 35.66      | 8.62       | 35.14      |  |  |  |
| PK   | 7.2115G      | 65.56             | 88.20             | -22.64         | 55.79         | 3           | Horizontal | 196            | 1.67          | -       | 36.37      | 8.55       | 35.15      |  |  |  |
| RMS  | 7.2335G      | 55.10             | 68.20             | -13.10         | 45.19         | 3           | Horizontal | 196            | 1.67          | -       | 36.50      | 8.56       | 35.15      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 13.5/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97257G | 50.17    | 88.20    | -38.03 | 61.95  | 3    | Vertical  | 334     | 1.88   | -       | 40.99 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97137G | 38.04    | 68.20    | -30.16 | 49.82  | 3    | Vertical  | 334     | 1.88   | -       | 40.99 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6985MHz\_TX




EUT\_V\_2TX  
Setting 13.5/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96798G | 50.07    | 88.20    | -38.13 | 61.87  | 3    | Horizontal | 332     | 2.87   | -       | 40.97 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.96956G | 38.06    | 68.20    | -30.14 | 49.85  | 3    | Horizontal | 332     | 2.87   | -       | 40.98 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 13.5/8  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95585G | 46.60    | 83.54    | -36.94 | 41.44  | 1    | Vertical  | 276     | 2.10   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95376G | 34.52    | 63.54    | -29.02 | 29.36  | 1    | Vertical  | 276     | 2.10   | -       | 37.91 | 15.95 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_2TX

6985MHz\_TX




EUT\_V\_2TX  
Setting 13.5/8  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.9562G     | 46.60             | 83.54             | -36.94         | 41.44         | 1           | Horizontal | 18             | 2.25          | -       | 37.91      | 15.95      | 48.70      |  |  |  |
| RMS  | 20.95329G    | 34.52             | 63.54             | -29.02         | 29.36         | 1           | Horizontal | 18             | 2.25          | -       | 37.91      | 15.95      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9115G | 109.15   | Inf      | -Inf   | 99.96  | 3    | Vertical  | 183     | 1.56   | -       | 35.68 | 8.66 | 35.15 |  |  |  |
| RMS  | 6.9115G | 99.36    | Inf      | -Inf   | 90.17  | 3    | Vertical  | 183     | 1.56   | -       | 35.68 | 8.66 | 35.15 |  |  |  |
| PK   | 7.1465G | 70.77    | 88.20    | -17.43 | 61.44  | 3    | Vertical  | 183     | 1.56   | -       | 35.98 | 8.49 | 35.14 |  |  |  |
| RMS  | 7.217G  | 55.53    | 68.20    | -12.67 | 45.73  | 3    | Vertical  | 183     | 1.56   | -       | 36.40 | 8.55 | 35.15 |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.943G  | 110.28   | Inf      | -Inf   | 101.25 | 3    | Horizontal | 195     | 1.64   | -       | 35.61 | 8.56 | 35.14 |  |  |  |
| RMS  | 6.9235G | 99.35    | Inf      | -Inf   | 90.22  | 3    | Horizontal | 195     | 1.64   | -       | 35.65 | 8.62 | 35.14 |  |  |  |
| PK   | 7.154G  | 65.64    | 88.20    | -22.56 | 56.26  | 3    | Horizontal | 195     | 1.64   | -       | 36.02 | 8.50 | 35.14 |  |  |  |
| RMS  | 7.223G  | 55.62    | 68.20    | -12.58 | 45.78  | 3    | Horizontal | 195     | 1.64   | -       | 36.44 | 8.55 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.971G   | 49.79    | 88.20    | -38.41 | 61.58  | 3    | Vertical  | 323     | 2.61   | -       | 40.98 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97412G | 38.37    | 68.20    | -29.83 | 50.14  | 3    | Vertical  | 323     | 2.61   | -       | 41.00 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96561G | 49.91    | 88.20    | -38.29 | 61.72  | 3    | Horizontal | 31      | 2.12   | -       | 40.96 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97373G | 38.51    | 68.20    | -29.69 | 50.29  | 3    | Horizontal | 31      | 2.12   | -       | 40.99 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95577G | 46.75    | 83.54    | -36.79 | 41.59  | 1    | Vertical  | 12      | 1.91   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95982G | 34.70    | 63.54    | -28.84 | 29.53  | 1    | Vertical  | 12      | 1.91   | -       | 37.92 | 15.95 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 11/9.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.95853G | 46.69    | 83.54    | -36.85 | 41.52  | 1    | Horizontal | 86      | 2.18   | -       | 37.92 | 15.95 | 48.70 |  |  |  |  |
| RMS  | 20.95352G | 34.72    | 63.54    | -28.82 | 29.56  | 1    | Horizontal | 86      | 2.18   | -       | 37.91 | 15.95 | 48.70 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 19.25/5.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9226G | 64.74    | 88.20    | -23.46 | 57.26  | 3    | Vertical  | 201     | 1.56   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.921G  | 54.27    | 68.20    | -13.93 | 46.80  | 3    | Vertical  | 201     | 1.56   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| PK   | 6.1394G | 110.79   | Inf      | -Inf   | 102.61 | 3    | Vertical  | 201     | 1.56   | -       | 35.00 | 8.38 | 35.20 |  |  |  |
| RMS  | 6.1762G | 100.01   | Inf      | -Inf   | 91.78  | 3    | Vertical  | 201     | 1.56   | -       | 35.00 | 8.43 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 19.25/5.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9202G | 69.69    | 88.20    | -18.51 | 62.22  | 3    | Horizontal | 197     | 1.60   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 53.86    | 68.20    | -14.34 | 46.37  | 3    | Horizontal | 197     | 1.60   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0498G | 108.98   | Inf      | -Inf   | 101.13 | 3    | Horizontal | 197     | 1.60   | -       | 34.80 | 8.24 | 35.19 |  |  |  |
| RMS  | 6.0874G | 99.71    | Inf      | -Inf   | 91.66  | 3    | Horizontal | 197     | 1.60   | -       | 34.95 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 19.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21417G | 49.06    | 74.00    | -24.94 | 63.93  | 3    | Vertical  | 134     | 1.06   | -       | 38.87 | 11.81 | 65.55 |  |  |  |
| AV   | 12.21196G | 37.14    | 54.00    | -16.86 | 52.00  | 3    | Vertical  | 134     | 1.06   | -       | 38.88 | 11.81 | 65.55 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 19.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21117G | 48.84    | 74.00    | -25.16 | 63.70  | 3    | Horizontal | 138     | 2.73   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20686G | 37.12    | 54.00    | -16.88 | 51.97  | 3    | Horizontal | 138     | 2.73   | -       | 38.89 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 19.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31277G | 46.60    | 83.54    | -36.94 | 41.96  | 1    | Vertical  | 21      | 2.24   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31299G | 34.94    | 63.54    | -28.60 | 30.30  | 1    | Vertical  | 21      | 2.24   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_2TX

6105MHz\_TX




EUT\_V\_2TX  
Setting 19.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31068G | 46.90    | 83.54    | -36.64 | 42.27  | 1    | Horizontal | 109     | 2.81   | -       | 37.62 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31166G | 34.94    | 63.54    | -28.60 | 30.31  | 1    | Horizontal | 109     | 2.81   | -       | 37.62 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 18.25/5.5  
03-G-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 67.36             | 88.20             | -20.84         | 59.89         | 3           | Vertical  | 202            | 1.57          | -       | 34.58      | 8.09       | 35.20      |  |  |  |
| RMS  | 5.921G       | 53.91             | 68.20             | -14.29         | 46.44         | 3           | Vertical  | 202            | 1.57          | -       | 34.58      | 8.09       | 35.20      |  |  |  |
| PK   | 6.0938G      | 110.46            | Inf               | -Inf           | 102.37        | 3           | Vertical  | 202            | 1.57          | -       | 34.98      | 8.31       | 35.20      |  |  |  |
| RMS  | 6.177G       | 99.80             | Inf               | -Inf           | 91.56         | 3           | Vertical  | 202            | 1.57          | -       | 35.00      | 8.44       | 35.20      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 18.25/5.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9202G | 71.97    | 88.20    | -16.23 | 64.50  | 3    | Horizontal | 152     | 1.68   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 53.74    | 68.20    | -14.46 | 46.25  | 3    | Horizontal | 152     | 1.68   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0658G | 109.34   | Inf      | -Inf   | 101.40 | 3    | Horizontal | 152     | 1.68   | -       | 34.86 | 8.27 | 35.19 |  |  |  |
| RMS  | 6.1666G | 99.74    | Inf      | -Inf   | 91.52  | 3    | Horizontal | 152     | 1.68   | -       | 35.00 | 8.42 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 18.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21032G | 48.95    | 74.00    | -25.05 | 63.81  | 3    | Vertical  | 111     | 1.07   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20501G | 36.96    | 54.00    | -17.04 | 51.82  | 3    | Vertical  | 111     | 1.07   | -       | 38.89 | 11.81 | 65.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 18.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20544G | 48.95    | 74.00    | -25.05 | 63.81  | 3    | Horizontal | 151     | 2.41   | -       | 38.89 | 11.81 | 65.56 |  |  |  |
| AV   | 12.20627G | 36.95    | 54.00    | -17.05 | 51.80  | 3    | Horizontal | 151     | 2.41   | -       | 38.89 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 18.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31008G | 46.56    | 83.54    | -36.98 | 41.93  | 1    | Vertical  | 97      | 2.09   | -       | 37.62 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31012G | 34.59    | 63.54    | -28.95 | 29.96  | 1    | Vertical  | 97      | 2.09   | -       | 37.62 | 15.27 | 48.26 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_2TX


6105MHz\_TX

EUT\_Y\_2TX  
Setting 18.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31854G | 47.13    | 83.54    | -36.41 | 42.48  | 1    | Horizontal | 335     | 2.28   | -       | 37.64 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31013G | 34.59    | 63.54    | -28.95 | 29.96  | 1    | Horizontal | 335     | 2.28   | -       | 37.62 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/5.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9226G | 66.18    | 88.20    | -22.02 | 58.70  | 3    | Vertical  | 212     | 1.80   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.9242G | 52.81    | 68.20    | -15.39 | 45.32  | 3    | Vertical  | 212     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.2354G | 109.77   | Inf      | -Inf   | 101.52 | 3    | Vertical  | 212     | 1.80   | -       | 34.93 | 8.52 | 35.20 |  |  |  |
| RMS  | 6.197G  | 99.34    | Inf      | -Inf   | 91.07  | 3    | Vertical  | 212     | 1.80   | -       | 35.00 | 8.47 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6105MHz\_TX




EUT Y\_2TX  
Setting 17.25/5.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9242G | 69.49    | 88.20    | -18.71 | 62.00  | 3    | Horizontal | 156     | 1.60   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 52.92    | 68.20    | -15.28 | 45.43  | 3    | Horizontal | 156     | 1.60   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.2074G | 109.28   | Inf      | -Inf   | 101.01 | 3    | Horizontal | 156     | 1.60   | -       | 34.99 | 8.48 | 35.20 |  |  |  |
| RMS  | 6.2066G | 99.50    | Inf      | -Inf   | 91.23  | 3    | Horizontal | 156     | 1.60   | -       | 34.99 | 8.48 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20886G | 49.02    | 74.00    | -24.98 | 63.88  | 3    | Vertical  | 209     | 2.36   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20575G | 36.72    | 54.00    | -17.28 | 51.57  | 3    | Vertical  | 209     | 2.36   | -       | 38.89 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20982G | 50.02    | 74.00    | -23.98 | 64.88  | 3    | Horizontal | 2       | 2.64   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20776G | 36.72    | 54.00    | -17.28 | 51.58  | 3    | Horizontal | 2       | 2.64   | -       | 38.88 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31686G | 47.04    | 83.54    | -36.50 | 42.40  | 1    | Vertical  | 38      | 1.81   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31287G | 34.41    | 63.54    | -29.13 | 29.77  | 1    | Vertical  | 38      | 1.81   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31864G | 46.79    | 83.54    | -36.75 | 42.14  | 1    | Horizontal | 147     | 2.69   | -       | 37.64 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31029G | 34.41    | 63.54    | -29.13 | 29.78  | 1    | Horizontal | 147     | 2.69   | -       | 37.62 | 15.27 | 48.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/6.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.8342G | 108.77   | Inf      | -Inf   | 99.32  | 3    | Vertical  | 199     | 1.67   | -       | 35.70 | 8.91 | 35.16 |  |  |  |
| RMS  | 6.8318G | 98.92    | Inf      | -Inf   | 89.46  | 3    | Vertical  | 199     | 1.67   | -       | 35.70 | 8.92 | 35.16 |  |  |  |
| PK   | 7.175G  | 64.64    | 88.20    | -23.56 | 55.11  | 3    | Vertical  | 199     | 1.67   | -       | 36.15 | 8.52 | 35.14 |  |  |  |
| RMS  | 7.2032G | 55.03    | 68.20    | -13.17 | 45.32  | 3    | Vertical  | 199     | 1.67   | -       | 36.32 | 8.54 | 35.15 |  |  |  |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/6.5  
03-G-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9812G      | 108.07            | Inf               | -Inf           | 99.11         | 3           | Horizontal | 194            | 1.80          | -       | 35.66      | 8.43       | 35.13      |  |  |  |
| RMS  | 6.863G       | 98.25             | Inf               | -Inf           | 88.88         | 3           | Horizontal | 194            | 1.80          | -       | 35.70      | 8.82       | 35.15      |  |  |  |
| PK   | 7.1408G      | 66.60             | 88.20             | -21.60         | 57.31         | 3           | Horizontal | 194            | 1.80          | -       | 35.94      | 8.49       | 35.14      |  |  |  |
| RMS  | 7.2044G      | 55.02             | 68.20             | -13.18         | 45.30         | 3           | Horizontal | 194            | 1.80          | -       | 36.33      | 8.54       | 35.15      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80684G | 49.70    | 88.20    | -38.50 | 61.68  | 3    | Vertical  | 319     | 2.70   | -       | 40.71 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81405G | 38.13    | 68.20    | -30.07 | 50.10  | 3    | Vertical  | 319     | 2.70   | -       | 40.73 | 11.69 | 64.39 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81352G | 50.29    | 88.20    | -37.91 | 62.26  | 3    | Horizontal | 60      | 1.58   | -       | 40.73 | 11.69 | 64.39 |  |  |  |
| RMS  | 13.81211G | 38.23    | 68.20    | -29.97 | 50.20  | 3    | Horizontal | 60      | 1.58   | -       | 40.72 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 17.25/6.5  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71281G    | 46.51             | 83.54             | -37.03         | 41.56         | 1           | Vertical  | 220            | 2.04          | -       | 37.90      | 15.75      | 48.70      |  |  |  |
| RMS  | 20.71808G    | 34.45             | 63.54             | -29.09         | 29.49         | 1           | Vertical  | 220            | 2.04          | -       | 37.90      | 15.76      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_2TX


6905MHz\_TX

EUT\_Y\_2TX  
Setting 17.25/6.5  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71355G    | 46.76             | 83.54             | -36.78         | 41.81         | 1           | Horizontal | 215            | 2.69          | -       | 37.90      | 15.75      | 48.70      |  |  |  |
| RMS  | 20.71106G    | 34.62             | 63.54             | -28.92         | 29.67         | 1           | Horizontal | 215            | 2.69          | -       | 37.90      | 15.75      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 16.25/6.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.7736G | 109.65   | Inf      | -Inf   | 100.22 | 3    | Vertical  | 200     | 1.62   | -       | 35.59 | 9.01 | 35.17 |  |  |  |
| RMS  | 6.7724G | 99.31    | Inf      | -Inf   | 89.89  | 3    | Vertical  | 200     | 1.62   | -       | 35.59 | 9.00 | 35.17 |  |  |  |
| PK   | 7.1924G | 64.12    | 88.20    | -24.08 | 54.49  | 3    | Vertical  | 200     | 1.62   | -       | 36.25 | 8.53 | 35.15 |  |  |  |
| RMS  | 7.2038G | 54.64    | 68.20    | -13.56 | 44.93  | 3    | Vertical  | 200     | 1.62   | -       | 36.32 | 8.54 | 35.15 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 16.25/6.5  
03-G-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.821G       | 110.65            | Inf               | -Inf           | 101.16        | 3           | Horizontal | 197            | 1.68          | -       | 35.70      | 8.95       | 35.16      |
| RMS  | 6.7628G      | 99.19             | Inf               | -Inf           | 89.81         | 3           | Horizontal | 197            | 1.68          | -       | 35.55      | 9.00       | 35.17      |
| PK   | 7.1564G      | 64.52             | 88.20             | -23.68         | 55.12         | 3           | Horizontal | 197            | 1.68          | -       | 36.04      | 8.50       | 35.14      |
| RMS  | 7.2038G      | 54.59             | 68.20             | -13.61         | 44.88         | 3           | Horizontal | 197            | 1.68          | -       | 36.32      | 8.54       | 35.15      |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 16.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81083G | 50.87    | 88.20    | -37.33 | 62.84  | 3    | Vertical  | 269     | 1.06   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81436G | 37.62    | 68.20    | -30.58 | 49.59  | 3    | Vertical  | 269     | 1.06   | -       | 40.73 | 11.69 | 64.39 |  |  |  |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 16.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81298G | 50.03    | 88.20    | -38.17 | 62.00  | 3    | Horizontal | 293     | 1.99   | -       | 40.73 | 11.69 | 64.39 |  |  |  |
| RMS  | 13.81478G | 37.60    | 68.20    | -30.60 | 49.57  | 3    | Horizontal | 293     | 1.99   | -       | 40.73 | 11.69 | 64.39 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX

6905MHz\_TX




EUT\_Y\_2TX  
Setting 16.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71016G | 47.49    | 83.54    | -36.05 | 42.54  | 1    | Vertical  | 66      | 1.71   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| RMS  | 20.71899G | 34.03    | 63.54    | -29.51 | 29.07  | 1    | Vertical  | 66      | 1.71   | -       | 37.90 | 15.76 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_2TX


6905MHz\_TX

EUT\_Y\_2TX  
Setting 16.25/6.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71303G | 47.00    | 83.54    | -36.54 | 42.05  | 1    | Horizontal | 69      | 1.97   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| RMS  | 20.71925G | 34.24    | 63.54    | -29.30 | 29.28  | 1    | Horizontal | 69      | 1.97   | -       | 37.90 | 15.76 | 48.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 15.75/3  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 5.9106G | 64.86    | 88.20    | -23.34 | 57.44  | 3    | Vertical  | 180     | 1.61   | -       | 34.54 | 8.08 | 35.20 |
| RMS  | 5.9218G | 52.85    | 68.20    | -15.35 | 45.37  | 3    | Vertical  | 180     | 1.61   | -       | 34.59 | 8.09 | 35.20 |
| PK   | 6.0146G | 109.76   | Inf      | -Inf   | 102.03 | 3    | Vertical  | 180     | 1.61   | -       | 34.73 | 8.19 | 35.19 |
| RMS  | 6.0146G | 99.35    | Inf      | -Inf   | 91.62  | 3    | Vertical  | 180     | 1.61   | -       | 34.73 | 8.19 | 35.19 |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 15.75/3  
03-G-G-5-10

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.91666G | 64.80    | 88.20    | -23.40 | 57.35  | 3    | Horizontal | 149     | 1.80   | -       | 34.57 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.925G   | 52.88    | 68.20    | -15.32 | 45.39  | 3    | Horizontal | 149     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0082G  | 107.89   | Inf      | -Inf   | 100.18 | 3    | Horizontal | 149     | 1.80   | -       | 34.72 | 8.18 | 35.19 |  |  |  |
| RMS  | 6.007G   | 98.58    | Inf      | -Inf   | 90.88  | 3    | Horizontal | 149     | 1.80   | -       | 34.71 | 8.18 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 15.75/3  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.96896G | 49.23    | 74.00    | -24.77 | 63.97  | 3    | Vertical  | 9       | 2.54   | -       | 39.20 | 11.82 | 65.76 |  |  |  |  |
| AV   | 11.9697G  | 36.59    | 54.00    | -17.41 | 51.33  | 3    | Vertical  | 9       | 2.54   | -       | 39.20 | 11.82 | 65.76 |  |  |  |  |
| PK   | 17.9523G  | 56.90    | 74.00    | -17.10 | 60.34  | 3    | Vertical  | 269     | 1.95   | -       | 44.70 | 14.23 | 62.37 |  |  |  |  |
| AV   | 17.95473G | 44.55    | 54.00    | -9.45  | 47.98  | 3    | Vertical  | 269     | 1.95   | -       | 44.71 | 14.23 | 62.37 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 15.75/3  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96579G    | 48.32             | 74.00             | -25.68         | 63.06         | 3           | Horizontal | 230            | 1.68          | -       | 39.20      | 11.82      | 65.76      |  |  |  |
| AV   | 11.96971G    | 36.64             | 54.00             | -17.36         | 51.38         | 3           | Horizontal | 230            | 1.68          | -       | 39.20      | 11.82      | 65.76      |  |  |  |
| PK   | 17.95336G    | 56.94             | 74.00             | -17.06         | 60.37         | 3           | Horizontal | 322            | 2.05          | -       | 44.71      | 14.23      | 62.37      |  |  |  |
| AV   | 17.95388G    | 44.60             | 54.00             | -9.40          | 48.03         | 3           | Horizontal | 322            | 2.05          | -       | 44.71      | 14.23      | 62.37      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX


EUT\_V\_4TX  
Setting 15.75/3  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93814G | 49.72    | 83.54    | -33.82 | 41.03  | 1    | Vertical  | 285     | 1.85   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| RMS  | 23.93519G | 37.73    | 63.54    | -25.81 | 29.05  | 1    | Vertical  | 285     | 1.85   | -       | 39.00 | 17.31 | 47.63 |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_V\_4TX  
Setting 15.75/3  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93861G | 50.52    | 83.54    | -33.02 | 41.83  | 1    | Horizontal | 155     | 1.73   | -       | 39.00 | 17.31 | 47.62 |  |  |  |
| RMS  | 23.93943G | 37.93    | 63.54    | -25.61 | 29.24  | 1    | Horizontal | 155     | 1.73   | -       | 39.00 | 17.31 | 47.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 11.75/2  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.853G  | 63.49    | 88.20    | -24.71 | 56.36  | 3    | Vertical  | 173     | 1.80   | -       | 34.31 | 8.02 | 35.20 |  |  |  |
| RMS  | 5.9034G | 52.61    | 68.20    | -15.59 | 45.23  | 3    | Vertical  | 173     | 1.80   | -       | 34.51 | 8.07 | 35.20 |  |  |  |
| PK   | 6.0158G | 109.07   | Inf      | -Inf   | 101.34 | 3    | Vertical  | 173     | 1.80   | -       | 34.73 | 8.19 | 35.19 |  |  |  |
| RMS  | 6.0166G | 99.23    | Inf      | -Inf   | 91.50  | 3    | Vertical  | 173     | 1.80   | -       | 34.73 | 8.19 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 11.75/2  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.8982G | 63.34    | 88.20    | -24.86 | 55.99  | 3    | Horizontal | 204     | 1.80   | -       | 34.49 | 8.06 | 35.20 |  |  |  |
| RMS  | 5.9186G | 52.62    | 68.20    | -15.58 | 45.17  | 3    | Horizontal | 204     | 1.80   | -       | 34.57 | 8.08 | 35.20 |  |  |  |
| PK   | 6.0238G | 107.52   | Inf      | -Inf   | 99.75  | 3    | Horizontal | 204     | 1.80   | -       | 34.75 | 8.21 | 35.19 |  |  |  |
| RMS  | 6.0234G | 98.48    | Inf      | -Inf   | 90.71  | 3    | Horizontal | 204     | 1.80   | -       | 34.75 | 8.21 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 11.75/2  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.97209G | 49.54    | 74.00    | -24.46 | 64.28  | 3    | Vertical  | 309     | 2.71   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| AV   | 11.96977G | 36.71    | 54.00    | -17.29 | 51.45  | 3    | Vertical  | 309     | 2.71   | -       | 39.20 | 11.82 | 65.76 |  |  |  |
| PK   | 17.95839G | 56.42    | 74.00    | -17.58 | 59.83  | 3    | Vertical  | 122     | 1.63   | -       | 44.72 | 14.23 | 62.36 |  |  |  |
| AV   | 17.95443G | 44.69    | 54.00    | -9.31  | 48.12  | 3    | Vertical  | 122     | 1.63   | -       | 44.71 | 14.23 | 62.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 11.75/2  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96863G    | 49.18             | 74.00             | -24.82         | 63.92         | 3           | Horizontal | 336            | 2.22          | -       | 39.20      | 11.82      | 65.76      |  |  |  |
| AV   | 11.96985G    | 36.67             | 54.00             | -17.33         | 51.41         | 3           | Horizontal | 336            | 2.22          | -       | 39.20      | 11.82      | 65.76      |  |  |  |
| PK   | 17.95409G    | 56.42             | 74.00             | -17.58         | 59.85         | 3           | Horizontal | 36             | 1.97          | -       | 44.71      | 14.23      | 62.37      |  |  |  |
| AV   | 17.95628G    | 44.70             | 54.00             | -9.30          | 48.13         | 3           | Horizontal | 36             | 1.97          | -       | 44.71      | 14.23      | 62.37      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX


5985MHz\_TX

EUT\_V\_4TX  
Setting 11.75/2  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94444G | 50.37    | 83.54    | -33.17 | 41.67  | 1    | Vertical  | 348     | 1.35   | -       | 39.00 | 17.32 | 47.62 |  |  |  |
| RMS  | 23.9377G  | 37.93    | 63.54    | -25.61 | 29.24  | 1    | Vertical  | 348     | 1.35   | -       | 39.00 | 17.31 | 47.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

5985MHz\_TX




EUT\_V\_4TX  
Setting 11.75/2  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.9362G  | 50.74    | 83.54    | -32.80 | 42.06  | 1    | Horizontal | 73      | 2.13   | -       | 39.00 | 17.31 | 47.63 |  |  |  |
| RMS  | 23.93793G | 37.93    | 63.54    | -25.61 | 29.24  | 1    | Horizontal | 73      | 2.13   | -       | 39.00 | 17.31 | 47.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 12.25/3.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 6.9934G | 106.66   | Inf      | -Inf   | 97.71  | 3    | Vertical  | 191     | 1.80   | -       | 35.69 | 8.39 | 35.13 |
| RMS  | 6.9922G | 97.62    | Inf      | -Inf   | 88.67  | 3    | Vertical  | 191     | 1.80   | -       | 35.68 | 8.40 | 35.13 |
| PK   | 7.2106G | 65.52    | 88.20    | -22.68 | 55.76  | 3    | Vertical  | 191     | 1.80   | -       | 36.36 | 8.55 | 35.15 |
| RMS  | 7.2178G | 54.97    | 68.20    | -13.23 | 45.16  | 3    | Vertical  | 191     | 1.80   | -       | 36.41 | 8.55 | 35.15 |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 12.25/3.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0062G | 108.73   | Inf      | -Inf   | 99.78  | 3    | Horizontal | 199     | 1.80   | -       | 35.70 | 8.38 | 35.13 |  |  |  |
| RMS  | 7.0062G | 99.08    | Inf      | -Inf   | 90.13  | 3    | Horizontal | 199     | 1.80   | -       | 35.70 | 8.38 | 35.13 |  |  |  |
| PK   | 7.2238G | 65.22    | 88.20    | -22.98 | 55.37  | 3    | Horizontal | 199     | 1.80   | -       | 36.44 | 8.56 | 35.15 |  |  |  |
| RMS  | 7.2246G | 54.97    | 68.20    | -13.23 | 45.11  | 3    | Horizontal | 199     | 1.80   | -       | 36.45 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 12.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05344G | 50.69    | 88.20    | -37.51 | 62.11  | 3    | Vertical  | 328     | 1.88   | -       | 41.20 | 11.72 | 64.34 |  |  |  |
| RMS  | 14.0538G  | 38.31    | 68.20    | -29.89 | 49.73  | 3    | Vertical  | 328     | 1.88   | -       | 41.20 | 11.72 | 64.34 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 12.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05169G | 50.32    | 88.20    | -37.88 | 61.75  | 3    | Horizontal | 312     | 1.70   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.05444G | 38.41    | 68.20    | -29.79 | 49.83  | 3    | Horizontal | 312     | 1.70   | -       | 41.20 | 11.72 | 64.34 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 12.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07816G | 47.89    | 83.54    | -35.65 | 42.52  | 1    | Vertical  | 40      | 2.01   | -       | 38.00 | 16.05 | 48.68 |  |  |  |
| RMS  | 21.07939G | 34.49    | 63.54    | -29.05 | 29.12  | 1    | Vertical  | 40      | 2.01   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 12.25/3.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07689G | 46.63    | 83.54    | -36.91 | 41.26  | 1    | Horizontal | 107     | 2.38   | -       | 38.00 | 16.05 | 48.68 |  |  |  |
| RMS  | 21.08G    | 34.50    | 63.54    | -29.04 | 29.13  | 1    | Horizontal | 107     | 2.38   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 11.75/2  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9934G | 108.45   | Inf      | -Inf   | 99.50  | 3    | Vertical  | 193     | 1.80   | -       | 35.69 | 8.39 | 35.13 |  |  |  |
| RMS  | 6.9938G | 99.30    | Inf      | -Inf   | 90.35  | 3    | Vertical  | 193     | 1.80   | -       | 35.69 | 8.39 | 35.13 |  |  |  |
| PK   | 7.2154G | 64.77    | 88.20    | -23.43 | 54.98  | 3    | Vertical  | 193     | 1.80   | -       | 36.39 | 8.55 | 35.15 |  |  |  |
| RMS  | 7.2242G | 54.87    | 68.20    | -13.33 | 45.01  | 3    | Vertical  | 193     | 1.80   | -       | 36.45 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 11.75/2  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0026G | 106.80   | Inf      | -Inf   | 97.86  | 3    | Horizontal | 196     | 1.80   | -       | 35.70 | 8.37 | 35.13 |  |  |  |
| RMS  | 7.0022G | 98.39    | Inf      | -Inf   | 89.45  | 3    | Horizontal | 196     | 1.80   | -       | 35.70 | 8.37 | 35.13 |  |  |  |
| PK   | 7.2162G | 64.66    | 88.20    | -23.54 | 54.86  | 3    | Horizontal | 196     | 1.80   | -       | 36.40 | 8.55 | 35.15 |  |  |  |
| RMS  | 7.2222G | 54.85    | 68.20    | -13.35 | 45.02  | 3    | Horizontal | 196     | 1.80   | -       | 36.43 | 8.55 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 11.75/2  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05225G | 50.41    | 88.20    | -37.79 | 61.84  | 3    | Vertical  | 54      | 2.53   | -       | 41.20 | 11.72 | 64.35 |  |  |  |
| RMS  | 14.05293G | 38.52    | 68.20    | -29.68 | 49.94  | 3    | Vertical  | 54      | 2.53   | -       | 41.20 | 11.72 | 64.34 |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 11.75/2  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05277G | 50.58    | 88.20    | -37.62 | 62.00  | 3    | Horizontal | 97      | 1.27   | -       | 41.20 | 11.72 | 64.34 |  |  |  |
| RMS  | 14.05167G | 38.41    | 68.20    | -29.79 | 49.84  | 3    | Horizontal | 97      | 1.27   | -       | 41.20 | 11.72 | 64.35 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 11.75/2  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07929G | 46.76    | 83.54    | -36.78 | 41.39  | 1    | Vertical  | 3       | 2.11   | -       | 38.00 | 16.05 | 48.68 |  |  |  |
| RMS  | 21.07848G | 34.70    | 63.54    | -28.84 | 29.33  | 1    | Vertical  | 3       | 2.11   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 11.75/2  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07622G | 46.52    | 83.54    | -37.02 | 41.15  | 1    | Horizontal | 112     | 1.64   | -       | 38.00 | 16.05 | 48.68 |  |  |  |
| RMS  | 21.0799G  | 34.71    | 63.54    | -28.83 | 29.34  | 1    | Horizontal | 112     | 1.64   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 17/2.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.92G   | 63.62    | 88.20    | -24.58 | 56.15  | 3    | Vertical  | 149     | 1.80   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.925G  | 52.74    | 68.20    | -15.46 | 45.25  | 3    | Vertical  | 149     | 1.80   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0935G | 110.52   | Inf      | -Inf   | 102.44 | 3    | Vertical  | 149     | 1.80   | -       | 34.97 | 8.31 | 35.20 |  |  |  |
| RMS  | 6.073G  | 99.84    | Inf      | -Inf   | 91.86  | 3    | Vertical  | 149     | 1.80   | -       | 34.89 | 8.28 | 35.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 17/2.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9245G | 63.58    | 88.20    | -24.62 | 56.09  | 3    | Horizontal | 196     | 1.64   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.9245G | 52.64    | 68.20    | -15.56 | 45.15  | 3    | Horizontal | 196     | 1.64   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0675G | 111.97   | Inf      | -Inf   | 104.02 | 3    | Horizontal | 196     | 1.64   | -       | 34.87 | 8.27 | 35.19 |  |  |  |
| RMS  | 6.087G  | 100.18   | Inf      | -Inf   | 92.13  | 3    | Horizontal | 196     | 1.64   | -       | 34.95 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 17/2.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05114G | 49.39    | 74.00    | -24.61 | 64.15  | 3    | Vertical  | 217     | 1.62   | -       | 39.10 | 11.83 | 65.69 |  |  |  |
| AV   | 12.0491G  | 37.15    | 54.00    | -16.85 | 51.92  | 3    | Vertical  | 217     | 1.62   | -       | 39.10 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 17/2.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05009G | 48.78    | 74.00    | -25.22 | 63.54  | 3    | Horizontal | 108     | 2.45   | -       | 39.10 | 11.83 | 65.69 |  |  |  |
| AV   | 12.0539G  | 37.04    | 54.00    | -16.96 | 51.82  | 3    | Horizontal | 108     | 2.45   | -       | 39.08 | 11.83 | 65.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 17/2.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07645G | 46.71    | 83.54    | -36.83 | 42.08  | 1    | Vertical  | 195     | 1.77   | -       | 37.56 | 15.29 | 48.22 |  |  |  |
| RMS  | 18.07927G | 34.28    | 63.54    | -29.26 | 29.63  | 1    | Vertical  | 195     | 1.77   | -       | 37.58 | 15.29 | 48.22 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX


6025MHz\_TX

EUT\_V\_4TX  
Setting 17/2.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07456G | 46.06    | 83.54    | -37.48 | 41.43  | 1    | Horizontal | 187     | 1.92   | -       | 37.55 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07269G | 34.33    | 63.54    | -29.21 | 29.71  | 1    | Horizontal | 187     | 1.92   | -       | 37.54 | 15.29 | 48.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 13/5.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.914G  | 64.63    | 88.20    | -23.57 | 57.19  | 3    | Vertical  | 190     | 1.63   | -       | 34.56 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.9155G | 52.94    | 68.20    | -15.26 | 45.50  | 3    | Vertical  | 190     | 1.63   | -       | 34.56 | 8.08 | 35.20 |  |  |  |
| PK   | 6.0965G | 108.99   | Inf      | -Inf   | 100.89 | 3    | Vertical  | 190     | 1.63   | -       | 34.99 | 8.31 | 35.20 |  |  |  |
| RMS  | 6.0965G | 99.72    | Inf      | -Inf   | 91.62  | 3    | Vertical  | 190     | 1.63   | -       | 34.99 | 8.31 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 13/5.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9235G | 64.67    | 88.20    | -23.53 | 57.19  | 3    | Horizontal | 206     | 1.69   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.924G  | 53.11    | 68.20    | -15.09 | 45.62  | 3    | Horizontal | 206     | 1.69   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0865G | 109.77   | Inf      | -Inf   | 101.72 | 3    | Horizontal | 206     | 1.69   | -       | 34.95 | 8.30 | 35.20 |  |  |  |
| RMS  | 6.0875G | 99.34    | Inf      | -Inf   | 91.29  | 3    | Horizontal | 206     | 1.69   | -       | 34.95 | 8.30 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX


6025MHz\_TX

EUT\_V\_4TX  
Setting 13/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04671G | 49.16    | 74.00    | -24.84 | 63.92  | 3    | Vertical  | 13      | 1.58   | -       | 39.11 | 11.83 | 65.70 |  |  |  |
| AV   | 12.04837G | 36.75    | 54.00    | -17.25 | 51.52  | 3    | Vertical  | 13      | 1.58   | -       | 39.10 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX


6025MHz\_TX

EUT\_V\_4TX  
Setting 13/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0513G  | 48.86    | 74.00    | -25.14 | 63.63  | 3    | Horizontal | 34      | 1.59   | -       | 39.09 | 11.83 | 65.69 |  |  |  |
| AV   | 12.05101G | 36.78    | 54.00    | -17.22 | 51.54  | 3    | Horizontal | 34      | 1.59   | -       | 39.10 | 11.83 | 65.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 13/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07016G | 46.23    | 83.54    | -37.31 | 41.63  | 1    | Vertical  | 205     | 1.93   | -       | 37.52 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07951G | 34.09    | 63.54    | -29.45 | 29.44  | 1    | Vertical  | 205     | 1.93   | -       | 37.58 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 13/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07376G | 45.90    | 83.54    | -37.64 | 41.28  | 1    | Horizontal | 131     | 2.45   | -       | 37.54 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07885G | 34.07    | 63.54    | -29.47 | 29.43  | 1    | Horizontal | 131     | 2.45   | -       | 37.57 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 11.5/6  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.898G  | 62.98    | 88.20    | -25.22 | 55.63  | 3    | Vertical  | 188     | 1.63   | -       | 34.49 | 8.06 | 35.20 |  |  |  |
| RMS  | 5.924G  | 53.12    | 68.20    | -15.08 | 45.63  | 3    | Vertical  | 188     | 1.63   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.0745G | 106.74   | Inf      | -Inf   | 98.75  | 3    | Vertical  | 188     | 1.63   | -       | 34.90 | 8.28 | 35.19 |  |  |  |
| RMS  | 6.095G  | 97.32    | Inf      | -Inf   | 89.23  | 3    | Vertical  | 188     | 1.63   | -       | 34.98 | 8.31 | 35.20 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 11.5/6  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.781G  | 63.05    | 88.20    | -25.15 | 56.13  | 3    | Horizontal | 200     | 1.80   | -       | 34.20 | 7.93 | 35.21 |  |  |  |
| RMS  | 5.9195G | 53.07    | 68.20    | -15.13 | 45.60  | 3    | Horizontal | 200     | 1.80   | -       | 34.58 | 8.09 | 35.20 |  |  |  |
| PK   | 6.1025G | 106.06   | Inf      | -Inf   | 97.94  | 3    | Horizontal | 200     | 1.80   | -       | 35.00 | 8.32 | 35.20 |  |  |  |
| RMS  | 6.1025G | 96.32    | Inf      | -Inf   | 88.20  | 3    | Horizontal | 200     | 1.80   | -       | 35.00 | 8.32 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 11.5/6  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04763G | 49.07    | 74.00    | -24.93 | 63.84  | 3    | Vertical  | 350     | 2.11   | -       | 39.10 | 11.83 | 65.70 |  |  |  |
| AV   | 12.04962G | 36.97    | 54.00    | -17.03 | 51.74  | 3    | Vertical  | 350     | 2.11   | -       | 39.10 | 11.83 | 65.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 11.5/6  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04738G | 48.86    | 74.00    | -25.14 | 63.62  | 3    | Horizontal | 314     | 2.18   | -       | 39.11 | 11.83 | 65.70 |  |  |  |
| AV   | 12.05211G | 37.02    | 54.00    | -16.98 | 51.79  | 3    | Horizontal | 314     | 2.18   | -       | 39.09 | 11.83 | 65.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 11.5/6  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07028G | 46.01    | 83.54    | -37.53 | 41.41  | 1    | Vertical  | 67      | 2.63   | -       | 37.52 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07696G | 34.22    | 63.54    | -29.32 | 29.59  | 1    | Vertical  | 67      | 2.63   | -       | 37.56 | 15.29 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 11.5/6  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07229G | 46.23    | 83.54    | -37.31 | 41.62  | 1    | Horizontal | 181     | 1.42   | -       | 37.53 | 15.29 | 48.21 |  |  |  |
| RMS  | 18.07917G | 34.28    | 63.54    | -29.26 | 29.63  | 1    | Horizontal | 181     | 1.42   | -       | 37.58 | 15.29 | 48.22 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 15/4.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.937G  | 108.38   | Inf      | -Inf   | 99.32  | 3    | Vertical  | 206     | 1.63   | -       | 35.63 | 8.57 | 35.14 |  |  |  |
| RMS  | 6.9165G | 99.50    | Inf      | -Inf   | 90.34  | 3    | Vertical  | 206     | 1.63   | -       | 35.67 | 8.64 | 35.15 |  |  |  |
| PK   | 7.145G  | 65.01    | 88.20    | -23.19 | 55.69  | 3    | Vertical  | 206     | 1.63   | -       | 35.97 | 8.49 | 35.14 |  |  |  |
| RMS  | 7.217G  | 55.49    | 68.20    | -12.71 | 45.69  | 3    | Vertical  | 206     | 1.63   | -       | 36.40 | 8.55 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 15/4.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.923G  | 107.63   | Inf      | -Inf   | 98.50  | 3    | Horizontal | 190     | 1.80   | -       | 35.65 | 8.62 | 35.14 |  |  |  |
| RMS  | 6.9235G | 99.34    | Inf      | -Inf   | 90.21  | 3    | Horizontal | 190     | 1.80   | -       | 35.65 | 8.62 | 35.14 |  |  |  |
| PK   | 7.1705G | 66.12    | 88.20    | -22.08 | 56.63  | 3    | Horizontal | 190     | 1.80   | -       | 36.12 | 8.51 | 35.14 |  |  |  |
| RMS  | 7.2335G | 55.55    | 68.20    | -12.65 | 45.64  | 3    | Horizontal | 190     | 1.80   | -       | 36.50 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15/4.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96625G | 49.85    | 88.20    | -38.35 | 61.66  | 3    | Vertical  | 85      | 1.66   | -       | 40.96 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97303G | 38.33    | 68.20    | -29.87 | 50.11  | 3    | Vertical  | 85      | 1.66   | -       | 40.99 | 11.68 | 64.45 |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15/4.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96902G | 50.15    | 88.20    | -38.05 | 61.94  | 3    | Horizontal | 66      | 2.80   | -       | 40.98 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.96537G | 38.21    | 68.20    | -29.99 | 50.02  | 3    | Horizontal | 66      | 2.80   | -       | 40.96 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15/4.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95305G | 46.81    | 83.54    | -36.73 | 41.65  | 1    | Vertical  | 23      | 2.29   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95803G | 34.71    | 63.54    | -28.83 | 29.54  | 1    | Vertical  | 23      | 2.29   | -       | 37.92 | 15.95 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15/4.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95467G | 46.15    | 83.54    | -37.39 | 40.99  | 1    | Horizontal | 193     | 1.23   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95G    | 34.52    | 63.54    | -29.02 | 29.38  | 1    | Horizontal | 193     | 1.23   | -       | 37.90 | 15.94 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 13/5.5  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.918G  | 109.16   | Inf      | -Inf   | 100.00 | 3    | Vertical  | 206     | 1.80   | -       | 35.66 | 8.64 | 35.14 |  |  |  |
| RMS  | 6.9165G | 99.34    | Inf      | -Inf   | 90.18  | 3    | Vertical  | 206     | 1.80   | -       | 35.67 | 8.64 | 35.15 |  |  |  |
| PK   | 7.2065G | 65.39    | 88.20    | -22.81 | 55.66  | 3    | Vertical  | 206     | 1.80   | -       | 36.34 | 8.54 | 35.15 |  |  |  |
| RMS  | 7.231G  | 54.98    | 68.20    | -13.22 | 45.08  | 3    | Vertical  | 206     | 1.80   | -       | 36.49 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 13/5.5  
03-G-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.004G       | 110.22            | Inf               | -Inf           | 101.28        | 3           | Horizontal | 197            | 1.80          | -       | 35.70      | 8.37       | 35.13      |
| RMS  | 6.9225G      | 99.36             | Inf               | -Inf           | 90.22         | 3           | Horizontal | 197            | 1.80          | -       | 35.66      | 8.62       | 35.14      |
| PK   | 7.21G        | 65.07             | 88.20             | -23.13         | 55.31         | 3           | Horizontal | 197            | 1.80          | -       | 36.36      | 8.55       | 35.15      |
| RMS  | 7.2295G      | 54.98             | 68.20             | -13.22         | 45.09         | 3           | Horizontal | 197            | 1.80          | -       | 36.48      | 8.56       | 35.15      |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 13/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96922G | 50.27    | 88.20    | -37.93 | 62.06  | 3    | Vertical  | 20      | 1.00   | -       | 40.98 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97052G | 38.06    | 68.20    | -30.14 | 49.85  | 3    | Vertical  | 20      | 1.00   | -       | 40.98 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 13/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9703G  | 50.86    | 88.20    | -37.34 | 62.65  | 3    | Horizontal | 329     | 1.96   | -       | 40.98 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97453G | 38.14    | 68.20    | -30.06 | 49.91  | 3    | Horizontal | 329     | 1.96   | -       | 41.00 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 13/5.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95317G | 46.31    | 83.54    | -37.23 | 41.15  | 1    | Vertical  | 292     | 2.41   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95094G | 34.52    | 63.54    | -29.02 | 29.37  | 1    | Vertical  | 292     | 2.41   | -       | 37.90 | 15.95 | 48.70 |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX


6985MHz\_TX

EUT\_V\_4TX  
Setting 13/5.5  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95602G    | 46.94             | 83.54             | -36.60         | 41.78         | 1           | Horizontal | 349            | 2.44          | -       | 37.91      | 15.95      | 48.70      |  |  |  |
| RMS  | 20.95018G    | 34.31             | 63.54             | -29.23         | 29.17         | 1           | Horizontal | 349            | 2.44          | -       | 37.90      | 15.94      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 11.5/6  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9315G | 105.24   | Inf      | -Inf   | 96.15  | 3    | Vertical  | 152     | 1.80   | -       | 35.64 | 8.59 | 35.14 |  |  |  |
| RMS  | 6.9125G | 96.92    | Inf      | -Inf   | 87.74  | 3    | Vertical  | 152     | 1.80   | -       | 35.68 | 8.65 | 35.15 |  |  |  |
| PK   | 7.1965G | 65.46    | 88.20    | -22.74 | 55.79  | 3    | Vertical  | 152     | 1.80   | -       | 36.28 | 8.54 | 35.15 |  |  |  |
| RMS  | 7.214G  | 55.39    | 68.20    | -12.81 | 45.61  | 3    | Vertical  | 152     | 1.80   | -       | 36.38 | 8.55 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 11.5/6  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9235G | 107.34   | Inf      | -Inf   | 98.21  | 3    | Horizontal | 191     | 1.54   | -       | 35.65 | 8.62 | 35.14 |  |  |  |
| RMS  | 6.924G  | 97.65    | Inf      | -Inf   | 88.52  | 3    | Horizontal | 191     | 1.54   | -       | 35.65 | 8.62 | 35.14 |  |  |  |
| PK   | 7.232G  | 65.87    | 88.20    | -22.33 | 55.97  | 3    | Horizontal | 191     | 1.54   | -       | 36.49 | 8.56 | 35.15 |  |  |  |
| RMS  | 7.2235G | 55.36    | 68.20    | -12.84 | 45.51  | 3    | Horizontal | 191     | 1.54   | -       | 36.44 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 11.5/6  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97459G | 50.73    | 88.20    | -37.47 | 62.50  | 3    | Vertical  | 279     | 1.61   | -       | 41.00 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97462G | 38.36    | 68.20    | -29.84 | 50.13  | 3    | Vertical  | 279     | 1.61   | -       | 41.00 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 11.5/6  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97328G | 50.38    | 88.20    | -37.82 | 62.16  | 3    | Horizontal | 262     | 2.00   | -       | 40.99 | 11.68 | 64.45 |  |  |  |
| RMS  | 13.97256G | 38.28    | 68.20    | -29.92 | 50.06  | 3    | Horizontal | 262     | 2.00   | -       | 40.99 | 11.68 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 11.5/6  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95198G | 46.15    | 83.54    | -37.39 | 41.00  | 1    | Vertical  | 119     | 2.10   | -       | 37.90 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95345G | 34.72    | 63.54    | -28.82 | 29.56  | 1    | Vertical  | 119     | 2.10   | -       | 37.91 | 15.95 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 11.5/6  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95398G | 46.61    | 83.54    | -36.93 | 41.45  | 1    | Horizontal | 52      | 1.22   | -       | 37.91 | 15.95 | 48.70 |  |  |  |
| RMS  | 20.95476G | 34.72    | 63.54    | -28.82 | 29.56  | 1    | Horizontal | 52      | 1.22   | -       | 37.91 | 15.95 | 48.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.75/4  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.9242G | 63.35    | 88.20    | -24.85 | 55.86  | 3    | Vertical  | 178     | 1.60   | -       | 34.60 | 8.09 | 35.20 |  |  |  |  |
| RMS  | 5.925G  | 53.90    | 68.20    | -14.30 | 46.41  | 3    | Vertical  | 178     | 1.60   | -       | 34.60 | 8.09 | 35.20 |  |  |  |  |
| PK   | 6.1546G | 110.02   | Inf      | -Inf   | 101.82 | 3    | Vertical  | 178     | 1.60   | -       | 35.00 | 8.40 | 35.20 |  |  |  |  |
| RMS  | 6.1746G | 100.02   | Inf      | -Inf   | 91.79  | 3    | Vertical  | 178     | 1.60   | -       | 35.00 | 8.43 | 35.20 |  |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.75/4  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9138G | 63.95    | 88.20    | -24.25 | 56.51  | 3    | Horizontal | 204     | 1.67   | -       | 34.56 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.917G  | 53.58    | 68.20    | -14.62 | 46.13  | 3    | Horizontal | 204     | 1.67   | -       | 34.57 | 8.08 | 35.20 |  |  |  |
| PK   | 6.0866G | 108.92   | Inf      | -Inf   | 100.87 | 3    | Horizontal | 204     | 1.67   | -       | 34.95 | 8.30 | 35.20 |  |  |  |
| RMS  | 6.1266G | 99.35    | Inf      | -Inf   | 91.19  | 3    | Horizontal | 204     | 1.67   | -       | 35.00 | 8.36 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21053G | 48.93    | 74.00    | -25.07 | 63.79  | 3    | Vertical  | 52      | 1.99   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20519G | 37.19    | 54.00    | -16.81 | 52.05  | 3    | Vertical  | 52      | 1.99   | -       | 38.89 | 11.81 | 65.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20848G | 49.15    | 74.00    | -24.85 | 64.01  | 3    | Horizontal | 93      | 3.00   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.21086G | 37.35    | 54.00    | -16.65 | 52.21  | 3    | Horizontal | 93      | 3.00   | -       | 38.88 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3107G  | 46.94    | 83.54    | -36.60 | 42.31  | 1    | Vertical  | 275     | 1.26   | -       | 37.62 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31299G | 34.77    | 63.54    | -28.77 | 30.13  | 1    | Vertical  | 275     | 1.26   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 17.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3174G  | 47.08    | 83.54    | -36.46 | 42.44  | 1    | Horizontal | 267     | 1.80   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31297G | 34.77    | 63.54    | -28.77 | 30.13  | 1    | Horizontal | 267     | 1.80   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.75/3  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9114G | 64.56    | 88.20    | -23.64 | 57.13  | 3    | Vertical  | 177     | 1.62   | -       | 34.55 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.9242G | 53.57    | 68.20    | -14.63 | 46.08  | 3    | Vertical  | 177     | 1.62   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| PK   | 6.1754G | 110.19   | Inf      | -Inf   | 101.96 | 3    | Vertical  | 177     | 1.62   | -       | 35.00 | 8.43 | 35.20 |  |  |  |
| RMS  | 6.1738G | 99.84    | Inf      | -Inf   | 91.61  | 3    | Vertical  | 177     | 1.62   | -       | 35.00 | 8.43 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.75/3  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 69.04    | 88.20    | -19.16 | 61.55  | 3    | Horizontal | 202     | 1.68   | -       | 34.60 | 8.09 | 35.20 |  |  |  |
| RMS  | 5.9146G | 53.25    | 68.20    | -14.95 | 45.81  | 3    | Horizontal | 202     | 1.68   | -       | 34.56 | 8.08 | 35.20 |  |  |  |
| PK   | 6.0858G | 109.85   | Inf      | -Inf   | 101.81 | 3    | Horizontal | 202     | 1.68   | -       | 34.94 | 8.30 | 35.20 |  |  |  |
| RMS  | 6.1642G | 99.74    | Inf      | -Inf   | 91.52  | 3    | Horizontal | 202     | 1.68   | -       | 35.00 | 8.42 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX


EUT\_V\_4TX  
Setting 17.75/3  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.20801G    | 49.20             | 74.00             | -24.80         | 64.06         | 3           | Vertical  | 28             | 1.01          | -       | 38.88      | 11.81      | 65.55      |  |  |  |
| AV   | 12.205G      | 36.97             | 54.00             | -17.03         | 51.83         | 3           | Vertical  | 28             | 1.01          | -       | 38.89      | 11.81      | 65.56      |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.75/3  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20762G | 49.54    | 74.00    | -24.46 | 64.40  | 3    | Horizontal | 276     | 2.16   | -       | 38.88 | 11.81 | 65.55 |  |  |  |
| AV   | 12.20572G | 36.94    | 54.00    | -17.06 | 51.79  | 3    | Horizontal | 276     | 2.16   | -       | 38.89 | 11.81 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.75/3  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31813G | 47.53    | 83.54    | -36.01 | 42.88  | 1    | Vertical  | 2       | 2.24   | -       | 37.64 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31025G | 34.59    | 63.54    | -28.95 | 29.96  | 1    | Vertical  | 2       | 2.24   | -       | 37.62 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX


6105MHz\_TX

EUT\_V\_4TX  
Setting 17.75/3  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31265G | 47.23    | 83.54    | -36.31 | 42.59  | 1    | Horizontal | 118     | 1.73   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.3109G  | 34.59    | 63.54    | -28.95 | 29.96  | 1    | Horizontal | 118     | 1.73   | -       | 37.62 | 15.27 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 15.75/4  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9186G | 65.63    | 88.20    | -22.57 | 58.18  | 3    | Vertical  | 184     | 1.80   | -       | 34.57 | 8.08 | 35.20 |  |  |  |
| RMS  | 5.9226G | 52.84    | 68.20    | -15.36 | 45.36  | 3    | Vertical  | 184     | 1.80   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| PK   | 6.2538G | 108.17   | Inf      | -Inf   | 99.94  | 3    | Vertical  | 184     | 1.80   | -       | 34.89 | 8.55 | 35.21 |  |  |  |
| RMS  | 6.253G  | 98.64    | Inf      | -Inf   | 90.41  | 3    | Vertical  | 184     | 1.80   | -       | 34.89 | 8.55 | 35.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 15.75/4  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.8506G | 63.92    | 88.20    | -24.28 | 56.81  | 3    | Horizontal | 193     | 1.50   | -       | 34.30 | 8.01 | 35.20 |  |  |  |
| RMS  | 5.9226G | 52.69    | 68.20    | -15.51 | 45.21  | 3    | Horizontal | 193     | 1.50   | -       | 34.59 | 8.09 | 35.20 |  |  |  |
| PK   | 6.2058G | 109.97   | Inf      | -Inf   | 101.70 | 3    | Horizontal | 193     | 1.50   | -       | 34.99 | 8.48 | 35.20 |  |  |  |
| RMS  | 6.2066G | 99.74    | Inf      | -Inf   | 91.47  | 3    | Horizontal | 193     | 1.50   | -       | 34.99 | 8.48 | 35.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 15.75/4  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.20897G    | 49.29             | 74.00             | -24.71         | 64.15         | 3           | Vertical  | 272            | 1.44          | -       | 38.88      | 11.81      | 65.55      |  |  |  |
| AV   | 12.205G      | 36.75             | 54.00             | -17.25         | 51.61         | 3           | Vertical  | 272            | 1.44          | -       | 38.89      | 11.81      | 65.56      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 15.75/4  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.21288G    | 49.24             | 74.00             | -24.76         | 64.11         | 3           | Horizontal | 314            | 2.66          | -       | 38.87      | 11.81      | 65.55      |  |  |  |
| AV   | 12.20524G    | 36.76             | 54.00             | -17.24         | 51.62         | 3           | Horizontal | 314            | 2.66          | -       | 38.89      | 11.81      | 65.56      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 15.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31885G | 46.66    | 83.54    | -36.88 | 42.01  | 1    | Vertical  | 358     | 1.96   | -       | 37.64 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31271G | 34.41    | 63.54    | -29.13 | 29.77  | 1    | Vertical  | 358     | 1.96   | -       | 37.63 | 15.27 | 48.26 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 15.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31531G | 46.76    | 83.54    | -36.78 | 42.12  | 1    | Horizontal | 139     | 2.45   | -       | 37.63 | 15.27 | 48.26 |  |  |  |
| RMS  | 18.31292G | 34.41    | 63.54    | -29.13 | 29.77  | 1    | Horizontal | 139     | 2.45   | -       | 37.63 | 15.27 | 48.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 16.75/4  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.8378G | 107.48   | Inf      | -Inf   | 98.04  | 3    | Vertical  | 207     | 1.59   | -       | 35.70 | 8.90 | 35.16 |  |  |  |
| RMS  | 6.857G  | 99.78    | Inf      | -Inf   | 90.41  | 3    | Vertical  | 207     | 1.59   | -       | 35.70 | 8.83 | 35.16 |  |  |  |
| PK   | 7.1948G | 65.22    | 88.20    | -22.98 | 55.56  | 3    | Vertical  | 207     | 1.59   | -       | 36.27 | 8.54 | 35.15 |  |  |  |
| RMS  | 7.2032G | 54.98    | 68.20    | -13.22 | 45.27  | 3    | Vertical  | 207     | 1.59   | -       | 36.32 | 8.54 | 35.15 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 16.75/4  
03-G-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.827G  | 108.29   | Inf      | -Inf   | 98.82  | 3    | Horizontal | 194     | 1.80   | -       | 35.70 | 8.93 | 35.16 |  |  |  |
| RMS  | 6.8468G | 99.28    | Inf      | -Inf   | 89.87  | 3    | Horizontal | 194     | 1.80   | -       | 35.70 | 8.87 | 35.16 |  |  |  |
| PK   | 7.1426G | 64.71    | 88.20    | -23.49 | 55.40  | 3    | Horizontal | 194     | 1.80   | -       | 35.96 | 8.49 | 35.14 |  |  |  |
| RMS  | 7.196G  | 55.03    | 68.20    | -13.17 | 45.36  | 3    | Horizontal | 194     | 1.80   | -       | 36.28 | 8.54 | 35.15 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 16.75/4  
03-P-E-3

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.8118G | 50.19    | 88.20    | -38.01 | 62.16  | 3    | Vertical  | 65      | 2.05   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.8073G | 38.04    | 68.20    | -30.16 | 50.02  | 3    | Vertical  | 65      | 2.05   | -       | 40.71 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 16.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81267G | 49.86    | 88.20    | -38.34 | 61.83  | 3    | Horizontal | 4       | 1.53   | -       | 40.73 | 11.69 | 64.39 |  |  |  |
| RMS  | 13.81068G | 38.03    | 68.20    | -30.17 | 50.00  | 3    | Horizontal | 4       | 1.53   | -       | 40.72 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 16.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71736G | 46.68    | 83.54    | -36.86 | 41.73  | 1    | Vertical  | 2       | 1.97   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| RMS  | 20.71835G | 34.65    | 63.54    | -28.89 | 29.69  | 1    | Vertical  | 2       | 1.97   | -       | 37.90 | 15.76 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 16.75/4  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.7163G  | 46.07    | 83.54    | -37.47 | 41.12  | 1    | Horizontal | 321     | 1.01   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| RMS  | 20.71734G | 34.64    | 63.54    | -28.90 | 29.69  | 1    | Horizontal | 321     | 1.01   | -       | 37.90 | 15.75 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 15.25/4.5  
03-G-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 6.755G  | 109.51   | Inf      | -Inf   | 100.16 | 3    | Vertical  | 207.4   | 1.80   | -       | 35.52 | 9.00 | 35.17 |
| RMS  | 6.7964G | 99.44    | Inf      | -Inf   | 89.90  | 3    | Vertical  | 207.4   | 1.80   | -       | 35.69 | 9.02 | 35.17 |
| PK   | 7.1918G | 65.21    | 88.20    | -22.99 | 55.58  | 3    | Vertical  | 207.4   | 1.80   | -       | 36.25 | 8.53 | 35.15 |
| RMS  | 7.1996G | 55.04    | 68.20    | -13.16 | 45.35  | 3    | Vertical  | 207.4   | 1.80   | -       | 36.30 | 8.54 | 35.15 |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 15.25/4.5  
03-G-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.8036G | 109.88   | Inf      | -Inf   | 100.34 | 3    | Horizontal | 200     | 1.80   | -       | 35.70 | 9.01 | 35.17 |  |  |  |
| RMS  | 6.8036G | 99.71    | Inf      | -Inf   | 90.17  | 3    | Horizontal | 200     | 1.80   | -       | 35.70 | 9.01 | 35.17 |  |  |  |
| PK   | 7.1804G | 64.91    | 88.20    | -23.29 | 55.35  | 3    | Horizontal | 200     | 1.80   | -       | 36.18 | 8.52 | 35.14 |  |  |  |
| RMS  | 7.1996G | 54.98    | 68.20    | -13.22 | 45.29  | 3    | Horizontal | 200     | 1.80   | -       | 36.30 | 8.54 | 35.15 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 15.25/4.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80833G | 50.19    | 88.20    | -38.01 | 62.16  | 3    | Vertical  | 119     | 1.17   | -       | 40.72 | 11.69 | 64.38 |  |  |  |
| RMS  | 13.81193G | 37.52    | 68.20    | -30.68 | 49.49  | 3    | Vertical  | 119     | 1.17   | -       | 40.72 | 11.69 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 15.25/4.5  
03-P-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81143G    | 49.70             | 88.20             | -38.50         | 61.67         | 3           | Horizontal | 202            | 2.78          | -       | 40.72      | 11.69      | 64.38      |  |  |  |
| RMS  | 13.81492G    | 37.57             | 68.20             | -30.63         | 49.54         | 3           | Horizontal | 202            | 2.78          | -       | 40.73      | 11.69      | 64.39      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX


6905MHz\_TX

EUT\_Y\_4TX  
Setting 15.25/4.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.7118G  | 46.76    | 83.54    | -36.78 | 41.81  | 1    | Vertical  | 18      | 2.93   | -       | 37.90 | 15.75 | 48.70 |  |  |  |
| RMS  | 20.71896G | 34.03    | 63.54    | -29.51 | 29.07  | 1    | Vertical  | 18      | 2.93   | -       | 37.90 | 15.76 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

6905MHz\_TX

EUT\_Y\_4TX  
Setting 15.25/4.5  
03-P-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71791G | 46.64    | 83.54    | -36.90 | 41.68  | 1    | Horizontal | 285     | 1.46   | -       | 37.90 | 15.76 | 48.70 |  |  |  |
| RMS  | 20.71896G | 34.03    | 63.54    | -29.51 | 29.07  | 1    | Horizontal | 285     | 1.46   | -       | 37.90 | 15.76 | 48.70 |  |  |  |




**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11be EHT320_Nss1.(MCS0)_1TX | Pass   | RMS  | 5.925G       | 67.87             | 68.20             | -0.33          | 3           | Vertical  | 27             | 1.53          | -        |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 19  
06-I-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9234G      | 74.95             | 88.20             | -13.25         | 69.88         | 3           | Vertical  | 25             | 1.50          | -       | 32.40      | 7.27       | 34.60      |
| RMS  | 5.925G       | 58.19             | 68.20             | -10.01         | 53.12         | 3           | Vertical  | 25             | 1.50          | -       | 32.40      | 7.27       | 34.60      |
| PK   | 6.009G       | 109.95            | Inf               | -Inf           | 104.80        | 3           | Vertical  | 25             | 1.50          | -       | 32.50      | 7.32       | 34.67      |
| RMS  | 6.0226G      | 99.60             | Inf               | -Inf           | 94.43         | 3           | Vertical  | 25             | 1.50          | -       | 32.50      | 7.33       | 34.66      |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 19  
06-I-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9226G      | 70.89             | 88.20             | -17.31         | 65.82         | 3           | Horizontal | 9              | 1.50          | -       | 32.40      | 7.27       | 34.60      |  |  |  |
| RMS  | 5.9246G      | 56.67             | 68.20             | -11.53         | 51.60         | 3           | Horizontal | 9              | 1.50          | -       | 32.40      | 7.27       | 34.60      |  |  |  |
| PK   | 6.0066G      | 109.29            | Inf               | -Inf           | 104.14        | 3           | Horizontal | 9              | 1.50          | -       | 32.50      | 7.32       | 34.67      |  |  |  |
| RMS  | 6.0218G      | 98.43             | Inf               | -Inf           | 93.26         | 3           | Horizontal | 9              | 1.50          | -       | 32.50      | 7.33       | 34.66      |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 19  
01-C-G-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96148G    | 58.57             | 74.00             | -15.43         | 52.95         | 3           | Vertical  | 180            | 1.75          | -       | 38.92      | 12.05      | 45.35      |  |  |  |
| AV   | 11.96184G    | 44.18             | 54.00             | -9.82          | 38.55         | 3           | Vertical  | 180            | 1.75          | -       | 38.92      | 12.06      | 45.35      |  |  |  |
| PK   | 17.95984G    | 60.01             | 74.00             | -13.99         | 38.94         | 3           | Vertical  | 102            | 1.61          | -       | 51.27      | 14.09      | 44.29      |  |  |  |
| AV   | 17.96304G    | 48.53             | 54.00             | -5.47          | 27.29         | 3           | Vertical  | 102            | 1.61          | -       | 51.43      | 14.09      | 44.28      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 19  
01-C-G-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.97612G    | 58.55             | 74.00             | -15.45         | 52.89         | 3           | Horizontal | 82             | 1.80          | -       | 38.95      | 12.06      | 45.35      |  |  |  |
| AV   | 11.9626G     | 44.07             | 54.00             | -9.93          | 38.43         | 3           | Horizontal | 82             | 1.80          | -       | 38.93      | 12.06      | 45.35      |  |  |  |
| PK   | 17.94976G    | 59.27             | 74.00             | -14.73         | 38.69         | 3           | Horizontal | 134            | 1.94          | -       | 50.79      | 14.08      | 44.29      |  |  |  |
| AV   | 17.96288G    | 47.76             | 54.00             | -6.24          | 26.53         | 3           | Horizontal | 134            | 1.94          | -       | 51.42      | 14.09      | 44.28      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

5985MHz\_TX




EUT\_V\_1TX  
Setting 19  
01-C-G-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94616G | 58.55    | 83.54    | -24.99 | 49.85  | 1    | Vertical  | 316     | 1.83   | -       | 39.00 | 17.32 | 47.62 |  |  |  |
| AV   | 23.93112G | 44.13    | 63.54    | -19.41 | 35.45  | 1    | Vertical  | 316     | 1.83   | -       | 39.00 | 17.31 | 47.63 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_1TX

5985MHz\_TX




EUT\_V\_1TX  
Setting 19  
01-C-G-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93668G | 58.61    | 83.54    | -24.93 | 49.93  | 1    | Horizontal | 360     | 1.63   | -       | 39.00 | 17.31 | 47.63 |  |  |  |
| AV   | 23.93128G | 43.67    | 63.54    | -19.87 | 34.99  | 1    | Horizontal | 360     | 1.63   | -       | 39.00 | 17.31 | 47.63 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_1TX

7025MHz\_TX




EUT Y\_1TX  
Setting 18  
06-I-G-5

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 6.9986G | 110.15   | Inf      | -Inf   | 100.66 | 3    | Vertical  | 336     | 1.71   | -       | 35.39 | 8.28 | 34.18 |
| RMS  | 6.9958G | 99.50    | Inf      | -Inf   | 90.03  | 3    | Vertical  | 336     | 1.71   | -       | 35.38 | 8.27 | 34.18 |
| PK   | 7.1314G | 59.74    | 88.20    | -28.46 | 49.45  | 3    | Vertical  | 336     | 1.71   | -       | 36.06 | 8.41 | 34.18 |
| RMS  | 7.1254G | 48.05    | 68.20    | -20.15 | 37.77  | 3    | Vertical  | 336     | 1.71   | -       | 36.05 | 8.41 | 34.18 |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_1TX

7025MHz\_TX




EUT\_Y\_1TX  
Setting 18  
06-I-G-5

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 6.9866G | 110.41   | Inf      | -Inf   | 100.98 | 3    | Horizontal | 18      | 1.64   | -       | 35.35 | 8.26 | 34.18 |
| RMS  | 6.9878G | 99.64    | Inf      | -Inf   | 90.21  | 3    | Horizontal | 18      | 1.64   | -       | 35.35 | 8.26 | 34.18 |
| PK   | 7.1314G | 60.96    | 88.20    | -27.24 | 50.67  | 3    | Horizontal | 18      | 1.64   | -       | 36.06 | 8.41 | 34.18 |
| RMS  | 7.125G  | 48.11    | 68.20    | -20.09 | 37.84  | 3    | Horizontal | 18      | 1.64   | -       | 36.05 | 8.40 | 34.18 |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 18  
01-C-G-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.05812G    | 59.96             | 88.20             | -28.24         | 51.16         | 3           | Vertical  | 175            | 1.80          | -       | 41.13      | 12.06      | 44.39      |  |  |  |
| RMS  | 14.05632G    | 45.59             | 68.20             | -22.61         | 36.79         | 3           | Vertical  | 175            | 1.80          | -       | 41.13      | 12.06      | 44.39      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 18  
01-C-G-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0412G | 59.82    | 88.20    | -28.38 | 51.06  | 3    | Horizontal | 49      | 2.97   | -       | 41.08 | 12.05 | 44.37 |  |  |  |
| RMS  | 14.054G  | 45.61    | 68.20    | -22.59 | 36.81  | 3    | Horizontal | 49      | 2.97   | -       | 41.12 | 12.06 | 44.38 |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 18  
01-C-G-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.08296G    | 61.12             | 83.54             | -22.42         | 55.75         | 1           | Vertical  | 273            | 1.67          | -       | 38.00      | 16.05      | 48.68      |  |  |  |
| AV   | 21.08476G    | 46.83             | 63.54             | -16.71         | 41.46         | 1           | Vertical  | 273            | 1.67          | -       | 38.00      | 16.05      | 48.68      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 18  
01-C-G-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0772G  | 60.74    | 83.54    | -22.80 | 55.37  | 1    | Horizontal | 287     | 1.56   | -       | 38.00 | 16.05 | 48.68 |  |  |  |
| AV   | 21.08468G | 46.77    | 63.54    | -16.77 | 41.40  | 1    | Horizontal | 287     | 1.56   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 21.5  
06-I-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 78.20             | 88.20             | -10.00         | 73.14         | 3           | Vertical  | 26             | 1.58          | -       | 32.40      | 7.26       | 34.60      |  |  |  |
| RMS  | 5.9245G      | 66.09             | 68.20             | -2.11          | 61.02         | 3           | Vertical  | 26             | 1.58          | -       | 32.40      | 7.27       | 34.60      |  |  |  |
| PK   | 6.073G       | 110.49            | Inf               | -Inf           | 105.24        | 3           | Vertical  | 26             | 1.58          | -       | 32.50      | 7.36       | 34.61      |  |  |  |
| RMS  | 6.0595G      | 99.81             | Inf               | -Inf           | 94.58         | 3           | Vertical  | 26             | 1.58          | -       | 32.50      | 7.35       | 34.62      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 5\_1TX

6025MHz\_TX



EUT\_Y\_1TX  
Setting 21.5  
06-I-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.911G       | 77.05             | 88.20             | -11.15         | 71.98         | 3           | Horizontal | 338            | 1.50          | -       | 32.40      | 7.26       | 34.59      |  |  |  |
| RMS  | 5.925G       | 64.32             | 68.20             | -3.88          | 59.25         | 3           | Horizontal | 338            | 1.50          | -       | 32.40      | 7.27       | 34.60      |  |  |  |
| PK   | 6.08G        | 108.45            | Inf               | -Inf           | 103.19        | 3           | Horizontal | 338            | 1.50          | -       | 32.50      | 7.36       | 34.60      |  |  |  |
| RMS  | 6.0595G      | 97.19             | Inf               | -Inf           | 91.96         | 3           | Horizontal | 338            | 1.50          | -       | 32.50      | 7.35       | 34.62      |  |  |  |