


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 8.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47768G	49.53	83.54	-34.01	44.77	1	Vertical	48	1.50	-	37.90	15.56	48.70			
AV	20.47002G	36.36	63.54	-27.18	31.62	1	Vertical	48	1.50	-	37.90	15.55	48.71			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.478G	50.29	83.54	-33.25	45.53	1	Horizontal	195	2.42	-	37.90	15.56	48.70			
AV	20.47G	36.77	63.54	-26.77	32.03	1	Horizontal	195	2.42	-	37.90	15.55	48.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
SET 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9155G	109.38	Inf	-Inf	97.57	3	Vertical	360	1.80	7.5	36.53	7.97	32.69			
RMS	6.916G	97.89	Inf	-Inf	86.08	3	Vertical	360	1.80	7.5	36.53	7.97	32.69			
PK	7.2115G	64.42	88.20	-23.78	51.93	3	Vertical	360	1.80	7.5	37.22	7.94	32.67			
RMS	7.2275G	52.28	68.20	-15.92	39.73	3	Vertical	360	1.80	7.5	37.26	7.95	32.66			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
SET 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.925G	108.92	Inf	-Inf	97.09	3	Horizontal	355	1.80	7.5	36.55	7.97	32.69			
RMS	6.925G	97.64	Inf	-Inf	85.81	3	Horizontal	355	1.80	7.5	36.55	7.97	32.69			
PK	7.2235G	65.15	88.20	-23.05	52.62	3	Horizontal	355	1.80	7.5	37.25	7.95	32.67			
RMS	7.219G	52.28	68.20	-15.92	39.76	3	Horizontal	355	1.80	7.5	37.24	7.95	32.67			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 7.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96938G	53.97	88.20	-34.23	64.09	3	Vertical	138	2.82	-	40.90	13.43	64.45			
RMS	13.96935G	40.30	68.20	-27.90	50.42	3	Vertical	138	2.82	-	40.90	13.43	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 7.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9699G	52.98	88.20	-35.22	63.10	3	Horizontal	249	2.72	-	40.90	13.43	64.45			
RMS	13.96952G	40.32	68.20	-27.88	50.44	3	Horizontal	249	2.72	-	40.90	13.43	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 7.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.95378G	48.57	83.54	-34.97	43.41	1	Vertical	287	2.46	-	37.91	15.95	48.70				
AV	20.95892G	36.64	63.54	-26.90	31.47	1	Vertical	287	2.46	-	37.92	15.95	48.70				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 7.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95194G	48.68	83.54	-34.86	43.53	1	Horizontal	154	1.77	-	37.90	15.95	48.70			
AV	20.95892G	36.89	63.54	-26.65	31.72	1	Horizontal	154	1.77	-	37.92	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 12.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	63.08	88.20	-25.12	53.13	3	Vertical	355	1.80	13.5	34.95	7.44	32.44			
RMS	5.924G	52.96	68.20	-15.24	43.02	3	Vertical	355	1.80	13.5	34.94	7.44	32.44			
PK	6.234G	109.72	Inf	-Inf	99.20	3	Vertical	355	1.80	13.5	35.30	7.63	32.41			
RMS	6.254G	99.48	Inf	-Inf	88.94	3	Vertical	355	1.80	13.5	35.30	7.65	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 12.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.88G	64.26	88.20	-23.94	54.61	3	Horizontal	360	1.80	13.5	34.68	7.41	32.44			
RMS	5.925G	52.36	68.20	-15.84	42.41	3	Horizontal	360	1.80	13.5	34.95	7.44	32.44			
PK	6.245G	109.44	Inf	-Inf	98.91	3	Horizontal	360	1.80	13.5	35.30	7.64	32.41			
RMS	6.263G	99.34	Inf	-Inf	88.79	3	Horizontal	360	1.80	13.5	35.30	7.66	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21067G	48.95	74.00	-25.05	63.55	3	Vertical	171	1.81	-	38.48	12.47	65.55			
AV	12.20905G	36.41	54.00	-17.59	51.01	3	Vertical	171	1.81	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21023G	48.30	74.00	-25.70	62.90	3	Horizontal	66	1.68	-	38.48	12.47	65.55			
AV	12.20932G	36.38	54.00	-17.62	50.98	3	Horizontal	66	1.68	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31952G	47.32	83.54	-36.22	42.67	1	Vertical	218	2.24	-	37.64	15.27	48.26			
AV	18.3176G	35.44	63.54	-28.10	30.79	1	Vertical	218	2.24	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
SET 12.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31772G	47.96	83.54	-35.58	43.31	1	Horizontal	39	1.75	-	37.64	15.27	48.26			
AV	18.3175G	36.43	63.54	-27.11	31.78	1	Horizontal	39	1.75	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52902G	50.21	74.00	-23.79	64.11	3	Vertical	177	2.43	-	38.74	12.65	65.29			
AV	12.52954G	37.24	54.00	-16.76	51.14	3	Vertical	177	2.43	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53023G	50.47	74.00	-23.53	64.37	3	Horizontal	272	2.06	-	38.74	12.65	65.29			
AV	12.52957G	37.23	54.00	-16.77	51.13	3	Horizontal	272	2.06	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79322G	48.36	83.54	-35.18	43.81	1	Vertical	180	1.76	-	37.90	15.24	48.59			
AV	18.79928G	36.22	63.54	-27.32	31.68	1	Vertical	180	1.76	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79784G	48.01	83.54	-35.53	43.47	1	Horizontal	202	2.14	-	37.90	15.24	48.60			
AV	18.79926G	35.32	63.54	-28.22	30.78	1	Horizontal	202	2.14	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85005G	50.51	88.20	-37.69	63.54	3	Vertical	256	2.16	-	39.40	12.82	65.25			
RMS	12.849G	37.60	68.20	-30.60	50.63	3	Vertical	256	2.16	-	39.40	12.82	65.25			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8502G	49.76	88.20	-38.44	62.79	3	Horizontal	109	1.10	-	39.40	12.82	65.25			
RMS	12.84903G	37.62	68.20	-30.58	50.65	3	Horizontal	109	1.10	-	39.40	12.82	65.25			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27082G	47.68	83.54	-35.86	43.35	1	Vertical	212	2.95	-	37.92	15.21	48.80			
AV	19.27738G	35.20	63.54	-28.34	30.90	1	Vertical	212	2.95	-	37.89	15.21	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27984G	48.42	83.54	-35.12	44.13	1	Horizontal	16	1.57	-	37.88	15.21	48.80			
AV	19.27064G	36.91	63.54	-26.63	32.58	1	Horizontal	16	1.57	-	37.92	15.21	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16926G	51.15	88.20	-37.05	63.21	3	Vertical	72	2.58	-	39.84	13.00	64.90			
RMS	13.16902G	38.71	68.20	-29.49	50.77	3	Vertical	72	2.58	-	39.84	13.00	64.90			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16966G	51.60	88.20	-36.60	63.66	3	Horizontal	84	2.14	-	39.84	13.00	64.90			
RMS	13.16902G	38.71	68.20	-29.49	50.77	3	Horizontal	84	2.14	-	39.84	13.00	64.90			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75638G	48.22	83.54	-35.32	44.14	1	Vertical	213	1.78	-	37.70	15.18	48.80			
AV	19.75688G	35.44	63.54	-28.10	31.36	1	Vertical	213	1.78	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75124G	48.67	83.54	-34.87	44.59	1	Horizontal	254	2.35	-	37.70	15.18	48.80			
AV	19.75934G	36.62	63.54	-26.92	32.54	1	Horizontal	254	2.35	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49042G	52.44	88.20	-35.76	63.35	3	Vertical	318	2.03	-	40.20	13.17	64.28			
RMS	13.49063G	39.70	68.20	-28.50	50.61	3	Vertical	318	2.03	-	40.20	13.17	64.28			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49071G	52.81	88.20	-35.39	63.72	3	Horizontal	187	1.93	-	40.20	13.17	64.28			
RMS	13.49005G	39.71	68.20	-28.49	50.62	3	Horizontal	187	1.93	-	40.20	13.17	64.28			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2319G	48.81	83.54	-34.73	44.40	1	Vertical	189	1.19	-	37.80	15.36	48.75			
AV	20.23846G	36.77	63.54	-26.77	32.36	1	Vertical	189	1.19	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 12
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23816G	50.40	83.54	-33.14	45.99	1	Horizontal	324	2.23	-	37.80	15.36	48.75			
AV	20.23056G	36.29	63.54	-27.25	31.88	1	Horizontal	324	2.23	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 11.5
01-H-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7754G	108.31	Inf	-Inf	96.56	3	Vertical	353	1.80	-	36.35	7.98	32.58			
RMS	6.7562G	99.10	Inf	-Inf	87.39	3	Vertical	353	1.80	-	36.31	7.97	32.57			
PK	7.2594G	54.64	74.00	-19.36	41.99	3	Vertical	353	1.80	-	37.34	7.96	32.65			
RMS	7.2994G	43.90	54.00	-10.10	31.07	3	Vertical	353	1.80	-	37.50	7.97	32.64			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 11.5
01-H-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.845G	108.60	Inf	-Inf	96.77	3	Horizontal	356	1.80	-	36.49	7.98	32.64			
RMS	6.765G	99.29	Inf	-Inf	87.57	3	Horizontal	356	1.80	-	36.33	7.97	32.58			
PK	7.2794G	54.30	74.00	-19.70	41.56	3	Horizontal	356	1.80	-	37.42	7.96	32.64			
RMS	7.3042G	43.77	54.00	-10.23	30.92	3	Horizontal	356	1.80	-	37.51	7.97	32.63			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80905G	52.63	88.20	-35.57	62.94	3	Vertical	166	1.79	-	40.72	13.35	64.38			
RMS	13.8096G	39.89	68.20	-28.31	50.20	3	Vertical	166	1.79	-	40.72	13.35	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81003G	52.14	88.20	-36.06	62.45	3	Horizontal	278	2.54	-	40.72	13.35	64.38			
RMS	13.80999G	39.88	68.20	-28.32	50.19	3	Horizontal	278	2.54	-	40.72	13.35	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7118G	48.68	83.54	-34.86	43.73	1	Vertical	210	1.03	-	37.90	15.75	48.70			
AV	20.71958G	36.44	63.54	-27.10	31.48	1	Vertical	210	1.03	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_V_4TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71668G	49.98	83.54	-33.56	45.03	1	Horizontal	300	1.43	-	37.90	15.75	48.70			
AV	20.7194G	36.71	63.54	-26.83	31.75	1	Horizontal	300	1.43	-	37.90	15.76	48.70			



**RSE TX above 1GHz_R4_Indoor AP_Narrow Beam_Full RU_
BF mode**


Appendix E.10

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.19	68.20	-0.01	3	Horizontal	360	1.46	BP 1MHz

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	57.02	88.20	-31.18	62.05	3	Vertical	-0	1.75	-	32.40	5.64	43.07			
AV	5.924G	42.89	68.20	-25.31	47.92	3	Vertical	-0	1.75	-	32.40	5.64	43.07			
PK	5.9592G	104.14	Inf	-Inf	109.11	3	Vertical	-0	1.75	-	32.42	5.66	43.05			
AV	5.9488G	92.78	Inf	-Inf	97.78	3	Vertical	-0	1.75	-	32.40	5.66	43.06			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	64.33	88.20	-23.87	69.36	3	Horizontal	360	1.46	-	32.40	5.64	43.07			
RMS	5.9242G	42.99	68.20	-25.21	48.02	3	Horizontal	360	1.46	-	32.40	5.64	43.07			
PK	5.9594G	111.09	Inf	-Inf	116.06	3	Horizontal	360	1.46	-	32.42	5.66	43.05			
RMS	5.9626G	99.84	Inf	-Inf	104.79	3	Horizontal	360	1.46	-	32.43	5.67	43.05			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90316G	44.46	74.00	-29.54	59.43	3	Vertical	306	2.97	-	38.81	12.02	65.80			
AV	11.92254G	33.34	54.00	-20.66	48.25	3	Vertical	306	2.97	-	38.85	12.03	65.79			
PK	17.86416G	56.34	74.00	-17.66	57.13	3	Vertical	188	1.49	-	47.71	14.05	62.55			
AV	17.87838G	44.85	54.00	-9.15	45.09	3	Vertical	188	1.49	-	48.22	14.06	62.52			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.92113G	44.61	74.00	-29.39	59.53	3	Horizontal	165	1.66	-	38.84	12.03	65.79				
AV	11.91936G	33.35	54.00	-20.65	48.27	3	Horizontal	165	1.66	-	38.84	12.03	65.79				
PK	17.87313G	56.57	74.00	-17.43	57.01	3	Horizontal	3	2.24	-	48.03	14.06	62.53				
AV	17.87445G	44.91	54.00	-9.09	45.30	3	Horizontal	3	2.24	-	48.08	14.06	62.53				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83491G	49.51	83.54	-34.03	40.79	1	Vertical	93	1.32	-	39.10	17.29	47.67			
AV	23.82978G	38.18	63.54	-25.36	29.47	1	Vertical	93	1.32	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82186G	50.44	83.54	-33.10	41.73	1	Horizontal	36	1.45	-	39.10	17.28	47.67			
AV	23.83032G	38.18	63.54	-25.36	29.46	1	Horizontal	36	1.45	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38993G	44.58	74.00	-29.42	59.10	3	Vertical	49	1.53	-	38.80	12.07	65.39			
AV	12.3857G	32.99	54.00	-21.01	47.51	3	Vertical	49	1.53	-	38.80	12.07	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38513G	44.76	74.00	-29.24	59.28	3	Horizontal	195	2.36	-	38.80	12.07	65.39			
AV	12.38608G	32.87	54.00	-21.13	47.39	3	Horizontal	195	2.36	-	38.80	12.07	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57156G	47.08	83.54	-36.46	42.39	1	Vertical	177	2.57	-	37.80	15.26	48.37			
AV	18.59958G	35.70	63.54	-27.84	31.05	1	Vertical	177	2.57	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59349G	46.23	83.54	-37.31	41.57	1	Horizontal	170	1.92	-	37.80	15.25	48.39			
AV	18.5991G	35.78	63.54	-27.76	31.13	1	Horizontal	170	1.92	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82514G	44.96	88.20	-43.24	58.95	3	Vertical	132	1.59	-	39.20	12.06	65.25			
RMS	12.82846G	33.51	68.20	-34.69	47.50	3	Vertical	132	1.59	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83393G	45.96	88.20	-42.24	59.96	3	Horizontal	359	1.23	-	39.20	12.05	65.25			
RMS	12.83437G	33.50	68.20	-34.70	47.50	3	Horizontal	359	1.23	-	39.20	12.05	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2585G	46.96	83.54	-36.58	42.58	1	Vertical	213	2.41	-	37.97	15.21	48.80			
AV	19.24389G	35.36	63.54	-28.18	30.96	1	Vertical	213	2.41	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 9
04-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24731G	46.82	83.54	-36.72	42.41	1	Horizontal	283	1.96	-	37.99	15.22	48.80			
AV	19.24698G	34.98	63.54	-28.56	30.57	1	Horizontal	283	1.96	-	37.99	15.22	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8681G	44.96	88.20	-43.24	58.92	3	Vertical	235	2.11	-	39.24	12.05	65.25			
RMS	12.87082G	33.44	68.20	-34.76	47.40	3	Vertical	235	2.11	-	39.24	12.05	65.25			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86526G	45.25	88.20	-42.95	59.22	3	Horizontal	318	1.95	-	39.23	12.05	65.25			
RMS	12.8685G	33.40	68.20	-34.80	47.36	3	Horizontal	318	1.95	-	39.24	12.05	65.25			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29588G	47.88	83.54	-35.66	43.65	1	Vertical	248	2.27	-	37.82	15.21	48.80			
AV	19.29588G	37.29	63.54	-26.25	33.06	1	Vertical	248	2.27	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29612G	47.50	83.54	-36.04	43.27	1	Horizontal	2	1.60	-	37.82	15.21	48.80			
AV	19.29582G	37.37	63.54	-26.17	33.14	1	Horizontal	2	1.60	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94934G	45.65	88.20	-42.55	59.34	3	Vertical	80	2.80	-	39.50	12.05	65.24			
RMS	12.95392G	33.49	68.20	-34.71	47.19	3	Vertical	80	2.80	-	39.49	12.05	65.24			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95298G	46.47	88.20	-41.73	60.17	3	Horizontal	353	1.27	-	39.49	12.05	65.24			
RMS	12.94764G	33.49	68.20	-34.71	47.19	3	Horizontal	353	1.27	-	39.49	12.05	65.24			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42014G	47.67	83.54	-35.87	43.45	1	Vertical	0	1.22	-	37.82	15.20	48.80			
AV	19.41144G	36.21	63.54	-27.33	31.95	1	Vertical	0	1.22	-	37.85	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42986G	47.82	83.54	-35.72	43.64	1	Horizontal	351	1.79	-	37.78	15.20	48.80			
AV	19.41792G	36.08	63.54	-27.46	31.85	1	Horizontal	351	1.79	-	37.83	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02884G	45.72	88.20	-42.48	59.56	3	Vertical	351	2.29	-	39.28	12.05	65.17			
RMS	13.0265G	33.52	68.20	-34.68	47.36	3	Vertical	351	2.29	-	39.29	12.05	65.18			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03284G	46.21	88.20	-41.99	60.06	3	Horizontal	307	1.99	-	39.27	12.05	65.17			
RMS	13.02662G	33.44	68.20	-34.76	47.28	3	Horizontal	307	1.99	-	39.29	12.05	65.18			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54452G	48.84	83.54	-34.70	44.73	1	Vertical	147	1.97	-	37.71	15.20	48.80			
AV	19.53654G	35.85	63.54	-27.69	31.72	1	Vertical	147	1.97	-	37.73	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 7
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.55898G	48.06	83.54	-35.48	43.96	1	Horizontal	6	1.09	-	37.70	15.20	48.80			
AV	19.53192G	35.84	63.54	-27.70	31.70	1	Horizontal	6	1.09	-	37.74	15.20	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06652G	44.98	88.20	-43.22	58.83	3	Vertical	58	2.28	-	39.20	12.05	65.10			
RMS	13.07156G	33.36	68.20	-34.84	47.20	3	Vertical	58	2.28	-	39.20	12.05	65.09			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06736G	45.96	88.20	-42.24	59.81	3	Horizontal	120	2.64	-	39.20	12.05	65.10			
RMS	13.06636G	33.29	68.20	-34.91	47.14	3	Horizontal	120	2.64	-	39.20	12.05	65.10			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61592G	48.94	83.54	-34.60	44.85	1	Vertical	74	2.01	-	37.70	15.19	48.80			
AV	19.61802G	37.11	63.54	-26.43	33.02	1	Vertical	74	2.01	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59336G	49.41	83.54	-34.13	45.32	1	Horizontal	313	2.95	-	37.70	15.19	48.80			
AV	19.60386G	37.07	63.54	-26.47	32.98	1	Horizontal	313	2.95	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39388G	46.74	74.00	-27.26	59.17	3	Vertical	32	2.21	-	40.00	12.04	64.47			
AV	13.38512G	34.42	54.00	-19.58	46.86	3	Vertical	32	2.21	-	40.00	12.04	64.48			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39204G	46.62	74.00	-27.38	59.05	3	Horizontal	238	1.17	-	40.00	12.04	64.47			
AV	13.38672G	34.40	54.00	-19.60	46.84	3	Horizontal	238	1.17	-	40.00	12.04	64.48			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0772G	49.00	83.54	-34.54	44.75	1	Vertical	246	1.75	-	37.80	15.23	48.78			
AV	20.08182G	36.87	63.54	-26.67	32.61	1	Vertical	246	1.75	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08968G	48.51	83.54	-35.03	44.25	1	Horizontal	67	1.25	-	37.80	15.24	48.78			
AV	20.08278G	36.95	63.54	-26.59	32.69	1	Horizontal	67	1.25	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74864G	46.99	88.20	-41.21	58.92	3	Vertical	334	2.45	-	40.40	12.03	64.36			
RMS	13.7548G	34.84	68.20	-33.36	46.75	3	Vertical	334	2.45	-	40.42	12.03	64.36			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75246G	47.04	88.20	-41.16	58.96	3	Horizontal	280	2.15	-	40.41	12.03	64.36			
RMS	13.75312G	34.80	68.20	-33.40	46.72	3	Horizontal	280	2.15	-	40.41	12.03	64.36			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62482G	49.11	83.54	-34.43	44.23	1	Vertical	317	1.19	-	37.90	15.68	48.70			
AV	20.62084G	36.59	63.54	-26.95	31.71	1	Vertical	317	1.19	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62074G	48.52	83.54	-35.02	43.64	1	Horizontal	84	2.44	-	37.90	15.68	48.70			
AV	20.62062G	36.59	63.54	-26.95	31.71	1	Horizontal	84	2.44	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78586G	47.39	88.20	-40.81	59.19	3	Vertical	90	2.35	-	40.54	12.03	64.37			
RMS	13.79182G	34.86	68.20	-33.34	46.64	3	Vertical	90	2.35	-	40.57	12.03	64.38			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79436G	47.05	88.20	-41.15	58.82	3	Horizontal	32	2.09	-	40.58	12.03	64.38			
RMS	13.79298G	34.98	88.20	-53.22	46.76	3	Horizontal	32	2.09	-	40.57	12.03	64.38			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68524G	46.81	83.54	-36.73	41.88	1	Vertical	186	1.69	-	37.90	15.73	48.70			
AV	20.68974G	34.98	63.54	-28.56	30.05	1	Vertical	186	1.69	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68652G	47.13	83.54	-36.41	42.20	1	Horizontal	7	2.53	-	37.90	15.73	48.70			
AV	20.68378G	35.00	63.54	-28.54	30.07	1	Horizontal	7	2.53	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 8
06-R-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9899G	47.41	88.20	-40.79	58.89	3	Vertical	13	1.35	-	40.96	12.02	64.46			
RMS	13.98588G	35.60	68.20	-32.60	47.09	3	Vertical	13	1.35	-	40.94	12.02	64.45			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 8
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.98674G	47.81	88.20	-40.39	59.29	3	Horizontal	353	2.74	-	40.95	12.02	64.45				
RMS	13.98546G	35.61	68.20	-32.59	47.10	3	Horizontal	353	2.74	-	40.94	12.02	64.45				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 8
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98216G	49.08	83.54	-34.46	43.85	1	Vertical	261	1.90	-	37.96	15.97	48.70			
AV	20.98374G	37.35	63.54	-26.19	32.11	1	Vertical	261	1.90	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 8
06-R-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98906G	49.11	83.54	-34.43	43.85	1	Horizontal	125	1.94	-	37.98	15.98	48.70			
AV	20.98534G	37.46	63.54	-26.08	32.22	1	Horizontal	125	1.94	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0962G	105.46	Inf	-Inf	95.29	3	Vertical	356	1.58	-	35.97	8.38	34.18			
RMS	7.0924G	93.52	Inf	-Inf	83.39	3	Vertical	356	1.58	-	35.94	8.37	34.18			
PK	7.1938G	61.35	88.20	-26.85	50.87	3	Vertical	356	1.58	-	36.19	8.47	34.18			
RMS	7.1876G	50.88	68.20	-17.32	40.41	3	Vertical	356	1.58	-	36.18	8.47	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1018G	110.00	Inf	-Inf	99.80	3	Horizontal	6	1.81	-	36.00	8.38	34.18			
RMS	7.1026G	99.08	Inf	-Inf	88.87	3	Horizontal	6	1.81	-	36.01	8.38	34.18			
PK	7.1842G	61.07	88.20	-27.13	50.62	3	Horizontal	6	1.81	-	36.17	8.46	34.18			
RMS	7.1882G	50.90	68.20	-17.30	40.43	3	Horizontal	6	1.81	-	36.18	8.47	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1864G	47.93	88.20	-40.27	58.53	3	Vertical	193	2.03	-	41.30	12.15	64.05			
RMS	14.18596G	35.23	68.20	-32.97	45.83	3	Vertical	193	2.03	-	41.30	12.15	64.05			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18536G	48.18	88.20	-40.02	58.79	3	Horizontal	351	2.56	-	41.30	12.15	64.06			
RMS	14.18576G	35.24	68.20	-32.96	45.85	3	Horizontal	351	2.56	-	41.30	12.15	64.06			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28652G	49.72	83.54	-33.82	44.07	1	Vertical	231	2.24	-	38.07	16.22	48.64			
AV	21.28076G	37.01	63.54	-26.53	31.38	1	Vertical	231	2.24	-	38.06	16.21	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 8
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28034G	48.75	83.54	-34.79	43.12	1	Horizontal	187	2.76	-	38.06	16.21	48.64			
AV	21.28244G	36.91	63.54	-26.63	31.27	1	Horizontal	187	2.76	-	38.06	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-R-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1165G	100.35	Inf	-Inf	90.10	3	Vertical	7	1.64	BP 1MHz	36.03	8.40	34.18			
RMS	7.1225G	92.97	Inf	-Inf	82.70	3	Vertical	7	1.64	BP 1MHz	36.05	8.40	34.18			
PK	7.1255G	75.90	88.20	-12.30	65.62	3	Vertical	7	1.64	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	65.84	68.20	-2.36	55.56	3	Vertical	7	1.64	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-R-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1085G	102.51	Inf	-Inf	92.28	3	Horizontal	0	1.60	BP 1MHz	36.02	8.39	34.18			
RMS	7.1095G	96.81	Inf	-Inf	86.58	3	Horizontal	0	1.60	BP 1MHz	36.02	8.39	34.18			
PK	7.1255G	78.18	88.20	-10.02	67.90	3	Horizontal	0	1.60	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	68.18	68.20	-0.02	57.90	3	Horizontal	0	1.60	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23246G	47.58	88.20	-40.62	58.11	3	Vertical	313	1.75	-	41.24	12.18	63.95			
RMS	14.23494G	35.66	88.20	-52.54	46.20	3	Vertical	313	1.75	-	41.23	12.18	63.95			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22692G	47.99	88.20	-40.21	58.53	3	Horizontal	335	2.92	-	41.25	12.18	63.97			
RMS	14.23218G	35.65	88.20	-52.55	46.18	3	Horizontal	335	2.92	-	41.24	12.18	63.95			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34348G	48.36	83.54	-35.18	42.63	1	Vertical	54	2.89	-	38.10	16.26	48.63			
AV	21.34826G	36.95	63.54	-26.59	31.21	1	Vertical	54	2.89	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34124G	49.16	83.54	-34.38	43.43	1	Horizontal	37	2.94	-	38.10	16.26	48.63			
AV	21.34988G	37.05	63.54	-26.49	31.31	1	Horizontal	37	2.94	-	38.10	16.27	48.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9082G	60.22	88.20	-27.98	55.14	3	Vertical	357	1.64	-	32.40	7.26	34.58			
RMS	5.9244G	49.28	68.20	-18.92	44.21	3	Vertical	357	1.64	-	32.40	7.27	34.60			
PK	5.9482G	105.90	Inf	-Inf	100.85	3	Vertical	357	1.64	-	32.40	7.28	34.63			
RMS	5.9576G	94.98	Inf	-Inf	89.91	3	Vertical	357	1.64	-	32.42	7.29	34.64			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	60.36	88.20	-27.84	55.29	3	Horizontal	3	1.70	-	32.40	7.27	34.60			
RMS	5.925G	49.60	68.20	-18.60	44.53	3	Horizontal	3	1.70	-	32.40	7.27	34.60			
PK	5.971G	110.62	Inf	-Inf	105.53	3	Horizontal	3	1.70	-	32.44	7.30	34.65			
RMS	5.9812G	99.90	Inf	-Inf	94.79	3	Horizontal	3	1.70	-	32.46	7.31	34.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93834G	45.93	74.00	-28.07	60.79	3	Vertical	226	1.64	-	38.88	12.04	65.78			
AV	11.94218G	33.85	54.00	-20.15	48.71	3	Vertical	226	1.64	-	38.88	12.04	65.78			
PK	17.88006G	57.43	74.00	-16.57	57.61	3	Vertical	37	1.07	-	48.28	14.06	62.52			
AV	17.90748G	45.13	54.00	-8.87	44.25	3	Vertical	37	1.07	-	49.27	14.07	62.46			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94104G	45.68	74.00	-28.32	60.54	3	Horizontal	184	2.72	-	38.88	12.04	65.78			
AV	11.93894G	33.76	54.00	-20.24	48.62	3	Horizontal	184	2.72	-	38.88	12.04	65.78			
PK	17.89266G	57.32	74.00	-16.68	57.01	3	Horizontal	70	1.62	-	48.74	14.06	62.49			
AV	17.90826G	45.19	54.00	-8.81	44.28	3	Horizontal	70	1.62	-	49.30	14.07	62.46			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85964G	46.62	83.54	-36.92	37.91	1	Vertical	52	2.20	-	39.08	17.29	47.66			
AV	23.85976G	38.07	63.54	-25.47	29.36	1	Vertical	52	2.20	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86678G	48.81	83.54	-34.73	40.10	1	Horizontal	130	1.80	-	39.07	17.29	47.65			
AV	23.85988G	38.15	63.54	-25.39	29.44	1	Horizontal	130	1.80	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41376G	45.22	74.00	-28.78	59.75	3	Vertical	282	2.30	-	38.77	12.07	65.37			
AV	12.41166G	32.62	54.00	-21.38	47.14	3	Vertical	282	2.30	-	38.78	12.07	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41304G	44.67	74.00	-29.33	59.20	3	Horizontal	346	1.64	-	38.77	12.07	65.37			
AV	12.4116G	32.67	54.00	-21.33	47.19	3	Horizontal	346	1.64	-	38.78	12.07	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61374G	49.07	83.54	-34.47	44.40	1	Vertical	59	1.63	-	37.83	15.25	48.41			
AV	18.61754G	37.26	63.54	-26.28	32.59	1	Vertical	59	1.63	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62G	49.30	83.54	-34.24	44.63	1	Horizontal	316	1.75	-	37.84	15.25	48.42			
AV	18.61748G	37.16	63.54	-26.38	32.50	1	Horizontal	316	1.75	-	37.83	15.25	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80862G	45.94	88.20	-42.26	59.93	3	Vertical	315	2.32	-	39.20	12.06	65.25			
RMS	12.80944G	33.15	68.20	-35.05	47.14	3	Vertical	315	2.32	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80768G	45.30	88.20	-42.90	59.29	3	Horizontal	55	2.49	-	39.20	12.06	65.25			
RMS	12.80678G	33.26	68.20	-34.94	47.25	3	Horizontal	55	2.49	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21138G	48.57	83.54	-34.97	44.30	1	Vertical	193	1.08	-	37.85	15.22	48.80			
AV	19.21144G	36.75	63.54	-26.79	32.48	1	Vertical	193	1.08	-	37.85	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 11
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2127G	48.99	83.54	-34.55	44.72	1	Horizontal	211	1.03	-	37.85	15.22	48.80			
AV	19.21146G	36.75	63.54	-26.79	32.48	1	Horizontal	211	1.03	-	37.85	15.22	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89012G	45.90	88.20	-42.30	59.81	3	Vertical	243	2.72	-	39.28	12.05	65.24			
RMS	12.89074G	33.26	68.20	-34.94	47.17	3	Vertical	243	2.72	-	39.28	12.05	65.24			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88708G	45.43	88.20	-42.77	59.35	3	Horizontal	70	2.79	-	39.27	12.05	65.24			
RMS	12.89G	33.22	68.20	-34.98	47.13	3	Horizontal	70	2.79	-	39.28	12.05	65.24			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33462G	49.74	83.54	-33.80	45.53	1	Vertical	217	1.77	-	37.80	15.21	48.80			
AV	19.33956G	37.66	63.54	-25.88	33.45	1	Vertical	217	1.77	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33016G	49.39	83.54	-34.15	45.18	1	Horizontal	333	1.82	-	37.80	15.21	48.80			
AV	19.3393G	37.66	63.54	-25.88	33.45	1	Horizontal	333	1.82	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96596G	45.39	88.20	-42.81	59.10	3	Vertical	123	2.74	-	39.47	12.05	65.23			
RMS	12.96772G	33.20	68.20	-35.00	46.92	3	Vertical	123	2.74	-	39.46	12.05	65.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9709G	46.99	88.20	-41.21	60.71	3	Horizontal	294	2.74	-	39.46	12.05	65.23			
RMS	12.96756G	33.25	68.20	-34.95	46.97	3	Horizontal	294	2.74	-	39.46	12.05	65.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45624G	49.56	83.54	-33.98	45.45	1	Vertical	28	1.27	-	37.71	15.20	48.80			
AV	19.45826G	38.00	63.54	-25.54	33.88	1	Vertical	28	1.27	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45552G	50.03	83.54	-33.51	45.92	1	Horizontal	161	2.64	-	37.71	15.20	48.80			
AV	19.4575G	37.92	63.54	-25.62	33.80	1	Horizontal	161	2.64	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0496G	45.55	88.20	-42.65	59.43	3	Vertical	153	1.19	-	39.20	12.05	65.13			
RMS	13.04588G	33.44	68.20	-34.76	47.31	3	Vertical	153	1.19	-	39.22	12.05	65.14			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05294G	45.91	88.20	-42.29	59.79	3	Horizontal	62	1.63	-	39.20	12.05	65.13			
RMS	13.04558G	33.43	68.20	-34.77	47.30	3	Horizontal	62	1.63	-	39.22	12.05	65.14			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57528G	50.19	83.54	-33.35	46.09	1	Vertical	76	1.93	-	37.70	15.20	48.80			
AV	19.5757G	37.86	63.54	-25.68	33.76	1	Vertical	76	1.93	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_V_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.57408G	49.79	83.54	-33.75	45.69	1	Horizontal	26	1.90	-	37.70	15.20	48.80				
AV	19.57984G	37.89	63.54	-25.65	33.79	1	Horizontal	26	1.90	-	37.70	15.20	48.80				

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13224G	46.49	88.20	-41.71	59.95	3	Vertical	189	2.77	-	39.46	12.05	64.97			
RMS	13.13484G	34.36	68.20	-33.84	47.80	3	Vertical	189	2.77	-	39.48	12.05	64.97			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12666G	46.87	88.20	-41.33	60.39	3	Horizontal	31	2.31	-	39.41	12.05	64.98			
RMS	13.13208G	34.35	68.20	-33.85	47.81	3	Horizontal	31	2.31	-	39.46	12.05	64.97			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69766G	50.12	83.54	-33.42	46.03	1	Vertical	275	2.74	-	37.70	15.19	48.80			
AV	19.69986G	37.72	63.54	-25.82	33.63	1	Vertical	275	2.74	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69774G	49.99	83.54	-33.55	45.90	1	Horizontal	345	1.43	-	37.70	15.19	48.80			
AV	19.6981G	37.71	63.54	-25.83	33.62	1	Horizontal	345	1.43	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37098G	46.85	74.00	-27.15	59.32	3	Vertical	202	2.77	-	40.00	12.04	64.51			
AV	13.36594G	34.76	54.00	-19.24	47.24	3	Vertical	202	2.77	-	40.00	12.04	64.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36592G	46.90	74.00	-27.10	59.38	3	Horizontal	102	2.86	-	40.00	12.04	64.52			
AV	13.3655G	34.85	54.00	-19.15	47.33	3	Horizontal	102	2.86	-	40.00	12.04	64.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.05262G	50.00	83.54	-33.54	45.78	1	Vertical	100	2.91	-	37.80	15.21	48.79				
AV	20.05492G	37.87	63.54	-25.67	33.65	1	Vertical	100	2.91	-	37.80	15.21	48.79				

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05208G	49.71	83.54	-33.83	45.49	1	Horizontal	57	2.43	-	37.80	15.21	48.79			
AV	20.05654G	37.88	63.54	-25.66	33.65	1	Horizontal	57	2.43	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76768G	47.36	88.20	-40.84	59.23	3	Vertical	289	2.47	-	40.47	12.03	64.37			
RMS	13.77246G	35.02	68.20	-33.18	46.87	3	Vertical	289	2.47	-	40.49	12.03	64.37			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77458G	47.51	88.20	-40.69	59.35	3	Horizontal	234	1.80	-	40.50	12.03	64.37			
RMS	13.77278G	34.92	68.20	-33.28	46.77	3	Horizontal	234	1.80	-	40.49	12.03	64.37			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65256G	48.21	83.54	-35.33	43.31	1	Vertical	108	2.18	-	37.90	15.70	48.70			
AV	20.65456G	36.30	63.54	-27.24	31.40	1	Vertical	108	2.18	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65286G	48.10	83.54	-35.44	43.20	1	Horizontal	321	2.44	-	37.90	15.70	48.70			
AV	20.65858G	36.40	63.54	-27.14	31.49	1	Horizontal	321	2.44	-	37.90	15.71	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85422G	47.72	88.20	-40.48	59.58	3	Vertical	125	1.62	-	40.52	12.02	64.40			
RMS	13.85322G	35.17	68.20	-33.03	47.04	3	Vertical	125	1.62	-	40.51	12.02	64.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.84698G	47.76	88.20	-40.44	59.63	3	Horizontal	264	2.46	-	40.51	12.02	64.40			
RMS	13.84972G	35.15	68.20	-33.05	47.03	3	Horizontal	264	2.46	-	40.50	12.02	64.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7734G	49.09	83.54	-34.45	44.09	1	Vertical	134	2.91	-	37.90	15.80	48.70			
AV	20.77472G	37.23	63.54	-26.31	32.23	1	Vertical	134	2.91	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_V_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7725G	49.32	83.54	-34.22	44.32	1	Horizontal	169	2.29	-	37.90	15.80	48.70			
AV	20.77058G	37.15	63.54	-26.39	32.15	1	Horizontal	169	2.29	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 10
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00814G	48.35	88.20	-39.85	59.74	3	Vertical	53	2.54	-	41.02	12.03	64.44			
RMS	14.01378G	35.68	68.20	-32.52	47.05	3	Vertical	53	2.54	-	41.03	12.03	64.43			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 10
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01318G	48.14	88.20	-40.06	59.51	3	Horizontal	252	1.24	-	41.03	12.03	64.43			
RMS	14.01374G	35.55	68.20	-32.65	46.92	3	Horizontal	252	1.24	-	41.03	12.03	64.43			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 10
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01988G	49.37	83.54	-34.17	44.07	1	Vertical	215	2.02	-	38.00	16.00	48.70			
AV	21.0189G	37.44	63.54	-26.10	32.14	1	Vertical	215	2.02	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 10
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.016G	49.55	83.54	-33.99	44.25	1	Horizontal	37	2.36	-	38.00	16.00	48.70			
AV	21.01886G	37.44	63.54	-26.10	32.14	1	Horizontal	37	2.36	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.1012G	104.98	Inf	-Inf	94.78	3	Vertical	356	1.59	-	36.00	8.38	34.18				
RMS	7.07G	94.25	Inf	-Inf	84.32	3	Vertical	356	1.59	-	35.76	8.35	34.18				
PK	7.1306G	63.39	88.20	-24.81	53.10	3	Vertical	356	1.59	-	36.06	8.41	34.18				
RMS	7.232G	51.35	68.20	-16.85	40.69	3	Vertical	356	1.59	-	36.33	8.51	34.18				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0688G	109.92	Inf	-Inf	100.00	3	Horizontal	1	1.61	-	35.75	8.35	34.18			
RMS	7.067G	99.55	Inf	-Inf	89.64	3	Horizontal	1	1.61	-	35.74	8.35	34.18			
PK	7.1252G	67.91	88.20	-20.29	57.63	3	Horizontal	1	1.61	-	36.05	8.41	34.18			
RMS	7.2308G	51.36	68.20	-16.84	40.71	3	Horizontal	1	1.61	-	36.32	8.51	34.18			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16844G	47.84	88.20	-40.36	58.49	3	Vertical	10	1.30	-	41.30	12.14	64.09			
RMS	14.16722G	35.45	68.20	-32.75	46.11	3	Vertical	10	1.30	-	41.30	12.14	64.10			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17002G	47.89	88.20	-40.31	58.54	3	Horizontal	51	2.43	-	41.30	12.14	64.09			
RMS	14.16724G	35.42	68.20	-32.78	46.08	3	Horizontal	51	2.43	-	41.30	12.14	64.10			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25516G	49.69	83.54	-33.85	44.14	1	Vertical	237	1.30	-	38.01	16.19	48.65			
AV	21.25872G	36.91	63.54	-26.63	31.34	1	Vertical	237	1.30	-	38.02	16.20	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 10
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25802G	48.81	83.54	-34.73	43.24	1	Horizontal	303	2.95	-	38.02	16.20	48.65			
AV	21.26G	36.91	63.54	-26.63	31.34	1	Horizontal	303	2.95	-	38.02	16.20	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.865G	60.48	88.20	-27.72	55.53	3	Vertical	344	1.66	-	32.26	7.23	34.54			
RMS	5.9234G	49.58	68.20	-18.62	44.51	3	Vertical	344	1.66	-	32.40	7.27	34.60			
PK	5.9674G	105.21	Inf	-Inf	100.13	3	Vertical	344	1.66	-	32.43	7.30	34.65			
RMS	5.969G	94.77	Inf	-Inf	89.68	3	Vertical	344	1.66	-	32.44	7.30	34.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	60.70	88.20	-27.50	55.63	3	Horizontal	360	1.38	-	32.40	7.26	34.59			
RMS	5.925G	50.56	68.20	-17.64	45.49	3	Horizontal	360	1.38	-	32.40	7.27	34.60			
PK	5.9954G	110.09	Inf	-Inf	104.96	3	Horizontal	360	1.38	-	32.49	7.32	34.68			
RMS	6.0158G	99.69	Inf	-Inf	94.52	3	Horizontal	360	1.38	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.97146G	46.66	74.00	-27.34	61.42	3	Vertical	75	1.16	-	38.94	12.06	65.76				
AV	11.9724G	34.34	54.00	-19.66	49.10	3	Vertical	75	1.16	-	38.94	12.06	65.76				
PK	17.96946G	60.69	74.00	-13.31	57.21	3	Vertical	78	1.48	-	51.73	14.09	62.34				
AV	17.96874G	48.41	54.00	-5.59	44.96	3	Vertical	78	1.48	-	51.70	14.09	62.34				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.97162G	46.57	74.00	-27.43	61.33	3	Horizontal	304	2.76	-	38.94	12.06	65.76				
AV	11.97202G	34.33	54.00	-19.67	49.09	3	Horizontal	304	2.76	-	38.94	12.06	65.76				
PK	17.95812G	60.43	74.00	-13.57	57.51	3	Horizontal	76	1.14	-	51.19	14.09	62.36				
AV	17.96994G	48.55	54.00	-5.45	45.04	3	Horizontal	76	1.14	-	51.76	14.09	62.34				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9274G	50.92	83.54	-32.62	42.24	1	Vertical	189	2.95	-	39.00	17.31	47.63			
AV	23.92794G	38.83	63.54	-24.71	30.15	1	Vertical	189	2.95	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93754G	52.06	83.54	-31.48	43.37	1	Horizontal	199	2.19	-	39.00	17.31	47.62			
AV	23.93232G	38.84	63.54	-24.70	30.16	1	Horizontal	199	2.19	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 13
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4456G	45.70	74.00	-28.30	60.26	3	Vertical	50	1.68	-	38.71	12.07	65.34			
AV	12.45414G	33.23	54.00	-20.77	47.80	3	Vertical	50	1.68	-	38.69	12.07	65.33			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 13
06-R-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45404G	45.21	74.00	-28.79	59.78	3	Horizontal	264	1.02	-	38.69	12.07	65.33			
AV	12.44692G	33.15	54.00	-20.85	47.71	3	Horizontal	264	1.02	-	38.71	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 13
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67258G	48.48	83.54	-35.06	43.80	1	Vertical	301	2.83	-	37.90	15.25	48.47			
AV	18.67414G	36.73	63.54	-26.81	32.05	1	Vertical	301	2.83	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 13
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67242G	48.64	83.54	-34.90	43.96	1	Horizontal	150	1.87	-	37.90	15.25	48.47			
AV	18.67996G	36.80	63.54	-26.74	32.13	1	Horizontal	150	1.87	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7711G	46.27	88.20	-41.93	60.44	3	Vertical	345	1.35	-	39.03	12.06	65.26			
RMS	12.76646G	33.65	68.20	-34.55	47.85	3	Vertical	345	1.35	-	39.00	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76816G	46.20	88.20	-42.00	60.39	3	Horizontal	24	1.03	-	39.01	12.06	65.26			
RMS	12.76794G	33.64	68.20	-34.56	47.83	3	Horizontal	24	1.03	-	39.01	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15598G	49.17	83.54	-34.37	44.77	1	Vertical	337	1.55	-	37.98	15.22	48.80			
AV	19.15006G	36.62	63.54	-26.92	32.20	1	Vertical	337	1.55	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1577G	48.70	83.54	-34.84	44.31	1	Horizontal	20	2.73	-	37.97	15.22	48.80			
AV	19.15852G	36.58	63.54	-26.96	32.19	1	Horizontal	20	2.73	-	37.97	15.22	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92672G	46.62	88.20	-41.58	60.40	3	Vertical	79	1.85	-	39.41	12.05	65.24			
RMS	12.93408G	33.43	68.20	-34.77	47.18	3	Vertical	79	1.85	-	39.44	12.05	65.24			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92674G	45.45	88.20	-42.75	59.23	3	Horizontal	142	1.56	-	39.41	12.05	65.24			
RMS	12.92728G	33.37	68.20	-34.83	47.15	3	Horizontal	142	1.56	-	39.41	12.05	65.24			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3952G	49.02	83.54	-34.52	44.72	1	Vertical	128	2.20	-	37.89	15.21	48.80			
AV	19.3918G	36.45	63.54	-27.09	32.16	1	Vertical	128	2.20	-	37.88	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 14
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39758G	49.19	83.54	-34.35	44.88	1	Horizontal	8	1.92	-	37.90	15.21	48.80			
AV	19.39496G	36.44	63.54	-27.10	32.14	1	Horizontal	8	1.92	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09314G	45.49	88.20	-42.71	59.29	3	Vertical	138	2.36	-	39.20	12.05	65.05			
RMS	13.08936G	33.17	68.20	-35.03	46.98	3	Vertical	138	2.36	-	39.20	12.05	65.06			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08624G	46.44	88.20	-41.76	60.25	3	Horizontal	53	2.10	-	39.20	12.05	65.06			
RMS	13.08848G	33.17	68.20	-35.03	46.98	3	Horizontal	53	2.10	-	39.20	12.05	65.06			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63352G	48.78	83.54	-34.76	44.69	1	Vertical	274	1.51	-	37.70	15.19	48.80			
AV	19.633G	36.96	63.54	-26.58	32.87	1	Vertical	274	1.51	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63936G	49.66	83.54	-33.88	45.57	1	Horizontal	81	1.04	-	37.70	15.19	48.80			
AV	19.63912G	36.96	63.54	-26.58	32.87	1	Horizontal	81	1.04	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24926G	47.19	88.20	-41.01	60.30	3	Vertical	83	1.45	-	39.60	12.04	64.75			
RMS	13.24998G	34.45	68.20	-33.75	47.56	3	Vertical	83	1.45	-	39.60	12.04	64.75			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2469G	47.16	88.20	-41.04	60.28	3	Horizontal	269	2.59	-	39.59	12.04	64.75			
RMS	13.24692G	34.46	68.20	-33.74	47.58	3	Horizontal	269	2.59	-	39.59	12.04	64.75			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87226G	48.33	83.54	-35.21	44.25	1	Vertical	200	2.31	-	37.70	15.18	48.80			
AV	19.87104G	36.63	63.54	-26.91	32.55	1	Vertical	200	2.31	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87044G	48.41	83.54	-35.13	44.33	1	Horizontal	175	2.70	-	37.70	15.18	48.80			
AV	19.87072G	36.63	63.54	-26.91	32.55	1	Horizontal	175	2.70	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40652G	46.50	88.20	-41.70	58.87	3	Vertical	61	2.54	-	40.03	12.04	64.44			
RMS	13.4132G	34.38	68.20	-33.82	46.72	3	Vertical	61	2.54	-	40.05	12.04	64.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40916G	47.76	88.20	-40.44	60.12	3	Horizontal	170	2.25	-	40.04	12.04	64.44			
RMS	13.41188G	34.40	68.20	-33.80	46.74	3	Horizontal	170	2.25	-	40.05	12.04	64.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11598G	49.85	83.54	-33.69	45.57	1	Vertical	249	2.72	-	37.80	15.26	48.78			
AV	20.11626G	37.82	63.54	-25.72	33.54	1	Vertical	249	2.72	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11632G	50.07	83.54	-33.47	45.79	1	Horizontal	48	2.02	-	37.80	15.26	48.78			
AV	20.1109G	37.75	63.54	-25.79	33.47	1	Horizontal	48	2.02	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57438G	47.90	88.20	-40.30	59.61	3	Vertical	277	2.31	-	40.55	12.03	64.29			
RMS	13.56794G	35.85	68.20	-32.35	47.52	3	Vertical	277	2.31	-	40.59	12.03	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57292G	47.84	88.20	-40.36	59.54	3	Horizontal	359	2.95	-	40.56	12.03	64.29			
RMS	13.56526G	35.85	68.20	-32.35	47.50	3	Horizontal	359	2.95	-	40.61	12.03	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35304G	49.10	83.54	-34.44	44.48	1	Vertical	316	1.82	-	37.89	15.46	48.73			
AV	20.35182G	37.30	63.54	-26.24	32.67	1	Vertical	316	1.82	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35826G	48.99	83.54	-34.55	44.38	1	Horizontal	211	2.79	-	37.88	15.46	48.73			
AV	20.35108G	37.20	63.54	-26.34	32.57	1	Horizontal	211	2.79	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73062G	47.94	88.20	-40.26	59.90	3	Vertical	83	1.59	-	40.36	12.03	64.35			
RMS	13.72558G	34.61	68.20	-33.59	46.58	3	Vertical	83	1.59	-	40.35	12.03	64.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73456G	46.89	88.20	-41.31	58.84	3	Horizontal	192	1.78	-	40.37	12.03	64.35			
RMS	13.73448G	34.53	68.20	-33.67	46.48	3	Horizontal	192	1.78	-	40.37	12.03	64.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59194G	48.76	83.54	-34.78	43.91	1	Vertical	35	2.93	-	37.90	15.65	48.70			
AV	20.59794G	36.84	63.54	-26.70	31.98	1	Vertical	35	2.93	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59024G	50.35	83.54	-33.19	45.50	1	Horizontal	26	2.15	-	37.90	15.65	48.70			
AV	20.5951G	36.94	63.54	-26.60	32.08	1	Horizontal	26	2.15	-	37.90	15.66	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89064G	47.62	88.20	-40.58	59.36	3	Vertical	333	1.93	-	40.66	12.02	64.42			
RMS	13.88932G	35.59	68.20	-32.61	47.33	3	Vertical	333	1.93	-	40.66	12.02	64.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89496G	47.80	88.20	-40.40	59.52	3	Horizontal	314	2.65	-	40.68	12.02	64.42			
RMS	13.89258G	35.59	68.20	-32.61	47.32	3	Horizontal	314	2.65	-	40.67	12.02	64.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8328G	49.07	83.54	-34.47	44.02	1	Vertical	82	2.36	-	37.90	15.85	48.70			
AV	20.8328G	36.46	63.54	-27.08	31.41	1	Vertical	82	2.36	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_V_2TX
Setting 13
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83042G	48.34	83.54	-35.20	43.29	1	Horizontal	26	1.36	-	37.90	15.85	48.70			
AV	20.83234G	36.46	63.54	-27.08	31.41	1	Horizontal	26	1.36	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0218G	104.73	Inf	-Inf	95.12	3	Vertical	360	1.59	-	35.49	8.30	34.18			
RMS	6.9998G	91.89	Inf	-Inf	82.39	3	Vertical	360	1.59	-	35.40	8.28	34.18			
PK	7.1722G	62.05	88.20	-26.15	51.64	3	Vertical	360	1.59	-	36.14	8.45	34.18			
RMS	7.2166G	51.08	68.20	-17.12	40.50	3	Vertical	360	1.59	-	36.27	8.49	34.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	6.9866G	108.67	Inf	-Inf	99.24	3	Horizontal	0	1.38	-	35.35	8.26	34.18					
RMS	6.9902G	99.52	Inf	-Inf	90.08	3	Horizontal	0	1.38	-	35.36	8.26	34.18					
PK	7.1306G	61.89	88.20	-26.31	51.60	3	Horizontal	0	1.38	-	36.06	8.41	34.18					
RMS	7.221G	51.08	68.20	-17.12	40.48	3	Horizontal	0	1.38	-	36.28	8.50	34.18					

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05274G	48.61	88.20	-39.59	59.79	3	Vertical	217	1.89	-	41.11	12.06	64.35			
RMS	14.04864G	35.92	68.20	-32.28	47.12	3	Vertical	217	1.89	-	41.10	12.05	64.35			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04872G	48.44	88.20	-39.76	59.64	3	Horizontal	176	1.69	-	41.10	12.05	64.35			
RMS	14.04932G	36.02	68.20	-32.18	47.22	3	Horizontal	176	1.69	-	41.10	12.05	64.35			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0715G	49.81	83.54	-33.73	44.46	1	Vertical	143	1.08	-	38.00	16.04	48.69			
AV	21.07704G	37.28	63.54	-26.26	31.91	1	Vertical	143	1.08	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 13
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07896G	49.66	83.54	-33.88	44.29	1	Horizontal	176	1.48	-	38.00	16.05	48.68			
AV	21.07504G	37.28	63.54	-26.26	31.91	1	Horizontal	176	1.48	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16
06-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.838G	60.64	88.20	-27.56	55.76	3	Vertical	342	1.58	-	32.18	7.21	34.51			
RMS	5.925G	49.83	68.20	-18.37	44.76	3	Vertical	342	1.58	-	32.40	7.27	34.60			
PK	6.068G	105.15	Inf	-Inf	99.90	3	Vertical	342	1.58	-	32.50	7.36	34.61			
RMS	6.0225G	95.10	Inf	-Inf	89.93	3	Vertical	342	1.58	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16
06-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	61.54	88.20	-26.66	56.47	3	Horizontal	356	1.31	-	32.40	7.27	34.60			
RMS	5.925G	51.45	68.20	-16.75	46.38	3	Horizontal	356	1.31	-	32.40	7.27	34.60			
PK	6.096G	110.03	Inf	-Inf	104.75	3	Horizontal	356	1.31	-	32.50	7.37	34.59			
RMS	6.0795G	99.13	Inf	-Inf	93.87	3	Horizontal	356	1.31	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04768G	46.97	74.00	-27.03	61.40	3	Vertical	252	1.96	-	39.19	12.08	65.70			
AV	12.04894G	34.74	54.00	-19.26	49.16	3	Vertical	252	1.96	-	39.20	12.08	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04724G	46.93	74.00	-27.07	61.36	3	Horizontal	145	2.31	-	39.19	12.08	65.70			
AV	12.05232G	34.61	54.00	-19.39	49.01	3	Horizontal	145	2.31	-	39.21	12.08	65.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0727G	49.38	83.54	-34.16	44.76	1	Vertical	73	1.98	-	37.54	15.29	48.21			
AV	18.0753G	37.15	63.54	-26.39	32.53	1	Vertical	73	1.98	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0784G	49.56	83.54	-33.98	44.92	1	Horizontal	238	2.72	-	37.57	15.29	48.22			
AV	18.0776G	37.16	63.54	-26.38	32.52	1	Horizontal	238	2.72	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36798G	45.89	74.00	-28.11	60.43	3	Vertical	244	1.12	-	38.80	12.07	65.41			
AV	12.36996G	33.37	54.00	-20.63	47.91	3	Vertical	244	1.12	-	38.80	12.07	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36736G	45.98	74.00	-28.02	60.52	3	Horizontal	320	2.68	-	38.80	12.07	65.41			
AV	12.36694G	33.27	54.00	-20.73	47.81	3	Horizontal	320	2.68	-	38.80	12.07	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55584G	50.00	83.54	-33.54	45.30	1	Vertical	333	1.54	-	37.80	15.26	48.36			
AV	18.55784G	37.37	63.54	-26.17	32.67	1	Vertical	333	1.54	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55704G	49.67	83.54	-33.87	44.97	1	Horizontal	35	1.42	-	37.80	15.26	48.36			
AV	18.55816G	37.46	63.54	-26.08	32.76	1	Horizontal	35	1.42	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68758G	45.97	74.00	-28.03	60.20	3	Vertical	117	1.13	-	38.98	12.06	65.27			
AV	12.68828G	33.76	54.00	-20.24	47.99	3	Vertical	117	1.13	-	38.98	12.06	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68606G	46.26	74.00	-27.74	60.50	3	Horizontal	6	2.73	-	38.97	12.06	65.27			
AV	12.6858G	33.88	54.00	-20.12	48.12	3	Horizontal	6	2.73	-	38.97	12.06	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03718G	49.65	83.54	-33.89	45.29	1	Vertical	101	2.50	-	37.93	15.23	48.80			
AV	19.0372G	38.34	63.54	-25.20	33.98	1	Vertical	101	2.50	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03168G	50.46	83.54	-33.08	46.09	1	Horizontal	21	1.91	-	37.94	15.23	48.80			
AV	19.03668G	38.34	63.54	-25.20	33.98	1	Horizontal	21	1.91	-	37.93	15.23	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0088G	45.73	88.20	-42.47	59.53	3	Vertical	154	2.24	-	39.36	12.05	65.21			
RMS	13.00672G	33.28	68.20	-34.92	47.08	3	Vertical	154	2.24	-	39.37	12.05	65.22			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00634G	45.63	88.20	-42.57	59.43	3	Horizontal	68	1.68	-	39.37	12.05	65.22			
RMS	13.01064G	33.30	68.20	-34.90	47.10	3	Horizontal	68	1.68	-	39.36	12.05	65.21			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_V_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5178G	50.38	83.54	-33.16	46.22	1	Vertical	130	2.10	-	37.76	15.20	48.80			
AV	19.51082G	38.39	63.54	-25.15	34.21	1	Vertical	130	2.10	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 16
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51074G	50.48	83.54	-33.06	46.30	1	Horizontal	39	2.44	-	37.78	15.20	48.80			
AV	19.5122G	38.40	63.54	-25.14	34.22	1	Horizontal	39	2.44	-	37.78	15.20	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32684G	47.59	74.00	-26.41	60.29	3	Vertical	74	2.79	-	39.86	12.04	64.60			
RMS	13.33496G	34.99	54.00	-19.01	47.62	3	Vertical	74	2.79	-	39.91	12.04	64.58			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32696G	47.47	74.00	-26.53	60.17	3	Horizontal	124	1.53	-	39.86	12.04	64.60			
RMS	13.33482G	34.92	54.00	-19.08	47.55	3	Horizontal	124	1.53	-	39.91	12.04	64.58			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99418G	48.81	83.54	-34.73	44.73	1	Vertical	346	1.93	-	37.71	15.17	48.80			
AV	19.9975G	36.70	63.54	-26.84	32.62	1	Vertical	346	1.93	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 15
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99106G	49.11	83.54	-34.43	45.02	1	Horizontal	48	1.24	-	37.72	15.17	48.80			
AV	19.9967G	36.60	63.54	-26.94	32.52	1	Horizontal	48	1.24	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 15
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64954G	47.23	88.20	-40.97	59.22	3	Vertical	315	1.62	-	40.30	12.03	64.32			
RMS	13.65392G	34.61	68.20	-33.59	46.60	3	Vertical	315	1.62	-	40.30	12.03	64.32			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65454G	46.91	88.20	-41.29	58.90	3	Horizontal	215	1.67	-	40.30	12.03	64.32			
RMS	13.65158G	34.64	68.20	-33.56	46.63	3	Horizontal	215	1.67	-	40.30	12.03	64.32			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47132G	49.20	83.54	-34.34	44.46	1	Vertical	74	1.36	-	37.90	15.55	48.71			
AV	20.47664G	36.85	63.54	-26.69	32.09	1	Vertical	74	1.36	-	37.90	15.56	48.70			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 15
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4721G	48.68	83.54	-34.86	43.94	1	Horizontal	349	2.50	-	37.90	15.55	48.71			
AV	20.47516G	36.86	63.54	-26.68	32.10	1	Horizontal	349	2.50	-	37.90	15.56	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
06-R-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.921G	105.14	Inf	-Inf	96.14	3	Vertical	354.1	1.62	-	35.03	8.15	34.18			
AV	6.9082G	92.69	Inf	-Inf	83.79	3	Vertical	354.1	1.62	-	34.95	8.13	34.18			
PK	7.2186G	61.40	88.20	-26.80	50.81	3	Vertical	354.1	1.62	-	36.27	8.50	34.18			
AV	7.1418G	50.45	68.20	-17.75	40.13	3	Vertical	354.1	1.62	-	36.08	8.42	34.18			
PK	7.3834G	61.99	74.00	-12.01	51.07	3	Vertical	354.1	1.62	-	36.47	8.64	34.19			
AV	7.3418G	51.01	54.00	-2.99	40.00	3	Vertical	354.1	1.62	-	36.60	8.60	34.19			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
06-R-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9178G	109.91	Inf	-Inf	100.94	3	Horizontal	360	1.52	-	35.01	8.14	34.18			
AV	6.9194G	98.76	Inf	-Inf	89.77	3	Horizontal	360	1.52	-	35.02	8.15	34.18			
PK	7.1306G	61.80	88.20	-26.40	51.51	3	Horizontal	360	1.52	-	36.06	8.41	34.18			
AV	7.1306G	50.42	68.20	-17.78	40.13	3	Horizontal	360	1.52	-	36.06	8.41	34.18			
PK	7.3034G	61.84	74.00	-12.16	50.86	3	Horizontal	360	1.52	-	36.60	8.57	34.19			
AV	7.3434G	50.84	54.00	-3.16	39.83	3	Horizontal	360	1.52	-	36.60	8.60	34.19			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
06-R-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96852G	48.57	88.20	-39.63	60.13	3	Vertical	283	2.83	-	40.87	12.02	64.45			
RMS	13.9713G	35.91	68.20	-32.29	47.45	3	Vertical	283	2.83	-	40.89	12.02	64.45			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97428G	48.27	88.20	-39.93	59.80	3	Horizontal	299	1.12	-	40.90	12.02	64.45			
RMS	13.97438G	35.98	68.20	-32.22	47.51	3	Horizontal	299	1.12	-	40.90	12.02	64.45			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
06-R-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95124G	49.77	83.54	-33.77	44.62	1	Vertical	153	2.51	-	37.90	15.95	48.70			
AV	20.95346G	38.07	63.54	-25.47	32.91	1	Vertical	153	2.51	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 15
06-R-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95646G	49.84	83.54	-33.70	44.68	1	Horizontal	199	1.16	-	37.91	15.95	48.70			
AV	20.9543G	38.08	63.54	-25.46	32.92	1	Horizontal	199	1.16	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18
06-R-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9194G	59.78	88.20	-28.42	54.71	3	Vertical	10	1.80	-	32.40	7.26	34.59				
AV	5.9194G	48.99	68.20	-19.21	43.92	3	Vertical	10	1.80	-	32.40	7.26	34.59				
PK	6.2138G	103.54	Inf	-Inf	97.66	3	Vertical	10	1.80	-	32.91	7.44	34.47				
AV	6.2586G	92.83	Inf	-Inf	86.59	3	Vertical	10	1.80	-	33.20	7.47	34.43				

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18
06-R-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	67.29	88.20	-20.91	62.22	3	Horizontal	3	1.51	-	32.40	7.26	34.59			
AV	5.9242G	52.34	68.20	-15.86	47.27	3	Horizontal	3	1.51	-	32.40	7.27	34.60			
PK	6.257G	110.59	Inf	-Inf	104.36	3	Horizontal	3	1.51	-	33.20	7.46	34.43			
AV	6.2234G	98.40	Inf	-Inf	92.43	3	Horizontal	3	1.51	-	32.99	7.44	34.46			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20976G	46.30	74.00	-27.70	60.72	3	Vertical	7	1.35	-	39.06	12.07	65.55			
AV	12.20994G	34.83	54.00	-19.17	49.25	3	Vertical	7	1.35	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20914G	46.13	74.00	-27.87	60.55	3	Horizontal	277	2.43	-	39.06	12.07	65.55			
AV	12.2112G	34.89	54.00	-19.11	49.31	3	Horizontal	277	2.43	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31186G	48.80	83.54	-34.74	44.17	1	Vertical	186	1.70	-	37.62	15.27	48.26			
AV	18.31262G	37.71	63.54	-25.83	33.07	1	Vertical	186	1.70	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31908G	49.20	83.54	-34.34	44.55	1	Horizontal	55	1.88	-	37.64	15.27	48.26			
AV	18.31286G	37.51	63.54	-26.03	32.87	1	Horizontal	55	1.88	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5271G	45.37	74.00	-28.63	60.05	3	Vertical	259	2.05	-	38.55	12.06	65.29			
AV	12.52918G	33.32	54.00	-20.68	48.01	3	Vertical	259	2.05	-	38.54	12.06	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52818G	45.91	74.00	-28.09	60.60	3	Horizontal	35	2.75	-	38.54	12.06	65.29			
AV	12.53174G	33.44	54.00	-20.56	48.13	3	Horizontal	35	2.75	-	38.54	12.06	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79952G	50.34	83.54	-33.20	45.80	1	Vertical	153	1.51	-	37.90	15.24	48.60			
AV	18.79418G	38.58	63.54	-24.96	34.03	1	Vertical	153	1.51	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79984G	50.46	83.54	-33.08	45.92	1	Horizontal	238	2.66	-	37.90	15.24	48.60			
AV	18.79808G	38.48	63.54	-25.06	33.94	1	Horizontal	238	2.66	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 19
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84568G	46.06	88.20	-42.14	60.06	3	Vertical	217	1.89	-	39.20	12.05	65.25			
RMS	12.84632G	34.11	68.20	-34.09	48.11	3	Vertical	217	1.89	-	39.20	12.05	65.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 19
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85086G	45.88	88.20	-42.32	59.88	3	Horizontal	188	2.56	-	39.20	12.05	65.25			
RMS	12.85104G	34.07	68.20	-34.13	48.07	3	Horizontal	188	2.56	-	39.20	12.05	65.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 19
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27406G	50.24	83.54	-33.30	45.93	1	Vertical	210	2.75	-	37.90	15.21	48.80			
AV	19.27254G	38.39	63.54	-25.15	34.07	1	Vertical	210	2.75	-	37.91	15.21	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 19
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27708G	50.08	83.54	-33.46	45.78	1	Horizontal	311	1.74	-	37.89	15.21	48.80			
AV	19.27628G	38.34	63.54	-25.20	34.04	1	Horizontal	311	1.74	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 19
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16856G	46.48	88.20	-41.72	59.78	3	Vertical	341	2.52	-	39.56	12.04	64.90			
RMS	13.16574G	34.64	68.20	-33.56	47.93	3	Vertical	341	2.52	-	39.57	12.05	64.91			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 19
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17108G	46.42	88.20	-41.78	59.72	3	Horizontal	34	1.99	-	39.56	12.04	64.90			
RMS	13.16506G	34.49	68.20	-33.71	47.78	3	Horizontal	34	1.99	-	39.57	12.05	64.91			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 19
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75464G	48.87	83.54	-34.67	44.79	1	Vertical	209	1.27	-	37.70	15.18	48.80			
AV	19.75062G	37.10	63.54	-26.44	33.02	1	Vertical	209	1.27	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 19
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75754G	49.48	83.54	-34.06	45.40	1	Horizontal	130	1.32	-	37.70	15.18	48.80			
AV	19.75142G	37.19	63.54	-26.35	33.11	1	Horizontal	130	1.32	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48904G	47.58	88.20	-40.62	59.54	3	Vertical	279	2.77	-	40.28	12.04	64.28			
RMS	13.48834G	35.75	68.20	-32.45	47.71	3	Vertical	279	2.77	-	40.28	12.04	64.28			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48924G	47.44	88.20	-40.76	59.40	3	Horizontal	173	1.35	-	40.28	12.04	64.28			
RMS	13.48856G	35.83	68.20	-32.37	47.79	3	Horizontal	173	1.35	-	40.28	12.04	64.28			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23086G	49.45	83.54	-34.09	45.04	1	Vertical	8	1.30	-	37.80	15.36	48.75			
AV	20.23416G	38.00	63.54	-25.54	33.59	1	Vertical	8	1.30	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 18
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23158G	49.60	83.54	-33.94	45.19	1	Horizontal	182	1.63	-	37.80	15.36	48.75			
AV	20.23774G	38.12	63.54	-25.42	33.71	1	Horizontal	182	1.63	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17
06-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8114G	105.03	Inf	-Inf	96.79	3	Vertical	360	1.54	-	34.45	7.97	34.18			
RMS	6.9176G	92.83	Inf	-Inf	83.86	3	Vertical	360	1.54	-	35.01	8.14	34.18			
PK	7.1378G	65.10	88.20	-23.10	54.78	3	Vertical	360	1.54	-	36.08	8.42	34.18			
RMS	7.145G	52.39	68.20	-15.81	42.05	3	Vertical	360	1.54	-	36.09	8.43	34.18			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17
06-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8582G	109.21	Inf	-Inf	100.69	3	Horizontal	352	1.58	-	34.65	8.05	34.18			
RMS	6.7598G	99.30	Inf	-Inf	91.12	3	Horizontal	352	1.58	-	34.40	7.96	34.18			
PK	7.1318G	64.80	88.20	-23.40	54.51	3	Horizontal	352	1.58	-	36.06	8.41	34.18			
RMS	7.1276G	51.97	68.20	-16.23	41.68	3	Horizontal	352	1.58	-	36.06	8.41	34.18			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80556G	47.22	88.20	-40.98	58.98	3	Vertical	133	2.10	-	40.59	12.03	64.38			
RMS	13.80734G	35.39	68.20	-32.81	47.15	3	Vertical	133	2.10	-	40.59	12.03	64.38			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80744G	47.90	88.20	-40.30	59.66	3	Horizontal	219	1.42	-	40.59	12.03	64.38			
RMS	13.81102G	35.40	68.20	-32.80	47.17	3	Horizontal	219	1.42	-	40.58	12.03	64.38			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7195G	51.70	83.54	-31.84	46.74	1	Vertical	323	1.37	-	37.90	15.76	48.70			
AV	20.71984G	42.04	63.54	-21.50	37.08	1	Vertical	323	1.37	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 17
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72G	51.01	83.54	-32.53	46.05	1	Horizontal	354	1.35	-	37.90	15.76	48.70			
AV	20.71986G	41.86	63.54	-21.68	36.90	1	Horizontal	354	1.35	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 5
06-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8742G	60.05	88.20	-28.15	55.07	3	Vertical	351	1.62	-	32.30	7.23	34.55			
RMS	5.9044G	49.06	68.20	-19.14	43.99	3	Vertical	351	1.62	-	32.40	7.25	34.58			
PK	5.9614G	102.74	Inf	-Inf	97.67	3	Vertical	351	1.62	-	32.42	7.29	34.64			
RMS	5.9468G	90.67	Inf	-Inf	85.61	3	Vertical	351	1.62	-	32.40	7.28	34.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 5
06-R-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8606G	60.92	88.20	-27.28	55.99	3	Horizontal	356	1.28	-	32.24	7.22	34.53			
RMS	5.898G	49.11	68.20	-19.09	44.04	3	Horizontal	356	1.28	-	32.39	7.25	34.57			
PK	5.9578G	110.52	Inf	-Inf	105.45	3	Horizontal	356	1.28	-	32.42	7.29	34.64			
RMS	5.9616G	99.04	Inf	-Inf	93.97	3	Horizontal	356	1.28	-	32.42	7.29	34.64			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 5
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90992G	45.26	74.00	-28.74	60.22	3	Vertical	182	1.91	-	38.82	12.02	65.80			
AV	11.91488G	33.53	54.00	-20.47	48.48	3	Vertical	182	1.91	-	38.83	12.02	65.80			
PK	17.87892G	57.20	74.00	-16.80	57.42	3	Vertical	65	1.64	-	48.24	14.06	62.52			
AV	17.87088G	45.08	54.00	-8.92	45.60	3	Vertical	65	1.64	-	47.95	14.06	62.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 5
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90542G	44.94	74.00	-29.06	59.91	3	Horizontal	342	1.42	-	38.81	12.02	65.80			
AV	11.91496G	33.54	54.00	-20.46	48.49	3	Horizontal	342	1.42	-	38.83	12.02	65.80			
PK	17.87088G	57.84	74.00	-16.16	58.36	3	Horizontal	45	1.52	-	47.95	14.06	62.53			
AV	17.87838G	45.17	54.00	-8.83	45.41	3	Horizontal	45	1.52	-	48.22	14.06	62.52			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8077G	49.39	83.54	-34.15	40.69	1	Vertical	148	1.62	-	39.10	17.28	47.68			
AV	23.8101G	37.58	63.54	-25.96	28.88	1	Vertical	148	1.62	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80776G	49.32	83.54	-34.22	40.62	1	Horizontal	30	1.41	-	39.10	17.28	47.68			
AV	23.80548G	37.62	63.54	-25.92	28.92	1	Horizontal	30	1.41	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38676G	45.47	74.00	-28.53	59.99	3	Vertical	304	2.02	-	38.80	12.07	65.39			
AV	12.38542G	33.15	54.00	-20.85	47.67	3	Vertical	304	2.02	-	38.80	12.07	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.389G	45.43	74.00	-28.57	59.95	3	Horizontal	247	1.34	-	38.80	12.07	65.39			
AV	12.3855G	33.07	54.00	-20.93	47.59	3	Horizontal	247	1.34	-	38.80	12.07	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58312G	48.11	83.54	-35.43	43.43	1	Vertical	233	2.95	-	37.80	15.26	48.38			
AV	18.58344G	36.12	63.54	-27.42	31.45	1	Vertical	233	2.95	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58252G	48.00	83.54	-35.54	43.32	1	Horizontal	93	1.36	-	37.80	15.26	48.38			
AV	18.58902G	36.27	63.54	-27.27	31.61	1	Horizontal	93	1.36	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82914G	46.24	88.20	-41.96	60.23	3	Vertical	132	1.09	-	39.20	12.06	65.25			
RMS	12.83228G	33.63	68.20	-34.57	47.62	3	Vertical	132	1.09	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82776G	46.09	88.20	-42.11	60.08	3	Horizontal	61	2.16	-	39.20	12.06	65.25			
RMS	12.83224G	33.70	68.20	-34.50	47.69	3	Horizontal	61	2.16	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24088G	48.79	83.54	-34.75	44.41	1	Vertical	271	1.21	-	37.96	15.22	48.80			
AV	19.24956G	36.08	63.54	-27.46	31.66	1	Vertical	271	1.21	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24142G	48.15	83.54	-35.39	43.76	1	Horizontal	34	1.19	-	37.97	15.22	48.80			
AV	19.24412G	36.07	63.54	-27.47	31.67	1	Horizontal	34	1.19	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.867G	45.92	88.20	-42.28	59.89	3	Vertical	167	2.05	-	39.23	12.05	65.25			
RMS	12.87138G	33.58	68.20	-34.62	47.54	3	Vertical	167	2.05	-	39.24	12.05	65.25			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87316G	45.70	88.20	-42.50	59.65	3	Horizontal	223	2.13	-	39.25	12.05	65.25			
RMS	12.87174G	33.50	68.20	-34.70	47.46	3	Horizontal	223	2.13	-	39.24	12.05	65.25			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30834G	47.92	83.54	-35.62	43.71	1	Vertical	296	2.57	-	37.80	15.21	48.80			
AV	19.3031G	35.92	63.54	-27.62	31.71	1	Vertical	296	2.57	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 5
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30176G	48.21	83.54	-35.33	44.00	1	Horizontal	241	2.98	-	37.80	15.21	48.80			
AV	19.3047G	35.94	63.54	-27.60	31.73	1	Horizontal	241	2.98	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 3
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94758G	46.15	88.20	-42.05	59.85	3	Vertical	279	2.67	-	39.49	12.05	65.24			
RMS	12.94758G	33.67	68.20	-34.53	47.37	3	Vertical	279	2.67	-	39.49	12.05	65.24			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 3
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94702G	45.99	88.20	-42.21	59.69	3	Horizontal	74	1.52	-	39.49	12.05	65.24			
RMS	12.95076G	33.73	68.20	-34.47	47.42	3	Horizontal	74	1.52	-	39.50	12.05	65.24			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 3
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4272G	48.25	83.54	-35.29	44.06	1	Vertical	127	1.47	-	37.79	15.20	48.80			
AV	19.4268G	36.36	63.54	-27.18	32.17	1	Vertical	127	1.47	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 3
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42208G	48.75	83.54	-34.79	44.54	1	Horizontal	288	2.60	-	37.81	15.20	48.80			
AV	19.42344G	36.43	63.54	-27.11	32.22	1	Horizontal	288	2.60	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02636G	46.20	88.20	-42.00	60.04	3	Vertical	157	2.23	-	39.29	12.05	65.18			
RMS	13.0283G	33.51	68.20	-34.69	47.35	3	Vertical	157	2.23	-	39.29	12.05	65.18			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0339G	47.19	88.20	-41.01	61.04	3	Horizontal	274	1.34	-	39.26	12.05	65.16			
RMS	13.02612G	33.73	68.20	-34.47	47.56	3	Horizontal	274	1.34	-	39.30	12.05	65.18			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54184G	47.77	83.54	-35.77	43.65	1	Vertical	250	1.34	-	37.72	15.20	48.80			
AV	19.54116G	36.03	63.54	-27.51	31.91	1	Vertical	250	1.34	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54382G	48.01	83.54	-35.53	43.90	1	Horizontal	33	1.04	-	37.71	15.20	48.80			
AV	19.54382G	36.03	63.54	-27.51	31.92	1	Horizontal	33	1.04	-	37.71	15.20	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07308G	45.74	88.20	-42.46	59.58	3	Vertical	31	2.28	-	39.20	12.05	65.09			
RMS	13.06768G	33.47	68.20	-34.73	47.32	3	Vertical	31	2.28	-	39.20	12.05	65.10			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07126G	45.66	88.20	-42.54	59.50	3	Horizontal	124	2.02	-	39.20	12.05	65.09			
RMS	13.06754G	33.51	68.20	-34.69	47.36	3	Horizontal	124	2.02	-	39.20	12.05	65.10			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60916G	48.68	83.54	-34.86	44.59	1	Vertical	108	2.81	-	37.70	15.19	48.80			
AV	19.60236G	36.49	63.54	-27.05	32.40	1	Vertical	108	2.81	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6092G	48.36	83.54	-35.18	44.27	1	Horizontal	234	2.46	-	37.70	15.19	48.80			
AV	19.60482G	36.35	63.54	-27.19	32.26	1	Horizontal	234	2.46	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3907G	46.80	74.00	-27.20	59.23	3	Vertical	307	1.19	-	40.00	12.04	64.47			
AV	13.39186G	34.51	54.00	-19.49	46.94	3	Vertical	307	1.19	-	40.00	12.04	64.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3861G	46.92	74.00	-27.08	59.36	3	Horizontal	189	2.90	-	40.00	12.04	64.48			
AV	13.38604G	34.45	54.00	-19.55	46.89	3	Horizontal	189	2.90	-	40.00	12.04	64.48			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08596G	48.16	83.54	-35.38	43.90	1	Vertical	160	2.74	-	37.80	15.24	48.78			
AV	20.08564G	36.28	63.54	-27.26	32.02	1	Vertical	160	2.74	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08154G	48.14	83.54	-35.40	43.88	1	Horizontal	5	2.37	-	37.80	15.24	48.78			
AV	20.0805G	36.31	63.54	-27.23	32.05	1	Horizontal	5	2.37	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74876G	47.26	88.20	-40.94	59.19	3	Vertical	263	1.95	-	40.40	12.03	64.36			
RMS	13.75432G	34.97	68.20	-33.23	46.88	3	Vertical	263	1.95	-	40.42	12.03	64.36			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74892G	47.17	88.20	-41.03	59.10	3	Horizontal	19	1.16	-	40.40	12.03	64.36			
RMS	13.75412G	34.97	68.20	-33.23	46.88	3	Horizontal	19	1.16	-	40.42	12.03	64.36			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62782G	47.68	83.54	-35.86	42.80	1	Vertical	4	1.82	-	37.90	15.68	48.70			
AV	20.6206G	35.99	63.54	-27.55	31.11	1	Vertical	4	1.82	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62096G	47.73	83.54	-35.81	42.85	1	Horizontal	233	2.95	-	37.90	15.68	48.70			
AV	20.62042G	35.90	63.54	-27.64	31.02	1	Horizontal	233	2.95	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX



EUT_V_4TX
Setting 4
06-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78862G	47.45	88.20	-40.75	59.25	3	Vertical	34	2.94	-	40.55	12.03	64.38			
RMS	13.79226G	35.10	68.20	-33.10	46.88	3	Vertical	34	2.94	-	40.57	12.03	64.38			