


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4284G	49.04	83.54	-34.50	44.85	1	Vertical	330	2.32	-	37.79	15.20	48.80			
AV	19.42826G	35.95	63.54	-27.59	31.76	1	Vertical	330	2.32	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42878G	48.17	83.54	-35.37	43.99	1	Horizontal	340	2.14	-	37.78	15.20	48.80			
AV	19.4281G	36.01	63.54	-27.53	31.82	1	Horizontal	340	2.14	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03026G	50.68	88.20	-37.52	63.33	3	Vertical	333	2.46	-	39.60	12.92	65.17			
RMS	13.02901G	38.04	68.20	-30.16	50.69	3	Vertical	333	2.46	-	39.60	12.92	65.17			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03001G	50.47	88.20	-37.73	63.12	3	Horizontal	43	1.78	-	39.60	12.92	65.17			
RMS	13.02904G	38.07	68.20	-30.13	50.72	3	Horizontal	43	1.78	-	39.60	12.92	65.17			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54076G	49.34	83.54	-34.20	45.22	1	Vertical	331	2.07	-	37.72	15.20	48.80			
AV	19.54002G	35.99	63.54	-27.55	31.87	1	Vertical	331	2.07	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54978G	48.37	83.54	-35.17	44.27	1	Horizontal	186	2.91	-	37.70	15.20	48.80			
AV	19.54208G	36.03	63.54	-27.51	31.91	1	Horizontal	186	2.91	-	37.72	15.20	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06966G	51.18	88.20	-37.02	63.69	3	Vertical	274	1.76	-	39.64	12.94	65.09			
RMS	13.06965G	37.71	68.20	-30.49	50.22	3	Vertical	274	1.76	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07005G	50.00	88.20	-38.20	62.51	3	Horizontal	136	1.18	-	39.64	12.94	65.09			
RMS	13.06914G	37.71	68.20	-30.49	50.23	3	Horizontal	136	1.18	-	39.64	12.94	65.10			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60512G	47.89	83.54	-35.65	43.80	1	Vertical	196	2.32	-	37.70	15.19	48.80			
AV	19.60026G	35.60	63.54	-27.94	31.51	1	Vertical	196	2.32	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6072G	47.92	83.54	-35.62	43.83	1	Horizontal	151	1.58	-	37.70	15.19	48.80			
AV	19.60222G	35.64	63.54	-27.90	31.55	1	Horizontal	151	1.58	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38956G	53.43	74.00	-20.57	64.58	3	Vertical	25	1.74	-	40.20	13.12	64.47			
RMS	13.38912G	39.97	54.00	-14.03	51.13	3	Vertical	25	1.74	-	40.20	13.12	64.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39078G	52.60	74.00	-21.40	63.75	3	Horizontal	139	1.84	-	40.20	13.12	64.47			
RMS	13.38921G	39.97	54.00	-14.03	51.12	3	Horizontal	139	1.84	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0875G	48.46	83.54	-35.08	44.20	1	Vertical	210	1.79	-	37.80	15.24	48.78			
AV	20.08614G	35.85	63.54	-27.69	31.59	1	Vertical	210	1.79	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
 Setting 8.5
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08574G	48.35	83.54	-35.19	44.09	1	Horizontal	2	1.31	-	37.80	15.24	48.78			
AV	20.08608G	35.85	63.54	-27.69	31.59	1	Horizontal	2	1.31	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_V_1TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7502G	52.14	88.20	-36.06	62.69	3	Vertical	122	1.75	-	40.50	13.31	64.36			
RMS	13.74919G	39.67	68.20	-28.53	50.22	3	Vertical	122	1.75	-	40.50	13.31	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_V_1TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75005G	52.16	88.20	-36.04	62.71	3	Horizontal	60	2.36	-	40.50	13.31	64.36			
RMS	13.74979G	39.70	68.20	-28.50	50.25	3	Horizontal	60	2.36	-	40.50	13.31	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_V_1TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.62302G	49.83	83.54	-33.71	44.95	1	Vertical	237	1.52	-	37.90	15.68	48.70				
AV	20.62168G	37.14	63.54	-26.40	32.26	1	Vertical	237	1.52	-	37.90	15.68	48.70				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_V_1TX
Setting 9
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62333G	49.42	83.54	-34.12	44.54	1	Horizontal	294	1.87	-	37.90	15.68	48.70			
AV	20.62086G	37.14	63.54	-26.40	32.26	1	Horizontal	294	1.87	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_V_1TX
SET9.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78947G	52.48	88.20	-35.72	62.86	3	Vertical	108	2.53	-	40.66	13.34	64.38			
RMS	13.79071G	39.81	88.20	-48.39	50.19	3	Vertical	108	2.53	-	40.66	13.34	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_V_1TX
SET9.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78982G	53.00	88.20	-35.20	63.38	3	Horizontal	38	2.19	-	40.66	13.34	64.38			
RMS	13.79046G	39.80	88.20	-48.40	50.18	3	Horizontal	38	2.19	-	40.66	13.34	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_V_1TX
SET9.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68902G	48.60	83.54	-34.94	43.67	1	Vertical	30	1.11	-	37.90	15.73	48.70			
AV	20.68738G	36.55	63.54	-26.99	31.62	1	Vertical	30	1.11	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_V_1TX
SET9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68038G	48.70	83.54	-34.84	43.78	1	Horizontal	120	1.68	-	37.90	15.72	48.70			
AV	20.68758G	36.55	63.54	-26.99	31.62	1	Horizontal	120	1.68	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Y_1TX
SET 10.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98962G	53.17	88.20	-35.03	63.29	3	Vertical	218	2.01	-	40.90	13.44	64.46			
RMS	13.99067G	40.35	88.20	-47.85	50.47	3	Vertical	218	2.01	-	40.90	13.44	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Y_1TX
SET 10.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98908G	53.22	88.20	-34.98	63.34	3	Horizontal	276	1.60	-	40.90	13.44	64.46			
RMS	13.9906G	40.36	88.20	-47.84	50.48	3	Horizontal	276	1.60	-	40.90	13.44	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_V_1TX
 SET 10.5
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98952G	49.87	83.54	-33.67	44.61	1	Vertical	123	1.51	-	37.98	15.98	48.70			
AV	20.98984G	37.61	63.54	-25.93	32.35	1	Vertical	123	1.51	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Y_1TX
SET 10.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98336G	50.18	83.54	-33.36	44.94	1	Horizontal	94	2.39	-	37.97	15.97	48.70			
AV	20.98988G	37.61	63.54	-25.93	32.35	1	Horizontal	94	2.39	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0998G	109.43	Inf	-Inf	97.39	3	Vertical	359	1.80	10	36.80	7.95	32.71				
RMS	7.1034G	97.47	Inf	-Inf	85.42	3	Vertical	359	1.80	10	36.81	7.95	32.71				
PK	7.1994G	64.65	88.20	-23.55	52.18	3	Vertical	359	1.80	10	37.20	7.94	32.67				
RMS	7.2426G	52.07	68.20	-16.13	39.49	3	Vertical	359	1.80	10	37.29	7.95	32.66				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0866G	108.16	Inf	-Inf	96.16	3	Horizontal	0	1.80	10	36.77	7.95	32.72			
RMS	7.0869G	95.78	Inf	-Inf	83.78	3	Horizontal	0	1.80	10	36.77	7.95	32.72			
PK	7.2135G	64.61	88.20	-23.59	52.11	3	Horizontal	0	1.80	10	37.23	7.94	32.67			
RMS	7.2447G	51.98	68.20	-16.22	39.40	3	Horizontal	0	1.80	10	37.29	7.95	32.66			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 10
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18915G	53.93	88.20	-34.27	63.61	3	Vertical	212	1.33	-	40.90	13.47	64.05			
RMS	14.19021G	41.33	88.20	-46.87	51.01	3	Vertical	212	1.33	-	40.90	13.47	64.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_V_1TX
SET 10
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19048G	54.28	88.20	-33.92	63.95	3	Horizontal	1	2.33	-	40.90	13.47	64.04			
RMS	14.18921G	41.29	88.20	-46.91	50.97	3	Horizontal	1	2.33	-	40.90	13.47	64.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 10
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28862G	50.16	83.54	-33.38	44.50	1	Vertical	13	2.26	-	38.08	16.22	48.64			
AV	21.28888G	37.63	63.54	-25.91	31.97	1	Vertical	13	2.26	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
SET 10
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28442G	49.83	83.54	-33.71	44.18	1	Horizontal	107	2.94	-	38.07	16.22	48.64			
AV	21.2884G	37.62	63.54	-25.92	31.96	1	Horizontal	107	2.94	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Y_1TX
Setting 1
01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1075G	99.31	Inf	-Inf	87.26	3	Vertical	6	1.80	10_BP 1M	36.81	7.95	32.71			
RMS	7.1065G	92.77	Inf	-Inf	80.72	3	Vertical	6	1.80	10_BP 1M	36.81	7.95	32.71			
PK	7.1255G	77.22	88.20	-10.98	65.12	3	Vertical	6	1.80	10_BP 1M	36.85	7.95	32.70			
RMS	7.1255G	67.88	68.20	-0.32	55.78	3	Vertical	6	1.80	10_BP 1M	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_Y_1TX
Setting 1
01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1165G	98.08	Inf	-Inf	86.01	3	Horizontal	2	1.80	10_BP 1M	36.83	7.95	32.71				
RMS	7.1175G	91.26	Inf	-Inf	79.18	3	Horizontal	2	1.80	10_BP 1M	36.84	7.95	32.71				
PK	7.1255G	76.76	88.20	-11.44	64.66	3	Horizontal	2	1.80	10_BP 1M	36.85	7.95	32.70				
RMS	7.1255G	67.02	68.20	-1.18	54.92	3	Horizontal	2	1.80	10_BP 1M	36.85	7.95	32.70				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting 1
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22971G	53.87	88.20	-34.33	63.58	3	Vertical	257	1.39	-	40.78	13.47	63.96			
RMS	14.22996G	41.26	68.20	-26.94	50.97	3	Vertical	257	1.39	-	40.78	13.47	63.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting 1
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23008G	53.54	88.20	-34.66	63.25	3	Horizontal	285	2.41	-	40.78	13.47	63.96			
RMS	14.22993G	41.26	68.20	-26.94	50.97	3	Horizontal	285	2.41	-	40.78	13.47	63.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting 1
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34392G	50.04	83.54	-33.50	44.30	1	Vertical	264	1.11	-	38.10	16.27	48.63			
AV	21.349G	37.78	63.54	-25.76	32.04	1	Vertical	264	1.11	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting 1
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3435G	49.63	83.54	-33.91	43.90	1	Horizontal	1	2.41	-	38.10	16.26	48.63			
AV	21.34704G	37.77	63.54	-25.77	32.03	1	Horizontal	1	2.41	-	38.10	16.27	48.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	61.54	88.20	-26.66	54.10	3	Vertical	356	1.71	12	34.55	8.09	35.20			
RMS	5.925G	49.54	68.20	-18.66	42.10	3	Vertical	356	1.71	12	34.55	8.09	35.20			
PK	5.9758G	111.22	Inf	-Inf	103.67	3	Vertical	356	1.71	12	34.60	8.14	35.19			
RMS	5.9824G	99.06	Inf	-Inf	91.50	3	Vertical	356	1.71	12	34.60	8.15	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9215G	60.72	88.20	-27.48	53.29	3	Horizontal	359	1.69	12	34.54	8.09	35.20				
RMS	5.925G	49.16	68.20	-19.04	41.72	3	Horizontal	359	1.69	12	34.55	8.09	35.20				
PK	5.9824G	108.46	Inf	-Inf	100.90	3	Horizontal	359	1.69	12	34.60	8.15	35.19				
RMS	5.9818G	96.09	Inf	-Inf	88.53	3	Horizontal	359	1.69	12	34.60	8.15	35.19				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 12
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92953G	50.37	74.00	-23.63	65.13	3	Vertical	87	2.30	-	38.74	12.29	65.79			
AV	11.92908G	36.93	54.00	-17.07	51.69	3	Vertical	87	2.30	-	38.74	12.29	65.79			
PK	17.8943G	54.80	74.00	-19.20	61.81	3	Vertical	285	1.92	-	41.28	14.20	62.49			
AV	17.8942G	42.78	54.00	-11.22	49.79	3	Vertical	285	1.92	-	41.28	14.20	62.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 12
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93071G	50.04	74.00	-23.96	64.80	3	Horizontal	307	1.73	-	38.74	12.29	65.79			
AV	11.92917G	36.92	54.00	-17.08	51.68	3	Horizontal	307	1.73	-	38.74	12.29	65.79			
PK	17.89423G	55.86	74.00	-18.14	62.87	3	Horizontal	306	2.64	-	41.28	14.20	62.49			
AV	17.89407G	42.83	54.00	-11.17	49.84	3	Horizontal	306	2.64	-	41.28	14.20	62.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
Setting 12
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86488G	53.03	83.54	-30.51	44.32	1	Vertical	336	1.80	-	39.07	17.29	47.65			
AV	23.855G	40.29	63.54	-23.25	31.57	1	Vertical	336	1.80	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.865G	52.75	83.54	-30.79	44.04	1	Horizontal	108	1.73	-	39.07	17.29	47.65			
AV	23.855G	40.29	63.54	-23.25	31.57	1	Horizontal	108	1.73	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41088G	50.88	74.00	-23.12	65.05	3	Vertical	107	1.84	-	38.62	12.58	65.37			
AV	12.40992G	37.64	54.00	-16.36	51.81	3	Vertical	107	1.84	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41076G	50.01	74.00	-23.99	64.18	3	Horizontal	82	2.12	-	38.62	12.58	65.37			
AV	12.41003G	37.63	54.00	-16.37	51.80	3	Horizontal	82	2.12	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61044G	47.47	83.54	-36.07	42.81	1	Vertical	14	1.77	-	37.82	15.25	48.41			
AV	18.61774G	35.48	63.54	-28.06	30.81	1	Vertical	14	1.77	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
 Setting 12
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61488G	47.42	83.54	-36.12	42.75	1	Horizontal	192	1.73	-	37.83	15.25	48.41			
AV	18.618G	35.48	63.54	-28.06	30.81	1	Horizontal	192	1.73	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80945G	50.14	88.20	-38.06	63.35	3	Vertical	247	2.36	-	39.24	12.80	65.25			
RMS	12.80905G	37.47	68.20	-30.73	50.68	3	Vertical	247	2.36	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80939G	50.60	88.20	-37.60	63.81	3	Horizontal	20	2.10	-	39.24	12.80	65.25			
RMS	12.80901G	37.47	68.20	-30.73	50.68	3	Horizontal	20	2.10	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21156G	48.31	83.54	-35.23	44.04	1	Vertical	58	2.78	-	37.85	15.22	48.80			
AV	19.21032G	35.54	63.54	-28.00	31.28	1	Vertical	58	2.78	-	37.84	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 11.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21762G	47.53	83.54	-36.01	43.24	1	Horizontal	75	1.02	-	37.87	15.22	48.80			
AV	19.21112G	35.54	63.54	-28.00	31.28	1	Horizontal	75	1.02	-	37.84	15.22	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_V_1TX
Setting 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88939G	50.10	88.20	-38.10	63.10	3	Vertical	272	2.56	-	39.40	12.84	65.24			
RMS	12.88901G	37.41	68.20	-30.79	50.41	3	Vertical	272	2.56	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_V_1TX
Setting 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88907G	50.11	88.20	-38.09	63.11	3	Horizontal	34	2.25	-	39.40	12.84	65.24			
RMS	12.88909G	37.44	68.20	-30.76	50.44	3	Horizontal	34	2.25	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_V_1TX
Setting 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33672G	47.44	83.54	-36.10	43.23	1	Vertical	85	2.54	-	37.80	15.21	48.80			
AV	19.33876G	35.47	63.54	-28.07	31.26	1	Vertical	85	2.54	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_V_1TX
 Setting 11
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33986G	47.49	83.54	-36.05	43.28	1	Horizontal	17	1.23	-	37.80	15.21	48.80			
AV	19.33576G	35.52	63.54	-28.02	31.31	1	Horizontal	17	1.23	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_V_1TX
Setting 11
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96944G	49.11	88.20	-39.09	61.91	3	Vertical	59	2.34	-	39.54	12.89	65.23			
RMS	12.97049G	37.00	68.20	-31.20	49.80	3	Vertical	59	2.34	-	39.54	12.89	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_V_1TX
Setting 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97083G	49.95	88.20	-38.25	62.75	3	Horizontal	236	2.40	-	39.54	12.89	65.23			
RMS	12.97053G	37.01	68.20	-31.19	49.81	3	Horizontal	236	2.40	-	39.54	12.89	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_V_1TX
Setting 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45654G	48.66	83.54	-34.88	44.55	1	Vertical	128	2.02	-	37.71	15.20	48.80			
AV	19.45932G	36.32	63.54	-27.22	32.20	1	Vertical	128	2.02	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_V_1TX
Setting 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45276G	48.48	83.54	-35.06	44.37	1	Horizontal	300	1.49	-	37.71	15.20	48.80			
AV	19.4592G	36.32	63.54	-27.22	32.20	1	Horizontal	300	1.49	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_V_1TX
Setting 11.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05035G	51.10	88.20	-37.10	63.70	3	Vertical	341	1.85	-	39.60	12.93	65.13			
RMS	13.0505G	38.23	68.20	-29.97	50.83	3	Vertical	341	1.85	-	39.60	12.93	65.13			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_V_1TX
Setting 11.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04937G	51.18	88.20	-37.02	63.78	3	Horizontal	57	2.36	-	39.60	12.93	65.13			
RMS	13.05058G	38.23	68.20	-29.97	50.83	3	Horizontal	57	2.36	-	39.60	12.93	65.13			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_V_1TX
Setting 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57554G	47.39	83.54	-36.15	43.29	1	Vertical	320	1.67	-	37.70	15.20	48.80			
AV	19.5703G	35.73	63.54	-27.81	31.63	1	Vertical	320	1.67	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_V_1TX
 Setting 11.5
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57624G	48.56	83.54	-34.98	44.46	1	Horizontal	145	2.28	-	37.70	15.20	48.80			
AV	19.57174G	35.72	63.54	-27.82	31.62	1	Horizontal	145	2.28	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
SET 13.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13073G	51.41	88.20	-36.79	63.65	3	Vertical	205	2.04	-	39.76	12.98	64.98			
RMS	13.13064G	38.53	68.20	-29.67	50.77	3	Vertical	205	2.04	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
SET 13.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12958G	51.60	88.20	-36.60	63.84	3	Horizontal	8	2.94	-	39.76	12.98	64.98			
RMS	13.1309G	38.55	68.20	-29.65	50.79	3	Horizontal	8	2.94	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
SET 13.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69999G	48.86	83.54	-34.68	44.77	1	Vertical	112	1.88	-	37.70	15.19	48.80			
AV	19.69006G	35.55	63.54	-27.99	31.46	1	Vertical	112	1.88	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
SET 13.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69526G	48.04	83.54	-35.50	43.95	1	Horizontal	198	1.50	-	37.70	15.19	48.80			
AV	19.69056G	35.55	63.54	-27.99	31.46	1	Horizontal	198	1.50	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 13
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36978G	52.99	74.00	-21.01	64.19	3	Vertical	175	1.22	-	40.20	13.11	64.51			
RMS	13.36919G	40.34	54.00	-13.66	51.54	3	Vertical	175	1.22	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37062G	52.89	74.00	-21.11	64.09	3	Horizontal	16	1.79	-	40.20	13.11	64.51			
RMS	13.36919G	40.33	54.00	-13.67	51.53	3	Horizontal	16	1.79	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 13
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05484G	47.24	83.54	-36.30	43.02	1	Vertical	296	1.31	-	37.80	15.21	48.79			
AV	20.05616G	35.69	63.54	-27.85	31.46	1	Vertical	296	1.31	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 13
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0551G	48.56	83.54	-34.98	44.34	1	Horizontal	16	2.48	-	37.80	15.21	48.79			
AV	20.05632G	35.69	63.54	-27.85	31.46	1	Horizontal	16	2.48	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Y_1TX
SET 13.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77013G	52.61	88.20	-35.59	63.08	3	Vertical	67	2.05	-	40.58	13.32	64.37			
RMS	13.76919G	39.82	68.20	-28.38	50.29	3	Vertical	67	2.05	-	40.58	13.32	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_V_1TX
SET 13.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77022G	52.46	88.20	-35.74	62.93	3	Horizontal	99	1.15	-	40.58	13.32	64.37			
RMS	13.77084G	39.82	68.20	-28.38	50.28	3	Horizontal	99	1.15	-	40.58	13.33	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Y_1TX
SET 13.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65074G	48.60	83.54	-34.94	43.70	1	Vertical	176	2.42	-	37.90	15.70	48.70			
AV	20.65022G	36.81	63.54	-26.73	31.91	1	Vertical	176	2.42	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_V_1TX
SET 13.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6555G	49.30	83.54	-34.24	44.40	1	Horizontal	30	1.21	-	37.90	15.70	48.70			
AV	20.65G	36.81	63.54	-26.73	31.91	1	Horizontal	30	1.21	-	37.90	15.70	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Y_1TX
SET 13
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85084G	52.34	88.20	-35.86	62.57	3	Vertical	266	1.05	-	40.80	13.37	64.40			
RMS	13.85031G	39.79	68.20	-28.41	50.02	3	Vertical	266	1.05	-	40.80	13.37	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_V_1TX
SET 13
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85066G	52.56	88.20	-35.64	62.79	3	Horizontal	35	1.56	-	40.80	13.37	64.40			
RMS	13.85089G	39.81	68.20	-28.39	50.04	3	Horizontal	35	1.56	-	40.80	13.37	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT Y_1TX
SET 13
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77042G	49.02	83.54	-34.52	44.02	1	Vertical	88	1.19	-	37.90	15.80	48.70			
AV	20.77482G	36.82	63.54	-26.72	31.82	1	Vertical	88	1.19	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT Y_1TX
SET 13
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7708G	48.79	83.54	-34.75	43.79	1	Horizontal	0	2.66	-	37.90	15.80	48.70			
AV	20.77924G	36.82	63.54	-26.72	31.81	1	Horizontal	0	2.66	-	37.90	15.81	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Y_1TX
SET 13.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00925G	53.09	88.20	-35.11	63.16	3	Vertical	206	2.60	-	40.92	13.45	64.44			
RMS	14.00961G	40.20	68.20	-28.00	50.27	3	Vertical	206	2.60	-	40.92	13.45	64.44			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Y_1TX
SET 13.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01066G	53.60	88.20	-34.60	63.67	3	Horizontal	148	1.05	-	40.92	13.45	64.44			
RMS	14.00909G	40.19	68.20	-28.01	50.26	3	Horizontal	148	1.05	-	40.92	13.45	64.44			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Y_1TX
SET 13.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01786G	49.96	83.54	-33.58	44.66	1	Vertical	144	1.18	-	38.00	16.00	48.70			
AV	21.01388G	37.79	63.54	-25.75	32.49	1	Vertical	144	1.18	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Y_1TX
SET 13.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01716G	50.55	83.54	-32.99	45.25	1	Horizontal	340	1.48	-	38.00	16.00	48.70			
AV	21.01388G	37.79	63.54	-25.75	32.49	1	Horizontal	340	1.48	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT Y_1TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0817G	110.32	Inf	-Inf	98.33	3	Vertical	4	1.80	13.5	36.76	7.95	32.72			
RMS	7.1012G	97.57	Inf	-Inf	85.53	3	Vertical	4	1.80	13.5	36.80	7.95	32.71			
PK	7.1258G	64.75	88.20	-23.45	52.65	3	Vertical	4	1.80	13.5	36.85	7.95	32.70			
RMS	7.1258G	52.39	68.20	-15.81	40.29	3	Vertical	4	1.80	13.5	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT Y_1TX
SET 13.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0928G	108.30	Inf	-Inf	96.27	3	Horizontal	5	1.80	13.5	36.79	7.95	32.71			
RMS	7.0874G	95.23	Inf	-Inf	83.23	3	Horizontal	5	1.80	13.5	36.77	7.95	32.72			
PK	7.1252G	64.53	88.20	-23.67	52.43	3	Horizontal	5	1.80	13.5	36.85	7.95	32.70			
RMS	7.1261G	52.03	68.20	-16.17	39.93	3	Horizontal	5	1.80	13.5	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 13.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16953G	53.38	88.20	-34.82	63.10	3	Vertical	167	1.88	-	40.90	13.47	64.09			
RMS	14.17075G	40.86	68.20	-27.34	50.58	3	Vertical	167	1.88	-	40.90	13.47	64.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 13.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16967G	53.16	88.20	-35.04	62.88	3	Horizontal	213	1.39	-	40.90	13.47	64.09			
RMS	14.16929G	40.86	68.20	-27.34	50.58	3	Horizontal	213	1.39	-	40.90	13.47	64.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 13.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25588G	49.50	83.54	-34.04	43.95	1	Vertical	224	2.23	-	38.01	16.19	48.65			
AV	21.25516G	37.06	63.54	-26.48	31.51	1	Vertical	224	2.23	-	38.01	16.19	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 13.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25316G	49.21	83.54	-34.33	43.66	1	Horizontal	143	1.62	-	38.01	16.19	48.65			
AV	21.25516G	37.06	63.54	-26.48	31.51	1	Horizontal	143	1.62	-	38.01	16.19	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.915G	62.42	88.20	-25.78	55.01	3	Vertical	351	1.71	15.5	34.53	8.08	35.20				
RMS	5.925G	51.11	68.20	-17.09	43.67	3	Vertical	351	1.71	15.5	34.55	8.09	35.20				
PK	5.9975G	111.15	Inf	-Inf	103.57	3	Vertical	351	1.71	15.5	34.60	8.17	35.19				
RMS	6.021G	98.83	Inf	-Inf	91.22	3	Vertical	351	1.71	15.5	34.60	8.20	35.19				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	62.54	88.20	-25.66	55.10	3	Horizontal	357	1.57	15.5	34.55	8.09	35.20			
RMS	5.925G	50.48	68.20	-17.72	43.04	3	Horizontal	357	1.57	15.5	34.55	8.09	35.20			
PK	6.0205G	108.59	Inf	-Inf	100.98	3	Horizontal	357	1.57	15.5	34.60	8.20	35.19			
RMS	6.02G	96.23	Inf	-Inf	88.62	3	Horizontal	357	1.57	15.5	34.60	8.20	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 15.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97086G	50.45	74.00	-23.55	65.18	3	Vertical	94	2.56	-	38.70	12.33	65.76			
AV	11.96917G	36.73	54.00	-17.27	51.46	3	Vertical	94	2.56	-	38.70	12.33	65.76			
PK	17.95459G	55.81	74.00	-18.19	62.55	3	Vertical	354	2.23	-	41.41	14.22	62.37			
AV	17.95472G	43.35	54.00	-10.65	50.09	3	Vertical	354	2.23	-	41.41	14.22	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 15.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97064G	48.97	74.00	-25.03	63.70	3	Horizontal	256	2.10	-	38.70	12.33	65.76			
AV	11.969G	36.73	54.00	-17.27	51.46	3	Horizontal	256	2.10	-	38.70	12.33	65.76			
PK	17.95509G	56.28	74.00	-17.72	63.02	3	Horizontal	131	2.16	-	41.41	14.22	62.37			
AV	17.95482G	43.34	54.00	-10.66	50.08	3	Horizontal	131	2.16	-	41.41	14.22	62.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93902G	53.01	83.54	-30.53	44.32	1	Vertical	339	1.96	-	39.00	17.31	47.62			
AV	23.93638G	40.25	63.54	-23.29	31.57	1	Vertical	339	1.96	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93804G	53.47	83.54	-30.07	44.78	1	Horizontal	67	1.86	-	39.00	17.31	47.62			
AV	23.9375G	40.25	63.54	-23.29	31.56	1	Horizontal	67	1.86	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45075G	49.83	74.00	-24.17	63.85	3	Vertical	316	1.48	-	38.70	12.61	65.33			
AV	12.45034G	37.56	54.00	-16.44	51.58	3	Vertical	316	1.48	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44908G	51.02	74.00	-22.98	65.06	3	Horizontal	169	2.94	-	38.70	12.60	65.34			
AV	12.45059G	37.58	54.00	-16.42	51.60	3	Horizontal	169	2.94	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67298G	48.29	83.54	-35.25	43.61	1	Vertical	184	2.14	-	37.90	15.25	48.47			
AV	18.67494G	35.36	63.54	-28.18	30.68	1	Vertical	184	2.14	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
 Setting 15
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67724G	47.98	83.54	-35.56	43.31	1	Horizontal	206	1.29	-	37.90	15.25	48.48			
AV	18.67002G	35.41	63.54	-28.13	30.73	1	Horizontal	206	1.29	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76956G	49.78	88.20	-38.42	63.12	3	Vertical	10	2.51	-	39.14	12.78	65.26			
RMS	12.77071G	36.82	68.20	-31.38	50.16	3	Vertical	10	2.51	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77019G	49.17	88.20	-39.03	62.51	3	Horizontal	189	2.62	-	39.14	12.78	65.26			
RMS	12.77069G	36.82	68.20	-31.38	50.16	3	Horizontal	189	2.62	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15082G	48.94	83.54	-34.60	44.52	1	Vertical	122	1.55	-	38.00	15.22	48.80			
AV	19.15082G	36.10	63.54	-27.44	31.68	1	Vertical	122	1.55	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15116G	48.32	83.54	-35.22	43.90	1	Horizontal	171	2.77	-	38.00	15.22	48.80			
AV	19.15422G	36.05	63.54	-27.49	31.65	1	Horizontal	171	2.77	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 14
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93083G	49.29	88.20	-38.91	62.20	3	Vertical	338	1.02	-	39.46	12.87	65.24			
RMS	12.9306G	36.59	68.20	-31.61	49.50	3	Vertical	338	1.02	-	39.46	12.87	65.24			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 14
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93011G	49.32	88.20	-38.88	62.23	3	Horizontal	252	1.19	-	39.46	12.87	65.24			
RMS	12.93044G	36.56	68.20	-31.64	49.47	3	Horizontal	252	1.19	-	39.46	12.87	65.24			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 14
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3986G	48.05	83.54	-35.49	43.74	1	Vertical	266	1.36	-	37.90	15.21	48.80			
AV	19.39488G	35.84	63.54	-27.70	31.54	1	Vertical	266	1.36	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 14
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39302G	48.30	83.54	-35.24	44.00	1	Horizontal	137	1.30	-	37.89	15.21	48.80			
AV	19.39572G	35.85	63.54	-27.69	31.55	1	Horizontal	137	1.30	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_V_1TX
Setting 14.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08967G	51.13	88.20	-37.07	63.56	3	Vertical	348	2.61	-	39.68	12.95	65.06			
RMS	13.08913G	37.70	68.20	-30.50	50.13	3	Vertical	348	2.61	-	39.68	12.95	65.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_V_1TX
Setting 14.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09089G	50.62	88.20	-37.58	63.04	3	Horizontal	64	1.62	-	39.68	12.95	65.05			
RMS	13.08908G	37.70	68.20	-30.50	50.13	3	Horizontal	64	1.62	-	39.68	12.95	65.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_V_1TX
Setting 14.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63826G	49.72	83.54	-33.82	45.63	1	Vertical	22	1.58	-	37.70	15.19	48.80			
AV	19.63236G	37.43	63.54	-26.11	33.34	1	Vertical	22	1.58	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_V_1TX
Setting 14.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63706G	49.83	83.54	-33.71	45.74	1	Horizontal	131	2.43	-	37.70	15.19	48.80			
AV	19.63616G	37.46	63.54	-26.08	33.37	1	Horizontal	131	2.43	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
SET 16.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24918G	51.61	88.20	-36.59	63.32	3	Vertical	81	2.63	-	40.00	13.04	64.75			
RMS	13.24901G	38.79	68.20	-29.41	50.50	3	Vertical	81	2.63	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24931G	52.03	88.20	-36.17	63.74	3	Horizontal	10	1.42	-	40.00	13.04	64.75			
RMS	13.24903G	38.81	68.20	-29.39	50.52	3	Horizontal	10	1.42	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87126G	50.64	83.54	-32.90	46.56	1	Vertical	176	2.52	-	37.70	15.18	48.80			
AV	19.8713G	38.44	63.54	-25.10	34.36	1	Vertical	176	2.52	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87894G	50.85	83.54	-32.69	46.77	1	Horizontal	20	1.19	-	37.70	15.18	48.80			
AV	19.87044G	38.44	63.54	-25.10	34.36	1	Horizontal	20	1.19	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
SET 16
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40941G	52.41	88.20	-35.79	63.52	3	Vertical	269	2.95	-	40.20	13.13	64.44			
RMS	13.40983G	39.61	68.20	-28.59	50.71	3	Vertical	269	2.95	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
SET 16
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41068G	52.21	88.20	-35.99	63.31	3	Horizontal	8	1.11	-	40.20	13.13	64.43			
RMS	13.40986G	39.61	68.20	-28.59	50.71	3	Horizontal	8	1.11	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
SET 16
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11512G	50.72	83.54	-32.82	46.44	1	Vertical	3	2.70	-	37.80	15.26	48.78			
AV	20.11G	38.82	63.54	-24.72	34.54	1	Vertical	3	2.70	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
SET 16
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12G	51.08	83.54	-32.46	46.79	1	Horizontal	123	1.85	-	37.80	15.27	48.78			
AV	20.11G	38.82	63.54	-24.72	34.54	1	Horizontal	123	1.85	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56924G	52.23	88.20	-35.97	62.94	3	Vertical	234	2.85	-	40.36	13.22	64.29			
RMS	13.56902G	39.63	68.20	-28.57	50.34	3	Vertical	234	2.85	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56951G	52.26	88.20	-35.94	62.97	3	Horizontal	153	2.88	-	40.36	13.22	64.29			
RMS	13.56901G	39.64	68.20	-28.56	50.35	3	Horizontal	153	2.88	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35174G	52.06	83.54	-31.48	47.43	1	Vertical	234	2.03	-	37.90	15.46	48.73			
AV	20.35792G	39.67	63.54	-23.87	35.06	1	Vertical	234	2.03	-	37.88	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
SET 16.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35902G	51.91	83.54	-31.63	47.30	1	Horizontal	205	2.69	-	37.88	15.46	48.73			
AV	20.35G	39.66	63.54	-23.88	35.03	1	Horizontal	205	2.69	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Y_1TX
 SET 17.5
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72975G	52.06	88.20	-36.14	62.65	3	Vertical	300	2.01	-	40.46	13.30	64.35			
RMS	13.72916G	39.55	68.20	-28.65	50.14	3	Vertical	300	2.01	-	40.46	13.30	64.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Y_1TX
SET 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72953G	52.82	88.20	-35.38	63.41	3	Horizontal	107	1.54	-	40.46	13.30	64.35			
RMS	13.72948G	39.53	68.20	-28.67	50.12	3	Horizontal	107	1.54	-	40.46	13.30	64.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Y_1TX
SET 17.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59184G	52.06	83.54	-31.48	47.21	1	Vertical	344	2.90	-	37.90	15.65	48.70			
AV	20.5999G	39.87	63.54	-23.67	35.01	1	Vertical	344	2.90	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Y_1TX
SET 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59456G	52.12	83.54	-31.42	47.27	1	Horizontal	28	1.20	-	37.90	15.65	48.70			
AV	20.59746G	39.86	63.54	-23.68	35.00	1	Horizontal	28	1.20	-	37.90	15.66	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Y_1TX
SET 16
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89032G	52.46	88.20	-35.74	62.61	3	Vertical	25	2.75	-	40.88	13.39	64.42			
RMS	13.89057G	39.54	68.20	-28.66	49.69	3	Vertical	25	2.75	-	40.88	13.39	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Y_1TX
SET 16
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89047G	52.13	88.20	-36.07	62.28	3	Horizontal	158	2.64	-	40.88	13.39	64.42			
RMS	13.88971G	39.55	68.20	-28.65	49.70	3	Horizontal	158	2.64	-	40.88	13.39	64.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Y_1TX
SET 16
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83212G	53.14	83.54	-30.40	48.09	1	Vertical	281	2.50	-	37.90	15.85	48.70			
AV	20.83112G	39.95	63.54	-23.59	34.90	1	Vertical	281	2.50	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Y_1TX
SET 16
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83052G	51.98	83.54	-31.56	46.93	1	Horizontal	67	2.68	-	37.90	15.85	48.70			
AV	20.83G	39.89	63.54	-23.65	34.84	1	Horizontal	67	2.68	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Y_1TX
Setting 16
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0182G	111.35	Inf	-Inf	99.37	3	Vertical	360	1.80	-	36.76	7.96	32.74
RMS	6.9886G	101.54	Inf	-Inf	89.57	3	Vertical	360	1.80	-	36.75	7.96	32.74
PK	7.1414G	64.80	88.20	-23.40	52.67	3	Vertical	360	1.80	-	36.88	7.95	32.70
RMS	7.1262G	54.31	68.20	-13.89	42.21	3	Vertical	360	1.80	-	36.85	7.95	32.70

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT Y_1TX
Setting 16
01-C-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0106G	109.42	Inf	-Inf	97.43	3	Horizontal	0	1.80	-	36.78	7.96	32.75			
RMS	7.0002G	99.54	Inf	-Inf	87.53	3	Horizontal	0	1.80	-	36.80	7.96	32.75			
PK	7.1286G	64.80	88.20	-23.40	52.69	3	Horizontal	0	1.80	-	36.86	7.95	32.70			
RMS	7.2138G	54.13	68.20	-14.07	41.63	3	Horizontal	0	1.80	-	37.23	7.94	32.67			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 16
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05076G	53.51	88.20	-34.69	63.40	3	Vertical	311	2.74	-	41.00	13.46	64.35			
RMS	14.04976G	40.93	68.20	-27.27	50.83	3	Vertical	311	2.74	-	41.00	13.45	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 16
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04943G	53.57	88.20	-34.63	63.47	3	Horizontal	34	1.12	-	41.00	13.45	64.35			
RMS	14.04967G	40.94	68.20	-27.26	50.84	3	Horizontal	34	1.12	-	41.00	13.45	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 16
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07454G	51.98	83.54	-31.56	46.62	1	Vertical	274	1.77	-	38.00	16.05	48.69			
AV	21.077G	39.54	63.54	-24.00	34.17	1	Vertical	274	1.77	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 16
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07604G	51.73	83.54	-31.81	46.36	1	Horizontal	157	1.95	-	38.00	16.05	48.68			
AV	21.077G	39.54	63.54	-24.00	34.17	1	Horizontal	157	1.95	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9195G	64.62	88.20	-23.58	57.19	3	Vertical	355	1.63	18.5	34.54	8.09	35.20			
RMS	5.9245G	53.01	68.20	-15.19	45.57	3	Vertical	355	1.63	18.5	34.55	8.09	35.20			
PK	6.0335G	111.01	Inf	-Inf	103.38	3	Vertical	355	1.63	18.5	34.60	8.22	35.19			
RMS	6.0815G	98.86	Inf	-Inf	90.97	3	Vertical	355	1.63	18.5	34.79	8.29	35.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 18.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.912G	62.79	88.20	-25.41	55.39	3	Horizontal	360	1.57	18.5	34.52	8.08	35.20			
RMS	5.924G	51.34	68.20	-16.86	43.90	3	Horizontal	360	1.57	18.5	34.55	8.09	35.20			
PK	6.097G	108.90	Inf	-Inf	100.90	3	Horizontal	360	1.57	18.5	34.88	8.32	35.20			
RMS	6.1035G	97.19	Inf	-Inf	89.16	3	Horizontal	360	1.57	18.5	34.90	8.33	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 18.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04999G	48.99	74.00	-25.01	63.70	3	Vertical	173	2.39	-	38.60	12.39	65.70			
AV	12.04922G	36.08	54.00	-17.92	50.79	3	Vertical	173	2.39	-	38.60	12.39	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 18.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04914G	48.81	74.00	-25.19	63.52	3	Horizontal	342	1.08	-	38.60	12.39	65.70			
AV	12.04945G	36.08	54.00	-17.92	50.79	3	Horizontal	342	1.08	-	38.60	12.39	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 18.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07396G	47.40	83.54	-36.14	42.78	1	Vertical	312	2.01	-	37.54	15.29	48.21			
AV	18.07712G	35.49	63.54	-28.05	30.86	1	Vertical	312	2.01	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 18.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07018G	47.80	83.54	-35.74	43.20	1	Horizontal	208	1.09	-	37.52	15.29	48.21			
AV	18.07704G	35.49	63.54	-28.05	30.86	1	Horizontal	208	1.09	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 18
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37014G	49.49	74.00	-24.51	63.80	3	Vertical	151	2.17	-	38.54	12.56	65.41			
RMS	12.36936G	37.14	54.00	-16.86	51.45	3	Vertical	151	2.17	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 18
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36928G	50.82	74.00	-23.18	65.13	3	Horizontal	138	2.51	-	38.54	12.56	65.41			
RMS	12.36909G	37.16	54.00	-16.84	51.47	3	Horizontal	138	2.51	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 18
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55114G	51.19	83.54	-32.35	46.48	1	Vertical	31	2.85	-	37.80	15.26	48.35			
AV	18.55142G	38.68	63.54	-24.86	33.97	1	Vertical	31	2.85	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 18
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55104G	50.60	83.54	-32.94	45.89	1	Horizontal	264	1.08	-	37.80	15.26	48.35			
AV	18.55132G	38.68	63.54	-24.86	33.97	1	Horizontal	264	1.08	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68908G	49.67	74.00	-24.33	63.12	3	Vertical	49	1.72	-	39.08	12.74	65.27			
AV	12.68932G	37.01	54.00	-16.99	50.46	3	Vertical	49	1.72	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68971G	49.64	74.00	-24.36	63.09	3	Horizontal	198	2.55	-	39.08	12.74	65.27			
AV	12.689G	37.00	54.00	-17.00	50.45	3	Horizontal	198	2.55	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03518G	51.33	83.54	-32.21	46.97	1	Vertical	177	1.23	-	37.93	15.23	48.80			
AV	19.03136G	38.53	63.54	-25.01	34.16	1	Vertical	177	1.23	-	37.94	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03096G	50.34	83.54	-33.20	45.97	1	Horizontal	213	1.48	-	37.94	15.23	48.80			
AV	19.03134G	38.53	63.54	-25.01	34.16	1	Horizontal	213	1.48	-	37.94	15.23	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00978G	50.68	88.20	-37.52	63.38	3	Vertical	184	1.22	-	39.60	12.91	65.21			
RMS	13.00913G	37.84	68.20	-30.36	50.54	3	Vertical	184	1.22	-	39.60	12.91	65.21			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01076G	50.62	88.20	-37.58	63.32	3	Horizontal	21	1.61	-	39.60	12.91	65.21			
RMS	13.0094G	37.83	68.20	-30.37	50.53	3	Horizontal	21	1.61	-	39.60	12.91	65.21			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51178G	51.92	83.54	-31.62	47.74	1	Vertical	357	1.35	-	37.78	15.20	48.80			
AV	19.51134G	39.41	63.54	-24.13	35.23	1	Vertical	357	1.35	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51192G	51.59	83.54	-31.95	47.41	1	Horizontal	56	2.95	-	37.78	15.20	48.80			
AV	19.51G	39.42	63.54	-24.12	35.24	1	Horizontal	56	2.95	-	37.78	15.20	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 17
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32909G	52.09	74.00	-21.91	63.44	3	Vertical	254	2.22	-	40.16	13.08	64.59			
AV	13.33061G	39.59	54.00	-14.41	50.93	3	Vertical	254	2.22	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 17
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32982G	52.12	74.00	-21.88	63.47	3	Horizontal	131	1.38	-	40.16	13.08	64.59			
AV	13.3305G	39.58	54.00	-14.42	50.92	3	Horizontal	131	1.38	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 17
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99646G	51.47	83.54	-32.07	47.39	1	Vertical	36	2.29	-	37.71	15.17	48.80			
AV	19.99942G	38.70	63.54	-24.84	34.63	1	Vertical	36	2.29	-	37.70	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 17
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99318G	51.02	83.54	-32.52	46.94	1	Horizontal	218	2.55	-	37.71	15.17	48.80			
AV	19.99014G	38.69	63.54	-24.85	34.60	1	Horizontal	218	2.55	-	37.72	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64931G	52.38	88.20	-35.82	63.14	3	Vertical	7	2.89	-	40.30	13.26	64.32			
RMS	13.64907G	39.63	68.20	-28.57	50.39	3	Vertical	7	2.89	-	40.30	13.26	64.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65067G	52.46	88.20	-35.74	63.22	3	Horizontal	224	2.97	-	40.30	13.26	64.32			
RMS	13.64929G	39.61	68.20	-28.59	50.37	3	Horizontal	224	2.97	-	40.30	13.26	64.32			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4755G	51.23	83.54	-32.31	46.47	1	Vertical	225	2.15	-	37.90	15.56	48.70			
AV	20.47008G	39.43	63.54	-24.11	34.69	1	Vertical	225	2.15	-	37.90	15.55	48.71			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_V_1TX
Setting 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47712G	52.03	83.54	-31.51	47.27	1	Horizontal	194	1.71	-	37.90	15.56	48.70			
AV	20.4702G	39.43	63.54	-24.11	34.69	1	Horizontal	194	1.71	-	37.90	15.55	48.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9505G	110.42	Inf	-Inf	98.57	3	Vertical	360	1.80	17.5	36.60	7.96	32.71			
RMS	6.909G	97.78	Inf	-Inf	85.97	3	Vertical	360	1.80	17.5	36.52	7.97	32.68			
PK	7.1995G	65.39	88.20	-22.81	52.92	3	Vertical	360	1.80	17.5	37.20	7.94	32.67			
RMS	7.126G	53.18	68.20	-15.02	41.08	3	Vertical	360	1.80	17.5	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9315G	108.55	Inf	-Inf	96.72	3	Horizontal	0	1.80	17.5	36.56	7.97	32.70			
RMS	6.9075G	96.29	Inf	-Inf	84.48	3	Horizontal	0	1.80	17.5	36.52	7.97	32.68			
PK	7.1665G	66.33	88.20	-21.87	54.08	3	Horizontal	0	1.80	17.5	37.00	7.94	32.69			
RMS	7.1315G	52.67	68.20	-15.53	40.56	3	Horizontal	0	1.80	17.5	36.86	7.95	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 17.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97095G	52.46	88.20	-35.74	62.58	3	Vertical	91	2.78	-	40.90	13.43	64.45			
RMS	13.96901G	40.17	68.20	-28.03	50.29	3	Vertical	91	2.78	-	40.90	13.43	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 17.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.9699G	52.84	88.20	-35.36	62.96	3	Horizontal	327	1.05	-	40.90	13.43	64.45				
RMS	13.96982G	40.19	88.20	-48.01	50.31	3	Horizontal	327	1.05	-	40.90	13.43	64.45				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 17.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95778G	52.53	83.54	-31.01	47.36	1	Vertical	302	2.45	-	37.92	15.95	48.70			
AV	20.95998G	39.72	63.54	-23.82	34.55	1	Vertical	302	2.45	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 17.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9553G	52.05	83.54	-31.49	46.89	1	Horizontal	134	1.29	-	37.91	15.95	48.70			
AV	20.95864G	39.71	63.54	-23.83	34.54	1	Horizontal	134	1.29	-	37.92	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	69.39	88.20	-18.81	61.98	3	Vertical	-0	1.59	20	34.53	8.08	35.20			
RMS	5.925G	55.90	68.20	-12.30	48.46	3	Vertical	-0	1.59	20	34.55	8.09	35.20			
PK	6.197G	111.28	Inf	-Inf	103.02	3	Vertical	-0	1.59	20	34.99	8.47	35.20			
RMS	6.237G	98.79	Inf	-Inf	90.53	3	Vertical	-0	1.59	20	34.93	8.53	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	65.05	88.20	-23.15	57.64	3	Horizontal	1	1.64	20	34.53	8.08	35.20			
RMS	5.925G	53.70	68.20	-14.50	46.26	3	Horizontal	1	1.64	20	34.55	8.09	35.20			
PK	6.236G	109.27	Inf	-Inf	101.02	3	Horizontal	1	1.64	20	34.93	8.52	35.20			
RMS	6.199G	97.05	Inf	-Inf	88.78	3	Horizontal	1	1.64	20	35.00	8.47	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20911G	49.53	74.00	-24.47	64.13	3	Vertical	305	2.52	-	38.48	12.47	65.55			
AV	12.20913G	36.36	54.00	-17.64	50.96	3	Vertical	305	2.52	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20988G	48.60	74.00	-25.40	63.20	3	Horizontal	220	2.52	-	38.48	12.47	65.55			
AV	12.20907G	36.35	54.00	-17.65	50.95	3	Horizontal	220	2.52	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31054G	50.67	83.54	-32.87	46.04	1	Vertical	13	1.56	-	37.62	15.27	48.26			
AV	18.31696G	38.50	63.54	-25.04	33.86	1	Vertical	13	1.56	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31508G	50.68	83.54	-32.86	46.04	1	Horizontal	33	2.20	-	37.63	15.27	48.26			
AV	18.31752G	38.51	63.54	-25.03	33.86	1	Horizontal	33	2.20	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52968G	49.87	74.00	-24.13	63.77	3	Vertical	140	2.61	-	38.74	12.65	65.29			
AV	12.52971G	37.28	54.00	-16.72	51.18	3	Vertical	140	2.61	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53018G	50.32	74.00	-23.68	64.22	3	Horizontal	174	1.97	-	38.74	12.65	65.29			
AV	12.52978G	37.29	54.00	-16.71	51.19	3	Horizontal	174	1.97	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79958G	50.44	83.54	-33.10	45.90	1	Vertical	219	1.90	-	37.90	15.24	48.60			
AV	18.79984G	38.39	63.54	-25.15	33.85	1	Vertical	219	1.90	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79462G	50.99	83.54	-32.55	46.44	1	Horizontal	204	1.04	-	37.90	15.24	48.59			
AV	18.79948G	38.39	63.54	-25.15	33.85	1	Horizontal	204	1.04	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84961G	49.66	88.20	-38.54	62.69	3	Vertical	313	1.51	-	39.40	12.82	65.25			
RMS	12.84901G	37.41	68.20	-30.79	50.44	3	Vertical	313	1.51	-	39.40	12.82	65.25			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84935G	50.34	88.20	-37.86	63.37	3	Horizontal	325	2.05	-	39.40	12.82	65.25			
RMS	12.84933G	37.38	68.20	-30.82	50.41	3	Horizontal	325	2.05	-	39.40	12.82	65.25			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27454G	50.17	83.54	-33.37	45.86	1	Vertical	78	2.21	-	37.90	15.21	48.80			
AV	19.27694G	38.27	63.54	-25.27	33.97	1	Vertical	78	2.21	-	37.89	15.21	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27484G	50.61	83.54	-32.93	46.30	1	Horizontal	20	1.52	-	37.90	15.21	48.80			
AV	19.27772G	38.27	63.54	-25.27	33.97	1	Horizontal	20	1.52	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17003G	50.97	88.20	-37.23	63.03	3	Vertical	348	2.56	-	39.84	13.00	64.90			
RMS	13.16923G	38.84	68.20	-29.36	50.90	3	Vertical	348	2.56	-	39.84	13.00	64.90			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17015G	52.16	88.20	-36.04	64.22	3	Horizontal	222	1.52	-	39.84	13.00	64.90			
RMS	13.16905G	38.84	68.20	-29.36	50.90	3	Horizontal	222	1.52	-	39.84	13.00	64.90			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75248G	50.89	83.54	-32.65	46.81	1	Vertical	4	2.06	-	37.70	15.18	48.80			
AV	19.75828G	38.45	63.54	-25.09	34.37	1	Vertical	4	2.06	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75296G	50.70	83.54	-32.84	46.62	1	Horizontal	351	2.58	-	37.70	15.18	48.80			
AV	19.75806G	38.45	63.54	-25.09	34.37	1	Horizontal	351	2.58	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49044G	52.33	88.20	-35.87	63.24	3	Vertical	270	2.66	-	40.20	13.17	64.28			
RMS	13.49035G	39.70	68.20	-28.50	50.61	3	Vertical	270	2.66	-	40.20	13.17	64.28			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




EUT_V_1TX
 Setting 20
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49022G	52.80	88.20	-35.40	63.71	3	Horizontal	312	2.51	-	40.20	13.17	64.28			
RMS	13.49039G	39.76	68.20	-28.44	50.67	3	Horizontal	312	2.51	-	40.20	13.17	64.28			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23698G	51.83	83.54	-31.71	47.42	1	Vertical	348	2.21	-	37.80	15.36	48.75			
AV	20.23532G	39.32	63.54	-24.22	34.91	1	Vertical	348	2.21	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23574G	51.46	83.54	-32.08	47.05	1	Horizontal	211	1.54	-	37.80	15.36	48.75			
AV	20.23944G	39.36	63.54	-24.18	34.94	1	Horizontal	211	1.54	-	37.80	15.37	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8294G	106.56	Inf	-Inf	97.20	3	Vertical	358	1.58	-	35.60	8.92	35.16			
RMS	6.7652G	97.08	Inf	-Inf	87.79	3	Vertical	358	1.58	-	35.46	9.00	35.17			
PK	7.1588G	65.89	88.20	-22.31	56.58	3	Vertical	358	1.58	-	35.95	8.50	35.14			
RMS	7.139G	54.99	68.20	-13.21	45.78	3	Vertical	358	1.58	-	35.86	8.49	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Y_1TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7538G	106.59	Inf	-Inf	97.35	3	Horizontal	356	1.61	-	35.42	8.99	35.17			
RMS	6.761G	96.70	Inf	-Inf	87.43	3	Horizontal	356	1.61	-	35.44	9.00	35.17			
PK	7.1594G	65.48	88.20	-22.72	56.15	3	Horizontal	356	1.61	-	35.96	8.51	35.14			
RMS	7.1378G	54.22	68.20	-13.98	45.02	3	Horizontal	356	1.61	-	35.85	8.49	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8097G	53.04	88.20	-35.16	63.35	3	Vertical	8	2.88	-	40.72	13.35	64.38			
AV	13.80994G	39.73	68.20	-28.47	50.04	3	Vertical	8	2.88	-	40.72	13.35	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80909G	52.27	88.20	-35.93	62.58	3	Horizontal	25	2.82	-	40.72	13.35	64.38			
AV	13.80975G	39.72	68.20	-28.48	50.03	3	Horizontal	25	2.82	-	40.72	13.35	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7169G	51.76	83.54	-31.78	46.81	1	Vertical	136	1.62	-	37.90	15.75	48.70			
AV	20.71936G	39.78	63.54	-23.76	34.82	1	Vertical	136	1.62	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_V_1TX
Setting 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7172G	51.57	83.54	-31.97	46.62	1	Horizontal	276	2.62	-	37.90	15.75	48.70			
AV	20.71966G	39.78	63.54	-23.76	34.82	1	Horizontal	276	2.62	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
SET4.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.811G	60.36	88.20	-27.84	53.38	3	Vertical	358	1.65	4.5	34.22	7.97	35.21				
RMS	5.9226G	48.62	68.20	-19.58	41.18	3	Vertical	358	1.65	4.5	34.55	8.09	35.20				
PK	5.9505G	110.06	Inf	-Inf	102.53	3	Vertical	358	1.65	4.5	34.60	8.12	35.19				
RMS	5.9502G	98.72	Inf	-Inf	91.19	3	Vertical	358	1.65	4.5	34.60	8.12	35.19				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET4.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9163G	60.60	88.20	-27.60	53.19	3	Horizontal	358	1.56	4.5	34.53	8.08	35.20			
RMS	5.9235G	48.60	68.20	-19.60	41.16	3	Horizontal	358	1.56	4.5	34.55	8.09	35.20			
PK	5.9592G	109.71	Inf	-Inf	102.17	3	Horizontal	358	1.56	4.5	34.60	8.13	35.19			
RMS	5.9589G	98.45	Inf	-Inf	90.91	3	Horizontal	358	1.56	4.5	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90975G	49.91	74.00	-24.09	64.66	3	Vertical	157	2.68	-	38.78	12.27	65.80			
AV	11.91065G	36.50	54.00	-17.50	51.25	3	Vertical	157	2.68	-	38.78	12.27	65.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91071G	49.03	74.00	-24.97	63.78	3	Horizontal	246	2.20	-	38.78	12.27	65.80			
AV	11.91093G	36.51	54.00	-17.49	51.26	3	Horizontal	246	2.20	-	38.78	12.27	65.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8163G	52.96	83.54	-30.58	44.25	1	Vertical	224	1.72	-	39.10	17.28	47.67			
AV	23.81522G	40.89	63.54	-22.65	32.18	1	Vertical	224	1.72	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82328G	53.01	83.54	-30.53	44.30	1	Horizontal	198	1.50	-	39.10	17.28	47.67			
AV	23.8171G	40.88	63.54	-22.66	32.17	1	Horizontal	198	1.50	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39077G	49.87	74.00	-24.13	64.11	3	Vertical	23	2.43	-	38.58	12.57	65.39			
AV	12.38908G	36.86	54.00	-17.14	51.10	3	Vertical	23	2.43	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39068G	49.62	74.00	-24.38	63.86	3	Horizontal	106	1.42	-	38.58	12.57	65.39			
AV	12.38946G	36.86	54.00	-17.14	51.10	3	Horizontal	106	1.42	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58308G	51.37	83.54	-32.17	46.69	1	Vertical	37	1.69	-	37.80	15.26	48.38			
AV	18.58126G	38.53	63.54	-25.01	33.85	1	Vertical	37	1.69	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 4
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58758G	51.30	83.54	-32.24	46.64	1	Horizontal	198	1.90	-	37.80	15.25	48.39			
AV	18.58044G	38.53	63.54	-25.01	33.85	1	Horizontal	198	1.90	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82947G	49.54	88.20	-38.66	62.66	3	Vertical	270	1.21	-	39.32	12.81	65.25			
RMS	12.83065G	37.20	68.20	-31.00	50.32	3	Vertical	270	1.21	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8295G	50.04	88.20	-38.16	63.16	3	Horizontal	22	2.35	-	39.32	12.81	65.25			
RMS	12.82907G	37.17	68.20	-31.03	50.29	3	Horizontal	22	2.35	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24356G	49.34	83.54	-34.20	44.95	1	Vertical	25	2.72	-	37.97	15.22	48.80			
AV	19.2403G	37.33	63.54	-26.21	32.95	1	Vertical	25	2.72	-	37.96	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 3.5
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24682G	49.29	83.54	-34.25	44.88	1	Horizontal	137	2.04	-	37.99	15.22	48.80			
AV	19.2413G	37.34	63.54	-26.20	32.95	1	Horizontal	137	2.04	-	37.97	15.22	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86943G	49.25	88.20	-38.95	62.27	3	Vertical	182	2.84	-	39.40	12.83	65.25			
RMS	12.869G	37.14	68.20	-31.06	50.16	3	Vertical	182	2.84	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
 Setting 4
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87061G	49.26	88.20	-38.94	62.28	3	Horizontal	74	2.28	-	39.40	12.83	65.25			
RMS	12.86905G	37.16	68.20	-31.04	50.18	3	Horizontal	74	2.28	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3047G	49.38	83.54	-34.16	45.17	1	Vertical	106	1.16	-	37.80	15.21	48.80			
AV	19.30946G	37.26	63.54	-26.28	33.05	1	Vertical	106	1.16	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30692G	49.62	83.54	-33.92	45.41	1	Horizontal	103	1.00	-	37.80	15.21	48.80			
AV	19.30916G	37.26	63.54	-26.28	33.05	1	Horizontal	103	1.00	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94938G	49.41	88.20	-38.79	62.27	3	Vertical	235	2.14	-	39.50	12.88	65.24			
RMS	12.95063G	36.52	68.20	-31.68	49.38	3	Vertical	235	2.14	-	39.50	12.88	65.24			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95009G	49.06	88.20	-39.14	61.92	3	Horizontal	100	2.18	-	39.50	12.88	65.24			
RMS	12.95064G	36.53	68.20	-31.67	49.39	3	Horizontal	100	2.18	-	39.50	12.88	65.24			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4255G	50.41	83.54	-33.13	46.21	1	Vertical	76	2.82	-	37.80	15.20	48.80			
AV	19.42836G	38.02	63.54	-25.52	33.83	1	Vertical	76	2.82	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_V_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.42512G	51.41	83.54	-32.13	47.21	1	Horizontal	208	1.23	-	37.80	15.20	48.80				
AV	19.4283G	38.02	63.54	-25.52	33.83	1	Horizontal	208	1.23	-	37.79	15.20	48.80				

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02953G	50.70	88.20	-37.50	63.35	3	Vertical	53	2.12	-	39.60	12.92	65.17			
RMS	13.02935G	37.79	68.20	-30.41	50.44	3	Vertical	53	2.12	-	39.60	12.92	65.17			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02967G	50.47	88.20	-37.73	63.12	3	Horizontal	257	2.82	-	39.60	12.92	65.17			
RMS	13.02919G	37.80	68.20	-30.40	50.45	3	Horizontal	257	2.82	-	39.60	12.92	65.17			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5497G	50.32	83.54	-33.22	46.22	1	Vertical	261	2.42	-	37.70	15.20	48.80			
AV	19.54136G	37.90	63.54	-25.64	33.78	1	Vertical	261	2.42	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 4
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54084G	50.17	83.54	-33.37	46.05	1	Horizontal	238	2.42	-	37.72	15.20	48.80			
AV	19.5415G	37.90	63.54	-25.64	33.78	1	Horizontal	238	2.42	-	37.72	15.20	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07G	50.50	88.20	-37.70	63.01	3	Vertical	81	1.83	-	39.64	12.94	65.09			
RMS	13.06977G	37.33	68.20	-30.87	49.84	3	Vertical	81	1.83	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07095G	50.49	88.20	-37.71	63.00	3	Horizontal	280	2.90	-	39.64	12.94	65.09			
RMS	13.06905G	37.35	68.20	-30.85	49.87	3	Horizontal	280	2.90	-	39.64	12.94	65.10			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60098G	49.03	83.54	-34.51	44.94	1	Vertical	13	2.15	-	37.70	15.19	48.80			
AV	19.60222G	37.44	63.54	-26.10	33.35	1	Vertical	13	2.15	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6016G	50.43	83.54	-33.11	46.34	1	Horizontal	317	2.44	-	37.70	15.19	48.80			
AV	19.60244G	37.44	63.54	-26.10	33.35	1	Horizontal	317	2.44	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38962G	52.16	74.00	-21.84	63.31	3	Vertical	225	2.05	-	40.20	13.12	64.47			
AV	13.38922G	39.86	54.00	-14.14	51.01	3	Vertical	225	2.05	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39082G	52.42	74.00	-21.58	63.57	3	Horizontal	246	1.96	-	40.20	13.12	64.47			
AV	13.38932G	39.86	54.00	-14.14	51.01	3	Horizontal	246	1.96	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 3.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08386G	47.54	83.54	-36.00	43.28	1	Vertical	354	1.46	-	37.80	15.24	48.78			
AV	20.08642G	35.65	63.54	-27.89	31.39	1	Vertical	354	1.46	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 3.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08644G	47.77	83.54	-35.77	43.51	1	Horizontal	58	1.00	-	37.80	15.24	48.78			
AV	20.08646G	35.65	63.54	-27.89	31.39	1	Horizontal	58	1.00	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75023G	52.11	88.20	-36.09	62.66	3	Vertical	324	1.93	-	40.50	13.31	64.36			
RMS	13.74957G	39.59	68.20	-28.61	50.14	3	Vertical	324	1.93	-	40.50	13.31	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7507G	52.52	88.20	-35.68	63.07	3	Horizontal	52	2.12	-	40.50	13.31	64.36			
RMS	13.74911G	39.59	68.20	-28.61	50.14	3	Horizontal	52	2.12	-	40.50	13.31	64.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62678G	50.85	83.54	-32.69	45.97	1	Vertical	11	2.62	-	37.90	15.68	48.70			
AV	20.6255G	38.88	63.54	-24.66	34.00	1	Vertical	11	2.62	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 4.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62178G	51.35	83.54	-32.19	46.47	1	Horizontal	80	2.94	-	37.90	15.68	48.70			
AV	20.62518G	38.88	63.54	-24.66	34.00	1	Horizontal	80	2.94	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 5.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79027G	52.47	88.20	-35.73	62.85	3	Vertical	35	2.88	-	40.66	13.34	64.38			
RMS	13.79043G	39.75	68.20	-28.45	50.13	3	Vertical	35	2.88	-	40.66	13.34	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 5.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78906G	52.94	88.20	-35.26	63.32	3	Horizontal	194	1.65	-	40.66	13.34	64.38			
RMS	13.79081G	39.75	68.20	-28.45	50.13	3	Horizontal	194	1.65	-	40.66	13.34	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 5.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6877G	51.04	83.54	-32.50	46.11	1	Vertical	286	1.76	-	37.90	15.73	48.70			
AV	20.6868G	38.40	63.54	-25.14	33.47	1	Vertical	286	1.76	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 5.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68238G	50.75	83.54	-32.79	45.82	1	Horizontal	150	1.39	-	37.90	15.73	48.70			
AV	20.68328G	38.40	63.54	-25.14	33.47	1	Horizontal	150	1.39	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9904G	52.87	88.20	-35.33	62.99	3	Vertical	293	1.78	-	40.90	13.44	64.46			
RMS	13.99083G	40.17	68.20	-28.03	50.28	3	Vertical	293	1.78	-	40.90	13.45	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98918G	53.04	88.20	-35.16	63.16	3	Horizontal	106	1.80	-	40.90	13.44	64.46			
RMS	13.99064G	40.19	68.20	-28.01	50.31	3	Horizontal	106	1.80	-	40.90	13.44	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98514G	51.05	83.54	-32.49	45.81	1	Vertical	82	2.49	-	37.97	15.97	48.70			
AV	20.98946G	39.26	63.54	-24.28	34.00	1	Vertical	82	2.49	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98726G	52.28	83.54	-31.26	47.04	1	Horizontal	124	2.47	-	37.97	15.97	48.70			
AV	20.98968G	39.33	63.54	-24.21	34.07	1	Horizontal	124	2.47	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
SET 5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1037G	109.51	Inf	-Inf	97.46	3	Vertical	4	1.80	5	36.81	7.95	32.71			
RMS	7.1034G	97.90	Inf	-Inf	85.85	3	Vertical	4	1.80	5	36.81	7.95	32.71			
PK	7.2357G	64.89	88.20	-23.31	52.33	3	Vertical	4	1.80	5	37.27	7.95	32.66			
RMS	7.2291G	52.03	68.20	-16.17	39.48	3	Vertical	4	1.80	5	37.26	7.95	32.66			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
SET 5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0926G	108.49	Inf	-Inf	96.46	3	Horizontal	1	1.80	5	36.79	7.95	32.71			
RMS	7.0926G	96.76	Inf	-Inf	84.73	3	Horizontal	1	1.80	5	36.79	7.95	32.71			
PK	7.2432G	64.66	88.20	-23.54	52.08	3	Horizontal	1	1.80	5	37.29	7.95	32.66			
RMS	7.245G	52.03	68.20	-16.17	39.45	3	Horizontal	1	1.80	5	37.29	7.95	32.66			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18922G	53.66	88.20	-34.54	63.34	3	Vertical	314	1.40	-	40.90	13.47	64.05			
RMS	14.19006G	41.19	68.20	-27.01	50.87	3	Vertical	314	1.40	-	40.90	13.47	64.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18962G	53.67	88.20	-34.53	63.35	3	Horizontal	285	2.45	-	40.90	13.47	64.05			
RMS	14.18948G	41.18	68.20	-27.02	50.86	3	Horizontal	285	2.45	-	40.90	13.47	64.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28886G	51.83	83.54	-31.71	46.17	1	Vertical	2	2.74	-	38.08	16.22	48.64			
AV	21.289G	39.53	63.54	-24.01	33.87	1	Vertical	2	2.74	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28868G	51.72	83.54	-31.82	46.06	1	Horizontal	292	1.73	-	38.08	16.22	48.64			
AV	21.28954G	39.63	63.54	-23.91	33.97	1	Horizontal	292	1.73	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -4
01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1235G	99.02	Inf	-Inf	86.92	3	Vertical	4	1.80	5_BP 1MH	36.85	7.95	32.70			
RMS	7.1235G	92.81	Inf	-Inf	80.71	3	Vertical	4	1.80	5_BP 1MH	36.85	7.95	32.70			
PK	7.1255G	77.97	88.20	-10.23	65.87	3	Vertical	4	1.80	5_BP 1MH	36.85	7.95	32.70			
RMS	7.1255G	68.05	68.20	-0.15	55.95	3	Vertical	4	1.80	5_BP 1MH	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -4
01-C-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1135G	98.46	Inf	-Inf	86.39	3	Horizontal	2	1.80	5_BP 1MH	36.83	7.95	32.71			
RMS	7.1135G	91.99	Inf	-Inf	79.92	3	Horizontal	2	1.80	5_BP 1MH	36.83	7.95	32.71			
PK	7.1255G	73.13	88.20	-15.07	61.03	3	Horizontal	2	1.80	5_BP 1MH	36.85	7.95	32.70			
RMS	7.1255G	61.08	68.20	-7.12	48.98	3	Horizontal	2	1.80	5_BP 1MH	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -4
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23005G	53.62	88.20	-34.58	63.33	3	Vertical	175	2.52	-	40.78	13.47	63.96			
RMS	14.22921G	41.14	68.20	-27.06	50.85	3	Vertical	175	2.52	-	40.78	13.47	63.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -4
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23064G	53.85	88.20	-34.35	63.56	3	Horizontal	172	2.76	-	40.78	13.47	63.96			
RMS	14.23027G	41.12	68.20	-27.08	50.83	3	Horizontal	172	2.76	-	40.78	13.47	63.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -4
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34122G	52.41	83.54	-31.13	46.68	1	Vertical	136	1.68	-	38.10	16.26	48.63			
AV	21.34586G	39.76	63.54	-23.78	34.02	1	Vertical	136	1.68	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_V_2TX
Setting -4
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34072G	52.08	83.54	-31.46	46.35	1	Horizontal	21	2.47	-	38.10	16.26	48.63			
AV	21.3473G	39.77	63.54	-23.77	34.03	1	Horizontal	21	2.47	-	38.10	16.27	48.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9032G	61.98	88.20	-26.22	54.60	3	Vertical	-0	1.54	7.5	34.51	8.07	35.20			
RMS	5.9233G	48.81	68.20	-19.39	41.37	3	Vertical	-0	1.54	7.5	34.55	8.09	35.20			
PK	5.9614G	110.76	Inf	-Inf	103.22	3	Vertical	-0	1.54	7.5	34.60	8.13	35.19			
RMS	5.9791G	99.20	Inf	-Inf	91.64	3	Vertical	-0	1.54	7.5	34.60	8.15	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 7.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	61.47	88.20	-26.73	54.07	3	Horizontal	-0	1.63	7.5	34.52	8.08	35.20			
RMS	5.9242G	48.88	68.20	-19.32	41.44	3	Horizontal	-0	1.63	7.5	34.55	8.09	35.20			
PK	5.9683G	110.05	Inf	-Inf	102.50	3	Horizontal	-0	1.63	7.5	34.60	8.14	35.19			
RMS	5.9692G	98.67	Inf	-Inf	91.12	3	Horizontal	-0	1.63	7.5	34.60	8.14	35.19			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92949G	49.05	74.00	-24.95	63.81	3	Vertical	60	1.68	-	38.74	12.29	65.79			
AV	11.92954G	36.85	54.00	-17.15	51.61	3	Vertical	60	1.68	-	38.74	12.29	65.79			
PK	17.89422G	56.38	74.00	-17.62	63.39	3	Vertical	94	2.65	-	41.28	14.20	62.49			
AV	17.894G	42.81	54.00	-11.19	49.82	3	Vertical	94	2.65	-	41.28	14.20	62.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92907G	49.98	74.00	-24.02	64.74	3	Horizontal	109	2.23	-	38.74	12.29	65.79			
AV	11.92947G	36.83	54.00	-17.17	51.59	3	Horizontal	109	2.23	-	38.74	12.29	65.79			
PK	17.89525G	55.22	74.00	-18.78	62.23	3	Horizontal	295	1.76	-	41.28	14.20	62.49			
AV	17.89421G	42.82	54.00	-11.18	49.83	3	Horizontal	295	1.76	-	41.28	14.20	62.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86304G	50.68	83.54	-32.86	41.97	1	Vertical	316	1.98	-	39.07	17.29	47.65			
AV	23.86256G	38.92	63.54	-24.62	30.21	1	Vertical	316	1.98	-	39.07	17.29	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 7.5
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86086G	51.59	83.54	-31.95	42.88	1	Horizontal	61	1.48	-	39.08	17.29	47.66			
AV	23.86312G	38.92	63.54	-24.62	30.21	1	Horizontal	61	1.48	-	39.07	17.29	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41075G	50.01	74.00	-23.99	64.18	3	Vertical	335	2.63	-	38.62	12.58	65.37			
AV	12.4091G	37.28	54.00	-16.72	51.45	3	Vertical	335	2.63	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4107G	49.77	74.00	-24.23	63.94	3	Horizontal	184	2.65	-	38.62	12.58	65.37			
AV	12.41048G	37.28	54.00	-16.72	51.45	3	Horizontal	184	2.65	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61206G	49.88	83.54	-33.66	45.22	1	Vertical	58	2.22	-	37.82	15.25	48.41			
AV	18.61822G	37.41	63.54	-26.13	32.74	1	Vertical	58	2.22	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61038G	51.83	83.54	-31.71	47.17	1	Horizontal	222	1.78	-	37.82	15.25	48.41			
AV	18.6178G	38.41	63.54	-25.13	33.74	1	Horizontal	222	1.78	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80922G	50.49	88.20	-37.71	63.70	3	Vertical	48	1.55	-	39.24	12.80	65.25			
RMS	12.80921G	37.42	68.20	-30.78	50.63	3	Vertical	48	1.55	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81033G	49.81	88.20	-38.39	63.02	3	Horizontal	341	2.67	-	39.24	12.80	65.25			
RMS	12.80907G	37.42	68.20	-30.78	50.63	3	Horizontal	341	2.67	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 7.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21996G	50.89	83.54	-32.65	46.59	1	Vertical	225	1.54	-	37.88	15.22	48.80			
AV	19.21004G	38.48	63.54	-25.06	34.22	1	Vertical	225	1.54	-	37.84	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 7.5
 01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21392G	49.67	83.54	-33.87	45.39	1	Horizontal	84	2.24	-	37.86	15.22	48.80			
AV	19.21006G	37.48	63.54	-26.06	33.22	1	Horizontal	84	2.24	-	37.84	15.22	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 7
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88937G	49.99	88.20	-38.21	62.99	3	Vertical	163	1.16	-	39.40	12.84	65.24			
RMS	12.889G	37.24	68.20	-30.96	50.24	3	Vertical	163	1.16	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 7
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88957G	49.82	88.20	-38.38	62.82	3	Horizontal	245	2.55	-	39.40	12.84	65.24			
RMS	12.889G	37.24	68.20	-30.96	50.24	3	Horizontal	245	2.55	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 7
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33856G	50.53	83.54	-33.01	46.32	1	Vertical	179	1.60	-	37.80	15.21	48.80			
AV	19.33856G	38.46	63.54	-25.08	34.25	1	Vertical	179	1.60	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 7
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33542G	50.07	83.54	-33.47	45.86	1	Horizontal	129	2.84	-	37.80	15.21	48.80			
AV	19.33512G	37.45	63.54	-26.09	33.24	1	Horizontal	129	2.84	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 6.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96965G	48.91	88.20	-39.29	61.71	3	Vertical	142	1.11	-	39.54	12.89	65.23			
RMS	12.97057G	36.70	68.20	-31.50	49.50	3	Vertical	142	1.11	-	39.54	12.89	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96955G	48.85	88.20	-39.35	61.65	3	Horizontal	54	1.27	-	39.54	12.89	65.23			
RMS	12.97065G	36.74	68.20	-31.46	49.54	3	Horizontal	54	1.27	-	39.54	12.89	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45518G	50.86	83.54	-32.68	46.75	1	Vertical	181	2.22	-	37.71	15.20	48.80			
AV	19.45856G	38.25	63.54	-25.29	34.13	1	Vertical	181	2.22	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 6.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45354G	51.30	83.54	-32.24	47.19	1	Horizontal	96	2.80	-	37.71	15.20	48.80			
AV	19.45916G	39.25	63.54	-24.29	35.13	1	Horizontal	96	2.80	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 7
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05079G	51.32	88.20	-36.88	63.92	3	Vertical	110	1.51	-	39.60	12.93	65.13			
RMS	13.05044G	37.88	68.20	-30.32	50.48	3	Vertical	110	1.51	-	39.60	12.93	65.13			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 7
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04974G	50.54	88.20	-37.66	63.14	3	Horizontal	127	1.95	-	39.60	12.93	65.13			
RMS	13.05046G	37.88	68.20	-30.32	50.48	3	Horizontal	127	1.95	-	39.60	12.93	65.13			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 7
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57374G	50.85	83.54	-32.69	46.75	1	Vertical	307	2.98	-	37.70	15.20	48.80			
AV	19.57158G	38.65	63.54	-24.89	34.55	1	Vertical	307	2.98	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 7
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57646G	49.35	83.54	-34.19	45.25	1	Horizontal	282	1.30	-	37.70	15.20	48.80			
AV	19.57128G	37.59	63.54	-25.95	33.49	1	Horizontal	282	1.30	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13135G	49.36	88.20	-38.84	61.60	3	Vertical	268	1.93	-	39.76	12.98	64.98			
RMS	13.13251G	36.53	68.20	-31.67	48.75	3	Vertical	268	1.93	-	39.77	12.98	64.97			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13283G	50.67	88.20	-37.53	62.89	3	Horizontal	345	1.35	-	39.77	12.98	64.97			
RMS	13.13251G	38.53	68.20	-29.67	50.75	3	Horizontal	345	1.35	-	39.77	12.98	64.97			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69776G	49.76	83.54	-33.78	45.67	1	Vertical	13	1.05	-	37.70	15.19	48.80			
AV	19.6941G	37.48	63.54	-26.06	33.39	1	Vertical	13	1.05	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6995G	51.33	83.54	-32.21	47.24	1	Horizontal	129	1.55	-	37.70	15.19	48.80			
AV	19.69388G	38.48	63.54	-25.06	34.39	1	Horizontal	129	1.55	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36948G	39.41	74.00	-34.59	50.61	3	Vertical	190	2.65	-	40.20	13.11	64.51			
AV	13.369G	37.37	54.00	-16.63	48.57	3	Vertical	190	2.65	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36926G	49.53	74.00	-24.47	60.73	3	Horizontal	207	2.29	-	40.20	13.11	64.51			
AV	13.36911G	37.07	54.00	-16.93	48.27	3	Horizontal	207	2.29	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 9
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05698G	50.67	83.54	-32.87	46.44	1	Vertical	281	2.98	-	37.80	15.22	48.79			
AV	20.05016G	37.56	63.54	-25.98	33.34	1	Vertical	281	2.98	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.05734G	49.84	83.54	-33.70	45.61	1	Horizontal	21	2.13	-	37.80	15.22	48.79				
AV	20.05004G	37.56	63.54	-25.98	33.34	1	Horizontal	21	2.13	-	37.80	15.21	48.79				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76741G	50.79	88.20	-37.41	61.27	3	Vertical	20	1.58	-	40.57	13.32	64.37			
RMS	13.77375G	39.11	68.20	-29.09	49.55	3	Vertical	20	1.58	-	40.60	13.33	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77349G	50.45	88.20	-37.75	60.90	3	Horizontal	281	1.48	-	40.59	13.33	64.37			
RMS	13.77375G	38.09	68.20	-30.11	48.53	3	Horizontal	281	1.48	-	40.60	13.33	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65208G	48.95	83.54	-34.59	44.05	1	Vertical	5	2.45	-	37.90	15.70	48.70			
AV	20.65G	36.60	63.54	-26.94	31.70	1	Vertical	5	2.45	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 9.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.65876G	48.79	83.54	-34.75	43.88	1	Horizontal	24	1.30	-	37.90	15.71	48.70				
AV	20.65872G	36.61	63.54	-26.93	31.70	1	Horizontal	24	1.30	-	37.90	15.71	48.70				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84534G	50.12	88.20	-38.08	60.36	3	Vertical	275	1.77	-	40.79	13.37	64.40			
RMS	13.84598G	38.42	68.20	-29.78	48.66	3	Vertical	275	1.77	-	40.79	13.37	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84505G	50.27	88.20	-37.93	60.51	3	Horizontal	173	1.40	-	40.79	13.37	64.40			
RMS	13.84637G	38.08	68.20	-30.12	48.32	3	Horizontal	173	1.40	-	40.79	13.37	64.40			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77724G	49.30	83.54	-34.24	44.30	1	Vertical	188	2.40	-	37.90	15.80	48.70			
AV	20.77898G	36.74	63.54	-26.80	31.74	1	Vertical	188	2.40	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77608G	49.18	83.54	-34.36	44.18	1	Horizontal	35	2.15	-	37.90	15.80	48.70			
AV	20.77924G	36.75	63.54	-26.79	31.74	1	Horizontal	35	2.15	-	37.90	15.81	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX



EUT_Y_2TX
Setting 8.5
01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00901G	50.95	88.20	-37.25	61.02	3	Vertical	260	1.39	-	40.92	13.45	64.44			
RMS	14.01455G	38.66	68.20	-29.54	48.71	3	Vertical	260	1.39	-	40.93	13.45	64.43			