




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1(1);Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1(1);Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1(1);Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1(1);Ch:6665MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(1);Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1(1);Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2(1,2);Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX





**Radiated PSD_R4_Standard Power AP_Wide Beam_Full RU_
BF mode**

Appendix D.16

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	20.35
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.70
802.11be EHT40-BF_Nss1,(MCS0)_2TX	17.83
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.26
802.11be EHT80-BF_Nss1,(MCS0)_2TX	15.16
802.11be EHT80-BF_Nss1,(MCS0)_4TX	14.73
802.11be EHT160-BF_Nss1,(MCS0)_2TX	12.14
802.11be EHT160-BF_Nss1,(MCS0)_4TX	11.15
802.11be EHT320-BF_Nss1,(MCS0)_2TX	8.17
802.11be EHT320-BF_Nss1,(MCS0)_4TX	9.44
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	21.26
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.67
802.11be EHT40-BF_Nss1,(MCS0)_2TX	18.56
802.11be EHT40-BF_Nss1,(MCS0)_4TX	17.27
802.11be EHT80-BF_Nss1,(MCS0)_2TX	16.82
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.86
802.11be EHT160-BF_Nss1,(MCS0)_2TX	13.67
802.11be EHT160-BF_Nss1,(MCS0)_4TX	11.67

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**Radiated PSD_R4_Standard Power AP_Wide Beam_Full RU_
BF mode**

Appendix D.16

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	19.49	23.00
6195MHz	Pass	19.42	23.00
6415MHz	Pass	20.35	23.00
6535MHz	Pass	21.26	23.00
6695MHz	Pass	20.97	23.00
6855MHz	Pass	20.70	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	13.17	23.00
6205MHz	Pass	16.84	23.00
6405MHz	Pass	17.83	23.00
6565MHz	Pass	18.56	23.00
6685MHz	Pass	18.13	23.00
6845MHz	Pass	18.38	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	11.31	23.00
6225MHz	Pass	14.50	23.00
6385MHz	Pass	15.16	23.00
6625MHz	Pass	16.82	23.00
6705MHz	Pass	16.61	23.00
6785MHz	Pass	16.00	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	8.43	23.00
6185MHz	Pass	11.41	23.00
6345MHz	Pass	12.14	23.00
6665MHz	Pass	13.67	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	7.11	23.00
6265MHz	Pass	8.17	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	17.70	23.00
6195MHz	Pass	16.11	23.00
6415MHz	Pass	17.57	23.00
6535MHz	Pass	16.86	23.00
6695MHz	Pass	17.25	23.00
6855MHz	Pass	17.67	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	13.96	23.00
6205MHz	Pass	17.45	23.00
6405MHz	Pass	18.26	23.00
6565MHz	Pass	17.27	23.00
6685MHz	Pass	14.25	23.00
6845MHz	Pass	16.09	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	8.39	23.00
6225MHz	Pass	14.19	23.00
6385MHz	Pass	14.73	23.00
6625MHz	Pass	15.40	23.00
6705MHz	Pass	15.03	23.00
6785MHz	Pass	15.86	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	11.15	23.00
6185MHz	Pass	10.71	23.00
6345MHz	Pass	10.59	23.00
6665MHz	Pass	11.67	23.00





**Radiated PSD_R4_Standard Power AP_Wide Beam_Full RU_
BF mode**

Appendix D.16


802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	8.83	23.00
6265MHz	Pass	9.44	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.







EIRP PSD:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6695MHz;TX



EIRP PSD:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2(1,2);Ch:6855MHz;TX





CF Freq
6.205GHz

Span
60MHz

RBW
1MHz

VBW
3MHz


Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz

Page 8

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2(1,2);Ch:6205MHz;TX





EIRP PSD (dBm)


16.84


EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp


Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.75	11.70	8.62	35.22	57.89














EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2(1,2);Ch:6665MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2(1,2);Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX





Radiated PSD_R4_Standard Power AP_Wide Beam_Multi-RU Appendix D.17

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	8.86
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	11.30
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	14.37
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	6.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	9.95
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	11.49
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX	3.01
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	7.96
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	11.60

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-
5985MHz	Pass	8.86	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-
5985MHz	Pass	8.78	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6025MHz	Pass	6.03	23.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	-	-	-
6025MHz	Pass	6.16	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-
6025MHz	Pass	6.26	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-
6105MHz	Pass	2.87	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX	-	-	-
6105MHz	Pass	2.78	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX	-	-	-
6105MHz	Pass	3.01	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
5985MHz	Pass	11.28	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-
5985MHz	Pass	11.30	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6025MHz	Pass	9.95	23.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-
6025MHz	Pass	9.90	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-
6025MHz	Pass	9.92	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-
6105MHz	Pass	7.84	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-
6105MHz	Pass	7.96	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-
6105MHz	Pass	7.55	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	14.48	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-
5985MHz	Pass	14.37	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6025MHz	Pass	11.16	23.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-
6025MHz	Pass	11.49	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-
6025MHz	Pass	11.46	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	11.30	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-
6105MHz	Pass	11.52	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-
6105MHz	Pass	11.60	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

14/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
8.86				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.61	11.50	7.96	30.63	57.64

14/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
8.78				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.68	11.50	7.96	30.63	57.63

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 7

EIRP PSD (dBm)	6.03	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.53	11.48	8.02	30.67	57.69

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+3xRU242 MRU 1;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 7

EIRP PSD (dBm)	6.16	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.56	11.40	8.09	30.72	57.75

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 7

EIRP PSD (dBm)	6.26	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.45	11.40	8.08	30.72	57.75

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 7

EIRP PSD (dBm)	2.87	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.81	11.42	8.07	30.70	57.73

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
2.78				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.94	11.40	8.08	30.71	57.75

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
3.01				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.87	11.48	8.28	30.87	57.95

14/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.28				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.18	11.50	7.96	30.63	57.63

14/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.3				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.16	11.50	7.96	30.63	57.63

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
9.95				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.76	11.41	8.08	30.71	57.75

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+3xRU242 MRU 1;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 7

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
9.9				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.82	11.40	8.08	30.71	57.75

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 7

EIRP PSD (dBm)	9.92	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.80	11.40	8.08	30.71	57.75

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 8

EIRP PSD (dBm)	7.84	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.94	11.40	8.13	30.74	57.79

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

EIRP PSD (dBm)	7.96	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.75	11.41	8.08	30.71	57.75

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz




Page 7

EIRP PSD (dBm)	7.55	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.34	11.47	8.28	30.86	57.94

14/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz



Page 7


EIRP PSD (dBm)		$EIRP = P_r + L_p$ [Lp Free Space Path Loss] $P_r = P_{meas} - G_r + L_c - G_{amp}$				
14.48						

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-8.98	11.50	7.95	30.62	57.63	

14/03/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz



Page 7

EIRP PSD (dBm)

14.37

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-9.08

11.50

7.95

30.63

57.63

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 7

EIRP PSD (dBm)	11.16	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.46	11.45	8.05	30.69	57.71

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+3xRU242 MRU 1;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 7

EIRP PSD (dBm)	11.49	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.21	11.41	8.08	30.71	57.74

14/03/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 7

EIRP PSD (dBm)	11.46	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.16	11.45	8.05	30.69	57.71

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

EIRP PSD (dBm)	11.3	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.56	11.40	8.20	30.79	57.85

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

EIRP PSD (dBm)	11.52	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.34	11.40	8.20	30.79	57.85

14/03/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

EIRP PSD (dBm)	11.6	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.27	11.49	8.28	30.87	57.95



Radiated PSD_R4_Standard Power AP_Wide Beam_Puncturing Appendix D.18

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	6.86
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	11.39
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	12.63
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	5.69
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	9.06
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	11.21
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	3.02
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	7.52
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	10.86

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Radiated PSD_R4_Standard Power AP_Wide Beam_Puncturing Appendix D.18

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-
5985MHz	Pass	6.86	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-
6025MHz	Pass	4.65	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX	-	-	-
6025MHz	Pass	5.69	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX	-	-	-
6105MHz	Pass	2.01	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-
6105MHz	Pass	3.02	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-	-	-
6105MHz	Pass	2.90	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-
5985MHz	Pass	11.39	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-
6025MHz	Pass	8.68	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-
6025MHz	Pass	9.06	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	-	-	-
6105MHz	Pass	6.43	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-
6105MHz	Pass	6.59	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-
6105MHz	Pass	7.52	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-
5985MHz	Pass	12.63	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-
6025MHz	Pass	10.95	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-
6025MHz	Pass	11.21	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-
6105MHz	Pass	9.67	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-
6105MHz	Pass	10.86	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-
6105MHz	Pass	10.04	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

18/02/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 3;Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
54.748s

Detector Type
RMS

CP BW
80MHz



Page 7

EIRP PSD (dBm)	6.86	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.15	13.30	7.33	34.66	57.64

18/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 5;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
54.748s

Detector Type
RMS

CP BW
160MHz



Page 7

EIRP PSD (dBm)	4.65	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.45	13.32	7.35	34.62	57.69

18/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 2;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
54.693s

Detector Type
RMS

CP BW
160MHz



Page 7

EIRP PSD (dBm)	5.69	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.42	13.31	7.35	34.62	57.69

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 6;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
54.788s

Detector Type
RMS

CP BW
320MHz



Page 7

EIRP PSD (dBm)	2.01	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.09	13.32	7.35	34.62	57.69

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 3;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
54.734s

Detector Type
RMS

CP BW
320MHz



Page 7

EIRP PSD (dBm)	3.02	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.08	13.32	7.35	34.62	57.69

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 3;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz




Page 7

EIRP PSD (dBm)	2.9	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.22	13.33	7.36	34.61	57.70

18/02/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 3;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7

EIRP PSD (dBm)	11.39	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.61	13.30	7.33	34.66	57.63

18/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 5;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.748s
Detector Type
RMS
CP BW
160MHz




Page 7

EIRP PSD (dBm)	8.68	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.42	13.32	7.35	34.62	57.69

18/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.693s
Detector Type
RMS
CP BW
160MHz




Page 7

EIRP PSD (dBm)	9.06	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-8.04	13.32	7.35	34.62	57.69	

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 6;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7

EIRP PSD (dBm)	6.43	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-10.67	13.32	7.35	34.62	57.69	

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 3;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.724s
Detector Type
RMS
CP BW
320MHz




Page 8

EIRP PSD (dBm)	6.59	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.38	13.01	7.46	34.44	57.96

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 3;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.788s
Detector Type
RMS
CP BW
320MHz




Page 7

EIRP PSD (dBm)	7.52	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.58	13.32	7.35	34.62	57.69

18/02/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 3;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.693s
Detector Type
RMS
CP BW
80MHz




Page 7

EIRP PSD (dBm)	12.63	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.36	13.30	7.33	34.67	57.63

18/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 5;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz



Page 8

EIRP PSD (dBm)	10.95	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.19	13.37	7.37	34.59	57.73

18/02/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 4;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
54.748s

Detector Type
RMS

CP BW
160MHz



Page 7

EIRP PSD (dBm)	11.21	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-5.88	13.31	7.35	34.63	57.68	

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 6;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

EIRP PSD (dBm)	9.67	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-8.28	13.02	7.46	34.44	57.95	

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 3;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

EIRP PSD (dBm)	10.86	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.14	13.00	7.46	34.43	57.97

18/02/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 3;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

EIRP PSD (dBm)	10.04	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.42	13.27	7.41	34.52	57.84




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 13	Pass	PK	625.58M	41.76	46.00	-4.24	Horizontal

Mode 13



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	43.58M	33.73	40.00	-6.27	-13.39	3	Vertical	357	1.00	-	47.12	17.10	1.10	31.59		
QP	50.37M	28.46	40.00	-11.54	-16.22	3	Vertical	353	1.00	-	44.68	14.25	1.16	31.63		
PK	67.83M	35.24	40.00	-4.76	-17.88	3	Vertical	12	1.50	"Worst"	53.12	12.51	1.30	31.69		
PK	101.78M	29.53	43.50	-13.97	-13.16	3	Vertical	186	1.00	-	42.69	17.04	1.54	31.74		
PK	625.58M	39.34	46.00	-6.66	-3.79	3	Vertical	86	1.00	-	43.13	24.64	3.85	32.28		
PK	954.41M	31.13	46.00	-14.87	-0.83	3	Vertical	357	1.50	-	31.96	26.68	4.80	32.31		

Mode 13



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	43.58M	26.31	40.00	-13.69	-13.39	3	Horizontal	212	1.50	-	39.70	17.10	1.10	31.59		
PK	74.62M	26.49	40.00	-13.51	-17.59	3	Horizontal	115	1.50	-	44.08	12.76	1.36	31.71		
PK	296.75M	31.09	46.00	-14.91	-10.14	3	Horizontal	167	1.00	-	41.23	19.08	2.62	31.84		
PK	625.58M	41.76	46.00	-4.24	-3.79	3	Horizontal	131	1.50	"Worst"	45.55	24.64	3.85	32.28		
PK	935.98M	30.54	46.00	-15.46	-1.15	3	Horizontal	281	1.00	-	31.69	26.42	4.75	32.32		
PK	956.35M	30.81	46.00	-15.19	-0.78	3	Horizontal	318	1.50	-	31.59	26.72	4.81	32.31		

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	8G	AV	-59.19	-64.19	-64.19	-41.20	-17.99	5.00
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	8G	AV	-59.55	-64.55	-64.55	-41.20	-18.35	5.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	8G	AV	-57.88	-63.68	-63.68	-41.20	-16.68	5.80
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	8G	AV	-51.62	-57.32	-57.32	-41.20	-10.42	5.70

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	8G	AV	5.09325G	5.00	-64.19	-64.19	-59.19	-41.20	-17.99
5955MHz	Pass	1G	8G	AV	7.29913G	5.00	-66.34	-66.34	-61.34	-41.20	-20.14
5955MHz	Pass	1G	8G	PK	4.90163G	5.00	-56.13	-56.13	-51.13	-21.20	-29.93
5955MHz	Pass	1G	8G	PK	5.03988G	5.00	-56.17	-56.17	-51.17	-21.20	-29.97
5955MHz	Pass	1G	8G	PK	7.2895G	5.00	-58.64	-58.64	-53.64	-21.20	-32.44
6195MHz	Pass	1G	8G	AV	5.03725G	5.00	-64.61	-64.61	-59.61	-41.20	-18.41
6195MHz	Pass	1G	8G	AV	7.26763G	5.00	-66.25	-66.25	-61.25	-41.20	-20.05
6195MHz	Pass	1G	8G	PK	5.05213G	5.00	-55.55	-55.55	-50.55	-21.20	-29.35
6195MHz	Pass	1G	8G	PK	7.40325G	5.00	-58.26	-58.26	-53.26	-21.20	-32.06
6415MHz	Pass	1G	8G	AV	5.07313G	5.00	-64.46	-64.46	-59.46	-41.20	-18.26
6415MHz	Pass	1G	8G	AV	7.31225G	5.00	-66.10	-66.10	-61.10	-41.20	-19.90
6415MHz	Pass	1G	8G	PK	5.14225G	5.00	-55.70	-55.70	-50.70	-21.20	-29.50
6415MHz	Pass	1G	8G	PK	7.272G	5.00	-57.61	-57.61	-52.61	-21.20	-31.41
6435MHz	Pass	1G	8G	AV	5.12913G	5.00	-64.79	-64.79	-59.79	-41.20	-18.59
6435MHz	Pass	1G	8G	AV	7.412G	5.00	-66.03	-66.03	-61.03	-41.20	-19.83
6435MHz	Pass	1G	8G	PK	5.37938G	5.00	-55.92	-55.92	-50.92	-21.20	-29.72
6435MHz	Pass	1G	8G	PK	7.28775G	5.00	-57.87	-57.87	-52.87	-21.20	-31.67
6475MHz	Pass	1G	8G	AV	5.11863G	5.00	-64.55	-64.55	-59.55	-41.20	-18.35
6475MHz	Pass	1G	8G	AV	7.27725G	5.00	-66.37	-66.37	-61.37	-41.20	-20.17
6475MHz	Pass	1G	8G	PK	4.72313G	5.00	-56.53	-56.53	-51.53	-21.20	-30.33
6475MHz	Pass	1G	8G	PK	5.04775G	5.00	-56.70	-56.70	-51.70	-21.20	-30.50
6475MHz	Pass	1G	8G	PK	7.33238G	5.00	-58.33	-58.33	-53.33	-21.20	-32.13
6515MHz	Pass	1G	8G	AV	5.08538G	5.00	-64.56	-64.56	-59.56	-41.20	-18.36
6515MHz	Pass	1G	8G	AV	7.2545G	5.00	-66.11	-66.11	-61.11	-41.20	-19.91
6515MHz	Pass	1G	8G	PK	5.08538G	5.00	-55.97	-55.97	-50.97	-21.20	-29.77
6515MHz	Pass	1G	8G	PK	7.26063G	5.00	-58.27	-58.27	-53.27	-21.20	-32.07
6535MHz	Pass	1G	8G	AV	5.445G	5.80	-63.68	-63.68	-57.88	-41.20	-16.68
6535MHz	Pass	1G	8G	AV	7.39625G	5.80	-66.49	-66.49	-60.69	-41.20	-19.49
6535MHz	Pass	1G	8G	PK	5.41788G	5.80	-54.53	-54.53	-48.73	-21.20	-27.53
6535MHz	Pass	1G	8G	PK	7.39275G	5.80	-58.84	-58.84	-53.04	-21.20	-31.84
6695MHz	Pass	1G	8G	AV	5.44675G	5.80	-63.95	-63.95	-58.15	-41.20	-16.95
6695MHz	Pass	1G	8G	AV	7.29125G	5.80	-66.04	-66.04	-60.24	-41.20	-19.04
6695MHz	Pass	1G	8G	PK	5.44238G	5.80	-56.23	-56.23	-50.43	-21.20	-29.23
6695MHz	Pass	1G	8G	PK	7.3035G	5.80	-57.53	-57.53	-51.73	-21.20	-30.53
6875MHz	Pass	1G	8G	AV	4.57G	5.80	-63.88	-63.88	-58.08	-41.20	-16.88
6875MHz	Pass	1G	8G	AV	5.45025G	5.80	-64.50	-64.50	-58.70	-41.20	-17.50
6875MHz	Pass	1G	8G	AV	7.25188G	5.80	-65.27	-65.27	-59.47	-41.20	-18.27
6875MHz	Pass	1G	8G	PK	5.45375G	5.80	-55.98	-55.98	-50.18	-21.20	-28.98
6875MHz	Pass	1G	8G	PK	7.272G	5.80	-57.84	-57.84	-52.04	-21.20	-30.84
6895MHz	Pass	1G	8G	AV	4.59625G	5.70	-63.47	-63.47	-57.77	-41.20	-16.57
6895MHz	Pass	1G	8G	AV	5.02238G	5.70	-64.15	-64.15	-58.45	-41.20	-17.25
6895MHz	Pass	1G	8G	AV	7.24138G	5.70	-66.42	-66.42	-60.72	-27.00	-33.72
6895MHz	Pass	1G	8G	AV	7.28775G	5.70	-66.20	-66.20	-60.50	-41.20	-19.30
6895MHz	Pass	1G	8G	PK	5.14838G	5.70	-55.34	-55.34	-49.64	-21.20	-28.44
6895MHz	Pass	1G	8G	PK	7.22213G	5.70	-56.78	-56.78	-51.08	-7.00	-44.08
6895MHz	Pass	1G	8G	PK	7.25013G	5.70	-57.77	-57.77	-52.07	-21.20	-30.87
6995MHz	Pass	1G	8G	AV	4.66363G	5.70	-59.90	-59.90	-54.20	-41.20	-13.00
6995MHz	Pass	1G	8G	AV	5.04075G	5.70	-64.07	-64.07	-58.37	-41.20	-17.17
6995MHz	Pass	1G	8G	AV	7.23525G	5.70	-65.98	-65.98	-60.28	-27.00	-33.28
6995MHz	Pass	1G	8G	AV	7.2895G	5.70	-65.90	-65.90	-60.20	-41.20	-19.00
6995MHz	Pass	1G	8G	PK	5.08888G	5.70	-55.39	-55.39	-49.69	-21.20	-28.49
6995MHz	Pass	1G	8G	PK	7.23788G	5.70	-57.66	-57.66	-51.96	-7.00	-44.96
6995MHz	Pass	1G	8G	PK	7.41988G	5.70	-58.45	-58.45	-52.75	-21.20	-31.55
7095MHz	Pass	1G	8G	AV	4.73013G	5.70	-57.98	-57.98	-52.28	-41.20	-11.08
7095MHz	Pass	1G	8G	AV	5.01713G	5.70	-63.90	-63.90	-58.20	-41.20	-17.00
7095MHz	Pass	1G	8G	AV	7.2475G	5.70	-62.95	-62.95	-57.25	-27.00	-30.25
7095MHz	Pass	1G	8G	AV	7.25188G	5.70	-63.80	-63.80	-58.10	-41.20	-16.90
7095MHz	Pass	1G	8G	PK	4.86225G	5.70	-54.53	-54.53	-48.83	-21.20	-27.63
7095MHz	Pass	1G	8G	PK	5.09238G	5.70	-55.63	-55.63	-49.93	-21.20	-28.73
7095MHz	Pass	1G	8G	PK	7.24488G	5.70	-55.82	-55.82	-50.12	-7.00	-43.12
7095MHz	Pass	1G	8G	PK	7.25013G	5.70	-55.73	-55.73	-50.03	-21.20	-28.83
7115MHz	Pass	1G	8G	AV	4.74325G	5.70	-57.32	-57.32	-51.62	-41.20	-10.42
7115MHz	Pass	1G	8G	AV	5.07138G	5.70	-63.75	-63.75	-58.05	-41.20	-16.85
7115MHz	Pass	1G	8G	AV	7.125G	5.70	-61.01	-61.01	-55.31	-27.00	-28.31
7115MHz	Pass	1G	8G	AV	7.293G	5.70	-63.50	-63.50	-57.80	-41.20	-16.60
7115MHz	Pass	1G	8G	PK	4.74325G	5.70	-52.94	-52.94	-47.24	-21.20	-26.04
7115MHz	Pass	1G	8G	PK	5.0705G	5.70	-55.27	-55.27	-49.57	-21.20	-28.37
7115MHz	Pass	1G	8G	PK	7.2475G	5.70	-55.17	-55.17	-49.47	-7.00	-42.47



CSE Harmonic (1~8GHz)_R1_Indoor AP

Appendix E.2

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
7115MHz	Pass	1G	8G	PK	7.307G	5.70	-55.42	-55.42	-49.72	-21.20	-28.52


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	4.90163G	-51.13	-21.20	-29.93	5.00	0.00	-56.13	-56.13
1G	8G	1M	PK	5.03988G	-51.17	-21.20	-29.97	5.00	0.00	-56.17	-56.17
1G	8G	1M	PK	7.2895G	-53.64	-21.20	-32.44	5.00	0.00	-58.64	-58.64

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.09325G	-59.19	-41.20	-17.99	5.00	0.00	-64.19	-64.19
1G	8G	1M	AV	7.29913G	-61.34	-41.20	-20.14	5.00	0.00	-66.34	-66.34

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6195MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.05213G	-50.55	-21.20	-29.35	5.00	0.00	-55.55	-55.55
1G	8G	1M	PK	7.40325G	-53.26	-21.20	-32.06	5.00	0.00	-58.26	-58.26

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6195MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.03725G	-59.61	-41.20	-18.41	5.00	0.00	-64.61	-64.61
1G	8G	1M	AV	7.26763G	-61.25	-41.20	-20.05	5.00	0.00	-66.25	-66.25

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6415MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.14225G	-50.70	-21.20	-29.50	5.00	0.00	-55.70	-55.70
1G	8G	1M	PK	7.272G	-52.61	-21.20	-31.41	5.00	0.00	-57.61	-57.61

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6415MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.07313G	-59.46	-41.20	-18.26	5.00	0.00	-64.46	-64.46
1G	8G	1M	AV	7.31225G	-61.10	-41.20	-19.90	5.00	0.00	-66.10	-66.10

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6435MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.37938G	-50.92	-21.20	-29.72	5.00	0.00	-55.92	-55.92
1G	8G	1M	PK	7.28775G	-52.87	-21.20	-31.67	5.00	0.00	-57.87	-57.87

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6435MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.12913G	-59.79	-41.20	-18.59	5.00	0.00	-64.79	-64.79
1G	8G	1M	AV	7.412G	-61.03	-41.20	-19.83	5.00	0.00	-66.03	-66.03

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6475MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	4.72313G	-51.53	-21.20	-30.33	5.00	0.00	-56.53	-56.53
1G	8G	1M	PK	5.04775G	-51.70	-21.20	-30.50	5.00	0.00	-56.70	-56.70
1G	8G	1M	PK	7.33238G	-53.33	-21.20	-32.13	5.00	0.00	-58.33	-58.33

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6475MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.11863G	-59.55	-41.20	-18.35	5.00	0.00	-64.55	-64.55
1G	8G	1M	AV	7.27725G	-61.37	-41.20	-20.17	5.00	0.00	-66.37	-66.37

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6515MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.08538G	-50.97	-21.20	-29.77	5.00	0.00	-55.97	-55.97
1G	8G	1M	PK	7.26063G	-53.27	-21.20	-32.07	5.00	0.00	-58.27	-58.27

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6515MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.08538G	-59.56	-41.20	-18.36	5.00	0.00	-64.56	-64.56
1G	8G	1M	AV	7.2545G	-61.11	-41.20	-19.91	5.00	0.00	-66.11	-66.11

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6535MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.41788G	-48.73	-21.20	-27.53	5.80	0.00	-54.53	-54.53
1G	8G	1M	PK	7.39275G	-53.04	-21.20	-31.84	5.80	0.00	-58.84	-58.84

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6535MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.445G	-57.88	-41.20	-16.68	5.80	0.00	-63.68	-63.68
1G	8G	1M	AV	7.39625G	-60.69	-41.20	-19.49	5.80	0.00	-66.49	-66.49

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6695MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.44238G	-50.43	-21.20	-29.23	5.80	0.00	-56.23	-56.23
1G	8G	1M	PK	7.3035G	-51.73	-21.20	-30.53	5.80	0.00	-57.53	-57.53

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6695MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.44675G	-58.15	-41.20	-16.95	5.80	0.00	-63.95	-63.95
1G	8G	1M	AV	7.29125G	-60.24	-41.20	-19.04	5.80	0.00	-66.04	-66.04

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6875MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.45375G	-50.18	-21.20	-28.98	5.80	0.00	-55.98	-55.98
1G	8G	1M	PK	7.272G	-52.04	-21.20	-30.84	5.80	0.00	-57.84	-57.84

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6875MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	4.57G	-58.08	-41.20	-16.88	5.80	0.00	-63.88	-63.88
1G	8G	1M	AV	5.45025G	-58.70	-41.20	-17.50	5.80	0.00	-64.50	-64.50
1G	8G	1M	AV	7.25188G	-59.47	-41.20	-18.27	5.80	0.00	-65.27	-65.27

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6895MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.14838G	-49.64	-21.20	-28.44	5.70	0.00	-55.34	-55.34
1G	8G	1M	PK	7.22213G	-51.08	-7.00	-44.08	5.70	0.00	-56.78	-56.78
1G	8G	1M	PK	7.25013G	-52.07	-21.20	-30.87	5.70	0.00	-57.77	-57.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6895MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	4.59625G	-57.77	-41.20	-16.57	5.70	0.00	-63.47	-63.47
1G	8G	1M	AV	5.02238G	-58.45	-41.20	-17.25	5.70	0.00	-64.15	-64.15
1G	8G	1M	AV	7.24138G	-60.72	-27.00	-33.72	5.70	0.00	-66.42	-66.42
1G	8G	1M	AV	7.28775G	-60.50	-41.20	-19.30	5.70	0.00	-66.20	-66.20

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6995MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.08888G	-49.69	-21.20	-28.49	5.70	0.00	-55.39	-55.39
1G	8G	1M	PK	7.23788G	-51.96	-7.00	-44.96	5.70	0.00	-57.66	-57.66
1G	8G	1M	PK	7.41988G	-52.75	-21.20	-31.55	5.70	0.00	-58.45	-58.45

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6995MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	4.66363G	-54.20	-41.20	-13.00	5.70	0.00	-59.90	-59.90
1G	8G	1M	AV	5.04075G	-58.37	-41.20	-17.17	5.70	0.00	-64.07	-64.07
1G	8G	1M	AV	7.23525G	-60.28	-27.00	-33.28	5.70	0.00	-65.98	-65.98
1G	8G	1M	AV	7.2895G	-60.20	-41.20	-19.00	5.70	0.00	-65.90	-65.90

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

7095MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	4.86225G	-48.83	-21.20	-27.63	5.70	0.00	-54.53	-54.53
1G	8G	1M	PK	5.09238G	-49.93	-21.20	-28.73	5.70	0.00	-55.63	-55.63
1G	8G	1M	PK	7.24488G	-50.12	-7.00	-43.12	5.70	0.00	-55.82	-55.82
1G	8G	1M	PK	7.25013G	-50.03	-21.20	-28.83	5.70	0.00	-55.73	-55.73

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

7095MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	4.73013G	-52.28	-41.20	-11.08	5.70	0.00	-57.98	-57.98
1G	8G	1M	AV	5.01713G	-58.20	-41.20	-17.00	5.70	0.00	-63.90	-63.90
1G	8G	1M	AV	7.2475G	-57.25	-27.00	-30.25	5.70	0.00	-62.95	-62.95
1G	8G	1M	AV	7.25188G	-58.10	-41.20	-16.90	5.70	0.00	-63.80	-63.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

7115MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	4.74325G	-47.24	-21.20	-26.04	5.70	0.00	-52.94	-52.94
1G	8G	1M	PK	5.0705G	-49.57	-21.20	-28.37	5.70	0.00	-55.27	-55.27
1G	8G	1M	PK	7.2475G	-49.47	-7.00	-42.47	5.70	0.00	-55.17	-55.17
1G	8G	1M	PK	7.307G	-49.72	-21.20	-28.52	5.70	0.00	-55.42	-55.42

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

7115MHz

27/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	4.74325G	-51.62	-41.20	-10.42	5.70	0.00	-57.32	-57.32
1G	8G	1M	AV	5.07138G	-58.05	-41.20	-16.85	5.70	0.00	-63.75	-63.75
1G	8G	1M	AV	7.125G	-55.31	-27.00	-28.31	5.70	0.00	-61.01	-61.01
1G	8G	1M	AV	7.299G	-57.80	-41.20	-16.60	5.70	0.00	-63.50	-63.50

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	8G	AV	-59.32	-64.32	-64.32	-41.20	-18.12	5.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	8G	AV	-57.59	-63.39	-63.39	-41.20	-16.39	5.80

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	8G	AV	5.0845G	5.00	-64.52	-64.52	-59.52	-41.20	-18.32
5955MHz	Pass	1G	8G	AV	7.25188G	5.00	-65.72	-65.72	-60.72	-41.20	-19.52
5955MHz	Pass	1G	8G	PK	4.98475G	5.00	-55.90	-55.90	-50.90	-21.20	-29.70
5955MHz	Pass	1G	8G	PK	5.44325G	5.00	-56.13	-56.13	-51.13	-21.20	-29.93
5955MHz	Pass	1G	8G	PK	7.29038G	5.00	-57.62	-57.62	-52.62	-21.20	-31.42
6195MHz	Pass	1G	8G	AV	5.03813G	5.00	-64.32	-64.32	-59.32	-41.20	-18.12
6195MHz	Pass	1G	8G	AV	7.25713G	5.00	-65.44	-65.44	-60.44	-41.20	-19.24
6195MHz	Pass	1G	8G	PK	4.86838G	5.00	-55.44	-55.44	-50.44	-21.20	-29.24
6195MHz	Pass	1G	8G	PK	5.389G	5.00	-56.66	-56.66	-51.66	-21.20	-30.46
6195MHz	Pass	1G	8G	PK	7.279G	5.00	-57.64	-57.64	-52.64	-21.20	-31.44
6415MHz	Pass	1G	8G	AV	5.00663G	5.00	-64.64	-64.64	-59.64	-41.20	-18.44
6415MHz	Pass	1G	8G	AV	5.04425G	5.00	-64.64	-64.64	-59.64	-41.20	-18.44
6415MHz	Pass	1G	8G	AV	7.25975G	5.00	-66.10	-66.10	-61.10	-41.20	-19.90
6415MHz	Pass	1G	8G	PK	5.02763G	5.00	-55.36	-55.36	-50.36	-21.20	-29.16
6415MHz	Pass	1G	8G	PK	7.279G	5.00	-58.23	-58.23	-53.23	-21.20	-32.03
6535MHz	Pass	1G	8G	AV	5.43975G	5.80	-63.84	-63.84	-58.04	-41.20	-16.84
6535MHz	Pass	1G	8G	AV	7.30175G	5.80	-66.49	-66.49	-60.69	-41.20	-19.49
6535MHz	Pass	1G	8G	PK	5.38463G	5.80	-55.10	-55.10	-49.30	-21.20	-28.10
6535MHz	Pass	1G	8G	PK	7.54588G	5.80	-57.82	-57.82	-52.02	-21.20	-30.82
6695MHz	Pass	1G	8G	AV	5.35925G	5.80	-63.98	-63.98	-58.18	-41.20	-16.98
6695MHz	Pass	1G	8G	AV	7.28775G	5.80	-66.05	-66.05	-60.25	-41.20	-19.05
6695MHz	Pass	1G	8G	PK	5.42488G	5.80	-55.88	-55.88	-50.08	-21.20	-28.88
6695MHz	Pass	1G	8G	PK	7.286G	5.80	-57.81	-57.81	-52.01	-21.20	-30.81
6855MHz	Pass	1G	8G	AV	4.57G	5.80	-63.39	-63.39	-57.59	-41.20	-16.39
6855MHz	Pass	1G	8G	AV	5.431G	5.80	-64.13	-64.13	-58.33	-41.20	-17.13
6855MHz	Pass	1G	8G	AV	7.28688G	5.80	-65.76	-65.76	-59.96	-41.20	-18.76
6855MHz	Pass	1G	8G	PK	4.94625G	5.80	-56.19	-56.19	-50.39	-21.20	-29.19
6855MHz	Pass	1G	8G	PK	5.35488G	5.80	-56.54	-56.54	-50.74	-21.20	-29.54
6855MHz	Pass	1G	8G	PK	7.30525G	5.80	-57.93	-57.93	-52.13	-21.20	-30.93


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	4.98475G	-50.90	-21.20	-29.70	5.00	0.00	-55.90	-55.90
1G	8G	1M	PK	5.44325G	-51.13	-21.20	-29.93	5.00	0.00	-56.13	-56.13
1G	8G	1M	PK	7.29038G	-52.62	-21.20	-31.42	5.00	0.00	-57.62	-57.62

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.0845G	-59.52	-41.20	-18.32	5.00	0.00	-64.52	-64.52
1G	8G	1M	AV	7.25188G	-60.72	-41.20	-19.52	5.00	0.00	-65.72	-65.72

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6195MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	4.86838G	-50.44	-21.20	-29.24	5.00	0.00	-55.44	-55.44
1G	8G	1M	PK	5.389G	-51.66	-21.20	-30.46	5.00	0.00	-56.66	-56.66
1G	8G	1M	PK	7.279G	-52.64	-21.20	-31.44	5.00	0.00	-57.64	-57.64

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6195MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.03813G	-59.32	-41.20	-18.12	5.00	0.00	-64.32	-64.32
1G	8G	1M	AV	7.25713G	-60.44	-41.20	-19.24	5.00	0.00	-65.44	-65.44

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6415MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.02763G	-50.36	-21.20	-29.16	5.00	0.00	-55.36	-55.36
1G	8G	1M	PK	7.279G	-53.23	-21.20	-32.03	5.00	0.00	-58.23	-58.23

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6415MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.00663G	-59.64	-41.20	-18.44	5.00	0.00	-64.64	-64.64
1G	8G	1M	AV	5.04425G	-59.64	-41.20	-18.44	5.00	0.00	-64.64	-64.64
1G	8G	1M	AV	7.25975G	-61.10	-41.20	-19.90	5.00	0.00	-66.10	-66.10

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6535MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.38463G	-49.30	-21.20	-28.10	5.80	0.00	-55.10	-55.10
1G	8G	1M	PK	7.54588G	-52.02	-21.20	-30.82	5.80	0.00	-57.82	-57.82

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6535MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.43975G	-58.04	-41.20	-16.84	5.80	0.00	-63.84	-63.84
1G	8G	1M	AV	7.30175G	-60.69	-41.20	-19.49	5.80	0.00	-66.49	-66.49

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6695MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.42488G	-50.08	-21.20	-28.88	5.80	0.00	-55.88	-55.88
1G	8G	1M	PK	7.286G	-52.01	-21.20	-30.81	5.80	0.00	-57.81	-57.81

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6695MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.35925G	-58.18	-41.20	-16.98	5.80	0.00	-63.98	-63.98
1G	8G	1M	AV	7.28775G	-60.25	-41.20	-19.05	5.80	0.00	-66.05	-66.05

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

6855MHz

27/12/2024



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	4.94625G	-50.39	-21.20	-29.19	5.80	0.00	-56.19	-56.19
1G	8G	1M	PK	5.95488G	-50.74	-21.20	-29.54	5.80	0.00	-56.54	-56.54
1G	8G	1M	PK	7.30525G	-52.13	-21.20	-30.93	5.80	0.00	-57.93	-57.93

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

6855MHz

27/12/2024



Limit.AV
EIRP.AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	4.57G	-57.59	-41.20	-16.39	5.80	0.00	-63.39	-63.39
1G	8G	1M	AV	5.4316G	-58.33	-41.20	-17.13	5.80	0.00	-64.13	-64.13
1G	8G	1M	AV	7.28688G	-59.96	-41.20	-18.76	5.80	0.00	-65.76	-65.76

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-51.77	-56.77	-56.77	-41.20	-10.57	5.00
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-52.15	-57.15	-57.15	-41.20	-10.95	5.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-50.97	-56.77	-56.77	-41.20	-9.77	5.80
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-51.34	-57.04	-57.04	-41.20	-10.14	5.70

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	8G	40G	AV	11.902G	5.00	-66.65	-66.65	-61.65	-41.20	-20.45
5955MHz	Pass	8G	40G	AV	39.801G	5.00	-57.47	-57.47	-52.47	-41.20	-11.27
5955MHz	Pass	8G	40G	PK	11.899G	5.00	-59.37	-59.37	-54.37	-21.20	-33.17
5955MHz	Pass	8G	40G	PK	39.792G	5.00	-48.89	-48.89	-43.89	-21.20	-22.69
6195MHz	Pass	8G	40G	AV	12.393G	5.00	-66.52	-66.52	-61.52	-41.20	-20.32
6195MHz	Pass	8G	40G	AV	39.875G	5.00	-57.50	-57.50	-52.50	-41.20	-11.30
6195MHz	Pass	8G	40G	PK	12.393G	5.00	-60.19	-60.19	-55.19	-21.20	-33.99
6195MHz	Pass	8G	40G	PK	39.452G	5.00	-49.00	-49.00	-44.00	-21.20	-22.80
6415MHz	Pass	8G	40G	AV	12.82G	5.00	-65.70	-65.70	-60.70	-27.00	-33.70
6415MHz	Pass	8G	40G	AV	39.822G	5.00	-56.77	-56.77	-51.77	-41.20	-10.57
6415MHz	Pass	8G	40G	PK	12.817G	5.00	-58.60	-58.60	-53.60	-7.00	-46.60
6415MHz	Pass	8G	40G	PK	39.938G	5.00	-49.09	-49.09	-44.09	-21.20	-22.89
6435MHz	Pass	8G	40G	AV	12.86G	5.00	-66.54	-66.54	-61.54	-27.00	-34.54
6435MHz	Pass	8G	40G	AV	39.044G	5.00	-57.29	-57.29	-52.29	-41.20	-11.09
6435MHz	Pass	8G	40G	PK	12.852G	5.00	-57.77	-57.77	-52.77	-7.00	-45.77
6435MHz	Pass	8G	40G	PK	39.175G	5.00	-49.38	-49.38	-44.38	-21.20	-23.18
6475MHz	Pass	8G	40G	AV	12.932G	5.00	-66.88	-66.88	-61.88	-27.00	-34.88
6475MHz	Pass	8G	40G	AV	39.801G	5.00	-57.16	-57.16	-52.16	-41.20	-10.96
6475MHz	Pass	8G	40G	PK	12.939G	5.00	-59.82	-59.82	-54.82	-7.00	-47.82
6475MHz	Pass	8G	40G	PK	39.077G	5.00	-49.17	-49.17	-44.17	-21.20	-22.97
6515MHz	Pass	8G	40G	AV	13.015G	5.00	-66.63	-66.63	-61.63	-27.00	-34.63
6515MHz	Pass	8G	40G	AV	39.788G	5.00	-57.15	-57.15	-52.15	-41.20	-10.95
6515MHz	Pass	8G	40G	PK	13.015G	5.00	-59.98	-59.98	-54.98	-7.00	-47.98
6515MHz	Pass	8G	40G	PK	39.809G	5.00	-47.89	-47.89	-42.89	-21.20	-21.69
6535MHz	Pass	8G	40G	AV	13.083G	5.80	-66.59	-66.59	-60.79	-27.00	-33.79
6535MHz	Pass	8G	40G	AV	39.812G	5.80	-56.77	-56.77	-50.97	-41.20	-9.77
6535MHz	Pass	8G	40G	PK	13.064G	5.80	-59.25	-59.25	-53.45	-7.00	-46.45
6535MHz	Pass	8G	40G	PK	39.849G	5.80	-48.43	-48.43	-42.63	-21.20	-21.43
6695MHz	Pass	8G	40G	AV	13.378G	5.80	-66.54	-66.54	-60.74	-41.20	-19.54
6695MHz	Pass	8G	40G	AV	39.83G	5.80	-56.91	-56.91	-51.11	-41.20	-9.91
6695MHz	Pass	8G	40G	PK	13.384G	5.80	-61.00	-61.00	-55.20	-21.20	-34.00
6695MHz	Pass	8G	40G	PK	38.747G	5.80	-49.13	-49.13	-43.33	-21.20	-22.13
6875MHz	Pass	8G	40G	AV	13.743G	5.80	-65.91	-65.91	-60.11	-27.00	-33.11
6875MHz	Pass	8G	40G	AV	39.141G	5.80	-57.08	-57.08	-51.28	-41.20	-10.08
6875MHz	Pass	8G	40G	PK	13.753G	5.80	-58.96	-58.96	-53.16	-7.00	-46.16
6875MHz	Pass	8G	40G	PK	39.868G	5.80	-49.31	-49.31	-43.51	-21.20	-22.31
6895MHz	Pass	8G	40G	AV	13.803G	5.70	-66.10	-66.10	-60.40	-27.00	-33.40
6895MHz	Pass	8G	40G	AV	39.798G	5.70	-57.07	-57.07	-51.37	-41.20	-10.17
6895MHz	Pass	8G	40G	PK	13.785G	5.70	-57.56	-57.56	-51.86	-7.00	-44.86
6895MHz	Pass	8G	40G	PK	39.095G	5.70	-49.55	-49.55	-43.85	-21.20	-22.65
6995MHz	Pass	8G	40G	AV	14.007G	5.70	-66.20	-66.20	-60.50	-27.00	-33.50
6995MHz	Pass	8G	40G	AV	39.097G	5.70	-57.06	-57.06	-51.36	-41.20	-10.16
6995MHz	Pass	8G	40G	PK	13.998G	5.70	-59.51	-59.51	-53.81	-7.00	-46.81
6995MHz	Pass	8G	40G	PK	39.86G	5.70	-48.74	-48.74	-43.04	-21.20	-21.84
7095MHz	Pass	8G	40G	AV	14.194G	5.70	-65.46	-65.46	-59.76	-27.00	-32.76
7095MHz	Pass	8G	40G	AV	39.188G	5.70	-57.04	-57.04	-51.34	-41.20	-10.14
7095MHz	Pass	8G	40G	PK	14.19G	5.70	-57.95	-57.95	-52.25	-7.00	-45.25
7095MHz	Pass	8G	40G	PK	38.971G	5.70	-48.54	-48.54	-42.84	-21.20	-21.64
7115MHz	Pass	8G	40G	AV	14.223G	5.70	-65.37	-65.37	-59.67	-27.00	-32.67
7115MHz	Pass	8G	40G	AV	39.793G	5.70	-57.04	-57.04	-51.34	-41.20	-10.14
7115MHz	Pass	8G	40G	PK	14.221G	5.70	-57.32	-57.32	-51.62	-7.00	-44.62
7115MHz	Pass	8G	40G	PK	39.993G	5.70	-48.74	-48.74	-43.04	-21.20	-21.84


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.899G	-54.37	-21.20	-33.17	5.00	0.00	-59.37	-59.37
8G	40G	1M	PK	39.792G	-43.89	-21.20	-22.69	5.00	0.00	-48.89	-48.89

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.902G	-61.65	-41.20	-20.45	5.00	0.00	-66.65	-66.65
8G	40G	1M	AV	39.801G	-52.47	-41.20	-11.27	5.00	0.00	-57.47	-57.47

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6195MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.393G	-55.19	-21.20	-33.99	5.00	0.00	-60.19	-60.19
8G	40G	1M	PK	39.452G	-44.00	-21.20	-22.80	5.00	0.00	-49.00	-49.00

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6195MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.393G	-61.52	-41.20	-20.32	5.00	0.00	-66.52	-66.52
8G	40G	1M	AV	39.875G	-52.50	-41.20	-11.30	5.00	0.00	-57.50	-57.50

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6415MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.817G	-53.60	-7.00	-46.60	5.00	0.00	-58.60	-58.60
8G	40G	1M	PK	39.938G	-44.09	-21.20	-22.89	5.00	0.00	-49.09	-49.09

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6415MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.82G	-60.70	-27.00	-33.70	5.00	0.00	-65.70	-65.70
8G	40G	1M	AV	39.822G	-51.77	-41.20	-10.57	5.00	0.00	-56.77	-56.77

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6435MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.852G	-52.77	-7.00	-45.77	5.00	0.00	-57.77	-57.77
8G	40G	1M	PK	39.175G	-44.38	-21.20	-23.18	5.00	0.00	-49.38	-49.38

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6435MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.86G	-61.54	-27.00	-34.54	5.00	0.00	-66.54	-66.54
8G	40G	1M	AV	39.044G	-52.29	-41.20	-11.09	5.00	0.00	-57.29	-57.29

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6475MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.939G	-54.82	-7.00	-47.82	5.00	0.00	-59.82	-59.82
8G	40G	1M	PK	39.077G	-44.17	-21.20	-22.97	5.00	0.00	-49.17	-49.17

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6475MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.932G	-61.88	-27.00	-34.88	5.00	0.00	-66.88	-66.88
8G	40G	1M	AV	39.801G	-52.16	-41.20	-10.96	5.00	0.00	-57.16	-57.16

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6515MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.015G	-54.98	-7.00	-47.98	5.00	0.00	-59.98	-59.98
8G	40G	1M	PK	39.809G	-42.89	-21.20	-21.69	5.00	0.00	-47.89	-47.89

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6515MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.015G	-61.63	-27.00	-34.63	5.00	0.00	-66.63	-66.63
8G	40G	1M	AV	39.788G	-52.15	-41.20	-10.95	5.00	0.00	-57.15	-57.15

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6535MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.064G	-53.45	-7.00	-46.45	5.80	0.00	-59.25	-59.25
8G	40G	1M	PK	39.849G	-42.63	-21.20	-21.43	5.80	0.00	-48.43	-48.43

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6535MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.083G	-60.79	-27.00	-33.79	5.80	0.00	-66.59	-66.59
8G	40G	1M	AV	39.812G	-50.97	-41.20	-9.77	5.80	0.00	-56.77	-56.77

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6695MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.384G	-55.20	-21.20	-34.00	5.80	0.00	-61.00	-61.00
8G	40G	1M	PK	38.747G	-43.33	-21.20	-22.13	5.80	0.00	-49.13	-49.13

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6695MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.378G	-60.74	-41.20	-19.54	5.80	0.00	-66.54	-66.54
8G	40G	1M	AV	39.83G	-51.11	-41.20	-9.91	5.80	0.00	-56.91	-56.91

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6875MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.753G	-53.16	-7.00	-46.16	5.80	0.00	-58.96	-58.96
8G	40G	1M	PK	39.868G	-43.51	-21.20	-22.31	5.80	0.00	-49.31	-49.31

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6875MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.743G	-60.11	-27.00	-33.11	5.80	0.00	-65.91	-65.91
8G	40G	1M	AV	39.141G	-51.28	-41.20	-10.08	5.80	0.00	-57.08	-57.08

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6895MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.785G	-51.86	-7.00	-44.86	5.70	0.00	-57.56	-57.56
8G	40G	1M	PK	39.095G	-43.85	-21.20	-22.65	5.70	0.00	-49.55	-49.55

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6895MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.803G	-60.40	-27.00	-33.40	5.70	0.00	-66.10	-66.10
8G	40G	1M	AV	39.798G	-51.37	-41.20	-10.17	5.70	0.00	-57.07	-57.07

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6995MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.998G	-53.81	-7.00	-46.81	5.70	0.00	-59.51	-59.51
8G	40G	1M	PK	39.86G	-43.04	-21.20	-21.84	5.70	0.00	-48.74	-48.74

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6995MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	14.007G	-60.50	-27.00	-33.50	5.70	0.00	-66.20	-66.20
8G	40G	1M	AV	39.097G	-51.36	-41.20	-10.16	5.70	0.00	-57.06	-57.06

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

7095MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	14.19G	-52.25	-7.00	-45.25	5.70	0.00	-57.95	-57.95
8G	40G	1M	PK	38.971G	-42.84	-21.20	-21.64	5.70	0.00	-48.54	-48.54

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

7095MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	14.194G	-59.76	-27.00	-32.76	5.70	0.00	-65.46	-65.46
8G	40G	1M	AV	39.188G	-51.34	-41.20	-10.14	5.70	0.00	-57.04	-57.04

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

7115MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	14.221G	-51.62	-7.00	-44.62	5.70	0.00	-57.32	-57.32
8G	40G	1M	PK	39.993G	-43.04	-21.20	-21.84	5.70	0.00	-48.74	-48.74

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

7115MHz

27/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	14.223G	-59.67	-27.00	-32.67	5.70	0.00	-65.37	-65.37
8G	40G	1M	AV	39.793G	-51.34	-41.20	-10.14	5.70	0.00	-57.04	-57.04

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-52.03	-57.03	-57.03	-41.20	-10.83	5.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-50.73	-56.53	-56.53	-41.20	-9.53	5.80

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	8G	40G	AV	11.904G	5.00	-66.31	-66.31	-61.31	-41.20	-20.11
5955MHz	Pass	8G	40G	AV	39.852G	5.00	-57.37	-57.37	-52.37	-41.20	-11.17
5955MHz	Pass	8G	40G	PK	11.914G	5.00	-58.82	-58.82	-53.82	-21.20	-32.62
5955MHz	Pass	8G	40G	PK	39.88G	5.00	-49.58	-49.58	-44.58	-21.20	-23.38
6195MHz	Pass	8G	40G	AV	12.388G	5.00	-66.87	-66.87	-61.87	-41.20	-20.67
6195MHz	Pass	8G	40G	AV	39.8G	5.00	-57.34	-57.34	-52.34	-41.20	-11.14
6195MHz	Pass	8G	40G	PK	12.388G	5.00	-59.77	-59.77	-54.77	-21.20	-33.57
6195MHz	Pass	8G	40G	PK	39.85G	5.00	-49.35	-49.35	-44.35	-21.20	-23.15
6415MHz	Pass	8G	40G	AV	12.84G	5.00	-65.38	-65.38	-60.38	-27.00	-33.38
6415MHz	Pass	8G	40G	AV	39.809G	5.00	-57.03	-57.03	-52.03	-41.20	-10.83
6415MHz	Pass	8G	40G	PK	12.823G	5.00	-59.63	-59.63	-54.63	-7.00	-47.63
6415MHz	Pass	8G	40G	PK	39.802G	5.00	-48.66	-48.66	-43.66	-21.20	-22.46
6535MHz	Pass	8G	40G	AV	13.071G	5.80	-66.15	-66.15	-60.35	-27.00	-33.35
6535MHz	Pass	8G	40G	AV	39.882G	5.80	-57.23	-57.23	-51.43	-41.20	-10.23
6535MHz	Pass	8G	40G	PK	13.053G	5.80	-59.48	-59.48	-53.68	-7.00	-46.68
6535MHz	Pass	8G	40G	PK	38.657G	5.80	-49.03	-49.03	-43.23	-21.20	-22.03
6695MHz	Pass	8G	40G	AV	13.374G	5.80	-67.25	-67.25	-61.45	-41.20	-20.25
6695MHz	Pass	8G	40G	AV	39.799G	5.80	-56.53	-56.53	-50.73	-41.20	-9.53
6695MHz	Pass	8G	40G	PK	13.399G	5.80	-60.66	-60.66	-54.86	-21.20	-33.66
6695MHz	Pass	8G	40G	PK	38.747G	5.80	-49.18	-49.18	-43.38	-21.20	-22.18
6855MHz	Pass	8G	40G	AV	13.705G	5.80	-66.15	-66.15	-60.35	-27.00	-33.35
6855MHz	Pass	8G	40G	AV	39.109G	5.80	-56.65	-56.65	-50.85	-41.20	-9.65
6855MHz	Pass	8G	40G	PK	13.695G	5.80	-57.98	-57.98	-52.18	-7.00	-45.18
6855MHz	Pass	8G	40G	PK	39.551G	5.80	-49.27	-49.27	-43.47	-21.20	-22.27


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.914G	-53.82	-21.20	-32.62	5.00	0.00	-58.82	-58.82
8G	40G	1M	PK	39.88G	-44.58	-21.20	-23.38	5.00	0.00	-49.58	-49.58

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.904G	-61.31	-41.20	-20.11	5.00	0.00	-66.31	-66.31
8G	40G	1M	AV	39.852G	-52.37	-41.20	-11.17	5.00	0.00	-57.37	-57.37

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6195MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.388G	-54.77	-21.20	-33.57	5.00	0.00	-59.77	-59.77
8G	40G	1M	PK	39.85G	-44.35	-21.20	-23.15	5.00	0.00	-49.35	-49.35

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6195MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.388G	-61.87	-41.20	-20.67	5.00	0.00	-66.87	-66.87
8G	40G	1M	AV	39.8G	-52.34	-41.20	-11.14	5.00	0.00	-57.34	-57.34

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6415MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	12.823G	-54.63	-7.00	-47.63	5.00	0.00	-59.63	-59.63
8G	40G	1M	PK	39.802G	-43.66	-21.20	-22.46	5.00	0.00	-48.66	-48.66

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6415MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	12.84G	-60.38	-27.00	-33.38	5.00	0.00	-65.38	-65.38
8G	40G	1M	AV	39.809G	-52.03	-41.20	-10.83	5.00	0.00	-57.03	-57.03

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6535MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.053G	-53.68	-7.00	-46.68	5.80	0.00	-59.48	-59.48
8G	40G	1M	PK	38.657G	-43.23	-21.20	-22.03	5.80	0.00	-49.03	-49.03

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6535MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.071G	-60.35	-27.00	-33.35	5.80	0.00	-66.15	-66.15
8G	40G	1M	AV	39.882G	-51.43	-41.20	-10.23	5.80	0.00	-57.23	-57.23

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6695MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.399G	-54.86	-21.20	-33.66	5.80	0.00	-60.66	-60.66
8G	40G	1M	PK	38.747G	-43.38	-21.20	-22.18	5.80	0.00	-49.18	-49.18

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6695MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.374G	-61.45	-41.20	-20.25	5.80	0.00	-67.25	-67.25
8G	40G	1M	AV	39.799G	-50.73	-41.20	-9.53	5.80	0.00	-56.53	-56.53

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [PK]

6855MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	13.695G	-52.18	-7.00	-45.18	5.80	0.00	-57.98	-57.98
8G	40G	1M	PK	39.551G	-43.47	-21.20	-22.27	5.80	0.00	-49.27	-49.27

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE [AV]

6855MHz

27/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	13.705G	-60.35	-27.00	-33.35	5.80	0.00	-66.15	-66.15
8G	40G	1M	AV	39.109G	-50.85	-41.20	-9.65	5.80	0.00	-56.65	-56.65

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	7.15988G	5.00	-50.80	-50.80	-45.80	-27.00	-18.80
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	7.09G	7.14G	AV	7.1255G	5.70	-45.96	-45.96	-27.23	-27.00	-0.23

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.90804G	5.00	-52.65	-52.65	-47.65	-27.00	-20.65
5955MHz	Pass	5.885G	7.165G	AV	7.15988G	5.00	-50.80	-50.80	-45.80	-27.00	-18.80
5955MHz	Pass	5.885G	7.165G	PK	5.88756G	5.00	-40.19	-40.19	-35.19	-7.00	-28.19
5955MHz	Pass	5.885G	7.165G	PK	7.1618G	5.00	-38.61	-38.61	-33.61	-7.00	-26.61
7095MHz	Pass	5.885G	7.165G	AV	5.90868G	5.70	-52.73	-52.73	-47.03	-27.00	-20.03
7095MHz	Pass	5.885G	7.165G	AV	7.15796G	5.70	-50.90	-50.90	-45.20	-27.00	-18.20
7095MHz	Pass	5.885G	7.165G	PK	5.917G	5.70	-40.59	-40.59	-34.89	-7.00	-27.89
7095MHz	Pass	5.885G	7.165G	PK	7.14772G	5.70	-38.82	-38.82	-33.12	-7.00	-26.12
7115MHz	Pass	7.09G	7.14G	AV	7.1255G	5.70	-45.96	-45.96	-27.23	-27.00	-0.23
7115MHz	Pass	7.09G	7.14G	PK	7.1255G	5.70	-36.49	-36.49	-19.05	-7.00	-12.05


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5955MHz

24/12/2024



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.88756G	-35.19	-7.00	-28.19	5.00	0.00	-40.19	-40.19
5.885G	7.165G	1M	PK	7.1618G	-33.61	-7.00	-26.61	5.00	0.00	-38.61	-38.61

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5955MHz

24/12/2024



Limit.AV
EIRP.AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.90804G	-47.65	-27.00	-20.65	5.00	0.00	-52.65	-52.65
5.885G	7.165G	1M	AV	7.15988G	-45.80	-27.00	-18.80	5.00	0.00	-50.80	-50.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

7095MHz

24/12/2024



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.917G	-34.89	-7.00	-27.89	5.70	0.00	-40.59	-40.59
5.885G	7.165G	1M	PK	7.14772G	-33.12	-7.00	-26.12	5.70	0.00	-38.82	-38.82

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

7095MHz

24/12/2024



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.90868G	-47.03	-27.00	-20.03	5.70	0.00	-52.73	-52.73
5.885G	7.165G	1M	AV	7.15796G	-45.20	-27.00	-18.20	5.70	0.00	-50.90	-50.90

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

7115MHz

27/12/2024



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
7.09G	7.14G	100k(BP1M)	PK	7.1255G	-19.05	-7.00	-12.05	5.70	0.00	-36.49	-36.49

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

7115MHz

27/12/2024



Limit.AV
EIRP.AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
7.09G	7.14G	100k(BP1M)	AV	7.1255G	-27.23	-27.00	-0.23	5.70	0.00	-45.96	-45.96



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.92468G	5.00	-32.04	-32.04	-27.04	-27.00	-0.04

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	5.00	-32.04	-32.04	-27.04	-27.00	-0.04
5955MHz	Pass	5.885G	7.165G	AV	7.13108G	5.00	-49.78	-49.78	-44.78	-27.00	-17.78
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	5.00	-21.77	-21.77	-16.77	-7.00	-9.77
5955MHz	Pass	5.885G	7.165G	PK	7.14772G	5.00	-38.94	-38.94	-33.94	-7.00	-26.94


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5955MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.92468G	-16.77	-7.00	-9.77	5.00	0.00	-21.77	-21.77
5.885G	7.165G	1M	PK	7.14772G	-33.94	-7.00	-26.94	5.00	0.00	-38.94	-38.94

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5955MHz

27/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.92468G	-27.04	-27.00	-0.04	5.00	0.00	-32.04	-32.04
5.885G	7.165G	1M	AV	7.13108G	-44.78	-27.00	-17.78	5.00	0.00	-49.78	-49.78




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	20.5503G	43.83	54.00	-10.17	3	Vertical	59	1.57	-

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 22.5
06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71234G	57.61	88.20	-30.59	69.60	3	Vertical	224	2.51	-	40.32	12.03	64.34			
RMS	13.7247G	45.23	68.20	-22.97	57.20	3	Vertical	224	2.51	-	40.35	12.03	64.35			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 22.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72086G	58.06	88.20	-30.14	70.04	3	Horizontal	352	2.77	-	40.34	12.03	64.35			
RMS	13.72446G	45.19	68.20	-23.01	57.16	3	Horizontal	352	2.77	-	40.35	12.03	64.35			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 22.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55306G	59.89	74.00	-14.11	55.07	3	Vertical	59	1.57	-	37.90	15.62	48.70			
AV	20.5503G	43.83	54.00	-10.17	39.01	3	Vertical	59	1.57	-	37.90	15.62	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX



EUT Y_1TX
Setting 22.5
06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55636G	59.96	74.00	-14.04	55.14	3	Horizontal	158	1.07	-	37.90	15.62	48.70			
AV	20.55072G	43.83	54.00	-10.17	39.01	3	Horizontal	158	1.07	-	37.90	15.62	48.70			



**RSE TX above 1GHz_R4_Indoor AP_Narrow Beam_Full RU_
Non-BF mode**


Appendix E.9

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	68.05	68.20	-0.15	3	Vertical	4	1.80	5_BP 1MHz

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8896G	60.61	88.20	-27.59	53.30	3	Vertical	355	1.70	9	34.46	8.05	35.20			
RMS	5.9196G	48.66	68.20	-19.54	41.23	3	Vertical	355	1.70	9	34.54	8.09	35.20			
PK	5.964G	110.51	Inf	-Inf	102.97	3	Vertical	355	1.70	9	34.60	8.13	35.19			
RMS	5.9628G	98.95	Inf	-Inf	91.41	3	Vertical	355	1.70	9	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9031G	60.61	88.20	-27.59	53.23	3	Horizontal	360	1.67	9	34.51	8.07	35.20			
RMS	5.925G	48.62	68.20	-19.58	41.18	3	Horizontal	360	1.67	9	34.55	8.09	35.20			
PK	5.9631G	107.68	Inf	-Inf	100.14	3	Horizontal	360	1.67	9	34.60	8.13	35.19			
RMS	5.9637G	96.05	Inf	-Inf	88.51	3	Horizontal	360	1.67	9	34.60	8.13	35.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 9
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90529G	48.80	74.00	-25.20	63.55	3	Vertical	187	1.71	-	38.79	12.26	65.80			
AV	11.9148G	36.70	54.00	-17.30	51.46	3	Vertical	187	1.71	-	38.77	12.27	65.80			
PK	17.86593G	54.72	74.00	-19.28	61.91	3	Vertical	11	1.53	-	41.16	14.19	62.54			
AV	17.86784G	42.52	54.00	-11.48	49.70	3	Vertical	11	1.53	-	41.17	14.19	62.54			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 9
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90808G	49.30	74.00	-24.70	64.05	3	Horizontal	4	1.91	-	38.78	12.27	65.80			
AV	11.91378G	36.68	54.00	-17.32	51.44	3	Horizontal	4	1.91	-	38.77	12.27	65.80			
PK	17.86967G	54.07	74.00	-19.93	61.24	3	Horizontal	262	1.46	-	41.18	14.19	62.54			
AV	17.86766G	42.52	54.00	-11.48	49.70	3	Horizontal	262	1.46	-	41.17	14.19	62.54			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82252G	51.79	83.54	-31.75	43.08	1	Vertical	258	1.65	-	39.10	17.28	47.67			
AV	23.82174G	39.63	63.54	-23.91	30.92	1	Vertical	258	1.65	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 9
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82058G	51.90	83.54	-31.64	43.19	1	Horizontal	101	1.74	-	39.10	17.28	47.67			
AV	23.82188G	39.63	63.54	-23.91	30.92	1	Horizontal	101	1.74	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38912G	49.24	74.00	-24.76	63.48	3	Vertical	13	1.73	-	38.58	12.57	65.39			
AV	12.39496G	37.22	54.00	-16.78	51.43	3	Vertical	13	1.73	-	38.59	12.58	65.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39368G	49.35	74.00	-24.65	63.58	3	Horizontal	12	1.41	-	38.59	12.57	65.39			
AV	12.39476G	37.22	54.00	-16.78	51.43	3	Horizontal	12	1.41	-	38.59	12.58	65.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58858G	47.67	83.54	-35.87	43.01	1	Vertical	263	1.95	-	37.80	15.25	48.39			
AV	18.58072G	35.53	63.54	-28.01	30.85	1	Vertical	263	1.95	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 8.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58802G	47.99	83.54	-35.55	43.33	1	Horizontal	133	1.80	-	37.80	15.25	48.39			
AV	18.58356G	35.58	63.54	-27.96	30.91	1	Horizontal	133	1.80	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83063G	49.18	88.20	-39.02	62.30	3	Vertical	294	1.75	-	39.32	12.81	65.25			
RMS	12.83122G	37.43	68.20	-30.77	50.55	3	Vertical	294	1.75	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82878G	49.41	88.20	-38.79	62.53	3	Horizontal	110	1.73	-	39.32	12.81	65.25			
RMS	12.83141G	37.44	68.20	-30.76	50.55	3	Horizontal	110	1.73	-	39.33	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24022G	47.62	83.54	-35.92	43.24	1	Vertical	347	2.50	-	37.96	15.22	48.80			
AV	19.2476G	35.37	63.54	-28.17	30.96	1	Vertical	347	2.50	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24768G	48.29	83.54	-35.25	43.88	1	Horizontal	4	1.64	-	37.99	15.22	48.80			
AV	19.24856G	35.36	63.54	-28.18	30.95	1	Horizontal	4	1.64	-	37.99	15.22	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87397G	49.39	88.20	-38.81	62.40	3	Vertical	323	1.98	-	39.40	12.84	65.25			
RMS	12.86503G	37.67	68.20	-30.53	50.69	3	Vertical	323	1.98	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8749G	50.04	88.20	-38.16	63.05	3	Horizontal	196	1.48	-	39.40	12.84	65.25			
RMS	12.86514G	37.67	68.20	-30.53	50.69	3	Horizontal	196	1.48	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30682G	47.44	83.54	-36.10	43.23	1	Vertical	214	1.36	-	37.80	15.21	48.80			
AV	19.30226G	35.29	63.54	-28.25	31.08	1	Vertical	214	1.36	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3098G	47.43	83.54	-36.11	43.22	1	Horizontal	339	1.97	-	37.80	15.21	48.80			
AV	19.30542G	35.30	63.54	-28.24	31.09	1	Horizontal	339	1.97	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94983G	49.57	88.20	-38.63	62.43	3	Vertical	251	1.78	-	39.50	12.88	65.24			
RMS	12.95065G	36.72	68.20	-31.48	49.58	3	Vertical	251	1.78	-	39.50	12.88	65.24			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX



EUT_V_1TX
Setting 8
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95058G	50.15	88.20	-38.05	63.01	3	Horizontal	124	2.21	-	39.50	12.88	65.24			
RMS	12.95059G	36.79	68.20	-31.41	49.65	3	Horizontal	124	2.21	-	39.50	12.88	65.24			