


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5300MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14696G	-35.39	-21.20	-14.19	9.22	0.00	-44.61	-47.81	-47.43
5.11G	5.39G	1M	PK	5.35122G	-30.29	-21.20	-9.09	9.22	0.00	-39.51	-43.85	-41.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5300MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14906G	-47.89	-41.20	-6.69	9.22	0.00	-57.11	-60.40	-59.86
5.11G	5.39G	1M	AV	5.35038G	-43.88	-41.20	-2.68	9.22	0.00	-53.10	-55.98	-56.24

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5320MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.13408G	-36.15	-21.20	-14.95	9.22	0.00	-45.37	-49.22	-47.68
5.11G	5.39G	1M	PK	5.35192G	-29.56	-21.20	-8.36	9.22	0.00	-38.78	-40.32	-44.03

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5320MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14542G	-48.68	-41.20	-7.48	9.22	0.00	-57.90	-60.72	-61.11
5.11G	5.39G	1M	AV	5.3501G	-42.36	-41.20	-1.16	9.22	0.00	-51.58	-53.75	-55.64

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5270MHz

19/06/2025



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14722G	-33.49	-21.20	-12.29	9.22	0.00	-42.71	-45.93	-45.52
5.07G	5.43G	1M	PK	5.35008G	-30.41	-21.20	-9.21	9.22	0.00	-39.63	-43.20	-42.14

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5270MHz

19/06/2025



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14956G	-46.05	-41.20	-4.85	9.22	0.00	-55.27	-58.12	-58.45
5.07G	5.43G	1M	AV	5.35008G	-43.70	-41.20	-2.50	9.22	0.00	-52.92	-56.12	-55.75

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5310MHz

19/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14272G	-36.42	-21.20	-15.22	9.22	0.00	-45.64	-48.26	-49.08
5.07G	5.43G	1M	PK	5.35026G	-29.18	-21.20	-7.98	9.22	0.00	-38.40	-40.67	-42.31

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5310MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14542G	-48.89	-41.20	-7.69	9.22	0.00	-58.11	-61.06	-61.19
5.07G	5.43G	1M	AV	5.35008G	-41.83	-41.20	-0.63	9.22	0.00	-51.05	-53.90	-54.23

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.14054G	-34.67	-21.20	-13.47	9.22	0.00	-43.89	-46.37	-47.50
4.99G	5.51G	1M	PK	5.3501G	-28.90	-21.20	-7.70	9.22	0.00	-38.12	-41.38	-40.89
4.99G	5.51G	1M	PK	5.4749G	-36.99	-27.00	-9.99	9.22	0.00	-46.21	-48.74	-49.77

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.14548G	-47.18	-41.20	-5.98	9.22	0.00	-56.40	-59.06	-59.79
4.99G	5.51G	1M	AV	5.3501G	-41.78	-41.20	-0.58	9.22	0.00	-51.00	-54.21	-53.81

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.145G	-29.56	-21.20	-8.36	9.22	0.00	-38.78	-40.02	-44.83
4.83G	5.67G	1M	PK	5.37474G	-30.59	-21.20	-9.39	9.22	0.00	-39.81	-41.94	-43.92
4.83G	5.67G	1M	PK	5.48268G	-37.32	-27.00	-10.32	9.22	0.00	-46.54	-51.19	-48.37

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.13828G	-42.27	-41.20	-1.07	9.22	0.00	-51.49	-53.64	-55.57
4.83G	5.67G	1M	AV	5.36928G	-43.13	-41.20	-1.93	9.22	0.00	-52.35	-55.46	-55.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5260MHz

19/06/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

5260MHz

19/06/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5300MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	PK	5.1436G	-29.99	-21.20	-8.79	12.23	0.00	-42.22	-50.95	-48.74	-49.17	-45.77
5.11G	5.39G	1M	PK	5.35248G	-29.21	-21.20	-8.01	12.23	0.00	-41.44	-47.68	-48.21	-45.77	-48.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

5300MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	AV	5.14962G	-41.63	-41.20	-0.43	12.23	0.00	-53.86	-61.95	-62.14	-61.32	-56.72
5.11G	5.39G	1M	AV	5.35052G	-41.69	-41.20	-0.49	12.23	0.00	-53.92	-59.22	-60.49	-59.61	-60.60

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5320MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	PK	5.14402G	-32.48	-21.20	-11.28	12.23	0.00	-44.71	-49.32	-51.02	-51.42	-51.56
5.11G	5.39G	1M	PK	5.35052G	-29.11	-21.20	-7.91	12.23	0.00	-41.34	-45.36	-48.35	-49.19	-47.53

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

5320MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	AV	5.14542G	-44.49	-41.20	-3.29	12.23	0.00	-56.72	-62.26	-62.92	-63.23	-62.61
5.11G	5.39G	1M	AV	5.35024G	-41.33	-41.20	-0.13	12.23	0.00	-53.56	-58.63	-60.67	-59.89	-59.40

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5260MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	PK	5.14752G	-30.09	-21.20	-8.89	12.23	0.00	-42.32	-46.20	-47.58	-49.68	-51.91
5.11G	5.39G	1M	PK	5.37446G	-29.35	-21.20	-8.15	12.23	0.00	-41.58	-46.06	-47.52	-47.11	-51.17

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5260MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	AV	5.1485G	-42.28	-41.20	-1.08	12.23	0.00	-54.51	-59.73	-59.14	-62.03	-62.01
5.11G	5.39G	1M	AV	5.37152G	-41.39	-41.20	-0.19	12.23	0.00	-53.62	-58.66	-57.97	-61.52	-61.66

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5300MHz

19/06/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5300MHz

19/06/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5320MHz

19/06/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5320MHz

19/06/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5270MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.07G	5.43G	1M	PK	5.14668G	-30.29	-21.20	-9.09	12.23	0.00	-42.52	-47.38	-49.69	-48.20	-49.28
5.07G	5.43G	1M	PK	5.36268G	-29.60	-21.20	-8.40	12.23	0.00	-41.83	-46.26	-48.64	-48.36	-48.63

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5270MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.07G	5.43G	1M	AV	5.13426G	-42.17	-41.20	-0.97	12.23	0.00	-54.40	-61.08	-61.40	-60.28	-59.25
5.07G	5.43G	1M	AV	5.35008G	-41.51	-41.20	-0.31	12.23	0.00	-53.74	-59.53	-60.11	-59.50	-59.94

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5310MHz

19/06/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5310MHz

19/06/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5290MHz

19/06/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5290MHz

19/06/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.13828G	-28.99	-21.20	-7.79	12.23	0.00	-41.22	-44.64	-50.51	-48.91	-47.11
4.83G	5.67G	1M	PK	5.37936G	-30.34	-21.20	-9.14	12.23	0.00	-42.57	-47.88	-49.46	-47.75	-49.59
4.83G	5.67G	1M	PK	5.62884G	-31.71	-27.00	-4.71	12.23	0.00	-43.94	-48.55	-49.85	-50.75	-51.18

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.1345G	-41.42	-41.20	-0.22	12.23	0.00	-53.65	-59.48	-60.31	-59.85	-59.12
4.83G	5.67G	1M	AV	5.37138G	-42.14	-41.20	-0.94	12.23	0.00	-54.37	-60.57	-60.46	-60.14	-60.39

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	4.99G	5.51G	AV	5.3514G	7.51	-50.06				-50.06	-42.55	-41.20	-1.35
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	Pass	4.99G	5.51G	AV	5.3813G	7.51	-54.08				-54.08	-46.57	-41.20	-5.37
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	4.99G	5.51G	AV	5.3501G	9.22	-56.29	-55.72			-52.99	-43.77	-41.20	-2.57
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	4.99G	5.51G	AV	5.3761G	9.22	-58.89	-56.54			-54.55	-45.33	-41.20	-4.13
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	4.99G	5.51G	AV	5.3501G	12.23	-59.98	-60.17	-60.12	-60.03	-54.05	-41.82	-41.20	-0.62
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	4.99G	5.51G	AV	5.3501G	12.23	-60.59	-60.54	-60.83	-60.49	-54.59	-42.36	-41.20	-1.16
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	Pass	4.83G	5.67G	AV	5.36046G	7.51	-49.37				-49.37	-41.86	-41.20	-0.66
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	Pass	4.83G	5.67G	AV	5.11014G	7.51	-50.78				-50.78	-43.27	-41.20	-2.07
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	Pass	4.83G	5.67G	AV	5.08284G	7.51	-48.80				-48.80	-41.29	-41.20	-0.09
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	4.83G	5.67G	PK	5.35206G	9.22	-44.93	-31.43			-31.24	-22.02	-21.20	-0.82
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	Pass	4.83G	5.67G	AV	5.10384G	9.22	-53.51	-55.46			-51.37	-42.15	-41.20	-0.95
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	4.83G	5.67G	AV	5.082G	9.22	-53.26	-55.33			-51.16	-41.94	-41.20	-0.74
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	4.83G	5.67G	AV	5.14962G	12.23	-59.02	-60.12	-60.04	-59.37	-53.59	-41.36	-41.20	-0.16
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	Pass	4.83G	5.67G	AV	5.35458G	12.23	-61.37	-61.21	-59.40	-61.06	-54.66	-42.43	-41.20	-1.23
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	4.83G	5.67G	AV	5.08368G	12.23	-58.03	-60.69	-60.61	-59.90	-53.65	-41.42	-41.20	-0.22

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14834G	7.51	-54.64				-54.64	-47.13	-41.20	-5.93
5290MHz	Pass	4.99G	5.51G	AV	5.3514G	7.51	-50.06				-50.06	-42.55	-41.20	-1.35
5290MHz	Pass	4.99G	5.51G	PK	5.14392G	7.51	-42.88				-42.88	-35.37	-21.20	-14.17
5290MHz	Pass	4.99G	5.51G	PK	5.36596G	7.51	-32.12				-32.12	-24.61	-21.20	-3.41
5290MHz	Pass	4.99G	5.51G	PK	5.47776G	7.51	-49.56				-49.56	-42.05	-27.00	-15.05
802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14392G	7.51	-54.59				-54.59	-47.08	-41.20	-5.88
5290MHz	Pass	4.99G	5.51G	AV	5.3813G	7.51	-54.08				-54.08	-46.57	-41.20	-5.37
5290MHz	Pass	4.99G	5.51G	PK	5.14366G	7.51	-38.47				-38.47	-30.96	-21.20	-9.76
5290MHz	Pass	4.99G	5.51G	PK	5.37662G	7.51	-36.36				-36.36	-28.85	-21.20	-7.65
5290MHz	Pass	4.99G	5.51G	PK	5.50792G	7.51	-49.35				-49.35	-41.84	-27.00	-14.84
802.11be EHT160_Nss1(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.09124G	7.51	-50.88				-50.88	-43.37	-41.20	-2.17
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.36046G	7.51	-49.37				-49.37	-41.86	-41.20	-0.66
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.13786G	7.51	-34.38				-34.38	-26.87	-21.20	-5.67
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.3508G	7.51	-36.45				-36.45	-28.94	-21.20	-7.74
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.50536G	7.51	-49.41				-49.41	-41.90	-27.00	-14.90
802.11be EHT160_Nss1(MCS0),RU484+3xRU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.11014G	7.51	-50.78				-50.78	-43.27	-41.20	-2.07
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35836G	7.51	-54.58				-54.58	-47.07	-41.20	-5.87
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.14626G	7.51	-31.26				-31.26	-23.75	-21.20	-2.55
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35332G	7.51	-34.11				-34.11	-26.60	-21.20	-5.40
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.47008G	7.51	-49.94				-49.94	-42.43	-27.00	-15.43
802.11be EHT160_Nss1(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.08284G	7.51	-48.80				-48.80	-41.29	-41.20	-0.09
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35122G	7.51	-55.69				-55.69	-48.18	-41.20	-6.98
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.11182G	7.51	-34.13				-34.13	-26.62	-21.20	-5.42
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35038G	7.51	-35.72				-35.72	-28.21	-21.20	-7.01
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.63388G	7.51	-50.03				-50.03	-42.52	-27.00	-15.52
802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14522G	9.22	-57.97	-58.73			-55.32	-46.10	-41.20	-4.90
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	9.22	-56.29	-55.72			-52.99	-43.77	-41.20	-2.57
5290MHz	Pass	4.99G	5.51G	PK	5.14886G	9.22	-45.77	-46.58			-43.15	-33.93	-21.20	-12.73
5290MHz	Pass	4.99G	5.51G	PK	5.35426G	9.22	-40.92	-45.52			-39.63	-30.41	-21.20	-9.21
5290MHz	Pass	4.99G	5.51G	PK	5.49154G	9.22	-51.72	-49.83			-47.66	-38.44	-27.00	-11.44
802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14548G	9.22	-58.73	-58.43			-55.57	-46.35	-41.20	-5.15
5290MHz	Pass	4.99G	5.51G	AV	5.3761G	9.22	-58.89	-56.54			-54.55	-45.33	-41.20	-4.13
5290MHz	Pass	4.99G	5.51G	PK	5.1499G	9.22	-48.94	-40.42			-39.85	-30.63	-21.20	-9.43
5290MHz	Pass	4.99G	5.51G	PK	5.36908G	9.22	-49.46	-34.98			-34.83	-25.61	-21.20	-4.41
5290MHz	Pass	4.99G	5.51G	PK	5.46866G	9.22	-50.12	-50.51			-47.30	-38.08	-27.00	-11.08
802.11be EHT160_Nss1(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.13996G	9.22	-55.23	-53.53			-51.29	-42.07	-41.20	-0.87
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35206G	9.22	-58.69	-54.23			-52.90	-43.68	-41.20	-2.48
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.14374G	9.22	-46.08	-32.29			-32.11	-22.89	-21.20	-1.69
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35206G	9.22	-44.93	-31.43			-31.24	-22.02	-21.20	-0.82
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.56794G	9.22	-50.30	-50.00			-47.14	-37.92	-27.00	-10.92
802.11be EHT160_Nss1(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.10384G	9.22	-53.51	-55.46			-51.37	-42.15	-41.20	-0.95
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35542G	9.22	-56.96	-58.22			-54.53	-45.31	-41.20	-4.11
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.12022G	9.22	-41.99	-43.66			-39.73	-30.51	-21.20	-9.31
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35038G	9.22	-41.79	-47.57			-40.77	-31.55	-21.20	-10.35
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.50032G	9.22	-51.34	-49.76			-47.47	-38.25	-27.00	-11.25
802.11be EHT160_Nss1(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.082G	9.22	-53.26	-55.33			-51.16	-41.94	-41.20	-0.74
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.37096G	9.22	-58.55	-58.78			-55.65	-46.43	-41.20	-5.23
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.082G	9.22	-36.41	-44.24			-35.75	-26.53	-21.20	-5.33
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35164G	9.22	-40.51	-41.78			-38.09	-28.87	-21.20	-7.67
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.62674G	9.22	-49.24	-52.35			-47.51	-38.29	-27.00	-11.29
802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.13144G	12.23	-61.54	-62.15	-61.45	-60.13	-55.23	-43.00	-41.20	-1.80
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	12.23	-59.98	-60.17	-60.12	-60.03	-54.05	-41.82	-41.20	-0.62
5290MHz	Pass	4.99G	5.51G	PK	5.13248G	12.23	-50.27	-51.87	-51.10	-50.67	-44.92	-32.69	-21.20	-11.49
5290MHz	Pass	4.99G	5.51G	PK	5.3527G	12.23	-51.40	-49.95	-51.81	-46.03	-43.11	-30.88	-21.20	-9.68
5290MHz	Pass	4.99G	5.51G	PK	5.4606G	12.23	-50.25	-52.01	-52.02	-50.31	-45.04	-32.81	-27.00	-5.81
802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14548G	12.23	-61.26	-61.86	-61.76	-61.81	-55.65	-43.42	-41.20	-2.22
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	12.23	-60.59	-60.54	-60.83	-60.49	-54.59	-42.36	-41.20	-1.16

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5290MHz	Pass	4.99G	5.51G	PK	5.14652G	12.23	-43.13	-51.34	-52.29	-52.78	-41.73	-29.50	-21.20	-8.30
5290MHz	Pass	4.99G	5.51G	PK	5.37714G	12.23	-48.15	-46.84	-49.59	-50.39	-42.51	-30.28	-21.20	-9.08
5290MHz	Pass	4.99G	5.51G	PK	5.47126G	12.23	-50.75	-52.43	-51.62	-49.29	-44.84	-32.61	-27.00	-5.61
802.11be EHT160_Nss1 (MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14962G	12.23	-59.02	-60.12	-60.04	-59.37	-53.59	-41.36	-41.20	-0.16
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.36088G	12.23	-60.18	-60.70	-60.31	-59.90	-54.24	-42.01	-41.20	-0.81
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.1219G	12.23	-43.38	-47.28	-44.70	-41.28	-37.62	-25.39	-21.20	-4.19
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35248G	12.23	-42.86	-50.90	-50.65	-43.03	-39.27	-27.04	-21.20	-5.84
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.65194G	12.23	-51.82	-51.24	-50.83	-50.12	-44.94	-32.71	-27.00	-5.71
802.11be EHT160_Nss1 (MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.145G	12.23	-61.22	-61.18	-59.57	-61.82	-54.84	-42.61	-41.20	-1.41
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35458G	12.23	-61.37	-61.21	-59.40	-61.06	-54.66	-42.43	-41.20	-1.23
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.14794G	12.23	-51.69	-51.02	-38.70	-51.96	-38.07	-25.84	-21.20	-4.64
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35794G	12.23	-49.84	-51.75	-42.37	-49.64	-40.66	-28.43	-21.20	-7.23
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.5146G	12.23	-50.47	-51.52	-50.27	-51.78	-44.94	-32.71	-27.00	-5.71
802.11be EHT160_Nss1 (MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.08368G	12.23	-58.03	-60.69	-60.61	-59.90	-53.65	-41.42	-41.20	-0.22
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.37096G	12.23	-60.00	-60.32	-60.28	-60.23	-54.19	-41.96	-41.20	-0.76
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.08242G	12.23	-40.46	-50.63	-49.08	-50.18	-39.19	-26.96	-21.20	-5.76
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.3508G	12.23	-45.16	-51.31	-51.57	-48.91	-42.39	-30.16	-21.20	-8.96
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.63598G	12.23	-51.99	-50.15	-50.78	-50.97	-44.90	-32.67	-27.00	-5.67


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE Bandedge [PK]

5290MHz

19/06/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.14392G	-35.37	-21.20	-14.17	7.51	0.00	-42.88	-42.88
4.99G	5.51G	1M	PK	5.36596G	-24.61	-21.20	-3.41	7.51	0.00	-32.12	-32.12
4.99G	5.51G	1M	PK	5.47776G	-42.05	-27.00	-15.05	7.51	0.00	-49.56	-49.56

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE Bandedge [AV]

5290MHz

19/06/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.14834G	-47.13	-41.20	-5.93	7.51	0.00	-54.64	-54.64
4.99G	5.51G	1M	AV	5.3514G	-42.55	-41.20	-1.35	7.51	0.00	-50.06	-50.06

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE Bandedge [PK]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.14366G	-30.96	-21.20	-9.76	7.51	0.00	-38.47	-38.47
4.99G	5.51G	1M	PK	5.37662G	-28.85	-21.20	-7.65	7.51	0.00	-36.36	-36.36
4.99G	5.51G	1M	PK	5.50792G	-41.84	-27.00	-14.84	7.51	0.00	-49.35	-49.35

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE Bandedge [AV]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.14392G	-47.08	-41.20	-5.88	7.51	0.00	-54.59	-54.59
4.99G	5.51G	1M	AV	5.3813G	-46.57	-41.20	-5.37	7.51	0.00	-54.08	-54.08

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.13786G	-26.87	-21.20	-5.67	7.51	0.00	-34.38	-34.38
4.83G	5.67G	1M	PK	5.3508G	-28.94	-21.20	-7.74	7.51	0.00	-36.45	-36.45
4.83G	5.67G	1M	PK	5.50536G	-41.90	-27.00	-14.90	7.51	0.00	-49.41	-49.41

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.09124G	-43.37	-41.20	-2.17	7.51	0.00	-50.88	-50.88
4.83G	5.67G	1M	AV	5.36046G	-41.86	-41.20	-0.66	7.51	0.00	-49.37	-49.37

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.14626G	-23.75	-21.20	-2.55	7.51	0.00	-31.26	-31.26
4.83G	5.67G	1M	PK	5.35332G	-26.60	-21.20	-5.40	7.51	0.00	-34.11	-34.11
4.83G	5.67G	1M	PK	5.47008G	-42.43	-27.00	-15.43	7.51	0.00	-49.94	-49.94

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.11014G	-43.27	-41.20	-2.07	7.51	0.00	-50.78	-50.78
4.83G	5.67G	1M	AV	5.35836G	-47.07	-41.20	-5.87	7.51	0.00	-54.58	-54.58

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.11182G	-26.62	-21.20	-5.42	7.51	0.00	-34.13	-34.13
4.83G	5.67G	1M	PK	5.35038G	-28.21	-21.20	-7.01	7.51	0.00	-35.72	-35.72
4.83G	5.67G	1M	PK	5.63388G	-42.52	-27.00	-15.52	7.51	0.00	-50.03	-50.03

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.08284G	-41.29	-41.20	-0.09	7.51	0.00	-48.80	-48.80
4.83G	5.67G	1M	AV	5.35122G	-48.18	-41.20	-6.98	7.51	0.00	-55.69	-55.69

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE Bandedge [PK]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.14886G	-35.93	-21.20	-12.73	9.22	0.00	-43.15	-45.77	-46.58
4.99G	5.51G	1M	PK	5.35426G	-30.41	-21.20	-9.21	9.22	0.00	-39.63	-40.92	-45.52
4.99G	5.51G	1M	PK	5.49154G	-38.44	-27.00	-11.44	9.22	0.00	-47.66	-51.72	-49.83

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE Bandedge [AV]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.14522G	-46.10	-41.20	-4.90	9.22	0.00	-55.32	-57.97	-58.73
4.99G	5.51G	1M	AV	5.3501G	-43.77	-41.20	-2.57	9.22	0.00	-52.99	-56.29	-55.72

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE Bandedge [PK]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.1499G	-30.63	-21.20	-9.43	9.22	0.00	-39.85	-48.94	-40.42
4.99G	5.51G	1M	PK	5.36908G	-25.61	-21.20	-4.41	9.22	0.00	-34.83	-49.46	-34.98
4.99G	5.51G	1M	PK	5.46866G	-38.08	-27.00	-11.08	9.22	0.00	-47.30	-50.12	-50.51

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE Bandedge [AV]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.14548G	-46.35	-41.20	-5.15	9.22	0.00	-55.57	-58.73	-58.43
4.99G	5.51G	1M	AV	5.3761G	-45.33	-41.20	-4.13	9.22	0.00	-54.55	-58.89	-56.54

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.14374G	-22.89	-21.20	-1.69	9.22	0.00	-32.11	-46.08	-32.29
4.83G	5.67G	1M	PK	5.35206G	-22.02	-21.20	-0.82	9.22	0.00	-31.24	-44.93	-31.43
4.83G	5.67G	1M	PK	5.56794G	-37.92	-27.00	-10.92	9.22	0.00	-47.14	-50.30	-50.00

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.13996G	-42.07	-41.20	-0.87	9.22	0.00	-51.29	-55.23	-53.53
4.83G	5.67G	1M	AV	5.35206G	-43.68	-41.20	-2.48	9.22	0.00	-52.90	-56.69	-54.23

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.12022G	-30.51	-21.20	-9.31	9.22	0.00	-39.73	-41.99	-43.66
4.83G	5.67G	1M	PK	5.35038G	-31.55	-21.20	-10.35	9.22	0.00	-40.77	-41.79	-47.57
4.83G	5.67G	1M	PK	5.50032G	-38.25	-27.00	-11.25	9.22	0.00	-47.47	-51.34	-49.76

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.10384G	-42.15	-41.20	-0.95	9.22	0.00	-51.37	-53.51	-55.46
4.83G	5.67G	1M	AV	5.35542G	-45.31	-41.20	-4.11	9.22	0.00	-54.53	-56.96	-58.22

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.082G	-26.53	-21.20	-5.33	9.22	0.00	-35.75	-36.41	-44.24
4.83G	5.67G	1M	PK	5.35164G	-28.07	-21.20	-7.67	9.22	0.00	-38.09	-40.51	-41.78
4.83G	5.67G	1M	PK	5.62674G	-38.29	-27.00	-11.29	9.22	0.00	-47.51	-49.24	-52.35

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.082G	-41.94	-41.20	-0.74	9.22	0.00	-51.16	-53.26	-55.33
4.83G	5.67G	1M	AV	5.37096G	-46.43	-41.20	-5.23	9.22	0.00	-55.65	-58.55	-58.78

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [PK]

5290MHz

19/06/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [AV]

5290MHz

19/06/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [PK]

5290MHz

19/06/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [AV]

5290MHz

19/06/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1219G	-25.39	-21.20	-4.19	12.23	0.00	-37.62	-43.38	-47.28	-44.70	-41.28
4.83G	5.67G	1M	PK	5.35248G	-27.04	-21.20	-5.84	12.23	0.00	-39.27	-42.86	-50.90	-50.65	-43.03
4.83G	5.67G	1M	PK	5.65194G	-32.71	-27.00	-5.71	12.23	0.00	-44.94	-51.82	-51.24	-50.83	-50.12

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.14962G	-41.36	-41.20	-0.16	12.23	0.00	-53.59	-59.02	-60.12	-60.04	-59.37
4.83G	5.67G	1M	AV	5.36088G	-42.01	-41.20	-0.81	12.23	0.00	-54.24	-60.18	-60.70	-60.31	-59.90

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.14794G	-25.84	-21.20	-4.64	12.23	0.00	-38.07	-51.69	-51.02	-38.70	-51.96
4.83G	5.67G	1M	PK	5.35794G	-28.43	-21.20	-7.23	12.23	0.00	-40.66	-49.84	-51.75	-42.37	-49.64
4.83G	5.67G	1M	PK	5.5146G	-32.71	-27.00	-5.71	12.23	0.00	-44.94	-50.47	-51.52	-50.27	-51.78

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.145G	-42.61	-41.20	-1.41	12.23	0.00	-54.84	-61.22	-61.18	-59.57	-61.82
4.83G	5.67G	1M	AV	5.35458G	-42.43	-41.20	-1.23	12.23	0.00	-54.66	-61.37	-61.21	-59.40	-61.06

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	4.99G	5.51G	AV	5.35036G	7.51	-49.32				-49.32	-41.81	-41.20	-0.61
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	4.99G	5.51G	AV	5.35244G	9.22	-54.42	-54.59			-51.49	-42.27	-41.20	-1.07
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	4.99G	5.51G	AV	5.35166G	12.23	-60.37	-60.05	-60.23	-60.05	-54.15	-41.92	-41.20	-0.72
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	4.83G	5.67G	AV	5.1345G	7.51	-48.99				-48.99	-41.48	-41.20	-0.28
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	4.83G	5.67G	PK	5.1429G	9.22	-42.29	-30.97			-30.66	-21.44	-21.20	-0.24
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	4.83G	5.67G	AV	5.12568G	12.23	-59.06	-60.53	-59.88	-59.37	-53.65	-41.42	-41.20	-0.22

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14808G	7.51	-57.98				-57.98	-50.47	-41.20	-9.27
5290MHz	Pass	4.99G	5.51G	AV	5.35036G	7.51	-49.32				-49.32	-41.81	-41.20	-0.61
5290MHz	Pass	4.99G	5.51G	PK	5.1382G	7.51	-46.17				-46.17	-38.66	-21.20	-17.46
5290MHz	Pass	4.99G	5.51G	PK	5.35218G	7.51	-33.54				-33.54	-26.03	-21.20	-4.83
5290MHz	Pass	4.99G	5.51G	PK	5.4697G	7.51	-49.69				-49.69	-42.18	-27.00	-15.18
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.11896G	7.51	-50.77				-50.77	-43.26	-41.20	-2.06
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35626G	7.51	-54.31				-54.31	-46.80	-41.20	-5.60
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.12064G	7.51	-29.43				-29.43	-21.92	-21.20	-0.72
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35962G	7.51	-33.47				-33.47	-25.96	-21.20	-4.76
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.64648G	7.51	-48.83				-48.83	-41.32	-27.00	-14.32
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.1345G	7.51	-48.99				-48.99	-41.48	-41.20	-0.28
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35164G	7.51	-52.41				-52.41	-44.90	-41.20	-3.70
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.12106G	7.51	-31.73				-31.73	-24.22	-21.20	-3.02
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.36046G	7.51	-36.25				-36.25	-28.74	-21.20	-7.54
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.65698G	7.51	-49.88				-49.88	-42.37	-27.00	-15.37
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14548G	9.22	-59.24	-59.91			-56.55	-47.33	-41.20	-6.13
5290MHz	Pass	4.99G	5.51G	AV	5.35244G	9.22	-54.42	-54.59			-51.49	-42.27	-41.20	-1.07
5290MHz	Pass	4.99G	5.51G	PK	5.1499G	9.22	-43.68	-50.62			-42.88	-33.66	-21.20	-12.46
5290MHz	Pass	4.99G	5.51G	PK	5.3527G	9.22	-38.04	-45.03			-37.25	-28.03	-21.20	-6.83
5290MHz	Pass	4.99G	5.51G	PK	5.48296G	9.22	-49.15	-52.47			-47.49	-38.27	-27.00	-11.27
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.11854G	9.22	-55.99	-56.16			-53.06	-43.84	-41.20	-2.64
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.36466G	9.22	-58.58	-58.38			-55.47	-46.25	-41.20	-5.05
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.11896G	9.22	-30.78	-48.01			-30.70	-21.48	-21.20	-0.28
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.36046G	9.22	-44.32	-33.65			-33.29	-24.07	-21.20	-2.87
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.47008G	9.22	-51.46	-49.69			-47.48	-38.26	-27.00	-11.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.1387G	9.22	-56.13	-57.29			-53.66	-44.44	-41.20	-3.24
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35836G	9.22	-58.95	-58.68			-55.80	-46.58	-41.20	-5.38
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.1429G	9.22	-42.29	-30.97			-30.66	-21.44	-21.20	-0.24
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.3634G	9.22	-46.86	-33.13			-32.95	-23.73	-21.20	-2.53
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.59356G	9.22	-52.91	-48.52			-47.17	-37.95	-27.00	-10.95
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.1343G	12.23	-61.66	-61.99	-61.39	-60.22	-55.24	-43.01	-41.20	-1.81
5290MHz	Pass	4.99G	5.51G	AV	5.35166G	12.23	-60.37	-60.05	-60.23	-60.05	-54.15	-41.92	-41.20	-0.72
5290MHz	Pass	4.99G	5.51G	PK	5.13066G	12.23	-48.76	-52.81	-50.76	-49.97	-44.32	-32.09	-21.20	-10.89
5290MHz	Pass	4.99G	5.51G	PK	5.37272G	12.23	-49.40	-51.35	-50.22	-47.58	-43.39	-31.16	-21.20	-9.96
5290MHz	Pass	4.99G	5.51G	PK	5.49986G	12.23	-51.52	-50.46	-51.45	-50.51	-44.94	-32.71	-27.00	-5.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.12568G	12.23	-59.06	-60.53	-59.88	-59.37	-53.65	-41.42	-41.20	-0.22
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.36214G	12.23	-60.23	-60.76	-60.28	-59.73	-54.21	-41.98	-41.20	-0.78
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.1177G	12.23	-35.54	-52.27	-52.13	-50.95	-35.24	-23.01	-21.20	-1.81
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.3571G	12.23	-38.67	-51.16	-50.16	-46.68	-37.58	-25.35	-21.20	-4.15
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.62884G	12.23	-51.75	-49.72	-50.27	-51.89	-44.79	-32.56	-27.00	-5.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14542G	12.23	-59.53	-60.67	-60.84	-59.99	-54.20	-41.97	-41.20	-0.77
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.36214G	12.23	-60.33	-60.81	-60.47	-60.05	-54.39	-42.16	-41.20	-0.96
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.14164G	12.23	-36.54	-50.49	-51.23	-49.03	-36.01	-23.78	-21.20	-2.58
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.36214G	12.23	-38.61	-50.13	-51.42	-49.97	-37.83	-25.60	-21.20	-4.40
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.50032G	12.23	-52.14	-51.68	-49.36	-50.54	-44.77	-32.54	-27.00	-5.54


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

CSE Bandedge [PK]

5290MHz

15/02/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.1382G	-38.66	-21.20	-17.46	7.51	0.00	-46.17	-46.17
4.99G	5.51G	1M	PK	5.35218G	-26.03	-21.20	-4.83	7.51	0.00	-33.54	-33.54
4.99G	5.51G	1M	PK	5.4697G	-42.18	-27.00	-15.18	7.51	0.00	-49.69	-49.69

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

CSE Bandedge [AV]

5290MHz

15/02/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.14808G	-50.47	-41.20	-9.27	7.51	0.00	-57.98	-57.98
4.99G	5.51G	1M	AV	5.35036G	-41.81	-41.20	-0.61	7.51	0.00	-49.32	-49.32

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.12064G	-21.92	-21.20	-0.72	7.51	0.00	-29.43	-29.43
4.83G	5.67G	1M	PK	5.35962G	-25.96	-21.20	-4.76	7.51	0.00	-33.47	-33.47
4.83G	5.67G	1M	PK	5.64648G	-41.32	-27.00	-14.32	7.51	0.00	-48.83	-48.83

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.11896G	-43.26	-41.20	-2.06	7.51	0.00	-50.77	-50.77
4.83G	5.67G	1M	AV	5.35626G	-46.80	-41.20	-5.60	7.51	0.00	-54.31	-54.31

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.12106G	-24.22	-21.20	-3.02	7.51	0.00	-31.73	-31.73
4.83G	5.67G	1M	PK	5.36046G	-28.74	-21.20	-7.54	7.51	0.00	-36.25	-36.25
4.83G	5.67G	1M	PK	5.65696G	-42.37	-27.00	-15.37	7.51	0.00	-49.88	-49.88

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.1345G	-41.48	-41.20	-0.28	7.51	0.00	-48.99	-48.99
4.83G	5.67G	1M	AV	5.35164G	-44.90	-41.20	-3.70	7.51	0.00	-52.41	-52.41

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

CSE Bandedge [PK]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.1499G	-35.66	-21.20	-12.46	9.22	0.00	-42.88	-43.68	-50.62
4.99G	5.51G	1M	PK	5.3527G	-28.03	-21.20	-6.83	9.22	0.00	-37.25	-38.04	-45.03
4.99G	5.51G	1M	PK	5.48296G	-38.27	-27.00	-11.27	9.22	0.00	-47.49	-49.15	-52.47

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

CSE Bandedge [AV]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.14548G	-47.33	-41.20	-6.13	9.22	0.00	-56.55	-59.24	-59.91
4.99G	5.51G	1M	AV	5.35244G	-42.27	-41.20	-1.07	9.22	0.00	-51.49	-54.42	-54.59

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.11896G	-21.48	-21.20	-0.28	9.22	0.00	-30.70	-30.78	-48.01
4.83G	5.67G	1M	PK	5.36046G	-24.07	-21.20	-2.87	9.22	0.00	-33.29	-44.32	-33.65
4.83G	5.67G	1M	PK	5.47008G	-38.26	-27.00	-11.26	9.22	0.00	-47.48	-51.46	-49.69

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.11854G	-43.84	-41.20	-2.64	9.22	0.00	-53.06	-55.99	-56.16
4.83G	5.67G	1M	AV	5.36466G	-46.25	-41.20	-5.05	9.22	0.00	-55.47	-58.58	-58.38

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	PK	5.1429G	-21.44	-21.20	-0.24	9.22	0.00	-30.66	-42.29	-30.97
4.83G	5.67G	1M	PK	5.3634G	-23.73	-21.20	-2.53	9.22	0.00	-32.95	-46.86	-33.13
4.83G	5.67G	1M	PK	5.5935G	-37.95	-27.00	-10.95	9.22	0.00	-47.17	-52.91	-48.52

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.83G	5.67G	1M	AV	5.1387G	-44.44	-41.20	-3.24	9.22	0.00	-53.66	-56.13	-57.29
4.83G	5.67G	1M	AV	5.3583G	-46.58	-41.20	-5.38	9.22	0.00	-55.80	-58.95	-58.68

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_4TX

CSE Bandedge [PK]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.13066G	-32.09	-21.20	-10.89	12.23	0.00	-44.32	-48.76	-52.81	-50.76	-49.97
4.99G	5.51G	1M	PK	5.37272G	-31.16	-21.20	-9.96	12.23	0.00	-43.39	-49.40	-51.35	-50.22	-47.58
4.99G	5.51G	1M	PK	5.49986G	-32.71	-27.00	-5.71	12.23	0.00	-44.94	-51.52	-50.46	-51.45	-50.51

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_4TX

CSE Bandedge [AV]

5290MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.1343G	-43.01	-41.20	-1.81	12.23	0.00	-55.24	-61.66	-61.99	-61.39	-60.22
4.99G	5.51G	1M	AV	5.35166G	-41.92	-41.20	-0.72	12.23	0.00	-54.15	-60.37	-60.05	-60.23	-60.05

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.1177G	-25.01	-21.20	-1.81	12.23	0.00	-35.24	-35.54	-52.27	-52.13	-50.95
4.83G	5.67G	1M	PK	5.3571G	-25.35	-21.20	-4.15	12.23	0.00	-37.58	-38.67	-51.16	-50.16	-46.68
4.83G	5.67G	1M	PK	5.6284G	-32.56	-27.00	-5.56	12.23	0.00	-44.79	-51.75	-49.72	-50.27	-51.89

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.12568G	-41.42	-41.20	-0.22	12.23	0.00	-53.65	-59.06	-60.53	-59.88	-59.37
4.83G	5.67G	1M	AV	5.36214G	-41.98	-41.20	-0.78	12.23	0.00	-54.21	-60.23	-60.76	-60.28	-59.73

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	PK	5.14164G	-23.78	-21.20	-2.58	12.23	0.00	-36.01	-36.54	-50.49	-51.23	-49.03
4.83G	5.67G	1M	PK	5.36214G	-25.60	-21.20	-4.40	12.23	0.00	-37.83	-38.61	-50.13	-51.42	-49.97
4.83G	5.67G	1M	PK	5.50032G	-32.54	-27.00	-5.54	12.23	0.00	-44.77	-52.14	-51.68	-49.36	-50.54

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.83G	5.67G	1M	AV	5.14542G	-41.97	-41.20	-0.77	12.23	0.00	-54.20	-59.53	-60.67	-60.84	-59.99
4.83G	5.67G	1M	AV	5.36214G	-42.16	-41.20	-0.96	12.23	0.00	-54.39	-60.33	-60.81	-60.47	-60.05




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_1TX	Pass	AV	15.9111G	48.81	54.00	-5.19	3	Vertical	40	1.94	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 21.5
05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6072G	57.19	74.00	-16.81	40.34	3	Vertical	231	2.52	-	39.23	11.39	33.77			
AV	10.61302G	45.69	54.00	-8.31	28.81	3	Vertical	231	2.52	-	39.25	11.39	33.76			
PK	15.8982G	60.90	74.00	-13.10	41.64	3	Vertical	40	1.94	-	37.99	14.25	32.98			
AV	15.9111G	48.81	54.00	-5.19	29.57	3	Vertical	40	1.94	-	37.96	14.25	32.97			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX



EUT_Y_1TX
Setting 21.5
05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.5892G	57.17	68.20	-11.03	40.43	3	Horizontal	311	2.67	-	39.14	11.38	33.78				
AV	10.61002G	45.79	54.00	-8.21	28.92	3	Horizontal	311	2.67	-	39.24	11.39	33.76				
PK	15.90324G	60.76	74.00	-13.24	41.50	3	Horizontal	94	1.39	-	37.99	14.25	32.98				
AV	15.91272G	48.81	54.00	-5.19	29.57	3	Horizontal	94	1.39	-	37.95	14.25	32.96				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	15.7956G	47.86	54.00	-6.14	3	Vertical	339	2.55	-

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
Setting 19
05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55332G	55.88	68.20	-12.32	39.41	3	Vertical	118	1.55	-	38.92	11.36	33.81			
PK	15.79704G	60.57	74.00	-13.43	41.54	3	Vertical	339	2.55	-	37.92	14.25	33.14			
AV	15.7956G	47.86	54.00	-6.14	28.82	3	Vertical	339	2.55	-	37.93	14.25	33.14			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX

EUT Y_1TX
Setting 19
05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.531G	56.72	68.20	-11.48	40.34	3	Horizontal	67	1.03	-	38.86	11.35	33.83			
PK	15.79908G	59.78	74.00	-14.22	40.76	3	Horizontal	80	3.00	-	37.91	14.25	33.14			
AV	15.79518G	47.86	54.00	-6.14	28.82	3	Horizontal	80	3.00	-	37.93	14.25	33.14			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	15.76794G	48.03	54.00	-5.97	3	Vertical	293	2.00	-

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT Y_2TX
Setting 18.5
05-L-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5152G	56.11	68.20	-12.09	39.78	3	Vertical	142	2.73	-	38.83	11.34	33.84			
PK	15.76836G	60.40	74.00	-13.60	41.24	3	Vertical	293	2.00	-	38.09	14.25	33.18			
AV	15.76794G	48.03	54.00	-5.97	28.87	3	Vertical	293	2.00	-	38.09	14.25	33.18			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX



EUT_V_2TX
Setting 18.5
05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52612G	56.30	68.20	-11.90	39.93	3	Horizontal	171	2.20	-	38.85	11.35	33.83			
PK	15.77826G	60.11	74.00	-13.89	41.00	3	Horizontal	282	2.40	-	38.03	14.25	33.17			
AV	15.78072G	47.96	54.00	-6.04	28.85	3	Horizontal	282	2.40	-	38.02	14.25	33.16			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	15.91284G	48.06	54.00	-5.94	3	Vertical	262	2.93	-

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT Y_1TX
Setting 21.5
05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6096G	57.31	74.00	-16.69	40.44	3	Vertical	99	1.50	-	39.24	11.39	33.76			
AV	10.6138G	44.98	54.00	-9.02	28.08	3	Vertical	99	1.50	-	39.26	11.40	33.76			
PK	15.9036G	60.71	74.00	-13.29	41.45	3	Vertical	262	2.93	-	37.99	14.25	32.98			
AV	15.91284G	48.06	54.00	-5.94	28.82	3	Vertical	262	2.93	-	37.95	14.25	32.96			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX

EUT_Y_1TX
Setting 21.5
05-L-C-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.6066G	57.42	74.00	-16.58	40.57	3	Horizontal	329	1.91	-	39.23	11.39	33.77				
AV	10.6138G	44.98	54.00	-9.02	28.08	3	Horizontal	329	1.91	-	39.26	11.40	33.76				
PK	15.89496G	61.26	74.00	-12.74	42.02	3	Horizontal	342	1.55	-	37.98	14.25	32.99				
AV	15.89916G	47.99	54.00	-6.01	28.72	3	Horizontal	342	1.55	-	38.00	14.25	32.98				



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.24997G	42.03	54.00	-11.97	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.00033G	42.03	74.00	-31.97	-7.20	3	Vertical	24.6	1.14	-	49.23	25.19	4.51	36.90		
AV	1.00003G	37.23	54.00	-16.77	-7.19	3	Vertical	24.6	1.14	-	44.42	25.20	4.51	36.90		
PK	1.24997G	45.43	74.00	-28.57	-6.66	3	Vertical	166.4	1.32	-	52.09	25.70	4.46	36.82		
AV	1.24997G	42.03	54.00	-11.97	-6.66	3	Vertical	166.4	1.32	"Worst"	48.69	25.70	4.46	36.82		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.00004G	38.96	74.00	-35.04	-7.19	3	Horizontal	228.9	1.48	-	46.15	25.20	4.51	36.90		
AV	1.00003G	33.47	54.00	-20.53	-7.19	3	Horizontal	228.9	1.48	-	40.66	25.20	4.51	36.90		
PK	1.24993G	44.70	74.00	-29.30	-6.66	3	Horizontal	138.3	1.62	-	51.36	25.70	4.46	36.82		
AV	1.24996G	41.17	54.00	-12.83	-6.66	3	Horizontal	138.3	1.62	"Worst"	47.83	25.70	4.46	36.82		