


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5260MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.52G	-41.84	-27.00	-14.84	12.19	0.00	-54.03	-62.26	-59.44	-62.51	-57.80
8G	40G	1M	PK	21.907G	-34.53	-27.00	-7.53	12.19	0.00	-46.72	-52.90	-54.16	-53.29	-51.17

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5260MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.6G	-49.79	-41.20	-8.59	12.19	0.00	-61.98	-68.30	-68.10	-67.88	-67.73
8G	40G	1M	AV	22.033G	-42.98	-41.20	-1.78	12.19	0.00	-55.17	-60.65	-60.60	-62.16	-61.53

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5300MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.599G	-42.44	-27.00	-15.44	12.19	0.00	-54.63	-58.79	-59.96	-61.01	-64.95
8G	40G	1M	PK	21.726G	-34.69	-27.00	-7.69	12.19	0.00	-46.88	-52.85	-54.14	-52.80	-52.05

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5300MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.612G	-49.65	-41.20	-8.45	12.19	0.00	-61.84	-68.02	-68.10	-67.77	-67.58
8G	40G	1M	AV	22.296G	-42.81	-41.20	-1.61	12.19	0.00	-55.00	-61.36	-60.42	-61.16	-61.19

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5320MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.643G	-42.10	-21.20	-20.90	12.19	0.00	-54.29	-58.69	-61.54	-60.89	-60.66
8G	40G	1M	PK	21.755G	-34.96	-27.00	-7.96	12.19	0.00	-47.15	-53.74	-51.35	-54.50	-53.78

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5320MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.643G	-49.41	-41.20	-8.21	12.19	0.00	-61.60	-68.36	-67.62	-67.38	-67.22
8G	40G	1M	AV	22.042G	-42.83	-41.20	-1.63	12.19	0.00	-55.02	-60.66	-61.30	-60.60	-61.69

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5270MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.532G	-41.80	-27.00	-14.80	12.19	0.00	-53.99	-60.70	-61.05	-59.20	-59.39
8G	40G	1M	PK	21.748G	-35.09	-27.00	-8.09	12.19	0.00	-47.28	-52.90	-52.24	-53.04	-55.78

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5270MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.6G	-50.03	-41.20	-8.83	12.19	0.00	-62.22	-68.07	-68.50	-68.28	-68.14
8G	40G	1M	AV	22.053G	-42.89	-41.20	-1.69	12.19	0.00	-55.08	-61.24	-60.35	-61.39	-61.53

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5310MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.584G	-42.43	-27.00	-15.43	12.19	0.00	-54.62	-62.23	-59.98	-60.08	-60.61
8G	40G	1M	PK	21.949G	-34.84	-27.00	-7.84	12.19	0.00	-47.03	-50.54	-55.13	-54.06	-53.97

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5310MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.604G	-49.58	-41.20	-8.38	12.19	0.00	-61.77	-68.06	-66.64	-68.42	-68.27
8G	40G	1M	AV	22.04G	-42.75	-41.20	-1.55	12.19	0.00	-54.94	-60.70	-61.35	-60.96	-60.84

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [PK]

5290MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.538G	-41.55	-27.00	-14.55	12.19	0.00	-53.74	-60.74	-59.68	-60.63	-58.41
8G	40G	1M	PK	21.965G	-34.80	-27.00	-7.80	12.19	0.00	-46.99	-52.92	-53.87	-53.64	-51.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [AV]

5290MHz

31/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.604G	-49.55	-41.20	-8.35	12.19	0.00	-61.74	-68.20	-67.66	-67.69	-67.52
8G	40G	1M	AV	22.056G	-42.88	-41.20	-1.68	12.19	0.00	-55.07	-61.62	-61.60	-60.27	-61.03

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

31/12/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

31/12/2024



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-55.91	-65.31				-65.31	-41.20	-14.71	9.40
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-53.07	-62.47	-65.54			-65.42	-41.20	-11.87	9.40
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	-50.33	-59.73	-66.18	-65.86	-65.09	-65.95	-41.20	-9.13	9.40
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-55.80	-65.20				-65.20	-41.20	-14.60	9.40
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-52.94	-62.34	-65.35			-65.35	-41.20	-11.74	9.40
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	-50.33	-59.73	-65.94	-66.47	-64.69	-66.11	-41.20	-9.13	9.40

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Harmonic (8~40GHz)_R5 (Internal Ant.)_Multi-RU

Appendix E.17

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.62G	9.40	-72.32				-72.32	-62.92	-41.20	-21.72
5290MHz	Pass	8G	40G	AV	22.026G	9.40	-65.46				-65.46	-56.06	-41.20	-14.86
5290MHz	Pass	8G	40G	PK	10.514G	9.40	-64.68				-64.68	-55.28	-27.00	-28.28
5290MHz	Pass	8G	40G	PK	38.037G	9.40	-57.05				-57.05	-47.65	-27.00	-20.65
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.611G	9.40	-72.29				-72.29	-62.89	-41.20	-21.69
5290MHz	Pass	8G	40G	AV	39.252G	9.40	-65.31				-65.31	-55.91	-41.20	-14.71
5290MHz	Pass	8G	40G	PK	10.588G	9.40	-64.03				-64.03	-54.63	-27.00	-27.63
5290MHz	Pass	8G	40G	PK	32.098G	9.40	-56.57				-56.57	-47.17	-27.00	-20.17
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.615G	9.40	-72.33				-72.33	-62.93	-41.20	-21.73
5250MHz	Pass	8G	40G	AV	22.072G	9.40	-65.20				-65.20	-55.80	-41.20	-14.60
5250MHz	Pass	8G	40G	PK	10.388G	9.40	-63.36				-63.36	-53.96	-27.00	-26.96
5250MHz	Pass	8G	40G	PK	33.117G	9.40	-56.94				-56.94	-47.54	-27.00	-20.54
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.631G	9.40	-72.44				-72.44	-63.04	-41.20	-21.84
5250MHz	Pass	8G	40G	AV	22.012G	9.40	-65.26				-65.26	-55.86	-41.20	-14.66
5250MHz	Pass	8G	40G	PK	10.499G	9.40	-64.01				-64.01	-54.61	-27.00	-27.61
5250MHz	Pass	8G	40G	PK	21.606G	9.40	-56.06				-56.06	-46.66	-27.00	-19.66
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.628G	9.40	-71.84				-71.84	-62.44	-41.20	-21.24
5250MHz	Pass	8G	40G	AV	22.099G	9.40	-65.38				-65.38	-55.98	-41.20	-14.78
5250MHz	Pass	8G	40G	PK	10.397G	9.40	-62.49				-62.49	-53.09	-27.00	-26.09
5250MHz	Pass	8G	40G	PK	21.533G	9.40	-56.67				-56.67	-47.27	-27.00	-20.27
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.601G	9.40	-72.79	-72.77			-69.77	-60.37	-41.20	-19.17
5290MHz	Pass	8G	40G	AV	22.085G	9.40	-65.42	-65.54			-62.47	-53.07	-41.20	-11.87
5290MHz	Pass	8G	40G	PK	10.559G	9.40	-64.00	-67.45			-62.38	-52.98	-27.00	-25.98
5290MHz	Pass	8G	40G	PK	21.471G	9.40	-57.06	-58.69			-54.79	-45.39	-27.00	-18.39
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.638G	9.40	-72.68	-72.32			-69.49	-60.09	-41.20	-18.89
5290MHz	Pass	8G	40G	AV	22.061G	9.40	-66.08	-65.21			-62.61	-53.21	-41.20	-12.01
5290MHz	Pass	8G	40G	PK	10.598G	9.40	-65.07	-66.11			-62.55	-53.15	-27.00	-26.15
5290MHz	Pass	8G	40G	PK	33.173G	9.40	-59.94	-56.37			-54.79	-45.39	-27.00	-18.39
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.614G	9.40	-72.89	-72.20			-69.52	-60.12	-41.20	-18.92
5250MHz	Pass	8G	40G	AV	22.022G	9.40	-65.29	-65.78			-62.52	-53.12	-41.20	-11.92
5250MHz	Pass	8G	40G	PK	10.373G	9.40	-65.33	-63.55			-61.34	-51.94	-27.00	-24.94
5250MHz	Pass	8G	40G	PK	21.907G	9.40	-57.40	-58.90			-55.08	-45.68	-27.00	-18.68
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.605G	9.40	-72.11	-72.44			-69.26	-59.86	-41.20	-18.66
5250MHz	Pass	8G	40G	AV	22.024G	9.40	-65.35	-65.35			-62.34	-52.94	-41.20	-11.74
5250MHz	Pass	8G	40G	PK	10.396G	9.40	-65.24	-61.92			-60.26	-50.86	-27.00	-23.86
5250MHz	Pass	8G	40G	PK	21.569G	9.40	-60.04	-56.23			-54.72	-45.32	-27.00	-18.32
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.616G	9.40	-72.54	-72.42			-69.47	-60.07	-41.20	-18.87
5250MHz	Pass	8G	40G	AV	22.095G	9.40	-65.99	-65.08			-62.50	-53.10	-41.20	-11.90
5250MHz	Pass	8G	40G	PK	10.37G	9.40	-62.33	-64.14			-60.13	-50.73	-27.00	-23.73
5250MHz	Pass	8G	40G	PK	32.634G	9.40	-59.03	-57.04			-54.91	-45.51	-27.00	-18.51
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.648G	9.40	-72.81	-72.85	-72.59	-72.43	-66.65	-57.25	-41.20	-16.05
5290MHz	Pass	8G	40G	AV	22.033G	9.40	-65.95	-66.18	-65.86	-65.09	-59.73	-50.33	-41.20	-9.13
5290MHz	Pass	8G	40G	PK	10.508G	9.40	-66.20	-65.97	-63.75	-65.85	-59.30	-49.90	-27.00	-22.90
5290MHz	Pass	8G	40G	PK	21.55G	9.40	-59.07	-55.00	-60.51	-62.19	-52.30	-42.90	-27.00	-15.90
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.602G	9.40	-72.14	-72.70	-73.30	-71.99	-66.48	-57.08	-41.20	-15.88
5290MHz	Pass	8G	40G	AV	22.016G	9.40	-65.25	-66.60	-65.53	-65.88	-59.77	-50.37	-41.20	-9.17
5290MHz	Pass	8G	40G	PK	10.583G	9.40	-66.24	-67.46	-64.96	-65.39	-59.89	-50.49	-27.00	-23.49
5290MHz	Pass	8G	40G	PK	21.493G	9.40	-60.66	-59.59	-58.99	-57.75	-53.10	-43.70	-27.00	-16.70
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.631G	9.40	-72.09	-73.05	-72.34	-73.09	-66.60	-57.20	-41.20	-16.00
5250MHz	Pass	8G	40G	AV	22.091G	9.40	-66.18	-65.41	-66.03	-65.80	-59.82	-50.42	-41.20	-9.22
5250MHz	Pass	8G	40G	PK	10.435G	9.40	-64.04	-65.91	-67.55	-63.35	-58.90	-49.50	-27.00	-22.50
5250MHz	Pass	8G	40G	PK	21.484G	9.40	-59.06	-61.67	-58.04	-58.63	-53.13	-43.73	-27.00	-16.73
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.639G	9.40	-72.09	-72.92	-72.39	-73.04	-66.57	-57.17	-41.20	-15.97
5250MHz	Pass	8G	40G	AV	22.056G	9.40	-66.11	-65.94	-66.47	-64.69	-59.73	-50.33	-41.20	-9.13
5250MHz	Pass	8G	40G	PK	10.365G	9.40	-63.08	-66.58	-62.82	-67.51	-58.50	-49.10	-27.00	-22.10

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5250MHz	Pass	8G	40G	PK	21.487G	9.40	-60.87	-58.23	-56.87	-60.94	-52.85	-43.45	-27.00	-16.45
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	8G	40G	AV	10.633G	9.40	-72.87	-72.47	-73.06	-72.33	-66.65	-57.25	-41.20	-16.05
5250MHz	Pass	8G	40G	AV	22.016G	9.40	-65.86	-66.07	-65.79	-66.05	-59.92	-50.52	-41.20	-9.32
5250MHz	Pass	8G	40G	PK	10.369G	9.40	-62.40	-64.38	-64.51	-66.04	-58.12	-48.72	-27.00	-21.72
5250MHz	Pass	8G	40G	PK	21.458G	9.40	-61.72	-58.25	-57.26	-59.65	-52.90	-43.50	-27.00	-16.50


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE [PK]

5290MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.514G	-55.28	-27.00	-28.28	9.40	0.00	-64.68	-64.68
8G	40G	1M	PK	38.037G	-47.65	-27.00	-20.65	9.40	0.00	-57.05	-57.05

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE [AV]

5290MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.62G	-62.92	-41.20	-21.72	9.40	0.00	-72.32	-72.32
8G	40G	1M	AV	22.026G	-56.06	-41.20	-14.86	9.40	0.00	-65.46	-65.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE [PK]

5290MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.588G	-54.63	-27.00	-27.63	9.40	0.00	-64.03	-64.03
8G	40G	1M	PK	32.098G	-47.17	-27.00	-20.17	9.40	0.00	-56.57	-56.57

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE [AV]

5290MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.611G	-62.89	-41.20	-21.69	9.40	0.00	-72.29	-72.29
8G	40G	1M	AV	39.252G	-55.91	-41.20	-14.71	9.40	0.00	-65.31	-65.31

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.388G	-53.96	-27.00	-26.96	9.40	0.00	-63.36	-63.36
8G	40G	1M	PK	33.117G	-47.54	-27.00	-20.54	9.40	0.00	-56.94	-56.94

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

CSE [AV]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.615G	-62.93	-41.20	-21.73	9.40	0.00	-72.33	-72.33
8G	40G	1M	AV	22.072G	-55.80	-41.20	-14.60	9.40	0.00	-65.20	-65.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.499G	-54.61	-27.00	-27.61	9.40	0.00	-54.01	-54.01
8G	40G	1M	PK	21.606G	-46.66	-27.00	-19.66	9.40	0.00	-56.06	-56.06

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

CSE [AV]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.631G	-63.04	-41.20	-21.84	9.40	0.00	-72.44	-72.44
8G	40G	1M	AV	22.012G	-55.86	-41.20	-14.66	9.40	0.00	-65.26	-65.26

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.397G	-53.09	-27.00	-26.09	9.40	0.00	-62.49	-62.49
8G	40G	1M	PK	21.533G	-47.27	-27.00	-20.27	9.40	0.00	-56.67	-56.67

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

CSE [AV]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.628G	-62.44	-41.20	-21.24	9.40	0.00	-71.84	-71.84
8G	40G	1M	AV	22.099G	-55.98	-41.20	-14.78	9.40	0.00	-65.38	-65.38

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE [PK]

5290MHz

13/02/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE [AV]

5290MHz

13/02/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE [PK]

5290MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.598G	-53.15	-27.00	-26.15	9.40	0.00	-62.55	-65.07	-66.11
8G	40G	1M	PK	33.173G	-45.39	-27.00	-18.39	9.40	0.00	-54.79	-59.94	-56.37

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE [AV]

5290MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.638G	-60.09	-41.20	-18.89	9.40	0.00	-69.49	-72.68	-72.32
8G	40G	1M	AV	22.061G	-53.21	-41.20	-12.01	9.40	0.00	-62.61	-66.08	-65.21

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.373G	-51.94	-27.00	-24.94	9.40	0.00	-61.34	-65.33	-63.55
8G	40G	1M	PK	21.907G	-45.68	-27.00	-18.68	9.40	0.00	-55.08	-57.40	-58.90

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

CSE [AV]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.614G	-60.12	-41.20	-18.92	9.40	0.00	-69.52	-72.89	-72.20
8G	40G	1M	AV	22.022G	-53.12	-41.20	-11.92	9.40	0.00	-62.52	-65.29	-65.78

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.396G	-50.86	-27.00	-23.86	9.40	0.00	-60.26	-65.24	-61.92
8G	40G	1M	PK	21.569G	-45.32	-27.00	-18.32	9.40	0.00	-54.72	-60.04	-56.23

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

CSE [AV]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.605G	-59.86	-41.20	-18.66	9.40	0.00	-69.26	-72.11	-72.44
8G	40G	1M	AV	22.024G	-52.94	-41.20	-11.74	9.40	0.00	-62.34	-65.35	-65.35

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.37G	-50.73	-27.00	-23.73	9.40	0.00	-60.13	-62.33	-64.14
8G	40G	1M	PK	32.634G	-45.51	-27.00	-18.51	9.40	0.00	-54.91	-59.03	-57.04

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE [AV]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.616G	-60.07	-41.20	-18.87	9.40	0.00	-69.47	-72.54	-72.42
8G	40G	1M	AV	22.095G	-53.10	-41.20	-11.90	9.40	0.00	-62.50	-65.99	-65.08

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [PK]

5290MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.508G	-49.90	-27.00	-22.90	9.40	0.00	-59.30	-66.20	-65.97	-63.75	-65.85
8G	40G	1M	PK	21.55G	-42.90	-27.00	-15.90	9.40	0.00	-52.30	-59.07	-55.00	-60.51	-62.19

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [AV]

5290MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.648G	-57.25	-41.20	-16.05	9.40	0.00	-66.65	-72.81	-72.85	-72.59	-72.43
8G	40G	1M	AV	22.033G	-50.33	-41.20	-9.13	9.40	0.00	-59.73	-65.95	-66.18	-65.86	-65.09

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [PK]

5290MHz

13/02/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [AV]

5290MHz

13/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.435G	-49.50	-27.00	-22.50	9.40	0.00	-58.90	-64.04	-65.91	-67.55	-63.35
8G	40G	1M	PK	21.484G	-43.73	-27.00	-16.73	9.40	0.00	-53.13	-59.06	-61.67	-58.04	-58.63

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [AV]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.631G	-57.20	-41.20	-16.00	9.40	0.00	-66.60	-72.09	-73.05	-72.34	-73.09
8G	40G	1M	AV	22.091G	-50.42	-41.20	-9.22	9.40	0.00	-59.82	-66.18	-65.41	-66.03	-65.80

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.365G	-49.10	-27.00	-22.10	9.40	0.00	-58.50	-63.08	-66.58	-62.82	-67.51
8G	40G	1M	PK	21.487G	-43.45	-27.00	-16.45	9.40	0.00	-52.85	-60.87	-58.23	-56.87	-60.94

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

CSE [AV]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.365G	-57.17	-41.20	-15.97	9.40	0.00	-66.57	-72.09	-72.92	-72.39	-73.04
8G	40G	1M	AV	22.056G	-50.33	-41.20	-9.13	9.40	0.00	-59.73	-66.11	-65.94	-66.47	-64.69

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

CSE [PK]

5250MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.369G	-48.72	-27.00	-21.72	9.40	0.00	-58.12	-62.40	-64.38	-64.51	-66.04
8G	40G	1M	PK	21.458G	-43.50	-27.00	-16.50	9.40	0.00	-52.90	-61.72	-58.25	-57.26	-59.65

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

CSE [AV]

5250MHz

13/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.333G	-57.25	-41.20	-16.05	9.40	0.00	-66.65	-72.87	-72.47	-73.06	-72.33
8G	40G	1M	AV	22.016G	-50.52	-41.20	-9.32	9.40	0.00	-59.92	-65.86	-66.07	-65.79	-66.05

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	EIRP (dBm)	Psum (dBm)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	9.40	-55.88	-65.28	-65.28				-41.20	-14.68
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	9.40	-53.12	-62.52	-64.84	-66.34			-41.20	-11.92
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	9.40	-50.27	-59.67	-65.01	-65.70	-66.03	-66.12	-41.20	-9.07
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	9.40	-55.16	-64.56	-64.56				-41.20	-13.96
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	9.40	-52.72	-62.12	-64.65	-65.68			-41.20	-11.52
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	9.40	-50.17	-59.57	-65.24	-66.16	-65.44	-65.59	-41.20	-8.97

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.623G	9.40	-71.82				-71.82	-62.42	-41.20	-21.22
5290MHz	Pass	8G	40G	AV	22.105G	9.40	-65.28				-65.28	-55.88	-41.20	-14.68
5290MHz	Pass	8G	40G	PK	10.526G	9.40	-63.44				-63.44	-54.04	-27.00	-27.04
5290MHz	Pass	8G	40G	PK	32.083G	9.40	-55.20				-55.20	-45.80	-27.00	-18.80
802.11be EHT160_Nss1(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.635G	9.40	-72.11				-72.11	-62.71	-41.20	-21.51
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.014G	9.40	-65.04				-65.04	-55.64	-41.20	-14.44
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.403G	9.40	-61.71				-61.71	-52.31	-27.00	-25.31
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	37.7G	9.40	-56.78				-56.78	-47.38	-27.00	-20.38
802.11be EHT160_Nss1(MCS0),RU996+RU484 CP 4_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.64G	9.40	-72.25				-72.25	-62.85	-41.20	-21.65
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.052G	9.40	-64.56				-64.56	-55.16	-41.20	-13.96
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.362G	9.40	-63.48				-63.48	-54.08	-27.00	-27.08
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	21.977G	9.40	-56.74				-56.74	-47.34	-27.00	-20.34
802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.642G	9.40	-72.45	-72.43			-69.43	-60.03	-41.20	-18.83
5290MHz	Pass	8G	40G	AV	22.056G	9.40	-64.84	-66.34			-62.52	-53.12	-41.20	-11.92
5290MHz	Pass	8G	40G	PK	10.561G	9.40	-64.52	-62.69			-60.50	-51.10	-27.00	-24.10
5290MHz	Pass	8G	40G	PK	37.857G	9.40	-56.38	-59.34			-54.60	-45.20	-27.00	-18.20
802.11be EHT160_Nss1(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.63G	9.40	-72.13	-72.44			-69.27	-59.87	-41.20	-18.67
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.047G	9.40	-65.75	-65.37			-62.55	-53.15	-41.20	-11.95
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.452G	9.40	-64.55	-63.31			-60.88	-51.48	-27.00	-24.48
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	21.976G	9.40	-60.02	-56.48			-54.89	-45.49	-27.00	-18.49
802.11be EHT160_Nss1(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.622G	9.40	-72.67	-71.98			-69.30	-59.90	-41.20	-18.70
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.025G	9.40	-64.65	-65.68			-62.12	-52.72	-41.20	-11.52
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.382G	9.40	-62.58	-65.80			-60.89	-51.49	-27.00	-24.49
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	21.986G	9.40	-60.45	-55.95			-54.63	-45.23	-27.00	-18.23
802.11be EHT80_Nss1(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.604G	9.40	-72.20	-72.75	-72.15	-72.90	-66.47	-57.07	-41.20	-15.87
5290MHz	Pass	8G	40G	AV	22.112G	9.40	-65.01	-65.70	-66.03	-66.12	-59.67	-50.27	-41.20	-9.07
5290MHz	Pass	8G	40G	PK	10.51G	9.40	-66.26	-65.56	-66.93	-65.63	-60.04	-50.64	-27.00	-23.64
5290MHz	Pass	8G	40G	PK	38.019G	9.40	-57.98	-59.97	-57.91	-58.23	-52.43	-43.03	-27.00	-16.03
802.11be EHT160_Nss1(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.639G	9.40	-72.64	-72.88	-72.52	-71.89	-66.45	-57.05	-41.20	-15.85
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.044G	9.40	-65.24	-66.16	-65.44	-65.59	-59.57	-50.17	-41.20	-8.97
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.446G	9.40	-68.66	-64.73	-62.45	-63.50	-58.27	-48.87	-27.00	-21.87
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	21.441G	9.40	-58.91	-60.58	-56.27	-59.37	-52.46	-43.06	-27.00	-16.06
802.11be EHT160_Nss1(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.617G	9.40	-72.38	-72.52	-72.18	-71.54	-66.12	-56.72	-41.20	-15.52
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.014G	9.40	-65.39	-65.18	-66.39	-65.79	-59.64	-50.24	-41.20	-9.04
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.379G	9.40	-66.44	-65.36	-61.84	-65.87	-58.44	-49.04	-27.00	-22.04
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	21.598G	9.40	-57.64	-58.61	-59.63	-59.66	-52.78	-43.38	-27.00	-16.38


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

CSE [PK]

5290MHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.526G	-54.04	-27.00	-27.04	9.40	0.00	-63.44	-63.44
8G	40G	1M	PK	32.083G	-45.80	-27.00	-18.80	9.40	0.00	-55.20	-55.20

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

CSE [AV]

5290MHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.523G	-62.42	-41.20	-21.22	9.40	0.00	-71.82	-71.82
8G	40G	1M	AV	22.105G	-55.88	-41.20	-14.68	9.40	0.00	-65.28	-65.28

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.403G	-52.31	-27.00	-25.31	9.40	0.00	-61.71	-61.71
8G	40G	1M	PK	37.7G	-47.38	-27.00	-20.38	9.40	0.00	-56.78	-56.78

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.635G	-62.71	-41.20	-21.51	9.40	0.00	-72.11	-72.11
8G	40G	1M	AV	22.014G	-55.64	-41.20	-14.44	9.40	0.00	-65.04	-65.04

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.362G	-54.08	-27.00	-27.08	9.40	0.00	-63.48	-63.48
8G	40G	1M	PK	21.977G	-47.34	-27.00	-20.34	9.40	0.00	-56.74	-56.74

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.64G	-62.85	-41.20	-21.65	9.40	0.00	-72.25	-72.25
8G	40G	1M	AV	22.052G	-55.16	-41.20	-13.96	9.40	0.00	-64.56	-64.56

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

CSE [PK]

5290MHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.561G	-51.10	-27.00	-24.10	9.40	0.00	-60.50	-64.52	-62.69
8G	40G	1M	PK	37.857G	-45.20	-27.00	-18.20	9.40	0.00	-54.60	-56.38	-59.34

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

CSE [AV]

5290MHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.642G	-60.03	-41.20	-18.83	9.40	0.00	-69.43	-72.45	-72.43
8G	40G	1M	AV	22.056G	-53.12	-41.20	-11.92	9.40	0.00	-62.52	-64.84	-66.34

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.452G	-51.48	-27.00	-24.48	9.40	0.00	-60.88	-64.55	-63.31
8G	40G	1M	PK	21.976G	-45.49	-27.00	-18.49	9.40	0.00	-54.89	-60.02	-56.48

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.63G	-59.87	-41.20	-18.67	9.40	0.00	-69.27	-72.13	-72.44
8G	40G	1M	AV	22.047G	-53.15	-41.20	-11.95	9.40	0.00	-62.55	-65.75	-65.37

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.382G	-51.49	-27.00	-24.49	9.40	0.00	-60.89	-62.58	-65.80
8G	40G	1M	PK	21.986G	-45.23	-27.00	-18.23	9.40	0.00	-54.63	-60.45	-55.95

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.622G	-59.90	-41.20	-18.70	9.40	0.00	-69.30	-72.67	-71.98
8G	40G	1M	AV	22.025G	-52.72	-41.20	-11.52	9.40	0.00	-62.12	-64.65	-65.68

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE [PK]

5290MHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.51G	-50.64	-27.00	-23.64	9.40	0.00	-60.04	-66.26	-65.56	-66.93	-65.63
8G	40G	1M	PK	38.019G	-43.03	-27.00	-16.03	9.40	0.00	-52.43	-57.98	-59.97	-57.91	-58.23

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

CSE [AV]

5290MHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.604G	-57.07	-41.20	-15.87	9.40	0.00	-66.47	-72.20	-72.75	-72.15	-72.90
8G	40G	1M	AV	22.112G	-50.27	-41.20	-9.07	9.40	0.00	-59.67	-65.01	-65.70	-66.03	-66.12

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.446G	-48.87	-27.00	-21.87	9.40	0.00	-58.27	-68.66	-64.73	-62.45	-63.50
8G	40G	1M	PK	21.441G	-43.06	-27.00	-16.06	9.40	0.00	-52.46	-58.91	-60.58	-56.27	-59.37

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.639G	-57.05	-41.20	-15.85	9.40	0.00	-66.45	-72.64	-72.88	-72.52	-71.89
8G	40G	1M	AV	22.044G	-50.17	-41.20	-8.97	9.40	0.00	-59.57	-65.24	-66.16	-65.44	-65.59

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.379G	-49.04	-27.00	-22.04	9.40	0.00	-58.44	-66.44	-65.36	-61.84	-65.87
8G	40G	1M	PK	21.598G	-43.38	-27.00	-16.38	9.40	0.00	-52.78	-57.64	-58.61	-59.63	-59.66

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.617G	-56.72	-41.20	-15.52	9.40	0.00	-66.12	-72.38	-72.52	-72.18	-71.54
8G	40G	1M	AV	22.014G	-50.24	-41.20	-9.04	9.40	0.00	-59.64	-65.39	-65.18	-66.39	-65.79

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	8G	40G	AV	-64.07	-71.58				-71.58	-41.20	-22.87	7.51
802.11a_Nss1,(6Mbps)_2TX	Pass	8G	40G	AV	-63.42	-70.93	-74.39			-73.54	-41.20	-22.22	7.51
802.11a_Nss1,(6Mbps)_4TX	Pass	8G	40G	AV	-60.63	-68.14	-74.40	-73.63	-74.39	-74.28	-41.20	-19.43	7.51
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-65.19	-72.70				-72.70	-41.20	-23.99	7.51
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-63.41	-70.92	-74.22			-73.65	-41.20	-22.21	7.51
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	-60.62	-68.13	-73.11	-74.65	-74.47	-74.56	-41.20	-19.42	7.51
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-66.08	-73.59				-73.59	-41.20	-24.88	7.51
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-63.24	-70.75	-73.25			-74.33	-41.20	-22.04	7.51
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	-60.66	-68.17	-73.44	-73.76	-75.01	-74.77	-41.20	-19.46	7.51
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-66.33	-73.84				-73.84	-41.20	-25.13	7.51
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-63.20	-70.71	-73.69			-73.76	-41.20	-22.00	7.51
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	-60.65	-68.16	-74.82	-74.67	-73.03	-74.47	-41.20	-19.45	7.51
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	-66.32	-73.83				-73.83	-41.20	-25.12	7.51
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-63.53	-71.04	-73.91			-74.20	-41.20	-22.33	7.51
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	-60.59	-68.10	-74.31	-73.07	-74.31	-75.02	-41.20	-19.39	7.51

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	8G	40G	AV	10.6G	7.51	-82.21				-82.21	-74.70	-41.20	-33.50
5260MHz	Pass	8G	40G	AV	39.003G	7.51	-73.58				-73.58	-66.07	-41.20	-24.87
5260MHz	Pass	1G	40G	PK	10.51234G	7.51	-63.58				-63.58	-56.07	-27.00	-29.07
5300MHz	Pass	8G	40G	AV	10.6G	7.51	-73.51				-73.51	-66.00	-41.20	-24.80
5300MHz	Pass	1G	40G	PK	10.594G	7.51	-65.95				-65.95	-58.44	-27.00	-31.44
5320MHz	Pass	8G	40G	AV	10.64G	7.51	-71.58				-71.58	-64.07	-41.20	-22.87
5320MHz	Pass	1G	40G	PK	10.64031G	7.51	-61.11				-61.11	-53.60	-21.20	-32.40
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	8G	40G	AV	10.6G	7.51	-82.68				-82.68	-75.17	-41.20	-33.97
5260MHz	Pass	8G	40G	AV	38.811G	7.51	-73.82				-73.82	-66.31	-41.20	-25.11
5260MHz	Pass	1G	40G	PK	10.50503G	7.51	-62.48				-62.48	-54.97	-27.00	-27.97
5300MHz	Pass	8G	40G	AV	10.6G	7.51	-73.28				-73.28	-65.77	-41.20	-24.57
5300MHz	Pass	1G	40G	PK	10.59888G	7.51	-67.38				-67.38	-59.87	-27.00	-32.87
5320MHz	Pass	8G	40G	AV	10.638G	7.51	-72.70				-72.70	-65.19	-41.20	-23.99
5320MHz	Pass	1G	40G	PK	10.64153G	7.51	-64.12				-64.12	-56.61	-21.20	-35.41
802.11be EHT40_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	8G	40G	AV	10.6G	7.51	-81.63				-81.63	-74.12	-41.20	-32.92
5270MHz	Pass	8G	40G	AV	38.808G	7.51	-73.70				-73.70	-66.19	-41.20	-24.99
5270MHz	Pass	1G	40G	PK	10.54525G	7.51	-64.61				-64.61	-57.10	-27.00	-30.10
5310MHz	Pass	8G	40G	AV	10.623G	7.51	-75.06				-75.06	-67.55	-41.20	-26.35
5310MHz	Pass	8G	40G	AV	38.831G	7.51	-73.59				-73.59	-66.08	-41.20	-24.88
5310MHz	Pass	1G	40G	PK	10.59766G	7.51	-70.56				-70.56	-63.05	-27.00	-36.05
802.11be EHT80_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.606G	7.51	-79.35				-79.35	-71.84	-41.20	-30.64
5290MHz	Pass	8G	40G	AV	39.044G	7.51	-73.84				-73.84	-66.33	-41.20	-25.13
5290MHz	Pass	1G	40G	PK	10.54403G	7.51	-71.63				-71.63	-64.12	-27.00	-37.12
802.11be EHT160_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.604G	7.51	-81.05				-81.05	-73.54	-41.20	-32.34
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	39.107G	7.51	-73.83				-73.83	-66.32	-41.20	-25.12
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.39658G	7.51	-68.24				-68.24	-60.73	-27.00	-33.73
802.11a_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	8G	40G	AV	10.6G	7.51	-82.56	-82.11			-79.32	-71.81	-41.20	-30.61
5260MHz	Pass	8G	40G	AV	38.861G	7.51	-73.76	-74.20			-70.96	-63.45	-41.20	-22.25
5260MHz	Pass	1G	40G	PK	10.52088G	7.51	-71.09	-76.95			-70.09	-62.58	-27.00	-35.58
5300MHz	Pass	8G	40G	AV	10.601G	7.51	-79.16	-80.59			-76.81	-69.30	-41.20	-28.10
5300MHz	Pass	8G	40G	AV	38.938G	7.51	-73.54	-74.39			-70.93	-63.42	-41.20	-22.22
5300MHz	Pass	1G	40G	PK	10.59766G	7.51	-73.86	-76.75			-72.06	-64.55	-27.00	-37.55
5320MHz	Pass	8G	40G	AV	10.64G	7.51	-77.28	-79.65			-75.29	-67.78	-41.20	-26.58
5320MHz	Pass	8G	40G	AV	38.95G	7.51	-73.81	-74.38			-71.08	-63.57	-41.20	-22.37
5320MHz	Pass	1G	40G	PK	10.64153G	7.51	-69.61	-76.97			-68.88	-61.37	-21.20	-40.17
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	8G	40G	AV	10.6G	7.51	-82.07	-82.81			-79.41	-71.90	-41.20	-30.70
5260MHz	Pass	8G	40G	AV	38.96G	7.51	-73.65	-74.22			-70.92	-63.41	-41.20	-22.21
5260MHz	Pass	1G	40G	PK	10.50381G	7.51	-70.34	-83.17			-70.12	-62.61	-27.00	-35.61
5300MHz	Pass	8G	40G	AV	10.6G	7.51	-79.27	-80.43			-76.80	-69.29	-41.20	-28.09
5300MHz	Pass	8G	40G	AV	38.962G	7.51	-73.51	-74.82			-71.11	-63.60	-41.20	-22.40
5300MHz	Pass	1G	40G	PK	10.594G	7.51	-73.85	-80.05			-72.92	-65.41	-27.00	-38.41
5320MHz	Pass	8G	40G	AV	10.637G	7.51	-78.57	-78.89			-75.72	-68.21	-41.20	-27.01
5320MHz	Pass	8G	40G	AV	39.033G	7.51	-73.77	-74.44			-71.08	-63.57	-41.20	-22.37
5320MHz	Pass	1G	40G	PK	10.64884G	7.51	-70.55	-76.92			-69.65	-62.14	-21.20	-40.94
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	8G	40G	AV	10.6G	7.51	-81.65	-82.53			-79.06	-71.55	-41.20	-30.35
5270MHz	Pass	8G	40G	AV	39.992G	7.51	-74.33	-73.25			-70.75	-63.24	-41.20	-22.04
5270MHz	Pass	1G	40G	PK	10.52819G	7.51	-71.80	-80.16			-71.21	-63.70	-27.00	-36.70
5310MHz	Pass	8G	40G	AV	10.622G	7.51	-78.64	-80.75			-76.56	-69.05	-41.20	-27.85
5310MHz	Pass	8G	40G	AV	40G	7.51	-74.30	-73.69			-70.97	-63.46	-41.20	-22.26
5310MHz	Pass	1G	40G	PK	10.59644G	7.51	-75.64	-82.08			-74.75	-67.24	-27.00	-40.24
802.11be EHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.606G	7.51	-80.69	-81.65			-78.13	-70.62	-41.20	-29.42
5290MHz	Pass	8G	40G	AV	38.732G	7.51	-73.76	-73.69			-70.71	-63.20	-41.20	-22.00
5290MHz	Pass	1G	40G	PK	10.56231G	7.51	-77.35	-82.72			-76.24	-68.73	-27.00	-41.73
802.11be EHT160_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.604G	7.51	-81.48	-81.52			-78.49	-70.98	-41.20	-29.78
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	38.835G	7.51	-74.20	-73.91			-71.04	-63.53	-41.20	-22.33
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.41484G	7.51	-70.38	-78.44			-69.75	-62.24	-27.00	-35.24
802.11a_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	8G	40G	AV	10.6G	7.51	-82.52	-82.21	-82.03	-82.31	-76.24	-68.73	-41.20	-27.53
5260MHz	Pass	8G	40G	AV	38.801G	7.51	-74.28	-74.40	-73.63	-74.39	-68.14	-60.63	-41.20	-19.43

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5260MHz	Pass	1G	40G	PK	10.516G	7.51	-81.49	-85.95	-88.52	-85.47	-78.58	-71.07	-27.00	-44.07
5260MHz	Pass	1G	40G	PK	38.2645G	7.51	-81.48	-80.04	-81.57	-84.83	-75.64	-68.13	-27.00	-41.13
5300MHz	Pass	8G	40G	AV	10.607G	7.51	-81.60	-81.82	-81.69	-81.35	-75.59	-68.08	-41.20	-26.88
5300MHz	Pass	8G	40G	AV	38.987G	7.51	-74.41	-74.57	-73.69	-74.76	-68.32	-60.81	-41.20	-19.61
5300MHz	Pass	1G	40G	PK	10.59522G	7.51	-84.98	-86.16	-89.39	-84.10	-79.73	-72.22	-27.00	-45.22
5300MHz	Pass	1G	40G	PK	38.19747G	7.51	-83.62	-82.09	-79.23	-80.91	-75.15	-67.64	-27.00	-40.64
5320MHz	Pass	8G	40G	AV	10.646G	7.51	-81.46	-81.76	-81.40	-81.20	-75.43	-67.92	-41.20	-26.72
5320MHz	Pass	8G	40G	AV	38.844G	7.51	-73.91	-74.71	-73.75	-74.35	-68.14	-60.63	-41.20	-19.43
5320MHz	Pass	1G	40G	PK	10.64031G	7.51	-82.48	-86.22	-84.12	-82.92	-77.69	-70.18	-21.20	-48.98
5320MHz	Pass	1G	40G	PK	38.19625G	7.51	-82.16	-81.07	-82.25	-81.87	-75.79	-68.28	-27.00	-41.28
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	8G	40G	AV	10.6G	7.51	-82.04	-82.20	-82.30	-82.18	-76.16	-68.65	-41.20	-27.45
5260MHz	Pass	8G	40G	AV	39.997G	7.51	-74.56	-73.11	-74.65	-74.47	-68.13	-60.62	-41.20	-19.42
5260MHz	Pass	1G	40G	PK	10.51722G	7.51	-81.72	-84.80	-88.09	-87.01	-78.67	-71.16	-27.00	-44.16
5260MHz	Pass	1G	40G	PK	38.18406G	7.51	-82.69	-83.73	-81.04	-80.54	-75.80	-68.29	-27.00	-41.29
5300MHz	Pass	8G	40G	AV	10.6G	7.51	-81.17	-81.78	-82.26	-81.98	-75.76	-68.25	-41.20	-27.05
5300MHz	Pass	8G	40G	AV	38.744G	7.51	-74.25	-74.55	-74.06	-74.03	-68.20	-60.69	-41.20	-19.49
5300MHz	Pass	1G	40G	PK	10.59888G	7.51	-84.03	-84.27	-89.82	-87.01	-79.69	-72.18	-27.00	-45.18
5300MHz	Pass	1G	40G	PK	37.57347G	7.51	-81.49	-80.95	-84.19	-80.01	-75.39	-67.88	-27.00	-40.88
5320MHz	Pass	8G	40G	AV	10.637G	7.51	-81.01	-81.19	-81.03	-82.35	-75.34	-67.83	-41.20	-26.63
5320MHz	Pass	8G	40G	AV	38.963G	7.51	-74.61	-73.95	-74.21	-74.08	-68.18	-60.67	-41.20	-19.47
5320MHz	Pass	1G	40G	PK	10.63544G	7.51	-82.79	-83.60	-84.87	-85.60	-78.06	-70.55	-21.20	-49.35
5320MHz	Pass	1G	40G	PK	38.19991G	7.51	-81.77	-82.28	-79.83	-82.20	-75.38	-67.87	-27.00	-40.87
802.11be EHT40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	8G	40G	AV	10.6G	7.51	-81.73	-82.45	-82.19	-81.85	-76.03	-68.52	-41.20	-27.32
5270MHz	Pass	8G	40G	AV	38.984G	7.51	-74.77	-73.44	-73.76	-75.01	-68.17	-60.66	-41.20	-19.46
5270MHz	Pass	1G	40G	PK	10.54281G	7.51	-78.43	-84.51	-86.83	-84.86	-76.34	-68.83	-27.00	-41.83
5270MHz	Pass	1G	40G	PK	38.19625G	7.51	-78.97	-82.81	-82.66	-84.15	-75.66	-68.15	-27.00	-41.15
5310MHz	Pass	8G	40G	AV	10.622G	7.51	-81.65	-82.38	-81.37	-81.15	-75.59	-68.08	-41.20	-26.88
5310MHz	Pass	8G	40G	AV	38.888G	7.51	-74.90	-73.64	-73.88	-74.75	-68.24	-60.73	-41.20	-19.53
5310MHz	Pass	1G	40G	PK	10.59522G	7.51	-82.72	-85.66	-88.56	-85.30	-79.06	-71.55	-27.00	-44.55
5310MHz	Pass	1G	40G	PK	38.17797G	7.51	-81.77	-83.12	-79.92	-79.81	-74.93	-67.42	-27.00	-40.42
802.11be EHT80_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.617G	7.51	-81.82	-81.79	-81.69	-81.60	-75.70	-68.19	-41.20	-26.99
5290MHz	Pass	8G	40G	AV	40G	7.51	-74.47	-74.82	-74.67	-73.03	-68.16	-60.65	-41.20	-19.45
5290MHz	Pass	1G	40G	PK	10.53794G	7.51	-87.36	-87.32	-87.45	-88.47	-81.60	-74.09	-27.00	-47.09
5290MHz	Pass	1G	40G	PK	38.00856G	7.51	-80.26	-83.39	-82.45	-81.54	-75.73	-68.22	-27.00	-41.22
802.11be EHT160_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.639G	7.51	-81.66	-81.54	-81.87	-82.41	-75.84	-68.33	-41.20	-27.13
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	38.977G	7.51	-75.02	-74.31	-73.07	-74.31	-68.10	-60.59	-41.20	-19.39
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	10.40875G	7.51	-80.55	-88.49	-88.45	-88.03	-78.78	-71.27	-27.00	-44.27
5250MHz Straddle 5.25-5.35GHz	Pass	1G	40G	PK	38.19991G	7.51	-82.22	-83.43	-78.78	-82.52	-75.32	-67.81	-27.00	-40.81


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5260MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.51234G	-56.07	-27.00	-29.07	7.51	0.00	-63.58	-63.58

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5260MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.6G	-74.70	-41.20	-33.50	7.51	0.00	-82.21	-82.21
8G	40G	1M	AV	39.003G	-66.07	-41.20	-24.87	7.51	0.00	-73.58	-73.58

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5300MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.594G	-58.44	-27.00	-31.44	7.51	0.00	-65.95	-65.95

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5300MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.6G	-66.00	-41.20	-24.80	7.51	0.00	-73.51	-73.51

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5320MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.64031G	-53.60	-21.20	-32.40	7.51	0.00	-61.11	-61.11

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5320MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.64G	-64.07	-41.20	-22.87	7.51	0.00	-71.58	-71.58

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

5260MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.50503G	-54.97	-27.00	-27.97	7.51	0.00	-62.48	-62.48

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

5260MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.6G	-75.17	-41.20	-33.97	7.51	0.00	-82.68	-82.68
8G	40G	1M	AV	38.811G	-66.31	-41.20	-25.11	7.51	0.00	-73.82	-73.82

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

5300MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.59888G	-59.87	-27.00	-32.87	7.51	0.00	-67.38	-67.38

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

5300MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.6G	-65.77	-41.20	-24.57	7.51	0.00	-73.28	-73.28

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

5320MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.64153G	-56.61	-21.20	-35.41	7.51	0.00	-64.12	-64.12

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

5320MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.638G	-65.19	-41.20	-23.99	7.51	0.00	-72.70	-72.70

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [PK]

5270MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.54525G	-57.10	-27.00	-30.10	7.51	0.00	-64.61	-64.61

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [AV]

5270MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.6G	-74.12	-41.20	-32.92	7.51	0.00	-81.63	-81.63
8G	40G	1M	AV	38.808G	-66.19	-41.20	-24.99	7.51	0.00	-73.70	-73.70

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [PK]

5310MHz

24/01/2025



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.59766G	-63.05	-27.00	-36.05	7.51	0.00	-70.56	-70.56

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [AV]

5310MHz

24/01/2025



Limit.AV
EIRP.AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.623G	-67.55	-41.20	-26.35	7.51	0.00	-75.06	-75.06
8G	40G	1M	AV	38.831G	-66.08	-41.20	-24.88	7.51	0.00	-73.59	-73.59

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE [PK]

5290MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.54403G	-64.12	-27.00	-37.12	7.51	0.00	-71.63	-71.63

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE [AV]

5290MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.606G	-71.84	-41.20	-30.64	7.51	0.00	-79.35	-79.35
8G	40G	1M	AV	39.044G	-66.33	-41.20	-25.13	7.51	0.00	-73.84	-73.84

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	40G	1M	PK	10.39656G	-60.73	-27.00	-33.73	7.51	0.00	-68.24	-68.24

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.604G	-73.54	-41.20	-32.34	7.51	0.00	-81.05	-81.05
8G	40G	1M	AV	39.107G	-66.32	-41.20	-25.12	7.51	0.00	-73.83	-73.83

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5260MHz

24/01/2025



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.52088G	-62.58	-27.00	-35.58	7.51	0.00	-70.09	-71.09	-76.95

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5260MHz

24/01/2025



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.6G	-71.81	-41.20	-30.61	7.51	0.00	-79.32	-82.56	-82.11
8G	40G	1M	AV	38.861G	-63.45	-41.20	-22.25	7.51	0.00	-70.96	-73.76	-74.20

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5300MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.59766G	-64.55	-27.00	-37.55	7.51	0.00	-72.06	-73.86	-76.75

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5300MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.601G	-69.30	-41.20	-28.10	7.51	0.00	-76.81	-79.16	-80.59
8G	40G	1M	AV	38.938G	-63.42	-41.20	-22.22	7.51	0.00	-70.93	-73.54	-74.39

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5320MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.64153G	-61.37	-21.20	-40.17	7.51	0.00	-68.88	-69.61	-76.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5320MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.64G	-67.78	-41.20	-26.58	7.51	0.00	-75.29	-77.28	-79.65
8G	40G	1M	AV	38.95G	-63.57	-41.20	-22.37	7.51	0.00	-71.08	-73.81	-74.38

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5260MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.50381G	-62.61	-27.00	-35.61	7.51	0.00	-70.12	-70.34	-83.17

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5260MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.6G	-71.90	-41.20	-30.70	7.51	0.00	-79.41	-82.07	-82.81
8G	40G	1M	AV	38.96G	-63.41	-41.20	-22.21	7.51	0.00	-70.92	-73.65	-74.22

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5300MHz

24/01/2025



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.594G	-65.41	-27.00	-38.41	7.51	0.00	-72.92	-73.85	-80.05

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5300MHz

24/01/2025



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.6G	-69.29	-41.20	-28.09	7.51	0.00	-76.80	-79.27	-80.43
8G	40G	1M	AV	38.962G	-63.60	-41.20	-22.40	7.51	0.00	-71.11	-73.51	-74.82

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5320MHz

24/01/2025



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.64884G	-62.14	-21.20	-40.94	7.51	0.00	-69.65	-70.55	-76.92

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5320MHz

24/01/2025



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.637G	-68.21	-41.20	-27.01	7.51	0.00	-75.72	-78.57	-78.89
8G	40G	1M	AV	39.033G	-63.57	-41.20	-22.37	7.51	0.00	-71.08	-73.77	-74.44

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

5270MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.52819G	-63.70	-27.00	-36.70	7.51	0.00	-71.21	-71.80	-80.16

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

5270MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.6G	-71.55	-41.20	-30.35	7.51	0.00	-79.06	-81.65	-82.53
8G	40G	1M	AV	39.992G	-63.24	-41.20	-22.04	7.51	0.00	-70.75	-74.33	-73.25

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

5310MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.59644G	-67.24	-27.00	-40.24	7.51	0.00	-74.75	-75.64	-82.08

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

5310MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.622G	-69.05	-41.20	-27.85	7.51	0.00	-76.56	-78.64	-80.75
8G	40G	1M	AV	40G	-63.46	-41.20	-22.26	7.51	0.00	-70.97	-74.30	-73.69

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [PK]

5290MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.56231G	-68.73	-27.00	-41.73	7.51	0.00	-76.24	-77.35	-82.72

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [AV]

5290MHz

24/01/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.606G	-70.62	-41.20	-29.42	7.51	0.00	-78.13	-80.69	-81.65
8G	40G	1M	AV	38.732G	-63.20	-41.20	-22.00	7.51	0.00	-70.71	-73.76	-73.69

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.41484G	-62.24	-27.00	-35.24	7.51	0.00	-69.75	-70.38	-78.44

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.604G	-70.98	-41.20	-29.78	7.51	0.00	-78.49	-81.48	-81.52
8G	40G	1M	AV	38.835G	-63.53	-41.20	-22.33	7.51	0.00	-71.04	-74.20	-73.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [PK]

5260MHz

24/01/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [AV]

5260MHz

24/01/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [PK]

5300MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.59522G	-72.22	-27.00	-45.22	7.51	0.00	-79.73	-84.98	-86.16	-89.39	-84.10
1G	40G	1M	PK	38.19747G	-67.64	-27.00	-40.64	7.51	0.00	-75.15	-83.62	-82.09	-79.23	-80.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [AV]

5300MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.607G	-68.08	-41.20	-26.88	7.51	0.00	-75.59	-81.60	-81.82	-81.69	-81.35
8G	40G	1M	AV	38.987G	-60.81	-41.20	-19.61	7.51	0.00	-68.32	-74.41	-74.57	-73.69	-74.76

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [PK]

5320MHz

24/01/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [AV]

5320MHz

24/01/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5260MHz

24/01/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5260MHz

24/01/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5300MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.59888G	-72.18	-27.00	-45.18	7.51	0.00	-79.69	-84.03	-84.27	-89.82	-87.01
1G	40G	1M	PK	37.57347G	-67.88	-27.00	-40.88	7.51	0.00	-75.39	-81.49	-80.95	-84.19	-80.01

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5300MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.6G	-68.25	-41.20	-27.05	7.51	0.00	-75.76	-81.17	-81.78	-82.26	-81.98
8G	40G	1M	AV	38.744G	-60.69	-41.20	-19.49	7.51	0.00	-68.20	-74.25	-74.55	-74.06	-74.03

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5320MHz

24/01/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5320MHz

24/01/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5270MHz

24/01/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5270MHz

24/01/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5310MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.59522G	-71.55	-27.00	-44.55	7.51	0.00	-79.06	-82.72	-85.66	-88.56	-85.30
1G	40G	1M	PK	38.17797G	-67.42	-27.00	-40.42	7.51	0.00	-74.93	-81.77	-83.12	-79.92	-79.81

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5310MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.622G	-68.08	-41.20	-26.88	7.51	0.00	-75.59	-81.65	-82.38	-81.37	-81.15
8G	40G	1M	AV	38.888G	-60.73	-41.20	-19.53	7.51	0.00	-68.24	-74.90	-73.64	-73.88	-74.75

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [PK]

5290MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	40G	1M	PK	10.53794G	-74.09	-27.00	-47.09	7.51	0.00	-81.60	-87.36	-87.32	-87.45	-88.47
1G	40G	1M	PK	38.00856G	-68.22	-27.00	-41.22	7.51	0.00	-75.73	-80.26	-83.39	-82.45	-81.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [AV]

5290MHz

24/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.617G	-68.19	-41.20	-26.99	7.51	0.00	-75.70	-81.82	-81.79	-81.69	-81.60
8G	40G	1M	AV	40G	-60.65	-41.20	-19.45	7.51	0.00	-68.16	-74.47	-74.82	-74.67	-73.03

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

24/01/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

24/01/2025



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Limit (dBm)	Psum (dBm)	EIRP (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	8G	40G	AV	7.51	-79.89				-41.2	-79.89	-72.38	-31.18
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	Pass	8G	40G	AV	7.51	-80.06				-41.2	-80.06	-72.55	-31.35
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	8G	40G	AV	7.51	-80.03	-80.59			-41.2	-77.29	-69.78	-28.58
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	8G	40G	AV	7.51	-80.46	-79.87	-80.83	-81.01	-41.2	-74.5	-66.99	-25.79
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	8G	40G	AV	7.51	-80.52	-80.23	-80.35	-79.73	-41.2	-74.18	-66.67	-25.47
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	Pass	8G	40G	AV	7.51	-79.75				-41.20	-79.75	-72.24	-31.04
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	Pass	8G	40G	AV	7.51	-79.69				-41.20	-79.69	-72.18	-30.98
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	Pass	8G	40G	AV	7.51	-79.66				-41.20	-79.66	-72.15	-30.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	8G	40G	AV	7.51	-79.54	-81.06			-41.20	-77.22	-69.71	-28.51
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	Pass	8G	40G	AV	7.51	-80.28	-80.00			-41.20	-77.13	-69.62	-28.42
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	8G	40G	AV	7.51	-79.81	-80.65			-41.20	-77.20	-69.69	-28.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	8G	40G	AV	7.51	-80.48	-79.78	-80.73	-80.77	-41.20	-74.40	-66.89	-25.69
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	Pass	8G	40G	AV	7.51	-79.97	-80.95	-80.40	-80.04	-41.20	-74.30	-66.79	-25.59
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	8G	40G	AV	7.51	-80.60	-80.44	-80.52	-80.24	-41.20	-74.43	-66.92	-25.72

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.601G	7.51	-84.8				-84.8	-77.29	-41.2	-36.09
5290MHz	Pass	8G	40G	AV	22.103G	7.51	-79.89				-79.89	-72.38	-41.2	-31.18
5290MHz	Pass	8G	40G	PK	10.577G	7.51	-73.21				-73.21	-65.70	-27	-38.70
5290MHz	Pass	8G	40G	PK	21.608G	7.51	-71.39				-71.39	-63.88	-27	-36.88
802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.635G	7.51	-84.76				-84.76	-77.25	-41.2	-36.05
5290MHz	Pass	8G	40G	AV	22.272G	7.51	-80.06				-80.06	-72.55	-41.2	-31.35
5290MHz	Pass	8G	40G	PK	10.572G	7.51	-73.58				-73.58	-66.07	-27	-39.07
5290MHz	Pass	8G	40G	PK	23.195G	7.51	-71.47				-71.47	-63.96	-27	-36.96
802.11be EHT160_Nss1(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.604G	7.51	-85.19				-85.19	-77.68	-41.20	-36.48
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.247G	7.51	-79.75				-79.75	-72.24	-41.20	-31.04
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.451G	7.51	-75.41				-75.41	-67.90	-27.00	-40.90
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	37.849G	7.51	-70.81				-70.81	-63.30	-27.00	-36.30
802.11be EHT160_Nss1(MCS0),RU484+3xRU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.619G	7.51	-86.45				-86.45	-78.94	-41.20	-37.74
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.095G	7.51	-79.69				-79.69	-72.18	-41.20	-30.98
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.507G	7.51	-76.34				-76.34	-68.83	-27.00	-41.83
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	38.155G	7.51	-71.59				-71.59	-64.08	-27.00	-37.08
802.11be EHT160_Nss1(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.614G	7.51	-85.17				-85.17	-77.66	-41.20	-36.46
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.091G	7.51	-79.66				-79.66	-72.15	-41.20	-30.95
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.505G	7.51	-74.51				-74.51	-67.00	-27.00	-40.00
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	21.5G	7.51	-71.74				-71.74	-64.23	-27.00	-37.23
802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.64G	7.51	-84.58	-82.76			-80.57	-73.06	-41.2	-31.86
5290MHz	Pass	8G	40G	AV	22.137G	7.51	-80.03	-80.59			-77.29	-69.78	-41.2	-28.58
5290MHz	Pass	8G	40G	PK	10.576G	7.51	-79.55	-68.99			-68.62	-61.11	-27	-34.11
802.11be EHT160_Nss1(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.608G	7.51	-86.41	-84.16			-82.13	-74.62	-41.20	-33.42
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.066G	7.51	-79.54	-81.06			-77.22	-69.71	-41.20	-28.51
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.466G	7.51	-77.38	-73.04			-71.68	-64.17	-27.00	-37.17
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	21.999G	7.51	-71.78	-73.16			-69.41	-61.90	-27.00	-34.90
802.11be EHT160_Nss1(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.641G	7.51	-86.94	-86.79			-83.85	-76.34	-41.20	-35.14
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.09G	7.51	-80.28	-80.00			-77.13	-69.62	-41.20	-28.42
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.358G	7.51	-77.88	-76.81			-74.30	-66.79	-27.00	-39.79
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	21.661G	7.51	-72.61	-72.88			-69.73	-62.22	-27.00	-35.22
802.11be EHT160_Nss1(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.62G	7.51	-85.22	-84.54			-81.86	-74.35	-41.20	-33.15
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.095G	7.51	-79.81	-80.65			-77.20	-69.69	-41.20	-28.49
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.494G	7.51	-73.44	-77.83			-72.09	-64.58	-27.00	-37.58
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	23.315G	7.51	-71.88	-72.30			-69.07	-61.56	-27.00	-34.56
802.11be EHT80_Nss1(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.601G	7.51	-84.49	-84.05	-81.25	-83.77	-77.17	-69.66	-41.2	-28.46
5290MHz	Pass	8G	40G	AV	22.047G	7.51	-80.46	-79.87	-80.83	-81.01	-74.5	-66.99	-41.2	-25.79
5290MHz	Pass	8G	40G	PK	10.531G	7.51	-77.11	-77.41	-72.82	-74.74	-69.09	-61.58	-27	-34.58
5290MHz	Pass	8G	40G	PK	23.224G	7.51	-75.84	-76.01	-71.88	-72.51	-67.64	-60.13	-27	-33.13
802.11be EHT80_Nss1(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.64G	7.51	-85.33	-82.52	-82.71	-84.37	-77.56	-70.05	-41.2	-28.85
5290MHz	Pass	8G	40G	AV	22.1G	7.51	-80.52	-80.23	-80.35	-79.73	-74.18	-66.67	-41.2	-25.47
5290MHz	Pass	8G	40G	PK	10.58G	7.51	-77.92	-73.77	-68.75	-73.7	-66.31	-58.80	-27	-31.80
802.11be EHT160_Nss1(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.6G	7.51	-86.69	-85.47	-82.50	-84.88	-78.58	-71.07	-41.20	-29.87
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.053G	7.51	-80.48	-79.78	-80.73	-80.77	-74.40	-66.89	-41.20	-25.69
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.462G	7.51	-73.86	-78.33	-74.86	-78.90	-69.94	-62.43	-27.00	-35.43
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	23.307G	7.51	-74.10	-72.23	-73.10	-74.08	-67.29	-59.78	-27.00	-32.78
802.11be EHT160_Nss1(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.631G	7.51	-86.40	-86.46	-87.17	-87.10	-80.75	-73.24	-41.20	-32.04
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.09G	7.51	-79.97	-80.95	-80.40	-80.04	-74.30	-66.79	-41.20	-25.59
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.405G	7.51	-79.52	-75.34	-80.65	-79.70	-72.24	-64.73	-27.00	-37.73
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	23.215G	7.51	-73.87	-75.31	-74.41	-71.24	-67.40	-59.89	-27.00	-32.89
802.11be EHT160_Nss1(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.616G	7.51	-85.41	-84.52	-83.19	-85.17	-78.46	-70.95	-41.20	-29.75
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.036G	7.51	-80.60	-80.44	-80.52	-80.24	-74.43	-66.92	-41.20	-25.72
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.5G	7.51	-74.81	-79.67	-71.89	-78.76	-69.14	-61.63	-27.00	-34.63
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	23.302G	7.51	-70.92	-74.99	-73.23	-75.79	-67.29	-59.78	-27.00	-32.78


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE [PK]

5290MHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.577G	-65.70	-27.00	-38.70	7.51	0.00	-73.21	-73.21
8G	40G	1M	PK	21.608G	-63.88	-27.00	-36.88	7.51	0.00	-71.39	-71.39

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE [AV]

5290MHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.601G	-77.29	-41.20	-36.09	7.51	0.00	-84.80	-84.80
8G	40G	1M	AV	22.103G	-72.38	-41.20	-31.18	7.51	0.00	-79.89	-79.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE [PK]

5290MHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.572G	-66.07	-27.00	-39.07	7.51	0.00	-73.58	-73.58
8G	40G	1M	PK	23.195G	-63.96	-27.00	-36.96	7.51	0.00	-71.47	-71.47

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE [AV]

5290MHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.635G	-77.25	-41.20	-36.05	7.51	0.00	-84.76	-84.76
8G	40G	1M	AV	22.272G	-72.55	-41.20	-31.35	7.51	0.00	-80.06	-80.06

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.507G	-68.83	-27.00	-41.83	7.51	0.00	-76.34	-76.34
8G	40G	1M	PK	38.155G	-64.08	-27.00	-37.08	7.51	0.00	-71.59	-71.59

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.619G	-78.94	-41.20	-37.74	7.51	0.00	-86.45	-86.45
8G	40G	1M	AV	22.095G	-72.18	-41.20	-30.98	7.51	0.00	-79.69	-79.69

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.505G	-67.00	-27.00	-40.00	7.51	0.00	-74.51	-74.51
8G	40G	1M	PK	21.5G	-64.23	-27.00	-37.23	7.51	0.00	-71.74	-71.74

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.614G	-77.66	-41.20	-36.46	7.51	0.00	-85.17	-85.17
8G	40G	1M	AV	22.091G	-72.15	-41.20	-30.95	7.51	0.00	-79.66	-79.66

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE [PK]

5290MHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.576G	-61.11	-27.00	-34.11	7.51	0.00	-68.62	-79.55	-68.99

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE [AV]

5290MHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.64G	-73.06	-41.20	-31.86	7.51	0.00	-80.57	-84.58	-82.76
8G	40G	1M	AV	22.137G	-69.78	-41.20	-28.58	7.51	0.00	-77.29	-80.03	-80.59

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.666G	-64.17	-27.00	-37.17	7.51	0.00	-71.68	-77.38	-73.04
8G	40G	1M	PK	21.999G	-61.90	-27.00	-34.90	7.51	0.00	-69.41	-71.78	-73.16

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.666G	-74.62	-41.20	-33.42	7.51	0.00	-82.13	-86.41	-84.16
8G	40G	1M	AV	22.066G	-69.71	-41.20	-28.51	7.51	0.00	-77.22	-79.54	-81.06

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.358G	-66.79	-27.00	-39.79	7.51	0.00	-74.30	-77.88	-76.81
8G	40G	1M	PK	21.661G	-62.22	-27.00	-35.22	7.51	0.00	-69.73	-72.61	-72.88

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.641G	-76.34	-41.20	-35.14	7.51	0.00	-83.85	-86.94	-86.79
8G	40G	1M	AV	22.09G	-69.62	-41.20	-28.42	7.51	0.00	-77.13	-80.28	-80.00

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [PK]

5290MHz

17/02/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [AV]

5290MHz

17/02/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [PK]

5290MHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.58G	-58.80	-27.00	-31.80	7.51	0.00	-66.31	-77.92	-73.77	-68.75	-73.70

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [AV]

5290MHz

17/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.64G	-70.05	-41.20	-28.85	7.51	0.00	-77.56	-85.33	-82.52	-82.71	-84.37
8G	40G	1M	AV	22.1G	-66.67	-41.20	-25.47	7.51	0.00	-74.18	-80.52	-80.23	-80.35	-79.73

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU_1_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU_1_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

17/02/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

17/02/2025



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	EIRP (dBm)	Psum (dBm)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	7.51	-71.69	-79.20	-79.20				-41.20	-30.49
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	7.51	-68.35	-75.86	-78.91	-78.84			-41.20	-27.15
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	7.51	-65.24	-72.75	-80.57	-79.48	-76.73	-79.29	-41.20	-24.04
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	7.51	-70.12	-77.63	-77.63				-41.20	-28.92
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	7.51	-69.45	-76.96	-79.69	-80.27			-41.20	-28.25
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	7.51	-66.52	-74.03	-80.61	-81.77	-80.90	-77.93	-41.20	-25.32

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.6G	7.51	-79.20				-79.20	-71.69	-41.20	-30.49
5290MHz	Pass	8G	40G	PK	10.598G	7.51	-69.90				-69.90	-62.39	-27.00	-35.39
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.632G	7.51	-80.96				-80.96	-73.45	-41.20	-32.25
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	20.979G	7.51	-77.63				-77.63	-70.12	-41.20	-28.92
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.438G	7.51	-71.05				-71.05	-63.54	-27.00	-36.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.608G	7.51	-81.54				-81.54	-74.03	-41.20	-32.83
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	20.987G	7.51	-78.97				-78.97	-71.46	-41.20	-30.26
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.451G	7.51	-69.68				-69.68	-62.17	-27.00	-35.17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.601G	7.51	-78.91	-78.84			-75.86	-68.35	-41.20	-27.15
5290MHz	Pass	8G	40G	PK	10.519G	7.51	-73.77	-69.19			-67.89	-60.38	-27.00	-33.38
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.621G	7.51	-80.30	-81.81			-77.98	-70.47	-41.20	-29.27
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	22.117G	7.51	-79.69	-80.27			-76.96	-69.45	-41.20	-28.25
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.546G	7.51	-74.54	-71.19			-69.54	-62.03	-27.00	-35.03
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	32.702G	7.51	-73.92	-71.48			-69.52	-62.01	-27.00	-35.01
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.628G	7.51	-81.43	-82.33			-78.85	-71.34	-41.20	-30.14
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	21.06G	7.51	-79.27	-81.14			-77.09	-69.58	-41.20	-28.38
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.524G	7.51	-73.59	-69.93			-68.38	-60.87	-27.00	-33.87
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	8G	40G	AV	10.602G	7.51	-80.57	-79.48	-76.73	-79.29	-72.75	-65.24	-41.20	-24.04
5290MHz	Pass	8G	40G	PK	10.571G	7.51	-80.31	-73.47	-67.88	-67.34	-63.96	-56.45	-27.00	-29.45
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.619G	7.51	-84.04	-81.99	-82.41	-81.05	-76.22	-68.71	-41.20	-27.51
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	21G	7.51	-80.61	-81.77	-80.90	-77.93	-74.03	-66.52	-41.20	-25.32
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.516G	7.51	-78.58	-67.27	-76.39	-76.50	-66.08	-58.57	-27.00	-31.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	10.616G	7.51	-84.10	-83.57	-79.72	-81.51	-75.85	-68.34	-41.20	-27.14
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	AV	21G	7.51	-80.77	-81.17	-81.56	-77.81	-74.03	-66.52	-41.20	-25.32
5250MHz Straddle 5.25-5.35GHz	Pass	8G	40G	PK	10.503G	7.51	-76.73	-71.30	-71.52	-77.38	-67.35	-59.84	-27.00	-32.84


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

CSE [PK]

5290MHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.598G	-62.39	-27.00	-35.39	7.51	0.00	-69.90	-69.90

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

CSE [AV]

5290MHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.6G	-71.69	-41.20	-30.49	7.51	0.00	-79.20	-79.20

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.438G	-63.54	-27.00	-36.54	7.51	0.00	-71.05	-71.05

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.632G	-73.45	-41.20	-32.25	7.51	0.00	-80.96	-80.96
8G	40G	1M	AV	20.979G	-70.12	-41.20	-28.92	7.51	0.00	-77.63	-77.63

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	10.451G	-62.17	-27.00	-35.17	7.51	0.00	-69.68	-69.68

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	10.608G	-74.03	-41.20	-32.83	7.51	0.00	-81.54	-81.54
8G	40G	1M	AV	20.987G	-71.46	-41.20	-30.26	7.51	0.00	-78.97	-78.97

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

CSE [PK]

5290MHz

15/02/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psu(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.519G	-60.38	-27.00	-33.38	7.51	0.00	-67.89	-73.77	-69.19

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

CSE [AV]

5290MHz

15/02/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psu(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.601G	-66.35	-41.20	-27.15	7.51	0.00	-75.86	-78.91	-78.84

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.546G	-62.03	-27.00	-35.03	7.51	0.00	-69.54	-74.54	-71.19
8G	40G	1M	PK	32.702G	-62.01	-27.00	-35.01	7.51	0.00	-69.52	-73.92	-71.48

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.621G	-70.47	-41.20	-29.27	7.51	0.00	-77.98	-80.30	-81.81
8G	40G	1M	AV	22.117G	-69.45	-41.20	-28.25	7.51	0.00	-76.96	-79.69	-80.27

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	10.524G	-60.87	-27.00	-33.87	7.51	0.00	-68.38	-73.59	-69.93

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	10.628G	-71.34	-41.20	-30.14	7.51	0.00	-78.85	-81.43	-82.33
8G	40G	1M	AV	21.06G	-69.58	-41.20	-28.38	7.51	0.00	-77.09	-79.27	-81.14

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [PK]

5290MHz

15/02/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psu(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.571G	-56.45	-27.00	-29.45	7.51	0.00	-63.96	-80.31	-73.47	-67.88	-67.34

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

CSE [AV]

5290MHz

15/02/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psu(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.602G	-65.24	-41.20	-24.04	7.51	0.00	-72.75	-80.57	-79.48	-76.73	-79.29

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.516G	-58.57	-27.00	-31.57	7.51	0.00	-66.08	-78.58	-67.27	-76.39	-76.50

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.619G	-68.71	-41.20	-27.51	7.51	0.00	-76.22	-84.04	-81.99	-82.41	-81.05
8G	40G	1M	AV	21G	-66.52	-41.20	-25.32	7.51	0.00	-74.03	-80.61	-81.77	-80.90	-77.93

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

15/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.503G	-59.84	-27.00	-32.84	7.51	0.00	-67.35	-76.73	-71.30	-71.52	-77.38

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

15/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.616G	-68.34	-41.20	-27.14	7.51	0.00	-75.85	-84.10	-83.57	-79.72	-81.51
8G	40G	1M	AV	21G	-66.52	-41.20	-25.32	7.51	0.00	-74.03	-80.77	-81.17	-81.56	-77.81



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1(6Mbps)_1TX	Pass	5.11G	5.39G	AV	5.35052G	4.90	-46.51	-46.51	-41.61	-41.20	-0.41
802.11ax HEW20_Nss1(MCS0)_1TX	Pass	5.11G	5.39G	AV	5.35024G	4.90	-47.38	-47.38	-42.48	-41.20	-1.28
802.11ax HEW40_Nss1(MCS0)_1TX	Pass	5.07G	5.43G	AV	5.35008G	4.90	-47.32	-47.32	-42.42	-41.20	-1.22
802.11ax HEW80_Nss1(MCS0)_1TX	Pass	4.99G	5.51G	AV	5.35244G	4.90	-48.27	-48.27	-43.37	-41.20	-2.17
802.11ax HEW160_Nss1(MCS0)_1TX	Pass	4.83G	5.67G	AV	5.14836G	4.90	-46.43	-46.43	-41.53	-41.20	-0.33

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14598G	4.90	-54.98	-54.98	-50.08	-41.20	-8.88
5260MHz	Pass	5.11G	5.39G	AV	5.35192G	4.90	-53.21	-53.21	-48.31	-41.20	-7.11
5260MHz	Pass	5.11G	5.39G	AV	5.35822G	4.90	-53.21	-53.21	-48.31	-41.20	-7.11
5260MHz	Pass	5.11G	5.39G	PK	5.11546G	4.90	-42.18	-42.18	-37.28	-21.20	-16.08
5260MHz	Pass	5.11G	5.39G	PK	5.35948G	4.90	-39.96	-39.96	-35.06	-21.20	-13.86
5300MHz	Pass	5.11G	5.39G	AV	5.14612G	4.90	-54.82	-54.82	-49.92	-41.20	-8.72
5300MHz	Pass	5.11G	5.39G	AV	5.35122G	4.90	-47.32	-47.32	-42.42	-41.20	-1.22
5300MHz	Pass	5.11G	5.39G	PK	5.13898G	4.90	-41.90	-41.90	-37.00	-21.20	-15.80
5300MHz	Pass	5.11G	5.39G	PK	5.3501G	4.90	-32.36	-32.36	-27.46	-21.20	-6.26
5320MHz	Pass	5.11G	5.39G	AV	5.1401G	4.90	-54.88	-54.88	-49.98	-41.20	-8.78
5320MHz	Pass	5.11G	5.39G	AV	5.35052G	4.90	-46.51	-46.51	-41.61	-41.20	-0.41
5320MHz	Pass	5.11G	5.39G	PK	5.14688G	4.90	-42.02	-42.02	-37.12	-21.20	-15.92
5320MHz	Pass	5.11G	5.39G	PK	5.35066G	4.90	-30.95	-30.95	-26.05	-21.20	-4.85
802.11ax HEW20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14934G	4.90	-55.22	-55.22	-50.32	-41.20	-9.12
5260MHz	Pass	5.11G	5.39G	AV	5.35948G	4.90	-53.58	-53.58	-48.68	-41.20	-7.48
5260MHz	Pass	5.11G	5.39G	PK	5.12554G	4.90	-42.07	-42.07	-37.17	-21.20	-15.97
5260MHz	Pass	5.11G	5.39G	PK	5.38034G	4.90	-40.71	-40.71	-35.81	-21.20	-14.61
5300MHz	Pass	5.11G	5.39G	AV	5.14052G	4.90	-55.27	-55.27	-50.37	-41.20	-9.17
5300MHz	Pass	5.11G	5.39G	AV	5.35024G	4.90	-47.38	-47.38	-42.48	-41.20	-1.28
5300MHz	Pass	5.11G	5.39G	PK	5.13058G	4.90	-41.59	-41.59	-36.69	-21.20	-15.49
5300MHz	Pass	5.11G	5.39G	PK	5.35052G	4.90	-32.20	-32.20	-27.30	-21.20	-6.10
5320MHz	Pass	5.11G	5.39G	AV	5.14416G	4.90	-55.48	-55.48	-50.58	-41.20	-9.38
5320MHz	Pass	5.11G	5.39G	AV	5.35038G	4.90	-48.11	-48.11	-43.21	-41.20	-2.01
5320MHz	Pass	5.11G	5.39G	PK	5.14906G	4.90	-41.59	-41.59	-36.69	-21.20	-15.49
5320MHz	Pass	5.11G	5.39G	PK	5.3508G	4.90	-30.92	-30.92	-26.02	-21.20	-4.82
802.11ax HEW40_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	5.07G	5.43G	AV	5.14938G	4.90	-53.45	-53.45	-48.55	-41.20	-7.35
5270MHz	Pass	5.07G	5.43G	AV	5.35008G	4.90	-47.32	-47.32	-42.42	-41.20	-1.22
5270MHz	Pass	5.07G	5.43G	PK	5.14272G	4.90	-40.13	-40.13	-35.23	-21.20	-14.03
5270MHz	Pass	5.07G	5.43G	PK	5.35926G	4.90	-33.01	-33.01	-28.11	-21.20	-6.91
5310MHz	Pass	5.07G	5.43G	AV	5.14308G	4.90	-54.39	-54.39	-49.49	-41.20	-8.29
5310MHz	Pass	5.07G	5.43G	AV	5.35026G	4.90	-48.13	-48.13	-43.23	-41.20	-2.03
5310MHz	Pass	5.07G	5.43G	PK	5.13948G	4.90	-41.00	-41.00	-36.10	-21.20	-14.90
5310MHz	Pass	5.07G	5.43G	PK	5.36394G	4.90	-30.83	-30.83	-25.93	-21.20	-4.73
802.11ax HEW80_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14912G	4.90	-53.85	-53.85	-48.95	-41.20	-7.75
5290MHz	Pass	4.99G	5.51G	AV	5.35244G	4.90	-48.27	-48.27	-43.37	-41.20	-2.17
5290MHz	Pass	4.99G	5.51G	PK	5.10492G	4.90	-41.36	-41.36	-36.46	-21.20	-15.26
5290MHz	Pass	4.99G	5.51G	PK	5.3514G	4.90	-30.09	-30.09	-25.19	-21.20	-3.99
5290MHz	Pass	4.99G	5.51G	PK	5.497G	4.90	-39.74	-39.74	-34.84	-27.00	-7.84
802.11ax HEW160_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14836G	4.90	-46.43	-46.43	-41.53	-41.20	-0.33
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.3508G	4.90	-48.13	-48.13	-43.23	-41.20	-2.03
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.14038G	4.90	-32.99	-32.99	-28.09	-21.20	-6.89
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.35668G	4.90	-33.55	-33.55	-28.65	-21.20	-7.45
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.46294G	4.90	-37.92	-37.92	-33.02	-27.00	-6.02


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5260MHz

21/12/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.11546G	-37.28	-21.20	-16.08	4.90	0.00	-42.18	-42.18
5.11G	5.39G	1M	PK	5.35948G	-35.06	-21.20	-13.86	4.90	0.00	-39.96	-39.96

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5260MHz

21/12/2024




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14596G	-50.08	-41.20	-8.88	4.90	0.00	-54.98	-54.98
5.11G	5.39G	1M	AV	5.35192G	-48.31	-41.20	-7.11	4.90	0.00	-53.21	-53.21
5.11G	5.39G	1M	AV	5.35822G	-48.31	-41.20	-7.11	4.90	0.00	-53.21	-53.21

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5300MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.13898G	-37.00	-21.20	-15.80	4.90	0.00	-41.90	-41.90
5.11G	5.39G	1M	PK	5.3501G	-27.46	-21.20	-6.26	4.90	0.00	-32.36	-32.36

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5300MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14612G	-49.92	-41.20	-8.72	4.90	0.00	-54.82	-54.82
5.11G	5.39G	1M	AV	5.35122G	-42.42	-41.20	-1.22	4.90	0.00	-47.32	-47.32

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5320MHz

21/12/2024




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5320MHz

21/12/2024




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5260MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.12554G	-37.17	-21.20	-15.97	4.90	0.00	-42.07	-42.07
5.11G	5.39G	1M	PK	5.38034G	-35.81	-21.20	-14.61	4.90	0.00	-40.71	-40.71

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5260MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14934G	-50.32	-41.20	-9.12	4.90	0.00	-55.22	-55.22
5.11G	5.39G	1M	AV	5.35948G	-48.68	-41.20	-7.48	4.90	0.00	-53.58	-53.58

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5300MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.13058G	-36.69	-21.20	-15.49	4.90	0.00	-41.59	-41.59
5.11G	5.39G	1M	PK	5.35052G	-27.30	-21.20	-6.10	4.90	0.00	-32.20	-32.20

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5300MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14052G	-50.37	-41.20	-9.17	4.90	0.00	-55.27	-55.27
5.11G	5.39G	1M	AV	5.35024G	-42.48	-41.20	-1.28	4.90	0.00	-47.38	-47.38

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5320MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14906G	-36.69	-21.20	-15.49	4.90	0.00	-41.59	-41.59
5.11G	5.39G	1M	PK	5.3508G	-26.02	-21.20	-4.82	4.90	0.00	-30.92	-30.92

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5320MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14416G	-50.58	-41.20	-9.38	4.90	0.00	-55.48	-55.48
5.11G	5.39G	1M	AV	5.35038G	-43.21	-41.20	-2.01	4.90	0.00	-48.11	-48.11

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5270MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.14272G	-35.23	-21.20	-14.03	4.90	0.00	-40.13	-40.13
5.07G	5.43G	1M	PK	5.35926G	-28.11	-21.20	-6.91	4.90	0.00	-33.01	-33.01

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5270MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14938G	-48.55	-41.20	-7.35	4.90	0.00	-53.45	-53.45
5.07G	5.43G	1M	AV	5.35008G	-42.42	-41.20	-1.22	4.90	0.00	-47.32	-47.32

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5310MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.13948G	-36.10	-21.20	-14.90	4.90	0.00	-41.00	-41.00
5.07G	5.43G	1M	PK	5.36394G	-25.93	-21.20	-4.73	4.90	0.00	-30.83	-30.83

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5310MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14308G	-49.49	-41.20	-8.29	4.90	0.00	-54.39	-54.39
5.07G	5.43G	1M	AV	5.35026G	-43.23	-41.20	-2.03	4.90	0.00	-48.13	-48.13

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5290MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.10492G	-36.46	-21.20	-15.26	4.90	0.00	-41.36	-41.36
4.99G	5.51G	1M	PK	5.3514G	-25.19	-21.20	-3.99	4.90	0.00	-30.09	-30.09
4.99G	5.51G	1M	PK	5.497G	-34.84	-27.00	-7.84	4.90	0.00	-39.74	-39.74

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5290MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.14912G	-48.95	-41.20	-7.75	4.90	0.00	-53.85	-53.85
4.99G	5.51G	1M	AV	5.35244G	-43.37	-41.20	-2.17	4.90	0.00	-48.27	-48.27

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.14038G	-28.09	-21.20	-6.89	4.90	0.00	-32.99	-32.99
4.83G	5.67G	1M	PK	5.35666G	-28.65	-21.20	-7.45	4.90	0.00	-33.55	-33.55
4.83G	5.67G	1M	PK	5.46294G	-33.02	-27.00	-6.02	4.90	0.00	-37.92	-37.92

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

21/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.14836G	-41.53	-41.20	-0.33	4.90	0.00	-46.43	-46.43
4.83G	5.67G	1M	AV	5.3508G	-43.23	-41.20	-2.03	4.90	0.00	-48.13	-48.13

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.11G	5.39G	AV	5.35038G	10.70	-52.63				-52.63	-41.93	-41.2	-0.73
802.11a_Nss1,(6Mbps)_2TX	Pass	5.11G	5.39G	AV	5.35066G	10.70	-61.49	-61.54			-58.5	-47.80	-41.2	-6.60
802.11a_Nss1,(6Mbps)_4TX	Pass	5.11G	5.39G	AV	5.38328G	13.11	-63.09	-60.95	-65.23	-65.38	-57.25	-44.14	-41.2	-2.94
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	5.11G	5.39G	AV	5.3501G	10.70	-52.72				-52.72	-42.02	-41.2	-0.82
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.11G	5.39G	AV	5.35024G	10.70	-60.77	-60.73			-57.74	-47.04	-41.2	-5.84
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.11G	5.39G	AV	5.38832G	13.11	-63.15	-61.13	-65.06	-65.41	-57.32	-44.21	-41.2	-3.01
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	5.07G	5.43G	AV	5.35008G	10.70	-52.45				-52.45	-41.75	-41.20	-0.55
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	5.07G	5.43G	AV	5.35008G	10.70	-58.47	-56.56			-54.4	-43.70	-41.2	-2.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.07G	5.43G	AV	5.35008G	13.11	-59.58	-61.56	-60.75	-61.41	-54.73	-41.62	-41.2	-0.42
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	4.99G	5.51G	AV	5.3501G	10.70	-52.37				-52.37	-41.67	-41.2	-0.47
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	4.99G	5.51G	AV	5.3501G	10.70	-58.87	-57.16			-54.92	-44.22	-41.2	-3.02
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	4.99G	5.51G	AV	5.3501G	13.11	-59.35	-62.02	-60.73	-62.23	-54.9	-41.79	-41.2	-0.59
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	4.83G	5.67G	AV	5.35416G	10.70	-52.05				-52.05	-41.35	-41.20	-0.15
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	4.83G	5.67G	AV	5.1219G	10.70	-53.71	-56.93			-52.02	-41.32	-41.20	-0.12
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	4.83G	5.67G	AV	5.11644G	13.11	-60.91	-59.94	-62.16	-60.59	-54.81	-41.70	-41.20	-0.50

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14248G	10.70	-55.7				-55.7	-45.00	-41.2	-3.80
5260MHz	Pass	5.11G	5.39G	AV	5.3515G	10.70	-55.24				-55.24	-44.54	-41.2	-3.34
5260MHz	Pass	5.11G	5.39G	PK	5.13618G	10.70	-43.9				-43.9	-33.20	-21.2	-12.00
5260MHz	Pass	5.11G	5.39G	PK	5.36018G	10.70	-43.57				-43.57	-32.87	-21.2	-11.67
5300MHz	Pass	5.11G	5.39G	AV	5.1492G	10.70	-56.34				-56.34	-45.64	-41.2	-4.44
5300MHz	Pass	5.11G	5.39G	AV	5.35038G	10.70	-52.63				-52.63	-41.93	-41.2	-0.73
5300MHz	Pass	5.11G	5.39G	PK	5.14752G	10.70	-45.24				-45.24	-34.54	-21.2	-13.34
5300MHz	Pass	5.11G	5.39G	PK	5.35122G	10.70	-38.83				-38.83	-28.13	-21.2	-6.93
5320MHz	Pass	5.11G	5.39G	AV	5.13912G	10.70	-57.31				-57.31	-46.61	-41.2	-5.41
5320MHz	Pass	5.11G	5.39G	AV	5.3501G	10.70	-52.78				-52.78	-42.08	-41.2	-0.88
5320MHz	Pass	5.11G	5.39G	PK	5.1373G	10.70	-46.29				-46.29	-35.59	-21.2	-14.39
5320MHz	Pass	5.11G	5.39G	PK	5.3508G	10.70	-40.24				-40.24	-29.54	-21.2	-8.34
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14486G	10.70	-55.65				-55.65	-44.95	-41.2	-3.75
5260MHz	Pass	5.11G	5.39G	AV	5.35108G	10.70	-55.1				-55.1	-44.40	-41.2	-3.20
5260MHz	Pass	5.11G	5.39G	PK	5.13128G	10.70	-44.41				-44.41	-33.71	-21.2	-12.51
5260MHz	Pass	5.11G	5.39G	PK	5.35248G	10.70	-43.02				-43.02	-32.32	-21.2	-11.12
5300MHz	Pass	5.11G	5.39G	AV	5.14332G	10.70	-56.73				-56.73	-46.03	-41.2	-4.83
5300MHz	Pass	5.11G	5.39G	AV	5.35108G	10.70	-53.94				-53.94	-43.24	-41.2	-2.04
5300MHz	Pass	5.11G	5.39G	PK	5.11546G	10.70	-45.94				-45.94	-35.24	-21.2	-14.04
5300MHz	Pass	5.11G	5.39G	PK	5.35332G	10.70	-42.45				-42.45	-31.75	-21.2	-10.55
5320MHz	Pass	5.11G	5.39G	AV	5.13926G	10.70	-57.6				-57.6	-46.90	-41.2	-5.70
5320MHz	Pass	5.11G	5.39G	AV	5.3501G	10.70	-52.72				-52.72	-42.02	-41.2	-0.82
5320MHz	Pass	5.11G	5.39G	PK	5.14668G	10.70	-46.33				-46.33	-35.63	-21.2	-14.43
5320MHz	Pass	5.11G	5.39G	PK	5.35094G	10.70	-40.98				-40.98	-30.28	-21.2	-9.08
802.11be EHT40_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	5.07G	5.43G	AV	5.1455G	10.70	-60.96				-60.96	-50.26	-41.2	-9.06
5270MHz	Pass	5.07G	5.43G	AV	5.3505G	10.70	-60.61				-60.61	-49.91	-41.2	-8.71
5270MHz	Pass	5.07G	5.43G	PK	5.1055G	10.70	-48.86				-48.86	-38.16	-21.2	-16.96
5270MHz	Pass	5.07G	5.43G	PK	5.3525G	10.70	-49.66				-49.66	-38.96	-21.2	-17.76
5310MHz	Pass	5.07G	5.43G	AV	5.14992G	10.70	-68.43				-68.43	-57.73	-41.20	-16.53
5310MHz	Pass	5.07G	5.43G	AV	5.35008G	10.70	-52.45				-52.45	-41.75	-41.20	-0.55
5310MHz	Pass	5.07G	5.43G	PK	5.1267G	10.70	-54.84				-54.84	-44.14	-21.20	-22.94
5310MHz	Pass	5.07G	5.43G	PK	5.35188G	10.70	-37.99				-37.99	-27.29	-21.20	-6.09
802.11be EHT80_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14964G	10.70	-57.72				-57.72	-47.02	-41.2	-5.82
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	10.70	-52.37				-52.37	-41.67	-41.2	-0.47
5290MHz	Pass	4.99G	5.51G	PK	5.14704G	10.70	-46.33				-46.33	-35.63	-21.2	-14.43
5290MHz	Pass	4.99G	5.51G	PK	5.35348G	10.70	-40.71				-40.71	-30.01	-21.2	-8.81
5290MHz	Pass	4.99G	5.51G	PK	5.49388G	10.70	-44.35				-44.35	-33.65	-27	-6.65
802.11be EHT160_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.14584G	10.70	-53.89				-53.89	-43.19	-41.20	-1.99
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35416G	10.70	-52.05				-52.05	-41.35	-41.20	-0.15
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35542G	10.70	-52.05				-52.05	-41.35	-41.20	-0.15
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.1261G	10.70	-41.60				-41.60	-30.90	-21.20	-9.70
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.39406G	10.70	-41.17				-41.17	-30.47	-21.20	-9.27
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.5356G	10.70	-43.36				-43.36	-32.66	-27.00	-5.66
802.11a_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14556G	10.70	-62.67	-63.09			-59.86	-49.16	-41.2	-7.96
5260MHz	Pass	5.11G	5.39G	AV	5.38468G	10.70	-62.62	-61.86			-59.21	-48.51	-41.2	-7.31
5260MHz	Pass	5.11G	5.39G	PK	5.1415G	10.70	-49.13	-51.3			-47.07	-36.37	-21.2	-15.17
5260MHz	Pass	5.11G	5.39G	PK	5.38552G	10.70	-50.84	-48.22			-46.33	-35.63	-21.2	-14.43
5300MHz	Pass	5.11G	5.39G	AV	5.14542G	10.70	-64.02	-64.37			-61.18	-50.48	-41.2	-9.28
5300MHz	Pass	5.11G	5.39G	AV	5.35178G	10.70	-62.21	-62.16			-59.17	-48.47	-41.2	-7.27
5300MHz	Pass	5.11G	5.39G	PK	5.14374G	10.70	-52.07	-49.33			-47.48	-36.78	-21.2	-15.58
5300MHz	Pass	5.11G	5.39G	PK	5.35052G	10.70	-49.26	-50.05			-46.63	-35.93	-21.2	-14.73
5320MHz	Pass	5.11G	5.39G	AV	5.14542G	10.70	-64.1	-64.82			-61.43	-50.73	-41.2	-9.53
5320MHz	Pass	5.11G	5.39G	AV	5.35066G	10.70	-61.49	-61.54			-58.5	-47.80	-41.2	-6.60
5320MHz	Pass	5.11G	5.39G	PK	5.1205G	10.70	-51.24	-53.6			-49.25	-38.55	-21.2	-17.35
5320MHz	Pass	5.11G	5.39G	PK	5.35024G	10.70	-48.49	-49.81			-46.09	-35.39	-21.2	-14.19
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14514G	10.70	-62.74	-63.11			-59.91	-49.21	-41.2	-8.01
5260MHz	Pass	5.11G	5.39G	AV	5.38272G	10.70	-62.39	-62.05			-59.21	-48.51	-41.2	-7.31
5260MHz	Pass	5.11G	5.39G	PK	5.13744G	10.70	-49.97	-51.61			-47.7	-37.00	-21.2	-15.80
5260MHz	Pass	5.11G	5.39G	PK	5.3886G	10.70	-49.8	-49.6			-46.69	-35.99	-21.2	-14.79
5300MHz	Pass	5.11G	5.39G	AV	5.14542G	10.70	-64.1	-64.28			-61.18	-50.48	-41.2	-9.28
5300MHz	Pass	5.11G	5.39G	AV	5.35024G	10.70	-62.15	-61.98			-59.05	-48.35	-41.2	-7.15
5300MHz	Pass	5.11G	5.39G	PK	5.11644G	10.70	-51.23	-52.31			-48.73	-38.03	-21.2	-16.83

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5300MHz	Pass	5.11G	5.39G	PK	5.35024G	10.70	-50.78	-49.58			-47.13	-36.43	-21.2	-15.23
5320MHz	Pass	5.11G	5.39G	AV	5.11672G	10.70	-63.81	-65.23			-61.45	-50.75	-41.2	-9.55
5320MHz	Pass	5.11G	5.39G	AV	5.35024G	10.70	-60.77	-60.73			-57.74	-47.04	-41.2	-5.84
5320MHz	Pass	5.11G	5.39G	PK	5.12372G	10.70	-51.85	-51.99			-48.91	-38.21	-21.2	-17.01
5320MHz	Pass	5.11G	5.39G	PK	5.3501G	10.70	-47.55	-49.58			-45.44	-34.74	-21.2	-13.54
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	5.07G	5.43G	AV	5.14578G	10.70	-62.85	-63.58			-60.19	-49.49	-41.2	-8.29
5270MHz	Pass	5.07G	5.43G	AV	5.35026G	10.70	-62.83	-62.28			-59.54	-48.84	-41.2	-7.64
5270MHz	Pass	5.07G	5.43G	PK	5.1276G	10.70	-49.25	-52.43			-47.54	-36.84	-21.2	-15.64
5270MHz	Pass	5.07G	5.43G	PK	5.38914G	10.70	-48.93	-50.54			-46.65	-35.95	-21.2	-14.75
5310MHz	Pass	5.07G	5.43G	AV	5.1456G	10.70	-63.54	-63.94			-60.73	-50.03	-41.2	-8.83
5310MHz	Pass	5.07G	5.43G	AV	5.35008G	10.70	-58.47	-56.56			-54.4	-43.70	-41.2	-2.50
5310MHz	Pass	5.07G	5.43G	PK	5.09538G	10.70	-50.9	-51.75			-48.29	-37.59	-21.2	-16.39
5310MHz	Pass	5.07G	5.43G	PK	5.35008G	10.70	-48.62	-42.41			-41.48	-30.78	-21.2	-9.58
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.14574G	10.70	-62.51	-63.3			-59.88	-49.18	-41.2	-7.98
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	10.70	-58.87	-57.16			-54.92	-44.22	-41.2	-3.02
5290MHz	Pass	4.99G	5.51G	PK	5.11402G	10.70	-50.92	-49.85			-47.34	-36.64	-21.2	-15.44
5290MHz	Pass	4.99G	5.51G	PK	5.35062G	10.70	-43.26	-45.91			-41.38	-30.68	-21.2	-9.48
5290MHz	Pass	4.99G	5.51G	PK	5.48218G	10.70	-49.14	-50.73			-46.85	-36.15	-27	-9.15
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.1219G	10.70	-53.71	-56.93			-52.02	-41.32	-41.20	-0.12
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.35794G	10.70	-56.07	-56.66			-53.34	-42.64	-41.20	-1.44
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.124G	10.70	-39.10	-45.24			-38.15	-27.45	-21.20	-6.25
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.3571G	10.70	-43.48	-45.62			-41.41	-30.71	-21.20	-9.51
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.4747G	10.70	-47.55	-51.40			-46.05	-35.35	-27.00	-8.35
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14444G	13.11	-63.83	-63.08	-66.99	-66.52	-58.77	-45.66	-41.2	-4.46
5260MHz	Pass	5.11G	5.39G	AV	5.38328G	13.11	-63.09	-60.95	-65.23	-65.38	-57.25	-44.14	-41.2	-2.94
5260MHz	Pass	5.11G	5.39G	PK	5.14192G	13.11	-50.06	-52.87	-54.79	-55.71	-46.77	-33.66	-21.2	-12.46
5260MHz	Pass	5.11G	5.39G	PK	5.3823G	13.11	-50.85	-49.09	-53.87	-54.73	-45.53	-32.42	-21.2	-11.22
5300MHz	Pass	5.11G	5.39G	AV	5.14556G	13.11	-65.98	-66.34	-63.21	-66.67	-59.29	-46.18	-41.2	-4.98
5300MHz	Pass	5.11G	5.39G	AV	5.3522G	13.11	-64.6	-63.87	-65.12	-65	-58.6	-45.49	-41.2	-4.29
5300MHz	Pass	5.11G	5.39G	PK	5.14066G	13.11	-54.43	-54.6	-51.74	-52.71	-47.18	-34.07	-21.2	-12.87
5300MHz	Pass	5.11G	5.39G	PK	5.35682G	13.11	-53.51	-50.8	-53.8	-52.81	-46.54	-33.43	-21.2	-12.23
5320MHz	Pass	5.11G	5.39G	AV	5.14556G	13.11	-66.22	-66.64	-67.12	-67.33	-60.79	-47.68	-41.2	-6.48
5320MHz	Pass	5.11G	5.39G	AV	5.35066G	13.11	-64.63	-63.61	-64.66	-64.96	-58.41	-45.30	-41.2	-4.10
5320MHz	Pass	5.11G	5.39G	PK	5.11518G	13.11	-54.1	-53.44	-54.71	-54.97	-48.24	-35.13	-21.2	-13.93
5320MHz	Pass	5.11G	5.39G	PK	5.35052G	13.11	-53.69	-49.48	-52.74	-54.02	-46.05	-32.94	-21.2	-11.74
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	5.11G	5.39G	AV	5.14514G	13.11	-63.87	-63	-66.8	-66.73	-58.75	-45.64	-41.2	-4.44
5260MHz	Pass	5.11G	5.39G	AV	5.38832G	13.11	-63.15	-61.13	-65.06	-65.41	-57.32	-44.21	-41.2	-3.01
5260MHz	Pass	5.11G	5.39G	PK	5.13562G	13.11	-52.74	-49.46	-55.67	-56.02	-46.6	-33.49	-21.2	-12.29
5260MHz	Pass	5.11G	5.39G	PK	5.38454G	13.11	-50.94	-48.41	-53.83	-53.9	-45.13	-32.02	-21.2	-10.82
5300MHz	Pass	5.11G	5.39G	AV	5.14556G	13.11	-65.93	-65.97	-63.47	-66.42	-59.26	-46.15	-41.2	-4.95
5300MHz	Pass	5.11G	5.39G	AV	5.35094G	13.11	-64.68	-64.02	-64.97	-64.8	-58.58	-45.47	-41.2	-4.27
5300MHz	Pass	5.11G	5.39G	PK	5.14864G	13.11	-53.66	-55.75	-50.41	-56	-47.31	-34.20	-21.2	-13.00
5300MHz	Pass	5.11G	5.39G	PK	5.38916G	13.11	-53.69	-52.6	-51.81	-51.65	-46.34	-33.23	-21.2	-12.03
5320MHz	Pass	5.11G	5.39G	AV	5.14556G	13.11	-66.01	-66.49	-67.2	-67.3	-60.7	-47.59	-41.2	-6.39
5320MHz	Pass	5.11G	5.39G	AV	5.35108G	13.11	-64.79	-63.61	-64.36	-64.57	-58.29	-45.18	-41.2	-3.98
5320MHz	Pass	5.11G	5.39G	PK	5.14024G	13.11	-53.25	-54.93	-55.2	-54.15	-48.29	-35.18	-21.2	-13.98
5320MHz	Pass	5.11G	5.39G	PK	5.35066G	13.11	-51.48	-51.81	-51.99	-53.66	-46.14	-33.03	-21.2	-11.83
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	5.07G	5.43G	AV	5.11968G	13.11	-64.11	-64.63	-64.43	-64.95	-58.5	-45.39	-41.2	-4.19
5270MHz	Pass	5.07G	5.43G	AV	5.40732G	13.11	-64.02	-63.06	-62.34	-63.99	-57.27	-44.16	-41.2	-2.96
5270MHz	Pass	5.07G	5.43G	PK	5.12256G	13.11	-52.71	-53.46	-51.51	-51.57	-46.22	-33.11	-21.2	-11.91
5270MHz	Pass	5.07G	5.43G	PK	5.4246G	13.11	-52.53	-50.97	-50	-50.93	-45	-31.89	-21.2	-10.69
5310MHz	Pass	5.07G	5.43G	AV	5.14542G	13.11	-65.31	-65.53	-64.01	-66.13	-59.15	-46.04	-41.2	-4.84
5310MHz	Pass	5.07G	5.43G	AV	5.35008G	13.11	-59.58	-61.56	-60.75	-61.41	-54.73	-41.62	-41.2	-0.42
5310MHz	Pass	5.07G	5.43G	PK	5.07144G	13.11	-54.02	-53.52	-55.46	-51.81	-47.48	-34.37	-21.2	-13.17
5310MHz	Pass	5.07G	5.43G	PK	5.35494G	13.11	-46.21	-50.4	-48.37	-50.97	-42.55	-29.44	-21.2	-8.24
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	4.99G	5.51G	AV	5.10284G	13.11	-64.95	-65.33	-64.86	-65.55	-59.14	-46.03	-41.2	-4.83
5290MHz	Pass	4.99G	5.51G	AV	5.3501G	13.11	-59.35	-62.02	-60.73	-62.23	-54.9	-41.79	-41.2	-0.59
5290MHz	Pass	4.99G	5.51G	PK	5.1278G	13.11	-52.38	-54.4	-51.39	-54.37	-46.92	-33.81	-21.2	-12.61
5290MHz	Pass	4.99G	5.51G	PK	5.3501G	13.11	-45.8	-49.75	-49.11	-50.86	-42.41	-29.30	-21.2	-8.10
5290MHz	Pass	4.99G	5.51G	PK	5.46294G	13.11	-53.22	-50.06	-51.05	-52.43	-45.5	-32.39	-27	-5.39
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.11644G	13.11	-60.91	-59.94	-62.16	-60.59	-54.81	-41.70	-41.20	-0.50
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	AV	5.36508G	13.11	-61.90	-62.82	-62.49	-63.69	-56.66	-43.55	-41.20	-2.35



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.11434G	13.11	-48.32	-49.62	-50.53	-46.01	-42.25	-29.14	-21.20	-7.94
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.37012G	13.11	-50.04	-50.27	-50.81	-51.88	-44.67	-31.56	-21.20	-10.36
5250MHz Straddle 5.25-5.35GHz	Pass	4.83G	5.67G	PK	5.58432G	13.11	-52.65	-50.40	-49.70	-52.52	-45.11	-32.00	-27.00	-5.00


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5260MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.13618G	-33.20	-21.20	-12.00	10.70	0.00	-43.90	-43.90
5.11G	5.39G	1M	PK	5.36018G	-32.87	-21.20	-11.67	10.70	0.00	-43.57	-43.57

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5260MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14248G	-45.00	-41.20	-3.80	10.70	0.00	-55.70	-55.70
5.11G	5.39G	1M	AV	5.3515G	-44.54	-41.20	-3.34	10.70	0.00	-55.24	-55.24

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5300MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14752G	-34.54	-21.20	-13.34	10.70	0.00	-45.24	-45.24
5.11G	5.39G	1M	PK	5.35122G	-28.13	-21.20	-6.93	10.70	0.00	-38.83	-38.83

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5300MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.1492G	-45.64	-41.20	-4.44	10.70	0.00	-56.34	-56.34
5.11G	5.39G	1M	AV	5.35038G	-41.93	-41.20	-0.73	10.70	0.00	-52.63	-52.63

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5320MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.1373G	-35.59	-21.20	-14.39	10.70	0.00	-46.29	-46.29
5.11G	5.39G	1M	PK	5.3508G	-29.54	-21.20	-8.34	10.70	0.00	-40.24	-40.24

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5320MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.13912G	-46.61	-41.20	-5.41	10.70	0.00	-57.31	-57.31
5.11G	5.39G	1M	AV	5.3501G	-42.08	-41.20	-0.88	10.70	0.00	-52.78	-52.78

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5260MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.13128G	-33.71	-21.20	-12.51	10.70	0.00	-44.41	-44.41
5.11G	5.39G	1M	PK	5.35248G	-32.32	-21.20	-11.12	10.70	0.00	-43.02	-43.02

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5260MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14486G	-44.95	-41.20	-3.75	10.70	0.00	-55.65	-55.65
5.11G	5.39G	1M	AV	5.35108G	-44.40	-41.20	-3.20	10.70	0.00	-55.10	-55.10

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]


5300MHz



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5300MHz




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5320MHz

18/12/2024



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.14668G	-35.63	-21.20	-14.43	10.70	0.00	-46.33	-46.33
5.11G	5.39G	1M	PK	5.35094G	-30.28	-21.20	-9.08	10.70	0.00	-40.98	-40.98

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5320MHz

18/12/2024



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.13926G	-46.90	-41.20	-5.70	10.70	0.00	-57.60	-57.60
5.11G	5.39G	1M	AV	5.3501G	-42.02	-41.20	-0.82	10.70	0.00	-52.72	-52.72

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5270MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M(BP1M)	PK	5.1055G	-37.28	-21.20	-16.08	10.70	0.00	-48.86	-48.86
5.07G	5.43G	1M(BP1M)	PK	5.3525G	-37.00	-21.20	-15.80	10.70	0.00	-49.66	-49.66

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5270MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M(BP1M)	AV	5.1455G	-49.07	-41.20	-7.87	10.70	0.00	-60.96	-60.96
5.07G	5.43G	1M(BP1M)	AV	5.3505G	-48.69	-41.20	-7.49	10.70	0.00	-60.61	-60.61

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5310MHz

09/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.1267G	-44.14	-21.20	-22.94	10.70	0.00	-54.84	-54.84
5.07G	5.43G	1M	PK	5.35188G	-27.29	-21.20	-6.09	10.70	0.00	-37.99	-37.99

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5310MHz

09/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14992G	-57.73	-41.20	-16.53	10.70	0.00	-68.43	-68.43
5.07G	5.43G	1M	AV	5.35008G	-41.75	-41.20	-0.55	10.70	0.00	-52.45	-52.45

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5290MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.14704G	-35.63	-21.20	-14.43	10.70	0.00	-46.33	-46.33
4.99G	5.51G	1M	PK	5.35348G	-30.01	-21.20	-8.81	10.70	0.00	-40.71	-40.71
4.99G	5.51G	1M	PK	5.49388G	-33.65	-27.00	-6.65	10.70	0.00	-44.35	-44.35

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5290MHz

18/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.14964G	-47.02	-41.20	-5.82	10.70	0.00	-57.72	-57.72
4.99G	5.51G	1M	AV	5.3501G	-41.67	-41.20	-0.47	10.70	0.00	-52.37	-52.37

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.1261G	-30.90	-21.20	-9.70	10.70	0.00	-41.60	-41.60
4.83G	5.67G	1M	PK	5.39406G	-30.47	-21.20	-9.27	10.70	0.00	-41.17	-41.17
4.83G	5.67G	1M	PK	5.5356G	-32.66	-27.00	-5.66	10.70	0.00	-43.36	-43.36

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

27/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.14584G	-43.19	-41.20	-1.99	10.70	0.00	-53.89	-53.89
4.83G	5.67G	1M	AV	5.35416G	-41.35	-41.20	-0.15	10.70	0.00	-52.05	-52.05
4.83G	5.67G	1M	AV	5.35542G	-41.35	-41.20	-0.15	10.70	0.00	-52.05	-52.05

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5260MHz

27/12/2024




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5260MHz

27/12/2024





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5300MHz

27/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14374G	-36.78	-21.20	-15.58	10.70	0.00	-47.48	-52.07	-49.33
5.11G	5.39G	1M	PK	5.35052G	-35.93	-21.20	-14.73	10.70	0.00	-46.63	-49.26	-50.05

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5300MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14542G	-50.48	-41.20	-9.28	10.70	0.00	-61.18	-64.02	-64.37
5.11G	5.39G	1M	AV	5.35178G	-48.47	-41.20	-7.27	10.70	0.00	-59.17	-62.21	-62.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5320MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.1205G	-38.55	-21.20	-17.35	10.70	0.00	-49.25	-51.24	-53.60
5.11G	5.39G	1M	PK	5.35024G	-35.39	-21.20	-14.19	10.70	0.00	-46.09	-48.49	-49.81

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5320MHz

27/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14542G	-50.73	-41.20	-9.53	10.70	0.00	-61.43	-64.10	-64.82
5.11G	5.39G	1M	AV	5.35066G	-47.80	-41.20	-6.60	10.70	0.00	-58.50	-61.49	-61.54