


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [PK]

2437MHz

28/12/2024



Limit.PK
 EIRP.PK
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.86175G	-46.86	-21.20	-25.66	7.77	0.00	-54.63	-54.63
3G	25G	1M	PK	7.30375G	-45.62	-21.20	-24.42	7.77	0.00	-53.39	-53.39

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [AV]

2437MHz

28/12/2024



Limit.AV
 EIRP.AV
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.87G	-55.19	-41.20	-13.99	7.77	0.00	-62.96	-62.96
3G	25G	1M	AV	7.301G	-53.07	-41.20	-11.87	7.77	0.00	-60.84	-60.84

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [PK]

2462MHz

28/12/2024



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.91675G	-51.62	-21.20	-30.42	7.77	0.00	-59.39	-59.39

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [AV]

2462MHz

28/12/2024



Limit.AV
EIRP.AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.91675G	-59.15	-41.20	-17.95	7.77	0.00	-66.92	-66.92

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

2412MHz

28/12/2024



Limit.PK
 EIRP.PK
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.837G	-56.63	-21.20	-35.43	7.77	0.00	-64.40	-64.40
3G	25G	1M	PK	19.2635G	-55.22	-21.20	-34.02	7.77	0.00	-62.99	-62.99

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

2412MHz

28/12/2024



Limit.AV
 EIRP.AV
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.8315G	-64.36	-41.20	-23.16	7.77	0.00	-72.13	-72.13

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.86725G	-45.79	-21.20	-24.59	7.77	0.00	-53.56	-53.56
3G	25G	1M	PK	7.30375G	-44.26	-21.20	-23.06	7.77	0.00	-52.03	-52.03

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.8645G	-52.45	-41.20	-11.25	7.77	0.00	-60.22	-60.22

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

2462MHz

28/12/2024



Limit.PK
 EIRP.PK
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.92775G	-52.94	-21.20	-31.74	7.77	0.00	-60.71	-60.71

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

2462MHz

28/12/2024



Limit.AV
 EIRP.AV
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.9195G	-60.39	-41.20	-19.19	7.77	0.00	-68.16	-68.16

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [PK]

2412MHz

28/12/2024



Limit.PK
 EIRP.PK
 Sum.PK
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.82325G	-50.93	-21.20	-29.73	7.77	0.00	-58.70	-61.62	-61.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [AV]

2412MHz

28/12/2024



Limit.AV
 EIRP.AV
 Sum.AV
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.82325G	-52.43	-41.20	-11.23	7.77	0.00	-60.20	-62.44	-64.15

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [PK]

2437MHz

28/12/2024



Limit.PK
 EIRP.PK
 Sum.PK
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.87275G	-40.91	-21.20	-19.71	7.77	0.00	-48.68	-48.72	-69.01

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [AV]

2437MHz

28/12/2024



Limit.AV
 EIRP.AV
 Sum.AV
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.87275G	-41.61	-41.20	-0.41	7.77	0.00	-49.38	-49.41	-70.62

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.92225G	-44.21	-21.20	-23.01	7.77	0.00	-51.98	-53.99	-56.29

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [AV]

2462MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.92225G	-44.52	-41.20	-3.32	7.77	0.00	-52.29	-54.15	-56.86

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [PK]

2412MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.815G	-56.82	-21.20	-35.62	7.77	0.00	-64.59	-68.64	-66.76
3G	25G	1M	PK	22.129G	-53.31	-21.20	-32.11	7.77	0.00	-61.08	-65.73	-62.91

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [AV]

2412MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.81775G	-64.45	-41.20	-23.25	7.77	0.00	-72.22	-78.44	-73.40
3G	25G	1M	AV	22.041G	-62.00	-41.20	-20.80	7.77	0.00	-69.77	-72.72	-72.85

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [PK]

2437MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.8645G	-46.12	-21.20	-24.92	7.77	0.00	-53.89	-53.95	-72.76
3G	25G	1M	PK	7.30375G	-45.62	-21.20	-24.42	7.77	0.00	-53.39	-53.88	-63.07

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.87G	-52.82	-41.20	-11.62	7.77	0.00	-60.59	-60.66	-78.58

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [PK]

2462MHz

28/12/2024



Limit.PK
 EIRP.PK
 Sum.PK
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.9195G	-49.05	-21.20	-27.85	7.77	0.00	-56.82	-59.23	-60.53

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [AV]

2462MHz

28/12/2024



Limit.AV
 EIRP.AV
 Sum.AV
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.91675G	-56.17	-21.20	-14.97	7.77	0.00	-63.94	-66.73	-67.19

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.81775G	-59.02	-21.20	-37.82	7.77	0.00	-66.79	-73.28	-67.89
3G	25G	1M	PK	18.9995G	-53.23	-21.20	-32.03	7.77	0.00	-61.00	-62.77	-65.76

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2412MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.81225G	-65.89	-41.20	-24.69	7.77	0.00	-73.66	-78.01	-75.65
3G	25G	1M	AV	22.2335G	-61.58	-41.20	-20.38	7.77	0.00	-69.35	-71.89	-72.89

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2437MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.86725G	-50.00	-21.20	-28.80	7.77	0.00	-57.77	-57.98	-71.07
3G	25G	1M	PK	7.29825G	-42.24	-21.20	-21.04	7.77	0.00	-50.01	-50.16	-64.71

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.87G	-59.31	-41.20	-18.11	7.77	0.00	-67.08	-67.44	-78.08
3G	25G	1M	AV	7.301G	-51.71	-41.20	-10.51	7.77	0.00	-59.48	-59.75	-71.70

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2462MHz

28/12/2024



Limit.PK
 EIRP.PK
 Sum.PK
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.91675G	-49.80	-21.20	-28.60	7.77	0.00	-57.57	-60.51	-60.66

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2462MHz

28/12/2024



Limit.AV
 EIRP.AV
 Sum.AV
 Port 1
 Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.914G	-57.65	-21.20	-16.45	7.77	0.00	-65.42	-68.51	-68.36

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [PK]

2412MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.82325G	-51.83	-21.20	-30.63	7.77	0.00	-59.60	-69.55	-63.36	-67.78	-64.46
3G	25G	1M	PK	22.074G	-50.61	-21.20	-29.41	7.77	0.00	-58.38	-63.32	-64.24	-64.55	-65.85

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [AV]

2412MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.82325G	-54.69	-41.20	-13.49	7.77	0.00	-62.46	-76.47	-65.07	-70.80	-68.23

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [PK]

2437MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.87275G	-46.12	-21.20	-24.92	7.77	0.00	-53.89	-54.57	-69.02	-65.19	-67.96
3G	25G	1M	PK	7.3065G	-44.55	-21.20	-23.35	7.77	0.00	-52.32	-53.11	-65.62	-65.76	-63.63

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.87275G	-46.60	-41.20	-5.40	7.77	0.00	-54.37	-54.96	-66.90	-66.61	-69.31

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.92225G	-43.43	-21.20	-22.23	7.77	0.00	-51.20	-55.82	-57.14	-58.28	-58.09

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [AV]

2462MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.92225G	-44.49	-21.20	-3.29	7.77	0.00	-52.26	-57.14	-58.02	-59.09	-59.23

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [PK]

2412MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.81225G	-55.72	-21.20	-34.52	7.77	0.00	-63.49	-72.72	-67.24	-71.36	-68.79
3G	25G	1M	PK	22.041G	-50.18	-21.20	-28.98	7.77	0.00	-57.95	-63.15	-64.48	-65.65	-63.11

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [AV]

2412MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.815G	-63.98	-41.20	-22.78	7.77	0.00	-71.75	-79.09	-76.35	-78.19	-77.93
3G	25G	1M	AV	22.28025G	-58.97	-41.20	-17.77	7.77	0.00	-66.74	-72.32	-72.79	-73.39	-72.61

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [PK]

2437MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.8645G	-50.40	-21.20	-29.20	7.77	0.00	-58.17	-58.86	-71.72	-70.38	-71.89
3G	25G	1M	PK	7.31475G	-43.96	-21.20	-22.76	7.77	0.00	-51.73	-52.12	-67.44	-67.66	-66.38

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [AV]

2437MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.87G	-58.74	-41.20	-17.54	7.77	0.00	-66.51	-67.82	-77.62	-75.71	-78.47
3G	25G	1M	AV	7.30375G	-51.77	-41.20	-10.57	7.77	0.00	-59.54	-60.29	-71.77	-73.67	-71.76

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [PK]

2462MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.914G	-46.88	-21.20	-25.68	7.77	0.00	-54.65	-58.07	-61.18	-61.35	-64.30

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [AV]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.91675G	-55.21	-41.20	-14.01	7.77	0.00	-62.98	-68.35	-68.55	-71.23	-68.45

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.81225G	-56.36	-21.20	-35.16	7.77	0.00	-64.13	-72.28	-66.74	-72.00	-72.79
3G	25G	1M	PK	22.665G	-50.66	-21.20	-29.46	7.77	0.00	-58.43	-64.20	-64.46	-65.55	-63.78

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.815G	-64.73	-41.20	-23.53	7.77	0.00	-72.50	-79.39	-77.89	-77.98	-79.01
3G	25G	1M	AV	22.063G	-58.79	-41.20	-17.59	7.77	0.00	-66.56	-72.08	-72.91	-72.51	-72.88

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.87G	-51.09	-21.20	-29.89	7.77	0.00	-58.86	-60.19	-69.39	-68.32	-70.92
3G	25G	1M	PK	7.29825G	-44.06	-21.20	-22.86	7.77	0.00	-51.83	-52.47	-64.98	-65.01	-65.79

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

2437MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.86175G	-58.05	-41.20	-16.85	7.77	0.00	-65.82	-66.59	-78.44	-78.47	-78.47
3G	25G	1M	AV	7.30375G	-52.57	-41.20	-11.37	7.77	0.00	-60.34	-61.29	-72.48	-72.10	-71.90

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

2462MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.914G	-50.23	-21.20	-29.03	7.77	0.00	-58.00	-62.91	-65.21	-63.67	-64.64

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

2462MHz

28/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.914G	-58.14	-41.20	-16.94	7.77	0.00	-65.91	-71.20	-71.33	-73.23	-72.28



Summary

Mode	Result	F-Start	F-Stop	Type	Freq	DG	P1	Psum	EIRP	Limit	Margin
		(Hz)	(Hz)		(Hz)	(dBi)	(dBm)	(dBm)	(dBm)	(dBm)	(dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.48361G	3.70	-45.46	-45.46	-41.76	-41.20	-0.56
802.11g_Nss1,(6Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.48377G	3.70	-45.30	-45.30	-41.60	-41.20	-0.40
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.36G	2.5235G	AV	2.48377G	3.70	-45.05	-45.05	-41.35	-41.20	-0.15

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge Test mode: Mode 1
(Parent Device / FCC ID: UDX-600216010)

Appendix F.8

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38714G	3.70	-45.86	-45.86	-42.16	-41.20	-0.96
2412MHz	Pass	2.36G	2.5235G	AV	2.49603G	3.70	-56.06	-56.06	-52.36	-41.20	-11.16
2412MHz	Pass	2.36G	2.5235G	PK	2.38616G	3.70	-37.32	-37.32	-33.62	-21.20	-12.42
2412MHz	Pass	2.36G	2.5235G	PK	2.49194G	3.70	-42.52	-42.52	-38.82	-21.20	-17.62
2437MHz	Pass	2.36G	2.5235G	AV	2.38632G	3.70	-56.12	-56.12	-52.42	-41.20	-11.22
2437MHz	Pass	2.36G	2.5235G	AV	2.48393G	3.70	-55.93	-55.93	-52.23	-41.20	-11.03
2437MHz	Pass	2.36G	2.5235G	PK	2.36474G	3.70	-42.16	-42.16	-38.46	-21.20	-17.26
2437MHz	Pass	2.36G	2.5235G	PK	2.48475G	3.70	-43.01	-43.01	-39.31	-21.20	-18.11
2462MHz	Pass	2.36G	2.5235G	AV	2.36801G	3.70	-56.47	-56.47	-52.77	-41.20	-11.57
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	3.70	-45.46	-45.46	-41.76	-41.20	-0.56
2462MHz	Pass	2.36G	2.5235G	PK	2.38632G	3.70	-42.73	-42.73	-39.03	-21.20	-17.83
2462MHz	Pass	2.36G	2.5235G	PK	2.4841G	3.70	-38.31	-38.31	-34.61	-21.20	-13.41
802.11g_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	3.70	-46.57	-46.57	-42.87	-41.20	-1.67
2412MHz	Pass	2.36G	2.5235G	AV	2.49603G	3.70	-55.55	-55.55	-51.85	-41.20	-10.65
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	3.70	-30.65	-30.65	-26.95	-21.20	-5.75
2412MHz	Pass	2.36G	2.5235G	PK	2.49881G	3.70	-42.85	-42.85	-39.15	-21.20	-17.95
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	3.70	-45.47	-45.47	-41.77	-41.20	-0.57
2417MHz	Pass	2.36G	2.5235G	AV	2.49571G	3.70	-55.45	-55.45	-51.75	-41.20	-10.55
2417MHz	Pass	2.36G	2.5235G	PK	2.38976G	3.70	-30.03	-30.03	-26.33	-21.20	-5.13
2417MHz	Pass	2.36G	2.5235G	PK	2.4993G	3.70	-42.26	-42.26	-38.56	-21.20	-17.36
2437MHz	Pass	2.36G	2.5235G	AV	2.38959G	3.70	-46.55	-46.55	-42.85	-41.20	-1.65
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	3.70	-45.49	-45.49	-41.79	-41.20	-0.59
2437MHz	Pass	2.36G	2.5235G	PK	2.3891G	3.70	-29.39	-29.39	-25.69	-21.20	-4.49
2437MHz	Pass	2.36G	2.5235G	PK	2.48884G	3.70	-29.40	-29.40	-25.70	-21.20	-4.50
2457MHz	Pass	2.36G	2.5235G	AV	2.36441G	3.70	-55.78	-55.78	-52.08	-41.20	-10.88
2457MHz	Pass	2.36G	2.5235G	AV	2.48377G	3.70	-45.30	-45.30	-41.60	-41.20	-0.40
2457MHz	Pass	2.36G	2.5235G	PK	2.36932G	3.70	-43.31	-43.31	-39.61	-21.20	-18.41
2457MHz	Pass	2.36G	2.5235G	PK	2.48459G	3.70	-29.32	-29.32	-25.62	-21.20	-4.42
2462MHz	Pass	2.36G	2.5235G	AV	2.38371G	3.70	-55.80	-55.80	-52.10	-41.20	-10.90
2462MHz	Pass	2.36G	2.5235G	AV	2.4841G	3.70	-46.90	-46.90	-43.20	-41.20	-2.00
2462MHz	Pass	2.36G	2.5235G	PK	2.38796G	3.70	-42.61	-42.61	-38.91	-21.20	-17.71
2462MHz	Pass	2.36G	2.5235G	PK	2.48639G	3.70	-32.33	-32.33	-28.63	-21.20	-7.43
802.11ax_HEW20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38976G	3.70	-45.30	-45.30	-41.60	-41.20	-0.40
2412MHz	Pass	2.36G	2.5235G	AV	2.49603G	3.70	-55.99	-55.99	-52.29	-41.20	-11.09
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	3.70	-31.46	-31.46	-27.76	-21.20	-6.56
2412MHz	Pass	2.36G	2.5235G	PK	2.48573G	3.70	-41.99	-41.99	-38.29	-21.20	-17.09
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	3.70	-45.09	-45.09	-41.39	-41.20	-0.19
2417MHz	Pass	2.36G	2.5235G	AV	2.49587G	3.70	-55.86	-55.86	-52.16	-41.20	-10.96
2417MHz	Pass	2.36G	2.5235G	PK	2.38894G	3.70	-29.20	-29.20	-25.50	-21.20	-4.30
2417MHz	Pass	2.36G	2.5235G	PK	2.49194G	3.70	-43.06	-43.06	-39.36	-21.20	-18.16
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	3.70	-46.02	-46.02	-42.32	-41.20	-1.12
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	3.70	-45.05	-45.05	-41.35	-41.20	-0.15
2437MHz	Pass	2.36G	2.5235G	PK	2.38959G	3.70	-29.91	-29.91	-26.21	-21.20	-5.01
2437MHz	Pass	2.36G	2.5235G	PK	2.48442G	3.70	-29.12	-29.12	-25.42	-21.20	-4.22
2457MHz	Pass	2.36G	2.5235G	AV	2.36801G	3.70	-56.24	-56.24	-52.54	-41.20	-11.34
2457MHz	Pass	2.36G	2.5235G	AV	2.48377G	3.70	-46.97	-46.97	-43.27	-41.20	-2.07
2457MHz	Pass	2.36G	2.5235G	PK	2.3878G	3.70	-41.96	-41.96	-38.26	-21.20	-17.06
2457MHz	Pass	2.36G	2.5235G	PK	2.48508G	3.70	-32.00	-32.00	-28.30	-21.20	-7.10
2462MHz	Pass	2.36G	2.5235G	AV	2.3636G	3.70	-56.37	-56.37	-52.67	-41.20	-11.47
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	3.70	-45.13	-45.13	-41.43	-41.20	-0.23
2462MHz	Pass	2.36G	2.5235G	PK	2.36409G	3.70	-42.70	-42.70	-39.00	-21.20	-17.80
2462MHz	Pass	2.36G	2.5235G	PK	2.48704G	3.70	-31.30	-31.30	-27.60	-21.20	-6.40

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]


2412MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2412MHz




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2437MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36474G	-38.46	-21.20	-17.26	3.70	0.00	-42.16	-42.16
2.36G	2.5235G	1M	PK	2.48475G	-39.31	-21.20	-18.11	3.70	0.00	-43.01	-43.01

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2437MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.36632G	-52.42	-41.20	-11.22	3.70	0.00	-56.12	-56.12
2.36G	2.5235G	1M	AV	2.48393G	-52.23	-41.20	-11.03	3.70	0.00	-55.93	-55.93

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2462MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36832G	-39.03	-21.20	-17.83	3.70	0.00	-42.73	-42.73
2.36G	2.5235G	1M	PK	2.4841G	-34.61	-21.20	-13.41	3.70	0.00	-38.31	-38.31

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2462MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.36801G	-52.77	-41.20	-11.57	3.70	0.00	-56.47	-56.47
2.36G	2.5235G	1M	AV	2.48361G	-41.76	-41.20	-0.56	3.70	0.00	-45.46	-45.46

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2412MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-26.95	-21.20	-5.75	3.70	0.00	-30.65	-30.65
2.36G	2.5235G	1M	PK	2.49881G	-39.15	-21.20	-17.95	3.70	0.00	-42.85	-42.85

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2412MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.87	-41.20	-1.67	3.70	0.00	-46.57	-46.57
2.36G	2.5235G	1M	AV	2.49603G	-51.85	-41.20	-10.65	3.70	0.00	-55.55	-55.55

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2417MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-26.33	-21.20	-5.13	3.70	0.00	-30.03	-30.03
2.36G	2.5235G	1M	PK	2.4993G	-38.56	-21.20	-17.36	3.70	0.00	-42.26	-42.26

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2417MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.77	-41.20	-0.57	3.70	0.00	-45.47	-45.47
2.36G	2.5235G	1M	AV	2.49571G	-51.75	-41.20	-10.55	3.70	0.00	-55.45	-55.45

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2437MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-25.69	-21.20	-4.49	3.70	0.00	-29.39	-29.39
2.36G	2.5235G	1M	PK	2.48884G	-25.70	-21.20	-4.50	3.70	0.00	-29.40	-29.40

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2437MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-42.85	-41.20	-1.65	3.70	0.00	-46.55	-46.55
2.36G	2.5235G	1M	AV	2.48361G	-41.79	-41.20	-0.59	3.70	0.00	-45.49	-45.49

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2457MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36932G	-39.61	-21.20	-18.41	3.70	0.00	-43.31	-43.31
2.36G	2.5235G	1M	PK	2.48459G	-25.62	-21.20	-4.42	3.70	0.00	-29.32	-29.32

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2457MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.36441G	-52.08	-41.20	-10.88	3.70	0.00	-55.78	-55.78
2.36G	2.5235G	1M	AV	2.48377G	-41.60	-41.20	-0.40	3.70	0.00	-45.30	-45.30

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [PK]

2462MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38796G	-38.91	-21.20	-17.71	3.70	0.00	-42.61	-42.61
2.36G	2.5235G	1M	PK	2.46639G	-28.63	-21.20	-7.43	3.70	0.00	-32.33	-32.33

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [AV]

2462MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38371G	-52.10	-41.20	-10.90	3.70	0.00	-55.80	-55.80
2.36G	2.5235G	1M	AV	2.4841G	-43.20	-41.20	-2.00	3.70	0.00	-46.90	-46.90

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2412MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-27.76	-21.20	-6.56	3.70	0.00	-31.46	-31.46
2.36G	2.5235G	1M	PK	2.48573G	-38.29	-21.20	-17.09	3.70	0.00	-41.99	-41.99

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2412MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-41.60	-41.20	-0.40	3.70	0.00	-45.30	-45.30
2.36G	2.5235G	1M	AV	2.48603G	-52.29	-41.20	-11.09	3.70	0.00	-55.99	-55.99

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2417MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38894G	-25.50	-21.20	-4.30	3.70	0.00	-29.20	-29.20
2.36G	2.5235G	1M	PK	2.49194G	-39.36	-21.20	-18.16	3.70	0.00	-43.06	-43.06

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2417MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.39	-41.20	-0.19	3.70	0.00	-45.09	-45.09
2.36G	2.5235G	1M	AV	2.49587G	-52.16	-41.20	-10.96	3.70	0.00	-55.86	-55.86

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-26.21	-21.20	-5.01	3.70	0.00	-29.91	-29.91
2.36G	2.5235G	1M	PK	2.48442G	-25.42	-21.20	-4.22	3.70	0.00	-29.12	-29.12

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.32	-41.20	-1.12	3.70	0.00	-46.02	-46.02
2.36G	2.5235G	1M	AV	2.48377G	-41.35	-41.20	-0.15	3.70	0.00	-45.05	-45.05

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2457MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.3878G	-38.26	-21.20	-17.06	3.70	0.00	-41.96	-41.96
2.36G	2.5235G	1M	PK	2.48508G	-28.30	-21.20	-7.10	3.70	0.00	-32.00	-32.00

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2457MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.3878G	-52.54	-41.20	-11.34	3.70	0.00	-56.24	-56.24
2.36G	2.5235G	1M	AV	2.48377G	-43.27	-41.20	-2.07	3.70	0.00	-46.97	-46.97

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2462MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36409G	-39.00	-21.20	-17.80	3.70	0.00	-42.70	-42.70
2.36G	2.5235G	1M	PK	2.48704G	-27.60	-21.20	-6.40	3.70	0.00	-31.30	-31.30

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2462MHz

21/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.3636G	-52.67	-41.20	-11.47	3.70	0.00	-56.37	-56.37
2.36G	2.5235G	1M	AV	2.48361G	-41.43	-41.20	-0.23	3.70	0.00	-45.13	-45.13



CSE Bandedge_Test mode: Mode 2
(Parent Device / FCC ID: UDX-600216010)

Appendix F.9

Summary

Mode	Result	F-Start	F-Stop	Type	Freq	DG	P1	P2	P3	P4	Psum	EIRP	Limit	Margin
		(Hz)	(Hz)		(Hz)	(dBi)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-54.08				-54.08	-49.08	-41.20	-7.88
802.11b_Nss1,(1Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-52.87	-57.36			-51.55	-46.55	-41.20	-5.35
802.11b_Nss1,(1Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.38927G	7.95	-57.80	-58.63	-57.42	-54.56	-50.79	-42.84	-41.20	-1.64
802.11g_Nss1,(6Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-47.23				-47.23	-42.23	-41.20	-1.03
802.11g_Nss1,(6Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-47.90	-53.45			-46.83	-41.83	-41.20	-0.63
802.11g_Nss1,(6Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.38992G	7.95	-55.79	-56.30	-55.05	-54.40	-49.30	-41.35	-41.20	-0.15
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-46.61				-46.61	-41.61	-41.20	-0.41
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-47.81	-53.39			-46.75	-41.75	-41.20	-0.55
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	2.36G	2.5235G	AV	2.38992G	7.95	-56.03	-56.56	-55.36	-53.89	-49.32	-41.37	-41.20	-0.17

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge Test mode: Mode 2
(Parent Device / FCC ID: UDX-600216010)

Appendix F.9

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-54.53				-54.53	-49.53	-41.20	-8.33
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	5.00	-60.11				-60.11	-55.11	-41.20	-13.91
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	5.00	-43.80				-43.80	-38.80	-21.20	-17.60
2412MHz	Pass	2.36G	2.5235G	PK	2.48442G	5.00	-47.52				-47.52	-42.52	-21.20	-21.32
2437MHz	Pass	2.36G	2.5235G	AV	2.38959G	5.00	-58.01				-58.01	-53.01	-41.20	-11.81
2437MHz	Pass	2.36G	2.5235G	AV	2.48442G	5.00	-59.38				-59.38	-54.38	-41.20	-13.18
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.00	-45.67				-45.67	-40.67	-21.20	-19.47
2437MHz	Pass	2.36G	2.5235G	PK	2.48426G	5.00	-46.79				-46.79	-41.79	-21.20	-20.59
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-58.56				-58.56	-53.56	-41.20	-12.36
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-54.08				-54.08	-49.08	-41.20	-7.88
2462MHz	Pass	2.36G	2.5235G	PK	2.38927G	5.00	-45.81				-45.81	-40.81	-21.20	-19.61
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	5.00	-44.11				-44.11	-39.11	-21.20	-17.91
802.11g_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-47.23				-47.23	-42.23	-41.20	-1.03
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-59.36				-59.36	-54.36	-41.20	-13.16
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	5.00	-30.25				-30.25	-25.25	-21.20	-4.05
2412MHz	Pass	2.36G	2.5235G	PK	2.48573G	5.00	-46.00				-46.00	-41.00	-21.20	-19.80
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-58.49				-58.49	-53.49	-41.20	-12.29
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-58.72				-58.72	-53.72	-41.20	-12.52
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.00	-46.34				-46.34	-41.34	-21.20	-20.14
2437MHz	Pass	2.36G	2.5235G	PK	2.4854G	5.00	-45.78				-45.78	-40.78	-21.20	-19.58
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-58.97				-58.97	-53.97	-41.20	-12.77
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-47.95				-47.95	-42.95	-41.20	-1.75
2462MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.00	-45.88				-45.88	-40.88	-21.20	-19.68
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	5.00	-33.20				-33.20	-28.20	-21.20	-7.00
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-46.61				-46.61	-41.61	-41.20	-0.41
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-59.68				-59.68	-54.68	-41.20	-13.48
2412MHz	Pass	2.36G	2.5235G	PK	2.38943G	5.00	-29.82				-29.82	-24.82	-21.20	-3.62
2412MHz	Pass	2.36G	2.5235G	PK	2.48361G	5.00	-46.82				-46.82	-41.82	-21.20	-20.62
2437MHz	Pass	2.36G	2.5235G	AV	2.38959G	5.00	-58.03				-58.03	-53.03	-41.20	-11.83
2437MHz	Pass	2.36G	2.5235G	AV	2.48393G	5.00	-57.71				-57.71	-52.71	-41.20	-11.51
2437MHz	Pass	2.36G	2.5235G	PK	2.38845G	5.00	-45.36				-45.36	-40.36	-21.20	-19.16
2437MHz	Pass	2.36G	2.5235G	PK	2.48459G	5.00	-44.54				-44.54	-39.54	-21.20	-18.34
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-59.06				-59.06	-54.06	-41.20	-12.86
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-47.55				-47.55	-42.55	-41.20	-1.35
2462MHz	Pass	2.36G	2.5235G	PK	2.38796G	5.00	-46.80				-46.80	-41.80	-21.20	-20.60
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	5.00	-30.80				-30.80	-25.80	-21.20	-4.60
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38959G	5.00	-54.69	-59.21			-53.38	-48.38	-41.20	-7.18
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-59.71	-58.94			-56.30	-51.30	-41.20	-10.10
2412MHz	Pass	2.36G	2.5235G	PK	2.38959G	5.00	-44.12	-45.67			-41.82	-36.82	-21.20	-15.62
2412MHz	Pass	2.36G	2.5235G	PK	2.48377G	5.00	-47.14	-47.10			-44.11	-39.11	-21.20	-17.91
2437MHz	Pass	2.36G	2.5235G	AV	2.3891G	5.00	-58.73	-57.83			-55.25	-50.25	-41.20	-9.05
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	5.00	-59.76	-57.79			-55.65	-50.65	-41.20	-9.45
2437MHz	Pass	2.36G	2.5235G	PK	2.38829G	5.00	-45.94	-47.05			-43.45	-38.45	-21.20	-17.25
2437MHz	Pass	2.36G	2.5235G	PK	2.48393G	5.00	-48.02	-45.54			-43.60	-38.60	-21.20	-17.40
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-58.61	-59.49			-56.02	-51.02	-41.20	-9.82
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-52.87	-57.36			-51.55	-46.55	-41.20	-5.35
2462MHz	Pass	2.36G	2.5235G	PK	2.38943G	5.00	-46.38	-46.35			-43.35	-38.35	-21.20	-17.15
2462MHz	Pass	2.36G	2.5235G	PK	2.4841G	5.00	-43.51	-44.58			-41.00	-36.00	-21.20	-14.80
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-49.79	-53.12			-48.13	-43.13	-41.20	-1.93
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	5.00	-60.04	-58.54			-56.22	-51.22	-41.20	-10.02
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.00	-34.02	-36.16			-31.95	-26.95	-21.20	-5.75
2412MHz	Pass	2.36G	2.5235G	PK	2.48442G	5.00	-48.78	-44.52			-43.14	-38.14	-21.20	-16.94
2437MHz	Pass	2.36G	2.5235G	AV	2.38976G	5.00	-58.45	-58.37			-55.40	-50.40	-41.20	-9.20
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	5.00	-58.92	-57.14			-54.93	-49.93	-41.20	-8.73
2437MHz	Pass	2.36G	2.5235G	PK	2.38878G	5.00	-47.02	-45.38			-43.11	-38.11	-21.20	-16.91
2437MHz	Pass	2.36G	2.5235G	PK	2.48442G	5.00	-46.20	-45.06			-42.58	-37.58	-21.20	-16.38
2462MHz	Pass	2.36G	2.5235G	AV	2.38976G	5.00	-59.01	-59.62			-56.29	-51.29	-41.20	-10.09
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-47.90	-53.45			-46.83	-41.83	-41.20	-0.63
2462MHz	Pass	2.36G	2.5235G	PK	2.38927G	5.00	-46.02	-48.01			-43.89	-38.89	-21.20	-17.69
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	5.00	-33.67	-42.07			-33.08	-28.08	-21.20	-6.88
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-48.97	-50.76			-46.76	-41.76	-41.20	-0.56
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-59.93	-58.69			-56.26	-51.26	-41.20	-10.06
2412MHz	Pass	2.36G	2.5235G	PK	2.38861G	5.00	-31.14	-37.06			-30.15	-25.15	-21.20	-3.95



CSE Bandedge Test mode: Mode 2
(Parent Device / FCC ID: UDX-600216010)

Appendix F.9


2412MHz	Pass	2.36G	2.5235G	PK	2.48393G	5.00	-46.77	-46.31			-43.52	-38.52	-21.20	-17.32
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-58.14	-58.01			-55.06	-50.06	-41.20	-8.86
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-57.95	-56.28			-54.02	-49.02	-41.20	-7.82
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.00	-45.96	-45.40			-42.66	-37.66	-21.20	-16.46
2437MHz	Pass	2.36G	2.5235G	PK	2.48475G	5.00	-44.99	-42.68			-40.67	-35.67	-21.20	-14.47
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.00	-58.98	-59.91			-56.41	-51.41	-41.20	-10.21
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.00	-47.81	-53.39			-46.75	-41.75	-41.20	-0.55
2462MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.00	-46.55	-48.10			-44.25	-39.25	-21.20	-18.05
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	5.00	-32.56	-38.22			-31.52	-26.52	-21.20	-5.32
802.11b_Nss1(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38927G	7.95	-57.80	-58.63	-57.42	-54.56	-50.79	-42.84	-41.20	-1.64
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.95	-59.62	-57.84	-59.41	-58.31	-52.71	-44.76	-41.20	-3.56
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	7.95	-46.32	-47.00	-45.20	-44.88	-39.75	-31.80	-21.20	-10.60
2412MHz	Pass	2.36G	2.5235G	PK	2.48377G	7.95	-46.97	-45.17	-47.74	-46.05	-40.35	-32.40	-21.20	-11.20
2437MHz	Pass	2.36G	2.5235G	AV	2.38943G	7.95	-58.59	-59.17	-59.76	-59.38	-53.18	-45.23	-41.20	-4.03
2437MHz	Pass	2.36G	2.5235G	AV	2.48442G	7.95	-57.12	-56.89	-58.37	-57.84	-51.50	-43.55	-41.20	-2.35
2437MHz	Pass	2.36G	2.5235G	PK	2.3891G	7.95	-47.31	-47.10	-48.24	-45.74	-40.98	-33.03	-21.20	-11.83
2437MHz	Pass	2.36G	2.5235G	PK	2.48459G	7.95	-45.02	-44.81	-46.61	-45.03	-39.29	-31.34	-21.20	-10.14
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.95	-58.76	-59.76	-59.64	-60.37	-53.57	-45.62	-41.20	-4.42
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.95	-56.85	-56.15	-57.81	-56.79	-50.84	-42.89	-41.20	-1.69
2462MHz	Pass	2.36G	2.5235G	PK	2.38976G	7.95	-47.61	-47.42	-46.37	-46.52	-40.93	-32.98	-21.20	-11.78
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	7.95	-45.90	-44.91	-46.17	-46.73	-39.86	-31.91	-21.20	-10.71
802.11g_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.95	-55.79	-56.30	-55.05	-54.40	-49.30	-41.35	-41.20	-0.15
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.95	-60.54	-59.67	-60.32	-59.49	-53.96	-46.01	-41.20	-4.81
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	7.95	-41.33	-42.30	-39.08	-36.87	-33.36	-25.41	-21.20	-4.21
2412MHz	Pass	2.36G	2.5235G	PK	2.48377G	7.95	-47.96	-47.27	-48.06	-47.91	-41.77	-33.82	-21.20	-12.62
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.95	-57.49	-58.43	-58.08	-58.65	-52.12	-44.17	-41.20	-2.97
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.95	-58.77	-57.97	-58.66	-57.82	-52.26	-44.31	-41.20	-3.11
2437MHz	Pass	2.36G	2.5235G	PK	2.38992G	7.95	-45.84	-46.77	-44.79	-45.50	-39.65	-31.70	-21.20	-10.50
2437MHz	Pass	2.36G	2.5235G	PK	2.48442G	7.95	-47.51	-46.77	-46.17	-44.52	-40.08	-32.13	-21.20	-10.93
2462MHz	Pass	2.36G	2.5235G	AV	2.38959G	7.95	-59.37	-59.99	-59.71	-60.69	-53.89	-45.94	-41.20	-4.74
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.95	-55.21	-56.67	-54.77	-55.79	-49.53	-41.58	-41.20	-0.38
2462MHz	Pass	2.36G	2.5235G	PK	2.38992G	7.95	-46.80	-48.22	-47.91	-46.92	-41.40	-33.45	-21.20	-12.25
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	7.95	-42.23	-45.26	-38.50	-43.91	-35.66	-27.71	-21.20	-6.51
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.95	-56.03	-56.56	-55.36	-53.89	-49.32	-41.37	-41.20	-0.17
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	7.95	-61.35	-59.74	-60.92	-60.13	-54.47	-46.52	-41.20	-5.32
2412MHz	Pass	2.36G	2.5235G	PK	2.38959G	7.95	-42.53	-43.54	-42.22	-38.02	-34.98	-27.03	-21.20	-5.83
2412MHz	Pass	2.36G	2.5235G	PK	2.48442G	7.95	-50.16	-47.14	-47.43	-46.43	-41.56	-33.61	-21.20	-12.41
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.95	-55.47	-56.41	-55.29	-54.48	-49.34	-41.39	-41.20	-0.19
2417MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.95	-59.87	-58.95	-59.91	-58.43	-53.22	-45.27	-41.20	-4.07
2417MHz	Pass	2.36G	2.5235G	PK	2.38992G	7.95	-37.91	-40.40	-35.26	-38.64	-31.63	-23.68	-21.20	-2.48
2417MHz	Pass	2.36G	2.5235G	PK	2.48475G	7.95	-47.92	-46.32	-47.98	-45.66	-40.83	-32.88	-21.20	-11.68
2437MHz	Pass	2.36G	2.5235G	AV	2.38976G	7.95	-57.12	-58.02	-57.51	-58.04	-51.63	-43.68	-41.20	-2.48
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.95	-57.73	-56.92	-57.73	-56.36	-51.13	-43.18	-41.20	-1.98
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	7.95	-44.71	-45.92	-43.91	-44.79	-38.75	-30.80	-21.20	-9.60
2437MHz	Pass	2.36G	2.5235G	PK	2.48393G	7.95	-44.87	-44.50	-42.34	-41.79	-37.15	-29.20	-21.20	-8.00
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.95	-60.07	-60.26	-59.82	-60.77	-54.20	-46.25	-41.20	-5.05
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.95	-57.13	-56.54	-54.11	-55.76	-49.71	-41.76	-41.20	-0.56
2462MHz	Pass	2.36G	2.5235G	PK	2.38992G	7.95	-47.86	-47.62	-48.16	-48.39	-41.98	-34.03	-21.20	-12.83
2462MHz	Pass	2.36G	2.5235G	PK	2.48459G	7.95	-43.45	-44.68	-40.02	-46.03	-36.91	-28.96	-21.20	-7.76

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]


2412MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2412MHz




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2437MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-40.67	-21.20	-19.47	5.00	0.00	-45.67	-45.67
2.36G	2.5235G	1M	PK	2.48426G	-41.79	-21.20	-20.59	5.00	0.00	-46.79	-46.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2437MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-53.01	-41.20	-11.81	5.00	0.00	-58.01	-58.01
2.36G	2.5235G	1M	AV	2.48442G	-54.38	-41.20	-13.18	5.00	0.00	-59.38	-59.38

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2462MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-40.81	-21.20	-19.61	5.00	0.00	-45.81	-45.81
2.36G	2.5235G	1M	PK	2.48361G	-39.11	-21.20	-17.91	5.00	0.00	-44.11	-44.11

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2462MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-53.56	-41.20	-12.36	5.00	0.00	-58.56	-58.56
2.36G	2.5235G	1M	AV	2.48361G	-49.08	-41.20	-7.88	5.00	0.00	-54.08	-54.08

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-25.25	-21.20	-4.05	5.00	0.00	-30.25	-30.25
2.36G	2.5235G	1M	PK	2.48573G	-41.00	-21.20	-19.80	5.00	0.00	-46.00	-46.00

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.23	-41.20	-1.03	5.00	0.00	-47.23	-47.23
2.36G	2.5235G	1M	AV	2.48361G	-54.36	-41.20	-13.16	5.00	0.00	-59.36	-59.36

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-41.34	-21.20	-20.14	5.00	0.00	-46.34	-46.34
2.36G	2.5235G	1M	PK	2.4854G	-40.78	-21.20	-19.58	5.00	0.00	-45.78	-45.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-53.49	-41.20	-12.29	5.00	0.00	-58.49	-58.49
2.36G	2.5235G	1M	AV	2.48361G	-53.72	-41.20	-12.52	5.00	0.00	-58.72	-58.72

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-40.88	-21.20	-19.68	5.00	0.00	-45.88	-45.88
2.36G	2.5235G	1M	PK	2.48377G	-28.20	-21.20	-7.00	5.00	0.00	-33.20	-33.20

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [AV]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-53.97	-41.20	-12.77	5.00	0.00	-58.97	-58.97
2.36G	2.5235G	1M	AV	2.48361G	-42.95	-41.20	-1.75	5.00	0.00	-47.95	-47.95

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38943G	-24.82	-21.20	-3.62	5.00	0.00	-29.82	-29.82
2.36G	2.5235G	1M	PK	2.48361G	-41.82	-21.20	-20.62	5.00	0.00	-46.82	-46.82

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.61	-41.20	-0.41	5.00	0.00	-46.61	-46.61
2.36G	2.5235G	1M	AV	2.48361G	-54.68	-41.20	-13.48	5.00	0.00	-59.68	-59.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38845G	-40.36	-21.20	-19.16	5.00	0.00	-45.36	-45.36
2.36G	2.5235G	1M	PK	2.48459G	-39.54	-21.20	-18.34	5.00	0.00	-44.54	-44.54

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-53.03	-41.20	-11.83	5.00	0.00	-58.03	-58.03
2.36G	2.5235G	1M	AV	2.48393G	-52.71	-41.20	-11.51	5.00	0.00	-57.71	-57.71

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38796G	-41.80	-21.20	-20.60	5.00	0.00	-46.80	-46.80
2.36G	2.5235G	1M	PK	2.48361G	-25.80	-21.20	-4.60	5.00	0.00	-30.80	-30.80

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-54.06	-41.20	-12.86	5.00	0.00	-59.06	-59.06
2.36G	2.5235G	1M	AV	2.48361G	-42.55	-41.20	-1.35	5.00	0.00	-47.55	-47.55

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2412MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-36.82	-21.20	-15.62	5.00	0.00	-41.82	-44.12	-45.67
2.36G	2.5235G	1M	PK	2.48377G	-39.11	-21.20	-17.91	5.00	0.00	-44.11	-47.14	-47.10

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2412MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-48.38	-41.20	-7.18	5.00	0.00	-53.38	-54.69	-59.21
2.36G	2.5235G	1M	AV	2.48361G	-51.30	-41.20	-10.10	5.00	0.00	-56.30	-59.71	-58.94

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2437MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38829G	-38.45	-21.20	-17.25	5.00	0.00	-43.45	-45.94	-47.05
2.36G	2.5235G	1M	PK	2.48393G	-38.60	-21.20	-17.40	5.00	0.00	-43.60	-46.02	-45.54

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2437MHz

27/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.3891G	-50.25	-41.20	-9.05	5.00	0.00	-55.25	-58.73	-57.83
2.36G	2.5235G	1M	AV	2.48377G	-50.65	-41.20	-9.45	5.00	0.00	-55.65	-59.76	-57.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2462MHz

27/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38943G	-38.35	-21.20	-17.15	5.00	0.00	-43.35	-46.38	-46.35
2.36G	2.5235G	1M	PK	2.4841G	-36.00	-21.20	-14.80	5.00	0.00	-41.00	-43.51	-44.58

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2462MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-51.02	-41.20	-9.82	5.00	0.00	-56.02	-58.61	-59.49
2.36G	2.5235G	1M	AV	2.48361G	-46.55	-41.20	-5.35	5.00	0.00	-51.55	-52.87	-57.36

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-26.95	-21.20	-5.75	5.00	0.00	-31.95	-34.02	-36.16
2.36G	2.5235G	1M	PK	2.48442G	-38.14	-21.20	-16.94	5.00	0.00	-43.14	-48.78	-44.52

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-43.13	-41.20	-1.93	5.00	0.00	-48.13	-49.79	-53.12
2.36G	2.5235G	1M	AV	2.48377G	-51.22	-41.20	-10.02	5.00	0.00	-56.22	-60.04	-58.54

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38878G	-38.11	-21.20	-16.91	5.00	0.00	-43.11	-47.02	-45.38
2.36G	2.5235G	1M	PK	2.48442G	-37.58	-21.20	-16.38	5.00	0.00	-42.58	-46.20	-45.06

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-50.40	-41.20	-9.20	5.00	0.00	-55.40	-58.45	-58.37
2.36G	2.5235G	1M	AV	2.48377G	-49.93	-41.20	-8.73	5.00	0.00	-54.93	-58.92	-57.14

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-38.89	-21.20	-17.69	5.00	0.00	-43.89	-46.02	-48.01
2.36G	2.5235G	1M	PK	2.48361G	-28.08	-21.20	-6.88	5.00	0.00	-33.08	-33.67	-42.07

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-51.29	-41.20	-10.09	5.00	0.00	-56.29	-59.01	-59.62
2.36G	2.5235G	1M	AV	2.48361G	-41.83	-41.20	-0.63	5.00	0.00	-46.83	-47.90	-53.45

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38861G	-25.15	-21.20	-3.95	5.00	0.00	-30.15	-31.14	-37.06
2.36G	2.5235G	1M	PK	2.48393G	-38.52	-21.20	-17.32	5.00	0.00	-43.52	-46.77	-46.31

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.76	-41.20	-0.56	5.00	0.00	-46.76	-48.97	-50.76
2.36G	2.5235G	1M	AV	2.48361G	-51.26	-41.20	-10.06	5.00	0.00	-56.26	-59.93	-58.69

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-37.66	-21.20	-16.46	5.00	0.00	-42.66	-45.96	-45.40
2.36G	2.5235G	1M	PK	2.48475G	-35.67	-21.20	-14.47	5.00	0.00	-40.67	-44.99	-42.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-50.06	-41.20	-8.86	5.00	0.00	-55.06	-58.14	-58.01
2.36G	2.5235G	1M	AV	2.48361G	-49.02	-41.20	-7.82	5.00	0.00	-54.02	-57.95	-56.28

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-39.25	-21.20	-18.05	5.00	0.00	-44.25	-46.55	-48.10
2.36G	2.5235G	1M	PK	2.48377G	-26.52	-21.20	-5.32	5.00	0.00	-31.52	-32.56	-38.22

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-51.41	-41.20	-10.21	5.00	0.00	-56.41	-58.98	-59.91
2.36G	2.5235G	1M	AV	2.48361G	-41.75	-41.20	-0.55	5.00	0.00	-46.75	-47.81	-53.39

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2412MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-31.80	-21.20	-10.60	7.95	0.00	-39.75	-46.32	-47.00	-45.20	-44.58
2.36G	2.5235G	1M	PK	2.48377G	-32.40	-21.20	-11.20	7.95	0.00	-40.35	-46.97	-45.17	-47.74	-46.05

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2412MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38927G	-42.84	-41.20	-1.64	7.95	0.00	-50.79	-57.80	-58.63	-57.42	-54.56
2.36G	2.5235G	1M	AV	2.48361G	-44.76	-41.20	-3.56	7.95	0.00	-52.71	-59.62	-57.84	-59.41	-58.31

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2437MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-33.03	-21.20	-11.83	7.95	0.00	-40.98	-47.31	-47.10	-48.24	-45.74
2.36G	2.5235G	1M	PK	2.48459G	-31.34	-21.20	-10.14	7.95	0.00	-39.29	-45.02	-44.81	-46.61	-45.03

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2437MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38943G	-45.23	-41.20	-4.03	7.95	0.00	-53.18	-58.59	-59.17	-59.76	-59.38
2.36G	2.5235G	1M	AV	2.48442G	-43.55	-41.20	-2.35	7.95	0.00	-51.50	-57.12	-56.89	-58.37	-57.84

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2462MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-32.98	-21.20	-11.78	7.95	0.00	-40.93	-47.61	-47.42	-46.37	-46.52
2.36G	2.5235G	1M	PK	2.48361G	-31.91	-21.20	-10.71	7.95	0.00	-39.86	-45.90	-44.91	-46.17	-46.73

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2462MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-45.62	-41.20	-4.42	7.95	0.00	-53.57	-58.76	-59.76	-59.64	-60.37
2.36G	2.5235G	1M	AV	2.48361G	-42.89	-41.20	-1.69	7.95	0.00	-50.84	-56.85	-56.15	-57.81	-56.79

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-25.41	-21.20	-4.21	7.95	0.00	-33.36	-41.33	-42.30	-39.08	-36.87
2.36G	2.5235G	1M	PK	2.48377G	-33.82	-21.20	-12.62	7.95	0.00	-41.77	-47.96	-47.27	-48.06	-47.91

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.35	-41.20	-0.15	7.95	0.00	-49.30	-55.79	-56.30	-55.05	-54.40
2.36G	2.5235G	1M	AV	2.48361G	-46.01	-41.20	-4.81	7.95	0.00	-53.96	-60.54	-59.67	-60.32	-59.49

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-31.70	-21.20	-10.50	7.95	0.00	-39.65	-45.84	-46.77	-44.79	-45.50
2.36G	2.5235G	1M	PK	2.48442G	-32.13	-21.20	-10.93	7.95	0.00	-40.08	-47.51	-46.77	-46.17	-44.52

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-44.17	-41.20	-2.97	7.95	0.00	-52.12	-57.49	-58.43	-58.08	-58.65
2.36G	2.5235G	1M	AV	2.48361G	-44.31	-41.20	-3.11	7.95	0.00	-52.26	-58.77	-57.97	-58.66	-57.82

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2462MHz

28/12/2024




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2462MHz

28/12/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-27.03	-21.20	-5.83	7.95	0.00	-34.98	-42.53	-43.54	-42.22	-38.02
2.36G	2.5235G	1M	PK	2.48442G	-33.61	-21.20	-12.41	7.95	0.00	-41.56	-50.16	-47.14	-47.43	-46.43

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.37	-41.20	-0.17	7.95	0.00	-49.32	-56.03	-56.56	-55.36	-53.89
2.36G	2.5235G	1M	AV	2.48377G	-46.52	-41.20	-5.32	7.95	0.00	-54.47	-61.35	-59.74	-60.92	-60.13

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2417MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-23.68	-21.20	-2.48	7.95	0.00	-31.63	-37.91	-40.40	-35.26	-38.64
2.36G	2.5235G	1M	PK	2.48475G	-32.88	-21.20	-11.68	7.95	0.00	-40.83	-47.92	-46.32	-47.98	-45.66

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2417MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.39	-41.20	-0.19	7.95	0.00	-49.34	-55.47	-56.41	-55.29	-54.48
2.36G	2.5235G	1M	AV	2.48361G	-45.27	-41.20	-4.07	7.95	0.00	-53.22	-59.87	-58.95	-59.91	-58.43

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-30.80	-21.20	-9.60	7.95	0.00	-38.75	-44.71	-45.92	-43.91	-44.79
2.36G	2.5235G	1M	PK	2.48393G	-29.20	-21.20	-8.00	7.95	0.00	-37.15	-44.87	-44.50	-42.34	-41.79

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-43.68	-41.20	-2.48	7.95	0.00	-51.63	-57.12	-58.02	-57.51	-58.04
2.36G	2.5235G	1M	AV	2.48361G	-43.18	-41.20	-1.98	7.95	0.00	-51.13	-57.73	-56.92	-57.73	-56.36

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-34.03	-21.20	-12.83	7.95	0.00	-41.98	-47.86	-47.62	-48.16	-48.39
2.36G	2.5235G	1M	PK	2.48459G	-28.96	-21.20	-7.76	7.95	0.00	-36.91	-43.45	-44.68	-40.02	-46.03

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2462MHz

28/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-46.25	-41.20	-5.05	7.95	0.00	-54.20	-60.07	-60.26	-59.82	-60.77
2.36G	2.5235G	1M	AV	2.48361G	-41.76	-41.20	-0.56	7.95	0.00	-49.71	-57.13	-56.54	-54.11	-55.76



CSE Bandedge Test mode: Mode 3
(Parent Device / FCC ID: UDX-600216010)

Appendix F.10

Summary

Mode	Result	F-Start	F-Stop	Type	Freq	DG	P1	P2	P3	P4	Psum	EIRP	Limit	Margin
		(Hz)	(Hz)		(Hz)	(dBi)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.48361G	7.77	-54.30				-54.30	-46.53	-41.20	-5.33
802.11b_Nss1,(1Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.48786G	8.18	-53.50	-57.08			-51.92	-43.74	-41.20	-2.54
802.11b_Nss1,(1Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-59.68	-58.51	-58.30	-58.98	-52.82	-41.63	-41.20	-0.43
802.11g_Nss1,(6Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.48361G	7.77	-49.37				-49.37	-41.60	-41.20	-0.40
802.11g_Nss1,(6Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-51.77	-53.70			-49.62	-41.44	-41.20	-0.24
802.11g_Nss1,(6Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-58.18	-58.70	-58.86	-58.91	-52.63	-41.44	-41.20	-0.24
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.36G	2.5235G	AV	2.48377G	7.77	-49.40				-49.40	-41.63	-41.20	-0.43
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-51.75	-53.45			-49.51	-41.33	-41.20	-0.13
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-58.17	-58.60	-58.82	-58.71	-52.55	-41.36	-41.20	-0.16

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge Test mode: Mode 3
(Parent Device / FCC ID: UDX-600216010)

Appendix F.10

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.77	-54.59				-54.59	-46.82	-41.20	-5.62
2412MHz	Pass	2.36G	2.5235G	AV	2.48393G	7.77	-59.24				-59.24	-51.47	-41.20	-10.27
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	7.77	-43.97				-43.97	-36.20	-21.20	-15.00
2412MHz	Pass	2.36G	2.5235G	PK	2.48361G	7.77	-46.78				-46.78	-39.01	-21.20	-17.81
2437MHz	Pass	2.36G	2.5235G	AV	2.38927G	7.77	-58.07				-58.07	-50.30	-41.20	-9.10
2437MHz	Pass	2.36G	2.5235G	AV	2.48459G	7.77	-59.18				-59.18	-51.41	-41.20	-10.21
2437MHz	Pass	2.36G	2.5235G	PK	2.38943G	7.77	-46.92				-46.92	-39.15	-21.20	-17.95
2437MHz	Pass	2.36G	2.5235G	PK	2.48393G	7.77	-46.26				-46.26	-38.49	-21.20	-17.29
2462MHz	Pass	2.36G	2.5235G	AV	2.38927G	7.77	-58.86				-58.86	-51.09	-41.20	-9.89
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.77	-54.30				-54.30	-46.53	-41.20	-5.33
2462MHz	Pass	2.36G	2.5235G	PK	2.3891G	7.77	-46.10				-46.10	-38.33	-21.20	-17.13
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	7.77	-44.40				-44.40	-36.63	-21.20	-15.43
802.11g_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.77	-49.61				-49.61	-41.84	-41.20	-0.64
2412MHz	Pass	2.36G	2.5235G	AV	2.48393G	7.77	-59.51				-59.51	-51.74	-41.20	-10.54
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	7.77	-33.68				-33.68	-25.91	-21.20	-4.71
2412MHz	Pass	2.36G	2.5235G	PK	2.48671G	7.77	-46.73				-46.73	-38.96	-21.20	-17.76
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.77	-58.24				-58.24	-50.47	-41.20	-9.27
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.77	-58.49				-58.49	-50.72	-41.20	-9.52
2437MHz	Pass	2.36G	2.5235G	PK	2.38992G	7.77	-45.88				-45.88	-38.11	-21.20	-16.91
2437MHz	Pass	2.36G	2.5235G	PK	2.48361G	7.77	-46.42				-46.42	-38.65	-21.20	-17.45
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.77	-64.61				-64.61	-56.84	-41.20	-15.64
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.77	-49.37				-49.37	-41.60	-41.20	-0.40
2462MHz	Pass	2.36G	2.5235G	PK	2.38829G	7.77	-52.49				-52.49	-44.72	-21.20	-23.52
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	7.77	-33.74				-33.74	-25.97	-21.20	-4.77
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.77	-50.86				-50.86	-43.09	-41.20	-1.89
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.77	-59.52				-59.52	-51.75	-41.20	-10.55
2412MHz	Pass	2.36G	2.5235G	PK	2.38927G	7.77	-33.47				-33.47	-25.70	-21.20	-4.50
2412MHz	Pass	2.36G	2.5235G	PK	2.4841G	7.77	-47.78				-47.78	-40.01	-21.20	-18.81
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.77	-57.99				-57.99	-50.22	-41.20	-9.02
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	7.77	-57.82				-57.82	-50.05	-41.20	-8.85
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	7.77	-57.82				-57.82	-50.05	-41.20	-8.85
2437MHz	Pass	2.36G	2.5235G	PK	2.38959G	7.77	-46.47				-46.47	-38.70	-21.20	-17.50
2437MHz	Pass	2.36G	2.5235G	PK	2.4854G	7.77	-45.23				-45.23	-37.46	-21.20	-16.26
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	7.77	-69.32				-69.32	-61.55	-41.20	-20.35
2462MHz	Pass	2.36G	2.5235G	AV	2.48377G	7.77	-49.40				-49.40	-41.63	-41.20	-0.43
2462MHz	Pass	2.36G	2.5235G	PK	2.38976G	7.77	-57.95				-57.95	-50.18	-21.20	-28.98
2462MHz	Pass	2.36G	2.5235G	PK	2.4841G	7.77	-33.63				-33.63	-25.86	-21.20	-4.66
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38927G	8.18	-55.35	-57.69			-53.35	-45.17	-41.20	-3.97
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	8.18	-59.24	-58.25			-55.71	-47.53	-41.20	-6.33
2412MHz	Pass	2.36G	2.5235G	PK	2.38943G	8.18	-44.58	-45.50			-42.01	-33.83	-21.20	-12.63
2412MHz	Pass	2.36G	2.5235G	PK	2.48377G	8.18	-46.19	-46.26			-43.21	-35.03	-21.20	-13.83
2437MHz	Pass	2.36G	2.5235G	AV	2.38976G	8.18	-57.95	-58.76			-55.33	-47.15	-41.20	-5.95
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.18	-57.87	-57.14			-54.48	-46.30	-41.20	-5.10
2437MHz	Pass	2.36G	2.5235G	PK	2.38992G	8.18	-46.28	-46.41			-43.33	-35.15	-21.20	-13.95
2437MHz	Pass	2.36G	2.5235G	PK	2.48426G	8.18	-46.51	-44.58			-42.43	-34.25	-21.20	-13.05
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-58.48	-59.24			-55.83	-47.65	-41.20	-6.45
2462MHz	Pass	2.36G	2.5235G	AV	2.48786G	8.18	-53.50	-57.08			-51.92	-43.74	-41.20	-2.54
2462MHz	Pass	2.36G	2.5235G	PK	2.38992G	8.18	-47.43	-47.39			-44.40	-36.22	-21.20	-15.02
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	8.18	-43.81	-46.89			-42.07	-33.89	-21.20	-12.69
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-51.77	-53.70			-49.62	-41.44	-41.20	-0.24
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.18	-59.82	-58.60			-56.16	-47.98	-41.20	-6.78
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	8.18	-36.10	-38.43			-34.10	-25.92	-21.20	-4.72
2412MHz	Pass	2.36G	2.5235G	PK	2.48491G	8.18	-48.75	-45.56			-43.86	-35.68	-21.20	-14.48
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-58.17	-58.57			-55.36	-47.18	-41.20	-5.98
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	8.18	-58.36	-56.94			-54.58	-46.40	-41.20	-5.20
2437MHz	Pass	2.36G	2.5235G	PK	2.3891G	8.18	-46.22	-46.14			-43.17	-34.99	-21.20	-13.79
2437MHz	Pass	2.36G	2.5235G	PK	2.48377G	8.18	-46.33	-44.48			-42.30	-34.12	-21.20	-12.92
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-67.93	-68.26			-65.08	-56.90	-41.20	-15.70
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.18	-51.16	-55.95			-49.92	-41.74	-41.20	-0.54
2462MHz	Pass	2.36G	2.5235G	PK	2.38992G	8.18	-55.55	-56.30			-53.41	-45.23	-21.20	-24.03
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	8.18	-36.92	-40.13			-35.22	-27.04	-21.20	-5.84
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-51.75	-53.45			-49.51	-41.33	-41.20	-0.13
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	8.18	-59.76	-58.49			-56.07	-47.89	-41.20	-6.69



CSE Bandedge Test mode: Mode 3
(Parent Device / FCC ID: UDX-600216010)

Appendix F.10


2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	8.18	-37.63	-36.02			-33.74	-25.56	-21.20	-4.36
2412MHz	Pass	2.36G	2.5235G	PK	2.4841G	8.18	-47.46	-47.23			-44.33	-36.15	-21.20	-14.95
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-58.10	-58.21			-55.14	-46.96	-41.20	-5.76
2437MHz	Pass	2.36G	2.5235G	AV	2.48393G	8.18	-58.58	-56.56			-54.44	-46.26	-41.20	-5.06
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	8.18	-46.35	-46.20			-43.26	-35.08	-21.20	-13.88
2437MHz	Pass	2.36G	2.5235G	PK	2.48361G	8.18	-46.99	-43.81			-42.10	-33.92	-21.20	-12.72
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-59.09	-59.83			-56.43	-48.25	-41.20	-7.05
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.18	-54.07	-54.41			-51.23	-43.05	-41.20	-1.85
2462MHz	Pass	2.36G	2.5235G	PK	2.38927G	8.18	-47.42	-46.94			-44.16	-35.98	-21.20	-14.78
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	8.18	-39.35	-42.60			-37.67	-29.49	-21.20	-8.29
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38714G	11.19	-60.43	-59.34	-59.10	-59.10	-53.44	-42.25	-41.20	-1.05
2412MHz	Pass	2.36G	2.5235G	AV	2.4841G	11.19	-61.22	-60.45	-61.26	-60.34	-54.78	-43.59	-41.20	-2.39
2412MHz	Pass	2.36G	2.5235G	PK	2.38763G	11.19	-49.12	-47.41	-48.56	-49.11	-42.47	-31.28	-21.20	-10.08
2412MHz	Pass	2.36G	2.5235G	PK	2.48442G	11.19	-50.30	-49.59	-48.72	-47.02	-42.71	-31.52	-21.20	-10.32
2437MHz	Pass	2.36G	2.5235G	AV	2.38976G	11.19	-58.46	-59.76	-59.78	-60.23	-53.48	-42.29	-41.20	-1.09
2437MHz	Pass	2.36G	2.5235G	AV	2.4841G	11.19	-59.27	-58.21	-59.61	-59.22	-53.02	-41.83	-41.20	-0.63
2437MHz	Pass	2.36G	2.5235G	PK	2.38959G	11.19	-47.17	-48.96	-48.10	-48.59	-42.13	-30.94	-21.20	-9.74
2437MHz	Pass	2.36G	2.5235G	PK	2.48459G	11.19	-47.74	-46.73	-48.35	-46.72	-41.31	-30.12	-21.20	-8.92
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-59.99	-60.35	-60.67	-60.99	-54.46	-43.27	-41.20	-2.07
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-59.68	-58.51	-58.30	-58.98	-52.82	-41.63	-41.20	-0.43
2462MHz	Pass	2.36G	2.5235G	PK	2.38927G	11.19	-47.50	-49.27	-48.89	-49.76	-42.75	-31.56	-21.20	-10.36
2462MHz	Pass	2.36G	2.5235G	PK	2.48606G	11.19	-48.53	-46.09	-48.89	-47.23	-41.52	-30.33	-21.20	-9.13
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-59.12	-58.87	-58.90	-58.25	-52.75	-41.56	-41.20	-0.36
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	11.19	-61.02	-59.70	-60.92	-59.92	-54.33	-43.14	-41.20	-1.94
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.19	-46.38	-45.80	-47.77	-45.62	-40.29	-29.10	-21.20	-7.90
2412MHz	Pass	2.36G	2.5235G	PK	2.48508G	11.19	-50.06	-46.82	-49.25	-48.65	-42.50	-31.31	-21.20	-10.11
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-58.18	-58.70	-58.86	-58.91	-52.63	-41.44	-41.20	-0.24
2417MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-60.00	-58.94	-60.05	-58.90	-53.42	-42.23	-41.20	-1.03
2417MHz	Pass	2.36G	2.5235G	PK	2.38992G	11.19	-45.20	-47.95	-48.11	-47.08	-40.90	-29.71	-21.20	-8.51
2417MHz	Pass	2.36G	2.5235G	PK	2.48475G	11.19	-48.54	-48.02	-48.39	-46.42	-41.74	-30.55	-21.20	-9.35
2437MHz	Pass	2.36G	2.5235G	AV	2.38959G	11.19	-58.67	-59.65	-59.34	-59.64	-53.29	-42.10	-41.20	-0.90
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-59.11	-58.56	-59.31	-58.55	-52.85	-41.66	-41.20	-0.46
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.19	-46.81	-48.02	-48.23	-47.55	-41.60	-30.41	-21.20	-9.21
2437MHz	Pass	2.36G	2.5235G	PK	2.48393G	11.19	-47.57	-46.69	-47.89	-45.96	-40.94	-29.75	-21.20	-8.55
2457MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-60.05	-60.81	-60.30	-61.07	-54.52	-43.33	-41.20	-2.13
2457MHz	Pass	2.36G	2.5235G	AV	2.48377G	11.19	-59.36	-58.68	-59.19	-58.40	-52.87	-41.68	-41.20	-0.48
2457MHz	Pass	2.36G	2.5235G	PK	2.38992G	11.19	-48.61	-49.53	-48.58	-49.30	-42.96	-31.77	-21.20	-10.57
2457MHz	Pass	2.36G	2.5235G	PK	2.48393G	11.19	-48.23	-46.35	-47.30	-45.63	-40.75	-29.56	-21.20	-8.36
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-60.92	-60.75	-60.84	-61.85	-55.05	-43.86	-41.20	-2.66
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-59.06	-57.94	-59.40	-59.15	-52.83	-41.64	-41.20	-0.44
2462MHz	Pass	2.36G	2.5235G	PK	2.3891G	11.19	-49.98	-49.80	-49.28	-49.59	-43.63	-32.44	-21.20	-11.24
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	11.19	-48.05	-45.36	-47.87	-46.39	-40.75	-29.56	-21.20	-8.36
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-58.48	-59.63	-58.98	-58.02	-52.72	-41.53	-41.20	-0.33
2412MHz	Pass	2.36G	2.5235G	AV	2.4841G	11.19	-61.61	-61.07	-61.06	-60.88	-55.13	-43.94	-41.20	-2.74
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.19	-46.47	-45.35	-46.11	-44.08	-39.38	-28.19	-21.20	-6.99
2412MHz	Pass	2.36G	2.5235G	PK	2.48475G	11.19	-49.09	-49.80	-50.42	-48.81	-43.46	-32.27	-21.20	-11.07
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-58.17	-58.60	-58.82	-58.71	-52.55	-41.36	-41.20	-0.16
2417MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-60.01	-58.96	-59.77	-58.85	-53.35	-42.16	-41.20	-0.96
2417MHz	Pass	2.36G	2.5235G	PK	2.38927G	11.19	-46.82	-45.12	-47.52	-46.21	-40.31	-29.12	-21.20	-7.92
2417MHz	Pass	2.36G	2.5235G	PK	2.48361G	11.19	-48.83	-47.63	-47.52	-47.90	-41.92	-30.73	-21.20	-9.53
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-58.47	-59.45	-59.00	-59.71	-53.11	-41.92	-41.20	-0.72
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-59.24	-58.62	-59.19	-58.62	-52.89	-41.70	-41.20	-0.50
2437MHz	Pass	2.36G	2.5235G	PK	2.38959G	11.19	-47.36	-46.45	-47.70	-48.26	-41.37	-30.18	-21.20	-8.98
2437MHz	Pass	2.36G	2.5235G	PK	2.48377G	11.19	-47.41	-46.43	-48.09	-47.16	-41.21	-30.02	-21.20	-8.82
2457MHz	Pass	2.36G	2.5235G	AV	2.38976G	11.19	-60.21	-60.42	-60.40	-61.33	-54.55	-43.36	-41.20	-2.16
2457MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-59.21	-58.34	-58.71	-58.51	-52.66	-41.47	-41.20	-0.27
2457MHz	Pass	2.36G	2.5235G	PK	2.38959G	11.19	-48.89	-48.73	-47.43	-50.09	-42.66	-31.47	-21.20	-10.27
2457MHz	Pass	2.36G	2.5235G	PK	2.4841G	11.19	-48.43	-45.04	-46.45	-47.43	-40.63	-29.44	-21.20	-8.24
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.19	-60.96	-61.93	-60.92	-61.90	-55.38	-44.19	-41.20	-2.99
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.19	-59.13	-58.22	-59.19	-58.48	-52.71	-41.52	-41.20	-0.32
2462MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.19	-48.94	-49.78	-49.44	-49.80	-43.46	-32.27	-21.20	-11.07
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	11.19	-47.87	-43.94	-47.06	-45.42	-39.78	-28.59	-21.20	-7.39

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]


2412MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2412MHz




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38943G	-39.15	-21.20	-17.95	7.77	0.00	-46.92	-46.92
2.36G	2.5235G	1M	PK	2.48393G	-38.49	-21.20	-17.29	7.77	0.00	-46.26	-46.26

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38927G	-50.30	-41.20	-9.10	7.77	0.00	-58.07	-58.07
2.36G	2.5235G	1M	AV	2.48459G	-51.41	-41.20	-10.21	7.77	0.00	-59.18	-59.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-38.33	-21.20	-17.13	7.77	0.00	-46.10	-46.10
2.36G	2.5235G	1M	PK	2.48361G	-36.63	-21.20	-15.43	7.77	0.00	-44.40	-44.40

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38927G	-51.09	-41.20	-9.89	7.77	0.00	-58.86	-58.86
2.36G	2.5235G	1M	AV	2.48361G	-46.53	-41.20	-5.33	7.77	0.00	-54.30	-54.30

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-25.91	-21.20	-4.71	7.77	0.00	-33.68	-33.68
2.36G	2.5235G	1M	PK	2.48671G	-38.96	-21.20	-17.76	7.77	0.00	-46.73	-46.73

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.84	-41.20	-0.64	7.77	0.00	-49.61	-49.61
2.36G	2.5235G	1M	AV	2.48393G	-51.74	-41.20	-10.54	7.77	0.00	-59.51	-59.51

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-38.11	-21.20	-16.91	7.77	0.00	-45.88	-45.88
2.36G	2.5235G	1M	PK	2.48361G	-38.65	-21.20	-17.45	7.77	0.00	-46.42	-46.42

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-50.47	-41.20	-9.27	7.77	0.00	-58.24	-58.24
2.36G	2.5235G	1M	AV	2.48361G	-50.72	-41.20	-9.52	7.77	0.00	-58.49	-58.49

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2462MHz

17/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38829G	-44.72	-21.20	-23.52	7.77	0.00	-52.49	-52.49
2.36G	2.5235G	1M	PK	2.48361G	-25.97	-21.20	-4.77	7.77	0.00	-33.74	-33.74

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2462MHz

17/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-56.84	-41.20	-15.64	7.77	0.00	-64.61	-64.61
2.36G	2.5235G	1M	AV	2.48361G	-41.60	-41.20	-0.40	7.77	0.00	-49.37	-49.37

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-25.70	-21.20	-4.50	7.77	0.00	-33.47	-33.47
2.36G	2.5235G	1M	PK	2.4841G	-40.01	-21.20	-18.81	7.77	0.00	-47.78	-47.78

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-43.09	-41.20	-1.89	7.77	0.00	-50.86	-50.86
2.36G	2.5235G	1M	AV	2.48361G	-51.75	-41.20	-10.55	7.77	0.00	-59.52	-59.52

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-38.70	-21.20	-17.50	7.77	0.00	-46.47	-46.47
2.36G	2.5235G	1M	PK	2.4854G	-37.46	-21.20	-16.26	7.77	0.00	-45.23	-45.23

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-50.22	-41.20	-9.02	7.77	0.00	-57.99	-57.99
2.36G	2.5235G	1M	AV	2.48361G	-50.05	-41.20	-8.85	7.77	0.00	-57.82	-57.82
2.36G	2.5235G	1M	AV	2.48377G	-50.05	-41.20	-8.85	7.77	0.00	-57.82	-57.82

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2462MHz

17/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-50.18	-21.20	-28.98	7.77	0.00	-57.95	-57.95
2.36G	2.5235G	1M	PK	2.4841G	-25.86	-21.20	-4.66	7.77	0.00	-33.63	-33.63

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2462MHz

17/01/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-61.55	-41.20	-20.35	7.77	0.00	-69.32	-69.32
2.36G	2.5235G	1M	AV	2.48377G	-41.63	-41.20	-0.43	7.77	0.00	-49.40	-49.40

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2412MHz

28/12/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2412MHz

28/12/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-35.15	-21.20	-13.95	8.18	0.00	-43.33	-46.28	-46.41
2.36G	2.5235G	1M	PK	2.48426G	-34.25	-21.20	-13.05	8.18	0.00	-42.43	-46.51	-44.58

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-47.15	-41.20	-5.95	8.18	0.00	-55.33	-57.95	-58.76
2.36G	2.5235G	1M	AV	2.48361G	-46.30	-41.20	-5.10	8.18	0.00	-54.48	-57.87	-57.14

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2462MHz

28/12/2024



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-36.22	-21.20	-15.02	8.18	0.00	-44.40	-47.43	-47.39
2.36G	2.5235G	1M	PK	2.48377G	-33.89	-21.20	-12.69	8.18	0.00	-42.07	-43.81	-46.89

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2462MHz

28/12/2024



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-47.65	-41.20	-6.45	8.18	0.00	-55.83	-58.48	-59.24
2.36G	2.5235G	1M	AV	2.48786G	-43.74	-41.20	-2.54	8.18	0.00	-51.92	-53.50	-57.08

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2412MHz

28/12/2024





2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2412MHz

28/12/2024




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-34.99	-21.20	-13.79	8.18	0.00	-43.17	-46.22	-46.14
2.36G	2.5235G	1M	PK	2.48377G	-34.12	-21.20	-12.92	8.18	0.00	-42.30	-46.33	-44.48

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-47.18	-41.20	-5.98	8.18	0.00	-55.36	-58.17	-58.57
2.36G	2.5235G	1M	AV	2.48377G	-46.40	-41.20	-5.20	8.18	0.00	-54.58	-58.36	-56.94

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2462MHz

17/01/2025



Limit.PK
 EIRP.PK
 Sum.PK
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-45.23	-21.20	-24.03	8.18	0.00	-53.41	-56.55	-56.30
2.36G	2.5235G	1M	PK	2.48361G	-27.04	-21.20	-5.84	8.18	0.00	-35.22	-36.92	-40.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2462MHz

17/01/2025



Limit.AV
 EIRP.AV
 Sum.AV
 Port 1
 Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-56.90	-41.20	-15.70	8.18	0.00	-65.08	-67.93	-68.26
2.36G	2.5235G	1M	AV	2.48361G	-41.74	-41.20	-0.54	8.18	0.00	-49.92	-51.16	-55.95

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-25.56	-21.20	-4.36	8.18	0.00	-33.74	-37.63	-36.02
2.36G	2.5235G	1M	PK	2.4841G	-36.15	-21.20	-14.95	8.18	0.00	-44.33	-47.46	-47.23

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.33	-41.20	-0.13	8.18	0.00	-49.51	-51.75	-53.45
2.36G	2.5235G	1M	AV	2.48377G	-47.89	-41.20	-6.69	8.18	0.00	-56.07	-59.76	-58.49

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-35.08	-21.20	-13.88	8.18	0.00	-43.26	-46.35	-46.20
2.36G	2.5235G	1M	PK	2.48361G	-33.92	-21.20	-12.72	8.18	0.00	-42.10	-46.99	-43.81

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-46.96	-41.20	-5.76	8.18	0.00	-55.14	-58.10	-58.21
2.36G	2.5235G	1M	AV	2.48393G	-46.26	-41.20	-5.06	8.18	0.00	-54.44	-58.58	-56.56

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2462MHz

28/12/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2462MHz

28/12/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2412MHz

28/12/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2412MHz

28/12/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2437MHz

28/12/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2437MHz

28/12/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-31.56	-21.20	-10.36	11.19	0.00	-42.75	-47.50	-49.27	-48.89	-49.76
2.36G	2.5235G	1M	PK	2.4606G	-30.33	-21.20	-9.13	11.19	0.00	-41.52	-48.53	-46.09	-48.89	-47.23

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-43.27	-41.20	-2.07	11.19	0.00	-54.46	-59.99	-60.35	-60.67	-60.99
2.36G	2.5235G	1M	AV	2.48361G	-41.63	-41.20	-0.43	11.19	0.00	-52.82	-59.68	-58.51	-58.30	-58.98

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-29.10	-21.20	-7.90	11.19	0.00	-40.29	-46.38	-45.80	-47.77	-45.62
2.36G	2.5235G	1M	PK	2.48508G	-31.31	-21.20	-10.11	11.19	0.00	-42.50	-50.06	-46.82	-49.25	-48.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2412MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.56	-41.20	-0.36	11.19	0.00	-52.75	-59.12	-58.87	-58.90	-58.25
2.36G	2.5235G	1M	AV	2.48377G	-43.14	-41.20	-1.94	11.19	0.00	-54.33	-61.02	-59.70	-60.92	-59.92

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2417MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-29.71	-21.20	-8.51	11.19	0.00	-40.90	-45.20	-47.95	-48.11	-47.08
2.36G	2.5235G	1M	PK	2.48475G	-30.55	-21.20	-9.35	11.19	0.00	-41.74	-48.54	-48.02	-48.39	-46.42

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2417MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.44	-41.20	-0.24	11.19	0.00	-52.63	-58.18	-58.70	-58.86	-58.91
2.36G	2.5235G	1M	AV	2.48361G	-42.23	-41.20	-1.03	11.19	0.00	-53.42	-60.00	-58.94	-60.05	-58.90

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-30.41	-21.20	-9.21	11.19	0.00	-41.60	-46.81	-48.02	-48.23	-47.55
2.36G	2.5235G	1M	PK	2.48393G	-29.75	-21.20	-8.55	11.19	0.00	-40.94	-47.57	-46.69	-47.89	-45.96

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-42.10	-41.20	-0.90	11.19	0.00	-53.29	-58.67	-59.65	-59.34	-59.64
2.36G	2.5235G	1M	AV	2.48361G	-41.66	-41.20	-0.46	11.19	0.00	-52.85	-59.11	-58.56	-59.31	-58.55

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2457MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-31.77	-21.20	-10.57	11.19	0.00	-42.96	-48.61	-49.53	-48.58	-49.30
2.36G	2.5235G	1M	PK	2.48393G	-29.56	-21.20	-8.36	11.19	0.00	-40.75	-48.23	-46.35	-47.30	-45.63

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2457MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-43.33	-41.20	-2.13	11.19	0.00	-54.52	-60.05	-60.81	-60.30	-61.07
2.36G	2.5235G	1M	AV	2.48377G	-41.68	-41.20	-0.48	11.19	0.00	-52.87	-59.36	-58.68	-59.19	-58.40

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-32.44	-21.20	-11.24	11.19	0.00	-43.63	-49.98	-49.80	-49.28	-49.59
2.36G	2.5235G	1M	PK	2.48377G	-29.56	-21.20	-8.36	11.19	0.00	-40.75	-48.05	-45.36	-47.87	-46.39

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-43.86	-41.20	-2.66	11.19	0.00	-55.05	-60.92	-60.75	-60.84	-61.85
2.36G	2.5235G	1M	AV	2.48361G	-41.64	-41.20	-0.44	11.19	0.00	-52.83	-59.06	-57.94	-59.40	-59.15

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2412MHz

28/12/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2412MHz

28/12/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2417MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-29.12	-21.20	-7.92	11.19	0.00	-40.31	-46.82	-45.12	-47.52	-46.21
2.36G	2.5235G	1M	PK	2.48361G	-30.73	-21.20	-9.53	11.19	0.00	-41.92	-48.83	-47.63	-47.52	-47.90

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2417MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.36	-41.20	-0.16	11.19	0.00	-52.55	-58.17	-58.60	-58.82	-58.71
2.36G	2.5235G	1M	AV	2.48361G	-42.16	-41.20	-0.96	11.19	0.00	-53.35	-60.01	-58.96	-59.77	-58.85

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-30.18	-21.20	-8.98	11.19	0.00	-41.37	-47.36	-46.45	-47.70	-48.26
2.36G	2.5235G	1M	PK	2.48377G	-30.02	-21.20	-8.82	11.19	0.00	-41.21	-47.41	-46.43	-48.09	-47.16

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.92	-41.20	-0.72	11.19	0.00	-53.11	-58.47	-59.45	-59.00	-59.71
2.36G	2.5235G	1M	AV	2.48361G	-41.70	-41.20	-0.50	11.19	0.00	-52.89	-59.24	-58.62	-59.19	-58.62

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2457MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-31.47	-21.20	-10.27	11.19	0.00	-42.66	-48.89	-48.73	-47.43	-50.09
2.36G	2.5235G	1M	PK	2.4841G	-29.44	-21.20	-8.24	11.19	0.00	-40.63	-48.43	-45.04	-46.45	-47.43

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2457MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-43.36	-41.20	-2.16	11.19	0.00	-54.55	-60.21	-60.42	-60.40	-61.33
2.36G	2.5235G	1M	AV	2.48361G	-41.47	-41.20	-0.27	11.19	0.00	-52.66	-59.21	-58.34	-58.71	-58.51

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2462MHz

28/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-32.27	-21.20	-11.07	11.19	0.00	-43.46	-48.94	-49.78	-49.44	-49.80
2.36G	2.5235G	1M	PK	2.48361G	-28.59	-21.20	-7.39	11.19	0.00	-39.78	-47.87	-43.94	-47.06	-45.42

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2462MHz

28/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-44.19	-41.20	-2.99	11.19	0.00	-55.38	-60.96	-61.93	-60.92	-61.90
2.36G	2.5235G	1M	AV	2.48361G	-41.52	-41.20	-0.32	11.19	0.00	-52.71	-59.13	-58.22	-59.19	-58.48



RSE TX above 1GHz (Cabinet)_Test mode: Mode 1
(Parent Device / FCC ID: UDX-600216010)


Appendix F.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	7.31256G	41.07	54.00	-12.93	3	Vertical	355	1.80	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
 Setting 24
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87256G	47.64	74.00	-26.36	40.92	3	Vertical	310	1.80	-	32.79	6.50	32.57				
AV	4.87394G	34.06	54.00	-19.94	27.33	3	Vertical	310	1.80	-	32.80	6.50	32.57				
PK	7.3122G	54.58	74.00	-19.42	41.72	3	Vertical	355	1.80	-	37.52	7.97	32.63				
AV	7.31256G	41.07	54.00	-12.93	28.20	3	Vertical	355	1.80	-	37.53	7.97	32.63				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX



EUT_Y_1TX
 Setting 24
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87652G	47.45	74.00	-26.55	40.72	3	Horizontal	34	1.80	-	32.81	6.50	32.58				
AV	4.8875G	33.84	54.00	-20.16	27.05	3	Horizontal	34	1.80	-	32.85	6.52	32.58				
PK	7.30956G	54.72	74.00	-19.28	41.86	3	Horizontal	53	1.80	-	37.52	7.97	32.63				
AV	7.31178G	41.04	54.00	-12.96	28.18	3	Horizontal	53	1.80	-	37.52	7.97	32.63				



RSE TX above 1GHz (Cabinet)_Test mode: Mode 2
(Parent Device / FCC ID: UDX-600216010)


Appendix F.12

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	7.31492G	39.42	54.00	-14.58	3	Vertical	30	2.85	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
 Setting 22
 06-I-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.86764G	45.04	74.00	-28.96	41.16	3	Vertical	95	1.21	-	31.30	6.55	33.97				
AV	4.86416G	32.42	54.00	-21.58	28.54	3	Vertical	95	1.21	-	31.30	6.55	33.97				
PK	7.31972G	51.94	74.00	-22.06	40.95	3	Vertical	30	2.85	-	36.60	8.58	34.19				
AV	7.31492G	39.42	54.00	-14.58	28.43	3	Vertical	30	2.85	-	36.60	8.58	34.19				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX



EUT_Y_4TX
 Setting 22
 06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87908G	45.16	74.00	-28.84	41.28	3	Horizontal	358	1.68	-	31.30	6.55	33.97				
AV	4.86616G	32.43	54.00	-21.57	28.55	3	Horizontal	358	1.68	-	31.30	6.55	33.97				
PK	7.30364G	51.75	74.00	-22.25	40.77	3	Horizontal	109	1.54	-	36.60	8.57	34.19				
AV	7.3146G	39.42	54.00	-14.58	28.43	3	Horizontal	109	1.54	-	36.60	8.58	34.19				



RSE TX above 1GHz (Cabinet)_Test mode: Mode 3
(Parent Device / FCC ID: UDX-600216010)


Appendix F.13

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	7.31952G	39.44	54.00	-14.56	3	Vertical	287	1.90	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
 Setting 20.5
 06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.88132G	44.88	74.00	-29.12	41.00	3	Vertical	52	2.52	-	31.30	6.55	33.97				
AV	4.86588G	32.43	54.00	-21.57	28.55	3	Vertical	52	2.52	-	31.30	6.55	33.97				
PK	7.31484G	51.82	74.00	-22.18	40.83	3	Vertical	287	1.90	-	36.60	8.58	34.19				
AV	7.31952G	39.44	54.00	-14.56	28.45	3	Vertical	287	1.90	-	36.60	8.58	34.19				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX



EUT_Y_4TX
 Setting 20.5
 06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87092G	45.43	74.00	-28.57	41.55	3	Horizontal	334	2.15	-	31.30	6.55	33.97				
AV	4.87592G	32.48	54.00	-21.52	28.60	3	Horizontal	334	2.15	-	31.30	6.55	33.97				
PK	7.31096G	51.94	74.00	-22.06	40.96	3	Horizontal	134	1.51	-	36.60	8.57	34.19				
AV	7.31812G	39.43	54.00	-14.57	28.44	3	Horizontal	134	1.51	-	36.60	8.58	34.19				




Radiated Emission Co-location
(Parent Device / FCC ID: UDX-600216010)

Appendix G

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.24997G	42.03	54.00	-11.97	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.00033G	42.03	74.00	-31.97	-7.20	3	Vertical	24.6	1.14	-	49.23	25.19	4.51	36.90		
AV	1.00003G	37.23	54.00	-16.77	-7.19	3	Vertical	24.6	1.14	-	44.42	25.20	4.51	36.90		
PK	1.24997G	45.43	74.00	-28.57	-6.66	3	Vertical	166.4	1.32	-	52.09	25.70	4.46	36.82		
AV	1.24997G	42.03	54.00	-11.97	-6.66	3	Vertical	166.4	1.32	"Worst"	48.69	25.70	4.46	36.82		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.00004G	38.96	74.00	-35.04	-7.19	3	Horizontal	228.9	1.48	-	46.15	25.20	4.51	36.90		
AV	1.00003G	33.47	54.00	-20.53	-7.19	3	Horizontal	228.9	1.48	-	40.66	25.20	4.51	36.90		
PK	1.24993G	44.70	74.00	-29.30	-6.66	3	Horizontal	138.3	1.62	-	51.36	25.70	4.46	36.82		
AV	1.24996G	41.17	54.00	-12.83	-6.66	3	Horizontal	138.3	1.62	"Worst"	47.83	25.70	4.46	36.82		

For 47 CFR FCC Part 15, Subpart C (Section 15.247) – DTS

<Radio 1>

Test Items	Mode (MHz)	Reference Worst-Case (R_{dB})	Variant Test (V_{dB})	dB Difference (d_{dB})	Spot-Check Parameters	Pass Criterion ($d_{dB} < d_{dBmax}(M_{dB})$)
CSE Bandedge	Radio 1 802.11ax HEW20_Nss1,(MCS0)_1TX 2437 MHz	-41.35	-41.90	-0.55	$C_{dB} = -41.20$ dBm $M_{dB} = C_{dB} - R_{dB} = 0.15$ $d_{dBmax}(M_{dB}) = 3.01$	Pass
CSE Harmonic	Radio 1 802.11ax HEW20_Nss1,(MCS0)_1TX 2437 MHz	-45.08	-47.68	-2.6	$C_{dB} = -41.20$ dBm $M_{dB} = C_{dB} - R_{dB} = 3.88$ $d_{dBmax}(M_{dB}) = 3.19$	Pass
Conducted Power	Radio 1 802.11ax HEW20_Nss1,(MCS0)_1TX 2437 MHz	23.24	23.09	-0.15	$C_{dB} = 30.00$ dBm $M_{dB} = C_{dB} - R_{dB} = 6.76$ $d_{dBmax}(M_{dB}) = 3.34$	Pass
PSD	Radio 1 802.11ax HEW20_Nss1,(MCS0)_1TX 2437 MHz	-3.91	-5.51	-1.60	$C_{dB} = 8.00$ dBm/3kHz $M_{dB} = C_{dB} - R_{dB} = 11.91$ $d_{dBmax}(M_{dB}) = 3.60$	Pass
CSE out of band emission	Radio 1 802.11ax HEW20_Nss1,(MCS0)_1TX 2437 MHz	-35.50	-34.47	1.03	$C_{dB} = -17.87$ dBm $M_{dB} = C_{dB} - R_{dB} = 17.63$ $d_{dBmax}(M_{dB}) = 3.88$	Pass

Compared Test Result

Maximum Conducted Output Power / Power Spectral Density

Parent Device											
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	DG (dBi)	PSD (dBm)	PSD Limit (dBm)
Radio 1	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	3.70	23.24	-	-	-	23.24	30.00	3.70	-3.91	8.00

Variant Device											
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	DG (dBi)	PSD (dBm)	PSD Limit (dBm)
Radio 1	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	3.70	23.09	-	-	-	23.09	30.00	3.70	-5.51	8.00

Power Spectral Density

Radio 1 / 802.11ax HEW20_Nss1,(MCS0)_1TX

Parent Device


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2437MHz	Pass	3.70	-3.91	-3.91	8.00

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

2437MHz

21/12/2024



Variant Device


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
2437MHz	Pass	3.70	-5.51	-5.51	8.00

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

2437MHz

24/04/2025



Emissions in Restricted Bands

Radio 1 / 802.11ax HEW20_Nss1,(MCS0)_1TX


Parent Device

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	2.44192G	12.13	-17.87	2.08856G	-54.18	2.39848G	-35.50	2.4G	-36.24	2.50054G	-46.79	22.0022G	-44.59	1

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSEndB

2437MHz




Variant Device

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	2.43574G	12.16	-17.87	2.10254G	-53.50	2.3952G	-34.47	2.4G	-37.08	2.5027G	-48.49	21.96286G	-44.71	1

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSEndB

2437MHz



Emissions in Non-Restricted Bands

Harmonic (1~3GHz): Radio 1 / 802.11ax HEW20_Nss1,(MCS0)_1TX


Parent Device

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	1G	3G	AV	2.382G	3.70	-48.78	-48.78	-45.08	-41.20	-3.88
2437MHz	Pass	1G	3G	AV	2.5G	3.70	-55.90	-55.90	-52.20	-41.20	-11.00
2437MHz	Pass	1G	3G	PK	2.384G	3.70	-38.21	-38.21	-34.51	-21.20	-13.31
2437MHz	Pass	1G	3G	PK	2.5G	3.70	-46.41	-46.41	-42.71	-21.20	-21.51

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz




25/12/2024

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.384G	-34.51	-21.20	-13.31	3.70	0.00	-38.21	-38.21
1G	3G	1M	PK	2.5G	-42.71	-21.20	-21.51	3.70	0.00	-46.41	-46.41

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz



25/12/2024

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.382G	-45.08	-41.20	-3.88	3.70	0.00	-48.78	-48.78
1G	3G	1M	AV	2.5G	-52.20	-41.20	-11.00	3.70	0.00	-55.90	-55.90

Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	1G	3G	AV	2.382G	3.70	-51.38	-51.38	-47.68	-41.20	-6.48
2437MHz	Pass	1G	3G	AV	2.5G	3.70	-54.25	-54.25	-50.55	-41.20	-9.35
2437MHz	Pass	1G	3G	PK	2.378G	3.70	-40.70	-40.70	-37.00	-21.20	-15.80
2437MHz	Pass	1G	3G	PK	2.496G	3.70	-45.44	-45.44	-41.74	-21.20	-20.54

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

07/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.378G	-37.00	-41.20	-15.80	3.70	0.00	-40.70	-40.70
1G	3G	1M	PK	2.496G	-41.74	-21.20	-20.54	3.70	0.00	-45.44	-45.44

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

07/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.382G	-47.68	-41.20	-6.48	3.70	0.00	-51.38	-51.38
1G	3G	1M	AV	2.5G	-50.55	-41.20	-9.35	3.70	0.00	-54.25	-54.25

Harmonic (3~25GHz): Radio 1 / 802.11ax HEW20_Nss1,(MCS0)_1TX


Parent Device

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	3G	25G	AV	4.87275G	3.70	-67.60	-67.60	-63.90	-41.20	-22.70
2437MHz	Pass	3G	25G	AV	15.7215G	3.70	-62.75	-62.75	-59.05	-41.20	-17.85
2437MHz	Pass	3G	25G	PK	4.87275G	3.70	-60.00	-60.00	-56.30	-21.20	-35.10
2437MHz	Pass	3G	25G	PK	15.49325G	3.70	-53.62	-53.62	-49.92	-21.20	-28.72

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

2437MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.87275G	-56.30	-21.20	-35.10	3.70	0.00	-60.00	-60.00
3G	25G	1M	PK	15.49325G	-49.92	-21.20	-28.72	3.70	0.00	-53.62	-53.62

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

2437MHz



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.87275G	-63.90	-41.20	-22.70	3.70	0.00	-67.60	-67.60
3G	25G	1M	AV	15.7215G	-59.05	-41.20	-17.85	3.70	0.00	-62.75	-62.75

Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	3G	25G	AV	4.87275G	3.70	-80.74	-80.74	-77.04	-41.20	-35.84
2437MHz	Pass	3G	25G	AV	7.30375G	3.70	-54.88	-54.88	-51.18	-41.20	-9.98
2437MHz	Pass	3G	25G	PK	4.87275G	3.70	-72.89	-72.89	-69.19	-21.20	-47.99
2437MHz	Pass	3G	25G	PK	7.29275G	3.70	-46.24	-46.24	-42.54	-21.20	-21.34

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

2437MHz

24/04/2025



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.87275G	-69.19	-21.20	-47.99	3.70	0.00	-72.89	-72.89
3G	25G	1M	PK	7.29275G	-42.54	-21.20	-21.34	3.70	0.00	-46.24	-46.24

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

2437MHz

24/04/2025



Limit.AV
EIRP.AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.87275G	-77.04	-41.20	-35.84	3.70	0.00	-80.74	-80.74
3G	25G	1M	AV	7.30375G	-51.18	-41.20	-9.98	3.70	0.00	-54.88	-54.88

Bandedge: Radio 1 / 802.11ax HEW20_Nss1,(MCS0)_1TX

Parent Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	3.70	-46.02	-46.02	-42.32	-41.20	-1.12
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	3.70	-45.05	-45.05	-41.35	-41.20	-0.15
2437MHz	Pass	2.36G	2.5235G	PK	2.38959G	3.70	-29.91	-29.91	-26.21	-21.20	-5.01
2437MHz	Pass	2.36G	2.5235G	PK	2.48442G	3.70	-29.12	-29.12	-25.42	-21.20	-4.22

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-26.21	-21.20	-5.01	3.70	0.00	-29.91	-29.91
2.36G	2.5235G	1M	PK	2.48442G	-25.42	-21.20	-4.22	3.70	0.00	-29.12	-29.12

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

21/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.32	-41.20	-1.12	3.70	0.00	-46.02	-46.02
2.36G	2.5235G	1M	AV	2.48377G	-41.35	-41.20	-0.15	3.70	0.00	-45.05	-45.05

Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	3.70	-46.25	-46.25	-42.55	-41.20	-1.35
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	3.70	-45.60	-45.60	-41.90	-41.20	-0.70
2437MHz	Pass	2.36G	2.5235G	PK	2.38632G	3.70	-29.77	-29.77	-26.07	-21.20	-4.87
2437MHz	Pass	2.36G	2.5235G	PK	2.48639G	3.70	-28.61	-28.61	-24.91	-21.20	-3.71

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

24/04/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38632G	-26.07	-21.20	-4.87	3.70	0.00	-29.77	-29.77
2.36G	2.5235G	1M	PK	2.48639G	-24.91	-21.20	-3.71	3.70	0.00	-28.61	-28.61

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

24/04/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.55	-41.20	-1.35	3.70	0.00	-46.25	-46.25
2.36G	2.5235G	1M	AV	2.48361G	-41.90	-41.20	-0.70	3.70	0.00	-45.60	-45.60

<Radio 2>

Test Items	Mode (MHz)	Reference Worst-Case (R_{dB})	Variant Test (V_{dB})	dB Difference (d_{dB})	Spot-Check Parameters	Pass Criterion ($d_{dB} < d_{dBmax}(MdB)$)
CSE Bandedge	Radio 2 802.11be EHT20_Nss1,(MCS0)_2TX 2412MHz External gain	-41.33	-42.16	-0.83	CdB=-41.20 dBm MdB= CdB-RdB =0.13 ddBmax(MdB)=3.01	Pass
CSE Harmonic	Radio 2 802.11be EHT20_Nss1,(MCS0)_2TX 2412MHz External gain	-46.10	-61.77	-15.67	CdB=-41.20 dBm MdB= CdB-RdB =4.9 ddBmax(MdB)=3.25	Pass
Conducted Power	Radio 2 802.11be EHT20_Nss1,(MCS0)_2TX 2412MHz External gain	23.04	22.94	-0.10	CdB=28.23 dBm MdB= CdB-RdB =5.19 ddBmax(MdB)=3.26	Pass
PSD	Radio 2 802.11be EHT20_Nss1,(MCS0)_2TX 2412MHz External gain	-1.45	-5.79	-4.34	CdB=5.82 dBm/3kHz MdB= CdB-RdB =7.27 ddBmax(MdB)=3.36	Pass
CSE out of band emission	Radio 2 802.11be EHT20_Nss1,(MCS0)_2TX 2412MHz External gain	-20.62	-30.54	-9.92	CdB=-19.47 dBm MdB= CdB-RdB =1.15 ddBmax(MdB)=3.06	Pass

Compared Test Result

Maximum Conducted Output Power / Power Spectral Density

Parent Device											
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	DG (dBi)	PSD (dBm)	PSD Limit (dBm)
Radio 2	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	7.77	20.10	19.95	-	-	23.04	28.23	8.18	-1.45	5.82

Variant Device											
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	DG (dBi)	PSD (dBm)	PSD Limit (dBm)
Radio 2	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	7.77	19.76	20.10	-	-	22.94	28.23	8.18	-5.79	5.82

Power Spectral Density

Radio 2 / External gain / 802.11be EHT20_Nss1,(MCS0)_2TX


Parent Device

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.18	-6.72	-6.20	-4.61	5.82

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

2412MHz




Variant Device

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	8.18	-7.74	-7.76	-5.79	5.82

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

2412MHz



Emissions in Restricted Bands

Radio 2 / External gain / 802.11be EHT20_Nss1,(MCS0)_2TX


Parent Device

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	10.53	-19.47	2.13865G	-60.63	2.39992G	-20.62	2.4G	-22.05	2.51718G	-57.56	7.23233G	-50.67	1
2412MHz	Pass	2.43073G	10.53	-19.47	1.76469G	-60.81	2.39984G	-24.69	2.4G	-22.90	2.50566G	-57.62	7.22671G	-50.58	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSEndB

2412MHz




Variant Device

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	10.53	-19.47	2.18758G	-60.60	2.4G	-32.07	2.4G	-32.69	2.52102G	-58.31	21.62572G	-53.27	1
2412MHz	Pass	2.43073G	10.53	-19.47	1.781G	-61.24	2.39984G	-30.54	2.4G	-31.57	2.5211G	-58.79	21.533G	-54.30	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSEndB

2412MHz



Emissions in Non-Restricted Bands

Harmonic (1~3GHz): Radio 2 / External gain / 802.11be EHT20_Nss1,(MCS0)_2TX


Parent Device

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	7.77	-56.06	-59.86	-54.55	-46.78	-41.20	-5.58
2412MHz	Pass	1G	3G	AV	2.498G	7.77	-82.11	-83.09	-79.56	-71.79	-41.20	-30.59
2412MHz	Pass	1G	3G	PK	2.388G	7.77	-43.13	-45.28	-41.06	-33.29	-21.20	-12.09
2412MHz	Pass	1G	3G	PK	2.484G	7.77	-74.42	-72.01	-70.04	-62.27	-21.20	-41.07

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [PK]

2412MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.388G	-33.29	-21.20	-12.09	7.77	0.00	-41.06	-43.13	-45.28
1G	3G	1M	PK	2.484G	-62.27	-21.20	-41.07	7.77	0.00	-70.04	-74.42	-72.01

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [AV]

2412MHz



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.388G	-46.78	-41.20	-5.58	7.77	0.00	-54.55	-56.06	-59.86
1G	3G	1M	AV	2.498G	-71.79	-41.20	-30.59	7.77	0.00	-79.56	-82.11	-83.09

Variant Device

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.39G	7.77	-73.34	-71.88	-69.54	-61.77	-41.20	-20.57
2412MHz	Pass	1G	3G	AV	2.492G	7.77	-82.58	-78.75	-77.25	-69.48	-41.20	-28.28
2412MHz	Pass	1G	3G	PK	2.39G	7.77	-66.20	-61.27	-60.06	-52.29	-21.20	-31.09
2412MHz	Pass	1G	3G	PK	2.494G	7.77	-73.26	-71.59	-69.33	-61.56	-21.20	-40.36

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [PK]


2412MHz



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [AV]

2412MHz



Harmonic (3~25GHz): Radio 2 / External gain / 802.11be EHT20_Nss1,(MCS0)_2TX

Parent Device



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.81225G	7.77	-78.01	-75.65	-73.66	-65.89	-41.20	-24.69
2412MHz	Pass	3G	25G	AV	22.2335G	7.77	-71.89	-72.89	-69.35	-61.58	-41.20	-20.38
2412MHz	Pass	3G	25G	PK	4.81775G	7.77	-73.28	-67.89	-66.79	-59.02	-21.20	-37.82
2412MHz	Pass	3G	25G	PK	18.9995G	7.77	-62.77	-65.76	-61.00	-53.23	-21.20	-32.03

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2412MHz

28/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.81775G	-59.02	-21.20	-37.82	7.77	0.00	-66.79	-73.28	-67.89
3G	25G	1M	PK	18.9995G	-53.23	-21.20	-32.03	7.77	0.00	-61.00	-62.77	-65.76

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2412MHz

28/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.81225G	-65.89	-41.20	-24.69	7.77	0.00	-73.66	-78.01	-75.65
3G	25G	1M	AV	22.2335G	-61.58	-41.20	-20.38	7.77	0.00	-69.35	-71.89	-72.89

Variant Device



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	25G	AV	4.819G	7.77	-80.79	-80.99	-77.88	-70.11	-41.20	-28.91
2412MHz	Pass	1G	25G	PK	4.807G	7.77	-73.47	-72.31	-69.84	-62.07	-21.20	-40.87

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2412MHz

25/04/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	PK	4.807G	-62.07	-21.20	-40.87	7.77	0.00	-69.84	-73.47	-72.31

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2412MHz

25/04/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	25G	1M	AV	4.819G	-70.11	-41.20	-28.91	7.77	0.00	-77.88	-80.79	-80.99

Bandedge: Radio 2 / External gain / 802.11be EHT20_Nss1,(MCS0)_2TX


Parent Device

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-51.75	-53.45	-49.51	-41.33	-41.20	-0.13
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	8.18	-59.76	-58.49	-56.07	-47.89	-41.20	-6.69
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	8.18	-37.63	-36.02	-33.74	-25.56	-21.20	-4.36
2412MHz	Pass	2.36G	2.5235G	PK	2.4841G	8.18	-47.46	-47.23	-44.33	-36.15	-21.20	-14.95

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


2412MHz



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2412MHz



Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.18	-52.77	-54.01	-50.34	-42.16	-41.20	-0.96
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.18	-56.87	-56.31	-53.57	-45.39	-41.20	-4.19
2412MHz	Pass	2.36G	2.5235G	PK	2.38927G	8.18	-37.24	-42.72	-36.16	-27.98	-21.20	-6.78
2412MHz	Pass	2.36G	2.5235G	PK	2.4841G	8.18	-44.26	-43.73	-40.98	-32.80	-21.20	-11.60

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2412MHz

25/04/2025



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2412MHz

25/04/2025

