




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91006G	52.05	74.00	-21.95	66.80	3	Horizontal	108	2.32	-	38.78	12.27	65.80			
AV	11.91095G	40.14	54.00	-13.86	54.89	3	Horizontal	108	2.32	-	38.78	12.27	65.80			
PK	17.86884G	58.97	74.00	-15.03	66.14	3	Horizontal	28	1.74	-	41.18	14.19	62.54			
AV	17.8648G	46.84	54.00	-7.16	54.03	3	Horizontal	28	1.74	-	41.16	14.19	62.54			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82348G	45.52	83.54	-38.02	36.81	1	Vertical	326	1.56	-	39.10	17.28	47.67			
AV	23.82276G	35.39	63.54	-28.15	26.68	1	Vertical	326	1.56	-	39.10	17.28	47.67			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82336G	45.34	83.54	-38.20	36.63	1	Horizontal	298	1.98	-	39.10	17.28	47.67			
AV	23.82312G	35.30	63.54	-28.24	26.59	1	Horizontal	298	1.98	-	39.10	17.28	47.67			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38989G	51.94	74.00	-22.06	66.18	3	Vertical	61	2.94	-	38.58	12.57	65.39			
AV	12.3893G	39.64	54.00	-14.36	53.88	3	Vertical	61	2.94	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39087G	52.92	74.00	-21.08	67.16	3	Horizontal	180	2.82	-	38.58	12.57	65.39			
AV	12.39072G	39.67	54.00	-14.33	53.91	3	Horizontal	180	2.82	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5784G	49.14	83.54	-34.40	44.46	1	Vertical	149	1.61	-	37.80	15.26	48.38			
AV	18.58764G	38.31	63.54	-25.23	33.65	1	Vertical	149	1.61	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5802G	48.24	83.54	-35.30	43.56	1	Horizontal	159	1.47	-	37.80	15.26	48.38			
AV	18.5874G	38.35	63.54	-25.19	33.69	1	Horizontal	159	1.47	-	37.80	15.25	48.39			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83051G	52.67	88.20	-35.53	65.79	3	Vertical	340	2.43	-	39.32	12.81	65.25			
RMS	12.82922G	41.07	68.20	-27.13	54.19	3	Vertical	340	2.43	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83021G	52.93	88.20	-35.27	66.05	3	Horizontal	86	1.88	-	39.32	12.81	65.25			
RMS	12.82919G	41.06	68.20	-27.14	54.18	3	Horizontal	86	1.88	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24452G	45.99	83.54	-37.55	41.59	1	Vertical	276	1.59	-	37.98	15.22	48.80			
AV	19.24764G	35.32	63.54	-28.22	30.91	1	Vertical	276	1.59	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24848G	44.72	83.54	-38.82	40.31	1	Horizontal	137	1.85	-	37.99	15.22	48.80			
AV	19.24824G	35.39	63.54	-28.15	30.98	1	Horizontal	137	1.85	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0707G	53.13	88.20	-35.07	65.64	3	Vertical	182	2.91	-	39.64	12.94	65.09			
RMS	13.07098G	40.64	68.20	-27.56	53.15	3	Vertical	182	2.91	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0699G	52.69	88.20	-35.51	65.20	3	Horizontal	269	2.46	-	39.64	12.94	65.09			
RMS	13.07078G	40.57	68.20	-27.63	53.08	3	Horizontal	269	2.46	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59012G	44.25	83.54	-39.29	40.16	1	Vertical	246	1.55	-	37.70	15.19	48.80			
AV	19.60944G	35.01	63.54	-28.53	30.92	1	Vertical	246	1.55	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5912G	44.03	83.54	-39.51	39.94	1	Horizontal	149	1.61	-	37.70	15.19	48.80			
AV	19.6092G	35.14	63.54	-28.40	31.05	1	Horizontal	149	1.61	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3899G	54.17	74.00	-19.83	65.32	3	Vertical	237	1.22	-	40.20	13.12	64.47			
AV	13.38949G	42.95	54.00	-11.05	54.10	3	Vertical	237	1.22	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38904G	54.61	74.00	-19.39	65.77	3	Horizontal	50	1.29	-	40.20	13.12	64.48			
AV	13.39093G	42.95	54.00	-11.05	54.10	3	Horizontal	50	1.29	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07852G	60.09	83.54	-23.45	55.84	1	Vertical	218	1.82	-	37.80	15.23	48.78			
AV	20.07876G	47.01	63.54	-16.53	42.76	1	Vertical	218	1.82	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07924G	57.03	83.54	-26.51	52.78	1	Horizontal	300	1.90	-	37.80	15.23	48.78			
AV	20.079G	47.03	63.54	-16.51	42.78	1	Horizontal	300	1.90	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71085G	55.19	88.20	-33.01	65.82	3	Vertical	302	2.29	-	40.42	13.29	64.34			
RMS	13.70912G	42.84	68.20	-25.36	53.47	3	Vertical	302	2.29	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7101G	55.57	88.20	-32.63	66.20	3	Horizontal	240	2.06	-	40.42	13.29	64.34			
RMS	13.70913G	42.85	68.20	-25.35	53.48	3	Horizontal	240	2.06	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56212G	52.44	83.54	-31.10	47.61	1	Vertical	0	1.43	-	37.90	15.63	48.70			
AV	20.56236G	41.56	63.54	-21.98	36.73	1	Vertical	0	1.43	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56284G	50.54	83.54	-33.00	45.71	1	Horizontal	324	1.99	-	37.90	15.63	48.70			
AV	20.5614G	41.47	63.54	-22.07	36.64	1	Horizontal	324	1.99	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
 SET 21
 22\16.5\21.5\19\20\20.5\21
 -5.17\15.51\0.73\11.27\8.05\5.79\1.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9227G	80.22	88.20	-7.98	70.28	3	Vertical	353	1.80	21	34.94	7.44	32.44			
RMS	5.925G	66.63	68.20	-1.57	56.68	3	Vertical	353	1.80	21	34.95	7.44	32.44			
PK	5.9728G	118.29	Inf	-Inf	108.06	3	Vertical	353	1.80	21	35.19	7.48	32.44			
RMS	5.983G	105.97	Inf	-Inf	95.69	3	Vertical	353	1.80	21	35.23	7.49	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	78.06	88.20	-10.14	68.12	3	Horizontal	355	1.80	21	34.94	7.44	32.44			
RMS	5.925G	63.84	68.20	-4.36	53.89	3	Horizontal	355	1.80	21	34.95	7.44	32.44			
PK	5.9773G	116.66	Inf	-Inf	106.41	3	Horizontal	355	1.80	21	35.21	7.48	32.44			
RMS	5.9815G	103.36	Inf	-Inf	93.08	3	Horizontal	355	1.80	21	35.23	7.49	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
 Setting 21
 01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92962G	51.70	74.00	-22.30	66.46	3	Vertical	323	2.62	-	38.74	12.29	65.79			
AV	11.9291G	39.67	54.00	-14.33	54.43	3	Vertical	323	2.62	-	38.74	12.29	65.79			
PK	17.898G	59.04	74.00	-14.96	66.03	3	Vertical	334	1.77	-	41.29	14.20	62.48			
AV	17.90454G	46.46	54.00	-7.54	53.42	3	Vertical	334	1.77	-	41.31	14.20	62.47			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.92969G	51.72	74.00	-22.28	66.48	3	Horizontal	211	2.13	-	38.74	12.29	65.79				
AV	11.92912G	39.65	54.00	-14.35	54.41	3	Horizontal	211	2.13	-	38.74	12.29	65.79				
PK	17.89574G	58.65	74.00	-15.35	65.65	3	Horizontal	334	1.78	-	41.28	14.20	62.48				
AV	17.90468G	46.45	54.00	-7.55	53.41	3	Horizontal	334	1.78	-	41.31	14.20	62.47				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85364G	41.69	83.54	-41.85	32.97	1	Vertical	181	1.90	-	39.09	17.29	47.66			
AV	23.8372G	31.44	63.54	-32.10	22.72	1	Vertical	181	1.90	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83972G	42.06	83.54	-41.48	33.33	1	Horizontal	191	1.67	-	39.10	17.29	47.66			
AV	23.83192G	31.44	63.54	-32.10	22.72	1	Horizontal	191	1.67	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41002G	51.76	74.00	-22.24	65.93	3	Vertical	33	2.56	-	38.62	12.58	65.37			
AV	12.40946G	40.05	54.00	-13.95	54.22	3	Vertical	33	2.56	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41055G	51.94	74.00	-22.06	66.11	3	Horizontal	181	2.68	-	38.62	12.58	65.37			
AV	12.40946G	40.04	54.00	-13.96	54.21	3	Horizontal	181	2.68	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.63912G	39.76	83.54	-43.78	35.07	1	Vertical	208	1.43	-	37.88	15.25	48.44			
AV	18.60516G	28.61	63.54	-34.93	23.96	1	Vertical	208	1.43	-	37.81	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58536G	39.65	83.54	-43.89	34.99	1	Horizontal	200	1.83	-	37.80	15.25	48.39			
AV	18.60372G	28.63	63.54	-34.91	23.97	1	Horizontal	200	1.83	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80927G	53.18	88.20	-35.02	66.39	3	Vertical	249	1.36	-	39.24	12.80	65.25			
RMS	12.80919G	41.44	68.20	-26.76	54.65	3	Vertical	249	1.36	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80981G	53.77	88.20	-34.43	66.98	3	Horizontal	9	2.22	-	39.24	12.80	65.25			
RMS	12.80915G	41.43	68.20	-26.77	54.64	3	Horizontal	9	2.22	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22892G	39.71	83.54	-43.83	35.37	1	Vertical	280	1.53	-	37.92	15.22	48.80			
AV	19.236G	28.95	63.54	-34.59	24.59	1	Vertical	280	1.53	-	37.94	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23648G	39.60	83.54	-43.94	35.23	1	Horizontal	29	1.71	-	37.95	15.22	48.80			
AV	19.23696G	28.96	63.54	-34.58	24.59	1	Horizontal	29	1.71	-	37.95	15.22	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12987G	52.90	88.20	-35.30	65.14	3	Vertical	243	1.10	-	39.76	12.98	64.98			
RMS	13.13091G	41.06	68.20	-27.14	53.30	3	Vertical	243	1.10	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.12941G	52.92	88.20	-35.28	65.16	3	Horizontal	226	1.93	-	39.76	12.98	64.98				
RMS	13.13094G	41.08	68.20	-27.12	53.32	3	Horizontal	226	1.93	-	39.76	12.98	64.98				



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.67664G	39.50	83.54	-44.04	35.41	1	Vertical	241	1.57	-	37.70	15.19	48.80			
AV	19.7244G	28.66	63.54	-34.88	24.57	1	Vertical	241	1.57	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.72116G	39.10	83.54	-44.44	35.01	1	Horizontal	60	1.86	-	37.70	15.19	48.80			
AV	19.72308G	28.63	63.54	-34.91	24.54	1	Horizontal	60	1.86	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37097G	55.07	74.00	-18.93	66.27	3	Vertical	160	2.33	-	40.20	13.11	64.51			
AV	13.37096G	42.73	54.00	-11.27	53.93	3	Vertical	160	2.33	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37089G	54.11	74.00	-19.89	65.31	3	Horizontal	138	2.86	-	40.20	13.11	64.51			
AV	13.37093G	42.75	54.00	-11.25	53.95	3	Horizontal	138	2.86	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.72044G	39.77	83.54	-43.77	35.68	1	Vertical	279	1.43	-	37.70	15.19	48.80			
AV	19.72476G	28.66	63.54	-34.88	24.57	1	Vertical	279	1.43	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70616G	39.93	83.54	-43.61	35.84	1	Horizontal	170	1.75	-	37.70	15.19	48.80			
AV	19.72488G	28.67	63.54	-34.87	24.58	1	Horizontal	170	1.75	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69002G	54.61	88.20	-33.59	65.29	3	Vertical	14	1.93	-	40.38	13.28	64.34			
RMS	13.68921G	43.10	68.20	-25.10	53.78	3	Vertical	14	1.93	-	40.38	13.28	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69092G	55.21	88.20	-32.99	65.89	3	Horizontal	6	2.88	-	40.38	13.28	64.34			
RMS	13.68945G	43.10	68.20	-25.10	53.78	3	Horizontal	6	2.88	-	40.38	13.28	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56272G	50.93	83.54	-32.61	46.10	1	Vertical	137	1.54	-	37.90	15.63	48.70			
AV	20.56164G	41.90	63.54	-21.64	37.07	1	Vertical	137	1.54	-	37.90	15.63	48.70			



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56056G	51.13	83.54	-32.41	46.30	1	Horizontal	286	1.47	-	37.90	15.63	48.70			
AV	20.56176G	41.87	63.54	-21.67	37.04	1	Horizontal	286	1.47	-	37.90	15.63	48.70			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 21.5
22\20.5\21.5
-1.38\7.92\2.75

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	78.59	88.20	-9.61	68.64	3	Vertical	355	1.80	21.5	34.95	7.44	32.44			
RMS	5.925G	65.45	68.20	-2.75	55.50	3	Vertical	355	1.80	21.5	34.95	7.44	32.44			
PK	5.994G	114.61	Inf	-Inf	104.27	3	Vertical	355	1.80	21.5	35.28	7.50	32.44			
RMS	6.015G	102.42	Inf	-Inf	92.02	3	Vertical	355	1.80	21.5	35.33	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9175G	76.05	88.20	-12.15	66.14	3	Horizontal	358	1.80	21.5	34.91	7.44	32.44				
RMS	5.925G	63.32	68.20	-4.88	53.37	3	Horizontal	358	1.80	21.5	34.95	7.44	32.44				
PK	5.996G	112.58	Inf	-Inf	102.24	3	Horizontal	358	1.80	21.5	35.28	7.50	32.44				
RMS	6.0175G	100.20	Inf	-Inf	89.79	3	Horizontal	358	1.80	21.5	35.34	7.51	32.44				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 21.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.971G	53.23	74.00	-20.77	67.96	3	Vertical	290	2.99	-	38.70	12.33	65.76			
AV	11.96929G	40.85	54.00	-13.15	55.58	3	Vertical	290	2.99	-	38.70	12.33	65.76			
PK	17.95245G	58.18	74.00	-15.82	64.93	3	Vertical	294	1.70	-	41.40	14.22	62.37			
AV	17.94702G	46.72	54.00	-7.28	53.50	3	Vertical	294	1.70	-	41.39	14.21	62.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 21.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97034G	53.22	74.00	-20.78	67.95	3	Horizontal	19	2.07	-	38.70	12.33	65.76			
AV	11.9692G	40.84	54.00	-13.16	55.57	3	Horizontal	19	2.07	-	38.70	12.33	65.76			
PK	17.96883G	57.83	74.00	-16.17	64.51	3	Horizontal	251	1.71	-	41.44	14.22	62.34			
AV	17.94687G	46.26	54.00	-7.74	53.04	3	Horizontal	251	1.71	-	41.39	14.21	62.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
 Setting 21.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9478G	42.05	83.54	-41.49	33.35	1	Vertical	309	1.90	-	39.00	17.32	47.62			
AV	23.91864G	31.29	63.54	-32.25	22.61	1	Vertical	309	1.90	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
 Setting 21.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92128G	41.83	83.54	-41.71	33.15	1	Horizontal	250	1.46	-	39.00	17.31	47.63			
AV	23.9238G	31.26	63.54	-32.28	22.58	1	Horizontal	250	1.46	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45096G	52.73	74.00	-21.27	66.75	3	Vertical	247	1.53	-	38.70	12.61	65.33			
AV	12.45088G	39.82	54.00	-14.18	53.84	3	Vertical	247	1.53	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45083G	53.47	74.00	-20.53	67.49	3	Horizontal	121	1.37	-	38.70	12.61	65.33			
AV	12.451G	39.82	54.00	-14.18	53.84	3	Horizontal	121	1.37	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68172G	40.25	83.54	-43.29	35.58	1	Vertical	221	1.50	-	37.90	15.25	48.48			
AV	18.69444G	29.28	63.54	-34.26	24.62	1	Vertical	221	1.50	-	37.90	15.25	48.49			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7026G	39.95	83.54	-43.59	35.30	1	Horizontal	191	1.77	-	37.90	15.25	48.50			
AV	18.70296G	29.32	63.54	-34.22	24.67	1	Horizontal	191	1.77	-	37.90	15.25	48.50			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77044G	53.20	88.20	-35.00	66.54	3	Vertical	247	2.55	-	39.14	12.78	65.26			
RMS	12.77091G	41.30	68.20	-26.90	54.64	3	Vertical	247	2.55	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77007G	54.13	88.20	-34.07	67.47	3	Horizontal	230	2.60	-	39.14	12.78	65.26			
RMS	12.77076G	41.28	68.20	-26.92	54.62	3	Horizontal	230	2.60	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15788G	40.78	83.54	-42.76	36.39	1	Vertical	245	1.93	-	37.97	15.22	48.80			
AV	19.14696G	29.05	63.54	-34.49	24.63	1	Vertical	245	1.93	-	38.00	15.22	48.80			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.17204G	39.38	83.54	-44.16	35.05	1	Horizontal	333	1.61	-	37.91	15.22	48.80			
AV	19.1442G	29.12	63.54	-34.42	24.70	1	Horizontal	333	1.61	-	38.00	15.22	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24982G	54.07	88.20	-34.13	65.78	3	Vertical	67	2.36	-	40.00	13.04	64.75			
RMS	13.24906G	42.48	68.20	-25.72	54.19	3	Vertical	67	2.36	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25028G	54.44	74.00	-19.56	66.14	3	Horizontal	199	2.75	-	40.00	13.04	64.74			
RMS	13.2492G	42.49	68.20	-25.71	54.20	3	Horizontal	199	2.75	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88004G	39.52	83.54	-44.02	35.44	1	Vertical	5	1.80	-	37.70	15.18	48.80			
AV	19.90464G	28.49	63.54	-35.05	24.40	1	Vertical	5	1.80	-	37.71	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88964G	41.07	83.54	-42.47	36.99	1	Horizontal	71	1.44	-	37.70	15.18	48.80			
AV	19.84608G	28.37	63.54	-35.17	24.29	1	Horizontal	71	1.44	-	37.70	15.18	48.80			



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40967G	55.06	88.20	-33.14	66.17	3	Vertical	76	1.87	-	40.20	13.13	64.44			
RMS	13.40984G	42.79	68.20	-25.41	53.89	3	Vertical	76	1.87	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40901G	55.33	88.20	-32.87	66.44	3	Horizontal	271	1.84	-	40.20	13.13	64.44			
RMS	13.40977G	42.80	68.20	-25.40	53.91	3	Horizontal	271	1.84	-	40.20	13.13	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.13888G	38.86	83.54	-44.68	34.55	1	Vertical	257	1.39	-	37.80	15.28	48.77			
AV	20.08512G	28.38	63.54	-35.16	24.12	1	Vertical	257	1.39	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08872G	38.13	83.54	-45.41	33.87	1	Horizontal	133	1.80	-	37.80	15.24	48.78			
AV	20.08824G	28.39	63.54	-35.15	24.13	1	Horizontal	133	1.80	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5694G	54.89	88.20	-33.31	65.60	3	Vertical	336	2.01	-	40.36	13.22	64.29			
RMS	13.56953G	43.04	68.20	-25.16	53.75	3	Vertical	336	2.01	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57069G	54.36	88.20	-33.84	65.07	3	Horizontal	33	1.69	-	40.36	13.22	64.29			
RMS	13.57003G	43.06	68.20	-25.14	53.77	3	Horizontal	33	1.69	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.38308G	40.09	83.54	-43.45	35.50	1	Vertical	144	1.51	-	37.83	15.48	48.72			
AV	20.35764G	28.80	63.54	-34.74	24.19	1	Vertical	144	1.51	-	37.88	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.33208G	40.87	83.54	-42.67	36.30	1	Horizontal	217	1.94	-	37.86	15.44	48.73			
AV	20.36076G	28.82	63.54	-34.72	24.21	1	Horizontal	217	1.94	-	37.88	15.46	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	78.70	88.20	-9.50	68.77	3	Vertical	353	1.80	22	34.93	7.44	32.44			
AV	5.9245G	65.98	68.20	-2.22	56.03	3	Vertical	353	1.80	22	34.95	7.44	32.44			
PK	6.0135G	112.54	Inf	-Inf	102.14	3	Vertical	353	1.80	22	35.33	7.51	32.44			
AV	6.014G	99.70	Inf	-Inf	89.30	3	Vertical	353	1.80	22	35.33	7.51	32.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	76.39	88.20	-11.81	66.45	3	Horizontal	1	1.80	22	34.94	7.44	32.44			
AV	5.925G	63.95	68.20	-4.25	54.00	3	Horizontal	1	1.80	22	34.95	7.44	32.44			
PK	6.1015G	112.84	Inf	-Inf	102.32	3	Horizontal	1	1.80	22	35.40	7.55	32.43			
AV	6.094G	99.23	Inf	-Inf	88.72	3	Horizontal	1	1.80	22	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04966G	52.69	74.00	-21.31	67.40	3	Vertical	157	2.17	-	38.60	12.39	65.70			
AV	12.05017G	40.85	54.00	-13.15	55.55	3	Vertical	157	2.17	-	38.60	12.39	65.69			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04954G	54.27	74.00	-19.73	68.98	3	Horizontal	27	2.67	-	38.60	12.39	65.70			
AV	12.05012G	40.86	54.00	-13.14	55.56	3	Horizontal	27	2.67	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.04896G	39.77	83.54	-43.77	35.28	1	Vertical	304	1.86	-	37.41	15.29	48.21			
AV	18.10488G	29.37	63.54	-34.17	24.63	1	Vertical	304	1.86	-	37.68	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.09948G	40.30	83.54	-43.24	35.54	1	Horizontal	253	1.59	-	37.70	15.28	48.22			
AV	18.10368G	29.34	63.54	-34.20	24.59	1	Horizontal	253	1.59	-	37.69	15.28	48.22			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36936G	51.99	74.00	-22.01	66.30	3	Vertical	168	1.24	-	38.54	12.56	65.41			
AV	12.36901G	39.48	54.00	-14.52	53.79	3	Vertical	168	1.24	-	38.54	12.56	65.41			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36989G	51.26	74.00	-22.74	65.57	3	Horizontal	181	2.26	-	38.54	12.56	65.41			
AV	12.36905G	39.60	54.00	-14.40	53.91	3	Horizontal	181	2.26	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.53292G	39.76	83.54	-43.78	35.03	1	Vertical	67	1.73	-	37.80	15.26	48.33			
AV	18.52656G	28.62	63.54	-34.92	23.89	1	Vertical	67	1.73	-	37.80	15.26	48.33			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58356G	39.34	83.54	-44.20	34.67	1	Horizontal	88	1.65	-	37.80	15.25	48.38			
AV	18.52512G	28.62	63.54	-34.92	23.89	1	Horizontal	88	1.65	-	37.80	15.26	48.33			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68932G	52.97	74.00	-21.03	66.42	3	Vertical	87	2.22	-	39.08	12.74	65.27			
AV	12.69089G	41.08	54.00	-12.92	54.53	3	Vertical	87	2.22	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69058G	52.74	74.00	-21.26	66.19	3	Horizontal	129	2.68	-	39.08	12.74	65.27			
AV	12.69093G	41.54	54.00	-12.46	54.99	3	Horizontal	129	2.68	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0074G	40.58	83.54	-42.96	36.16	1	Vertical	295	1.71	-	37.99	15.23	48.80			
AV	19.04184G	29.60	63.54	-33.94	25.25	1	Vertical	295	1.71	-	37.92	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.01892G	40.23	83.54	-43.31	35.84	1	Horizontal	4	1.76	-	37.96	15.23	48.80			
AV	19.02876G	29.55	63.54	-33.99	25.18	1	Horizontal	4	1.76	-	37.94	15.23	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33075G	54.35	74.00	-19.65	65.69	3	Vertical	241	2.34	-	40.16	13.09	64.59			
AV	13.33096G	42.68	54.00	-11.32	54.02	3	Vertical	241	2.34	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3305G	55.36	74.00	-18.64	66.70	3	Horizontal	170	2.35	-	40.16	13.09	64.59			
AV	13.33084G	42.33	54.00	-11.67	53.67	3	Horizontal	170	2.35	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99476G	40.11	83.54	-43.43	36.03	1	Vertical	184	1.41	-	37.71	15.17	48.80			
AV	19.98516G	29.01	63.54	-34.53	24.91	1	Vertical	184	1.41	-	37.73	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99956G	39.76	83.54	-43.78	35.69	1	Horizontal	244	1.58	-	37.70	15.17	48.80			
AV	20.01072G	29.08	63.54	-34.46	24.98	1	Horizontal	244	1.58	-	37.72	15.18	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT Y_1TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.17	88.20	-9.03	69.22	3	Vertical	357	1.80	22	34.95	7.44	32.44			
RMS	5.925G	66.78	68.20	-1.42	56.83	3	Vertical	357	1.80	22	34.95	7.44	32.44			
PK	6.246G	110.60	Inf	-Inf	100.07	3	Vertical	357	1.80	22	35.30	7.64	32.41			
RMS	6.262G	98.25	Inf	-Inf	87.70	3	Vertical	357	1.80	22	35.30	7.66	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.10	88.20	-11.10	67.15	3	Horizontal	0	1.80	22	34.95	7.44	32.44			
RMS	5.925G	64.91	68.20	-3.29	54.96	3	Horizontal	0	1.80	22	34.95	7.44	32.44			
PK	6.208G	110.61	Inf	-Inf	100.13	3	Horizontal	0	1.80	22	35.30	7.60	32.42			
RMS	6.16G	97.72	Inf	-Inf	87.27	3	Horizontal	0	1.80	22	35.30	7.57	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2106G	53.28	74.00	-20.72	67.88	3	Vertical	333	1.95	-	38.48	12.47	65.55			
AV	12.20987G	40.74	54.00	-13.26	55.34	3	Vertical	333	1.95	-	38.48	12.47	65.55			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21046G	52.16	74.00	-21.84	66.76	3	Horizontal	336	2.04	-	38.48	12.47	65.55			
AV	12.2099G	40.87	54.00	-13.13	55.47	3	Horizontal	336	2.04	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.29964G	40.46	83.54	-43.08	35.85	1	Vertical	242	1.92	-	37.60	15.27	48.26			
AV	18.345G	30.21	63.54	-33.33	25.52	1	Vertical	242	1.92	-	37.69	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32568G	40.70	83.54	-42.84	36.05	1	Horizontal	100	1.93	-	37.65	15.27	48.27			
AV	18.34368G	30.23	63.54	-33.31	25.54	1	Horizontal	100	1.93	-	37.69	15.27	48.27			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5293G	53.04	74.00	-20.96	66.94	3	Vertical	67	2.98	-	38.74	12.65	65.29			
AV	12.52925G	40.08	54.00	-13.92	53.98	3	Vertical	67	2.98	-	38.74	12.65	65.29			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52977G	52.57	74.00	-21.43	66.47	3	Horizontal	30	1.12	-	38.74	12.65	65.29			
AV	12.52927G	40.04	54.00	-13.96	53.94	3	Horizontal	30	1.12	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.78156G	40.86	83.54	-42.68	36.30	1	Vertical	205	1.97	-	37.90	15.24	48.58			
AV	18.81792G	29.96	63.54	-33.58	25.40	1	Vertical	205	1.97	-	37.94	15.24	48.62			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




EUT_V_1TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7836G	40.16	83.54	-43.38	35.60	1	Horizontal	1	1.93	-	37.90	15.24	48.58			
AV	18.825G	29.96	63.54	-33.58	25.39	1	Horizontal	1	1.93	-	37.95	15.24	48.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	81.12	88.20	-7.08	71.17	3	Vertical	360	1.80	22	34.95	7.44	32.44			
RMS	5.925G	65.17	68.20	-3.03	55.22	3	Vertical	360	1.80	22	34.95	7.44	32.44			
PK	5.9499G	124.76	Inf	-Inf	114.64	3	Vertical	360	1.80	22	35.10	7.46	32.44			
RMS	5.9496G	113.78	Inf	-Inf	103.66	3	Vertical	360	1.80	22	35.10	7.46	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9199G	78.80	88.20	-9.40	68.88	3	Horizontal	355	1.80	22	34.92	7.44	32.44			
RMS	5.9226G	62.91	68.20	-5.29	52.97	3	Horizontal	355	1.80	22	34.94	7.44	32.44			
PK	5.9583G	124.97	Inf	-Inf	114.81	3	Horizontal	355	1.80	22	35.13	7.47	32.44			
RMS	5.9592G	113.26	Inf	-Inf	103.09	3	Horizontal	355	1.80	22	35.14	7.47	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90901G	52.19	74.00	-21.81	66.94	3	Vertical	298	1.80	-	38.78	12.27	65.80			
AV	11.91096G	40.09	54.00	-13.91	54.84	3	Vertical	298	1.80	-	38.78	12.27	65.80			
PK	17.86928G	59.17	74.00	-14.83	66.34	3	Vertical	324	1.78	-	41.18	14.19	62.54			
AV	17.86116G	46.80	54.00	-7.20	54.02	3	Vertical	324	1.78	-	41.14	14.19	62.55			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.90957G	51.99	74.00	-22.01	66.74	3	Horizontal	217	1.76	-	38.78	12.27	65.80				
AV	11.91099G	40.08	54.00	-13.92	54.83	3	Horizontal	217	1.76	-	38.78	12.27	65.80				
PK	17.86812G	58.83	74.00	-15.17	66.01	3	Horizontal	154	1.81	-	41.17	14.19	62.54				
AV	17.86186G	46.82	54.00	-7.18	54.03	3	Horizontal	154	1.81	-	41.15	14.19	62.55				



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39078G	51.93	74.00	-22.07	66.17	3	Vertical	0	1.99	-	38.58	12.57	65.39			
AV	12.39091G	39.68	54.00	-14.32	53.92	3	Vertical	0	1.99	-	38.58	12.57	65.39			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38983G	52.16	74.00	-21.84	66.40	3	Horizontal	317	1.71	-	38.58	12.57	65.39			
AV	12.38984G	39.65	54.00	-14.35	53.89	3	Horizontal	317	1.71	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59784G	49.09	83.54	-34.45	44.44	1	Vertical	253	1.35	-	37.80	15.25	48.40			
AV	18.58776G	38.36	63.54	-25.18	33.70	1	Vertical	253	1.35	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57888G	51.30	83.54	-32.24	46.62	1	Horizontal	337	1.47	-	37.80	15.26	48.38			
AV	18.58752G	38.42	63.54	-25.12	33.76	1	Horizontal	337	1.47	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82957G	53.19	88.20	-35.01	66.31	3	Vertical	38	2.20	-	39.32	12.81	65.25			
RMS	12.82918G	41.08	68.20	-27.12	54.20	3	Vertical	38	2.20	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82978G	52.90	88.20	-35.30	66.02	3	Horizontal	37	2.89	-	39.32	12.81	65.25			
RMS	12.82927G	41.08	68.20	-27.12	54.20	3	Horizontal	37	2.89	-	39.32	12.81	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2654G	44.43	83.54	-39.11	40.08	1	Vertical	243	1.66	-	37.94	15.21	48.80			
AV	19.24788G	35.45	63.54	-28.09	31.04	1	Vertical	243	1.66	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24524G	45.14	83.54	-38.40	40.74	1	Horizontal	8	1.42	-	37.98	15.22	48.80			
AV	19.24704G	35.58	63.54	-27.96	31.17	1	Horizontal	8	1.42	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07019G	52.41	88.20	-35.79	64.92	3	Vertical	41	1.81	-	39.64	12.94	65.09			
RMS	13.07095G	40.58	68.20	-27.62	53.09	3	Vertical	41	1.81	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0693G	51.86	88.20	-36.34	64.38	3	Horizontal	284	1.48	-	39.64	12.94	65.10			
RMS	13.07089G	40.59	68.20	-27.61	53.10	3	Horizontal	284	1.48	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60968G	44.29	83.54	-39.25	40.20	1	Vertical	327	1.83	-	37.70	15.19	48.80			
AV	19.60956G	35.19	63.54	-28.35	31.10	1	Vertical	327	1.83	-	37.70	15.19	48.80			



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60224G	43.68	83.54	-39.86	39.59	1	Horizontal	320	1.98	-	37.70	15.19	48.80			
AV	19.6092G	35.10	63.54	-28.44	31.01	1	Horizontal	320	1.98	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38921G	54.96	74.00	-19.04	66.11	3	Vertical	140	1.55	-	40.20	13.12	64.47			
RMS	13.39089G	42.94	54.00	-11.06	54.09	3	Vertical	140	1.55	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39099G	54.88	74.00	-19.12	66.03	3	Horizontal	272	2.10	-	40.20	13.12	64.47			
RMS	13.39078G	42.93	54.00	-11.07	54.08	3	Horizontal	272	2.10	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07924G	57.25	83.54	-26.29	53.00	1	Vertical	360	1.66	-	37.80	15.23	48.78			
AV	20.0784G	47.01	63.54	-16.53	42.76	1	Vertical	360	1.66	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07984G	56.20	83.54	-27.34	51.94	1	Horizontal	62	1.59	-	37.80	15.24	48.78			
AV	20.07888G	46.98	63.54	-16.56	42.73	1	Horizontal	62	1.59	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71053G	54.58	88.20	-33.62	65.21	3	Vertical	82	1.19	-	40.42	13.29	64.34			
RMS	13.70975G	42.83	68.20	-25.37	53.46	3	Vertical	82	1.19	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71093G	54.39	88.20	-33.81	65.02	3	Horizontal	168	1.68	-	40.42	13.29	64.34			
RMS	13.70927G	42.83	68.20	-25.37	53.46	3	Horizontal	168	1.68	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56236G	52.48	83.54	-31.06	47.65	1	Vertical	341	1.93	-	37.90	15.63	48.70			
AV	20.56176G	41.70	63.54	-21.84	36.87	1	Vertical	341	1.93	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56128G	50.36	83.54	-33.18	45.53	1	Horizontal	159	1.53	-	37.90	15.63	48.70			
AV	20.5614G	41.61	63.54	-21.93	36.78	1	Horizontal	159	1.53	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 SET 21
 22\16\21.5\19\20\20.5\21
 -5.60\15.89\1.51\11.88\8.46\5.59\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9185G	82.43	88.20	-5.77	72.52	3	Vertical	358	1.80	21	34.91	7.44	32.44			
RMS	5.9209G	66.79	68.20	-1.41	56.86	3	Vertical	358	1.80	21	34.93	7.44	32.44			
PK	5.9821G	123.37	Inf	-Inf	113.09	3	Vertical	358	1.80	21	35.23	7.49	32.44			
RMS	5.9794G	110.59	Inf	-Inf	100.33	3	Vertical	358	1.80	21	35.22	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	81.75	88.20	-6.45	71.80	3	Horizontal	1	1.80	21	34.95	7.44	32.44			
RMS	5.925G	67.62	68.20	-0.58	57.67	3	Horizontal	1	1.80	21	34.95	7.44	32.44			
PK	5.971G	121.15	Inf	-Inf	110.93	3	Horizontal	1	1.80	21	35.18	7.48	32.44			
RMS	5.9701G	109.14	Inf	-Inf	98.92	3	Horizontal	1	1.80	21	35.18	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.93026G	52.50	74.00	-21.50	67.26	3	Vertical	56	1.81	-	38.74	12.29	65.79				
AV	11.92907G	40.20	54.00	-13.80	54.96	3	Vertical	56	1.81	-	38.74	12.29	65.79				
PK	17.89314G	57.98	74.00	-16.02	65.00	3	Vertical	54	1.64	-	41.27	14.20	62.49				
AV	17.88072G	46.63	54.00	-7.37	53.72	3	Vertical	54	1.64	-	41.22	14.20	62.51				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92963G	52.53	74.00	-21.47	67.29	3	Horizontal	108	2.73	-	38.74	12.29	65.79			
AV	11.92911G	40.17	54.00	-13.83	54.93	3	Horizontal	108	2.73	-	38.74	12.29	65.79			
PK	17.88672G	58.08	74.00	-15.92	65.13	3	Horizontal	268	1.50	-	41.25	14.20	62.50			
AV	17.88129G	46.63	54.00	-7.37	53.71	3	Horizontal	268	1.50	-	41.23	14.20	62.51			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.88712G	42.25	83.54	-41.29	33.57	1	Vertical	302	1.89	-	39.03	17.30	47.65			
AV	23.84128G	31.56	63.54	-31.98	22.83	1	Vertical	302	1.89	-	39.10	17.29	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.854G	43.00	83.54	-40.54	34.28	1	Horizontal	12	1.64	-	39.09	17.29	47.66			
AV	23.83264G	31.57	63.54	-31.97	22.85	1	Horizontal	12	1.64	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40915G	52.18	74.00	-21.82	66.35	3	Vertical	343	1.61	-	38.62	12.58	65.37			
AV	12.40948G	40.54	54.00	-13.46	54.71	3	Vertical	343	1.61	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40953G	51.49	74.00	-22.51	65.66	3	Horizontal	33	2.96	-	38.62	12.58	65.37			
AV	12.40906G	40.20	54.00	-13.80	54.37	3	Horizontal	33	2.96	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.63588G	39.24	83.54	-44.30	34.56	1	Vertical	288	1.97	-	37.87	15.25	48.44			
AV	18.60456G	28.79	63.54	-34.75	24.13	1	Vertical	288	1.97	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59052G	39.87	83.54	-43.67	35.21	1	Horizontal	29	1.74	-	37.80	15.25	48.39			
AV	18.60516G	28.73	63.54	-34.81	24.08	1	Horizontal	29	1.74	-	37.81	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80988G	53.58	88.20	-34.62	66.79	3	Vertical	52	2.13	-	39.24	12.80	65.25			
RMS	12.80904G	41.62	68.20	-26.58	54.83	3	Vertical	52	2.13	-	39.24	12.80	65.25			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80939G	53.00	88.20	-35.20	66.21	3	Horizontal	92	1.85	-	39.24	12.80	65.25			
RMS	12.80916G	41.62	68.20	-26.58	54.83	3	Horizontal	92	1.85	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21176G	39.77	83.54	-43.77	35.50	1	Vertical	292	1.39	-	37.85	15.22	48.80			
AV	19.23708G	29.05	63.54	-34.49	24.68	1	Vertical	292	1.39	-	37.95	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24164G	40.00	83.54	-43.54	35.61	1	Horizontal	176	1.40	-	37.97	15.22	48.80			
AV	19.2342G	29.10	63.54	-34.44	24.74	1	Horizontal	176	1.40	-	37.94	15.22	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12963G	52.86	88.20	-35.34	65.10	3	Vertical	318	2.22	-	39.76	12.98	64.98			
RMS	13.13085G	41.26	68.20	-26.94	53.50	3	Vertical	318	2.22	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13006G	53.42	88.20	-34.78	65.66	3	Horizontal	251	2.64	-	39.76	12.98	64.98			
RMS	13.13094G	41.27	68.20	-26.93	53.51	3	Horizontal	251	2.64	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70628G	39.65	83.54	-43.89	35.56	1	Vertical	195	1.36	-	37.70	15.19	48.80			
AV	19.71696G	28.76	63.54	-34.78	24.67	1	Vertical	195	1.36	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7106G	39.53	83.54	-44.01	35.44	1	Horizontal	217	1.52	-	37.70	15.19	48.80			
AV	19.72452G	28.78	63.54	-34.76	24.69	1	Horizontal	217	1.52	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36999G	54.57	74.00	-19.43	65.77	3	Vertical	212	1.35	-	40.20	13.11	64.51			
AV	13.37099G	42.67	54.00	-11.33	53.87	3	Vertical	212	1.35	-	40.20	13.11	64.51			



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37053G	54.80	74.00	-19.20	66.00	3	Horizontal	304	1.13	-	40.20	13.11	64.51			
AV	13.37094G	42.87	54.00	-11.13	54.07	3	Horizontal	304	1.13	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05464G	41.51	83.54	-42.03	37.29	1	Vertical	334	1.69	-	37.80	15.21	48.79			
AV	20.02524G	28.74	63.54	-34.80	24.59	1	Vertical	334	1.69	-	37.75	15.19	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06208G	39.05	83.54	-44.49	34.82	1	Horizontal	259	1.83	-	37.80	15.22	48.79			
AV	20.025G	28.75	63.54	-34.79	24.60	1	Horizontal	259	1.83	-	37.75	15.19	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68921G	56.44	88.20	-31.76	67.12	3	Vertical	66	1.72	-	40.38	13.28	64.34			
RMS	13.68953G	43.17	68.20	-25.03	53.85	3	Vertical	66	1.72	-	40.38	13.28	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68946G	55.00	88.20	-33.20	65.68	3	Horizontal	121	1.81	-	40.38	13.28	64.34			
RMS	13.68917G	43.17	68.20	-25.03	53.85	3	Horizontal	121	1.81	-	40.38	13.28	64.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.53404G	40.22	83.54	-43.32	35.41	1	Vertical	158	1.99	-	37.90	15.61	48.70				
AV	20.53992G	29.56	63.54	-33.98	24.75	1	Vertical	158	1.99	-	37.90	15.61	48.70				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.50548G	41.38	83.54	-42.16	36.60	1	Horizontal	356	1.42	-	37.90	15.58	48.70			
AV	20.53716G	29.58	63.54	-33.96	24.77	1	Horizontal	356	1.42	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 SET 21
 22\16.5\21.5\19\20\20.5\21
 -5.50\14.99\1.77\10.91\6.84\4.42\0.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	78.59	88.20	-9.61	68.67	3	Vertical	0	1.80	21	34.92	7.44	32.44			
RMS	5.919G	67.43	68.20	-0.77	57.52	3	Vertical	0	1.80	21	34.91	7.44	32.44			
PK	6.02G	120.59	Inf	-Inf	110.18	3	Vertical	0	1.80	21	35.34	7.51	32.44			
RMS	6.0185G	107.63	Inf	-Inf	97.22	3	Vertical	0	1.80	21	35.34	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	76.19	88.20	-12.01	66.24	3	Horizontal	360	1.80	21	34.95	7.44	32.44			
RMS	5.925G	66.07	68.20	-2.13	56.12	3	Horizontal	360	1.80	21	34.95	7.44	32.44			
PK	6.012G	117.10	Inf	-Inf	106.71	3	Horizontal	360	1.80	21	35.32	7.51	32.44			
RMS	5.9895G	106.12	Inf	-Inf	95.81	3	Horizontal	360	1.80	21	35.26	7.49	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9705G	53.59	74.00	-20.41	68.32	3	Vertical	199	1.35	-	38.70	12.33	65.76				
AV	11.96919G	41.10	54.00	-12.90	55.83	3	Vertical	199	1.35	-	38.70	12.33	65.76				
PK	17.96667G	57.86	74.00	-16.14	64.56	3	Vertical	197	1.65	-	41.43	14.22	62.35				
AV	17.94723G	46.41	54.00	-7.59	53.19	3	Vertical	197	1.65	-	41.39	14.21	62.38				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 21
 01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97025G	53.84	74.00	-20.16	68.57	3	Horizontal	199	2.95	-	38.70	12.33	65.76			
AV	11.96923G	41.09	54.00	-12.91	55.82	3	Horizontal	199	2.95	-	38.70	12.33	65.76			
PK	17.94996G	57.78	74.00	-16.22	64.54	3	Horizontal	53	1.99	-	41.40	14.22	62.38			
AV	17.94669G	46.38	54.00	-7.62	53.16	3	Horizontal	53	1.99	-	41.39	14.21	62.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.96184G	41.44	83.54	-42.10	32.72	1	Vertical	343	1.36	-	39.02	17.32	47.62			
AV	23.91252G	31.34	63.54	-32.20	22.66	1	Vertical	343	1.36	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95272G	41.44	83.54	-42.10	32.73	1	Horizontal	157	1.90	-	39.01	17.32	47.62			
AV	23.91972G	31.34	63.54	-32.20	22.66	1	Horizontal	157	1.90	-	39.00	17.31	47.63			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44974G	51.82	74.00	-22.18	65.85	3	Vertical	277	2.91	-	38.70	12.61	65.34			
AV	12.45097G	40.00	54.00	-14.00	54.02	3	Vertical	277	2.91	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44907G	52.93	74.00	-21.07	66.97	3	Horizontal	140	1.11	-	38.70	12.60	65.34			
AV	12.45098G	40.23	54.00	-13.77	54.25	3	Horizontal	140	1.11	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.69936G	39.87	83.54	-43.67	35.22	1	Vertical	307	1.39	-	37.90	15.25	48.50			
AV	18.70224G	29.41	63.54	-34.13	24.76	1	Vertical	307	1.39	-	37.90	15.25	48.50			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.69816G	40.26	83.54	-43.28	35.61	1	Horizontal	234	1.45	-	37.90	15.25	48.50			
AV	18.702G	29.44	63.54	-34.10	24.79	1	Horizontal	234	1.45	-	37.90	15.25	48.50			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7709G	54.40	88.20	-33.80	67.74	3	Vertical	143	1.80	-	39.14	12.78	65.26			
RMS	12.771G	41.37	68.20	-26.83	54.71	3	Vertical	143	1.80	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76948G	53.43	88.20	-34.77	66.77	3	Horizontal	56	1.20	-	39.14	12.78	65.26			
RMS	12.77092G	41.36	68.20	-26.84	54.70	3	Horizontal	56	1.20	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.13148G	39.93	83.54	-43.61	35.51	1	Vertical	13	1.51	-	38.00	15.22	48.80			
AV	19.14492G	29.16	63.54	-34.38	24.74	1	Vertical	13	1.51	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.13328G	39.69	83.54	-43.85	35.27	1	Horizontal	318	1.75	-	38.00	15.22	48.80			
AV	19.143G	29.13	63.54	-34.41	24.71	1	Horizontal	318	1.75	-	38.00	15.22	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24967G	53.78	88.20	-34.42	65.49	3	Vertical	324	1.04	-	40.00	13.04	64.75			
RMS	13.24926G	42.51	68.20	-25.69	54.22	3	Vertical	324	1.04	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24917G	54.50	88.20	-33.70	66.21	3	Horizontal	285	1.95	-	40.00	13.04	64.75			
RMS	13.24909G	42.51	68.20	-25.69	54.22	3	Horizontal	285	1.95	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86324G	38.80	83.54	-44.74	34.72	1	Vertical	312	1.53	-	37.70	15.18	48.80			
AV	19.85952G	28.58	63.54	-34.96	24.50	1	Vertical	312	1.53	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86936G	39.31	83.54	-44.23	35.23	1	Horizontal	284	1.75	-	37.70	15.18	48.80			
AV	19.84644G	28.47	63.54	-35.07	24.39	1	Horizontal	284	1.75	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41006G	54.55	88.20	-33.65	65.65	3	Vertical	324	1.56	-	40.20	13.13	64.43			
RMS	13.40989G	42.98	68.20	-25.22	54.08	3	Vertical	324	1.56	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX



EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41087G	54.54	88.20	-33.66	65.64	3	Horizontal	314	1.71	-	40.20	13.13	64.43			
RMS	13.40923G	42.98	68.20	-25.22	54.09	3	Horizontal	314	1.71	-	40.20	13.13	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09808G	58.43	83.54	-25.11	54.16	1	Vertical	334.7	1.50	-	37.80	15.25	48.78			
AV	20.09736G	45.11	63.54	-18.43	40.84	1	Vertical	334.7	1.50	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09808G	55.79	83.54	-27.75	51.52	1	Horizontal	145	1.47	-	37.80	15.25	48.78			
AV	20.0982G	45.15	63.54	-18.39	40.88	1	Horizontal	145	1.47	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56994G	55.04	88.20	-33.16	65.75	3	Vertical	306	1.06	-	40.36	13.22	64.29			
RMS	13.57051G	43.04	68.20	-25.16	53.75	3	Vertical	306	1.06	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57024G	54.70	88.20	-33.50	65.41	3	Horizontal	160	1.25	-	40.36	13.22	64.29			
RMS	13.56934G	43.03	68.20	-25.17	53.74	3	Horizontal	160	1.25	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.37024G	39.88	83.54	-43.66	35.28	1	Vertical	217	1.44	-	37.86	15.47	48.73			
AV	20.35308G	28.83	63.54	-34.71	24.21	1	Vertical	217	1.44	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.33472G	40.07	83.54	-43.47	35.49	1	Horizontal	105	1.41	-	37.87	15.44	48.73			
AV	20.35728G	28.86	63.54	-34.68	24.24	1	Horizontal	105	1.41	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 SET 21.5
 22\18.5\21.5
 -3.22\13.97\0.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.92G	80.49	88.20	-7.71	70.57	3	Vertical	358	1.80	21.5	34.92	7.44	32.44				
RMS	5.9195G	67.68	68.20	-0.52	57.76	3	Vertical	358	1.80	21.5	34.92	7.44	32.44				
PK	5.9985G	117.69	Inf	-Inf	107.34	3	Vertical	358	1.80	21.5	35.29	7.50	32.44				
RSM	6.0985G	104.96	Inf	-Inf	94.45	3	Vertical	358	1.80	21.5	35.40	7.54	32.43				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.15	88.20	-11.05	67.20	3	Horizontal	0	1.80	21.5	34.95	7.44	32.44			
RMS	5.925G	66.74	68.20	-1.46	56.79	3	Horizontal	0	1.80	21.5	34.95	7.44	32.44			
PK	6.009G	115.96	Inf	-Inf	105.58	3	Horizontal	0	1.80	21.5	35.32	7.50	32.44			
RMS	6.0885G	104.72	Inf	-Inf	94.21	3	Horizontal	0	1.80	21.5	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 21.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05093G	53.29	74.00	-20.71	67.99	3	Vertical	328	1.49	-	38.60	12.39	65.69			
AV	12.05069G	40.91	54.00	-13.09	55.61	3	Vertical	328	1.49	-	38.60	12.39	65.69			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 21.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04955G	52.89	74.00	-21.11	67.60	3	Horizontal	59	1.20	-	38.60	12.39	65.70			
AV	12.05039G	40.89	54.00	-13.11	55.59	3	Horizontal	59	1.20	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 21.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08832G	40.03	83.54	-43.51	35.34	1	Vertical	197	1.99	-	37.63	15.28	48.22			
AV	18.105G	29.38	63.54	-34.16	24.64	1	Vertical	197	1.99	-	37.68	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 21.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08388G	40.26	83.54	-43.28	35.60	1	Horizontal	103	1.68	-	37.60	15.28	48.22			
AV	18.10476G	29.42	63.54	-34.12	24.68	1	Horizontal	103	1.68	-	37.68	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3695G	50.85	74.00	-23.15	65.16	3	Vertical	77	1.61	-	38.54	12.56	65.41			
AV	12.36923G	39.79	54.00	-14.21	54.10	3	Vertical	77	1.61	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36967G	51.48	74.00	-22.52	65.79	3	Horizontal	235	1.21	-	38.54	12.56	65.41			
AV	12.36913G	39.66	54.00	-14.34	53.97	3	Horizontal	235	1.21	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56964G	39.58	83.54	-43.96	34.89	1	Vertical	28	1.36	-	37.80	15.26	48.37			
AV	18.5652G	28.60	63.54	-34.94	23.91	1	Vertical	28	1.36	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54876G	39.09	83.54	-44.45	34.38	1	Horizontal	277	1.79	-	37.80	15.26	48.35			
AV	18.56232G	28.58	63.54	-34.96	23.88	1	Horizontal	277	1.79	-	37.80	15.26	48.36			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69015G	52.97	74.00	-21.03	66.42	3	Vertical	3	3.00	-	39.08	12.74	65.27			
AV	12.69099G	41.11	54.00	-12.89	54.56	3	Vertical	3	3.00	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69068G	53.57	74.00	-20.43	67.02	3	Horizontal	234	2.97	-	39.08	12.74	65.27			
AV	12.691G	41.08	54.00	-12.92	54.53	3	Horizontal	234	2.97	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04016G	40.78	83.54	-42.76	36.43	1	Vertical	191	1.47	-	37.92	15.23	48.80			
AV	19.04412G	29.55	63.54	-33.99	25.21	1	Vertical	191	1.47	-	37.91	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0116G	39.94	83.54	-43.60	35.53	1	Horizontal	12	1.96	-	37.98	15.23	48.80			
AV	19.04328G	29.56	63.54	-33.98	25.22	1	Horizontal	12	1.96	-	37.91	15.23	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3299G	54.60	74.00	-19.40	65.95	3	Vertical	58	2.17	-	40.16	13.08	64.59			
AV	13.33092G	42.80	54.00	-11.20	54.14	3	Vertical	58	2.17	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32995G	54.56	74.00	-19.44	65.91	3	Horizontal	300	2.14	-	40.16	13.08	64.59			
AV	13.33078G	42.43	54.00	-11.57	53.77	3	Horizontal	300	2.14	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9998G	40.30	83.54	-43.24	36.23	1	Vertical	6	2.00	-	37.70	15.17	48.80			
AV	19.99356G	28.95	63.54	-34.59	24.87	1	Vertical	6	2.00	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0088G	40.55	83.54	-42.99	36.45	1	Horizontal	178	1.77	-	37.72	15.18	48.80			
AV	19.9824G	28.97	63.54	-34.57	24.86	1	Horizontal	178	1.77	-	37.74	15.17	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 SET 21.5
 22\18.5\21.5
 -3.30\15.54\1.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.92G	79.84	88.20	-8.36	69.92	3	Vertical	0	1.80	21.5	34.92	7.44	32.44					
RMS	5.919G	67.15	68.20	-1.05	57.24	3	Vertical	0	1.80	21.5	34.91	7.44	32.44					
PK	6.218G	116.09	Inf	-Inf	105.59	3	Vertical	0	1.80	21.5	35.30	7.61	32.41					
RMS	6.158G	103.28	Inf	-Inf	92.83	3	Vertical	0	1.80	21.5	35.30	7.57	32.42					

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	77.51	88.20	-10.69	67.66	3	Horizontal	360	1.80	21.5	34.86	7.43	32.44			
RMS	5.925G	65.41	68.20	-2.79	55.46	3	Horizontal	360	1.80	21.5	34.95	7.44	32.44			
PK	6.25G	115.08	Inf	-Inf	104.54	3	Horizontal	360	1.80	21.5	35.30	7.65	32.41			
RMS	6.227G	102.86	Inf	-Inf	92.35	3	Horizontal	360	1.80	21.5	35.30	7.62	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2102G	52.88	74.00	-21.12	67.48	3	Vertical	232	2.46	-	38.48	12.47	65.55			
AV	12.21084G	41.08	54.00	-12.92	55.68	3	Vertical	232	2.46	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21057G	52.47	74.00	-21.53	67.07	3	Horizontal	284	1.50	-	38.48	12.47	65.55			
AV	12.20968G	40.78	54.00	-13.22	55.38	3	Horizontal	284	1.50	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.29412G	41.40	83.54	-42.14	36.79	1	Vertical	37	1.45	-	37.60	15.27	48.26			
AV	18.34452G	30.12	63.54	-33.42	25.43	1	Vertical	37	1.45	-	37.69	15.27	48.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 21.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30468G	40.22	83.54	-43.32	35.60	1	Horizontal	159	1.98	-	37.61	15.27	48.26			
AV	18.34404G	30.11	63.54	-33.43	25.42	1	Horizontal	159	1.98	-	37.69	15.27	48.27			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52957G	52.78	74.00	-21.22	66.68	3	Vertical	77	1.50	-	38.74	12.65	65.29			
AV	12.52929G	40.66	54.00	-13.34	54.56	3	Vertical	77	1.50	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53038G	52.35	74.00	-21.65	66.25	3	Horizontal	274	1.29	-	38.74	12.65	65.29			
AV	12.52988G	40.30	54.00	-13.70	54.20	3	Horizontal	274	1.29	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7872G	40.07	83.54	-43.47	35.52	1	Vertical	73	1.58	-	37.90	15.24	48.59			
AV	18.825G	29.96	63.54	-33.58	25.39	1	Vertical	73	1.58	-	37.95	15.24	48.62			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80364G	40.93	83.54	-42.61	36.38	1	Horizontal	224	1.56	-	37.91	15.24	48.60			
AV	18.82488G	29.90	63.54	-33.64	25.33	1	Horizontal	224	1.56	-	37.95	15.24	48.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 22
 01-V-J-10-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.83	88.20	-7.37	70.88	3	Vertical	353	1.80	-	34.95	7.44	32.44			
RMS	5.925G	67.43	68.20	-0.77	57.48	3	Vertical	353	1.80	-	34.95	7.44	32.44			
PK	5.9525G	127.83	Inf	-Inf	117.70	3	Vertical	353	1.80	-	35.11	7.46	32.44			
RMS	5.953G	117.05	Inf	-Inf	106.92	3	Vertical	353	1.80	-	35.11	7.46	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 22
 01-V-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	79.24	88.20	-8.96	69.29	3	Horizontal	352	1.80	-	34.95	7.44	32.44			
RMS	5.925G	65.89	68.20	-2.31	55.94	3	Horizontal	352	1.80	-	34.95	7.44	32.44			
PK	5.9459G	126.27	Inf	-Inf	116.17	3	Horizontal	352	1.80	-	35.08	7.46	32.44			
RMS	5.9461G	115.16	Inf	-Inf	105.06	3	Horizontal	352	1.80	-	35.08	7.46	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 22
 01-V-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90775G	52.51	74.00	-21.49	67.26	3	Vertical	21	1.80	-	38.78	12.27	65.80			
AV	11.90844G	40.79	54.00	-13.21	55.54	3	Vertical	21	1.80	-	38.78	12.27	65.80			
PK	17.8665G	58.91	74.00	-15.09	66.09	3	Vertical	91	1.84	-	41.17	14.19	62.54			
AV	17.85651G	46.72	54.00	-7.28	53.96	3	Vertical	91	1.84	-	41.13	14.19	62.56			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 22
01-V-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91174G	56.75	74.00	-17.25	71.50	3	Horizontal	295	1.99	-	38.78	12.27	65.80			
AV	11.91003G	44.78	54.00	-9.22	59.53	3	Horizontal	295	1.99	-	38.78	12.27	65.80			
PK	17.85924G	59.27	74.00	-14.73	66.50	3	Horizontal	15	1.80	-	41.14	14.19	62.56			
AV	17.86299G	46.83	54.00	-7.17	54.04	3	Horizontal	15	1.80	-	41.15	14.19	62.55			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8216G	48.60	83.54	-34.94	39.89	1	Vertical	8	1.50	-	39.10	17.28	47.67			
AV	23.82272G	37.92	63.54	-25.62	29.21	1	Vertical	8	1.50	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82304G	50.03	83.54	-33.51	41.32	1	Horizontal	1	1.38	-	39.10	17.28	47.67			
AV	23.82272G	37.74	63.54	-25.80	29.03	1	Horizontal	1	1.38	-	39.10	17.28	47.67			



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 20.5
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39222G	53.58	74.00	-20.42	67.82	3	Vertical	164	1.77	-	38.58	12.57	65.39			
AV	12.39004G	41.62	54.00	-12.38	55.86	3	Vertical	164	1.77	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
 Setting 20.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39108G	52.95	74.00	-21.05	67.19	3	Horizontal	232	1.92	-	38.58	12.57	65.39			
AV	12.39024G	41.56	54.00	-12.44	55.80	3	Horizontal	232	1.92	-	38.58	12.57	65.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
 Setting 20.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58804G	48.48	83.54	-35.06	43.82	1	Vertical	3.4	1.59	-	37.80	15.25	48.39			
AV	18.58788G	38.05	63.54	-25.49	33.39	1	Vertical	3.4	1.59	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
 Setting 20.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5738G	50.61	83.54	-32.93	45.92	1	Horizontal	353	1.50	-	37.80	15.26	48.37			
AV	18.59348G	37.48	63.54	-26.06	32.82	1	Horizontal	353	1.50	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 19
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83734G	54.05	88.20	-34.15	67.13	3	Vertical	60	1.76	-	39.35	12.82	65.25			
RMS	12.8371G	41.75	68.20	-26.45	54.83	3	Vertical	60	1.76	-	39.35	12.82	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 19
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83896G	53.58	88.20	-34.62	66.65	3	Horizontal	11	1.78	-	39.36	12.82	65.25			
RMS	12.83718G	41.77	68.20	-26.43	54.85	3	Horizontal	11	1.78	-	39.35	12.82	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 19
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24524G	46.75	83.54	-36.79	42.35	1	Vertical	256	1.60	-	37.98	15.22	48.80			
AV	19.24776G	35.57	63.54	-27.97	31.16	1	Vertical	256	1.60	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 19
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23108G	47.16	83.54	-36.38	42.82	1	Horizontal	296	1.69	-	37.92	15.22	48.80			
AV	19.24836G	35.90	63.54	-27.64	31.49	1	Horizontal	296	1.69	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
 Setting 17.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06994G	52.69	88.20	-35.51	65.20	3	Vertical	47	2.58	-	39.64	12.94	65.09			
RMS	13.06962G	40.43	68.20	-27.77	52.94	3	Vertical	47	2.58	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
 Setting 17.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07081G	53.40	88.20	-34.80	65.91	3	Horizontal	256	2.73	-	39.64	12.94	65.09			
RMS	13.06965G	40.44	68.20	-27.76	52.95	3	Horizontal	256	2.73	-	39.64	12.94	65.09			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
 Setting 17.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5918G	44.94	83.54	-38.60	40.85	1	Vertical	55	1.93	-	37.70	15.19	48.80			
AV	19.60932G	35.21	63.54	-28.33	31.12	1	Vertical	55	1.93	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
 Setting 17.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6104G	44.86	83.54	-38.68	40.77	1	Horizontal	306	1.58	-	37.70	15.19	48.80			
AV	19.60992G	35.18	63.54	-28.36	31.09	1	Horizontal	306	1.58	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
 Setting 18
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39006G	54.66	74.00	-19.34	65.81	3	Vertical	234	1.18	-	40.20	13.12	64.47			
AV	13.39093G	42.81	54.00	-11.19	53.96	3	Vertical	234	1.18	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
 Setting 18
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38949G	54.60	74.00	-19.40	65.75	3	Horizontal	225	2.89	-	40.20	13.12	64.47			
AV	13.39091G	42.84	54.00	-11.16	53.99	3	Horizontal	225	2.89	-	40.20	13.12	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
 Setting 18
 01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08284G	55.11	83.54	-28.43	50.85	1	Vertical	28.3	1.50	-	37.80	15.24	48.78			
AV	20.08368G	45.03	63.54	-18.51	40.77	1	Vertical	28.3	1.50	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
 Setting 18
 01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09712G	58.31	83.54	-25.23	54.04	1	Horizontal	334.7	1.50	-	37.80	15.25	48.78			
AV	20.07924G	46.93	63.54	-16.61	42.68	1	Horizontal	334.7	1.50	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
 Setting 18.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7103G	54.66	88.20	-33.54	65.29	3	Vertical	168	1.45	-	40.42	13.29	64.34			
RMS	13.70938G	42.76	68.20	-25.44	53.39	3	Vertical	168	1.45	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
 Setting 18.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70935G	56.25	88.20	-31.95	66.88	3	Horizontal	92	2.37	-	40.42	13.29	64.34			
RMS	13.70912G	42.77	68.20	-25.43	53.40	3	Horizontal	92	2.37	-	40.42	13.29	64.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
 Setting 18.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56044G	51.16	83.54	-32.38	46.33	1	Vertical	200	1.59	-	37.90	15.63	48.70			
AV	20.56104G	41.63	63.54	-21.91	36.80	1	Vertical	200	1.59	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
 Setting 18.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56008G	52.21	83.54	-31.33	47.38	1	Horizontal	141	1.56	-	37.90	15.63	48.70			
AV	20.5614G	41.67	63.54	-21.87	36.84	1	Horizontal	141	1.56	-	37.90	15.63	48.70			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 20.5
22\12\21.5\17\19\20\20.5\21\20.5
-10.52\16.62\6.23\13.33\9.54\5.15\1.23\3.04\1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9221G	81.60	88.20	-6.60	71.67	3	Vertical	4	1.80	20.5	34.93	7.44	32.44			
RMS	5.9221G	66.95	68.20	-1.25	57.02	3	Vertical	4	1.80	20.5	34.93	7.44	32.44			
PK	5.9833G	124.78	Inf	-Inf	114.50	3	Vertical	4	1.80	20.5	35.23	7.49	32.44			
RMS	5.9833G	113.06	Inf	-Inf	102.78	3	Vertical	4	1.80	20.5	35.23	7.49	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9203G	78.26	88.20	-9.94	68.34	3	Horizontal	0	1.80	20.5	34.92	7.44	32.44			
RMS	5.925G	63.13	68.20	-5.07	53.18	3	Horizontal	0	1.80	20.5	34.95	7.44	32.44			
PK	5.9521G	123.45	Inf	-Inf	113.32	3	Horizontal	0	1.80	20.5	35.11	7.46	32.44			
RMS	5.9734G	111.84	Inf	-Inf	101.61	3	Horizontal	0	1.80	20.5	35.19	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 20.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93023G	52.13	74.00	-21.87	66.89	3	Vertical	71	2.94	-	38.74	12.29	65.79			
AV	11.92901G	39.87	54.00	-14.13	54.63	3	Vertical	71	2.94	-	38.74	12.29	65.79			
PK	17.90643G	58.14	74.00	-15.86	65.09	3	Vertical	58	1.67	-	41.31	14.20	62.46			
AV	17.88147G	45.93	54.00	-8.07	53.01	3	Vertical	58	1.67	-	41.23	14.20	62.51			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 20.5
 01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93039G	51.93	74.00	-22.07	66.69	3	Horizontal	166	2.86	-	38.74	12.29	65.79			
AV	11.92913G	39.89	54.00	-14.11	54.65	3	Horizontal	166	2.86	-	38.74	12.29	65.79			
PK	17.90127G	57.77	74.00	-16.23	64.74	3	Horizontal	43	1.76	-	41.30	14.20	62.47			
AV	17.88153G	45.78	54.00	-8.22	52.86	3	Horizontal	43	1.76	-	41.23	14.20	62.51			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
 Setting 20.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.88232G	42.88	83.54	-40.66	34.19	1	Vertical	347	1.81	-	39.04	17.30	47.65			
AV	23.83372G	31.52	63.54	-32.02	22.80	1	Vertical	347	1.81	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
 Setting 20.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.88052G	41.79	83.54	-41.75	33.10	1	Horizontal	7	1.64	-	39.04	17.30	47.65			
AV	23.833G	31.61	63.54	-31.93	22.89	1	Horizontal	7	1.64	-	39.10	17.29	47.67			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41094G	53.02	74.00	-20.98	67.19	3	Vertical	145	2.52	-	38.62	12.58	65.37			
AV	12.40901G	40.16	54.00	-13.84	54.33	3	Vertical	145	2.52	-	38.62	12.58	65.37			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40923G	52.46	74.00	-21.54	66.63	3	Horizontal	252	1.14	-	38.62	12.58	65.37			
AV	12.40905G	40.36	54.00	-13.64	54.53	3	Horizontal	252	1.14	-	38.62	12.58	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60204G	40.52	83.54	-43.02	35.87	1	Vertical	103	1.47	-	37.80	15.25	48.40			
AV	18.60624G	28.65	63.54	-34.89	24.00	1	Vertical	103	1.47	-	37.81	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61464G	41.37	83.54	-42.17	36.70	1	Horizontal	197	2.00	-	37.83	15.25	48.41			
AV	18.60684G	28.69	63.54	-34.85	24.04	1	Horizontal	197	2.00	-	37.81	15.25	48.41			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81047G	53.36	88.20	-34.84	66.57	3	Vertical	255	2.24	-	39.24	12.80	65.25			
RMS	12.80903G	41.60	68.20	-26.60	54.81	3	Vertical	255	2.24	-	39.24	12.80	65.25			



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80915G	52.90	88.20	-35.30	66.11	3	Horizontal	254	2.11	-	39.24	12.80	65.25			
RMS	12.80942G	41.61	68.20	-26.59	54.82	3	Horizontal	254	2.11	-	39.24	12.80	65.25			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.19484G	39.17	83.54	-44.37	34.93	1	Vertical	350	1.63	-	37.82	15.22	48.80			
AV	19.23924G	29.09	63.54	-34.45	24.71	1	Vertical	350	1.63	-	37.96	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22604G	40.47	83.54	-43.07	36.15	1	Horizontal	311	1.71	-	37.90	15.22	48.80			
AV	19.2342G	29.00	63.54	-34.54	24.64	1	Horizontal	311	1.71	-	37.94	15.22	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12968G	53.30	88.20	-34.90	65.54	3	Vertical	154	2.16	-	39.76	12.98	64.98			
RMS	13.13082G	41.25	68.20	-26.95	53.49	3	Vertical	154	2.16	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12929G	52.95	88.20	-35.25	65.19	3	Horizontal	57	1.76	-	39.76	12.98	64.98			
RMS	13.13099G	41.26	68.20	-26.94	53.50	3	Horizontal	57	1.76	-	39.76	12.98	64.98			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68648G	40.22	83.54	-43.32	36.13	1	Vertical	248	1.85	-	37.70	15.19	48.80			
AV	19.7202G	28.74	63.54	-34.80	24.65	1	Vertical	248	1.85	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7154G	39.41	83.54	-44.13	35.32	1	Horizontal	306	1.70	-	37.70	15.19	48.80			
AV	19.7202G	28.73	63.54	-34.81	24.64	1	Horizontal	306	1.70	-	37.70	15.19	48.80			



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36934G	54.42	74.00	-19.58	65.62	3	Vertical	330	2.47	-	40.20	13.11	64.51			
AV	13.37088G	42.45	54.00	-11.55	53.65	3	Vertical	330	2.47	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37019G	54.74	74.00	-19.26	65.94	3	Horizontal	54	2.52	-	40.20	13.11	64.51			
AV	13.37085G	42.85	54.00	-11.15	54.05	3	Horizontal	54	2.52	-	40.20	13.11	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.079G	57.30	83.54	-26.24	53.05	1	Vertical	334	1.47	-	37.80	15.23	48.78			
AV	20.07864G	47.20	63.54	-16.34	42.95	1	Vertical	334	1.47	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
 Setting 21
 01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07804G	56.96	83.54	-26.58	52.71	1	Horizontal	266	1.92	-	37.80	15.23	48.78			
AV	20.07912G	47.30	63.54	-16.24	43.05	1	Horizontal	266	1.92	-	37.80	15.23	48.78			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68938G	55.78	88.20	-32.42	66.46	3	Vertical	25	1.71	-	40.38	13.28	64.34			
RMS	13.68935G	43.18	68.20	-25.02	53.86	3	Vertical	25	1.71	-	40.38	13.28	64.34			



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6897G	55.64	88.20	-32.56	66.32	3	Horizontal	214	2.46	-	40.38	13.28	64.34			
RMS	13.68923G	43.17	68.20	-25.03	53.85	3	Horizontal	214	2.46	-	40.38	13.28	64.34			



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5494G	40.34	83.54	-43.20	35.52	1	Vertical	71	1.73	-	37.90	15.62	48.70			
AV	20.54136G	29.45	63.54	-34.09	24.64	1	Vertical	71	1.73	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.51508G	40.38	83.54	-43.16	35.59	1	Horizontal	321	1.73	-	37.90	15.59	48.70			
AV	20.53788G	29.49	63.54	-34.05	24.68	1	Horizontal	321	1.73	-	37.90	15.61	48.70			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 20.5
22\14\21.5\18\19.5\20\21\20.5
-7.63\15.89\3.58\11.98\7.36\5.31\0.43\2.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	76.56	88.20	-11.64	66.66	3	Vertical	353	1.80	20.5	34.90	7.44	32.44			
RMS	5.9155G	65.61	68.20	-2.59	55.72	3	Vertical	353	1.80	20.5	34.89	7.44	32.44			
PK	5.982G	120.20	Inf	-Inf	109.92	3	Vertical	353	1.80	20.5	35.23	7.49	32.44			
RMS	6.0165G	109.59	Inf	-Inf	99.19	3	Vertical	353	1.80	20.5	35.33	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.05	88.20	-12.15	66.12	3	Horizontal	1	1.80	20.5	34.93	7.44	32.44			
RMS	5.9205G	62.98	68.20	-5.22	53.06	3	Horizontal	1	1.80	20.5	34.92	7.44	32.44			
PK	5.9955G	119.97	Inf	-Inf	109.63	3	Horizontal	1	1.80	20.5	35.28	7.50	32.44			
RMS	5.9945G	108.71	Inf	-Inf	98.37	3	Horizontal	1	1.80	20.5	35.28	7.50	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 20.5
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.96954G	53.46	74.00	-20.54	68.19	3	Vertical	151	1.90	-	38.70	12.33	65.76				
AV	11.96931G	41.06	54.00	-12.94	55.79	3	Vertical	151	1.90	-	38.70	12.33	65.76				
PK	17.94909G	58.27	74.00	-15.73	65.03	3	Vertical	21	1.41	-	41.40	14.22	62.38				
AV	17.94672G	46.42	54.00	-7.58	53.20	3	Vertical	21	1.41	-	41.39	14.21	62.38				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 20.5
 01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97001G	53.20	74.00	-20.80	67.93	3	Horizontal	19	1.28	-	38.70	12.33	65.76			
AV	11.96925G	41.05	54.00	-12.95	55.78	3	Horizontal	19	1.28	-	38.70	12.33	65.76			
PK	17.94723G	57.70	74.00	-16.30	64.48	3	Horizontal	351	1.63	-	41.39	14.21	62.38			
AV	17.94726G	45.43	54.00	-8.57	52.21	3	Horizontal	351	1.63	-	41.39	14.21	62.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
 Setting 20.5
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92872G	41.96	83.54	-41.58	33.28	1	Vertical	236	1.56	-	39.00	17.31	47.63			
AV	23.91912G	31.33	63.54	-32.21	22.65	1	Vertical	236	1.56	-	39.00	17.31	47.63			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 20.5
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9352G	42.06	83.54	-41.48	33.38	1	Horizontal	258	1.78	-	39.00	17.31	47.63			
AV	23.91408G	31.37	63.54	-32.17	22.69	1	Horizontal	258	1.78	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44995G	52.55	74.00	-21.45	66.58	3	Vertical	294	1.30	-	38.70	12.61	65.34			
AV	12.45094G	39.18	54.00	-14.82	53.20	3	Vertical	294	1.30	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45067G	51.79	74.00	-22.21	65.81	3	Horizontal	174	2.52	-	38.70	12.61	65.33			
AV	12.4509G	39.97	54.00	-14.03	53.99	3	Horizontal	174	2.52	-	38.70	12.61	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.69996G	40.44	83.54	-43.10	35.79	1	Vertical	235	1.65	-	37.90	15.25	48.50			
AV	18.70308G	29.42	63.54	-34.12	24.77	1	Vertical	235	1.65	-	37.90	15.25	48.50			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68652G	39.59	83.54	-43.95	34.93	1	Horizontal	274	1.37	-	37.90	15.25	48.49			
AV	18.70104G	29.36	63.54	-34.18	24.71	1	Horizontal	274	1.37	-	37.90	15.25	48.50			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77054G	53.24	88.20	-34.96	66.58	3	Vertical	225	1.27	-	39.14	12.78	65.26			
RMS	12.77091G	41.39	68.20	-26.81	54.73	3	Vertical	225	1.27	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76919G	52.82	88.20	-35.38	66.16	3	Horizontal	45	1.97	-	39.14	12.78	65.26			
RMS	12.7709G	41.40	68.20	-26.80	54.74	3	Horizontal	45	1.97	-	39.14	12.78	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14828G	40.18	83.54	-43.36	35.76	1	Vertical	178	1.91	-	38.00	15.22	48.80			
AV	19.14384G	29.03	63.54	-34.51	24.61	1	Vertical	178	1.91	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16112G	39.26	83.54	-44.28	34.88	1	Horizontal	133	1.80	-	37.96	15.22	48.80			
AV	19.1484G	29.08	63.54	-34.46	24.66	1	Horizontal	133	1.80	-	38.00	15.22	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24921G	55.51	88.20	-32.69	67.22	3	Vertical	237	1.37	-	40.00	13.04	64.75			
RMS	13.249G	42.51	68.20	-25.69	54.22	3	Vertical	237	1.37	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2507G	54.82	74.00	-19.18	66.52	3	Horizontal	283	1.72	-	40.00	13.04	64.74			
RMS	13.24923G	42.53	68.20	-25.67	54.24	3	Horizontal	283	1.72	-	40.00	13.04	64.75			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.85328G	39.88	83.54	-43.66	35.80	1	Vertical	19	1.47	-	37.70	15.18	48.80			
AV	19.8558G	28.44	63.54	-35.10	24.36	1	Vertical	19	1.47	-	37.70	15.18	48.80			



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.88244G	40.21	83.54	-43.33	36.13	1	Horizontal	219	1.73	-	37.70	15.18	48.80			
AV	19.84896G	28.48	63.54	-35.06	24.40	1	Horizontal	219	1.73	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41065G	54.83	88.20	-33.37	65.93	3	Vertical	241	1.31	-	40.20	13.13	64.43			
RMS	13.41092G	42.96	68.20	-25.24	54.06	3	Vertical	241	1.31	-	40.20	13.13	64.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41054G	54.74	88.20	-33.46	65.84	3	Horizontal	202	2.63	-	40.20	13.13	64.43			
RMS	13.40956G	42.98	68.20	-25.22	54.09	3	Horizontal	202	2.63	-	40.20	13.13	64.44			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10012G	56.22	83.54	-27.32	51.95	1	Vertical	220	1.59	-	37.80	15.25	48.78			
AV	20.09832G	45.07	63.54	-18.47	40.80	1	Vertical	220	1.59	-	37.80	15.25	48.78			



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 22
01-V-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09868G	58.75	83.54	-24.79	54.48	1	Horizontal	72	1.50	-	37.80	15.25	48.78			
AV	20.09796G	45.04	63.54	-18.50	40.77	1	Horizontal	72	1.50	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56974G	54.74	88.20	-33.46	65.45	3	Vertical	57	2.17	-	40.36	13.22	64.29			
RMS	13.5704G	43.06	68.20	-25.14	53.77	3	Vertical	57	2.17	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56916G	55.13	88.20	-33.07	65.84	3	Horizontal	268	2.85	-	40.36	13.22	64.29			
RMS	13.57066G	43.06	68.20	-25.14	53.77	3	Horizontal	268	2.85	-	40.36	13.22	64.29			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3838G	40.58	83.54	-42.96	35.99	1	Vertical	288	1.78	-	37.83	15.48	48.72			
AV	20.35704G	28.85	63.54	-34.69	24.23	1	Vertical	288	1.78	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3646G	40.17	83.54	-43.37	35.56	1	Horizontal	60	1.76	-	37.87	15.47	48.73			
AV	20.35692G	28.91	63.54	-34.63	24.29	1	Horizontal	60	1.76	-	37.89	15.46	48.73			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 21
22\15.5\21.5\18.5\20\20.5\21
-6.18\15.31\2.24\13.46\7.76\4.85\1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.912G	78.44	88.20	-9.76	68.58	3	Vertical	357	1.80	21	34.87	7.43	32.44			
RMS	5.9245G	67.20	68.20	-1.00	57.25	3	Vertical	357	1.80	21	34.95	7.44	32.44			
PK	6.0945G	119.59	Inf	-Inf	109.08	3	Vertical	357	1.80	21	35.40	7.54	32.43			
RMS	6.093G	108.11	Inf	-Inf	97.60	3	Vertical	357	1.80	21	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	77.36	88.20	-10.84	67.49	3	Horizontal	0	1.80	21	34.88	7.43	32.44			
RMS	5.9135G	65.30	68.20	-2.90	55.42	3	Horizontal	0	1.80	21	34.88	7.44	32.44			
PK	6.095G	118.07	Inf	-Inf	107.56	3	Horizontal	0	1.80	21	35.40	7.54	32.43			
RMS	6.1015G	106.38	Inf	-Inf	95.86	3	Horizontal	0	1.80	21	35.40	7.55	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05087G	52.78	74.00	-21.22	67.48	3	Vertical	286	2.29	-	38.60	12.39	65.69			
AV	12.0507G	40.92	54.00	-13.08	55.62	3	Vertical	286	2.29	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0503G	54.03	74.00	-19.97	68.73	3	Horizontal	174	1.79	-	38.60	12.39	65.69			
AV	12.05098G	40.33	54.00	-13.67	55.03	3	Horizontal	174	1.79	-	38.60	12.39	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.09G	39.14	83.54	-44.40	34.44	1	Vertical	14	1.89	-	37.64	15.28	48.22			
AV	18.10224G	29.39	63.54	-34.15	24.64	1	Vertical	14	1.89	-	37.69	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.10236G	39.70	83.54	-43.84	34.95	1	Horizontal	244	1.36	-	37.69	15.28	48.22			
AV	18.10428G	29.36	63.54	-34.18	24.62	1	Horizontal	244	1.36	-	37.68	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36986G	51.63	74.00	-22.37	65.94	3	Vertical	5	1.88	-	38.54	12.56	65.41			
AV	12.36928G	39.67	54.00	-14.33	53.98	3	Vertical	5	1.88	-	38.54	12.56	65.41			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36981G	51.66	74.00	-22.34	65.97	3	Horizontal	112	1.14	-	38.54	12.56	65.41			
AV	12.36902G	40.31	54.00	-13.69	54.62	3	Horizontal	112	1.14	-	38.54	12.56	65.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.53904G	39.08	83.54	-44.46	34.36	1	Vertical	346	1.80	-	37.80	15.26	48.34			
AV	18.52824G	28.64	63.54	-34.90	23.91	1	Vertical	346	1.80	-	37.80	15.26	48.33			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.573G	41.49	83.54	-42.05	36.80	1	Horizontal	30	1.48	-	37.80	15.26	48.37			
AV	18.52836G	28.57	63.54	-34.97	23.84	1	Horizontal	30	1.48	-	37.80	15.26	48.33			



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68915G	52.64	74.00	-21.36	66.09	3	Vertical	239	2.55	-	39.08	12.74	65.27			
AV	12.69024G	41.09	54.00	-12.91	54.54	3	Vertical	239	2.55	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69011G	52.43	74.00	-21.57	65.88	3	Horizontal	137	1.19	-	39.08	12.74	65.27			
AV	12.69097G	41.12	54.00	-12.88	54.57	3	Horizontal	137	1.19	-	39.08	12.74	65.27			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03044G	40.96	83.54	-42.58	36.59	1	Vertical	165	2.00	-	37.94	15.23	48.80			
AV	19.04736G	29.55	63.54	-33.99	25.21	1	Vertical	165	2.00	-	37.91	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03044G	40.31	83.54	-43.23	35.94	1	Horizontal	184	2.00	-	37.94	15.23	48.80			
AV	19.047G	29.60	63.54	-33.94	25.26	1	Horizontal	184	2.00	-	37.91	15.23	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33053G	54.11	74.00	-19.89	65.45	3	Vertical	293	2.07	-	40.16	13.09	64.59			
AV	13.33091G	42.78	54.00	-11.22	54.12	3	Vertical	293	2.07	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32988G	54.51	74.00	-19.49	65.86	3	Horizontal	302	3.00	-	40.16	13.08	64.59			
AV	13.331G	42.77	54.00	-11.23	54.11	3	Horizontal	302	3.00	-	40.16	13.09	64.59			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.01588G	39.73	83.54	-43.81	35.62	1	Vertical	295	1.96	-	37.73	15.18	48.80			
AV	19.99752G	28.97	63.54	-34.57	24.90	1	Vertical	295	1.96	-	37.70	15.17	48.80			



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 22
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00328G	38.85	83.54	-44.69	34.77	1	Horizontal	294	1.76	-	37.71	15.17	48.80			
AV	19.99176G	28.96	63.54	-34.58	24.87	1	Horizontal	294	1.76	-	37.72	15.17	48.80			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 21
22\15.5\21.5\18.5\20\20.5\21
-6.14\15.60\1.51\13.50\9.17\5.93\1.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	78.27	88.20	-9.93	68.33	3	Vertical	357	1.80	21	34.94	7.44	32.44			
AV	5.924G	66.69	68.20	-1.51	56.75	3	Vertical	357	1.80	21	34.94	7.44	32.44			
PK	6.255G	119.63	Inf	-Inf	109.09	3	Vertical	357	1.80	21	35.30	7.65	32.41			
AV	6.254G	106.88	Inf	-Inf	96.34	3	Vertical	357	1.80	21	35.30	7.65	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.914G	76.20	88.20	-12.00	66.32	3	Horizontal	0	1.80	21	34.88	7.44	32.44			
AV	5.912G	63.48	68.20	-4.72	53.62	3	Horizontal	0	1.80	21	34.87	7.43	32.44			
PK	6.244G	117.17	Inf	-Inf	106.64	3	Horizontal	0	1.80	21	35.30	7.64	32.41			
AV	6.263G	105.55	Inf	-Inf	95.00	3	Horizontal	0	1.80	21	35.30	7.66	32.41			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 21
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20975G	52.36	74.00	-21.64	66.96	3	Vertical	180	2.59	-	38.48	12.47	65.55			
AV	12.21038G	40.81	54.00	-13.19	55.41	3	Vertical	180	2.59	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
 Setting 21
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20956G	52.66	74.00	-21.34	67.26	3	Horizontal	63	1.16	-	38.48	12.47	65.55			
AV	12.20943G	41.02	54.00	-12.98	55.62	3	Horizontal	63	1.16	-	38.48	12.47	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
 Setting 21
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.33864G	40.16	83.54	-43.38	35.48	1	Vertical	47	1.96	-	37.68	15.27	48.27			
AV	18.34476G	30.10	63.54	-33.44	25.41	1	Vertical	47	1.96	-	37.69	15.27	48.27			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 21
01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.29592G	40.81	83.54	-42.73	36.20	1	Horizontal	271	1.47	-	37.60	15.27	48.26			
AV	18.34236G	30.14	63.54	-33.40	25.46	1	Horizontal	271	1.47	-	37.68	15.27	48.27			



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22
01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52945G	53.92	74.00	-20.08	67.82	3	Vertical	311	1.11	-	38.74	12.65	65.29			
AV	12.52921G	40.26	54.00	-13.74	54.16	3	Vertical	311	1.11	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
 Setting 22
 01-V-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53097G	52.04	74.00	-21.96	65.94	3	Horizontal	29	1.74	-	38.74	12.65	65.29			
AV	12.52932G	40.28	54.00	-13.72	54.18	3	Horizontal	29	1.74	-	38.74	12.65	65.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.81492G	41.03	83.54	-42.51	36.47	1	Vertical	162	1.57	-	37.93	15.24	48.61			
AV	18.82392G	29.95	63.54	-33.59	25.38	1	Vertical	162	1.57	-	37.95	15.24	48.62			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX



EUT_V_4TX
 Setting 22
 01-V-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7926G	40.72	83.54	-42.82	36.17	1	Horizontal	59	1.40	-	37.90	15.24	48.59			
AV	18.82416G	29.93	63.54	-33.61	25.36	1	Horizontal	59	1.40	-	37.95	15.24	48.62			



RSE TX above 1GHz_R4_Narrow Beam_Full RU_BF mode
(Parent Device / FCC ID: UDX-600216010)


Appendix E.7

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.925G	67.88	68.20	-0.32	3	Horizontal	358.1	1.33	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



EUT_Y_2TX
 Setting 24
 06-E-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9235G	69.03	88.20	-19.17	63.96	3	Vertical	359.9	1.52	-	32.40	7.27	34.60			
RMS	5.9242G	54.98	68.20	-13.22	49.91	3	Vertical	359.9	1.52	-	32.40	7.27	34.60			
PK	5.9632G	123.77	Inf	-Inf	118.69	3	Vertical	359.9	1.52	-	32.43	7.29	34.64			
RMS	5.9624G	109.93	Inf	-Inf	104.86	3	Vertical	359.9	1.52	-	32.42	7.29	34.64			