




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 24
06-E-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.924G	85.06	88.20	-3.14	79.99	3	Horizontal	360	1.50	-	32.40	7.27	34.60				
RMS	5.9249G	67.72	68.20	-0.48	62.65	3	Horizontal	360	1.50	-	32.40	7.27	34.60				
PK	5.9493G	129.02	Inf	-Inf	123.97	3	Horizontal	360	1.50	-	32.40	7.28	34.63				
RMS	5.9626G	116.14	Inf	-Inf	111.06	3	Horizontal	360	1.50	-	32.43	7.29	34.64				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91964G	53.70	74.00	-20.30	68.62	3	Vertical	341	2.12	-	38.84	12.03	65.79			
AV	11.91G	39.59	54.00	-14.41	54.55	3	Vertical	341	2.12	-	38.82	12.02	65.80			
PK	17.85772G	55.23	74.00	-18.77	56.26	3	Vertical	82	1.97	-	47.48	14.05	62.56			
AV	17.87302G	43.01	54.00	-10.99	43.45	3	Vertical	82	1.97	-	48.03	14.06	62.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91544G	55.63	74.00	-18.37	70.57	3	Horizontal	140	1.29	-	38.83	12.03	65.80			
AV	11.91446G	41.47	54.00	-12.53	56.42	3	Horizontal	140	1.29	-	38.83	12.02	65.80			
PK	17.8568G	54.80	74.00	-19.20	55.87	3	Horizontal	194	2.88	-	47.44	14.05	62.56			
AV	17.8719G	42.55	54.00	-11.45	43.03	3	Horizontal	194	2.88	-	47.99	14.06	62.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81922G	48.33	83.54	-35.21	39.62	1	Vertical	138	1.49	-	39.10	17.28	47.67			
AV	23.81928G	40.64	63.54	-22.90	31.93	1	Vertical	138	1.49	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8191G	51.10	83.54	-32.44	42.39	1	Horizontal	136.2	1.50	-	39.10	17.28	47.67			
AV	23.81922G	44.87	63.54	-18.67	36.16	1	Horizontal	136.2	1.50	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39138G	50.37	74.00	-23.63	64.89	3	Vertical	5	1.64	-	38.80	12.07	65.39			
AV	12.39096G	37.60	54.00	-16.40	52.12	3	Vertical	5	1.64	-	38.80	12.07	65.39			



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39294G	56.19	74.00	-17.81	70.71	3	Horizontal	142	2.67	-	38.80	12.07	65.39			
AV	12.39994G	40.78	54.00	-13.22	55.29	3	Horizontal	142	2.67	-	38.80	12.07	65.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58G	43.74	83.54	-39.80	39.06	1	Vertical	2	2.46	-	37.80	15.26	48.38			
AV	18.59134G	32.81	63.54	-30.73	28.15	1	Vertical	2	2.46	-	37.80	15.25	48.39			



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 25
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5824G	44.22	83.54	-39.32	39.54	1	Horizontal	201	1.25	-	37.80	15.26	48.38			
AV	18.57984G	32.80	63.54	-30.74	28.12	1	Horizontal	201	1.25	-	37.80	15.26	48.38			



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82724G	53.72	88.20	-34.48	67.71	3	Vertical	204	2.92	-	39.20	12.06	65.25			
RMS	12.83342G	38.64	68.20	-29.56	52.64	3	Vertical	204	2.92	-	39.20	12.05	65.25			



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8202G	53.16	88.20	-35.04	67.15	3	Horizontal	252	2.47	-	39.20	12.06	65.25			
RMS	12.8333G	39.09	68.20	-29.11	53.08	3	Horizontal	252	2.47	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24738G	43.75	83.54	-39.79	39.34	1	Vertical	170	1.78	-	37.99	15.22	48.80			
AV	19.2402G	31.71	63.54	-31.83	27.33	1	Vertical	170	1.78	-	37.96	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25252G	43.45	83.54	-40.09	39.05	1	Horizontal	282	1.96	-	37.99	15.21	48.80			
AV	19.24382G	31.85	63.54	-31.69	27.45	1	Horizontal	282	1.96	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07528G	54.10	88.20	-34.10	67.93	3	Vertical	104	1.08	-	39.20	12.05	65.08			
RMS	13.07226G	38.63	68.20	-29.57	52.47	3	Vertical	104	1.08	-	39.20	12.05	65.09			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07256G	53.88	88.20	-34.32	67.72	3	Horizontal	161	1.36	-	39.20	12.05	65.09			
RMS	13.06992G	38.69	68.20	-29.51	52.53	3	Horizontal	161	1.36	-	39.20	12.05	65.09			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60396G	44.52	83.54	-39.02	40.43	1	Vertical	65	2.67	-	37.70	15.19	48.80			
AV	19.59702G	32.35	63.54	-31.19	28.26	1	Vertical	65	2.67	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5967G	44.12	83.54	-39.42	40.03	1	Horizontal	305	1.81	-	37.70	15.19	48.80			
AV	19.60124G	32.54	63.54	-31.00	28.45	1	Horizontal	305	1.81	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38172G	52.62	74.00	-21.38	65.07	3	Vertical	347	2.94	-	40.00	12.04	64.49			
AV	13.3897G	39.73	54.00	-14.27	52.16	3	Vertical	347	2.94	-	40.00	12.04	64.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39966G	57.35	74.00	-16.65	69.76	3	Horizontal	92	1.34	-	40.00	12.04	64.45			
AV	13.39568G	42.14	54.00	-11.86	54.56	3	Horizontal	92	1.34	-	40.00	12.04	64.46			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07806G	43.16	83.54	-40.38	38.91	1	Vertical	129	2.80	-	37.80	15.23	48.78			
AV	20.08096G	31.65	63.54	-31.89	27.39	1	Vertical	129	2.80	-	37.80	15.24	48.78			



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 24
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08462G	43.67	83.54	-39.87	39.41	1	Horizontal	114	1.67	-	37.80	15.24	48.78			
AV	20.09226G	31.90	63.54	-31.64	27.63	1	Horizontal	114	1.67	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71328G	55.38	88.20	-32.82	67.37	3	Vertical	44	1.66	-	40.33	12.03	64.35			
RMS	13.70044G	41.12	68.20	-27.08	53.13	3	Vertical	44	1.66	-	40.30	12.03	64.34			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70892G	61.87	88.20	-26.33	73.86	3	Horizontal	198	1.26	-	40.32	12.03	64.34			
RMS	13.70984G	48.16	68.20	-20.04	60.15	3	Horizontal	198	1.26	-	40.32	12.03	64.34			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55996G	44.05	83.54	-39.49	39.22	1	Vertical	360	1.40	-	37.90	15.63	48.70			
AV	20.5715G	32.20	63.54	-31.34	27.36	1	Vertical	360	1.40	-	37.90	15.64	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55986G	43.38	83.54	-40.16	38.55	1	Horizontal	260	2.91	-	37.90	15.63	48.70			
AV	20.57202G	32.20	63.54	-31.34	27.36	1	Horizontal	260	2.91	-	37.90	15.64	48.70			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	84.95	88.20	-3.25	79.88	3	Vertical	0.5	1.53	-	32.40	7.27	34.60			
RMS	5.9228G	61.19	68.20	-7.01	56.12	3	Vertical	0.5	1.53	-	32.40	7.27	34.60			
PK	5.9608G	119.74	Inf	-Inf	114.67	3	Vertical	0.5	1.53	-	32.42	7.29	34.64			
RMS	5.9736G	103.22	Inf	-Inf	98.12	3	Vertical	0.5	1.53	-	32.45	7.30	34.65			



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9216G	85.38	88.20	-2.82	80.31	3	Horizontal	358.1	1.33	-	32.40	7.27	34.60			
RMS	5.925G	67.88	68.20	-0.32	62.81	3	Horizontal	358.1	1.33	-	32.40	7.27	34.60			
PK	5.9826G	122.80	Inf	-Inf	117.68	3	Horizontal	358.1	1.33	-	32.47	7.31	34.66			
RMS	5.983G	112.77	Inf	-Inf	107.65	3	Horizontal	358.1	1.33	-	32.47	7.31	34.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93796G	45.65	74.00	-28.35	60.51	3	Vertical	208	2.45	-	38.88	12.04	65.78			
AV	11.92984G	32.38	54.00	-21.62	47.28	3	Vertical	208	2.45	-	38.86	12.03	65.79			
PK	17.8989G	55.56	74.00	-18.44	55.01	3	Vertical	151	1.83	-	48.96	14.07	62.48			
AV	17.90402G	43.02	54.00	-10.98	42.28	3	Vertical	151	1.83	-	49.14	14.07	62.47			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93528G	45.20	74.00	-28.80	60.07	3	Horizontal	9	2.82	-	38.87	12.04	65.78			
AV	11.92978G	32.55	54.00	-21.45	47.45	3	Horizontal	9	2.82	-	38.86	12.03	65.79			
PK	17.8962G	56.12	74.00	-17.88	55.68	3	Horizontal	320	2.55	-	48.86	14.06	62.48			
AV	17.90374G	43.48	54.00	-10.52	42.75	3	Horizontal	320	2.55	-	49.13	14.07	62.47			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8591G	49.24	83.54	-34.30	40.53	1	Vertical	139.9	1.50	-	39.08	17.29	47.66			
AV	23.8592G	42.92	63.54	-20.62	34.21	1	Vertical	139.9	1.50	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85916G	49.22	83.54	-34.32	40.51	1	Horizontal	135.5	1.49	-	39.08	17.29	47.66			
AV	23.85918G	43.69	63.54	-19.85	34.98	1	Horizontal	135.5	1.49	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4198G	50.65	74.00	-23.35	65.18	3	Vertical	333	2.88	-	38.76	12.07	65.36			
AV	12.41878G	35.97	54.00	-18.03	50.50	3	Vertical	333	2.88	-	38.76	12.07	65.36			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40998G	58.28	74.00	-15.72	72.80	3	Horizontal	262	2.68	-	38.78	12.07	65.37			
AV	12.40982G	42.05	54.00	-11.95	56.57	3	Horizontal	262	2.68	-	38.78	12.07	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61016G	45.32	83.54	-38.22	40.66	1	Vertical	324	2.80	-	37.82	15.25	48.41			
AV	18.61374G	32.39	63.54	-31.15	27.72	1	Vertical	324	2.80	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6149G	45.42	83.54	-38.12	40.75	1	Horizontal	262	2.91	-	37.83	15.25	48.41			
AV	18.60832G	32.29	63.54	-31.25	27.63	1	Horizontal	262	2.91	-	37.82	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76274G	43.91	88.20	-44.29	58.13	3	Vertical	248	2.18	-	38.98	12.06	65.26			
RMS	12.76038G	30.94	68.20	-37.26	45.18	3	Vertical	248	2.18	-	38.96	12.06	65.26			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76756G	44.20	88.20	-44.00	58.39	3	Horizontal	309	1.24	-	39.01	12.06	65.26			
RMS	12.76104G	31.14	68.20	-37.06	45.37	3	Horizontal	309	1.24	-	38.97	12.06	65.26			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20578G	43.23	83.54	-40.31	38.99	1	Vertical	92	2.19	-	37.82	15.22	48.80			
AV	19.2064G	31.53	63.54	-32.01	27.28	1	Vertical	92	2.19	-	37.83	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2236G	43.56	83.54	-39.98	39.25	1	Horizontal	215	1.39	-	37.89	15.22	48.80			
AV	19.21446G	31.46	63.54	-32.08	27.18	1	Horizontal	215	1.39	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12464G	52.26	88.20	-35.94	65.80	3	Vertical	181	1.64	-	39.40	12.05	64.99			
RMS	13.12998G	36.22	68.20	-31.98	49.71	3	Vertical	181	1.64	-	39.44	12.05	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1308G	50.72	88.20	-37.48	64.20	3	Horizontal	103	1.28	-	39.45	12.05	64.98			
RMS	13.12952G	36.22	68.20	-31.98	49.71	3	Horizontal	103	1.28	-	39.44	12.05	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6903G	43.72	83.54	-39.82	39.63	1	Vertical	232	2.75	-	37.70	15.19	48.80			
AV	19.69476G	31.38	63.54	-32.16	27.29	1	Vertical	232	2.75	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69152G	44.17	83.54	-39.37	40.08	1	Horizontal	189	1.44	-	37.70	15.19	48.80			
AV	19.6884G	31.45	63.54	-32.09	27.36	1	Horizontal	189	1.44	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37688G	51.09	74.00	-22.91	63.55	3	Vertical	63	1.10	-	40.00	12.04	64.50			
AV	13.36026G	36.95	54.00	-17.05	49.44	3	Vertical	63	1.10	-	40.00	12.04	64.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37614G	50.73	74.00	-23.27	63.19	3	Horizontal	26	1.21	-	40.00	12.04	64.50			
AV	13.3603G	36.88	54.00	-17.12	49.37	3	Horizontal	26	1.21	-	40.00	12.04	64.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.04636G	43.32	83.54	-40.22	39.11	1	Vertical	190	2.34	-	37.79	15.21	48.79			
AV	20.05064G	31.32	63.54	-32.22	27.10	1	Vertical	190	2.34	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.061G	43.36	83.54	-40.18	39.13	1	Horizontal	199	2.48	-	37.80	15.22	48.79			
AV	20.0492G	31.32	63.54	-32.22	27.10	1	Horizontal	199	2.48	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69666G	53.97	88.20	-34.23	65.98	3	Vertical	113	1.66	-	40.30	12.03	64.34			
RMS	13.68008G	38.08	68.20	-30.12	50.08	3	Vertical	113	1.66	-	40.30	12.03	64.33			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69316G	54.44	88.20	-33.76	66.45	3	Horizontal	314	1.53	-	40.30	12.03	64.34			
RMS	13.68992G	36.78	68.20	-31.42	48.79	3	Horizontal	314	1.53	-	40.30	12.03	64.34			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5335G	43.93	83.54	-39.61	39.13	1	Vertical	218	1.39	-	37.90	15.60	48.70			
AV	20.53928G	31.55	63.54	-31.99	26.74	1	Vertical	218	1.39	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54078G	43.15	83.54	-40.39	38.34	1	Horizontal	293	1.48	-	37.90	15.61	48.70			
AV	20.54114G	31.55	63.54	-31.99	26.74	1	Horizontal	293	1.48	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8985G	75.32	88.20	-12.88	70.25	3	Vertical	360	1.46	-	32.39	7.25	34.57			
RMS	5.9165G	61.24	68.20	-6.96	56.17	3	Vertical	360	1.46	-	32.40	7.26	34.59			
PK	5.963G	114.37	Inf	-Inf	109.29	3	Vertical	360	1.46	-	32.43	7.29	34.64			
RMS	5.959G	97.92	Inf	-Inf	92.85	3	Vertical	360	1.46	-	32.42	7.29	34.64			



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	83.20	88.20	-5.00	78.13	3	Horizontal	360.1	1.32	-	32.40	7.27	34.60			
RMS	5.925G	65.27	68.20	-2.93	60.20	3	Horizontal	360.1	1.32	-	32.40	7.27	34.60			
PK	6.0145G	119.38	Inf	-Inf	114.22	3	Horizontal	360.1	1.32	-	32.50	7.33	34.67			
RMS	6.0205G	108.80	Inf	-Inf	103.63	3	Horizontal	360.1	1.32	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97136G	46.31	74.00	-27.69	61.07	3	Vertical	8	2.57	-	38.94	12.06	65.76			
AV	11.97418G	32.91	54.00	-21.09	47.66	3	Vertical	8	2.57	-	38.95	12.06	65.76			
PK	17.96252G	55.48	74.00	-18.52	52.34	3	Vertical	151	1.52	-	51.40	14.09	62.35			
AV	17.96358G	42.63	54.00	-11.37	39.44	3	Vertical	151	1.52	-	51.45	14.09	62.35			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96252G	46.28	74.00	-27.72	61.05	3	Horizontal	296	1.08	-	38.93	12.06	65.76			
AV	11.97424G	32.86	54.00	-21.14	47.61	3	Horizontal	296	1.08	-	38.95	12.06	65.76			
PK	17.95404G	55.63	74.00	-18.37	52.93	3	Horizontal	128	1.63	-	50.99	14.08	62.37			
AV	17.96494G	42.71	54.00	-11.29	39.45	3	Horizontal	128	1.63	-	51.52	14.09	62.35			



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9388G	44.94	83.54	-38.60	36.25	1	Vertical	67	1.37	-	39.00	17.31	47.62			
AV	23.93984G	33.83	63.54	-29.71	25.14	1	Vertical	67	1.37	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22
 06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93422G	45.36	83.54	-38.18	36.68	1	Horizontal	333	1.10	-	39.00	17.31	47.63			
AV	23.9367G	33.82	63.54	-29.72	25.14	1	Horizontal	333	1.10	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4495G	46.91	74.00	-27.09	61.48	3	Vertical	94	1.48	-	38.70	12.07	65.34			
AV	12.44818G	34.38	54.00	-19.62	48.95	3	Vertical	94	1.48	-	38.70	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45002G	47.11	74.00	-26.89	61.67	3	Horizontal	8	1.11	-	38.70	12.07	65.33			
AV	12.44796G	34.42	54.00	-19.58	48.99	3	Horizontal	8	1.11	-	38.70	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 25
 06-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67348G	49.13	83.54	-34.41	44.45	1	Vertical	244	1.02	-	37.90	15.25	48.47			
AV	18.6838G	37.05	63.54	-26.49	32.38	1	Vertical	244	1.02	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 25
 06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67628G	49.48	83.54	-34.06	44.81	1	Horizontal	263	1.57	-	37.90	15.25	48.48			
AV	18.66512G	37.06	63.54	-26.48	32.38	1	Horizontal	263	1.57	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76808G	49.78	88.20	-38.42	63.97	3	Vertical	167	2.82	-	39.01	12.06	65.26			
RMS	12.76966G	36.27	68.20	-31.93	50.45	3	Vertical	167	2.82	-	39.02	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77494G	49.17	88.20	-39.03	63.32	3	Horizontal	285	2.27	-	39.05	12.06	65.26			
RMS	12.76952G	36.22	68.20	-31.98	50.40	3	Horizontal	285	2.27	-	39.02	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 25
 06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15448G	49.28	83.54	-34.26	44.88	1	Vertical	352	2.69	-	37.98	15.22	48.80			
AV	19.14914G	37.11	63.54	-26.43	32.69	1	Vertical	352	2.69	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
 Setting 25
 06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1593G	49.21	83.54	-34.33	44.83	1	Horizontal	163	1.44	-	37.96	15.22	48.80			
AV	19.1539G	36.14	63.54	-27.40	31.74	1	Horizontal	163	1.44	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24394G	52.83	88.20	-35.37	65.96	3	Vertical	14	1.79	-	39.59	12.04	64.76			
RMS	13.24522G	39.33	68.20	-28.87	52.45	3	Vertical	14	1.79	-	39.59	12.04	64.75			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2479G	53.39	88.20	-34.81	66.50	3	Horizontal	181	1.14	-	39.60	12.04	64.75			
RMS	13.24518G	39.48	68.20	-28.72	52.60	3	Horizontal	181	1.14	-	39.59	12.04	64.75			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 25
 06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86864G	49.40	83.54	-34.14	45.32	1	Vertical	308	1.46	-	37.70	15.18	48.80			
AV	19.88498G	37.48	63.54	-26.06	33.40	1	Vertical	308	1.46	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 25
 06-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86778G	47.12	83.54	-36.42	43.04	1	Horizontal	261	1.78	-	37.70	15.18	48.80			
AV	19.88276G	35.54	63.54	-28.00	31.46	1	Horizontal	261	1.78	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41438G	53.19	88.20	-35.01	65.52	3	Vertical	354	2.26	-	40.06	12.04	64.43			
RMS	13.41848G	39.94	68.20	-28.26	52.25	3	Vertical	354	2.26	-	40.07	12.04	64.42			



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 24
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4163G	54.04	88.20	-34.16	66.35	3	Horizontal	351	2.75	-	40.07	12.04	64.42			
RMS	13.4166G	39.51	68.20	-28.69	51.82	3	Horizontal	351	2.75	-	40.07	12.04	64.42			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10746G	47.89	83.54	-35.65	43.61	1	Vertical	275	1.29	-	37.80	15.26	48.78			
AV	20.12362G	35.46	63.54	-28.08	31.17	1	Vertical	275	1.29	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.112G	48.52	83.54	-35.02	44.24	1	Horizontal	182	2.05	-	37.80	15.26	48.78			
AV	20.11682G	36.48	63.54	-27.06	32.19	1	Horizontal	182	2.05	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57144G	49.46	88.20	-38.74	61.15	3	Vertical	124	2.68	-	40.57	12.03	64.29			
RMS	13.56976G	38.59	68.20	-29.61	50.27	3	Vertical	124	2.68	-	40.58	12.03	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57288G	58.16	88.20	-30.04	69.86	3	Horizontal	156	1.10	-	40.56	12.03	64.29			
RMS	13.56592G	43.66	68.20	-24.54	55.32	3	Horizontal	156	1.10	-	40.60	12.03	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36102G	49.66	83.54	-33.88	45.05	1	Vertical	327	2.48	-	37.88	15.46	48.73			
AV	20.35152G	36.84	63.54	-26.70	32.21	1	Vertical	327	2.48	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35626G	47.24	83.54	-36.30	42.62	1	Horizontal	158	1.27	-	37.89	15.46	48.73			
AV	20.3531G	35.93	63.54	-27.61	31.31	1	Horizontal	158	1.27	-	37.89	15.46	48.73			



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
06-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.905G	80.45	88.20	-7.75	75.38	3	Vertical	360	1.31	-	32.40	7.25	34.58			
RMS	5.9242G	59.40	68.20	-8.80	54.33	3	Vertical	360	1.31	-	32.40	7.27	34.60			
PK	6.0986G	110.75	Inf	-Inf	105.46	3	Vertical	360	1.31	-	32.50	7.37	34.58			
RMS	6.0578G	98.79	Inf	-Inf	93.56	3	Vertical	360	1.31	-	32.50	7.35	34.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8962G	78.13	88.20	-10.07	73.07	3	Horizontal	360.1	1.34	-	32.38	7.25	34.57			
RMS	5.925G	65.45	68.20	-2.75	60.38	3	Horizontal	360.1	1.34	-	32.40	7.27	34.60			
PK	6.0034G	115.97	Inf	-Inf	110.83	3	Horizontal	360.1	1.34	-	32.50	7.32	34.68			
RMS	6.0218G	105.38	Inf	-Inf	100.21	3	Horizontal	360.1	1.34	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04984G	49.31	74.00	-24.69	63.73	3	Vertical	338	2.01	-	39.20	12.08	65.70			
AV	12.04126G	34.29	54.00	-19.71	48.74	3	Vertical	338	2.01	-	39.17	12.08	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0588G	49.13	74.00	-24.87	63.50	3	Horizontal	62	1.21	-	39.24	12.08	65.69			
AV	12.04154G	34.32	54.00	-19.68	48.77	3	Horizontal	62	1.21	-	39.17	12.08	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0761G	48.42	83.54	-35.12	43.79	1	Vertical	202	1.55	-	37.56	15.29	48.22			
AV	18.08234G	36.39	63.54	-27.15	31.73	1	Vertical	202	1.55	-	37.59	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07464G	47.87	83.54	-35.67	43.24	1	Horizontal	92	1.46	-	37.55	15.29	48.21			
AV	18.08254G	35.32	63.54	-28.22	30.65	1	Horizontal	92	1.46	-	37.60	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3765G	47.50	74.00	-26.50	62.03	3	Vertical	144	1.73	-	38.80	12.07	65.40			
AV	12.37002G	34.23	54.00	-19.77	48.77	3	Vertical	144	1.73	-	38.80	12.07	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36942G	47.18	74.00	-26.82	61.72	3	Horizontal	82	2.54	-	38.80	12.07	65.41			
AV	12.36988G	34.28	54.00	-19.72	48.82	3	Horizontal	82	2.54	-	38.80	12.07	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55448G	44.20	83.54	-39.34	39.49	1	Vertical	172	1.50	-	37.80	15.26	48.35			
AV	18.55542G	36.54	63.54	-27.00	31.84	1	Vertical	172	1.50	-	37.80	15.26	48.36			



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 25
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55566G	50.02	83.54	-33.52	45.32	1	Horizontal	17	1.54	-	37.80	15.26	48.36			
AV	18.554G	37.48	63.54	-26.06	32.77	1	Horizontal	17	1.54	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69344G	45.26	74.00	-28.74	59.48	3	Vertical	99	1.57	-	38.99	12.06	65.27			
AV	12.69884G	32.08	54.00	-21.92	46.29	3	Vertical	99	1.57	-	39.00	12.06	65.27			



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 25
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6988G	45.89	74.00	-28.11	60.10	3	Horizontal	163	1.38	-	39.00	12.06	65.27			
AV	12.69894G	32.10	54.00	-21.90	46.31	3	Horizontal	163	1.38	-	39.00	12.06	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03436G	43.50	83.54	-40.04	39.14	1	Vertical	124	1.50	-	37.93	15.23	48.80			
AV	19.03542G	31.94	63.54	-31.60	27.58	1	Vertical	124	1.50	-	37.93	15.23	48.80			



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 25
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03564G	44.90	83.54	-38.64	40.54	1	Horizontal	16	1.50	-	37.93	15.23	48.80			
AV	19.03546G	32.02	63.54	-31.52	27.66	1	Horizontal	16	1.50	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33704G	51.25	74.00	-22.75	63.87	3	Vertical	125	1.52	-	39.92	12.04	64.58			
AV	13.32972G	37.36	54.00	-16.64	50.03	3	Vertical	125	1.52	-	39.88	12.04	64.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33726G	51.33	74.00	-22.67	63.95	3	Horizontal	260	2.27	-	39.92	12.04	64.58			
AV	13.32952G	37.32	54.00	-16.68	49.99	3	Horizontal	260	2.27	-	39.88	12.04	64.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99407G	43.88	83.54	-39.66	39.80	1	Vertical	88	1.50	-	37.71	15.17	48.80			
AV	19.99404G	31.83	63.54	-31.71	27.75	1	Vertical	88	1.50	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 24
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99577G	44.05	83.54	-39.49	39.97	1	Horizontal	108	1.51	-	37.71	15.17	48.80			
AV	19.99445G	31.76	63.54	-31.78	27.68	1	Horizontal	108	1.51	-	37.71	15.17	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 06-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	78.43	88.20	-9.77	73.37	3	Vertical	349	1.31	-	32.40	7.26	34.60			
RMS	5.9235G	64.27	68.20	-3.93	59.20	3	Vertical	349	1.31	-	32.40	7.27	34.60			
PK	6.0797G	110.18	Inf	-Inf	104.92	3	Vertical	349	1.31	-	32.50	7.36	34.60			
RMS	6.0797G	98.80	Inf	-Inf	93.54	3	Vertical	349	1.31	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 06-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9224G	78.34	88.20	-9.86	73.27	3	Horizontal	360.1	1.41	-	32.40	7.27	34.60			
RMS	5.9246G	67.44	68.20	-0.76	62.37	3	Horizontal	360.1	1.41	-	32.40	7.27	34.60			
PK	6.0918G	115.02	Inf	-Inf	109.74	3	Horizontal	360.1	1.41	-	32.50	7.37	34.59			
RMS	6.0951G	103.91	Inf	-Inf	98.63	3	Horizontal	360.1	1.41	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21586G	47.33	74.00	-26.67	61.77	3	Vertical	26	1.65	-	39.04	12.07	65.55			
AV	12.21996G	33.84	54.00	-20.16	48.29	3	Vertical	26	1.65	-	39.02	12.07	65.54			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21646G	48.55	74.00	-25.45	63.00	3	Horizontal	78	2.97	-	39.03	12.07	65.55			
AV	12.20994G	33.87	54.00	-20.13	48.29	3	Horizontal	78	2.97	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31484G	44.67	83.54	-38.87	40.03	1	Vertical	358	1.50	-	37.63	15.27	48.26			
AV	18.31476G	32.22	63.54	-31.32	27.58	1	Vertical	358	1.50	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31598G	44.94	74.00	-29.06	40.30	1	Horizontal	136	1.54	-	37.63	15.27	48.26			
AV	18.31572G	32.22	54.00	-21.78	27.58	1	Horizontal	136	1.54	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53722G	44.84	74.00	-29.16	59.54	3	Vertical	252	1.03	-	38.53	12.06	65.29			
AV	12.53418G	31.92	54.00	-22.08	46.62	3	Vertical	252	1.03	-	38.53	12.06	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 25
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5316G	45.13	74.00	-28.87	59.82	3	Horizontal	81	2.91	-	38.54	12.06	65.29			
AV	12.53918G	31.94	54.00	-22.06	46.65	3	Horizontal	81	2.91	-	38.52	12.06	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79424G	44.44	83.54	-39.10	39.89	1	Vertical	342	1.50	-	37.90	15.24	48.59			
AV	18.79495G	32.28	63.54	-31.26	27.73	1	Vertical	342	1.50	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 25
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79536G	44.57	83.54	-38.97	40.03	1	Horizontal	154	1.52	-	37.90	15.24	48.60			
AV	18.79448G	32.36	63.54	-31.18	27.81	1	Horizontal	154	1.52	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	68.49	88.20	-19.71	63.42	3	Vertical	0	1.58	-	32.40	7.27	34.60			
RMS	5.9225G	49.26	68.20	-18.94	44.19	3	Vertical	0	1.58	-	32.40	7.27	34.60			
PK	5.9595G	121.96	Inf	-Inf	116.89	3	Vertical	0	1.58	-	32.42	7.29	34.64			
RMS	5.964G	103.04	Inf	-Inf	97.96	3	Vertical	0	1.58	-	32.43	7.29	34.64			



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 23
06-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9243G	76.41	88.20	-11.79	71.34	3	Horizontal	360	1.62	-	32.40	7.27	34.60			
RMS	5.925G	60.59	68.20	-7.61	55.52	3	Horizontal	360	1.62	-	32.40	7.27	34.60			
PK	5.9633G	129.74	Inf	-Inf	124.66	3	Horizontal	360	1.62	-	32.43	7.29	34.64			
RMS	5.9632G	119.01	Inf	-Inf	113.93	3	Horizontal	360	1.62	-	32.43	7.29	34.64			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91568G	53.60	74.00	-20.40	68.54	3	Vertical	312	1.48	-	38.83	12.03	65.80				
AV	11.90876G	39.38	54.00	-14.62	54.34	3	Vertical	312	1.48	-	38.82	12.02	65.80				
PK	17.873G	55.70	74.00	-18.30	56.14	3	Vertical	271	2.26	-	48.03	14.06	62.53				
AV	17.8748G	42.99	54.00	-11.01	43.37	3	Vertical	271	2.26	-	48.09	14.06	62.53				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90994G	60.19	74.00	-13.81	75.15	3	Horizontal	292	1.80	-	38.82	12.02	65.80			
AV	11.90994G	46.40	54.00	-7.60	61.36	3	Horizontal	292	1.80	-	38.82	12.02	65.80			
PK	17.87218G	56.68	74.00	-17.32	57.15	3	Horizontal	360	1.43	-	48.00	14.06	62.53			
AV	17.87072G	43.90	54.00	-10.10	44.42	3	Horizontal	360	1.43	-	47.95	14.06	62.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81948G	49.44	83.54	-34.10	40.73	1	Vertical	184	2.23	-	39.10	17.28	47.67			
AV	23.82398G	37.73	63.54	-25.81	29.02	1	Vertical	184	2.23	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82992G	48.07	83.54	-35.47	39.36	1	Horizontal	130	2.88	-	39.10	17.28	47.67			
AV	23.81072G	36.70	63.54	-26.84	28.00	1	Horizontal	130	2.88	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39562G	56.47	74.00	-17.53	40.16	3	Vertical	150	2.96	-	38.80	12.07	34.56			
AV	12.38562G	43.90	54.00	-10.10	27.59	3	Vertical	150	2.96	-	38.80	12.07	34.56			



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 23
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39908G	57.19	74.00	-16.81	40.88	3	Horizontal	324	1.17	-	38.80	12.07	34.56			
AV	12.3856G	44.09	54.00	-9.91	27.78	3	Horizontal	324	1.17	-	38.80	12.07	34.56			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5884G	48.51	83.54	-35.03	43.85	1	Vertical	228	1.87	-	37.80	15.25	48.39			
AV	18.58496G	38.33	63.54	-25.21	33.66	1	Vertical	228	1.87	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59108G	50.06	83.54	-33.48	45.40	1	Horizontal	149	1.49	-	37.80	15.25	48.39			
AV	18.58594G	37.60	63.54	-25.94	32.94	1	Horizontal	149	1.49	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83248G	54.79	88.20	-33.41	68.78	3	Vertical	198	2.24	-	39.20	12.06	65.25			
RMS	12.82866G	41.01	68.20	-27.19	55.00	3	Vertical	198	2.24	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82204G	53.97	88.20	-34.23	67.96	3	Horizontal	339	2.13	-	39.20	12.06	65.25			
RMS	12.83326G	38.42	68.20	-29.78	52.41	3	Horizontal	339	2.13	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 24
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24511G	43.74	83.54	-39.80	39.34	1	Vertical	36	1.50	-	37.98	15.22	48.80			
AV	19.24426G	35.78	63.54	-27.76	31.38	1	Vertical	36	1.50	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
 Setting 24
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24515G	46.26	83.54	-37.28	41.86	1	Horizontal	141	1.50	-	37.98	15.22	48.80			
AV	19.24534G	34.69	63.54	-28.85	30.29	1	Horizontal	141	1.50	-	37.98	15.22	48.80			



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 22
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07938G	53.40	88.20	-34.80	67.23	3	Vertical	360	2.10	-	39.20	12.05	65.08			
RMS	13.07018G	39.83	68.20	-28.37	53.67	3	Vertical	360	2.10	-	39.20	12.05	65.09			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07078G	57.35	88.20	-30.85	71.19	3	Horizontal	138	1.61	-	39.20	12.05	65.09			
RMS	13.06942G	42.92	68.20	-25.28	56.77	3	Horizontal	138	1.61	-	39.20	12.05	65.10			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.605G	43.76	83.54	-39.78	39.67	1	Vertical	214	1.54	-	37.70	15.19	48.80			
AV	19.60559G	32.28	63.54	-31.26	28.19	1	Vertical	214	1.54	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60498G	43.78	83.54	-39.76	39.69	1	Horizontal	136	1.50	-	37.70	15.19	48.80			
AV	19.60585G	32.35	63.54	-31.19	28.26	1	Horizontal	136	1.50	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38776G	45.22	74.00	-28.78	57.66	3	Vertical	152	1.91	-	40.00	12.04	64.48			
AV	13.39942G	32.77	54.00	-21.23	45.19	3	Vertical	152	1.91	-	40.00	12.04	64.46			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3951G	45.57	74.00	-28.43	57.99	3	Horizontal	230	2.58	-	40.00	12.04	64.46			
AV	13.39662G	32.73	54.00	-21.27	45.15	3	Horizontal	230	2.58	-	40.00	12.04	64.46			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08413G	43.52	83.54	-40.02	39.26	1	Vertical	63	1.54	-	37.80	15.24	48.78			
AV	20.08588G	31.72	63.54	-31.82	27.46	1	Vertical	63	1.54	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08572G	43.13	83.54	-40.41	38.87	1	Horizontal	280	1.50	-	37.80	15.24	48.78			
AV	20.08449G	31.72	63.54	-31.82	27.46	1	Horizontal	280	1.50	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70794G	58.84	88.20	-29.36	70.83	3	Vertical	103	2.17	-	40.32	12.03	64.34			
RMS	13.70958G	45.46	68.20	-22.74	57.45	3	Vertical	103	2.17	-	40.32	12.03	64.34			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70834G	64.69	88.20	-23.51	76.68	3	Horizontal	164	2.84	-	40.32	12.03	64.34			
RMS	13.70944G	52.28	68.20	-15.92	64.27	3	Horizontal	164	2.84	-	40.32	12.03	64.34			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5653G	44.49	83.54	-39.05	39.66	1	Vertical	3	1.51	-	37.90	15.63	48.70			
AV	20.56431G	32.08	63.54	-31.46	27.25	1	Vertical	3	1.51	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56454G	43.40	83.54	-40.14	38.57	1	Horizontal	34	1.52	-	37.90	15.63	48.70			
AV	20.56438G	32.08	63.54	-31.46	27.25	1	Horizontal	34	1.52	-	37.90	15.63	48.70			



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 22
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.29	88.20	-7.91	75.22	3	Vertical	330.3	1.65	-	32.40	7.27	34.60			
RMS	5.9202G	54.71	68.20	-13.49	49.65	3	Vertical	330.3	1.65	-	32.40	7.26	34.60			
PK	5.9714G	116.29	Inf	-Inf	111.20	3	Vertical	330.3	1.65	-	32.44	7.30	34.65			
RMS	5.9724G	104.47	Inf	-Inf	99.38	3	Vertical	330.3	1.65	-	32.44	7.30	34.65			



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 22
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	80.09	88.20	-8.11	75.02	3	Horizontal	356	1.62	-	32.40	7.27	34.60			
RMS	5.925G	66.97	68.20	-1.23	61.90	3	Horizontal	356	1.62	-	32.40	7.27	34.60			
PK	5.978G	122.27	Inf	-Inf	117.17	3	Horizontal	356	1.62	-	32.46	7.30	34.66			
RMS	5.9804G	112.49	Inf	-Inf	107.38	3	Horizontal	356	1.62	-	32.46	7.31	34.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.92648G	44.30	74.00	-29.70	59.21	3	Vertical	26	2.68	-	38.85	12.03	65.79				
AV	11.93702G	31.56	54.00	-22.44	46.43	3	Vertical	26	2.68	-	38.87	12.04	65.78				
PK	17.9023G	53.61	74.00	-20.39	52.93	3	Vertical	308	2.23	-	49.08	14.07	62.47				
AV	17.90462G	40.23	54.00	-13.77	39.46	3	Vertical	308	2.23	-	49.17	14.07	62.47				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93304G	44.85	74.00	-29.15	59.72	3	Horizontal	141	1.24	-	38.87	12.04	65.78			
AV	11.93654G	31.60	54.00	-22.40	46.47	3	Horizontal	141	1.24	-	38.87	12.04	65.78			
PK	17.90356G	53.39	74.00	-20.61	52.66	3	Horizontal	93	1.35	-	49.13	14.07	62.47			
AV	17.905G	40.19	54.00	-13.81	39.41	3	Horizontal	93	1.35	-	49.18	14.07	62.47			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.89508G	44.40	83.54	-39.14	39.62	1	Vertical	88	1.51	-	37.48	15.22	47.92			
AV	17.89464G	34.10	63.54	-29.44	29.32	1	Vertical	88	1.51	-	37.48	15.22	47.92			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.89413G	47.14	83.54	-36.40	42.36	1	Horizontal	320	1.55	-	37.48	15.22	47.92			
AV	17.89417G	35.17	63.54	-28.37	30.39	1	Horizontal	320	1.55	-	37.48	15.22	47.92			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41622G	49.30	74.00	-24.70	63.83	3	Vertical	176	2.46	-	38.77	12.07	65.37			
AV	12.41862G	35.90	54.00	-18.10	50.43	3	Vertical	176	2.46	-	38.76	12.07	65.36			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4111G	57.94	74.00	-16.06	72.46	3	Horizontal	254	2.23	-	38.78	12.07	65.37			
AV	12.41004G	41.84	54.00	-12.16	56.36	3	Horizontal	254	2.23	-	38.78	12.07	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6151G	44.09	83.54	-39.45	39.43	1	Vertical	268	1.52	-	37.83	15.25	48.42			
AV	18.61424G	32.43	63.54	-31.11	27.76	1	Vertical	268	1.52	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61561G	44.06	83.54	-39.48	39.40	1	Horizontal	320	1.53	-	37.83	15.25	48.42			
AV	18.61408G	32.43	63.54	-31.11	27.76	1	Horizontal	320	1.53	-	37.83	15.25	48.41			



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 22
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81182G	45.30	88.20	-42.90	59.29	3	Vertical	126	2.99	-	39.20	12.06	65.25			
RMS	12.81206G	32.22	68.20	-35.98	46.21	3	Vertical	126	2.99	-	39.20	12.06	65.25			



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 22
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.817G	45.85	88.20	-42.35	59.84	3	Horizontal	213	2.27	-	39.20	12.06	65.25			
RMS	12.81374G	32.45	68.20	-35.75	46.44	3	Horizontal	213	2.27	-	39.20	12.06	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21598G	43.86	83.54	-39.68	39.58	1	Vertical	340	1.54	-	37.86	15.22	48.80			
AV	19.21543G	31.57	63.54	-31.97	27.29	1	Vertical	340	1.54	-	37.86	15.22	48.80			



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 22
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21497G	43.54	83.54	-40.00	39.26	1	Horizontal	228	1.55	-	37.86	15.22	48.80			
AV	19.21413G	31.59	63.54	-31.95	27.31	1	Horizontal	228	1.55	-	37.86	15.22	48.80			



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 22
06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1272G	50.52	88.20	-37.68	64.03	3	Vertical	286	2.27	-	39.42	12.05	64.98			
RMS	13.1298G	36.62	68.20	-31.58	50.11	3	Vertical	286	2.27	-	39.44	12.05	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12954G	48.83	88.20	-39.37	62.32	3	Horizontal	280	1.47	-	39.44	12.05	64.98			
RMS	13.12974G	36.28	68.20	-31.92	49.77	3	Horizontal	280	1.47	-	39.44	12.05	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69483G	43.46	83.54	-40.08	39.37	1	Vertical	358	1.55	-	37.70	15.19	48.80			
AV	19.69491G	33.50	63.54	-30.04	29.41	1	Vertical	358	1.55	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69539G	44.54	83.54	-39.00	40.45	1	Horizontal	141	1.51	-	37.70	15.19	48.80			
AV	19.69474G	32.50	63.54	-31.04	28.41	1	Horizontal	141	1.51	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37698G	50.89	74.00	-23.11	63.35	3	Vertical	264	2.96	-	40.00	12.04	64.50			
AV	13.36002G	36.49	54.00	-17.51	48.98	3	Vertical	264	2.96	-	40.00	12.04	64.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37616G	51.28	74.00	-22.72	63.74	3	Horizontal	322	1.52	-	40.00	12.04	64.50			
AV	13.36G	36.64	54.00	-17.36	49.13	3	Horizontal	322	1.52	-	40.00	12.04	64.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05593G	43.04	83.54	-40.50	38.81	1	Vertical	182	1.53	-	37.80	15.22	48.79			
AV	20.05449G	31.50	63.54	-32.04	27.28	1	Vertical	182	1.53	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05467G	43.01	83.54	-40.53	38.79	1	Horizontal	204	1.50	-	37.80	15.21	48.79			
AV	20.05403G	31.41	63.54	-32.13	27.19	1	Horizontal	204	1.50	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69166G	53.59	88.20	-34.61	65.60	3	Vertical	298	1.18	-	40.30	12.03	64.34			
RMS	13.69004G	37.25	68.20	-30.95	49.26	3	Vertical	298	1.18	-	40.30	12.03	64.34			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69144G	54.98	88.20	-33.22	66.99	3	Horizontal	190	1.75	-	40.30	12.03	64.34			
RMS	13.69016G	36.94	68.20	-31.26	48.95	3	Horizontal	190	1.75	-	40.30	12.03	64.34			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5349G	43.74	83.54	-39.80	38.93	1	Vertical	106	1.50	-	37.90	15.61	48.70			
AV	20.53586G	31.54	63.54	-32.00	26.73	1	Vertical	106	1.50	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5343G	43.76	83.54	-39.78	38.95	1	Horizontal	0	1.50	-	37.90	15.61	48.70			
AV	20.53484G	31.54	63.54	-32.00	26.73	1	Horizontal	0	1.50	-	37.90	15.61	48.70			



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 21
06-E-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9065G	72.04	88.20	-16.16	66.97	3	Vertical	360	1.69	-	32.40	7.25	34.58			
RMS	5.9225G	54.46	68.20	-13.74	49.39	3	Vertical	360	1.69	-	32.40	7.27	34.60			
PK	6.015G	114.80	Inf	-Inf	109.64	3	Vertical	360	1.69	-	32.50	7.33	34.67			
RMS	5.9605G	95.85	Inf	-Inf	90.78	3	Vertical	360	1.69	-	32.42	7.29	34.64			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	79.99	88.20	-8.21	74.92	3	Horizontal	360	1.65	-	32.40	7.27	34.60			
RMS	5.9245G	66.88	68.20	-1.32	61.81	3	Horizontal	360	1.65	-	32.40	7.27	34.60			
PK	5.9905G	119.25	Inf	-Inf	114.13	3	Horizontal	360	1.65	-	32.48	7.31	34.67			
RMS	5.992G	108.73	Inf	-Inf	103.61	3	Horizontal	360	1.65	-	32.48	7.31	34.67			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.96766G	45.85	74.00	-28.15	60.61	3	Vertical	160	2.08	-	38.94	12.06	65.76				
AV	11.97354G	33.13	54.00	-20.87	47.88	3	Vertical	160	2.08	-	38.95	12.06	65.76				
PK	17.96036G	55.48	74.00	-18.52	52.45	3	Vertical	16	1.08	-	51.30	14.09	62.36				
AV	17.96412G	42.52	54.00	-11.48	39.30	3	Vertical	16	1.08	-	51.48	14.09	62.35				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96884G	47.02	74.00	-26.98	61.78	3	Horizontal	328	1.67	-	38.94	12.06	65.76			
AV	11.97386G	33.29	54.00	-20.71	48.04	3	Horizontal	328	1.67	-	38.95	12.06	65.76			
PK	17.96364G	56.19	74.00	-17.81	53.00	3	Horizontal	171	1.72	-	51.45	14.09	62.35			
AV	17.96456G	42.47	54.00	-11.53	39.23	3	Horizontal	171	1.72	-	51.50	14.09	62.35			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94362G	48.80	83.54	-34.74	40.10	1	Vertical	75	2.29	-	39.00	17.32	47.62			
AV	23.93002G	35.82	63.54	-27.72	27.14	1	Vertical	75	2.29	-	39.00	17.31	47.63			



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 21
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9318G	46.79	83.54	-36.75	38.11	1	Horizontal	163	1.70	-	39.00	17.31	47.63			
AV	23.9317G	34.93	63.54	-28.61	26.25	1	Horizontal	163	1.70	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.446332G	47.95	74.00	-26.05	62.51	3	Vertical	86	2.27	-	38.71	12.07	65.34			
AV	12.44332G	34.41	54.00	-19.59	48.97	3	Vertical	86	2.27	-	38.71	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 24
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44412G	47.01	74.00	-26.99	61.57	3	Horizontal	227	2.38	-	38.71	12.07	65.34			
AV	12.44776G	34.53	54.00	-19.47	49.10	3	Horizontal	227	2.38	-	38.70	12.07	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
 Setting 24
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67553G	44.27	83.54	-39.27	39.60	1	Vertical	6	1.55	-	37.90	15.25	48.48			
AV	18.67477G	33.09	63.54	-30.45	28.41	1	Vertical	6	1.55	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
 Setting 24
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67512G	46.14	83.54	-37.40	41.47	1	Horizontal	309	1.52	-	37.90	15.25	48.48			
AV	18.67436G	34.17	63.54	-29.37	29.49	1	Horizontal	309	1.52	-	37.90	15.25	48.47			



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 23
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77486G	49.55	88.20	-38.65	63.70	3	Vertical	172	2.66	-	39.05	12.06	65.26			
RMS	12.76976G	36.19	68.20	-32.01	50.37	3	Vertical	172	2.66	-	39.02	12.06	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77826G	49.59	88.20	-38.61	63.72	3	Horizontal	52	2.05	-	39.07	12.06	65.26			
RMS	12.77232G	36.10	68.20	-32.10	50.27	3	Horizontal	52	2.05	-	39.03	12.06	65.26			



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 23
03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1546G	43.85	83.54	-39.69	39.45	1	Vertical	114	1.55	-	37.98	15.22	48.80			
AV	19.15451G	32.10	63.54	-31.44	27.70	1	Vertical	114	1.55	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15432G	44.00	83.54	-39.54	39.60	1	Horizontal	4	1.50	-	37.98	15.22	48.80			
AV	19.15418G	32.02	63.54	-31.52	27.62	1	Horizontal	4	1.50	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24158G	52.54	88.20	-35.66	65.68	3	Vertical	110	1.96	-	39.58	12.04	64.76			
RMS	13.24486G	39.40	68.20	-28.80	52.52	3	Vertical	110	1.96	-	39.59	12.04	64.75			



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 23
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2485G	52.93	88.20	-35.27	66.04	3	Horizontal	180	1.80	-	39.60	12.04	64.75			
RMS	13.24446G	39.50	68.20	-28.70	52.63	3	Horizontal	180	1.80	-	39.59	12.04	64.76			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87469G	43.70	83.54	-39.84	39.62	1	Vertical	317	1.51	-	37.70	15.18	48.80			
AV	19.87492G	31.49	63.54	-32.05	27.41	1	Vertical	317	1.51	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87565G	43.63	83.54	-39.91	39.55	1	Horizontal	38	1.53	-	37.70	15.18	48.80			
AV	19.8743G	31.56	63.54	-31.98	27.48	1	Horizontal	38	1.53	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4138G	54.39	88.20	-33.81	66.72	3	Vertical	290	2.86	-	40.06	12.04	64.43			
RMS	13.41454G	39.36	68.20	-28.84	51.69	3	Vertical	290	2.86	-	40.06	12.04	64.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4092G	53.10	88.20	-35.10	65.46	3	Horizontal	320	1.27	-	40.04	12.04	64.44			
RMS	13.41654G	39.49	68.20	-28.71	51.80	3	Horizontal	320	1.27	-	40.07	12.04	64.42			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11585G	43.42	83.54	-40.12	39.14	1	Vertical	52	1.52	-	37.80	15.26	48.78			
AV	20.11421G	31.39	63.54	-32.15	27.11	1	Vertical	52	1.52	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1144G	43.13	83.54	-40.41	38.85	1	Horizontal	8	1.55	-	37.80	15.26	48.78			
AV	20.11406G	31.30	63.54	-32.24	27.02	1	Horizontal	8	1.55	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56768G	52.37	88.20	-35.83	64.04	3	Vertical	345	1.82	-	40.59	12.03	64.29			
RMS	13.57002G	38.47	68.20	-29.73	50.15	3	Vertical	345	1.82	-	40.58	12.03	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5607G	52.19	88.20	-36.01	63.80	3	Horizontal	339	2.27	-	40.64	12.03	64.28			
RMS	13.57G	38.70	68.20	-29.50	50.38	3	Horizontal	339	2.27	-	40.58	12.03	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3552G	43.88	83.54	-39.66	39.26	1	Vertical	297	1.53	-	37.89	15.46	48.73			
AV	20.35501G	31.76	63.54	-31.78	27.14	1	Vertical	297	1.53	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
 Setting 22
 03-P-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35481G	44.42	83.54	-39.12	39.80	1	Horizontal	182	1.54	-	37.89	15.46	48.73			
AV	20.35599G	31.85	63.54	-31.69	27.23	1	Horizontal	182	1.54	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8852G	70.53	88.20	-17.67	65.51	3	Vertical	360	1.67	-	32.34	7.24	34.56			
RMS	5.9176G	59.07	68.20	-9.13	54.00	3	Vertical	360	1.67	-	32.40	7.26	34.59			
PK	6.0118G	111.68	Inf	-Inf	106.52	3	Vertical	360	1.67	-	32.50	7.33	34.67			
RMS	5.9938G	100.04	Inf	-Inf	94.90	3	Vertical	360	1.67	-	32.49	7.32	34.67			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9236G	80.37	88.20	-7.83	75.30	3	Horizontal	358	1.55	-	32.40	7.27	34.60			
RMS	5.9242G	67.84	68.20	-0.36	62.77	3	Horizontal	358	1.55	-	32.40	7.27	34.60			
PK	6.0892G	117.00	Inf	-Inf	111.72	3	Horizontal	358	1.55	-	32.50	7.37	34.59			
RMS	6.0946G	107.77	Inf	-Inf	102.49	3	Horizontal	358	1.55	-	32.50	7.37	34.59			



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 22
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05952G	48.65	74.00	-25.35	63.02	3	Vertical	40	1.35	-	39.24	12.08	65.69			
AV	12.04112G	34.38	54.00	-19.62	48.84	3	Vertical	40	1.35	-	39.16	12.08	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04972G	48.71	74.00	-25.29	63.13	3	Horizontal	225	2.72	-	39.20	12.08	65.70			
AV	12.04168G	34.41	54.00	-19.59	48.86	3	Horizontal	225	2.72	-	39.17	12.08	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07453G	44.91	83.54	-38.63	40.28	1	Vertical	311	1.54	-	37.55	15.29	48.21			
AV	18.07599G	32.13	63.54	-31.41	27.50	1	Vertical	311	1.54	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07475G	44.47	83.54	-39.07	39.84	1	Horizontal	87	1.52	-	37.55	15.29	48.21			
AV	18.07576G	32.12	63.54	-31.42	27.50	1	Horizontal	87	1.52	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36204G	46.29	74.00	-27.71	60.83	3	Vertical	115	1.34	-	38.80	12.07	65.41			
AV	12.37G	34.44	54.00	-19.56	48.98	3	Vertical	115	1.34	-	38.80	12.07	65.41			



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 23
06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36578G	46.80	74.00	-27.20	61.34	3	Horizontal	55	1.74	-	38.80	12.07	65.41			
AV	12.37G	34.41	54.00	-19.59	48.95	3	Horizontal	55	1.74	-	38.80	12.07	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55538G	44.25	83.54	-39.29	39.55	1	Vertical	16	1.52	-	37.80	15.26	48.36			
AV	18.55481G	32.47	63.54	-31.07	27.76	1	Vertical	16	1.52	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55511G	44.94	83.54	-38.60	40.24	1	Horizontal	121	1.54	-	37.80	15.26	48.36			
AV	18.55568G	32.54	63.54	-31.00	27.84	1	Horizontal	121	1.54	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6992G	45.89	74.00	-28.11	60.10	3	Vertical	317	2.90	-	39.00	12.06	65.27			
AV	12.69934G	31.87	54.00	-22.13	46.08	3	Vertical	317	2.90	-	39.00	12.06	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68944G	45.81	74.00	-28.19	60.04	3	Horizontal	212	1.53	-	38.98	12.06	65.27			
AV	12.69028G	31.83	54.00	-22.17	46.06	3	Horizontal	212	1.53	-	38.98	12.06	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03544G	44.40	83.54	-39.14	40.04	1	Vertical	214	1.51	-	37.93	15.23	48.80			
AV	19.03549G	32.02	63.54	-31.52	27.66	1	Vertical	214	1.51	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03499G	44.06	83.54	-39.48	39.70	1	Horizontal	98	1.52	-	37.93	15.23	48.80			
AV	19.03554G	32.10	63.54	-31.44	27.74	1	Horizontal	98	1.52	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.337G	51.70	74.00	-22.30	64.32	3	Vertical	171	1.43	-	39.92	12.04	64.58			
AV	13.32984G	37.48	54.00	-16.52	50.15	3	Vertical	171	1.43	-	39.88	12.04	64.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
 Setting 21
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32298G	50.48	74.00	-23.52	63.20	3	Horizontal	91	1.35	-	39.84	12.04	64.60			
AV	13.32984G	37.70	54.00	-16.30	50.37	3	Horizontal	91	1.35	-	39.88	12.04	64.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99474G	43.65	83.54	-39.89	39.57	1	Vertical	179	1.50	-	37.71	15.17	48.80			
AV	19.99534G	31.68	63.54	-31.86	27.60	1	Vertical	179	1.50	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
 Setting 21
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99535G	43.76	83.54	-39.78	39.68	1	Horizontal	186	1.53	-	37.71	15.17	48.80			
AV	19.9943G	31.84	63.54	-31.70	27.76	1	Horizontal	186	1.53	-	37.71	15.17	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	61.37	88.20	-26.83	56.30	3	Vertical	360	1.61	-	32.40	7.27	34.60			
RMS	5.922G	57.77	68.20	-10.43	52.70	3	Vertical	360	1.61	-	32.40	7.27	34.60			
PK	6.094G	109.16	Inf	-Inf	103.88	3	Vertical	360	1.61	-	32.50	7.37	34.59			
RMS	6.04G	96.54	Inf	-Inf	91.34	3	Vertical	360	1.61	-	32.50	7.34	34.64			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	76.04	88.20	-12.16	70.97	3	Horizontal	360	1.59	-	32.40	7.26	34.59			
RMS	5.921G	66.38	68.20	-1.82	61.32	3	Horizontal	360	1.59	-	32.40	7.26	34.60			
PK	6.152G	115.34	Inf	-Inf	109.77	3	Horizontal	360	1.59	-	32.70	7.40	34.53			
RMS	6.158G	104.54	Inf	-Inf	98.94	3	Horizontal	360	1.59	-	32.72	7.41	34.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21982G	46.25	74.00	-27.75	60.70	3	Vertical	228	1.00	-	39.02	12.07	65.54			
AV	12.2097G	33.69	54.00	-20.31	48.11	3	Vertical	228	1.00	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 22
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21458G	46.91	74.00	-27.09	61.35	3	Horizontal	153	2.89	-	39.04	12.07	65.55			
AV	12.20998G	33.71	54.00	-20.29	48.13	3	Horizontal	153	2.89	-	39.06	12.07	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31443G	43.67	83.54	-39.87	39.03	1	Vertical	121	1.51	-	37.63	15.27	48.26			
AV	18.31485G	32.22	63.54	-31.32	27.58	1	Vertical	121	1.51	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
 Setting 22
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31424G	44.69	83.54	-38.85	40.05	1	Horizontal	321	1.53	-	37.63	15.27	48.26			
AV	18.31408G	32.29	63.54	-31.25	27.65	1	Horizontal	321	1.53	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53908G	45.56	74.00	-28.44	60.27	3	Vertical	123	1.91	-	38.52	12.06	65.29			
AV	12.53866G	31.89	54.00	-22.11	46.60	3	Vertical	123	1.91	-	38.52	12.06	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
 Setting 23
 06-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52218G	44.87	74.00	-29.13	59.54	3	Horizontal	128	2.85	-	38.56	12.06	65.29			
AV	12.53984G	31.99	54.00	-22.01	46.70	3	Horizontal	128	2.85	-	38.52	12.06	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79449G	44.40	83.54	-39.14	39.85	1	Vertical	81	1.51	-	37.90	15.24	48.59			
AV	18.79443G	32.20	63.54	-31.34	27.65	1	Vertical	81	1.51	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX



EUT_V_4TX
 Setting 23
 03-P-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79577G	44.55	83.54	-38.99	40.01	1	Horizontal	263	1.50	-	37.90	15.24	48.60			
AV	18.79455G	32.12	63.54	-31.42	27.57	1	Horizontal	263	1.50	-	37.90	15.24	48.59			



RSE TX above 1GHz_R4_Narrow Beam_Multi-RU
(Parent Device / FCC ID: UDX-600216010)


Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	RMS	5.925G	68.13	68.20	-0.07	3	Vertical	5	1.73	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 20/10.5
 06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	79.87	88.20	-8.33	74.80	3	Vertical	358	1.79	-	32.40	7.27	34.60			
RMS	5.9242G	67.38	68.20	-0.82	62.31	3	Vertical	358	1.79	-	32.40	7.27	34.60			
PK	6.0134G	114.35	Inf	-Inf	109.19	3	Vertical	358	1.79	-	32.50	7.33	34.67			
RMS	6.0174G	104.80	Inf	-Inf	99.63	3	Vertical	358	1.79	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 20/10.5
 06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	77.69	88.20	-10.51	72.62	3	Horizontal	2	1.60	-	32.40	7.27	34.60			
RMS	5.9222G	64.64	68.20	-3.56	59.57	3	Horizontal	2	1.60	-	32.40	7.27	34.60			
PK	6.0122G	112.98	Inf	-Inf	107.82	3	Horizontal	2	1.60	-	32.50	7.33	34.67			
RMS	6.0166G	102.71	Inf	-Inf	97.54	3	Horizontal	2	1.60	-	32.50	7.33	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 20/10.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.964G	45.84	74.00	-28.16	60.61	3	Vertical	354	1.64	-	38.93	12.06	65.76			
AV	11.96994G	34.30	54.00	-19.70	49.06	3	Vertical	354	1.64	-	38.94	12.06	65.76			
PK	17.96298G	62.70	74.00	-11.30	59.54	3	Vertical	87	1.69	-	51.42	14.09	62.35			
AV	17.96474G	49.07	54.00	-4.93	45.82	3	Vertical	87	1.69	-	51.51	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 20/10.5
 06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96074G	45.26	74.00	-28.74	60.06	3	Horizontal	268	1.92	-	38.92	12.05	65.77			
AV	11.9607G	32.06	54.00	-21.94	46.86	3	Horizontal	268	1.92	-	38.92	12.05	65.77			
PK	17.96368G	61.93	74.00	-12.07	58.73	3	Horizontal	122	1.86	-	51.46	14.09	62.35			
AV	17.96364G	49.09	54.00	-4.91	45.90	3	Horizontal	122	1.86	-	51.45	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_V_1TX
 Setting 20/10.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94252G	45.34	83.54	-38.20	36.65	1	Vertical	345	1.80	-	39.00	17.31	47.62			
AV	23.94043G	33.40	63.54	-30.14	24.71	1	Vertical	345	1.80	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_V_1TX
 Setting 20/10.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	23.93646G	33.52	63.54	-30.02	24.84	1	Horizontal	155	1.72	-	39.00	17.31	47.63			
PK	23.94256G	45.69	83.54	-37.85	37.00	1	Horizontal	155	1.72	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 14.5/14
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9138G	67.55	88.20	-20.65	56.11	3	Vertical	180	1.52	-	34.20	7.87	30.63			
RMS	5.901G	54.92	68.20	-13.28	43.48	3	Vertical	180	1.52	-	34.20	7.87	30.63			
PK	6.021G	115.15	Inf	-Inf	103.52	3	Vertical	180	1.52	-	34.30	7.96	30.63			
RMS	6.0218G	104.38	Inf	-Inf	92.75	3	Vertical	180	1.52	-	34.30	7.96	30.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 14.5/14
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.773G	68.61	88.20	-19.59	57.44	3	Horizontal	185	1.80	-	34.05	7.78	30.66			
RMS	5.9002G	54.34	68.20	-13.86	42.90	3	Horizontal	185	1.80	-	34.20	7.87	30.63			
PK	6.0122G	111.08	Inf	-Inf	99.45	3	Horizontal	185	1.80	-	34.30	7.95	30.62			
RMS	6.0122G	100.31	Inf	-Inf	88.68	3	Horizontal	185	1.80	-	34.30	7.95	30.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 14.5/14
 06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96114G	46.05	74.00	-27.95	60.85	3	Vertical	60	2.84	-	38.92	12.05	65.77			
AV	11.96398G	31.83	54.00	-22.17	46.60	3	Vertical	60	2.84	-	38.93	12.06	65.76			
PK	17.96144G	62.33	74.00	-11.67	59.25	3	Vertical	332	1.34	-	51.35	14.09	62.36			
AV	17.96246G	49.03	54.00	-4.97	45.89	3	Vertical	332	1.34	-	51.40	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_Y_1TX
 Setting 14.5/14
 06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97226G	45.57	74.00	-28.43	60.33	3	Horizontal	204	2.61	-	38.94	12.06	65.76			
AV	11.96208G	31.89	54.00	-22.11	46.68	3	Horizontal	204	2.61	-	38.92	12.06	65.77			
PK	17.96012G	61.96	74.00	-12.04	58.94	3	Horizontal	45	2.71	-	51.29	14.09	62.36			
AV	17.9646G	49.04	54.00	-4.96	45.80	3	Horizontal	45	2.71	-	51.50	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_V_1TX
 Setting 14.5/14
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9398G	45.66	83.54	-37.88	36.97	1	Vertical	102	1.85	-	39.00	17.31	47.62			
RMS	23.9398G	33.54	63.54	-30.00	24.85	1	Vertical	102	1.85	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT_V_1TX
 Setting 14.5/14
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95496G	44.42	83.54	-39.12	39.63	1	Horizontal	121	1.69	-	37.61	15.26	48.08			
RMS	17.95587G	31.79	63.54	-31.75	27.00	1	Horizontal	121	1.69	-	37.61	15.26	48.08			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 21/9.5
 06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	81.04	88.20	-7.16	75.97	3	Vertical	9	1.80	-	32.40	7.27	34.60			
RMS	5.925G	67.88	68.20	-0.32	62.81	3	Vertical	9	1.80	-	32.40	7.27	34.60			
PK	6.0725G	113.38	Inf	-Inf	108.13	3	Vertical	9	1.80	-	32.50	7.36	34.61			
RMS	6.0815G	102.84	Inf	-Inf	97.58	3	Vertical	9	1.80	-	32.50	7.36	34.60			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 21/9.5
 06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9025G	77.06	88.20	-11.14	71.99	3	Horizontal	10	1.80	-	32.40	7.25	34.58			
RMS	5.925G	66.23	68.20	-1.97	61.16	3	Horizontal	10	1.80	-	32.40	7.27	34.60			
PK	6.0855G	112.01	Inf	-Inf	106.74	3	Horizontal	10	1.80	-	32.50	7.37	34.60			
RMS	6.0875G	101.15	Inf	-Inf	95.87	3	Horizontal	10	1.80	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
 Setting 21/9.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04292G	46.96	74.00	-27.04	61.41	3	Vertical	141	1.18	-	39.17	12.08	65.70			
AV	12.05342G	33.18	54.00	-20.82	47.58	3	Vertical	141	1.18	-	39.21	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 21/9.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0422G	47.02	74.00	-26.98	61.47	3	Horizontal	331	2.22	-	39.17	12.08	65.70			
AV	12.05602G	33.23	54.00	-20.77	47.62	3	Horizontal	331	2.22	-	39.22	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
 Setting 21/9.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07464G	44.13	83.54	-39.41	39.50	1	Vertical	338	2.03	-	37.55	15.29	48.21			
AV	18.07403G	31.94	63.54	-31.60	27.32	1	Vertical	338	2.03	-	37.54	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_V_1TX
 Setting 21/9.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07571G	43.78	83.54	-39.76	39.16	1	Horizontal	21	1.23	-	37.55	15.29	48.22			
AV	18.07502G	31.68	63.54	-31.86	27.06	1	Horizontal	21	1.23	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 17/12.5
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	72.59	88.20	-15.61	61.14	3	Vertical	177	1.66	-	34.20	7.88	30.63			
RMS	5.925G	60.01	68.20	-8.19	48.56	3	Vertical	177	1.66	-	34.20	7.88	30.63			
PK	6.089G	112.88	Inf	-Inf	101.05	3	Vertical	177	1.66	-	34.46	8.07	30.70			
RMS	6.0922G	101.74	Inf	-Inf	89.91	3	Vertical	177	1.66	-	34.47	8.07	30.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 17/12.5
02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	68.40	88.20	-19.80	56.95	3	Horizontal	191	1.67	-	34.20	7.88	30.63			
RMS	5.9242G	57.02	68.20	-11.18	45.57	3	Horizontal	191	1.67	-	34.20	7.88	30.63			
PK	6.074G	108.41	Inf	-Inf	96.59	3	Horizontal	191	1.67	-	34.45	8.07	30.70			
RMS	6.1026G	98.76	Inf	-Inf	86.88	3	Horizontal	191	1.67	-	34.51	8.09	30.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
 Setting 17/12.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0419G	47.02	74.00	-26.98	61.47	3	Vertical	188	2.81	-	39.17	12.08	65.70			
AV	12.04188G	33.07	54.00	-20.93	47.52	3	Vertical	188	2.81	-	39.17	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
 Setting 17/12.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04866G	46.71	74.00	-27.29	61.14	3	Horizontal	295	1.28	-	39.19	12.08	65.70			
AV	12.05882G	33.31	54.00	-20.69	47.68	3	Horizontal	295	1.28	-	39.24	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
 Setting 17/12.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07493G	44.74	83.54	-38.80	40.11	1	Vertical	158	2.96	-	37.55	15.29	48.21			
RMS	18.07478G	31.69	63.54	-31.85	27.06	1	Vertical	158	2.96	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
 Setting 17/12.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07404G	43.81	83.54	-39.73	39.19	1	Horizontal	129	1.47	-	37.54	15.29	48.21			
RMS	18.07595G	31.68	63.54	-31.86	27.05	1	Horizontal	129	1.47	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 14.5/14
 02-R-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7514G	68.98	88.20	-19.22	57.89	3	Vertical	178	1.55	-	34.00	7.76	30.67
RMS	5.7722G	55.71	68.20	-12.49	44.56	3	Vertical	178	1.55	-	34.04	7.77	30.66
PK	6.1018G	112.52	Inf	-Inf	100.65	3	Vertical	178	1.55	-	34.50	8.09	30.72
RMS	6.0938G	101.58	Inf	-Inf	89.73	3	Vertical	178	1.55	-	34.48	8.08	30.71

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 14.5/14
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7378G	71.27	88.20	-16.93	60.20	3	Horizontal	185	2.08	-	34.00	7.74	30.67			
RMS	5.8106G	54.69	68.20	-13.51	43.46	3	Horizontal	185	2.08	-	34.08	7.81	30.66			
PK	6.0986G	108.39	Inf	-Inf	96.53	3	Horizontal	185	2.08	-	34.49	8.08	30.71			
RMS	6.0994G	97.86	Inf	-Inf	86.00	3	Horizontal	185	2.08	-	34.50	8.08	30.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 14.5/14
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05062G	47.46	74.00	-26.54	61.87	3	Vertical	261	1.76	-	39.20	12.08	65.69			
AV	12.0501G	33.07	54.00	-20.93	47.48	3	Vertical	261	1.76	-	39.20	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
 Setting 14.5/14
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05834G	46.26	74.00	-27.74	60.64	3	Horizontal	340	2.13	-	39.23	12.08	65.69			
AV	12.04698G	33.00	54.00	-21.00	47.43	3	Horizontal	340	2.13	-	39.19	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
 Setting 14.5/14
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07578G	44.07	83.54	-39.47	39.45	1	Vertical	199	1.61	-	37.55	15.29	48.22			
RMS	18.07468G	31.69	63.54	-31.85	27.06	1	Vertical	199	1.61	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT_V_1TX
 Setting 14.5/14
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07568G	44.48	83.54	-39.06	39.86	1	Horizontal	55	2.30	-	37.55	15.29	48.22			
RMS	18.07471G	31.69	63.54	-31.85	27.06	1	Horizontal	55	2.30	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 21/9.5
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	82.03	88.20	-6.17	76.96	3	Vertical	9	1.77	-	32.40	7.27	34.60			
RMS	5.925G	66.25	68.20	-1.95	61.18	3	Vertical	9	1.77	-	32.40	7.27	34.60			
PK	6.1642G	111.74	Inf	-Inf	106.12	3	Vertical	9	1.77	-	32.73	7.41	34.52			
RMS	6.1354G	100.60	Inf	-Inf	95.12	3	Vertical	9	1.77	-	32.64	7.39	34.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 21/9.5
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	77.85	88.20	-10.35	72.78	3	Horizontal	11	1.80	-	32.40	7.26	34.59			
RMS	5.9242G	64.93	68.20	-3.27	59.86	3	Horizontal	11	1.80	-	32.40	7.27	34.60			
PK	6.1794G	108.81	Inf	-Inf	103.13	3	Horizontal	11	1.80	-	32.76	7.42	34.50			
RMS	6.1346G	99.04	Inf	-Inf	93.56	3	Horizontal	11	1.80	-	32.64	7.39	34.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21/9.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21312G	46.62	74.00	-27.38	61.05	3	Vertical	316	1.85	-	39.05	12.07	65.55			
AV	12.2071G	32.54	54.00	-21.46	46.95	3	Vertical	316	1.85	-	39.07	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT Y_1TX
 Setting 21/9.5
 06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21602G	46.14	74.00	-27.86	60.58	3	Horizontal	30	1.26	-	39.04	12.07	65.55			
AV	12.21844G	32.85	54.00	-21.15	47.29	3	Horizontal	30	1.26	-	39.03	12.07	65.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
 Setting 21/9.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31405G	44.41	83.54	-39.13	39.77	1	Vertical	18	2.77	-	37.63	15.27	48.26			
RMS	18.31442G	32.25	63.54	-31.29	27.61	1	Vertical	18	2.77	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_V_1TX
 Setting 21/9.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31512G	44.41	83.54	-39.13	39.77	1	Horizontal	49	2.34	-	37.63	15.27	48.26			
RMS	18.31446G	32.15	63.54	-31.39	27.51	1	Horizontal	49	2.34	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21/8.5
 06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	77.33	88.20	-10.87	72.27	3	Vertical	8	1.78	-	32.40	7.26	34.60			
RMS	5.925G	67.14	68.20	-1.06	62.07	3	Vertical	8	1.78	-	32.40	7.27	34.60			
PK	6.1674G	111.05	Inf	-Inf	105.43	3	Vertical	8	1.78	-	32.73	7.41	34.52			
RMS	6.1618G	101.06	Inf	-Inf	95.45	3	Vertical	8	1.78	-	32.72	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21/8.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	75.75	88.20	-12.45	70.68	3	Horizontal	4	1.69	-	32.40	7.27	34.60			
RMS	5.9234G	65.37	68.20	-2.83	60.30	3	Horizontal	4	1.69	-	32.40	7.27	34.60			
PK	6.1818G	110.02	Inf	-Inf	104.34	3	Horizontal	4	1.69	-	32.76	7.42	34.50			
RMS	6.1586G	99.56	Inf	-Inf	93.95	3	Horizontal	4	1.69	-	32.72	7.41	34.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21/8.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21682G	46.19	74.00	-27.81	60.63	3	Vertical	349	2.16	-	39.03	12.07	65.54			
AV	12.2011G	32.66	54.00	-21.34	47.05	3	Vertical	349	2.16	-	39.10	12.07	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 21/8.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21848G	45.46	74.00	-28.54	59.90	3	Horizontal	208	2.41	-	39.03	12.07	65.54			
AV	12.21986G	32.67	54.00	-21.33	47.12	3	Horizontal	208	2.41	-	39.02	12.07	65.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
 Setting 21/8.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31495G	44.12	83.54	-39.42	39.48	1	Vertical	357	1.65	-	37.63	15.27	48.26			
RMS	18.31417G	32.05	63.54	-31.49	27.41	1	Vertical	357	1.65	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT_V_1TX
 Setting 21/8.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31426G	44.12	83.54	-39.42	39.48	1	Horizontal	296	2.13	-	37.63	15.27	48.26			
RMS	18.31516G	32.15	63.54	-31.39	27.51	1	Horizontal	296	2.13	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 18/10.5
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.811G	68.10	88.20	-20.10	56.87	3	Vertical	180	1.66	-	34.08	7.81	30.66			
RMS	5.925G	55.09	68.20	-13.11	43.64	3	Vertical	180	1.66	-	34.20	7.88	30.63			
PK	6.2634G	109.93	Inf	-Inf	97.95	3	Vertical	180	1.66	-	34.57	8.30	30.89			
RMS	6.2214G	100.23	Inf	-Inf	88.21	3	Vertical	180	1.66	-	34.60	8.26	30.84			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_Y_1TX
 Setting 18/10.5
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7378G	69.32	88.20	-18.88	58.25	3	Horizontal	184	1.73	-	34.00	7.74	30.67			
RMS	5.7726G	54.18	68.20	-14.02	43.01	3	Horizontal	184	1.73	-	34.05	7.78	30.66			
PK	6.2166G	108.18	Inf	-Inf	96.16	3	Horizontal	184	1.73	-	34.60	8.26	30.84			
RMS	6.2118G	96.95	Inf	-Inf	84.93	3	Horizontal	184	1.73	-	34.60	8.25	30.83			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
 Setting 18/10.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20438G	45.39	74.00	-28.61	59.80	3	Vertical	215	2.42	-	39.08	12.07	65.56			
AV	12.21968G	32.37	54.00	-21.63	46.82	3	Vertical	215	2.42	-	39.02	12.07	65.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT Y_1TX
 Setting 18/10.5
 06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21698G	45.02	74.00	-28.98	59.46	3	Horizontal	168	1.95	-	39.03	12.07	65.54			
AV	12.21162G	32.30	54.00	-21.70	46.73	3	Horizontal	168	1.95	-	39.05	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
 Setting 18/10.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31449G	44.00	83.54	-39.54	39.36	1	Vertical	283	2.97	-	37.63	15.27	48.26			
RMS	18.31404G	31.65	63.54	-31.89	27.01	1	Vertical	283	2.97	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT_V_1TX
 Setting 18/10.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31547G	44.34	83.54	-39.20	39.70	1	Horizontal	276	1.57	-	37.63	15.27	48.26			
RMS	18.31497G	31.75	63.54	-31.79	27.11	1	Horizontal	276	1.57	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22.5/9.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9222G	79.58	88.20	-8.62	74.51	3	Vertical	2	1.89	-	32.40	7.27	34.60			
RMS	5.9226G	66.78	68.20	-1.42	61.71	3	Vertical	2	1.89	-	32.40	7.27	34.60			
PK	5.981G	118.61	Inf	-Inf	113.50	3	Vertical	2	1.89	-	32.46	7.31	34.66			
RMS	6.0178G	108.22	Inf	-Inf	103.05	3	Vertical	2	1.89	-	32.50	7.33	34.66			



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22.5/9.5
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9114G	78.25	88.20	-9.95	73.18	3	Horizontal	2	1.69	-	32.40	7.26	34.59			
RMS	5.9138G	64.77	68.20	-3.43	59.70	3	Horizontal	2	1.69	-	32.40	7.26	34.59			
PK	6.0066G	118.78	Inf	-Inf	113.63	3	Horizontal	2	1.69	-	32.50	7.32	34.67			
RMS	6.0082G	108.70	Inf	-Inf	103.55	3	Horizontal	2	1.69	-	32.50	7.32	34.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22.5/9.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.975G	45.47	74.00	-28.53	60.22	3	Vertical	298	1.06	-	38.95	12.06	65.76			
AV	11.96994G	32.99	54.00	-21.01	47.75	3	Vertical	298	1.06	-	38.94	12.06	65.76			
PK	17.96348G	61.25	74.00	-12.75	58.06	3	Vertical	326	1.35	-	51.45	14.09	62.35			
AV	17.96474G	48.84	54.00	-5.16	45.59	3	Vertical	326	1.35	-	51.51	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22.5/9.5
 06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97442G	44.55	74.00	-29.45	59.30	3	Horizontal	130	2.86	-	38.95	12.06	65.76			
AV	11.96982G	33.22	54.00	-20.78	47.98	3	Horizontal	130	2.86	-	38.94	12.06	65.76			
PK	17.94848G	60.81	74.00	-13.19	58.36	3	Horizontal	178	1.03	-	50.75	14.08	62.38			
AV	17.96012G	48.87	54.00	-5.13	45.85	3	Horizontal	178	1.03	-	51.29	14.09	62.36			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22.5/9.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93698G	45.72	83.54	-37.82	37.04	1	Vertical	132	2.02	-	39.00	17.31	47.63			
RMS	23.93868G	33.42	63.54	-30.12	24.73	1	Vertical	132	2.02	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 22.5/9.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93674G	45.52	83.54	-38.02	36.84	1	Horizontal	345	1.80	-	39.00	17.31	47.63			
RMS	23.9447G	33.56	63.54	-29.98	24.86	1	Horizontal	345	1.80	-	39.00	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting 18/12
02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9018G	70.40	88.20	-17.80	58.96	3	Vertical	179	1.63	-	34.20	7.87	30.63			
RMS	5.901G	56.72	68.20	-11.48	45.28	3	Vertical	179	1.63	-	34.20	7.87	30.63			
PK	6.0162G	119.88	Inf	-Inf	108.25	3	Vertical	179	1.63	-	34.30	7.96	30.63			
RMS	6.0178G	109.76	Inf	-Inf	98.13	3	Vertical	179	1.63	-	34.30	7.96	30.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 18/12
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	69.98	88.20	-18.22	58.54	3	Horizontal	182	1.45	-	34.20	7.87	30.63			
RMS	5.8922G	55.92	68.20	-12.28	44.53	3	Horizontal	182	1.45	-	34.17	7.86	30.64			
PK	6.0106G	120.22	Inf	-Inf	108.59	3	Horizontal	182	1.45	-	34.30	7.95	30.62			
RMS	6.009G	109.59	Inf	-Inf	97.97	3	Horizontal	182	1.45	-	34.30	7.94	30.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 18/12
 02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96444G	44.88	74.00	-29.12	59.65	3	Vertical	184	1.69	-	38.93	12.06	65.76			
AV	11.96978G	32.94	54.00	-21.06	47.70	3	Vertical	184	1.69	-	38.94	12.06	65.76			
PK	17.9626G	61.39	74.00	-12.61	58.25	3	Vertical	202	1.59	-	51.40	14.09	62.35			
AV	17.9641G	48.91	54.00	-5.09	45.69	3	Vertical	202	1.59	-	51.48	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 18/12
 02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96032G	44.81	74.00	-29.19	59.61	3	Horizontal	10	1.57	-	38.92	12.05	65.77			
AV	11.96982G	32.88	54.00	-21.12	47.64	3	Horizontal	10	1.57	-	38.94	12.06	65.76			
PK	17.96464G	61.45	74.00	-12.55	58.21	3	Horizontal	220	1.40	-	51.50	14.09	62.35			
AV	17.96416G	48.94	54.00	-5.06	45.72	3	Horizontal	220	1.40	-	51.48	14.09	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 18/12
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93704G	45.49	83.54	-38.05	36.81	1	Vertical	312	1.80	-	39.00	17.31	47.63			
RMS	23.94014G	33.42	63.54	-30.12	24.73	1	Vertical	312	1.80	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 18/12
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93648G	45.46	83.54	-38.08	36.78	1	Horizontal	345	1.66	-	39.00	17.31	47.63			
RMS	23.9354G	33.40	63.54	-30.14	24.72	1	Horizontal	345	1.66	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9085G	81.33	88.20	-6.87	76.25	3	Vertical	7	1.80	-	32.40	7.26	34.58			
RMS	5.9225G	67.87	68.20	-0.33	62.80	3	Vertical	7	1.80	-	32.40	7.27	34.60			
PK	6.038G	116.14	Inf	-Inf	110.94	3	Vertical	7	1.80	-	32.50	7.34	34.64			
RMS	6.0975G	107.02	Inf	-Inf	101.73	3	Vertical	7	1.80	-	32.50	7.37	34.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9125G	78.81	88.20	-9.39	73.74	3	Horizontal	11	1.80	-	32.40	7.26	34.59			
RMS	5.9115G	65.55	68.20	-2.65	60.48	3	Horizontal	11	1.80	-	32.40	7.26	34.59			
PK	6.086G	116.17	Inf	-Inf	110.90	3	Horizontal	11	1.80	-	32.50	7.37	34.60			
RMS	6.088G	106.51	Inf	-Inf	101.23	3	Horizontal	11	1.80	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0526G	45.22	74.00	-28.78	59.62	3	Vertical	148	2.38	-	39.21	12.08	65.69			
AV	12.05722G	33.11	54.00	-20.89	47.49	3	Vertical	148	2.38	-	39.23	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0489G	45.37	74.00	-28.63	59.79	3	Horizontal	188	2.31	-	39.20	12.08	65.70			
AV	12.04616G	32.89	54.00	-21.11	47.33	3	Horizontal	188	2.31	-	39.18	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0751G	44.01	83.54	-39.53	39.39	1	Vertical	347	2.89	-	37.55	15.29	48.22			
RMS	18.07457G	31.86	63.54	-31.68	27.23	1	Vertical	347	2.89	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07473G	43.69	83.54	-39.85	39.06	1	Horizontal	13	2.89	-	37.55	15.29	48.21			
RMS	18.07491G	31.94	63.54	-31.60	27.31	1	Horizontal	13	2.89	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21.5/9.5
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	80.64	88.20	-7.56	75.57	3	Vertical	9	1.60	-	32.40	7.26	34.59			
RMS	5.9225G	66.68	68.20	-1.52	61.61	3	Vertical	9	1.60	-	32.40	7.27	34.60			
PK	6.0395G	115.57	Inf	-Inf	110.37	3	Vertical	9	1.60	-	32.50	7.34	34.64			
RMS	6.098G	107.17	Inf	-Inf	101.88	3	Vertical	9	1.60	-	32.50	7.37	34.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21.5/9.5
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	77.14	88.20	-11.06	72.07	3	Horizontal	8	1.80	-	32.40	7.25	34.58
RMS	5.913G	64.55	68.20	-3.65	59.48	3	Horizontal	8	1.80	-	32.40	7.26	34.59
PK	6.0865G	115.96	Inf	-Inf	110.69	3	Horizontal	8	1.80	-	32.50	7.37	34.60
RMS	6.0875G	106.94	Inf	-Inf	101.66	3	Horizontal	8	1.80	-	32.50	7.37	34.59

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 21.5/9.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0566G	45.36	74.00	-28.64	59.74	3	Vertical	228	2.25	-	39.23	12.08	65.69			
AV	12.0401G	32.91	54.00	-21.09	47.37	3	Vertical	228	2.25	-	39.16	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 21.5/9.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04456G	46.63	74.00	-27.37	61.07	3	Horizontal	35	2.56	-	39.18	12.08	65.70			
AV	12.05482G	32.91	54.00	-21.09	47.30	3	Horizontal	35	2.56	-	39.22	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 21.5/9.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07543G	43.93	83.54	-39.61	39.31	1	Vertical	106	2.56	-	37.55	15.29	48.22			
RMS	18.07468G	31.69	63.54	-31.85	27.06	1	Vertical	106	2.56	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 21.5/9.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07578G	43.76	83.54	-39.78	39.14	1	Horizontal	25	1.78	-	37.55	15.29	48.22			
RMS	18.07486G	31.77	63.54	-31.77	27.14	1	Horizontal	25	1.78	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 18.5/11.5
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7466G	69.34	88.20	-18.86	58.26	3	Vertical	180	1.59	-	34.00	7.75	30.67			
RMS	5.9218G	56.67	68.20	-11.53	45.22	3	Vertical	180	1.59	-	34.20	7.88	30.63			
PK	6.0986G	117.23	Inf	-Inf	105.37	3	Vertical	180	1.59	-	34.49	8.08	30.71			
RMS	6.0986G	106.86	Inf	-Inf	95.00	3	Vertical	180	1.59	-	34.49	8.08	30.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting 18.5/11.5
02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7474G	69.65	88.20	-18.55	58.57	3	Horizontal	183	1.72	-	34.00	7.75	30.67			
RMS	5.925G	55.65	68.20	-12.55	44.20	3	Horizontal	183	1.72	-	34.20	7.88	30.63			
PK	6.089G	116.16	Inf	-Inf	104.33	3	Horizontal	183	1.72	-	34.46	8.07	30.70			
RMS	6.0882G	106.42	Inf	-Inf	94.60	3	Horizontal	183	1.72	-	34.45	8.07	30.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 18.5/11.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04548G	45.31	74.00	-28.69	59.75	3	Vertical	102	2.84	-	39.18	12.08	65.70			
AV	12.0579G	32.90	54.00	-21.10	47.28	3	Vertical	102	2.84	-	39.23	12.08	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_V_2TX
 Setting 18.5/11.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0401G	45.35	74.00	-28.65	59.81	3	Horizontal	107	2.65	-	39.16	12.08	65.70			
AV	12.04276G	32.95	54.00	-21.05	47.40	3	Horizontal	107	2.65	-	39.17	12.08	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 18.5/11.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07531G	44.30	83.54	-39.24	39.68	1	Vertical	98	1.84	-	37.55	15.29	48.22			
RMS	18.07482G	31.77	63.54	-31.77	27.14	1	Vertical	98	1.84	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 18.5/11.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07481G	44.76	83.54	-38.78	40.13	1	Horizontal	126	2.39	-	37.55	15.29	48.21			
RMS	18.07424G	31.78	63.54	-31.76	27.15	1	Horizontal	126	2.39	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	76.29	88.20	-11.91	71.23	3	Vertical	9	1.80	-	32.40	7.26	34.60			
RMS	5.9218G	66.87	68.20	-1.33	61.80	3	Vertical	9	1.80	-	32.40	7.27	34.60			
PK	6.1386G	112.73	Inf	-Inf	107.22	3	Vertical	9	1.80	-	32.65	7.40	34.54			
RMS	6.1578G	104.31	Inf	-Inf	98.71	3	Vertical	9	1.80	-	32.72	7.41	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	78.17	88.20	-10.03	73.11	3	Horizontal	4	1.74	-	32.40	7.26	34.60			
RMS	5.9114G	64.49	68.20	-3.71	59.42	3	Horizontal	4	1.74	-	32.40	7.26	34.59			
PK	6.149G	113.56	Inf	-Inf	107.99	3	Horizontal	4	1.74	-	32.70	7.40	34.53			
RMS	6.1474G	104.30	Inf	-Inf	98.75	3	Horizontal	4	1.74	-	32.69	7.40	34.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20308G	45.54	74.00	-28.46	59.94	3	Vertical	43	1.33	-	39.09	12.07	65.56			
AV	12.21474G	32.89	54.00	-21.11	47.33	3	Vertical	43	1.33	-	39.04	12.07	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21592G	45.53	74.00	-28.47	59.97	3	Horizontal	185	1.44	-	39.04	12.07	65.55			
AV	12.20012G	32.73	54.00	-21.27	47.12	3	Horizontal	185	1.44	-	39.10	12.07	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31409G	44.83	83.54	-38.71	40.19	1	Vertical	323	2.12	-	37.63	15.27	48.26			
RMS	18.31573G	32.06	63.54	-31.48	27.42	1	Vertical	323	2.12	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/8.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3141G	43.56	83.54	-39.98	38.92	1	Horizontal	61	1.63	-	37.63	15.27	48.26			
RMS	18.31465G	32.15	63.54	-31.39	27.51	1	Horizontal	61	1.63	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/7.5
 06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	77.88	88.20	-10.32	72.82	3	Vertical	6	1.80	-	32.40	7.26	34.60			
RMS	5.9218G	67.51	68.20	-0.69	62.44	3	Vertical	6	1.80	-	32.40	7.27	34.60			
PK	6.157G	113.98	Inf	-Inf	108.39	3	Vertical	6	1.80	-	32.71	7.41	34.53			
RMS	6.1778G	104.77	Inf	-Inf	99.10	3	Vertical	6	1.80	-	32.76	7.42	34.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/7.5
 06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	78.73	88.20	-9.47	73.66	3	Horizontal	5	1.66	-	32.40	7.26	34.59			
RMS	5.9106G	65.33	68.20	-2.87	60.26	3	Horizontal	5	1.66	-	32.40	7.26	34.59			
PK	6.1474G	116.32	Inf	-Inf	110.77	3	Horizontal	5	1.66	-	32.69	7.40	34.54			
RMS	6.1474G	104.95	Inf	-Inf	99.40	3	Horizontal	5	1.66	-	32.69	7.40	34.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/7.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20498G	45.46	74.00	-28.54	59.87	3	Vertical	98	1.27	-	39.08	12.07	65.56			
AV	12.21996G	32.69	54.00	-21.31	47.14	3	Vertical	98	1.27	-	39.02	12.07	65.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/7.5
 06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2079G	45.70	74.00	-28.30	60.11	3	Horizontal	112	2.64	-	39.07	12.07	65.55			
AV	12.20072G	32.68	54.00	-21.32	47.07	3	Horizontal	112	2.64	-	39.10	12.07	65.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/7.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31435G	44.74	83.54	-38.80	40.10	1	Vertical	208	1.29	-	37.63	15.27	48.26			
RMS	18.31419G	32.15	63.54	-31.39	27.51	1	Vertical	208	1.29	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 23.5/7.5
 02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31401G	44.36	83.54	-39.18	39.72	1	Horizontal	298	2.50	-	37.63	15.27	48.26			
RMS	18.31467G	32.15	63.54	-31.39	27.51	1	Horizontal	298	2.50	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 22/8
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	71.76	88.20	-16.44	60.31	3	Vertical	181	1.59	-	34.20	7.88	30.63			
RMS	5.925G	58.35	68.20	-9.85	46.90	3	Vertical	181	1.59	-	34.20	7.88	30.63			
PK	6.2178G	114.37	Inf	-Inf	102.35	3	Vertical	181	1.59	-	34.60	8.26	30.84			
RMS	6.2166G	104.86	Inf	-Inf	92.84	3	Vertical	181	1.59	-	34.60	8.26	30.84			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX



EUT_Y_2TX
 Setting 22/8
 02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	73.14	88.20	-15.06	61.69	3	Horizontal	180	1.44	-	34.20	7.88	30.63			
RMS	5.925G	56.24	68.20	-11.96	44.79	3	Horizontal	180	1.44	-	34.20	7.88	30.63			
PK	6.2082G	114.91	Inf	-Inf	102.89	3	Horizontal	180	1.44	-	34.60	8.25	30.83			
RMS	6.2274G	105.31	Inf	-Inf	93.29	3	Horizontal	180	1.44	-	34.60	8.27	30.85			