


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	PK	5.11966G	-37.86	-21.20	-16.66	7.51	0.00	-45.37	-45.37
5.11G	5.39G	1M	PK	5.3522G	-37.50	-21.20	-16.30	7.51	0.00	-45.01	-45.01

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.11G	5.39G	1M	AV	5.14976G	-51.08	-41.20	-9.88	7.51	0.00	-58.59	-58.59
5.11G	5.39G	1M	AV	5.35486G	-51.00	-41.20	-9.80	7.51	0.00	-58.51	-58.51

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5190MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.14902G	-25.51	-21.20	-4.31	7.51	0.00	-33.02	-33.02
5.07G	5.43G	1M	PK	5.35368G	-38.88	-21.20	-17.68	7.51	0.00	-46.39	-46.39

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5190MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14974G	-41.68	-41.20	-0.48	7.51	0.00	-49.19	-49.19
5.07G	5.43G	1M	AV	5.3553G	-52.67	-41.20	-11.47	7.51	0.00	-60.18	-60.18

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5230MHz

19/06/2025



Limit PK
ERP PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	PK	5.14974G	-33.87	-21.20	-12.67	7.51	0.00	-41.38	-41.38
5.07G	5.43G	1M	PK	5.35242G	-37.32	-21.20	-16.12	7.51	0.00	-44.83	-44.83

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5230MHz

19/06/2025



Limit AV
ERP AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.07G	5.43G	1M	AV	5.14992G	-47.58	-41.20	-6.38	7.51	0.00	-55.09	-55.09
5.07G	5.43G	1M	AV	5.35098G	-50.24	-41.20	-9.04	7.51	0.00	-57.75	-57.75

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.14886G	-30.54	-21.20	-9.34	7.51	0.00	-38.05	-38.05
4.99G	5.51G	1M	PK	5.3787G	-38.95	-21.20	-17.75	7.51	0.00	-46.46	-46.46
4.99G	5.51G	1M	PK	5.497G	-41.54	-27.00	-14.54	7.51	0.00	-49.05	-49.05

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.1499G	-42.76	-41.20	-1.56	7.51	0.00	-50.27	-50.27
4.99G	5.51G	1M	AV	5.35114G	-52.17	-41.20	-10.97	7.51	0.00	-59.68	-59.68

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5180MHz

19/06/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5180MHz

19/06/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5200MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.14892G	-31.62	-21.20	-10.42	9.22	0.00	-40.84	-42.44	-45.94
5.11G	5.39G	1M	PK	5.36312G	-34.91	-21.20	-13.71	9.22	0.00	-44.13	-48.02	-46.41

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5200MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.14862G	-44.40	-41.20	-3.20	9.22	0.00	-53.62	-56.12	-57.22
5.11G	5.39G	1M	AV	5.35976G	-47.73	-41.20	-6.53	9.22	0.00	-56.95	-60.03	-59.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.1275G	-33.43	-21.20	-12.23	9.22	0.00	-42.65	-46.95	-44.66
5.11G	5.39G	1M	PK	5.3529G	-32.42	-21.20	-11.22	9.22	0.00	-41.64	-44.99	-44.33

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.12652G	-46.30	-41.20	-5.10	9.22	0.00	-55.52	-58.94	-58.15
5.11G	5.39G	1M	AV	5.36312G	-45.20	-41.20	-4.00	9.22	0.00	-54.42	-57.90	-57.00

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5180MHz

19/06/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5180MHz

19/06/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5200MHz

19/06/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5200MHz

19/06/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	PK	5.12526G	-33.77	-21.20	-12.57	9.22	0.00	-42.99	-45.27	-46.87
5.11G	5.39G	1M	PK	5.35794G	-32.71	-21.20	-11.51	9.22	0.00	-41.93	-45.29	-44.61

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.39G	1M	AV	5.12862G	-46.46	-41.20	-5.26	9.22	0.00	-55.68	-59.04	-58.36
5.11G	5.39G	1M	AV	5.36606G	-45.45	-41.20	-4.25	9.22	0.00	-54.67	-58.05	-57.34

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5190MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14866G	-29.66	-21.20	-8.46	9.22	0.00	-38.88	-40.63	-43.68
5.07G	5.43G	1M	PK	5.36376G	-35.91	-21.20	-14.71	9.22	0.00	-45.13	-48.52	-47.79

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5190MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14992G	-42.67	-41.20	-1.47	9.22	0.00	-51.89	-54.15	-55.81
5.07G	5.43G	1M	AV	5.36646G	-48.35	-41.20	-7.15	9.22	0.00	-57.57	-60.71	-60.46

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5230MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	PK	5.14992G	-30.15	-21.20	-8.95	9.22	0.00	-39.37	-41.69	-43.19
5.07G	5.43G	1M	PK	5.3697G	-33.36	-21.20	-12.16	9.22	0.00	-42.58	-46.89	-44.59

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5230MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.43G	1M	AV	5.14974G	-42.71	-41.20	-1.51	9.22	0.00	-51.93	-54.98	-54.91
5.07G	5.43G	1M	AV	5.35134G	-45.96	-41.20	-4.76	9.22	0.00	-55.18	-58.09	-58.30

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5210MHz

19/06/2025



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.1486G	-29.94	-21.20	-8.74	9.22	0.00	-39.16	-41.04	-43.71
4.99G	5.51G	1M	PK	5.3514G	-35.01	-21.20	-13.81	9.22	0.00	-44.23	-48.13	-46.51
4.99G	5.51G	1M	PK	5.46684G	-37.28	-27.00	-10.28	9.22	0.00	-46.50	-49.31	-49.71

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5210MHz

19/06/2025



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.1499G	-41.80	-41.20	-0.60	9.22	0.00	-51.02	-53.37	-54.80
4.99G	5.51G	1M	AV	5.3748G	-47.97	-41.20	-6.77	9.22	0.00	-57.19	-59.99	-60.42

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5180MHz

19/06/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

5180MHz

19/06/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5200MHz

19/06/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

5200MHz

19/06/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	PK	5.12204G	-31.00	-21.20	-9.80	12.23	0.00	-43.23	-47.39	-48.37	-50.62	-52.15
5.11G	5.39G	1M	PK	5.3606G	-29.06	-21.20	-7.86	12.23	0.00	-41.29	-47.66	-44.43	-49.39	-50.21

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	AV	5.12694G	-43.02	-41.20	-1.82	12.23	0.00	-55.25	-60.75	-59.70	-62.50	-62.93
5.11G	5.39G	1M	AV	5.36312G	-41.56	-41.20	-0.36	12.23	0.00	-53.79	-59.01	-57.93	-61.67	-62.02

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5180MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	PK	5.14724G	-28.90	-21.20	-7.70	12.23	0.00	-41.13	-46.86	-45.74	-47.90	-48.64
5.11G	5.39G	1M	PK	5.3585G	-31.36	-21.20	-10.16	12.23	0.00	-43.59	-50.09	-49.70	-49.89	-48.87

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5180MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	AV	5.14976G	-41.35	-41.20	-0.15	12.23	0.00	-53.58	-59.07	-59.45	-59.89	-60.05
5.11G	5.39G	1M	AV	5.376G	-43.85	-41.20	-2.65	12.23	0.00	-56.08	-61.95	-62.10	-62.17	-62.18

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5200MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	PK	5.14892G	-29.57	-21.20	-8.37	12.23	0.00	-41.80	-46.93	-47.21	-48.21	-49.33
5.11G	5.39G	1M	PK	5.36214G	-29.91	-21.20	-8.71	12.23	0.00	-42.14	-49.36	-48.82	-50.21	-45.71

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5200MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	AV	5.14906G	-41.68	-41.20	-0.48	12.23	0.00	-53.91	-59.94	-59.69	-60.36	-59.77
5.11G	5.39G	1M	AV	5.3613G	-42.06	-41.20	-0.86	12.23	0.00	-54.29	-61.60	-61.30	-61.64	-57.95

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	PK	5.11224G	-30.78	-21.20	-9.58	12.23	0.00	-43.01	-48.40	-47.20	-50.34	-51.40
5.11G	5.39G	1M	PK	5.35472G	-29.10	-21.20	-7.90	12.23	0.00	-41.33	-44.49	-47.47	-49.27	-50.79

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5240MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.11G	5.39G	1M	AV	5.1275G	-43.04	-41.20	-1.84	12.23	0.00	-55.27	-60.66	-59.88	-62.46	-62.87
5.11G	5.39G	1M	AV	5.3515G	-41.71	-41.20	-0.51	12.23	0.00	-53.94	-58.89	-58.43	-61.81	-61.89

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5190MHz

19/06/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5190MHz

19/06/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5230MHz

19/06/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5230MHz

19/06/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.1499G	-29.32	-21.20	-8.12	12.23	0.00	-41.55	-49.06	-45.79	-47.73	-48.44
4.99G	5.51G	1M	PK	5.36256G	-30.70	-21.20	-9.50	12.23	0.00	-42.93	-50.70	-48.36	-49.30	-47.94
4.99G	5.51G	1M	PK	5.46266G	-31.68	-27.00	-4.68	12.23	0.00	-43.91	-49.92	-49.10	-50.99	-49.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5210MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.1499G	-41.57	-41.20	-0.37	12.23	0.00	-53.80	-60.60	-59.00	-59.73	-60.12
4.99G	5.51G	1M	AV	5.3748G	-42.77	-41.20	-1.57	12.23	0.00	-55.00	-61.26	-60.95	-61.18	-60.72



CSE Bandedge_R5 (External Ant.)_Multi-RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.30

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	4.99G	5.51G	PK	5.14574G	7.51	-29.93				-29.93	-22.42	-21.20	-1.22
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	Pass	4.99G	5.51G	AV	5.12078G	7.51	-52.62				-52.62	-45.11	-41.20	-3.91
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	4.99G	5.51G	AV	5.14548G	9.22	-53.60	-55.22			-51.32	-42.10	-41.20	-0.90
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	4.99G	5.51G	AV	5.12078G	9.22	-53.79	-54.73			-51.22	-42.00	-41.20	-0.80
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	4.99G	5.51G	AV	5.14548G	12.23	-59.07	-59.79	-60.37	-59.31	-53.59	-41.36	-41.20	-0.16
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	4.99G	5.51G	AV	5.11376G	12.23	-57.61	-60.41	-60.76	-60.44	-53.58	-41.35	-41.20	-0.15

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_R5 (External Ant.)_Multi-RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.30

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14678G	7.51	-50.79				-50.79	-43.28	-41.20	-2.08
5210MHz	Pass	4.99G	5.51G	AV	5.3501G	7.51	-57.64				-57.64	-50.13	-41.20	-8.93
5210MHz	Pass	4.99G	5.51G	PK	5.14574G	7.51	-29.93				-29.93	-22.42	-21.20	-1.22
5210MHz	Pass	4.99G	5.51G	PK	5.3592G	7.51	-37.98				-37.98	-30.47	-21.20	-9.27
5210MHz	Pass	4.99G	5.51G	PK	5.51G	7.51	-49.83				-49.83	-42.32	-27.00	-15.32
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.12078G	7.51	-52.62				-52.62	-45.11	-41.20	-3.91
5210MHz	Pass	4.99G	5.51G	AV	5.36414G	7.51	-59.33				-59.33	-51.82	-41.20	-10.62
5210MHz	Pass	4.99G	5.51G	PK	5.12G	7.51	-40.82				-40.82	-33.31	-21.20	-12.11
5210MHz	Pass	4.99G	5.51G	PK	5.3579G	7.51	-45.60				-45.60	-38.09	-21.20	-16.89
5210MHz	Pass	4.99G	5.51G	PK	5.46944G	7.51	-49.77				-49.77	-42.26	-27.00	-15.26
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14548G	9.22	-53.60	-55.22			-51.32	-42.10	-41.20	-0.90
5210MHz	Pass	4.99G	5.51G	AV	5.35426G	9.22	-59.40	-59.03			-56.20	-46.98	-41.20	-5.78
5210MHz	Pass	4.99G	5.51G	PK	5.14938G	9.22	-35.65	-34.79			-32.19	-22.97	-21.20	-1.77
5210MHz	Pass	4.99G	5.51G	PK	5.35582G	9.22	-46.67	-42.99			-41.44	-32.22	-21.20	-11.02
5210MHz	Pass	4.99G	5.51G	PK	5.46216G	9.22	-49.05	-52.16			-47.32	-38.10	-27.00	-11.10
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.12078G	9.22	-53.79	-54.73			-51.22	-42.00	-41.20	-0.80
5210MHz	Pass	4.99G	5.51G	AV	5.3514G	9.22	-59.89	-59.42			-56.64	-47.42	-41.20	-6.22
5210MHz	Pass	4.99G	5.51G	PK	5.1265G	9.22	-43.20	-33.29			-32.87	-23.65	-21.20	-2.45
5210MHz	Pass	4.99G	5.51G	PK	5.35036G	9.22	-40.14	-43.84			-38.60	-29.38	-21.20	-8.18
5210MHz	Pass	4.99G	5.51G	PK	5.50818G	9.22	-51.12	-50.40			-47.73	-38.51	-27.00	-11.51
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14548G	12.23	-59.07	-59.79	-60.37	-59.31	-53.59	-41.36	-41.20	-0.16
5210MHz	Pass	4.99G	5.51G	AV	5.35816G	12.23	-61.15	-61.10	-60.75	-59.91	-54.68	-42.45	-41.20	-1.25
5210MHz	Pass	4.99G	5.51G	PK	5.13612G	12.23	-47.20	-49.22	-48.18	-47.58	-41.96	-29.73	-21.20	-8.53
5210MHz	Pass	4.99G	5.51G	PK	5.36206G	12.23	-51.72	-51.20	-50.43	-48.19	-44.14	-31.91	-21.20	-10.71
5210MHz	Pass	4.99G	5.51G	PK	5.4957G	12.23	-52.66	-50.61	-49.35	-51.65	-44.87	-32.64	-27.00	-5.64
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.11376G	12.23	-57.61	-60.41	-60.76	-60.44	-53.58	-41.35	-41.20	-0.15
5210MHz	Pass	4.99G	5.51G	AV	5.38572G	12.23	-61.50	-61.34	-60.98	-59.88	-54.86	-42.63	-41.20	-1.43
5210MHz	Pass	4.99G	5.51G	PK	5.12728G	12.23	-47.57	-47.60	-48.78	-49.79	-42.32	-30.09	-21.20	-8.89
5210MHz	Pass	4.99G	5.51G	PK	5.36258G	12.23	-50.57	-49.82	-49.66	-50.91	-44.19	-31.96	-21.20	-10.76
5210MHz	Pass	4.99G	5.51G	PK	5.49388G	12.23	-51.67	-48.81	-52.45	-52.54	-45.06	-32.83	-27.00	-5.83


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE Bandedge [PK]

5210MHz

19/06/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE Bandedge [AV]

5210MHz

19/06/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE Bandedge [PK]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.12G	-33.31	-21.20	-12.11	7.51	0.00	-40.82	-40.82
4.99G	5.51G	1M	PK	5.3579G	-38.09	-21.20	-16.89	7.51	0.00	-45.60	-45.60
4.99G	5.51G	1M	PK	5.46944G	-42.26	-27.00	-15.26	7.51	0.00	-49.77	-49.77

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE Bandedge [AV]

5210MHz

19/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.12078G	-45.11	-41.20	-3.91	7.51	0.00	-52.62	-52.62
4.99G	5.51G	1M	AV	5.36414G	-51.82	-41.20	-10.62	7.51	0.00	-59.33	-59.33

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE Bandedge [PK]

5210MHz

19/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.14938G	-22.97	-21.20	-1.77	9.22	0.00	-32.19	-35.65	-34.79
4.99G	5.51G	1M	PK	5.35582G	-32.22	-21.20	-11.02	9.22	0.00	-41.44	-46.67	-42.99
4.99G	5.51G	1M	PK	5.46216G	-38.10	-27.00	-11.10	9.22	0.00	-47.32	-49.05	-52.16

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE Bandedge [AV]

5210MHz

19/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.14548G	-42.10	-41.20	-0.90	9.22	0.00	-51.32	-53.60	-55.22
4.99G	5.51G	1M	AV	5.35426G	-46.98	-41.20	-5.78	9.22	0.00	-56.20	-59.40	-59.03

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE Bandedge [PK]

5210MHz

19/06/2025





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.1265G	-25.65	-21.20	-2.45	9.22	0.00	-32.87	-43.20	-33.29
4.99G	5.51G	1M	PK	5.35036G	-29.38	-21.20	-8.18	9.22	0.00	-38.60	-40.14	-43.54
4.99G	5.51G	1M	PK	5.50816G	-38.51	-27.00	-11.51	9.22	0.00	-47.73	-51.12	-50.40

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE Bandedge [AV]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.12078G	-42.00	-41.20	-0.80	9.22	0.00	-51.22	-53.79	-54.73
4.99G	5.51G	1M	AV	5.3514G	-47.42	-41.20	-6.22	9.22	0.00	-56.64	-59.89	-59.42

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [PK]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.13612G	-29.73	-21.20	-8.53	12.23	0.00	-41.96	-47.20	-49.22	-48.18	-47.58
4.99G	5.51G	1M	PK	5.36206G	-31.91	-21.20	-10.71	12.23	0.00	-44.14	-51.72	-51.20	-50.43	-48.19
4.99G	5.51G	1M	PK	5.4957G	-32.64	-27.00	-5.64	12.23	0.00	-44.87	-52.66	-50.61	-49.35	-51.65

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [AV]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.14548G	-41.36	-41.20	-0.16	12.23	0.00	-53.59	-59.07	-59.79	-60.37	-59.31
4.99G	5.51G	1M	AV	5.35816G	-42.45	-41.20	-1.25	12.23	0.00	-54.68	-61.15	-61.10	-60.75	-59.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [PK]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.12728G	-30.09	-21.20	-8.89	12.23	0.00	-42.32	-47.57	-47.60	-48.78	-49.79
4.99G	5.51G	1M	PK	5.36258G	-31.96	-21.20	-10.76	12.23	0.00	-44.19	-50.57	-49.82	-49.66	-50.91
4.99G	5.51G	1M	PK	5.49388G	-32.83	-27.00	-5.83	12.23	0.00	-45.06	-51.67	-48.81	-52.45	-52.54

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [AV]

5210MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.11376G	-41.35	-41.20	-0.15	12.23	0.00	-53.58	-57.61	-60.41	-60.76	-60.44
4.99G	5.51G	1M	AV	5.38572G	-42.63	-41.20	-1.43	12.23	0.00	-54.86	-61.50	-61.34	-60.98	-59.88



CSE Bandedge_R5 (External Ant.)_Puncturing
(Parent Device / FCC ID: UDX-600216010)

Appendix E.31

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	4.99G	5.51G	AV	5.13482G	7.51	-51.56				-51.56	-44.05	-41.20	-2.85
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	4.99G	5.51G	AV	5.14158G	9.22	-53.54	-54.72			-51.08	-41.86	-41.20	-0.66
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	4.99G	5.51G	AV	5.14964G	12.23	-59.66	-60.12	-60.77	-59.41	-53.94	-41.71	-41.20	-0.51

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_R5 (External Ant.)_Puncturing
(Parent Device / FCC ID: UDX-600216010)

Appendix E.31

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.13482G	7.51	-51.56				-51.56	-44.05	-41.20	-2.85
5210MHz	Pass	4.99G	5.51G	AV	5.35582G	7.51	-58.79				-58.79	-51.28	-41.20	-10.08
5210MHz	Pass	4.99G	5.51G	PK	5.13378G	7.51	-37.78				-37.78	-30.27	-21.20	-9.07
5210MHz	Pass	4.99G	5.51G	PK	5.35192G	7.51	-46.95				-46.95	-39.44	-21.20	-18.24
5210MHz	Pass	4.99G	5.51G	PK	5.46034G	7.51	-49.47				-49.47	-41.96	-27.00	-14.96
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14158G	9.22	-53.54	-54.72			-51.08	-41.86	-41.20	-0.66
5210MHz	Pass	4.99G	5.51G	AV	5.3501G	9.22	-58.97	-59.05			-56.00	-46.78	-41.20	-5.58
5210MHz	Pass	4.99G	5.51G	PK	5.14704G	9.22	-40.94	-32.02			-31.50	-22.28	-21.20	-1.08
5210MHz	Pass	4.99G	5.51G	PK	5.35712G	9.22	-44.83	-43.45			-41.08	-31.86	-21.20	-10.66
5210MHz	Pass	4.99G	5.51G	PK	5.4671G	9.22	-50.63	-50.74			-47.67	-38.45	-27.00	-11.45
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.51G	AV	5.14964G	12.23	-59.66	-60.12	-60.77	-59.41	-53.94	-41.71	-41.20	-0.51
5210MHz	Pass	4.99G	5.51G	AV	5.36726G	12.23	-61.10	-61.00	-61.00	-59.87	-54.69	-42.46	-41.20	-1.26
5210MHz	Pass	4.99G	5.51G	PK	5.13586G	12.23	-44.49	-49.70	-50.98	-41.18	-38.85	-26.62	-21.20	-5.42
5210MHz	Pass	4.99G	5.51G	PK	5.3748G	12.23	-51.58	-51.58	-51.31	-47.25	-43.96	-31.73	-21.20	-10.53
5210MHz	Pass	4.99G	5.51G	PK	5.48478G	12.23	-49.51	-52.43	-50.72	-51.72	-44.93	-32.70	-27.00	-5.70


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

CSE Bandedge [PK]

5210MHz

15/02/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.13378G	-30.27	-21.20	-9.07	7.51	0.00	-37.78	-37.78
4.99G	5.51G	1M	PK	5.35192G	-39.44	-21.20	-18.24	7.51	0.00	-46.95	-46.95
4.99G	5.51G	1M	PK	5.46034G	-41.96	-27.00	-14.96	7.51	0.00	-49.47	-49.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

CSE Bandedge [AV]

5210MHz

15/02/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.13482G	-44.05	-41.20	-2.85	7.51	0.00	-51.56	-51.56
4.99G	5.51G	1M	AV	5.35582G	-51.28	-41.20	-10.08	7.51	0.00	-58.79	-58.79

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

CSE Bandedge [PK]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	PK	5.14704G	-22.28	-21.20	-1.08	9.22	0.00	-31.50	-40.94	-32.02
4.99G	5.51G	1M	PK	5.35712G	-31.86	-21.20	-10.66	9.22	0.00	-41.08	-44.83	-43.45
4.99G	5.51G	1M	PK	5.4671G	-38.45	-27.00	-11.45	9.22	0.00	-47.67	-50.63	-50.74

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

CSE Bandedge [AV]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.51G	1M	AV	5.14158G	-41.86	-41.20	-0.66	9.22	0.00	-51.08	-53.54	-54.72
4.99G	5.51G	1M	AV	5.3501G	-46.78	-41.20	-5.58	9.22	0.00	-56.00	-58.97	-59.05

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5210MHz

19/06/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	PK	5.13586G	-26.62	-21.20	-5.42	12.23	0.00	-38.85	-44.49	-49.70	-50.98	-41.18
4.99G	5.51G	1M	PK	5.3748G	-31.73	-21.20	-10.53	12.23	0.00	-43.96	-51.58	-51.58	-51.31	-47.25
4.99G	5.51G	1M	PK	5.48478G	-32.70	-27.00	-5.70	12.23	0.00	-44.93	-49.51	-52.43	-50.72	-51.72

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [AV]

5210MHz

19/06/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
4.99G	5.51G	1M	AV	5.14964G	-41.71	-41.20	-0.51	12.23	0.00	-53.94	-59.66	-60.12	-60.77	-59.41
4.99G	5.51G	1M	AV	5.36726G	-42.46	-41.20	-1.26	12.23	0.00	-54.69	-61.10	-61.00	-61.00	-59.87



RSE TX above 1GHz (Cabinet)_R1
(Parent Device / FCC ID: UDX-600216010)


Appendix E.32

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	15.70818G	48.19	54.00	-5.81	3	Vertical	63	2.55	-

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
 Setting 21
 05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48888G	56.40	68.20	-11.80	40.08	3	Vertical	222	2.18	-	38.82	11.33	33.83			
PK	15.7056G	60.66	74.00	-13.34	41.59	3	Vertical	63	2.55	-	38.11	14.24	33.28			
AV	15.70818G	48.19	54.00	-5.81	29.10	3	Vertical	63	2.55	-	38.12	14.24	33.27			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX



EUT Y_1TX
 Setting 21
 05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48228G	56.32	68.20	-11.88	39.97	3	Horizontal	206	2.53	-	38.84	11.33	33.82			
PK	15.73002G	60.42	74.00	-13.58	41.26	3	Horizontal	80	1.90	-	38.16	14.24	33.24			
AV	15.70758G	48.19	54.00	-5.81	29.10	3	Horizontal	80	1.90	-	38.12	14.24	33.27			



RSE TX above 1GHz (Cabinet)_R3
(Parent Device / FCC ID: UDX-600216010)


Appendix E.33

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	15.58758G	47.84	54.00	-6.16	3	Vertical	94	1.43	-

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
 Setting 22
 05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40222G	57.39	68.20	-10.81	40.89	3	Vertical	329	1.60	-	38.90	11.28	33.68			
PK	15.60702G	61.08	74.00	-12.92	42.11	3	Vertical	94	1.43	-	38.16	14.24	33.43			
AV	15.58758G	47.84	54.00	-6.16	28.81	3	Vertical	94	1.43	-	38.25	14.24	33.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX

EUT Y_2TX
Setting 22
05-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4033G	57.39	68.20	-10.81	40.89	3	Horizontal	55	2.28	-	38.90	11.28	33.68			
PK	15.59058G	60.42	74.00	-13.58	41.39	3	Horizontal	140	2.70	-	38.24	14.24	33.45			
AV	15.59562G	47.84	54.00	-6.16	28.82	3	Horizontal	140	2.70	-	38.22	14.24	33.44			



RSE TX above 1GHz (Cabinet)_R5 (Internal Ant.)
(Variant Device / FCC ID: UDX-600216020)


Appendix E.34

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	15.7347G	47.16	54.00	-6.84	3	Vertical	209	1.75	-

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_1TX
 Setting 17.5
 06-H-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.47808G	58.98	68.20	-9.22	42.69	3	Vertical	83	2.16	-	39.70	11.09	34.50				
PK	15.7269G	59.33	74.00	-14.67	42.52	3	Vertical	209	1.75	-	37.75	13.23	34.17				
AV	15.7347G	47.16	54.00	-6.84	30.34	3	Vertical	209	1.75	-	37.77	13.23	34.18				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX



EUT_Y_1TX
 Setting 17.5
 06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48216G	58.16	68.20	-10.04	41.87	3	Horizontal	145	2.15	-	39.70	11.09	34.50			
PK	15.72786G	60.15	74.00	-13.85	43.33	3	Horizontal	214	2.77	-	37.76	13.23	34.17			
AV	15.7347G	47.16	54.00	-6.84	30.34	3	Horizontal	214	2.77	-	37.77	13.23	34.18			



RSE TX above 1GHz (Cabinet)_R5 (External Ant.)
(Variant Device / FCC ID: UDX-600216020)


Appendix E.35

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	15.73464G	47.07	54.00	-6.93	3	Vertical	25	2.22	-

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
 Setting 17
 06-H-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.49206G	58.42	68.20	-9.78	42.12	3	Vertical	350	2.76	-	39.70	11.10	34.50				
PK	15.73434G	59.24	74.00	-14.76	42.42	3	Vertical	25	2.22	-	37.77	13.23	34.18				
AV	15.73464G	47.07	54.00	-6.93	30.25	3	Vertical	25	2.22	-	37.77	13.23	34.18				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX



EUT_Y_1TX
 Setting 17
 06-H-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.471G	58.36	68.20	-9.84	42.06	3	Horizontal	290	1.06	-	39.70	11.09	34.49			
PK	15.73278G	59.96	74.00	-14.04	43.14	3	Horizontal	266	1.99	-	37.77	13.23	34.18			
AV	15.73494G	47.07	54.00	-6.93	30.25	3	Horizontal	266	1.99	-	37.77	13.23	34.18			




Radiated Emission Co-location
(Parent Device / FCC ID: UDX-600216010)

Appendix F

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.24997G	42.03	54.00	-11.97	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.00033G	42.03	74.00	-31.97	-7.20	3	Vertical	24.6	1.14	-	49.23	25.19	4.51	36.90		
AV	1.00003G	37.23	54.00	-16.77	-7.19	3	Vertical	24.6	1.14	-	44.42	25.20	4.51	36.90		
PK	1.24997G	45.43	74.00	-28.57	-6.66	3	Vertical	166.4	1.32	-	52.09	25.70	4.46	36.82		
AV	1.24997G	42.03	54.00	-11.97	-6.66	3	Vertical	166.4	1.32	"Worst"	48.69	25.70	4.46	36.82		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.00004G	38.96	74.00	-35.04	-7.19	3	Horizontal	228.9	1.48	-	46.15	25.20	4.51	36.90		
AV	1.00003G	33.47	54.00	-20.53	-7.19	3	Horizontal	228.9	1.48	-	40.66	25.20	4.51	36.90		
PK	1.24993G	44.70	74.00	-29.30	-6.66	3	Horizontal	138.3	1.62	-	51.36	25.70	4.46	36.82		
AV	1.24996G	41.17	54.00	-12.83	-6.66	3	Horizontal	138.3	1.62	"Worst"	47.83	25.70	4.46	36.82		