


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5785MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.58G	-53.43	-21.20	-32.23	6.10	0.00	-59.53	-59.53
8G	40G	1M	PK	38.546G	-43.07	-27.00	-16.07	6.10	0.00	-49.17	-49.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5785MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.571G	-60.10	-41.20	-18.90	6.10	0.00	-66.20	-66.20
8G	40G	1M	AV	39.82G	-50.93	-41.20	-9.73	6.10	0.00	-57.03	-57.03

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5825MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.64G	-53.30	-21.20	-32.10	6.10	0.00	-59.40	-59.40
8G	40G	1M	PK	37.485G	-44.01	-27.00	-17.01	6.10	0.00	-50.11	-50.11

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5825MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.64G	-60.06	-41.20	-18.86	6.10	0.00	-66.16	-66.16
8G	40G	1M	AV	39.137G	-51.00	-41.20	-9.80	6.10	0.00	-57.10	-57.10

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5745MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.484G	-52.96	-21.20	-31.76	6.10	0.00	-59.06	-59.06
8G	40G	1M	PK	37.523G	-43.13	-27.00	-16.13	6.10	0.00	-49.23	-49.23

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5745MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.496G	-60.36	-41.20	-19.16	6.10	0.00	-66.46	-66.46
8G	40G	1M	AV	39.81G	-51.06	-41.20	-9.86	6.10	0.00	-57.16	-57.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5785MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.586G	-53.10	-21.20	-31.90	6.10	0.00	-59.20	-59.20
8G	40G	1M	PK	37.287G	-43.01	-27.00	-16.01	6.10	0.00	-49.11	-49.11

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5785MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.575G	-60.24	-41.20	-19.04	6.10	0.00	-66.34	-66.34
8G	40G	1M	AV	39.83G	-51.06	-41.20	-9.86	6.10	0.00	-57.16	-57.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [PK]

5825MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.649G	-53.63	-21.20	-32.43	6.10	0.00	-59.73	-59.73
8G	40G	1M	PK	36.743G	-43.21	-27.00	-16.21	6.10	0.00	-49.31	-49.31

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE [AV]

5825MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.661G	-60.23	-41.20	-19.03	6.10	0.00	-66.33	-66.33
8G	40G	1M	AV	39.845G	-50.93	-41.20	-9.73	6.10	0.00	-57.03	-57.03

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

5755MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.534G	-53.62	-21.20	-32.42	6.10	0.00	-59.72	-59.72
8G	40G	1M	PK	37.11G	-43.57	-27.00	-16.57	6.10	0.00	-49.67	-49.67

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

5755MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.478G	-60.37	-41.20	-19.17	6.10	0.00	-66.47	-66.47
8G	40G	1M	AV	39.823G	-51.06	-41.20	-9.86	6.10	0.00	-57.16	-57.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

5795MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.614G	-52.98	-21.20	-31.78	6.10	0.00	-59.08	-59.08
8G	40G	1M	PK	37.397G	-43.26	-27.00	-16.26	6.10	0.00	-49.36	-49.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

5795MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.596G	-60.30	-41.20	-19.10	6.10	0.00	-66.40	-66.40
8G	40G	1M	AV	39.844G	-50.80	-41.20	-9.60	6.10	0.00	-56.90	-56.90

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE [PK]

5775MHz

25/12/2024



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.606G	-53.36	-21.20	-32.16	6.10	0.00	-59.46	-59.46
8G	40G	1M	PK	37.935G	-43.47	-27.00	-16.47	6.10	0.00	-49.57	-49.57

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE [AV]

5775MHz

25/12/2024



Limit:AV
EIRP:AV
Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.542G	-60.15	-41.20	-18.95	6.10	0.00	-66.25	-66.25
8G	40G	1M	AV	39.81G	-50.79	-41.20	-9.59	6.10	0.00	-56.89	-56.89



CSE Harmonic (8~40GHz)_R3_Full RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.7

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	EIRP (dBm)	Psum (dBm)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Margin (dB)	Limit (dBm)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	8G	40G	AV	10.40	-74.18	-84.58	-84.58				-32.98	-41.20
802.11a_Nss1,(6Mbps)_2TX	Pass	8G	40G	AV	10.40	-68.39	-78.79	-84.49	-80.15			-27.19	-41.20
802.11a_Nss1,(6Mbps)_4TX	Pass	8G	40G	AV	10.40	-67.98	-78.38	-88.67	-80.19	-89.70	-85.96	-26.78	-41.20
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	10.40	-72.41	-82.81	-82.81				-31.21	-41.20
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	10.40	-69.32	-79.72	-89.40	-80.21			-28.12	-41.20
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	10.40	-68.22	-78.62	-90.12	-80.12	-90.23	-86.82	-27.02	-41.20
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	10.40	-74.14	-84.54	-84.54				-32.94	-41.20
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	10.40	-73.00	-83.40	-90.94	-84.24			-31.80	-41.20
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	8G	40G	PK	10.40	-53.25	-63.65	-88.92	-90.00	-86.88	-63.69	-26.25	-27.00
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	8G	40G	AV	10.40	-78.83	-89.23	-89.23				-37.63	-41.20
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	10.40	-75.75	-86.15	-92.73	-87.23			-34.55	-41.20
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	8G	40G	AV	10.40	-73.30	-83.70	-89.84	-89.37	-89.45	-90.28	-32.10	-41.20

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Harmonic (8~40GHz)_R3_Full RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.7

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	8G	40G	AV	11.483G	10.40	-87.53				-87.53	-77.13	-41.20	-35.93
5745MHz	Pass	8G	40G	AV	22.985G	10.40	-84.58				-84.58	-74.18	-41.20	-32.98
5745MHz	Pass	8G	40G	PK	11.487G	10.40	-77.78				-77.78	-67.38	-21.20	-46.18
5745MHz	Pass	8G	40G	PK	17.25G	10.40	-72.46				-72.46	-62.06	-27.00	-35.06
5785MHz	Pass	8G	40G	AV	11.57G	10.40	-87.72				-87.72	-77.32	-41.20	-36.12
5785MHz	Pass	8G	40G	PK	11.573G	10.40	-80.59				-80.59	-70.19	-21.20	-48.99
5785MHz	Pass	8G	40G	PK	17.35G	10.40	-72.74				-72.74	-62.34	-27.00	-35.34
5825MHz	Pass	8G	40G	AV	11.648G	10.40	-85.56				-85.56	-75.16	-41.20	-33.96
5825MHz	Pass	8G	40G	PK	11.648G	10.40	-78.44				-78.44	-68.04	-21.20	-46.84
5825MHz	Pass	8G	40G	PK	23.313G	10.40	-75.18				-75.18	-64.78	-27.00	-37.78
802.11be EHT20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	8G	40G	AV	11.486G	10.40	-86.54				-86.54	-76.14	-41.20	-34.94
5745MHz	Pass	8G	40G	AV	22.984G	10.40	-85.10				-85.10	-74.70	-41.20	-33.50
5745MHz	Pass	8G	40G	PK	11.482G	10.40	-79.94				-79.94	-69.54	-21.20	-48.34
5745MHz	Pass	8G	40G	PK	17.244G	10.40	-69.70				-69.70	-59.30	-27.00	-32.30
5785MHz	Pass	8G	40G	AV	11.569G	10.40	-82.81				-82.81	-72.41	-41.20	-31.21
5785MHz	Pass	8G	40G	PK	11.576G	10.40	-74.90				-74.90	-64.50	-21.20	-43.30
5785MHz	Pass	8G	40G	PK	17.359G	10.40	-70.20				-70.20	-59.80	-27.00	-32.80
5825MHz	Pass	8G	40G	AV	11.647G	10.40	-87.44				-87.44	-77.04	-41.20	-35.84
5825MHz	Pass	8G	40G	PK	11.657G	10.40	-78.81				-78.81	-68.41	-21.20	-47.21
5825MHz	Pass	8G	40G	PK	23.285G	10.40	-73.41				-73.41	-63.01	-27.00	-36.01
802.11be EHT40_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	8G	40G	AV	11.509G	10.40	-90.50				-90.50	-80.10	-41.20	-38.90
5755MHz	Pass	8G	40G	AV	38.92G	10.40	-89.30				-89.30	-78.90	-41.20	-37.70
5755MHz	Pass	8G	40G	PK	11.511G	10.40	-83.28				-83.28	-72.88	-21.20	-51.68
5755MHz	Pass	8G	40G	PK	17.276G	10.40	-77.71				-77.71	-67.31	-27.00	-40.31
5795MHz	Pass	8G	40G	AV	11.59G	10.40	-84.54				-84.54	-74.14	-41.20	-32.94
5795MHz	Pass	8G	40G	PK	11.591G	10.40	-76.46				-76.46	-66.06	-21.20	-44.86
5795MHz	Pass	8G	40G	PK	23.218G	10.40	-70.70				-70.70	-60.30	-27.00	-33.30
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.574G	10.40	-92.92				-92.92	-82.52	-41.20	-41.32
5775MHz	Pass	8G	40G	AV	38.909G	10.40	-89.23				-89.23	-78.83	-41.20	-37.63
5775MHz	Pass	8G	40G	PK	11.572G	10.40	-82.56				-82.56	-72.16	-21.20	-50.96
5775MHz	Pass	8G	40G	PK	38.189G	10.40	-80.92				-80.92	-70.52	-27.00	-43.52
802.11a_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	8G	40G	AV	11.489G	10.40	-91.41	-83.01			-82.42	-72.02	-41.20	-30.82
5745MHz	Pass	8G	40G	PK	11.487G	10.40	-88.30	-75.46			-75.24	-64.84	-21.20	-43.64
5745MHz	Pass	8G	40G	PK	17.243G	10.40	-77.02	-78.24			-74.58	-64.18	-27.00	-37.18
5785MHz	Pass	8G	40G	AV	11.57G	10.40	-84.49	-80.15			-78.79	-68.39	-41.20	-27.19
5785MHz	Pass	8G	40G	PK	11.564G	10.40	-78.59	-71.31			-70.57	-60.17	-21.20	-38.97
5785MHz	Pass	8G	40G	PK	17.352G	10.40	-78.57	-76.72			-74.54	-64.14	-27.00	-37.14
5825MHz	Pass	8G	40G	AV	11.648G	10.40	-90.33	-83.79			-82.92	-72.52	-41.20	-31.32
5825MHz	Pass	8G	40G	PK	11.638G	10.40	-86.15	-75.88			-75.49	-65.09	-21.20	-43.89
5825MHz	Pass	8G	40G	PK	17.477G	10.40	-78.45	-79.64			-75.99	-65.59	-27.00	-38.59
802.11be EHT20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	8G	40G	AV	11.489G	10.40	-91.47	-83.47			-82.83	-72.43	-41.20	-31.23
5745MHz	Pass	8G	40G	PK	11.49G	10.40	-81.91	-77.69			-76.30	-65.90	-21.20	-44.70
5745MHz	Pass	8G	40G	PK	17.239G	10.40	-79.75	-77.78			-75.64	-65.24	-27.00	-38.24
5785MHz	Pass	8G	40G	AV	11.562G	10.40	-89.40	-80.21			-79.72	-69.32	-41.20	-28.12
5785MHz	Pass	8G	40G	PK	11.571G	10.40	-78.26	-74.69			-73.11	-62.71	-21.20	-41.51
5785MHz	Pass	8G	40G	PK	17.356G	10.40	-80.43	-78.93			-76.61	-66.21	-27.00	-39.21
5825MHz	Pass	8G	40G	AV	11.645G	10.40	-91.18	-84.30			-83.49	-73.09	-41.20	-31.89
5825MHz	Pass	8G	40G	PK	11.645G	10.40	-84.54	-74.65			-74.23	-63.83	-21.20	-42.63
5825MHz	Pass	8G	40G	PK	17.476G	10.40	-80.71	-76.61			-75.18	-64.78	-27.00	-37.78
802.11be EHT40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	8G	40G	AV	11.509G	10.40	-90.94	-84.24			-83.40	-73.00	-41.20	-31.80
5755MHz	Pass	8G	40G	PK	11.507G	10.40	-87.28	-77.36			-76.94	-66.54	-21.20	-45.34
5755MHz	Pass	8G	40G	PK	38.035G	10.40	-82.25	-80.96			-78.55	-68.15	-27.00	-41.15
5795MHz	Pass	8G	40G	AV	11.584G	10.40	-95.87	-92.59			-90.92	-80.52	-41.20	-39.32
5795MHz	Pass	8G	40G	AV	38.87G	10.40	-89.76	-89.45			-86.59	-76.19	-41.20	-34.99
5795MHz	Pass	8G	40G	PK	11.587G	10.40	-88.66	-84.77			-83.28	-72.88	-21.20	-51.68
5795MHz	Pass	8G	40G	PK	38.045G	10.40	-81.65	-82.44			-79.02	-68.62	-27.00	-41.62
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.551G	10.40	-92.73	-87.23			-86.15	-75.75	-41.20	-34.55
5775MHz	Pass	8G	40G	PK	11.543G	10.40	-89.19	-78.02			-77.70	-67.30	-21.20	-46.10
5775MHz	Pass	8G	40G	PK	38.193G	10.40	-80.44	-83.58			-78.72	-68.32	-27.00	-41.32
802.11a_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	8G	40G	AV	11.49G	10.40	-93.28	-82.52	-89.78	-91.05	-81.02	-70.62	-41.20	-29.42



CSE Harmonic (8~40GHz)_R3_Full RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.7

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5745MHz	Pass	8G	40G	PK	11.488G	10.40	-88.00	-75.19	-82.92	-87.34	-74.11	-63.71	-21.20	-42.51
5745MHz	Pass	8G	40G	PK	38.179G	10.40	-82.18	-82.63	-81.85	-80.51	-75.70	-65.30	-27.00	-38.30
5785MHz	Pass	8G	40G	AV	11.57G	10.40	-88.67	-80.19	-89.70	-85.96	-78.38	-67.98	-41.20	-26.78
5785MHz	Pass	8G	40G	PK	11.571G	10.40	-79.73	-75.59	-81.17	-79.01	-72.33	-61.93	-21.20	-40.73
5785MHz	Pass	8G	40G	PK	17.346G	10.40	-87.23	-89.17	-87.00	-68.43	-68.28	-57.88	-27.00	-30.88
5825MHz	Pass	8G	40G	AV	11.648G	10.40	-91.92	-87.97	-94.61	-82.73	-81.01	-70.61	-41.20	-29.41
5825MHz	Pass	8G	40G	PK	11.65G	10.40	-82.69	-80.90	-85.75	-79.23	-75.51	-65.11	-21.20	-43.91
5825MHz	Pass	8G	40G	PK	17.47G	10.40	-90.59	-88.89	-85.37	-71.32	-71.03	-60.63	-27.00	-33.63
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	8G	40G	AV	11.491G	10.40	-93.82	-83.11	-89.11	-92.65	-81.50	-71.10	-41.20	-29.90
5745MHz	Pass	8G	40G	PK	11.491G	10.40	-87.69	-77.69	-84.88	-86.95	-76.20	-65.80	-21.20	-44.60
5745MHz	Pass	8G	40G	PK	38.19G	10.40	-82.91	-83.75	-81.52	-81.69	-76.35	-65.95	-27.00	-38.95
5785MHz	Pass	8G	40G	AV	11.57G	10.40	-90.12	-80.12	-90.23	-86.82	-78.62	-68.22	-41.20	-27.02
5785MHz	Pass	8G	40G	PK	11.571G	10.40	-82.11	-74.45	-83.49	-83.83	-72.95	-62.55	-21.20	-41.35
5785MHz	Pass	8G	40G	PK	17.348G	10.40	-89.46	-90.85	-87.80	-70.47	-70.30	-59.90	-27.00	-32.90
5825MHz	Pass	8G	40G	AV	11.65G	10.40	-92.24	-86.92	-94.38	-86.79	-82.93	-72.53	-41.20	-31.33
5825MHz	Pass	8G	40G	PK	11.65G	10.40	-85.23	-77.83	-88.87	-81.64	-75.59	-65.19	-21.20	-43.99
5825MHz	Pass	8G	40G	PK	17.471G	10.40	-88.49	-88.64	-85.76	-72.12	-71.75	-61.35	-27.00	-34.35
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	8G	40G	AV	11.51G	10.40	-95.79	-84.00	-91.42	-91.47	-82.46	-72.06	-41.20	-30.86
5755MHz	Pass	8G	40G	PK	11.528G	10.40	-91.21	-77.72	-88.19	-85.48	-76.57	-66.17	-21.20	-44.97
5755MHz	Pass	8G	40G	PK	38.516G	10.40	-83.46	-82.25	-80.74	-83.37	-76.29	-65.89	-27.00	-38.89
5795MHz	Pass	8G	40G	AV	11.59G	10.40	-90.18	-85.49	-96.94	-86.85	-82.18	-71.78	-41.20	-30.58
5795MHz	Pass	8G	40G	PK	11.594G	10.40	-88.19	-82.66	-90.46	-77.14	-75.66	-65.26	-21.20	-44.06
5795MHz	Pass	8G	40G	PK	17.409G	10.40	-88.92	-90.00	-86.88	-63.69	-63.65	-53.25	-27.00	-26.25
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.55G	10.40	-93.56	-86.20	-96.37	-93.21	-84.50	-74.10	-41.20	-32.90
5775MHz	Pass	8G	40G	AV	38.901G	10.40	-89.84	-89.37	-89.45	-90.28	-83.70	-73.30	-41.20	-32.10
5775MHz	Pass	8G	40G	PK	11.568G	10.40	-87.50	-78.36	-90.61	-86.90	-77.15	-66.75	-21.20	-45.55
5775MHz	Pass	8G	40G	PK	17.301G	10.40	-91.08	-88.36	-92.34	-70.68	-70.54	-60.14	-27.00	-33.14


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.487G	-67.38	-21.20	-46.18	10.40	0.00	-77.78	-77.78
8G	40G	1M	PK	17.25G	-62.06	-27.00	-35.06	10.40	0.00	-72.46	-72.46

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.483G	-77.13	-41.20	-35.93	10.40	0.00	-87.53	-87.53
8G	40G	1M	AV	22.985G	-74.18	-41.20	-32.98	10.40	0.00	-84.58	-84.58

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.573G	-70.19	-21.20	-48.99	10.40	0.00	-80.59	-80.59
8G	40G	1M	PK	17.35G	-62.34	-27.00	-35.34	10.40	0.00	-72.74	-72.74

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.57G	-77.32	-41.20	-36.12	10.40	0.00	-87.72	-87.72

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [PK]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.648G	-68.04	-21.20	-46.84	10.40	0.00	-78.44	-78.44
8G	40G	1M	PK	23.313G	-64.78	-27.00	-37.78	10.40	0.00	-75.18	-75.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE [AV]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.648G	-75.16	-41.20	-33.96	10.40	0.00	-85.56	-85.56

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.482G	-69.54	-21.20	-48.34	10.40	0.00	-79.94	-79.94
8G	40G	1M	PK	17.244G	-59.30	-27.00	-32.30	10.40	0.00	-69.70	-69.70

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

5745MHz

20/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.486G	-76.14	-41.20	-34.94	10.40	0.00	-86.54	-86.54
8G	40G	1M	AV	22.984G	-74.70	-41.20	-33.50	10.40	0.00	-85.10	-85.10




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.576G	-64.50	-21.20	-43.30	10.40	0.00	-74.90	-74.90
8G	40G	1M	PK	17.359G	-59.80	-27.00	-32.80	10.40	0.00	-70.20	-70.20

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.569G	-72.41	-41.20	-31.21	10.40	0.00	-82.81	-82.81

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.657G	-68.41	-21.20	-47.21	10.40	0.00	-78.81	-78.81
8G	40G	1M	PK	23.285G	-63.01	-27.00	-36.01	10.40	0.00	-73.41	-73.41

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.647G	-77.04	-41.20	-35.84	10.40	0.00	-87.44	-87.44

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [PK]

5755MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.511G	-72.88	-21.20	-51.68	10.40	0.00	-83.28	-83.28
8G	40G	1M	PK	17.276G	-67.31	-27.00	-40.31	10.40	0.00	-77.71	-77.71

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [AV]

5755MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.509G	-80.10	-41.20	-38.90	10.40	0.00	-90.50	-90.50
8G	40G	1M	AV	38.92G	-78.90	-41.20	-37.70	10.40	0.00	-89.30	-89.30

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [PK]

5795MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.591G	-66.06	-21.20	-44.86	10.40	0.00	-76.46	-76.46
8G	40G	1M	PK	23.218G	-60.30	-27.00	-33.30	10.40	0.00	-70.70	-70.70

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [AV]

5795MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.59G	-74.14	-41.20	-32.94	10.40	0.00	-84.54	-84.54

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE [PK]

5775MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.572G	-72.16	-21.20	-50.96	10.40	0.00	-82.56	-82.56
8G	40G	1M	PK	38.189G	-70.52	-27.00	-43.52	10.40	0.00	-80.92	-80.92

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE [AV]

5775MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.574G	-82.52	-41.20	-41.32	10.40	0.00	-92.92	-92.92
8G	40G	1M	AV	38.909G	-78.83	-41.20	-37.63	10.40	0.00	-89.23	-89.23

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.487G	-64.84	-21.20	-43.64	10.40	0.00	-75.24	-88.30	-75.46
8G	40G	1M	PK	17.243G	-64.18	-27.00	-37.18	10.40	0.00	-74.58	-77.02	-78.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.489G	-72.02	-41.20	-30.82	10.40	0.00	-82.42	-91.41	-83.01

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.564G	-60.17	-21.20	-38.97	10.40	0.00	-70.57	-78.59	-71.31
8G	40G	1M	PK	17.352G	-64.14	-27.00	-37.14	10.40	0.00	-74.54	-78.57	-76.72

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.57G	-68.39	-41.20	-27.19	10.40	0.00	-78.79	-84.49	-80.15

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5825MHz

20/12/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5825MHz

20/12/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.49G	-65.90	-21.20	-44.70	10.40	0.00	-76.30	-81.91	-77.69
8G	40G	1M	PK	17.239G	-65.24	-27.00	-38.24	10.40	0.00	-75.64	-79.75	-77.78

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.489G	-72.43	-41.20	-31.23	10.40	0.00	-82.83	-91.47	-83.47

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5785MHz

20/12/2024



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.571G	-62.71	-21.20	-41.51	10.40	0.00	-73.11	-78.26	-74.69
8G	40G	1M	PK	17.356G	-66.21	-27.00	-39.21	10.40	0.00	-76.61	-80.43	-78.93

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5785MHz

20/12/2024



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.562G	-69.32	-41.20	-28.12	10.40	0.00	-79.72	-89.40	-80.21

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.645G	-63.83	-21.20	-42.63	10.40	0.00	-74.23	-84.54	-74.65
8G	40G	1M	PK	17.476G	-64.78	-27.00	-37.78	10.40	0.00	-75.18	-80.71	-76.61

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5825MHz

20/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.645G	-73.09	-41.20	-31.89	10.40	0.00	-83.49	-91.18	-84.30

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

5755MHz

20/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.507G	-66.54	-21.20	-45.34	10.40	0.00	-76.94	-87.28	-77.36
8G	40G	1M	PK	38.035G	-68.15	-27.00	-41.15	10.40	0.00	-78.55	-82.25	-80.96

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

5755MHz

20/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.509G	-73.00	-41.20	-31.80	10.40	0.00	-83.40	-90.94	-84.24

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

5795MHz

20/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.587G	-72.88	-21.20	-51.68	10.40	0.00	-83.28	-88.66	-84.77
8G	40G	1M	PK	38.045G	-68.62	-27.00	-41.62	10.40	0.00	-79.02	-81.65	-82.44

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

5795MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.584G	-80.52	-41.20	-39.32	10.40	0.00	-90.92	-95.87	-92.59
8G	40G	1M	AV	38.07G	-76.19	-41.20	-34.99	10.40	0.00	-86.59	-89.76	-89.45

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [PK]

5775MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.543G	-67.30	-21.20	-46.10	10.40	0.00	-77.70	-89.19	-78.02
8G	40G	1M	PK	38.193G	-68.32	-27.00	-41.32	10.40	0.00	-78.72	-80.44	-83.58

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [AV]

5775MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.551G	-75.75	-41.20	-34.55	10.40	0.00	-86.15	-92.73	-87.23

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [PK]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.488G	-63.71	-21.20	-42.51	10.40	0.00	-74.11	-88.00	-75.19	-82.92	-87.34
8G	40G	1M	PK	38.179G	-65.30	-27.00	-38.30	10.40	0.00	-75.70	-82.18	-82.63	-81.85	-80.51

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [AV]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.49G	-70.62	-41.20	-29.42	10.40	0.00	-81.02	-93.28	-82.52	-89.78	-91.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [PK]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.571G	-61.93	-21.20	-40.73	10.40	0.00	-72.33	-79.73	-75.59	-81.17	-79.01
8G	40G	1M	PK	17.346G	-57.88	-27.00	-30.88	10.40	0.00	-68.28	-87.23	-89.17	-87.00	-68.43

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [AV]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.57G	-67.98	-41.20	-26.78	10.40	0.00	-78.38	-88.67	-80.19	-89.70	-85.96

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [PK]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.65G	-65.11	-21.20	-43.91	10.40	0.00	-75.51	-82.69	-80.90	-85.75	-79.23
8G	40G	1M	PK	17.47G	-60.63	-27.00	-33.63	10.40	0.00	-71.03	-90.59	-88.89	-85.37	-71.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE [AV]

5825MHz

20/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.648G	-70.61	-41.20	-29.41	10.40	0.00	-81.01	-91.92	-87.97	-94.61	-82.73

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5745MHz

20/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.491G	-65.80	-21.20	-44.60	10.40	0.00	-76.20	-87.69	-77.69	-84.88	-86.95
8G	40G	1M	PK	38.19G	-65.95	-27.00	-38.95	10.40	0.00	-76.35	-82.91	-83.75	-81.52	-81.69

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.491G	-71.10	-41.20	-29.90	10.40	0.00	-81.50	-93.82	-83.11	-89.11	-92.65

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5785MHz

20/12/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5785MHz

20/12/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.65G	-65.19	-21.20	-43.99	10.40	0.00	-75.59	-85.23	-77.83	-88.87	-81.64
8G	40G	1M	PK	17.471G	-61.35	-27.00	-34.35	10.40	0.00	-71.75	-88.49	-88.64	-85.76	-72.12

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.65G	-72.53	-41.20	-31.33	10.40	0.00	-82.93	-92.24	-86.92	-94.38	-86.79

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5755MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.528G	-66.17	-21.20	-44.97	10.40	0.00	-76.57	-91.21	-77.72	-88.19	-85.48
8G	40G	1M	PK	38.516G	-65.89	-27.00	-38.89	10.40	0.00	-76.29	-83.46	-82.25	-80.74	-83.37

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5755MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.51G	-72.06	-41.20	-30.86	10.40	0.00	-82.46	-95.79	-84.00	-91.42	-91.47

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

5795MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.594G	-65.25	-21.20	-44.06	10.40	0.00	-75.66	-88.19	-82.66	-90.46	-77.14
8G	40G	1M	PK	17.409G	-53.25	-27.00	-26.25	10.40	0.00	-63.65	-88.92	-90.00	-86.88	-63.69

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

5795MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.59G	-71.78	-41.20	-30.58	10.40	0.00	-82.18	-90.18	-85.49	-96.94	-86.85

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [PK]

5775MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.568G	-66.75	-21.20	-45.55	10.40	0.00	-77.15	-87.50	-78.36	-90.61	-86.90
8G	40G	1M	PK	17.301G	-60.14	-27.00	-33.14	10.40	0.00	-70.54	-91.08	-88.36	-92.34	-70.68

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE [AV]

5775MHz

20/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.55G	-74.10	-41.20	-32.90	10.40	0.00	-84.50	-93.56	-86.20	-96.37	-93.21
8G	40G	1M	AV	38.901G	-73.30	-41.20	-32.10	10.40	0.00	-83.70	-89.84	-89.37	-89.45	-90.28



CSE Harmonic (8~40GHz)_R3_Multi-RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.8

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	EIRP (dBm)	Psum (dBm)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Limit (dBm)	Margin (dB)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1(MCS0)_1TX	Pass	8G	40G	AV	10.40	-69.48	-79.88	-79.88				-41.20	-28.28
802.11be EHT80_Nss1(MCS0)_2TX	Pass	8G	40G	AV	10.40	-66.67	-77.07	-80.79	-79.47			-41.20	-25.47
802.11be EHT80_Nss1(MCS0)_4TX	Pass	8G	40G	AV	10.40	-63.89	-74.29	-80.78	-80.45	-79.91	-80.14	-41.20	-22.69

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Harmonic (8~40GHz)_R3_Multi-RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.8

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.524G	10.40	-86.33				-86.33	-75.93	-41.20	-34.73
5775MHz	Pass	8G	40G	AV	22.034G	10.40	-79.88				-79.88	-69.48	-41.20	-28.28
5775MHz	Pass	8G	40G	PK	11.563G	10.40	-78.68				-78.68	-68.28	-21.20	-47.08
5775MHz	Pass	8G	40G	PK	21.552G	10.40	-71.15				-71.15	-60.75	-27.00	-33.75
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.494G	10.40	-86.22				-86.22	-75.82	-41.20	-34.62
5775MHz	Pass	8G	40G	AV	22.054G	10.40	-80.02				-80.02	-69.62	-41.20	-28.42
5775MHz	Pass	8G	40G	PK	11.595G	10.40	-77.81				-77.81	-67.41	-21.20	-46.21
5775MHz	Pass	8G	40G	PK	37.747G	10.40	-72.13				-72.13	-61.73	-27.00	-34.73
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.532G	10.40	-85.68	-86.60			-83.11	-72.71	-41.20	-31.51
5775MHz	Pass	8G	40G	AV	22.21G	10.40	-80.35	-80.42			-77.37	-66.97	-41.20	-25.77
5775MHz	Pass	8G	40G	PK	11.497G	10.40	-78.45	-77.83			-75.12	-64.72	-21.20	-43.52
5775MHz	Pass	8G	40G	PK	23.337G	10.40	-74.45	-72.03			-70.06	-59.66	-27.00	-32.66
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.577G	10.40	-86.01	-86.77			-83.36	-72.96	-41.20	-31.76
5775MHz	Pass	8G	40G	AV	22.13G	10.40	-80.79	-79.47			-77.07	-66.67	-41.20	-25.47
5775MHz	Pass	8G	40G	PK	11.534G	10.40	-79.93	-78.25			-76.00	-65.60	-21.20	-44.40
5775MHz	Pass	8G	40G	PK	23.275G	10.40	-72.64	-72.53			-69.57	-59.17	-27.00	-32.17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.485G	10.40	-85.79	-86.20	-86.77	-87.09	-80.41	-70.01	-41.20	-28.81
5775MHz	Pass	8G	40G	AV	22.079G	10.40	-80.78	-80.45	-79.91	-80.14	-74.29	-63.89	-41.20	-22.69
5775MHz	Pass	8G	40G	PK	11.571G	10.40	-76.83	-80.24	-83.87	-82.33	-73.96	-63.56	-21.20	-42.36
5775MHz	Pass	8G	40G	PK	23.225G	10.40	-72.56	-74.63	-75.26	-72.52	-67.55	-57.15	-27.00	-30.15
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.515G	10.40	-86.48	-86.68	-86.44	-86.78	-80.57	-70.17	-41.20	-28.97
5775MHz	Pass	8G	40G	AV	22.041G	10.40	-80.10	-80.77	-79.92	-80.81	-74.36	-63.96	-41.20	-22.76
5775MHz	Pass	8G	40G	PK	11.479G	10.40	-81.02	-79.53	-80.81	-78.40	-73.79	-63.39	-21.20	-42.19
5775MHz	Pass	8G	40G	PK	21.571G	10.40	-77.71	-76.42	-71.86	-72.01	-67.75	-57.35	-27.00	-30.35


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE [PK]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.563G	-68.28	-21.20	-47.08	10.40	0.00	-78.68	-78.68
8G	40G	1M	PK	21.552G	-60.75	-27.00	-33.75	10.40	0.00	-71.15	-71.15

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE [AV]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.524G	-75.93	-41.20	-34.73	10.40	0.00	-86.33	-86.33
8G	40G	1M	AV	22.034G	-69.48	-41.20	-28.28	10.40	0.00	-79.88	-79.88

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE [PK]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.595G	-67.41	-21.20	-46.21	10.40	0.00	-77.81	-77.81
8G	40G	1M	PK	37.747G	-61.73	-27.00	-34.73	10.40	0.00	-72.13	-72.13

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE [AV]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.494G	-75.82	-41.20	-34.62	10.40	0.00	-86.22	-86.22
8G	40G	1M	AV	22.054G	-69.62	-41.20	-28.42	10.40	0.00	-80.02	-80.02

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE [PK]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.497G	-64.72	-21.20	-43.52	10.40	0.00	-75.12	-78.45	-77.83
8G	40G	1M	PK	23.337G	-59.66	-27.00	-32.66	10.40	0.00	-70.06	-74.45	-72.03

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE [AV]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.532G	-72.71	-41.20	-31.51	10.40	0.00	-83.11	-85.68	-86.60
8G	40G	1M	AV	22.21G	-66.97	-41.20	-25.77	10.40	0.00	-77.37	-80.35	-80.42

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE [PK]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.534G	-65.60	-21.20	-44.40	10.40	0.00	-76.00	-79.93	-78.25
8G	40G	1M	PK	23.275G	-59.17	-27.00	-32.17	10.40	0.00	-69.57	-72.64	-72.53

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE [AV]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.577G	-72.96	-41.20	-31.76	10.40	0.00	-83.36	-86.01	-86.77
8G	40G	1M	AV	22.13G	-66.67	-41.20	-25.47	10.40	0.00	-77.07	-80.79	-79.47

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [PK]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.571G	-63.56	-21.20	-42.36	10.40	0.00	-73.96	-76.83	-80.24	-83.87	-82.33
8G	40G	1M	PK	23.225G	-57.15	-27.00	-30.15	10.40	0.00	-67.55	-72.56	-74.63	-75.26	-72.52

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE [AV]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.485G	-70.01	-41.20	-28.81	10.40	0.00	-80.41	-85.79	-86.20	-86.77	-87.09
8G	40G	1M	AV	22.079G	-63.89	-41.20	-22.69	10.40	0.00	-74.29	-80.78	-80.45	-79.91	-80.14

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [PK]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.479G	-63.39	-21.20	-42.19	10.40	0.00	-73.79	-81.02	-79.53	-80.81	-78.40
8G	40G	1M	PK	21.571G	-57.35	-27.00	-30.35	10.40	0.00	-67.75	-77.71	-76.42	-71.86	-72.01

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE [AV]

5775MHz

07/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.515G	-70.17	-41.20	-28.97	10.40	0.00	-80.57	-86.48	-86.68	-86.44	-86.78
8G	40G	1M	AV	22.041G	-63.96	-41.20	-22.76	10.40	0.00	-74.36	-80.10	-80.77	-79.92	-80.81



CSE Harmonic (8~40GHz)_R3_Puncturing
(Parent Device / FCC ID: UDX-600216010)

Appendix E.9

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	EIRP (dBm)	Psum (dBm)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Limit (dBm)	Margin (dB)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1(MCS0)_1TX	Pass	8G	40G	AV	10.40	-69.49	-79.89	-79.89				-41.20	-28.29
802.11be EHT80_Nss1(MCS0)_2TX	Pass	8G	40G	AV	10.40	-66.98	-77.38	-80.59	-80.20			-41.20	-25.78
802.11be EHT80_Nss1(MCS0)_4TX	Pass	8G	40G	AV	10.40	-64.14	-74.54	-80.78	-80.90	-79.54	-81.20	-41.20	-22.94

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.591G	10.40	-86.18				-86.18	-75.78	-41.20	-34.58
5775MHz	Pass	8G	40G	AV	22.02G	10.40	-79.89				-79.89	-69.49	-41.20	-28.29
5775MHz	Pass	8G	40G	PK	11.542G	10.40	-77.81				-77.81	-67.41	-21.20	-46.21
5775MHz	Pass	8G	40G	PK	23.144G	10.40	-71.96				-71.96	-61.56	-27.00	-34.56
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.48G	10.40	-86.77	-85.89			-83.30	-72.90	-41.20	-31.70
5775MHz	Pass	8G	40G	AV	22.118G	10.40	-80.59	-80.20			-77.38	-66.98	-41.20	-25.78
5775MHz	Pass	8G	40G	PK	11.501G	10.40	-77.97	-81.17			-76.27	-65.87	-21.20	-44.67
5775MHz	Pass	8G	40G	PK	23.232G	10.40	-71.55	-74.94			-69.91	-59.51	-27.00	-32.51
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.496G	10.40	-86.77	-87.19	-86.34	-86.30	-80.61	-70.21	-41.20	-29.01
5775MHz	Pass	8G	40G	AV	22.04G	10.40	-80.78	-80.90	-79.54	-81.20	-74.54	-64.14	-41.20	-22.94
5775MHz	Pass	8G	40G	PK	11.478G	10.40	-79.50	-82.04	-77.98	-79.22	-73.43	-63.03	-21.20	-41.83
5775MHz	Pass	8G	40G	PK	21.792G	10.40	-72.69	-73.23	-73.20	-75.59	-67.52	-57.12	-27.00	-30.12


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

CSE [PK]

5775MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.542G	-67.41	-21.20	-46.21	10.40	0.00	-77.81	-77.81
8G	40G	1M	PK	23.144G	-61.56	-27.00	-34.56	10.40	0.00	-71.96	-71.96

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

CSE [AV]

5775MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.591G	-75.78	-41.20	-34.58	10.40	0.00	-86.18	-86.18
8G	40G	1M	AV	22.02G	-69.49	-41.20	-28.29	10.40	0.00	-79.89	-79.89

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

CSE [PK]

5775MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.501G	-65.87	-21.20	-44.67	10.40	0.00	-76.27	-77.97	-81.17
8G	40G	1M	PK	23.232G	-59.51	-27.00	-32.51	10.40	0.00	-69.91	-71.55	-74.94

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

CSE [AV]

5775MHz

13/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.48G	-72.90	-41.20	-31.70	10.40	0.00	-83.30	-86.77	-85.89
8G	40G	1M	AV	22.118G	-66.98	-41.20	-25.78	10.40	0.00	-77.38	-80.59	-80.20

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE [PK]

5775MHz

13/02/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE [AV]

5775MHz

13/02/2025





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1(6Mbps)_1TX	Pass	5.685G	5.89G	PK	5.72221G	6.10	-13.20	-13.20	-7.10	20.63	-27.73
802.11ax HEW20_Nss1(MCS0)_1TX	Pass	5.685G	5.89G	PK	5.72057G	6.10	-11.71	-11.71	-5.61	16.89	-22.50
802.11ax HEW40_Nss1(MCS0)_1TX	Pass	5.645G	5.93G	PK	5.64728G	6.10	-34.32	-34.32	-28.22	-27.00	-1.22
802.11ax HEW80_Nss1(MCS0)_1TX	Pass	5.565G	6.01G	PK	5.65G	6.10	-34.62	-34.62	-28.52	-27.00	-1.52

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_R1
(Parent Device / FCC ID: UDX-600216010)

Appendix E.10

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	5.685G	5.89G	PK	5.72221G	6.10	-13.20	-13.20	-7.10	20.63	-27.73
5745MHz	Pass	5.685G	5.89G	PK	5.89G	6.10	-41.16	-41.16	-35.06	-1.10	-33.96
5785MHz	Pass	5.685G	5.89G	PK	5.685G	6.10	-40.28	-40.28	-34.18	-1.10	-33.08
5785MHz	Pass	5.685G	5.89G	PK	5.88959G	6.10	-40.97	-40.97	-34.87	-0.80	-34.07
5825MHz	Pass	5.685G	5.89G	PK	5.68541G	6.10	-42.82	-42.82	-36.72	-0.80	-35.92
5825MHz	Pass	5.685G	5.89G	PK	5.89G	6.10	-36.57	-36.57	-30.47	-1.10	-29.37
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	5.685G	5.89G	PK	5.72057G	6.10	-11.71	-11.71	-5.61	16.89	-22.50
5745MHz	Pass	5.685G	5.89G	PK	5.8899G	6.10	-40.29	-40.29	-34.19	-1.02	-33.17
5785MHz	Pass	5.685G	5.89G	PK	5.68531G	6.10	-41.99	-41.99	-35.89	-0.87	-35.02
5785MHz	Pass	5.685G	5.89G	PK	5.8898G	6.10	-41.90	-41.90	-35.80	-0.95	-34.85
5825MHz	Pass	5.685G	5.89G	PK	5.68531G	6.10	-41.90	-41.90	-35.80	-0.87	-34.93
5825MHz	Pass	5.685G	5.89G	PK	5.85597G	6.10	-20.03	-20.03	-13.93	15.33	-29.26
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	5.645G	5.93G	PK	5.64728G	6.10	-34.32	-34.32	-28.22	-27.00	-1.22
5755MHz	Pass	5.645G	5.93G	PK	5.92758G	6.10	-38.42	-38.42	-32.32	-27.00	-5.32
5795MHz	Pass	5.645G	5.93G	PK	5.64985G	6.10	-39.16	-39.16	-33.06	-27.00	-6.06
5795MHz	Pass	5.645G	5.93G	PK	5.92516G	6.10	-36.64	-36.64	-30.54	-27.00	-3.54
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.65G	6.10	-34.62	-34.62	-28.52	-27.00	-1.52
5775MHz	Pass	5.565G	6.01G	PK	5.92634G	6.10	-35.45	-35.45	-29.35	-27.00	-2.35


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5745MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.72221G	-7.10	20.63	-27.73	6.10	0.00	-13.20	-13.20
5.685G	5.89G	1M	PK	5.89G	-35.06	-1.10	-33.96	6.10	0.00	-41.16	-41.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5785MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.685G	-34.18	-1.10	-33.08	6.10	0.00	-40.28	-40.28
5.685G	5.89G	1M	PK	5.8959G	-34.87	-0.80	-34.07	6.10	0.00	-40.97	-40.97

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5825MHz

21/12/2024




5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5745MHz

21/12/2024




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5785MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.68531G	-35.89	-0.87	-35.02	6.10	0.00	-41.99	-41.99
5.685G	5.89G	1M	PK	5.8898G	-35.80	-0.95	-34.85	6.10	0.00	-41.90	-41.90

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5825MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M	PK	5.68531G	-35.80	-0.87	-34.93	6.10	0.00	-41.90	-41.90
5.685G	5.89G	1M	PK	5.85597G	-13.93	15.33	-29.26	6.10	0.00	-20.03	-20.03

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5755MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M	PK	5.64728G	-28.22	-27.00	-1.22	6.10	0.00	-34.32	-34.32
5.645G	5.93G	1M	PK	5.92758G	-32.32	-27.00	-5.32	6.10	0.00	-38.42	-38.42

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5795MHz

21/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M	PK	5.64985G	-33.06	-27.00	-6.06	6.10	0.00	-39.16	-39.16
5.645G	5.93G	1M	PK	5.92516G	-30.54	-27.00	-3.54	6.10	0.00	-36.64	-36.64

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5775MHz

21/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.565G	6.01G	1M	PK	5.65G	-28.52	-27.00	-1.52	6.10	0.00	-34.62	-34.62
5.565G	6.01G	1M	PK	5.92634G	-29.35	-27.00	-2.35	6.10	0.00	-35.45	-35.45



CSE Bandedge_R3_Full RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.11

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.685G	5.89G	PK	5.72221G	10.40	-20.22				-20.22	-9.82	20.63	-30.45
802.11a_Nss1,(6Mbps)_2TX	Pass	5.685G	5.89G	PK	5.85761G	10.40	-25.33	-26.21			-22.74	-12.34	14.87	-27.21
802.11a_Nss1,(6Mbps)_4TX	Pass	5.685G	5.89G	PK	5.68551G	13.21	-48.12	-48.69	-49.73	-46.2	-41.97	-28.76	-0.72	-28.04
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	5.685G	5.89G	PK	5.7195G	10.40	-19.89				-19.89	-9.49	15.46	-24.95
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.685G	5.89G	PK	5.7176G	10.40	-15.86	-22.75			-15.05	-4.65	14.93	-19.58
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.685G	5.89G	PK	5.6851G	13.21	-48.28	-46.67	-47.13	-48.16	-41.49	-28.28	-1.02	-27.26
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	5.645G	5.93G	PK	5.6475G	10.40	-45.77				-45.77	-35.37	-27	-8.37
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	5.645G	5.93G	PK	5.64942G	10.40	-43.84	-46.45			-41.94	-31.54	-27	-4.54
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.645G	5.93G	PK	5.64643G	13.21	-48.02	-47.14	-48.65	-47.25	-41.7	-28.49	-27	-1.49
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	5.565G	6.01G	PK	5.64933G	10.40	-38.52				-38.52	-28.12	-27	-1.12
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.565G	6.01G	PK	5.64532G	10.40	-39.41	-44.25			-38.18	-27.78	-27	-0.78
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.565G	6.01G	PK	5.65022G	13.21	-46.16	-48.35	-45.85	-48.78	-41.07	-27.86	-26.84	-1.02

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_R3_Full RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.11

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	5.685G	5.89G	PK	5.72221G	10.40	-20.22				-20.22	-9.82	20.63	-30.45
5745MHz	Pass	5.685G	5.89G	PK	5.88959G	10.40	-53.33				-53.33	-42.93	-0.8	-42.13
5785MHz	Pass	5.685G	5.89G	PK	5.685G	10.40	-47.89				-47.89	-37.49	-1.1	-36.39
5785MHz	Pass	5.685G	5.89G	PK	5.88969G	10.40	-52.03				-52.03	-41.63	-0.87	-40.76
5825MHz	Pass	5.685G	5.89G	PK	5.685G	10.40	-49.36				-49.36	-38.96	-1.1	-37.86
5825MHz	Pass	5.685G	5.89G	PK	5.85833G	10.40	-26.39				-26.39	-15.99	14.67	-30.66
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	5.685G	5.89G	PK	5.7195G	10.40	-19.89				-19.89	-9.49	15.46	-24.95
5745MHz	Pass	5.685G	5.89G	PK	5.8895G	10.40	-54.52				-54.52	-44.12	-0.73	-43.39
5785MHz	Pass	5.685G	5.89G	PK	5.6855G	10.40	-48.65				-48.65	-38.25	-0.73	-37.52
5785MHz	Pass	5.685G	5.89G	PK	5.8885G	10.40	-52.99				-52.99	-42.59	0.01	-42.60
5825MHz	Pass	5.685G	5.89G	PK	5.6855G	10.40	-48.76				-48.76	-38.36	-0.73	-37.63
5825MHz	Pass	5.685G	5.89G	PK	5.8575G	10.40	-24.3				-24.3	-13.90	14.9	-28.80
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	5.645G	5.93G	PK	5.6475G	10.40	-45.77				-45.77	-35.37	-27	-8.37
5755MHz	Pass	5.645G	5.93G	PK	5.9275G	10.40	-56.24				-56.24	-45.84	-27	-18.84
5795MHz	Pass	5.645G	5.93G	PK	5.6455G	10.40	-48.12				-48.12	-37.72	-27	-10.72
5795MHz	Pass	5.645G	5.93G	PK	5.9275G	10.40	-56.67				-56.67	-46.27	-27	-19.27
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.665G	6.01G	PK	5.64933G	10.40	-38.52				-38.52	-28.12	-27	-1.12
5775MHz	Pass	5.665G	6.01G	PK	5.98575G	10.40	-46.59				-46.59	-36.19	-27	-9.19
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	5.685G	5.89G	PK	5.72231G	10.40	-19.84	-20.47			-17.13	-6.73	20.87	-27.60
5745MHz	Pass	5.685G	5.89G	PK	5.88969G	10.40	-55.21	-52.38			-50.56	-40.16	-0.87	-39.29
5785MHz	Pass	5.685G	5.89G	PK	5.68603G	10.40	-48.45	-47.41			-44.89	-34.49	-0.34	-34.15
5785MHz	Pass	5.685G	5.89G	PK	5.8898G	10.40	-53.96	-51.74			-49.7	-39.30	-0.95	-38.35
5825MHz	Pass	5.685G	5.89G	PK	5.68531G	10.40	-48.09	-49.72			-45.82	-35.42	-0.87	-34.55
5825MHz	Pass	5.685G	5.89G	PK	5.85761G	10.40	-25.33	-26.21			-22.74	-12.34	14.87	-27.21
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	5.685G	5.89G	PK	5.7176G	10.40	-15.86	-22.75			-15.05	-4.65	14.93	-19.58
5745MHz	Pass	5.685G	5.89G	PK	5.88969G	10.40	-54.52	-51.99			-50.06	-39.66	-0.87	-38.79
5785MHz	Pass	5.685G	5.89G	PK	5.685G	10.40	-48.61	-48.12			-45.35	-34.95	-1.1	-33.85
5785MHz	Pass	5.685G	5.89G	PK	5.88908G	10.40	-52.43	-52.99			-49.69	-39.29	-0.42	-38.87
5825MHz	Pass	5.685G	5.89G	PK	5.685G	10.40	-48.28	-48.58			-45.42	-35.02	-1.1	-33.92
5825MHz	Pass	5.685G	5.89G	PK	5.85187G	10.40	-16.84	-16.94			-13.88	-3.48	22.74	-26.22
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	5.645G	5.93G	PK	5.64942G	10.40	-43.84	-46.45			-41.94	-31.54	-27	-4.54
5755MHz	Pass	5.645G	5.93G	PK	5.92729G	10.40	-55.66	-56.6			-53.09	-42.69	-27	-15.69
5795MHz	Pass	5.645G	5.93G	PK	5.64842G	10.40	-46.61	-47.68			-44.1	-33.70	-27	-6.70
5795MHz	Pass	5.645G	5.93G	PK	5.92815G	10.40	-55.5	-55.02			-52.24	-41.84	-27	-14.84
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.665G	6.01G	PK	5.64532G	10.40	-39.41	-44.25			-38.18	-27.78	-27	-0.78
5775MHz	Pass	5.665G	6.01G	PK	5.9635G	10.40	-54	-54.72			-51.33	-40.93	-27	-13.93
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	5.685G	5.89G	PK	5.68551G	13.21	-48.12	-48.69	-49.73	-46.2	-41.97	-28.76	-0.72	-28.04
5745MHz	Pass	5.685G	5.89G	PK	5.8898G	13.21	-55.11	-56.23	-56.4	-56.42	-49.98	-36.77	-0.95	-36.82
5785MHz	Pass	5.685G	5.89G	PK	5.68521G	13.21	-49.61	-50.31	-48.86	-50.83	-43.82	-30.61	-0.95	-29.66
5785MHz	Pass	5.685G	5.89G	PK	5.89G	13.21	-55.97	-56.01	-55.46	-57.11	-50.08	-36.87	-1.1	-35.77
5825MHz	Pass	5.685G	5.89G	PK	5.68521G	13.21	-50.14	-48.24	-49.85	-51.74	-43.8	-30.59	-0.95	-29.64
5825MHz	Pass	5.685G	5.89G	PK	5.8899G	13.21	-55.75	-53.47	-55.75	-57.07	-49.29	-36.08	-1.02	-35.06
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	5.685G	5.89G	PK	5.6851G	13.21	-48.28	-46.67	-47.13	-48.16	-41.49	-28.28	-1.02	-27.26
5745MHz	Pass	5.685G	5.89G	PK	5.8899G	13.21	-54.68	-56.04	-56.33	-56.31	-49.76	-36.55	-1.02	-35.53
5785MHz	Pass	5.685G	5.89G	PK	5.685G	13.21	-50.23	-49.05	-49.96	-49.68	-43.69	-30.48	-1.1	-29.38
5785MHz	Pass	5.685G	5.89G	PK	5.8899G	13.21	-55.39	-56.28	-56.2	-55.63	-49.84	-36.63	-1.02	-35.61
5825MHz	Pass	5.685G	5.89G	PK	5.6851G	13.21	-51.09	-49.79	-50.41	-51.46	-44.62	-31.41	-1.02	-30.39
5825MHz	Pass	5.685G	5.89G	PK	5.85156G	13.21	-27.59	-30.73	-29.05	-30.63	-23.28	-10.07	23.44	-33.51
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	5.645G	5.93G	PK	5.64643G	13.21	-48.02	-47.14	-48.65	-47.25	-41.7	-28.49	-27	-1.49
5755MHz	Pass	5.645G	5.93G	PK	5.92744G	13.21	-56.11	-56.82	-54.86	-56.85	-50.06	-36.85	-27	-9.85
5795MHz	Pass	5.645G	5.93G	PK	5.64742G	13.21	-48.54	-47.98	-46.09	-49.68	-41.85	-28.64	-27	-1.64
5795MHz	Pass	5.645G	5.93G	PK	5.92986G	13.21	-55.16	-53.8	-56.95	-56.71	-49.44	-36.23	-27	-9.23
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.665G	6.01G	PK	5.65022G	13.21	-46.16	-48.35	-45.85	-48.78	-41.07	-27.86	-26.84	-1.02
5775MHz	Pass	5.665G	6.01G	PK	5.95193G	13.21	-55.84	-54.63	-56.97	-54.44	-49.33	-36.12	-27	-9.12


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5745MHz

27/12/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5785MHz

27/12/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5825MHz

27/12/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5745MHz

27/12/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5785MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M(BP1M)	PK	5.6855G	-36.90	-0.73	-36.17	10.40	0.00	-48.65	-48.65
5.685G	5.89G	1M(BP1M)	PK	5.8885G	-41.47	0.01	-41.48	10.40	0.00	-52.99	-52.99

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5825MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.685G	5.89G	1M(BP1M)	PK	5.6855G	-37.59	-0.73	-36.86	10.40	0.00	-48.76	-48.76
5.685G	5.89G	1M(BP1M)	PK	5.8575G	-14.03	14.90	-28.93	10.40	0.00	-24.30	-24.30

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5755MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M(BP1M)	PK	5.6475G	-33.70	-27.00	-6.70	10.40	0.00	-45.77	-45.77
5.645G	5.93G	1M(BP1M)	PK	5.9275G	-44.70	-27.00	-17.70	10.40	0.00	-56.24	-56.24

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5795MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M(BP1M)	PK	5.6455G	-36.29	-27.00	-9.29	10.40	0.00	-48.12	-48.12
5.645G	5.93G	1M(BP1M)	PK	5.9275G	-44.71	-27.00	-17.71	10.40	0.00	-56.67	-56.67

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5775MHz

18/12/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5745MHz

27/12/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5785MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.68603G	-34.49	-0.34	-34.15	10.40	0.00	-44.89	-48.45	-47.41
5.685G	5.89G	1M	PK	5.8898G	-39.30	-0.95	-38.35	10.40	0.00	-49.70	-53.96	-51.74

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5825MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.68531G	-35.42	-0.87	-34.55	10.40	0.00	-45.82	-48.09	-49.72
5.685G	5.89G	1M	PK	5.85761G	-12.34	14.87	-27.21	10.40	0.00	-22.74	-25.33	-26.21

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5745MHz

27/12/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5785MHz

27/12/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5825MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.89G	1M	PK	5.685G	-35.02	-1.10	-33.92	10.40	0.00	-45.42	-48.28	-48.53
5.685G	5.89G	1M	PK	5.85187G	-3.48	22.74	-26.22	10.40	0.00	-13.88	-16.84	-16.94

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5755MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64942G	-31.54	-27.00	-4.54	10.40	0.00	-41.94	-43.84	-46.45
5.645G	5.93G	1M	PK	5.92729G	-42.69	-27.00	-15.69	10.40	0.00	-53.09	-55.66	-56.60

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5795MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.93G	1M	PK	5.64842G	-33.70	-27.00	-6.70	10.40	0.00	-44.10	-46.61	-47.68
5.645G	5.93G	1M	PK	5.92815G	-41.84	-27.00	-14.84	10.40	0.00	-52.24	-55.50	-55.02

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5775MHz

27/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.565G	6.01G	1M	PK	5.64532G	-27.78	-27.00	-0.78	10.40	0.00	-38.18	-39.41	-44.25
5.565G	6.01G	1M	PK	5.9635G	-40.93	-27.00	-13.93	10.40	0.00	-51.33	-54.00	-54.72

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.685G	5.89G	1M	PK	5.68551G	-28.76	-0.72	-28.04	13.21	0.00	-41.97	-48.12	-48.69	-49.73	-46.20
5.685G	5.89G	1M	PK	5.8898G	-36.77	-0.95	-35.82	13.21	0.00	-49.98	-55.11	-56.23	-56.40	-56.42

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5758MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.685G	5.89G	1M	PK	5.68521G	-30.61	-0.95	-29.66	13.21	0.00	-43.82	-49.61	-50.31	-48.86	-50.83
5.685G	5.89G	1M	PK	5.889G	-36.87	-1.10	-35.77	13.21	0.00	-50.08	-55.97	-56.01	-55.46	-57.11

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.685G	5.89G	1M	PK	5.68521G	-30.59	-0.95	-29.64	13.21	0.00	-43.80	-50.14	-48.24	-49.85	-51.74
5.685G	5.89G	1M	PK	5.8899G	-36.08	-1.02	-35.06	13.21	0.00	-49.29	-55.75	-53.47	-55.75	-57.07

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5745MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.685G	5.89G	1M	PK	5.6851G	-28.28	-1.02	-27.26	13.21	0.00	-41.49	-48.28	-46.67	-47.13	-48.16
5.685G	5.89G	1M	PK	5.8899G	-36.55	-1.02	-35.53	13.21	0.00	-49.76	-54.68	-56.04	-56.33	-56.31

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5785MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.685G	5.89G	1M	PK	5.685G	-30.48	-1.10	-29.38	13.21	0.00	-43.69	-50.23	-49.05	-49.96	-49.68
5.685G	5.89G	1M	PK	5.889G	-36.63	-1.02	-35.61	13.21	0.00	-49.84	-55.39	-56.28	-56.20	-55.63

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5825MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.685G	5.89G	1M	PK	5.685G	-31.41	-1.02	-30.39	13.21	0.00	-44.62	-51.09	-49.79	-50.41	-51.46
5.685G	5.89G	1M	PK	5.8515G	-10.07	23.44	-33.51	13.21	0.00	-23.28	-27.59	-30.73	-29.05	-30.63

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5755MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.645G	5.93G	1M	PK	5.64643G	-28.49	-27.00	-1.49	13.21	0.00	-41.70	-48.02	-47.14	-48.65	-47.25
5.645G	5.93G	1M	PK	5.92744G	-36.85	-27.00	-9.85	13.21	0.00	-50.06	-56.11	-56.82	-54.86	-56.85

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5795MHz

20/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.645G	5.93G	1M	PK	5.64742G	-28.64	-27.00	-1.64	13.21	0.00	-41.85	-48.54	-47.98	-46.09	-49.68
5.645G	5.93G	1M	PK	5.92986G	-36.23	-27.00	-9.23	13.21	0.00	-49.44	-55.16	-53.80	-56.95	-56.71

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5775MHz

20/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.565G	6.01G	1M	PK	5.65022G	-27.86	-26.84	-1.02	13.21	0.00	-41.07	-46.16	-48.35	-45.85	-48.78
5.565G	6.01G	1M	PK	5.95193G	-36.12	-27.00	-9.12	13.21	0.00	-49.33	-55.84	-54.63	-56.97	-54.44



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	5.565G	6.01G	PK	5.64087G	10.40	-38.46				-38.46	-28.06	-27.00	-1.06
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.565G	6.01G	PK	5.64799G	10.40	-46.22	-38.28			-37.63	-27.23	-27.00	-0.23
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.565G	6.01G	PK	5.64555G	13.21	-48.44	-43.31	-50.89	-47.37	-40.58	-27.37	-27.00	-0.37

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_R3_Multi-RU
(Parent Device / FCC ID: UDX-600216010)

Appendix E.12

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.64087G	10.40	-38.46				-38.46	-28.06	-27.00	-1.06
5775MHz	Pass	5.565G	6.01G	PK	5.95349G	10.40	-50.52				-50.52	-40.12	-27.00	-13.12
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.6411G	10.40	-40.28				-40.28	-29.88	-27.00	-2.88
5775MHz	Pass	5.565G	6.01G	PK	5.96127G	10.40	-59.92				-59.92	-49.52	-27.00	-22.52
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.64799G	10.40	-46.22	-38.28			-37.63	-27.23	-27.00	-0.23
5775MHz	Pass	5.565G	6.01G	PK	5.94637G	10.40	-62.39	-59.62			-57.78	-47.38	-27.00	-20.38
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.62552G	10.40	-50.49	-38.26			-38.01	-27.61	-27.00	-0.61
5775MHz	Pass	5.565G	6.01G	PK	5.92745G	10.40	-60.63	-61.78			-58.16	-47.76	-27.00	-20.76
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.64555G	13.21	-48.44	-43.31	-50.89	-47.37	-40.58	-27.37	-27.00	-0.37
5775MHz	Pass	5.565G	6.01G	PK	6.00066G	13.21	-52.40	-50.13	-52.44	-52.80	-45.78	-32.57	-27.00	-5.57
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.61862G	13.21	-49.94	-44.39	-48.23	-46.78	-40.83	-27.62	-27.00	-0.62
5775MHz	Pass	5.565G	6.01G	PK	5.93724G	13.21	-52.13	-52.57	-50.91	-53.19	-46.10	-32.89	-27.00	-5.89

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

CSE Bandedge [PK]


5775MHz



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

CSE Bandedge [PK]

5775MHz




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

CSE Bandedge [PK]

5775MHz

07/02/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

CSE Bandedge [PK]

5775MHz

07/02/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [PK]

5775MHz

07/02/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.565G	6.01G	1M	PK	5.64555G	-27.37	-27.00	-0.37	13.21	0.00	-40.58	-48.44	-43.31	-50.89	-47.37
5.565G	6.01G	1M	PK	6.00066G	-32.57	-27.00	-5.57	13.21	0.00	-45.78	-52.40	-50.13	-52.44	-52.80

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

CSE Bandedge [PK]

5775MHz

07/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.565G	6.01G	1M	PK	5.61862G	-27.62	-27.00	-0.62	13.21	0.00	-40.83	-49.94	-44.39	-48.23	-46.78
5.565G	6.01G	1M	PK	5.93724G	-32.89	-27.00	-5.89	13.21	0.00	-46.10	-52.13	-52.57	-50.91	-53.19



CSE Bandedge_R3_Puncturing
(Parent Device / FCC ID: UDX-600216010)

Appendix E.13

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	5.565G	6.01G	PK	5.65044G	10.40	-37.53				-37.53	-27.13	-26.67	-0.46
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.565G	6.01G	PK	5.6322G	10.40	-45.32	-38.98			-38.07	-27.67	-27.00	-0.67
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.565G	6.01G	PK	5.6471G	13.21	-51.03	-43.32	-49.02	-47.48	-40.71	-27.50	-27.00	-0.50

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE Bandedge_R3_Puncturing
(Parent Device / FCC ID: UDX-600216010)

Appendix E.13

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.65044G	10.40	-37.53				-37.53	-27.13	-26.67	-0.46
5775MHz	Pass	5.565G	6.01G	PK	5.96617G	10.40	-50.51				-50.51	-40.11	-27.00	-13.11
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.6322G	10.40	-45.32	-38.98			-38.07	-27.67	-27.00	-0.67
5775MHz	Pass	5.565G	6.01G	PK	5.94325G	10.40	-50.53	-52.49			-48.39	-37.99	-27.00	-10.99
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.6471G	13.21	-51.03	-43.32	-49.02	-47.48	-40.71	-27.50	-27.00	-0.50
5775MHz	Pass	5.565G	6.01G	PK	5.99665G	13.21	-51.39	-51.42	-50.80	-52.22	-45.41	-32.20	-27.00	-5.20


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

CSE Bandedge [PK]

5775MHz

12/02/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

CSE Bandedge [PK]

5775MHz

12/02/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

CSE Bandedge [PK]

5775MHz

12/02/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.565G	6.01G	1M	PK	5.6471G	-27.50	-27.00	-0.50	13.21	0.00	-40.71	-51.03	-43.32	-49.02	-47.48
5.565G	6.01G	1M	PK	5.99665G	-32.20	-27.00	-5.20	13.21	0.00	-45.41	-51.39	-51.42	-50.80	-52.22



RSE TX above 1GHz (Cabinet)_R1
(Parent Device / FCC ID: UDX-600216010)


Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	17.48136G	63.48	68.20	-4.72	3	Vertical	192	1.80	-

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
 Setting 21.5
 01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64055G	59.33	74.00	-14.67	41.08	3	Vertical	328	2.56	-	38.90	11.99	32.64			
AV	11.65609G	45.74	54.00	-8.26	27.48	3	Vertical	328	2.56	-	38.90	12.01	32.65			
PK	17.48136G	63.48	68.20	-4.72	39.30	3	Vertical	192	1.80	-	41.87	14.08	31.77			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX



EUT_Y_1TX
 Setting 21.5
 01-C-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.63644G	59.59	74.00	-14.41	41.34	3	Horizontal	304	2.75	-	38.90	11.99	32.64			
AV	11.63668G	45.67	54.00	-8.33	27.42	3	Horizontal	304	2.75	-	38.90	11.99	32.64			
PK	17.4621G	63.35	68.20	-4.85	39.11	3	Horizontal	360	1.80	-	41.95	14.07	31.78			



RSE TX above 1GHz (Cabinet)_R3
(Parent Device / FCC ID: UDX-600216010)


Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	17.236G	61.40	68.20	-6.80	3	Vertical	17	1.48	-

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 19.5
 06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49852G	58.31	74.00	-15.69	41.65	3	Vertical	16	1.31	-	39.90	11.75	34.99			
AV	11.49876G	45.43	54.00	-8.57	28.77	3	Vertical	16	1.31	-	39.90	11.75	34.99			
PK	17.236G	61.40	68.20	-6.80	40.83	3	Vertical	17	1.48	-	40.94	13.84	34.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX



EUT_Y_4TX
 Setting 19.5
 06-I-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4876G	57.85	74.00	-16.15	41.19	3	Horizontal	263	1.99	-	39.88	11.75	34.97			
AV	11.4978G	45.27	54.00	-8.73	28.61	3	Horizontal	263	1.99	-	39.90	11.75	34.99			
PK	17.24024G	61.08	68.20	-7.12	40.49	3	Horizontal	69	2.68	-	40.96	13.84	34.21			

For 47 CFR FCC Part 15, Subpart E (Section 15.407)

<Radio 1>

Test Items	Mode (MHz)	Reference Worst-Case (R_{dB})	Variant Test (V_{dB})	dB Difference (d_{dB})	Spot-Check Parameters	Pass Criterion ($d_{dB} < d_{dBmax}(M_{dB})$)
CSE Bandedge	Radio 1 802.11ax HEW40_Nss1,(MCS0)_1TX 5755MHz	-28.22	-25.46	2.76	CdB=-24.69 dBm MdB= CdB-RdB =3.53 ddBmax(MdB)=3.18	Pass
CSE Harmonic	Radio 1 802.11ax HEW40_Nss1,(MCS0)_1TX 5755MHz	-33.04	-30.59	2.45	CdB=-25.24 dBm MdB= CdB-RdB =7.8 ddBmax(MdB)=3.39	Pass
Conducted Power	Radio 1 802.11ax HEW40_Nss1,(MCS0)_1TX 5755MHz	22.58	22.43	-0.15	CdB=29.90 dBm MdB= CdB-RdB =7.32 ddBmax(MdB)=3.37	Pass
PSD	Radio 1 802.11ax HEW40_Nss1,(MCS0)_1TX 5755MHz	4.77	4.53	-0.24	CdB=29.90 dBm/MHz MdB= CdB-RdB =25.13 ddBmax(MdB)=4.26	Pass

Compared Test Result
Maximum Conducted Output Power / Power Spectral Density

Parent Device											
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	DG (dBi)	PSD (dBm)	PSD Limit (dBm)
Radio 1	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	6.10	22.58	-	-	-	22.58	29.90	6.10	4.77	29.90

Variant Device											
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	DG (dBi)	PSD (dBm)	PSD Limit (dBm)
Radio 1	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	6.10	22.43	-	-	-	22.43	29.90	6.10	4.53	29.90

Power Spectral Density

Radio 1 / UNII 3 / 802.11ax HEW40_Nss1,(MCS0)_1TX

Parent Device


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5755MHz	Pass	6.10	4.77	4.77	29.90

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5755MHz

21/12/2024



Variant Device


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5755MHz	Pass	6.10	4.53	4.53	29.90

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5755MHz

24/04/2025



Unwanted Emissions

Harmonic (1~8GHz): Radio 1 / UNII 3 / 802.11ax HEW40_Nss1,(MCS0)_1TX

Parent Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	1G	8G	AV	5.361G	6.10	-62.55	-62.55	-56.45	-41.20	-15.25
5755MHz	Pass	1G	8G	PK	5.65063G	6.10	-39.14	-39.14	-33.04	-26.54	-6.50
5755MHz	Pass	1G	8G	PK	5.93325G	6.10	-46.60	-46.60	-40.50	-27.00	-13.50

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5755MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.65063G	-33.04	-26.54	-6.50	6.10	0.00	-39.14	-39.14
1G	8G	1M	PK	5.93325G	-40.50	-27.00	-13.50	6.10	0.00	-46.60	-46.60

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5755MHz

25/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.361G	-56.45	-41.20	-15.25	6.10	0.00	-62.55	-62.55

Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	1G	8G	AV	5.36538G	6.10	-64.94	-64.94	-58.84	-41.20	-17.64
5755MHz	Pass	1G	8G	PK	5.65238G	6.10	-36.69	-36.69	-30.59	-25.24	-5.35
5755MHz	Pass	1G	8G	PK	5.928G	6.10	-46.99	-46.99	-40.89	-27.00	-13.89

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5755MHz

24/04/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.65238G	-30.59	-25.24	-5.35	6.10	0.00	-36.69	-36.69
1G	8G	1M	PK	5.928G	-40.89	-27.00	-13.89	6.10	0.00	-46.99	-46.99

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5755MHz

24/04/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.36538G	-58.84	-41.20	-17.64	6.10	0.00	-64.94	-64.94

Harmonic (8~40GHz): Radio 1 / UNII 3 / 802.11ax HEW40_Nss1,(MCS0)_1TX

Parent Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	8G	40G	AV	11.478G	6.10	-66.47	-66.47	-60.37	-41.20	-19.17
5755MHz	Pass	8G	40G	AV	39.823G	6.10	-57.16	-57.16	-51.06	-41.20	-9.86
5755MHz	Pass	8G	40G	PK	11.534G	6.10	-59.72	-59.72	-53.62	-21.20	-32.42
5755MHz	Pass	8G	40G	PK	37.11G	6.10	-49.67	-49.67	-43.57	-27.00	-16.57

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

5755MHz

25/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.534G	-53.62	-21.20	-32.42	6.10	0.00	-59.72	-59.72
8G	40G	1M	PK	37.11G	-43.57	-27.00	-16.57	6.10	0.00	-49.67	-49.67

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

5755MHz

25/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.478G	-60.37	-41.20	-19.17	6.10	0.00	-66.47	-66.47
8G	40G	1M	AV	39.823G	-51.06	-41.20	-9.86	6.10	0.00	-57.16	-57.16

Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	8G	40G	AV	11.511G	6.10	-85.07	-85.07	-78.97	-41.20	-37.77
5755MHz	Pass	8G	40G	AV	22.141G	6.10	-81.13	-81.13	-75.03	-41.20	-33.83
5755MHz	Pass	8G	40G	PK	11.524G	6.10	-76.92	-76.92	-70.82	-21.20	-49.62
5755MHz	Pass	8G	40G	PK	33.162G	6.10	-67.87	-67.87	-61.77	-27.00	-34.77

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [PK]

5755MHz

02/05/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RfltdB	Psum(dBm)	P1(dBm)
8G	40G	1M	PK	11.511G	-78.92	-41.20	-37.77	6.10	0.00	-85.07	-85.07
8G	40G	1M	PK	33.162G	-61.77	-27.00	-34.77	6.10	0.00	-67.87	-67.87

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE [AV]

5755MHz

02/05/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RfltdB	Psum(dBm)	P1(dBm)
8G	40G	1M	AV	11.511G	-78.97	-41.20	-37.77	6.10	0.00	-85.07	-85.07
8G	40G	1M	AV	22.141G	-75.03	-41.20	-33.83	6.10	0.00	-81.13	-81.13

Bandedge: Radio 1 / UNII 3 / 802.11ax HEW40_Nss1,(MCS0)_1TX

Parent Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	5.645G	5.93G	PK	5.64728G	6.10	-34.32	-34.32	-28.22	-27.00	-1.22
5755MHz	Pass	5.645G	5.93G	PK	5.92758G	6.10	-38.42	-38.42	-32.32	-27.00	-5.32

5.725-5.85GHz 802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5755MHz

21/12/2024



Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	5.645G	5.93G	PK	5.65312G	6.10	-31.56	-31.56	-25.46	-24.69	-0.77
5755MHz	Pass	5.645G	5.93G	PK	5.93G	6.10	-38.91	-38.91	-32.81	-27.00	-5.81

5.725-5.85GHz 802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5755MHz

24/04/2025



<Radio 3>

Test Items	Mode (MHz)	Reference Worst-Case (R_{dB})	Variant Test (V_{dB})	dB Difference (d_{dB})	Spot-Check Parameters	Pass Criterion ($d_{dB} < d_{dBmax}(MdB)$)
CSE Bandedge	Radio 3 802.11be EHT80_Nss1,(MCS0)_2TX 5775MHz	-27.78	-27.75	0.03	CdB=-27.00 dBm MdB= CdB-RdB =0.78 ddBmax(MdB)=3.04	Pass
CSE Harmonic	Radio 3 802.11be EHT80_Nss1,(MCS0)_2TX 5775MHz	-42.38	-43.75	-1.37	CdB=-41.20 dBm MdB= CdB-RdB =1.18 ddBmax(MdB)=3.06	Pass
Conducted Power	Radio 3 802.11be EHT80_Nss1,(MCS0)_2TX 5775MHz	23.29	23.03	-0.26	CdB=25.60 dBm MdB= CdB-RdB =2.31 ddBmax(MdB)=3.12	Pass
PSD	Radio 3 802.11be EHT80_Nss1,(MCS0)_2TX 5775MHz	2.14	2.03	-0.11	CdB=25.60 dBm/MHz MdB= CdB-RdB =23.46 ddBmax(MdB)=4.17	Pass

Compared Test Result
Maximum Conducted Output Power / Power Spectral Density

Parent Device											
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	DG (dBi)	PSD (dBm)	PSD Limit (dBm)
Radio 3	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	10.40	20.59	19.95	-	-	23.29	25.60	10.40	2.14	25.60

Variant Device											
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	DG (dBi)	PSD (dBm)	PSD Limit (dBm)
Radio 3	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	10.40	20.28	19.74	-	-	23.03	25.60	10.40	2.03	25.60

Power Spectral Density

Radio 3 / UNII 3 / 802.11be EHT80_Nss1,(MCS0)_2TX


Parent Device

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5775MHz	Pass	10.40	-0.56	-1.08	-	-	2.14	25.60

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5775MHz




Variant Device

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5775MHz	Pass	10.40	-0.74	-1.16	-	-	2.03	25.60

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5775MHz



Unwanted Emissions

Harmonic (1~8GHz): Radio 3 / UNII 3 / 802.11be EHT80_Nss1,(MCS0)_2TX

Parent Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	1G	8G	AV	5.45638G	10.40	-56.86	-54.93	-	-	-52.78	-42.38	-41.2	-1.18
5775MHz	Pass	1G	8G	PK	5.65063G	10.40	-43.25	-41.23	-	-	-39.11	-28.71	-26.54	-2.17
5775MHz	Pass	1G	8G	PK	5.96475G	10.40	-69.89	-71.55	-	-	-67.63	-57.23	-27	-30.23

5.725-5.85GHz 802.11be EHT80_Nss1,(MCS0)_2TX

CSE Other [PK]

5775MHz

23/12/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.65063G	-28.71	-26.54	-2.17	10.40	0.00	-39.11	-43.25	-41.23
1G	8G	1M	PK	5.96475G	-57.23	-27.00	-30.23	10.40	0.00	-67.63	-69.89	-71.55

5.725-5.85GHz 802.11be EHT80_Nss1,(MCS0)_2TX

CSE Other [AV]

5775MHz

23/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.45638G	-42.38	-41.20	-1.18	10.40	0.00	-52.78	-56.86	-54.93

Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	1G	8G	AV	5.43538G	10.40	-58.78	-55.99	-	-	-54.15	-43.75	-41.20	-2.55
5775MHz	Pass	1G	8G	PK	5.648G	10.40	-44.13	-44.34	-	-	-41.22	-30.82	-27.00	-3.82
5775MHz	Pass	1G	8G	PK	5.977G	10.40	-78.03	-76.04	-	-	-73.91	-63.51	-27.00	-36.51

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Other [PK]

5775MHz

25/04/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.648G	-30.82	-27.00	-3.82	10.40	0.00	-41.22	-44.13	-44.34
1G	8G	1M	PK	5.977G	-63.51	-27.00	-36.51	10.40	0.00	-73.91	-78.03	-76.04

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Other [AV]

5775MHz

25/04/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.43538G	-43.75	-41.20	-2.55	10.40	0.00	-54.15	-58.78	-55.99



Harmonic (8~40GHz): Radio 3 / UNII 3 / 802.11be EHT80_Nss1,(MCS0)_2TX

Parent Device



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.551G	10.40	-92.73	-87.23	-	-	-86.15	-75.75	-41.2	-34.55
5775MHz	Pass	8G	40G	PK	11.543G	10.40	-89.19	-78.02	-	-	-77.7	-67.30	-21.2	-46.10
5775MHz	Pass	8G	40G	PK	38.193G	10.40	-80.44	-83.58	-	-	-78.72	-68.32	-27	-41.32

5.725-5.85GHz 802.11be EHT80_Nss1,(MCS0)_2TX

CSE [PK]

5775MHz

20/12/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dBi)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.543G	-67.30	-21.20	-46.10	10.40	0.00	-77.70	-89.19	-78.02
8G	40G	1M	PK	38.193G	-68.32	-27.00	-41.32	10.40	0.00	-78.72	-80.44	-83.58

5.725-5.85GHz 802.11be EHT80_Nss1,(MCS0)_2TX

CSE [AV]

5775MHz

20/12/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dBi)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.551G	-75.75	-41.20	-34.55	10.40	0.00	-86.15	-92.73	-87.23

Variant Device


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	8G	40G	AV	11.54G	10.40	-97.89	-95.68	-	-	-93.64	-83.24	-41.20	-42.04
5775MHz	Pass	8G	40G	AV	19.226G	10.40	-89.50	-90.88	-	-	-87.13	-76.73	-41.20	-35.53
5775MHz	Pass	8G	40G	PK	11.614G	10.40	-93.20	-87.95	-	-	-86.82	-76.42	-21.20	-55.22
5775MHz	Pass	8G	40G	PK	23.451G	10.40	-83.06	-84.16	-	-	-80.56	-70.16	-27.00	-43.16

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [PK]

5775MHz

30/04/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [AV]

5775MHz

30/04/2025



Bandedge: Radio 3 / UNII 3 / 802.11be EHT80_Nss1,(MCS0)_2TX


Parent Device

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.64532G	10.40	-39.41	-44.25	-	-	-38.18	-27.78	-27	-0.78
5775MHz	Pass	5.565G	6.01G	PK	5.9635G	10.40	-54	-54.72	-	-	-51.33	-40.93	-27	-13.93

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5775MHz



Variant Device

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	5.565G	6.01G	PK	5.64755G	10.40	-42.25	-40.29	-	-	-38.15	-27.75	-27.00	-0.75
5775MHz	Pass	5.565G	6.01G	PK	5.97685G	10.40	-49.46	-49.43	-	-	-46.43	-36.03	-27.00	-9.03

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5775MHz

