




802.11ax (40 MHz) / Ant. 1 / 2452 MHz




802.11g / Ant. 2 / 2412 MHz




802.11g / Ant. 2 / 2437 MHz




802.11g / Ant. 2 / 2462 MHz




802.11ax (20 MHz) / Ant. 2 / 2412 MHz




802.11ax (20 MHz) / Ant. 2 / 2417 MHz




802.11ax (20 MHz) / Ant. 2 / 2437 MHz





802.11ax (20 MHz) / Ant. 2 / 2457 MHz





802.11ax (20 MHz) / Ant. 2 / 2462 MHz





802.11ax (40 MHz) / Ant. 2 / 2422 MHz





802.11ax (40 MHz) / Ant. 2 / 2427 MHz





802.11ax (40 MHz) / Ant. 2 / 2437 MHz




802.11ax (40 MHz) / Ant. 2 / 2447 MHz



802.11ax (40 MHz) / Ant. 2 / 2452 MHz




802.11b / Ant. 1 / 2412 MHz (Band Edge)




Date: 1.DEC.2023 14:31:15

802.11b / Ant. 1 / 2462 MHz (Band Edge)




Date: 1.DEC.2023 14:38:18

802.11g / Ant. 1 / 2412 MHz (Band Edge)




Date: 1.DEC.2023 14:50:37

802.11g / Ant. 1 / 2462 MHz (Band Edge)




Date: 1.DEC.2023 15:40:37

802.11ax (20 MHz) / Ant. 1 / 2412 MHz (Band Edge)




Date: 1.DEC.2023 18:13:32

802.11ax (20 MHz) / Ant. 1 / 2417 MHz (Band Edge)




Date: 5.DEC.2023 12:26:22

802.11ax (20 MHz) / Ant. 1 / 2457 MHz (Band Edge)




Date: 5.DEC.2023 12:33:39

802.11ax (20 MHz) / Ant. 1 / 2462 MHz (Band Edge)




Date: 1.DEC.2023 17:32:42

802.11ax (40 MHz) / Ant. 1 / 2422 MHz (Band Edge)




Date: 1.DEC.2023 19:03:03

802.11ax (40 MHz) / Ant. 1 / 2427 MHz (Band Edge)




Date: 5.DEC.2023 12:36:48

802.11ax (40 MHz) / Ant. 1 / 2447 MHz (Band Edge)




Date: 5.DEC.2023 12:43:12

802.11ax (40 MHz) / Ant. 1 / 2452 MHz (Band Edge)




Date: 1.DEC.2023 19:10:53


802.11g / Ant. 2 / 2412 MHz (Band Edge)




802.11g / Ant. 2 / 2462 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 2 / 2412 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 2 / 2417 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 2 / 2457 MHz (Band Edge)



802.11ax (20 MHz) / Ant. 2 / 2462 MHz (Band Edge)




802.11ax (40 MHz) / Ant. 2 / 2422 MHz (Band Edge)




Date: 1.DEC.2023 19:04:42

802.11ax (40 MHz) / Ant. 2 / 2427 MHz (Band Edge)




Date: 5.DEC.2023 12:39:55

802.11ax (40 MHz) / Ant. 2 / 2447 MHz (Band Edge)



Date: 5.DEC.2023 12:44:43

802.11ax (40 MHz) / Ant. 2 / 2452 MHz (Band Edge)




Date: 1.DEC.2023 19:08:54

Appendix F. Test Result of Transmitter Radiated Spurious Emission

30 MHz ~ 1 GHz

Mode 1: EUT + Adapter 1

Site :HC-CB04
Condition :3m Horizontal
Mode :g_TX_2462MHz_FRECOM
Test by :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	159.689	22.88	43.50	-20.62	26.20	-3.32	QP
2	321.291	31.69	46.00	-14.31	34.04	-2.35	QP
3	499.965	27.60	46.00	-18.40	25.67	1.93	QP
4	649.442	26.92	46.00	-19.08	21.77	5.15	QP
5	753.911	28.79	46.00	-17.21	21.95	6.84	QP
6	940.151	30.83	46.00	-15.17	21.98	8.85	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m Vertical
Mode :g_TX_2462MHz_FRECOM
Test by :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	101.877	23.82	43.50	-19.68	31.41	-7.59	QP
2	328.954	30.53	46.00	-15.47	32.63	-2.10	QP
3	499.965	26.07	46.00	-19.93	24.14	1.93	QP
4	671.073	34.32	46.00	-11.68	29.11	5.21	QP
5	747.121	31.40	46.00	-14.60	24.66	6.74	QP
6	948.396	31.05	46.00	-14.95	22.08	8.97	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2324.000	47.06	54.00	-6.94	36.33	10.73	Average
2	2412.800	111.43	-----	-----	100.27	11.16	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.900	56.36	74.00	-17.64	45.31	11.05	Peak
2	2412.900	115.12	-----	-----	103.96	11.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2313.000	47.66	54.00	-6.34	36.98	10.68	Average
2	2412.700	110.14	-----	-----	98.98	11.16	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.98	74.00	-20.02	42.93	11.05	Peak
2	2412.300	115.68	-----	-----	104.52	11.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4824.000	53.68	74.00	-20.32	71.51	-17.83	Peak
2	7236.000	46.21	74.00	-27.79	58.94	-12.73	Peak
3	9648.000	46.69	74.00	-27.31	55.75	-9.06	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4824.000	53.38	54.00	-0.62	71.21	-17.83	Average
2	4824.000	55.87	74.00	-18.13	73.70	-17.83	Peak
3	7236.000	45.62	74.00	-28.38	58.35	-12.73	Peak
4	9648.000	45.60	74.00	-28.40	54.66	-9.06	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2338.000	47.25	54.00	-6.75	36.45	10.80	Average
2	2437.700	110.33	-----	-----	99.04	11.29	Average
3	2489.900	41.87	54.00	-12.13	30.33	11.54	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2343.000	53.92	74.00	-20.08	43.09	10.83	Peak
2	2437.300	115.18	-----	-----	103.89	11.29	Peak
3	2489.600	52.98	74.00	-21.02	41.44	11.54	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2338.000	46.57	54.00	-7.43	36.21	10.36	Average
2	2437.800	107.72	-----	-----	96.93	10.79	Average
3	2499.900	38.79	54.00	-15.21	27.73	11.06	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2356.200	53.52	74.00	-20.48	43.08	10.44	Peak
2	2437.200	112.82	-----	-----	102.03	10.79	Peak
3	2493.300	49.82	74.00	-24.18	38.79	11.03	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	53.47	74.00	-20.53	71.14	-17.67	Peak
2	7311.000	44.31	74.00	-29.69	56.93	-12.62	Peak
3	9748.000	44.03	74.00	-29.97	52.96	-8.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	53.01	54.00	-0.99	70.68	-17.67	Average
2	4874.000	54.77	74.00	-19.23	72.44	-17.67	Peak
3	7311.000	44.65	74.00	-29.35	57.27	-12.62	Peak
4	9748.000	44.44	74.00	-29.56	53.37	-8.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.700	110.41	-----	-----	99.00	11.41	Average
2	2484.700	51.14	54.00	-2.86	39.62	11.52	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.200	113.80	-----	-----	102.40	11.40	Peak
2	2483.800	59.30	74.00	-14.70	47.78	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.800	108.89	-----	-----	97.48	11.41	Average
2	2484.900	47.92	54.00	-6.08	36.40	11.52	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.100	114.06	-----	-----	102.65	11.41	Peak
2	2484.000	56.91	74.00	-17.09	45.39	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	53.08	74.00	-20.92	70.60	-17.52	Peak
2	7386.000	43.37	74.00	-30.63	55.88	-12.51	Peak
3	9848.000	44.08	74.00	-29.92	52.86	-8.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	52.48	54.00	-1.52	70.00	-17.52	Average
2	4924.000	55.05	74.00	-18.95	72.57	-17.52	Peak
3	7386.000	44.36	74.00	-29.64	56.87	-12.51	Peak
4	9848.000	44.68	74.00	-29.32	53.46	-8.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	47.68	54.00	-6.32	36.63	11.05	Average
2	2415.300	102.41	-----	-----	91.23	11.18	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.900	73.05	74.00	-0.95	62.00	11.05	Peak
2	2414.600	112.94	-----	-----	101.76	11.18	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	49.89	54.00	-4.11	38.84	11.05	Average
2	2406.100	104.56	-----	-----	93.43	11.13	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.800	72.36	74.00	-1.64	61.31	11.05	Peak
2	2415.900	115.10	-----	-----	103.92	11.18	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	53.58	74.00	-20.42	71.41	-17.83	Peak
2	7236.000	45.93	74.00	-28.07	58.66	-12.73	Peak
3	9648.000	45.98	74.00	-28.02	55.04	-9.06	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	40.53	54.00	-13.47	58.36	-17.83	Average
2	4824.000	54.51	74.00	-19.49	72.34	-17.83	Peak
3	7236.000	44.89	74.00	-29.11	57.62	-12.73	Peak
4	9648.000	44.26	74.00	-29.74	53.32	-9.06	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test by :Cyril




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.700	48.08	54.00	-5.92	37.49	10.59	Average
2	2439.500	107.89	-----	-----	97.10	10.79	Average
3	2484.200	47.70	54.00	-6.30	36.70	11.00	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test by :Cyril




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.100	67.87	74.00	-6.13	57.29	10.58	Peak
2	2435.000	118.03	-----	-----	107.25	10.78	Peak
3	2484.800	68.97	74.00	-5.03	57.97	11.00	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test by :Cyril




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	47.79	54.00	-6.21	37.20	10.59	Average
2	2441.200	109.26	-----	-----	98.45	10.81	Average
3	2486.000	48.19	54.00	-5.81	37.19	11.00	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.000	67.29	74.00	-6.71	56.71	10.58	Peak
2	2440.900	119.07	-----	-----	108.26	10.81	Peak
3	2486.000	69.67	74.00	-4.33	58.67	11.00	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.