



Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4874.000	42.43	54.00	-11.57	60.10	-17.67	Average
2	4874.000	55.71	74.00	-18.29	73.38	-17.67	Peak
3	7311.000	45.01	74.00	-28.99	57.63	-12.62	Peak
4	9748.000	44.27	74.00	-29.73	53.20	-8.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4874.000	43.14	54.00	-10.86	60.81	-17.67	Average
2	4874.000	56.42	74.00	-17.58	74.09	-17.67	Peak
3	7311.000	45.36	74.00	-28.64	57.98	-12.62	Peak
4	9748.000	44.09	74.00	-29.91	53.02	-8.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2464.600	102.42	-----	-----	91.00	11.42	Average
2	2483.600	51.51	54.00	-2.49	40.01	11.50	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2465.300	112.77	-----	-----	101.34	11.43	Peak
2	2484.100	73.50	74.00	-0.50	61.98	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2456.180	104.94	-----	-----	93.56	11.38	Average
2	2483.700	52.29	54.00	-1.71	40.77	11.52	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2465.900	115.10	-----	-----	103.67	11.43	Peak
2	2487.600	71.99	74.00	-2.01	60.46	11.53	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4924.000	51.39	74.00	-22.61	68.91	-17.52	Peak
2	7386.000	43.71	74.00	-30.29	56.22	-12.51	Peak
3	9848.000	44.07	74.00	-29.93	52.85	-8.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4924.000	53.17	74.00	-20.83	70.69	-17.52	Peak
2	7386.000	44.33	74.00	-29.67	56.84	-12.51	Peak
3	9848.000	44.78	74.00	-29.22	53.56	-8.78	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.500	48.19	54.00	-5.81	37.14	11.05	Average
2	2420.200	101.51	-----	-----	90.30	11.21	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.700	71.53	74.00	-2.47	60.48	11.05	Peak
2	2415.300	114.28	-----	-----	103.10	11.18	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	51.84	54.00	-2.16	40.79	11.05	Average
2	2416.100	103.45	-----	-----	92.27	11.18	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.300	70.53	74.00	-3.47	59.48	11.05	Peak
2	2420.900	115.36	-----	-----	104.15	11.21	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	53.45	74.00	-20.55	71.28	-17.83	Peak
2	7236.000	44.51	74.00	-29.49	57.24	-12.73	Peak
3	9648.000	44.45	74.00	-29.55	53.51	-9.06	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2412MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	40.80	54.00	-13.20	58.63	-17.83	Average
2	4824.000	54.93	74.00	-19.07	72.76	-17.83	Peak
3	7236.000	44.07	74.00	-29.93	56.80	-12.73	Peak
4	9648.000	46.68	74.00	-27.32	55.74	-9.06	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2417MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	50.78	54.00	-3.22	39.73	11.05	Average
2	2423.800	104.00	-----	-----	92.78	11.22	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2417MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.700	70.52	74.00	-3.48	59.47	11.05	Peak
2	2418.600	116.88	-----	-----	105.68	11.20	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	52.02	54.00	-1.98	41.43	10.59	Average
2	2434.600	107.05	-----	-----	96.27	10.78	Average
3	2484.100	51.12	54.00	-2.88	40.13	10.99	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	70.40	74.00	-3.60	59.81	10.59	Peak
2	2444.200	118.49	-----	-----	107.67	10.82	Peak
3	2484.700	67.60	74.00	-6.40	56.60	11.00	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	51.23	54.00	-2.77	40.64	10.59	Average
2	2441.000	108.93	-----	-----	98.12	10.81	Average
3	2486.100	51.32	54.00	-2.68	40.32	11.00	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	70.89	74.00	-3.11	60.30	10.59	Peak
2	2445.900	120.17	-----	-----	109.35	10.82	Peak
3	2491.500	69.08	74.00	-4.92	58.06	11.02	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4874.000	41.73	54.00	-12.27	59.40	-17.67	Average
2	4874.000	55.36	74.00	-18.64	73.03	-17.67	Peak
3	7311.000	43.56	74.00	-30.44	56.18	-12.62	Peak
4	9748.000	43.64	74.00	-30.36	52.57	-8.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4874.000	42.93	54.00	-11.07	60.60	-17.67	Average
2	4874.000	57.23	74.00	-16.77	74.90	-17.67	Peak
3	7311.000	46.98	74.00	-27.02	59.60	-12.62	Peak
4	9748.000	44.96	74.00	-29.04	53.89	-8.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2457MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2463.800	103.41	-----	-----	92.00	11.41	Average
2	2483.700	53.24	54.00	-0.76	41.72	11.52	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2457MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2458.700	116.57	-----	-----	105.18	11.39	Peak
2	2483.800	72.81	74.00	-1.19	61.29	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2457MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2451.500	104.43	-----	-----	93.07	11.36	Average
2	2483.600	50.04	54.00	-3.96	38.54	11.50	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2457MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2462.100	116.38	-----	-----	104.97	11.41	Peak
2	2487.100	70.14	74.00	-3.86	58.61	11.53	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2457MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4914.000	41.57	54.00	-12.43	59.13	-17.56	Average
2	4914.000	54.84	74.00	-19.16	72.40	-17.56	Peak
3	7371.000	43.95	74.00	-30.05	56.48	-12.53	Peak
4	9828.000	44.18	74.00	-29.82	53.00	-8.82	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2457MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4914.000	42.56	54.00	-11.44	60.12	-17.56	Average
2	4914.000	55.82	74.00	-18.18	73.38	-17.56	Peak
3	7371.000	44.18	74.00	-29.82	56.71	-12.53	Peak
4	9828.000	44.68	74.00	-29.32	53.50	-8.82	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2469.500	100.75	-----	-----	89.31	11.44	Average
2	2483.600	49.03	54.00	-4.97	37.53	11.50	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2464.500	112.56	-----	-----	101.14	11.42	Peak
2	2484.300	72.66	74.00	-1.34	61.14	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2456.100	103.05	-----	-----	91.67	11.38	Average
2	2483.600	52.15	54.00	-1.85	40.65	11.50	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2462MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2455.700	114.95	-----	-----	103.57	11.38	Peak
2	2485.800	73.03	74.00	-0.97	61.51	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2462MHz
Test by :Cyril




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	49.39	74.00	-24.61	66.91	-17.52	Peak
2	7386.000	44.07	74.00	-29.93	56.58	-12.51	Peak
3	9848.000	45.58	74.00	-28.42	54.36	-8.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2462MHz
Test by :Cyril




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	51.23	74.00	-22.77	68.75	-17.52	Peak
2	7386.000	43.78	74.00	-30.22	56.29	-12.51	Peak
3	9848.000	44.53	74.00	-29.47	53.31	-8.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2422MHz
Test by :Cyril




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.700	48.90	54.00	-5.10	37.85	11.05	Average
2	2430.200	97.91	-----	-----	86.66	11.25	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2422MHz
Test by :Cyril




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.400	64.71	74.00	-9.29	53.66	11.05	Peak
2	2434.600	111.03	-----	-----	99.76	11.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2422MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	52.23	54.00	-1.77	41.18	11.05	Average
2	2426.100	99.45	-----	-----	88.22	11.23	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2422MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.100	66.30	74.00	-7.70	55.25	11.05	Peak
2	2421.100	112.42	-----	-----	101.21	11.21	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2422MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	48.59	74.00	-25.41	66.36	-17.77	Peak
2	7266.000	44.28	74.00	-29.72	56.97	-12.69	Peak
3	9688.000	44.55	74.00	-29.45	53.56	-9.01	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2422MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	49.58	74.00	-24.42	67.35	-17.77	Peak
2	7266.000	45.13	74.00	-28.87	57.82	-12.69	Peak
3	9688.000	44.31	74.00	-29.69	53.32	-9.01	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2427MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2388.300	52.84	54.00	-1.16	41.79	11.05	Average
2	2424.400	99.34	-----	-----	88.12	11.22	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2427MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2387.400	68.55	74.00	-5.45	57.50	11.05	Peak
2	2429.400	112.13	-----	-----	100.88	11.25	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2427MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2390.000	53.19	54.00	-0.81	42.14	11.05	Average
2	2441.600	99.60	-----	-----	88.29	11.31	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2427MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2386.900	68.85	74.00	-5.15	57.80	11.05	Peak
2	2440.900	111.08	-----	-----	99.78	11.30	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2427MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4854.000	49.11	74.00	-24.89	66.85	-17.74	Peak
2	7281.000	44.41	74.00	-29.59	57.08	-12.67	Peak
3	9708.000	44.73	74.00	-29.27	53.70	-8.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2427MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4854.000	50.14	74.00	-23.86	67.88	-17.74	Peak
2	7281.000	45.20	74.00	-28.80	57.87	-12.67	Peak
3	9708.000	44.49	74.00	-29.51	53.46	-8.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.600	49.23	54.00	-4.77	38.64	10.59	Average
2	2439.700	100.22	-----	-----	89.43	10.79	Average
3	2483.700	50.07	54.00	-3.93	39.08	10.99	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.400	68.96	74.00	-5.04	58.37	10.59	Peak
2	2449.500	112.62	-----	-----	101.78	10.84	Peak
3	2484.600	69.30	74.00	-4.70	58.30	11.00	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	50.49	54.00	-3.51	39.90	10.59	Average
2	2441.200	101.89	-----	-----	91.08	10.81	Average
3	2485.200	50.14	54.00	-3.86	39.14	11.00	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	67.27	74.00	-6.73	56.68	10.59	Peak
2	2436.100	114.23	-----	-----	103.45	10.78	Peak
3	2486.600	68.45	74.00	-5.55	57.44	11.01	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	51.18	74.00	-22.82	68.85	-17.67	Peak
2	7311.000	43.87	74.00	-30.13	56.49	-12.62	Peak
3	9748.000	44.63	74.00	-29.37	53.56	-8.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2437MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	52.55	74.00	-21.45	70.22	-17.67	Peak
2	7311.000	44.61	74.00	-29.39	57.23	-12.62	Peak
3	9748.000	44.79	74.00	-29.21	53.72	-8.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2447MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2433.800	98.01	-----	-----	86.74	11.27	Average
2	2487.000	50.43	54.00	-3.57	38.90	11.53	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2447MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2438.500	110.16	-----	-----	98.87	11.29	Peak
2	2484.200	70.79	74.00	-3.21	59.27	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2447MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2441.500	99.73	-----	-----	88.43	11.30	Average
2	2485.400	53.45	54.00	-0.55	41.93	11.52	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2447MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2441.500	112.06	-----	-----	100.76	11.30	Peak
2	2486.400	73.13	74.00	-0.87	61.60	11.53	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2447MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4894.000	49.90	74.00	-24.10	67.52	-17.62	Peak
2	7341.000	43.66	74.00	-30.34	56.24	-12.58	Peak
3	9788.000	44.94	74.00	-29.06	53.81	-8.87	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2447MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4894.000	50.42	74.00	-23.58	68.04	-17.62	Peak
2	7341.000	44.82	74.00	-29.18	57.40	-12.58	Peak
3	9788.000	44.92	74.00	-29.08	53.79	-8.87	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2452MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2439.300	98.17	-----	-----	86.88	11.29	Average
2	2483.600	49.62	54.00	-4.38	38.12	11.50	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2452MHz
Test by :Cyril



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2444.600	109.87	-----	-----	98.55	11.32	Peak
2	2485.400	66.15	74.00	-7.85	54.63	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2452MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2441.400	100.17	-----	-----	88.87	11.30	Average
2	2484.600	53.07	54.00	-0.93	41.55	11.52	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2452MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	2451.000	112.94	-----	-----	101.59	11.35	Peak
2	2484.700	67.68	74.00	-6.32	56.16	11.52	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2452MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4904.000	47.35	74.00	-26.65	64.93	-17.58	Peak
2	7356.000	44.37	74.00	-29.63	56.92	-12.55	Peak
3	9808.000	44.74	74.00	-29.26	53.57	-8.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2452MHz
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4904.000	48.93	74.00	-25.07	66.51	-17.58	Peak
2	7356.000	44.69	74.00	-29.31	57.24	-12.55	Peak
3	9808.000	44.63	74.00	-29.37	53.46	-8.83	Peak


Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Appendix G. Test Result of Radiated Emissions Co-location

WiFi 2.4 GHz + WiFi 5 GHz

30 MHz ~ 1 GHz:


Site :HC-CB04
Condition :3m Horizontal
Mode :LF_Co-location_WIFI_2.4G+WiFi_5G
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	70.740	22.50	40.00	-17.50	27.51	-5.01	QP
2	155.421	20.80	43.50	-22.70	24.15	-3.35	QP
3	333.998	30.66	46.00	-15.34	32.65	-1.99	QP
4	413.829	21.19	46.00	-24.81	21.36	-0.17	QP
5	675.826	26.95	46.00	-19.05	21.74	5.21	QP
6	842.278	27.95	46.00	-18.05	20.37	7.58	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m Vertical
Mode :LF_Co-location_WIFI_2.4G+WiFi_5G
Test by :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	76.463	25.02	40.00	-14.98	31.46	-6.44	QP
2	155.615	20.05	43.50	-23.45	23.38	-3.33	QP
3	338.848	26.92	46.00	-19.08	28.86	-1.94	QP
4	459.322	21.99	46.00	-24.01	20.68	1.31	QP
5	673.110	30.69	46.00	-15.31	25.47	5.22	QP
6	862.357	28.94	46.00	-17.06	21.16	7.78	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz:


Site :HC-CB04
Condition :3m Horizontal
Mode :Co-location_WIFI_2.4G+WiFi_5G
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	51.24	74.00	-22.76	68.76	-17.52	Peak
2	7386.000	43.29	74.00	-30.71	55.80	-12.51	Peak
3	9848.000	44.17	68.20	-24.03	52.95	-8.78	Peak
4	11400.000	46.72	74.00	-27.28	53.09	-6.37	Peak
5	17100.000	49.16	68.20	-19.04	52.67	-3.51	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m Vertical
Mode :Co-location_WIFI_2.4G+WiFi_5G
Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	53.08	74.00	-20.92	70.60	-17.52	Peak
2	7386.000	44.11	74.00	-29.89	56.62	-12.51	Peak
3	9848.000	45.14	68.20	-23.06	53.92	-8.78	Peak
4	11400.000	45.96	74.00	-28.04	52.33	-6.37	Peak
5	17100.000	48.96	68.20	-19.24	52.47	-3.51	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.