

**Test Photographs  
Radiated Emissions**



Test Setup, Front View



Test Setup, Rear View



**Retlif Testing Laboratories**

Test Report No. R-2911P, Rev. A

**Test Photograph  
Conducted Emissions**




10 cm Spacing



**Retlif Testing Laboratories**

Test Report No. R-2911P, Rev. A

**Test Photographs  
Conducted Emissions**



Mouse Setup



10 cm Spacing



**Retlif Testing Laboratories**

Test Report No. R-2911P, Rev. A

**Test Photographs  
Conducted Emissions**



LISN Setup




Test Setup, Rear View



**Retlif Testing Laboratories**

Test Report No. R-2911P, Rev. A

**Test Photographs  
Conducted Emissions**



Test Setup



Rear Test Setup



**Retlif Testing Laboratories**

Test Report No. R-2911P, Rev. A

Figure 1 - General Setup Photographs



Conducted Emissions



Radiated Emissions

NOTE: During preliminary emissions testing the placement of the EUT was varied between the 10 cm offset location and the laptop screen mounting position. It was determined that the later produced maximum emissions and was in line with expected operation. Formal emissions measurements were therefore carried out with the EUT in this configuration.



**Retlif Testing Laboratories**

Test Report No. R-2911P, Rev. A