




IN
RS485
+27V GND +12V
OUT
CH1 -MGC
CH2-MGC




SNTEK
HC573
AD531B
R82








TS-SD103-27V/4A III








TS-50V03-27V/4A/II







JP-HSE-0.8-12
TS-50YOD-27V/4A

JP-HSE-0.8-12
12V0.8Ah/20HR
RECHARGEABLE SEALED LEAD-ACID BATTERY
Beijing Liyibo Battery science and technology Co. Ltd
Designed in Taiwan
Jumpco
CE ISO9001
Pb
Pb


JP-HSE-0.8-12
TS-S2103-27V-4A(1)

ANT
-20dB
TS-PcTrm -20
F: 800-1000MHz
S/N:06080002
OUT

OUT
TS-PcTrm -20
F: 800-1000MHz
S/N:06080002
-20dB
ANT


ANT
-20dB
TS-PcTrm -20
F: 800-1000MHz
S/N:06080002
OUT




510


JP-HSE 0.8-12

PE
H
L
FUSE
GND
GND
+9V-ADJ
+12V-ADJ
+12V-ADJ
GND
GND
+27V
+27V
TS-SDY03-27V/4AIII

PE
H
L
FUSE
GND
GND
+9V-ADJ
+12V-ADJ
+12V-ADJ
GND
GND
+27V
+27V
TS-SDY03-27V/4AIII

H4206-001
Trancom 0636