

SAR Test Setup Photographs


- Head SAR Test Photo
- Body SAR Test Photo
- Phablet SAR Test Photo

■ Test Setup Photo (Liquid depth)



Note: The liquid depth is maintained at a minimum depth of 15 cm to minimize reflections from the upper surface.

■ Test Setup Photo (Head SAR Test Photo)



■ Test Setup Photo



■ Test Setup Photo (With hand strap)



■ Test Setup Photo (Head SAR Test Photo)



■ Test Setup Photo




■ Test Setup Photo (With hand strap)



■ Test Setup Photo (Body SAR Test Photo)




■ Test Setup Photo (Top)



■ Test Setup Photo (Top) (With hand strap)




■ Test Setup Photo (Bottom)



■ Test Setup Photo (Bottom) (With hand strap)




■ Test Setup Photo (Front)




■ Test Setup Photo (Rear)




■ Test Setup Photo (Rear) (With hand strap)





■ Test Setup Photo (Right)



■ Test Setup Photo (Left)




■ Test Setup Photo (Left) (With hand strap)



■ Test Setup Photo (Phablet SAR Test Photo)



■ Test Setup Photo (Top)



■ Test Setup Photo (Top) (With hand strap)



■ Test Setup Photo (Bottom)



■ Test Setup Photo (Bottom) (With hand strap)



■ Test Setup Photo (Front)



■ Test Setup Photo (Rear)



■ Test Setup Photo (Rear) 19 mm



■ Test Setup Photo (Rear) (With hand strap)



■ Test Setup Photo (Right)



■ Test Setup Photo (Left)

