

Annex A.5 Spurious Emission at Antenna Terminals

GPRS

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-25.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.67	-13	Pass	2986
30	500	0.1	Peak	347	-43.69	-13	Pass	4701
500	1000	0.1	Peak	824.1	31.63	-13	N/A	5001
1000	10000	1	Peak	9969	-20.96	-13	Pass	9001




1.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-27.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.06	-13	Pass	2986
30	500	0.1	Peak	418	-42.91	-13	Pass	4701
500	1000	0.1	Peak	836.5	31.7	-13	N/A	5001
1000	10000	1	Peak	9963	-21.07	-13	Pass	9001



1.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-25.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.63	-13	Pass	2986
30	500	0.1	Peak	368.9	-44.12	-13	Pass	4701
500	1000	0.1	Peak	848.9	31.62	-13	N/A	5001
1000	10000	1	Peak	9952	-21.4	-13	Pass	9001



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.31	-13	Pass	2986
30	1000	0.1	Peak	886.3	-48.86	-13	Pass	9701
1000	3000	1	Peak	1850	28.75	-13	N/A	2001
3000	20000	1	Peak	19980	-38.29	-13	Pass	17001




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.95	-13	Pass	401
0.15	30	0.01	Peak	0.16	-34.49	-13	Pass	2986
30	1000	0.1	Peak	870.8	-48.66	-13	Pass	9701
1000	3000	1	Peak	1880	27.76	-13	N/A	2001
3000	20000	1	Peak	19943	-38.35	-13	Pass	17001



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.86	-13	Pass	2986
30	1000	0.1	Peak	847.7	-48.14	-13	Pass	9701
1000	3000	1	Peak	1910	28.24	-13	N/A	2001
3000	20000	1	Peak	19983	-38	-13	Pass	17001




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.15	-13	Pass	2986
30	500	0.1	Peak	400.8	-41.43	-13	Pass	4701
500	1000	0.1	Peak	824.2	30.07	-13	N/A	5001
1000	10000	1	Peak	1648	-34.15	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.54	-13	Pass	2986
30	500	0.1	Peak	484.2	-41.28	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.61	-13	N/A	5001
1000	10000	1	Peak	1673	-36.51	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.82	-13	Pass	2986
30	500	0.1	Peak	412.8	-41.33	-13	Pass	4701
500	1000	0.1	Peak	848.8	29	-13	N/A	5001
1000	10000	1	Peak	1698	-38.4	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-41.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.95	-13	Pass	2986
30	1000	0.1	Peak	958.8	-44.75	-13	Pass	9701
1000	3000	1	Peak	1850	29.31	-13	N/A	2001
3000	20000	1	Peak	19922	-36.19	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.25	-13	Pass	2986
30	1000	0.1	Peak	970.2	-44.54	-13	Pass	9701
1000	3000	1	Peak	1880	30.04	-13	N/A	2001
3000	20000	1	Peak	19928	-36.1	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.94	-13	Pass	2986
30	1000	0.1	Peak	931.1	-45.16	-13	Pass	9701
1000	3000	1	Peak	1910	30.13	-13	N/A	2001
3000	20000	1	Peak	19927	-36.42	-13	Pass	17001




WCDMA

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.31	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.34	-13	Pass	2986
30	1000	0.1	Peak	733.7	-52.67	-13	Pass	9701
1000	3000	1	Peak	1854	24.25	-13	N/A	2001
3000	20000	1	Peak	19714	-22.27	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.83	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.61	-13	Pass	2986
30	1000	0.1	Peak	957.772	-52.23	-13	Pass	9701
1000	3000	1	Peak	1881	24.12	-13	N/A	2001
3000	20000	1	Peak	19150	-22.31	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.07	-13	Pass	401
0.15	30	0.01	Peak	0.6	-59.94	-13	Pass	2986
30	1000	0.1	Peak	793.5	-52.71	-13	Pass	9701
1000	3000	1	Peak	1906	24.46	-13	N/A	2001
3000	20000	1	Peak	19421	-22.37	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.75	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61	-13	Pass	2986
30	1000	0.1	Peak	995.797	-52.19	-13	Pass	9701
1000	3000	1	Peak	1711	24	-13	N/A	2001
3000	20000	1	Peak	19711	-21.37	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.96	-13	Pass	401
0.15	30	0.01	Peak	0.6	-59.91	-13	Pass	2986
30	1000	0.1	Peak	739.8	-52.49	-13	Pass	9701
1000	3000	1	Peak	1734	24.18	-13	N/A	2001
3000	20000	1	Peak	19413	-22.2	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.86	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.66	-13	Pass	2986
30	1000	0.1	Peak	724.7	-52.86	-13	Pass	9701
1000	3000	1	Peak	1751	23.99	-13	N/A	2001
3000	20000	1	Peak	19402	-21.83	-13	Pass	17003



1. WCDMA_Band5


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.46	-13	Pass	2986
30	500	0.1	Peak	449	-51.61	-13	Pass	4701
500	1000	0.1	Peak	825.6	19.01	-13	N/A	5001
1000	10000	1	Peak	9742	-29.28	-13	Pass	9001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.94	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.46	-13	Pass	2986
30	500	0.1	Peak	492.9	-51.21	-13	Pass	4701
500	1000	0.1	Peak	837.6	18.49	-13	N/A	5001
1000	10000	1	Peak	9771	-29.25	-13	Pass	9001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.36	-13	Pass	2986
30	500	0.1	Peak	494.6	-50.64	-13	Pass	4701
500	1000	0.1	Peak	847.8	18.18	-13	N/A	5001
1000	10000	1	Peak	9750	-29.01	-13	Pass	9001




LTE

3. LTE_Band2


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.78	-13	Pass	401
0.15	30	0.01	RMS	0.61	-71.18	-13	Pass	2986
30	1000	0.1	RMS	834.2	-63.59	-13	Pass	9701
1000	1840	1	RMS	1840	-51.22	-13	Pass	841
1840	1920	1	RMS	1850.2	24.09	60	Pass	401
1920	3000	1	RMS	2960	-48.74	-13	Pass	1081
3000	12000	1	RMS	7401	-39.3	-13	Pass	9002
12000	20000	1	RMS	19723	-31.1	-13	Pass	8001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.23	-13	Pass	401
0.15	30	0.01	RMS	0.61	-70.85	-13	Pass	2986
30	1000	0.1	RMS	836.4	-63.75	-13	Pass	9701
1000	1840	1	RMS	1840	-51.38	-13	Pass	841
1840	1920	1	RMS	1850.2	23	60	Pass	401
1920	3000	1	RMS	2945	-48.66	-13	Pass	1081
3000	12000	1	RMS	7401	-39.71	-13	Pass	9002
12000	20000	1	RMS	19403	-30.99	-13	Pass	8001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.44	-13	Pass	9701
1000	1840	1	RMS	1806	-52.1	-13	Pass	841
1840	1920	1	RMS	1879.4	24.05	60	Pass	401
1920	3000	1	RMS	2958	-48.71	-13	Pass	1081
3000	12000	1	RMS	11849	-40.1	-13	Pass	9002
12000	20000	1	RMS	19400	-31.04	-13	Pass	8001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.67	-13	Pass	2986
30	1000	0.1	RMS	858.006	-63.64	-13	Pass	9701
1000	1840	1	RMS	1807	-52.13	-13	Pass	841
1840	1920	1	RMS	1879.4	23.21	60	Pass	401
1920	3000	1	RMS	2948	-48.66	-13	Pass	1081
3000	12000	1	RMS	11951	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-30.96	-13	Pass	8001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	851.301	-63.61	-13	Pass	9701
1000	1840	1	RMS	1784	-52.14	-13	Pass	841
1840	1920	1	RMS	1908.8	23.95	60	Pass	401
1920	3000	1	RMS	2953	-48.71	-13	Pass	1081
3000	12000	1	RMS	11849	-40.03	-13	Pass	9002
12000	20000	1	RMS	19405	-31.06	-13	Pass	8001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	832.9	-63.64	-13	Pass	9701
1000	1840	1	RMS	1810	-52.05	-13	Pass	841
1840	1920	1	RMS	1908.8	23.05	60	Pass	401
1920	3000	1	RMS	2949	-48.69	-13	Pass	1081
3000	12000	1	RMS	11850	-40.07	-13	Pass	9002
12000	20000	1	RMS	19403	-30.98	-13	Pass	8001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.48	-13	Pass	9701
1000	1840	1	RMS	1840	-51.03	-13	Pass	841
1840	1920	1	RMS	1850.2	24.31	60	Pass	401
1920	3000	1	RMS	2960	-48.68	-13	Pass	1081
3000	12000	1	RMS	7401	-38.66	-13	Pass	9002
12000	20000	1	RMS	19403	-30.97	-13	Pass	8001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	Pass	2986
30	1000	0.1	RMS	838.2	-63.55	-13	Pass	9701
1000	1840	1	RMS	1840	-51.29	-13	Pass	841
1840	1920	1	RMS	1850.2	23.44	60	Pass	401
1920	3000	1	RMS	2945	-48.64	-13	Pass	1081
3000	12000	1	RMS	7401	-39.26	-13	Pass	9002
12000	20000	1	RMS	19404	-31.08	-13	Pass	8001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.59	-13	Pass	9701
1000	1840	1	RMS	1782	-52.14	-13	Pass	841
1840	1920	1	RMS	1878.6	24.36	60	Pass	401
1920	3000	1	RMS	2946	-48.63	-13	Pass	1081
3000	12000	1	RMS	7515	-39.9	-13	Pass	9002
12000	20000	1	RMS	19394	-31.04	-13	Pass	8001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.63	-13	Pass	9701
1000	1840	1	RMS	1810	-52.14	-13	Pass	841
1840	1920	1	RMS	1878.6	23.44	60	Pass	401
1920	3000	1	RMS	2951	-48.68	-13	Pass	1081
3000	12000	1	RMS	11858	-40.02	-13	Pass	9002
12000	20000	1	RMS	19400	-30.96	-13	Pass	8001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2986
30	1000	0.1	RMS	854.904	-63.65	-13	Pass	9701
1000	1840	1	RMS	1839	-52.13	-13	Pass	841
1840	1920	1	RMS	1907.2	24.02	60	Pass	401
1920	3000	1	RMS	2957	-48.58	-13	Pass	1081
3000	12000	1	RMS	11851	-40.05	-13	Pass	9002
12000	20000	1	RMS	19392	-31.02	-13	Pass	8001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.72	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.63	-13	Pass	2986
30	1000	0.1	RMS	844.8	-63.59	-13	Pass	9701
1000	1840	1	RMS	1795	-52.13	-13	Pass	841
1840	1920	1	RMS	1907.2	23.3	60	Pass	401
1920	3000	1	RMS	2957	-48.6	-13	Pass	1081
3000	12000	1	RMS	11849	-40.02	-13	Pass	9002
12000	20000	1	RMS	19408	-30.99	-13	Pass	8001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	835.9	-63.6	-13	Pass	9701
1000	1840	1	RMS	1840	-50.97	-13	Pass	841
1840	1920	1	RMS	1850.2	24.37	60	Pass	401
1920	3000	1	RMS	2957	-48.65	-13	Pass	1081
3000	12000	1	RMS	7401	-39.25	-13	Pass	9002
12000	20000	1	RMS	19408	-31.05	-13	Pass	8001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	1000	0.1	RMS	986.791	-63.63	-13	Pass	9701
1000	1840	1	RMS	1840	-51.08	-13	Pass	841
1840	1920	1	RMS	1850.2	23.43	60	Pass	401
1920	3000	1	RMS	2957	-48.65	-13	Pass	1081
3000	12000	1	RMS	7401	-39.88	-13	Pass	9002
12000	20000	1	RMS	19401	-31.01	-13	Pass	8001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.94	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.66	-13	Pass	9701
1000	1840	1	RMS	1814	-52.12	-13	Pass	841
1840	1920	1	RMS	1877.8	24.38	60	Pass	401
1920	3000	1	RMS	2957	-48.68	-13	Pass	1081
3000	12000	1	RMS	11850	-40.1	-13	Pass	9002
12000	20000	1	RMS	19399	-30.97	-13	Pass	8001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	839.2	-63.43	-13	Pass	9701
1000	1840	1	RMS	1802	-52.13	-13	Pass	841
1840	1920	1	RMS	1877.8	23.65	60	Pass	401
1920	3000	1	RMS	2951	-48.58	-13	Pass	1081
3000	12000	1	RMS	11958	-40.13	-13	Pass	9002
12000	20000	1	RMS	19400	-30.96	-13	Pass	8001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2986
30	1000	0.1	RMS	855.604	-63.65	-13	Pass	9701
1000	1840	1	RMS	1805	-52.08	-13	Pass	841
1840	1920	1	RMS	1905.2	24	60	Pass	401
1920	3000	1	RMS	2955	-48.66	-13	Pass	1081
3000	12000	1	RMS	11849	-40.08	-13	Pass	9002
12000	20000	1	RMS	19396	-31.03	-13	Pass	8001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.63	-13	Pass	2986
30	1000	0.1	RMS	847.4	-63.66	-13	Pass	9701
1000	1840	1	RMS	1804	-52.13	-13	Pass	841
1840	1920	1	RMS	1905.2	23.24	60	Pass	401
1920	3000	1	RMS	2954	-48.67	-13	Pass	1081
3000	12000	1	RMS	11851	-40.1	-13	Pass	9002
12000	20000	1	RMS	19397	-31	-13	Pass	8001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2986
30	1000	0.1	RMS	858.306	-63.53	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1850.4	24.28	60	Pass	401
1920	3000	1	RMS	2952	-48.64	-13	Pass	1081
3000	12000	1	RMS	7402	-39.43	-13	Pass	9002
12000	20000	1	RMS	19396	-30.97	-13	Pass	8001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	859.007	-63.71	-13	Pass	9701
1000	1840	1	RMS	1840	-50.83	-13	Pass	841
1840	1920	1	RMS	1850.6	23.53	60	Pass	401
1920	3000	1	RMS	2957	-48.66	-13	Pass	1081
3000	12000	1	RMS	7402	-39.81	-13	Pass	9002
12000	20000	1	RMS	19406	-31.03	-13	Pass	8001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.63	-13	Pass	9701
1000	1840	1	RMS	1806	-52.09	-13	Pass	841
1840	1920	1	RMS	1875.4	24.25	60	Pass	401
1920	3000	1	RMS	2948	-48.69	-13	Pass	1081
3000	12000	1	RMS	7502	-40.04	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	861.008	-63.52	-13	Pass	9701
1000	1840	1	RMS	1796	-52.1	-13	Pass	841
1840	1920	1	RMS	1875.4	23.4	60	Pass	401
1920	3000	1	RMS	2954	-48.64	-13	Pass	1081
3000	12000	1	RMS	11850	-40.04	-13	Pass	9002
12000	20000	1	RMS	19700	-31.06	-13	Pass	8001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2986
30	1000	0.1	RMS	850.801	-63.65	-13	Pass	9701
1000	1840	1	RMS	1803	-52.1	-13	Pass	841
1840	1920	1	RMS	1900.4	24.11	60	Pass	401
1920	3000	1	RMS	2955	-48.67	-13	Pass	1081
3000	12000	1	RMS	7602	-39.05	-13	Pass	9002
12000	20000	1	RMS	19402	-30.91	-13	Pass	8001




3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.75	-13	Pass	2986
30	1000	0.1	RMS	849.8	-63.62	-13	Pass	9701
1000	1840	1	RMS	1790	-52.11	-13	Pass	841
1840	1920	1	RMS	1900.4	23.58	60	Pass	401
1920	3000	1	RMS	2954	-48.64	-13	Pass	1081
3000	12000	1	RMS	7602	-39.41	-13	Pass	9002
12000	20000	1	RMS	19404	-30.99	-13	Pass	8001




3.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	857.305	-63.47	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1850.8	24.22	60	Pass	401
1920	3000	1	RMS	2955	-48.67	-13	Pass	1081
3000	12000	1	RMS	7403	-39.6	-13	Pass	9002
12000	20000	1	RMS	19401	-31.02	-13	Pass	8001




3.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.58	-13	Pass	9701
1000	1840	1	RMS	1840	-50.96	-13	Pass	841
1840	1920	1	RMS	1850.8	23.7	60	Pass	401
1920	3000	1	RMS	2950	-48.66	-13	Pass	1081
3000	12000	1	RMS	7403	-39.77	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001




3.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.56	-13	Pass	9701
1000	1840	1	RMS	1807	-52.11	-13	Pass	841
1840	1920	1	RMS	1873.2	24.24	60	Pass	401
1920	3000	1	RMS	2944	-48.67	-13	Pass	1081
3000	12000	1	RMS	7493	-39.57	-13	Pass	9002
12000	20000	1	RMS	19397	-31.06	-13	Pass	8001




3.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2986
30	1000	0.1	RMS	955.17	-63.54	-13	Pass	9701
1000	1840	1	RMS	1809	-52.06	-13	Pass	841
1840	1920	1	RMS	1873.2	23.57	60	Pass	401
1920	3000	1	RMS	2947	-48.64	-13	Pass	1081
3000	12000	1	RMS	7493	-40.06	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001




3.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.93	-13	Pass	2986
30	1000	0.1	RMS	848.9	-63.47	-13	Pass	9701
1000	1840	1	RMS	1840	-52.1	-13	Pass	841
1840	1920	1	RMS	1895.8	23.99	60	Pass	401
1920	3000	1	RMS	2960	-48.64	-13	Pass	1081
3000	12000	1	RMS	7583	-38.52	-13	Pass	9002
12000	20000	1	RMS	19401	-30.98	-13	Pass	8001




3.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.46	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.87	-13	Pass	2986
30	1000	0.1	RMS	856.605	-63.65	-13	Pass	9701
1000	1840	1	RMS	1781	-52.07	-13	Pass	841
1840	1920	1	RMS	1895.8	23.26	60	Pass	401
1920	3000	1	RMS	2953	-48.66	-13	Pass	1081
3000	12000	1	RMS	7583	-38.97	-13	Pass	9002
12000	20000	1	RMS	19398	-30.99	-13	Pass	8001




3.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.38	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.49	-13	Pass	9701
1000	1840	1	RMS	1840	-48.73	-13	Pass	841
1840	1920	1	RMS	1851	24.3	60	Pass	401
1920	3000	1	RMS	2957	-48.62	-13	Pass	1081
3000	12000	1	RMS	7404	-39.62	-13	Pass	9002
12000	20000	1	RMS	19411	-31.01	-13	Pass	8001




3.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.21	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.06	-13	Pass	2986
30	1000	0.1	RMS	859.507	-63.57	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1920	1	RMS	1851	23.47	60	Pass	401
1920	3000	1	RMS	2957	-48.64	-13	Pass	1081
3000	12000	1	RMS	11849	-39.96	-13	Pass	9002
12000	20000	1	RMS	19401	-30.98	-13	Pass	8001




3.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.31	-13	Pass	2986
30	1000	0.1	RMS	851.802	-63.59	-13	Pass	9701
1000	1840	1	RMS	1840	-52.05	-13	Pass	841
1840	1920	1	RMS	1871	24.36	60	Pass	401
1920	3000	1	RMS	2952	-48.65	-13	Pass	1081
3000	12000	1	RMS	7484	-39.29	-13	Pass	9002
12000	20000	1	RMS	19401	-31.03	-13	Pass	8001




3.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.49	-13	Pass	2986
30	1000	0.1	RMS	861.908	-63.62	-13	Pass	9701
1000	1840	1	RMS	1807	-52.12	-13	Pass	841
1840	1920	1	RMS	1871	23.53	60	Pass	401
1920	3000	1	RMS	2951	-48.69	-13	Pass	1081
3000	12000	1	RMS	7484	-39.99	-13	Pass	9002
12000	20000	1	RMS	19413	-31.06	-13	Pass	8001




3.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.85	-13	Pass	2986
30	1000	0.1	RMS	848.7	-63.69	-13	Pass	9701
1000	1840	1	RMS	1839	-52.11	-13	Pass	841
1840	1920	1	RMS	1891	24.1	60	Pass	401
1920	3000	1	RMS	2950	-48.68	-13	Pass	1081
3000	12000	1	RMS	7564	-39.88	-13	Pass	9002
12000	20000	1	RMS	19398	-30.98	-13	Pass	8001



3.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.34	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.93	-13	Pass	2986
30	1000	0.1	RMS	859.707	-63.64	-13	Pass	9701
1000	1840	1	RMS	1840	-52.12	-13	Pass	841
1840	1920	1	RMS	1891	23.2	60	Pass	401
1920	3000	1	RMS	2957	-48.64	-13	Pass	1081
3000	12000	1	RMS	11949	-40.07	-13	Pass	9002
12000	20000	1	RMS	19401	-31.02	-13	Pass	8001



1. LTE_Band4


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.55	-13	Pass	2986
30	1000	0.1	RMS	848.2	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-51.75	-13	Pass	701
1700	1765	1	RMS	1710.238	23.26	60	Pass	401
1765	3000	1	RMS	2951	-48.67	-13	Pass	1236
3000	12000	1	RMS	11850	-41.55	-13	Pass	9002
12000	20000	1	RMS	19409	-33.68	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.4	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.79	-13	Pass	2986
30	1000	0.1	RMS	880.02	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.86	-13	Pass	701
1700	1765	1	RMS	1710.238	22.35	60	Pass	401
1765	3000	1	RMS	2959	-48.64	-13	Pass	1236
3000	12000	1	RMS	11848	-41.5	-13	Pass	9002
12000	20000	1	RMS	19401	-33.63	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.9	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.03	-13	Pass	2986
30	1000	0.1	RMS	839.7	-63.58	-13	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	Pass	701
1700	1765	1	RMS	1732.013	23.25	60	Pass	401
1765	3000	1	RMS	2954	-48.69	-13	Pass	1236
3000	12000	1	RMS	11828	-41.48	-13	Pass	9002
12000	20000	1	RMS	19399	-33.63	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.92	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.93	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.62	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1765	1	RMS	1732.013	22.54	60	Pass	401
1765	3000	1	RMS	2948	-48.65	-13	Pass	1236
3000	12000	1	RMS	11956	-41.48	-13	Pass	9002
12000	20000	1	RMS	19401	-33.62	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.42	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.64	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.66	-13	Pass	9701
1000	1700	1	RMS	1699	-52.39	-13	Pass	701
1700	1765	1	RMS	1753.788	23.29	60	Pass	401
1765	3000	1	RMS	2956	-48.68	-13	Pass	1236
3000	12000	1	RMS	11951	-41.5	-13	Pass	9002
12000	20000	1	RMS	19401	-33.63	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.25	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.46	-13	Pass	2986
30	1000	0.1	RMS	844.4	-63.74	-13	Pass	9701
1000	1700	1	RMS	1697	-52.41	-13	Pass	701
1700	1765	1	RMS	1753.788	22.65	60	Pass	401
1765	3000	1	RMS	2945	-48.67	-13	Pass	1236
3000	12000	1	RMS	11949	-41.57	-13	Pass	9002
12000	20000	1	RMS	19398	-33.6	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.53	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.88	-13	Pass	2986
30	1000	0.1	RMS	857.406	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-51.7	-13	Pass	701
1700	1765	1	RMS	1710.238	23.43	60	Pass	401
1765	3000	1	RMS	2959	-48.67	-13	Pass	1236
3000	12000	1	RMS	11850	-41.5	-13	Pass	9002
12000	20000	1	RMS	19403	-33.6	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.72	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.66	-13	Pass	2986
30	1000	0.1	RMS	840.2	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-51.67	-13	Pass	701
1700	1765	1	RMS	1710.075	22.76	60	Pass	401
1765	3000	1	RMS	2952	-48.64	-13	Pass	1236
3000	12000	1	RMS	11950	-41.48	-13	Pass	9002
12000	20000	1	RMS	19409	-33.67	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.62	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.82	-13	Pass	9701
1000	1700	1	RMS	1690	-52.43	-13	Pass	701
1700	1765	1	RMS	1731.2	23.47	60	Pass	401
1765	3000	1	RMS	2957	-48.65	-13	Pass	1236
3000	12000	1	RMS	11851	-41.52	-13	Pass	9002
12000	20000	1	RMS	19398	-33.57	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.82	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.13	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	Pass	701
1700	1765	1	RMS	1731.2	22.19	60	Pass	401
1765	3000	1	RMS	2958	-48.67	-13	Pass	1236
3000	12000	1	RMS	11954	-41.57	-13	Pass	9002
12000	20000	1	RMS	19398	-33.6	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.09	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.1	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-52.38	-13	Pass	701
1700	1765	1	RMS	1752.163	23.36	60	Pass	401
1765	3000	1	RMS	2950	-48.64	-13	Pass	1236
3000	12000	1	RMS	11831	-41.47	-13	Pass	9002
12000	20000	1	RMS	19396	-33.59	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.49	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.64	-13	Pass	2986
30	1000	0.1	RMS	852.903	-63.58	-13	Pass	9701
1000	1700	1	RMS	1694	-52.43	-13	Pass	701
1700	1765	1	RMS	1752.163	22.72	60	Pass	401
1765	3000	1	RMS	2957	-48.64	-13	Pass	1236
3000	12000	1	RMS	11947	-41.51	-13	Pass	9002
12000	20000	1	RMS	19406	-33.62	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.61	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.75	-13	Pass	2986
30	1000	0.1	RMS	844.3	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-51.57	-13	Pass	701
1700	1765	1	RMS	1710.238	23.53	60	Pass	401
1765	3000	1	RMS	2960	-48.62	-13	Pass	1236
3000	12000	1	RMS	11844	-41.49	-13	Pass	9002
12000	20000	1	RMS	19764	-33.64	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.6	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.91	-13	Pass	2986
30	1000	0.1	RMS	849.901	-63.68	-13	Pass	9701
1000	1700	1	RMS	1700	-51.76	-13	Pass	701
1700	1765	1	RMS	1710.238	22.65	60	Pass	401
1765	3000	1	RMS	2945	-48.64	-13	Pass	1236
3000	12000	1	RMS	11950	-41.47	-13	Pass	9002
12000	20000	1	RMS	19401	-33.6	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.31	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.79	-13	Pass	2986
30	1000	0.1	RMS	828.2	-63.75	-13	Pass	9701
1000	1700	1	RMS	1699	-52.35	-13	Pass	701
1700	1765	1	RMS	1730.225	23.43	60	Pass	401
1765	3000	1	RMS	2952	-48.65	-13	Pass	1236
3000	12000	1	RMS	11851	-41.48	-13	Pass	9002
12000	20000	1	RMS	19401	-33.64	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.17	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.61	-13	Pass	2986
30	1000	0.1	RMS	833.5	-63.66	-13	Pass	9701
1000	1700	1	RMS	1697	-52.38	-13	Pass	701
1700	1765	1	RMS	1730.225	22.63	60	Pass	401
1765	3000	1	RMS	2951	-48.64	-13	Pass	1236
3000	12000	1	RMS	11954	-41.49	-13	Pass	9002
12000	20000	1	RMS	19393	-33.64	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.17	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.56	-13	Pass	2986
30	1000	0.1	RMS	844.6	-63.58	-13	Pass	9701
1000	1700	1	RMS	1694	-52.38	-13	Pass	701
1700	1765	1	RMS	1750.213	23.57	60	Pass	401
1765	3000	1	RMS	2955	-48.59	-13	Pass	1236
3000	12000	1	RMS	11843	-41.45	-13	Pass	9002
12000	20000	1	RMS	19401	-33.62	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.35	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.74	-13	Pass	2986
30	1000	0.1	RMS	854.804	-63.56	-13	Pass	9701
1000	1700	1	RMS	1699	-52.41	-13	Pass	701
1700	1765	1	RMS	1750.213	22.91	60	Pass	401
1765	3000	1	RMS	2956	-48.63	-13	Pass	1236
3000	12000	1	RMS	11945	-41.49	-13	Pass	9002
12000	20000	1	RMS	19758	-33.66	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.98	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.98	-13	Pass	2986
30	1000	0.1	RMS	844.3	-63.42	-13	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	Pass	701
1700	1765	1	RMS	1710.563	23.5	60	Pass	401
1765	3000	1	RMS	2953	-48.61	-13	Pass	1236
3000	12000	1	RMS	11846	-41.44	-13	Pass	9002
12000	20000	1	RMS	19394	-33.64	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.44	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.66	-13	Pass	2986
30	1000	0.1	RMS	846	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-51.65	-13	Pass	701
1700	1765	1	RMS	1710.563	22.7	60	Pass	401
1765	3000	1	RMS	2956	-48.64	-13	Pass	1236
3000	12000	1	RMS	11849	-41.43	-13	Pass	9002
12000	20000	1	RMS	19401	-33.6	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.03	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.02	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.59	-13	Pass	9701
1000	1700	1	RMS	1700	-52.32	-13	Pass	701
1700	1765	1	RMS	1727.95	23.45	60	Pass	401
1765	3000	1	RMS	2959	-48.61	-13	Pass	1236
3000	12000	1	RMS	11848	-41.46	-13	Pass	9002
12000	20000	1	RMS	19716	-33.59	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.43	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.68	-13	Pass	2986
30	1000	0.1	RMS	854.704	-63.66	-13	Pass	9701
1000	1700	1	RMS	1699	-52.37	-13	Pass	701
1700	1765	1	RMS	1727.95	22.63	60	Pass	401
1765	3000	1	RMS	2949	-48.62	-13	Pass	1236
3000	12000	1	RMS	11846	-41.48	-13	Pass	9002
12000	20000	1	RMS	19401	-33.62	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.24	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.88	-13	Pass	2986
30	1000	0.1	RMS	863.51	-63.68	-13	Pass	9701
1000	1700	1	RMS	1695	-52.39	-13	Pass	701
1700	1765	1	RMS	1745.5	23.36	60	Pass	401
1765	3000	1	RMS	2955	-48.62	-13	Pass	1236
3000	12000	1	RMS	11849	-41.46	-13	Pass	9002
12000	20000	1	RMS	19398	-33.59	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.9	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.49	-13	Pass	9701
1000	1700	1	RMS	1698	-52.38	-13	Pass	701
1700	1765	1	RMS	1745.5	22.28	60	Pass	401
1765	3000	1	RMS	2955	-48.59	-13	Pass	1236
3000	12000	1	RMS	11950	-41.41	-13	Pass	9002
12000	20000	1	RMS	19408	-33.58	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.75	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.1	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.55	-13	Pass	9701
1000	1700	1	RMS	1697	-51.19	-13	Pass	701
1700	1765	1	RMS	1710.725	23.26	60	Pass	401
1765	3000	1	RMS	2955	-48.62	-13	Pass	1236
3000	12000	1	RMS	11952	-41.42	-13	Pass	9002
12000	20000	1	RMS	19400	-33.59	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.66	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.41	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.66	-13	Pass	9701
1000	1700	1	RMS	1697	-51.21	-13	Pass	701
1700	1765	1	RMS	1710.725	22.57	60	Pass	401
1765	3000	1	RMS	2945	-48.62	-13	Pass	1236
3000	12000	1	RMS	11951	-41.41	-13	Pass	9002
12000	20000	1	RMS	19401	-33.59	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.24	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.35	-13	Pass	2986
30	1000	0.1	RMS	843.1	-63.65	-13	Pass	9701
1000	1700	1	RMS	1697	-52.33	-13	Pass	701
1700	1765	1	RMS	1725.675	23.3	60	Pass	401
1765	3000	1	RMS	2955	-48.59	-13	Pass	1236
3000	12000	1	RMS	11946	-41.44	-13	Pass	9002
12000	20000	1	RMS	19406	-33.44	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.17	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.7	-13	Pass	2986
30	1000	0.1	RMS	858.206	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-52.3	-13	Pass	701
1700	1765	1	RMS	1725.838	22.71	60	Pass	401
1765	3000	1	RMS	2952	-48.58	-13	Pass	1236
3000	12000	1	RMS	11847	-41.45	-13	Pass	9002
12000	20000	1	RMS	19401	-33.58	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.04	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.21	-13	Pass	2986
30	1000	0.1	RMS	866.512	-63.68	-13	Pass	9701
1000	1700	1	RMS	1700	-52.35	-13	Pass	701
1700	1765	1	RMS	1740.788	23.38	60	Pass	401
1765	3000	1	RMS	2951	-48.6	-13	Pass	1236
3000	12000	1	RMS	11947	-41.42	-13	Pass	9002
12000	20000	1	RMS	19406	-33.58	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.25	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.73	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.63	-13	Pass	9701
1000	1700	1	RMS	1695	-52.39	-13	Pass	701
1700	1765	1	RMS	1740.788	22.5	60	Pass	401
1765	3000	1	RMS	2949	-48.6	-13	Pass	1236
3000	12000	1	RMS	11846	-41.48	-13	Pass	9002
12000	20000	1	RMS	19401	-33.53	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.99	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.72	-13	Pass	2986
30	1000	0.1	RMS	847.3	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-49.64	-13	Pass	701
1700	1765	1	RMS	1711.05	23.35	60	Pass	401
1765	3000	1	RMS	2955	-48.55	-13	Pass	1236
3000	12000	1	RMS	11947	-41.52	-13	Pass	9002
12000	20000	1	RMS	19406	-33.57	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.6	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.73	-13	Pass	2986
30	1000	0.1	RMS	969.58	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.11	-13	Pass	701
1700	1765	1	RMS	1711.05	22.35	60	Pass	401
1765	3000	1	RMS	2958	-48.59	-13	Pass	1236
3000	12000	1	RMS	11849	-41.52	-13	Pass	9002
12000	20000	1	RMS	19407	-33.59	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.46	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.95	-13	Pass	2986
30	1000	0.1	RMS	835.8	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-52.28	-13	Pass	701
1700	1765	1	RMS	1723.563	23.37	60	Pass	401
1765	3000	1	RMS	2959	-48.6	-13	Pass	1236
3000	12000	1	RMS	11846	-41.44	-13	Pass	9002
12000	20000	1	RMS	19400	-33.62	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.29	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.54	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-52.23	-13	Pass	701
1700	1765	1	RMS	1723.563	22.61	60	Pass	401
1765	3000	1	RMS	2951	-48.61	-13	Pass	1236
3000	12000	1	RMS	11944	-41.45	-13	Pass	9002
12000	20000	1	RMS	19396	-33.65	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.7	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.89	-13	Pass	2986
30	1000	0.1	RMS	839.4	-63.62	-13	Pass	9701
1000	1700	1	RMS	1699	-52.32	-13	Pass	701
1700	1765	1	RMS	1735.913	23.34	60	Pass	401
1765	3000	1	RMS	2955	-48.59	-13	Pass	1236
3000	12000	1	RMS	11846	-41.46	-13	Pass	9002
12000	20000	1	RMS	19402	-33.59	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.55	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.73	-13	Pass	2986
30	1000	0.1	RMS	838.7	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-52.37	-13	Pass	701
1700	1765	1	RMS	1736.075	22.56	60	Pass	401
1765	3000	1	RMS	2956	-48.6	-13	Pass	1236
3000	12000	1	RMS	11843	-41.5	-13	Pass	9002
12000	20000	1	RMS	19401	-33.63	-13	Pass	8001



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.1	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.92	-13	Pass	7841
814	860	0.1	RMS	824.2	20.14	60	Pass	461
860	1000	0.1	RMS	861.3	-63.74	-13	Pass	1401
1000	3000	1	RMS	1648	-47.39	-13	Pass	2001
3000	10000	1	RMS	6963	-41.12	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.36	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.39	-13	Pass	7841
814	860	0.1	RMS	824.3	19.14	60	Pass	461
860	1000	0.1	RMS	988.4	-63.76	-13	Pass	1401
1000	3000	1	RMS	1648	-47.74	-13	Pass	2001
3000	10000	1	RMS	6961	-41.09	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.81	-13	Pass	2986
30	814	0.1	RMS	811.8	-62.47	-13	Pass	7841
814	860	0.1	RMS	836.1	20.15	60	Pass	461
860	1000	0.1	RMS	868.1	-63.69	-13	Pass	1401
1000	3000	1	RMS	2955	-48.34	-13	Pass	2001
3000	10000	1	RMS	6962	-41.09	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.16	-13	Pass	2986
30	814	0.1	RMS	811.8	-63.2	-13	Pass	7841
814	860	0.1	RMS	836.1	19.11	60	Pass	461
860	1000	0.1	RMS	877.1	-63.83	-13	Pass	1401
1000	3000	1	RMS	2954	-48.32	-13	Pass	2001
3000	10000	1	RMS	6965	-41.08	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.01	-13	Pass	2986
30	814	0.1	RMS	813	-63.31	-13	Pass	7841
814	860	0.1	RMS	847.9	20.1	60	Pass	461
860	1000	0.1	RMS	864.9	-63.81	-13	Pass	1401
1000	3000	1	RMS	2949	-48.35	-13	Pass	2001
3000	10000	1	RMS	6958	-41.1	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.62	-13	Pass	2986
30	814	0.1	RMS	810.9	-63.27	-13	Pass	7841
814	860	0.1	RMS	847.8	19.28	60	Pass	461
860	1000	0.1	RMS	866.9	-63.76	-13	Pass	1401
1000	3000	1	RMS	2955	-48.35	-13	Pass	2001
3000	10000	1	RMS	6964	-41.06	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.67	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.67	-13	Pass	7841
814	860	0.1	RMS	824.2	20.67	60	Pass	461
860	1000	0.1	RMS	871.3	-63.73	-13	Pass	1401
1000	3000	1	RMS	1648	-46.96	-13	Pass	2001
3000	10000	1	RMS	6962	-41.09	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.98	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.31	-13	Pass	7841
814	860	0.1	RMS	824.2	19.63	60	Pass	461
860	1000	0.1	RMS	862	-63.72	-13	Pass	1401
1000	3000	1	RMS	1648	-47.61	-13	Pass	2001
3000	10000	1	RMS	6959	-41.05	-13	Pass	7001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.28	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.98	-13	Pass	7841
814	860	0.1	RMS	835.2	20.55	60	Pass	461
860	1000	0.1	RMS	866.5	-63.81	-13	Pass	1401
1000	3000	1	RMS	1670	-48.33	-13	Pass	2001
3000	10000	1	RMS	6961	-40.99	-13	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.57	-13	Pass	2986
30	814	0.1	RMS	811.5	-62.81	-13	Pass	7841
814	860	0.1	RMS	835.2	19.59	60	Pass	461
860	1000	0.1	RMS	863.1	-63.53	-13	Pass	1401
1000	3000	1	RMS	2953	-48.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41.04	-13	Pass	7001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.77	-13	Pass	2986
30	814	0.1	RMS	814	-60.78	-13	Pass	7841
814	860	0.1	RMS	846.2	20.54	60	Pass	461
860	1000	0.1	RMS	863.9	-63.79	-13	Pass	1401
1000	3000	1	RMS	1692	-46.42	-13	Pass	2001
3000	10000	1	RMS	6960	-41.09	-13	Pass	7001




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.85	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.38	-13	Pass	7841
814	860	0.1	RMS	846.2	19.68	60	Pass	461
860	1000	0.1	RMS	941.2	-63.82	-13	Pass	1401
1000	3000	1	RMS	1692	-47.26	-13	Pass	2001
3000	10000	1	RMS	6961	-41.1	-13	Pass	7001




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.09	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.68	-13	Pass	7841
814	860	0.1	RMS	824.3	20.52	60	Pass	461
860	1000	0.1	RMS	988.5	-63.76	-13	Pass	1401
1000	3000	1	RMS	1648	-47.24	-13	Pass	2001
3000	10000	1	RMS	6960	-41.08	-13	Pass	7001




6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.45	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.24	-13	Pass	7841
814	860	0.1	RMS	824.3	19.71	60	Pass	461
860	1000	0.1	RMS	865.2	-63.65	-13	Pass	1401
1000	3000	1	RMS	1648	-48	-13	Pass	2001
3000	10000	1	RMS	6962	-40.99	-13	Pass	7001




6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.04	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.76	-13	Pass	7841
814	860	0.1	RMS	834.3	20.61	60	Pass	461
860	1000	0.1	RMS	862.3	-63.81	-13	Pass	1401
1000	3000	1	RMS	1668	-48.27	-13	Pass	2001
3000	10000	1	RMS	6961	-41.07	-13	Pass	7001




6.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.77	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.37	-13	Pass	7841
814	860	0.1	RMS	834.3	19.91	60	Pass	461
860	1000	0.1	RMS	862.4	-63.81	-13	Pass	1401
1000	3000	1	RMS	2954	-48.32	-13	Pass	2001
3000	10000	1	RMS	6960	-41.02	-13	Pass	7001




6.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.56	-13	Pass	2986
30	814	0.1	RMS	812.6	-61.29	-13	Pass	7841
814	860	0.1	RMS	844.3	20.65	60	Pass	461
860	1000	0.1	RMS	993.7	-63.75	-13	Pass	1401
1000	3000	1	RMS	1688	-46.29	-13	Pass	2001
3000	10000	1	RMS	6965	-41.05	-13	Pass	7001




6.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.58	-13	Pass	2986
30	814	0.1	RMS	811.6	-61.66	-13	Pass	7841
814	860	0.1	RMS	844.3	19.98	60	Pass	461
860	1000	0.1	RMS	868.7	-63.83	-13	Pass	1401
1000	3000	1	RMS	1688	-47.14	-13	Pass	2001
3000	10000	1	RMS	6961	-41.03	-13	Pass	7001




6.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.51	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.64	-13	Pass	7841
814	860	0.1	RMS	824.6	20.93	60	Pass	461
860	1000	0.1	RMS	872.9	-63.89	-13	Pass	1401
1000	3000	1	RMS	1649	-47.63	-13	Pass	2001
3000	10000	1	RMS	6959	-41.04	-13	Pass	7001




6.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.14	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.6	20.17	60	Pass	461
860	1000	0.1	RMS	875.4	-63.71	-13	Pass	1401
1000	3000	1	RMS	1649	-47.99	-13	Pass	2001
3000	10000	1	RMS	6961	-41.01	-13	Pass	7001




6.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.23	-13	Pass	2986
30	814	0.1	RMS	812.1	-61.87	-13	Pass	7841
814	860	0.1	RMS	832.1	20.87	60	Pass	461
860	1000	0.1	RMS	863.9	-63.76	-13	Pass	1401
1000	3000	1	RMS	1664	-47.88	-13	Pass	2001
3000	10000	1	RMS	6960	-41.02	-13	Pass	7001




6.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.55	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.19	-13	Pass	7841
814	860	0.1	RMS	832.1	19.98	60	Pass	461
860	1000	0.1	RMS	860.1	-63.77	-13	Pass	1401
1000	3000	1	RMS	2957	-48.3	-13	Pass	2001
3000	10000	1	RMS	6961	-40.97	-13	Pass	7001




6.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.7	-13	Pass	2986
30	814	0.1	RMS	810.3	-61.2	-13	Pass	7841
814	860	0.1	RMS	839.6	21.02	60	Pass	461
860	1000	0.1	RMS	944.4	-63.83	-13	Pass	1401
1000	3000	1	RMS	1679	-48.32	-13	Pass	2001
3000	10000	1	RMS	6962	-41.06	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.5	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.69	-13	Pass	2986
30	814	0.1	RMS	810.6	-61.92	-13	Pass	7841
814	860	0.1	RMS	839.6	20.03	60	Pass	461
860	1000	0.1	RMS	860.5	-63.8	-13	Pass	1401
1000	3000	1	RMS	2951	-48.29	-13	Pass	2001
3000	10000	1	RMS	6963	-41.07	-13	Pass	7001



2. LTE_Band7


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.77	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.88	-25	Pass	2986
30	1000	0.1	RMS	847.1	-63.34	-25	Pass	9701
1000	2490	1	RMS	2490	-49.88	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.3	60	Pass	401
2580	3000	1	RMS	2955	-48.63	-25	Pass	421
3000	12000	1	RMS	11848	-61.24	-25	Pass	9002
12000	26000	1	RMS	25998	-46.58	-25	Pass	14002




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.71	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.69	-25	Pass	2986
30	1000	0.1	RMS	854.804	-63.47	-25	Pass	9701
1000	2490	1	RMS	2490	-49.86	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.22	60	Pass	401
2580	3000	1	RMS	2948	-48.65	-25	Pass	421
3000	12000	1	RMS	11856	-61.19	-25	Pass	9002
12000	26000	1	RMS	25997	-46.17	-25	Pass	14002




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.8	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.79	-25	Pass	2986
30	1000	0.1	RMS	857.606	-63.59	-25	Pass	9701
1000	2490	1	RMS	2486	-50.38	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.22	60	Pass	401
2580	3000	1	RMS	2954	-48.63	-25	Pass	421
3000	12000	1	RMS	11847	-61.26	-25	Pass	9002
12000	26000	1	RMS	25999	-46.2	-25	Pass	14002




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.45	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.46	-25	Pass	2986
30	1000	0.1	RMS	844.4	-63.56	-25	Pass	9701
1000	2490	1	RMS	2490	-50.3	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.57	60	Pass	401
2580	3000	1	RMS	2954	-48.62	-25	Pass	421
3000	12000	1	RMS	11851	-61.26	-25	Pass	9002
12000	26000	1	RMS	25993	-46.17	-25	Pass	14002




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.38	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.75	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.02	-25	Pass	9701
1000	2490	1	RMS	2489	-50.33	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.07	60	Pass	401
2580	3000	1	RMS	2955	-48.59	-25	Pass	421
3000	12000	1	RMS	11849	-61.23	-25	Pass	9002
12000	26000	1	RMS	25997	-46.18	-25	Pass	14002




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.13	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.43	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.41	-25	Pass	9701
1000	2490	1	RMS	2488	-50.28	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.53	60	Pass	401
2580	3000	1	RMS	2951	-48.65	-25	Pass	421
3000	12000	1	RMS	11847	-61.22	-25	Pass	9002
12000	26000	1	RMS	25979	-46.26	-25	Pass	14002




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.21	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.68	-25	Pass	2986
30	1000	0.1	RMS	847.4	-63.57	-25	Pass	9701
1000	2490	1	RMS	2490	-49.63	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.4	60	Pass	401
2580	3000	1	RMS	2956	-48.62	-25	Pass	421
3000	12000	1	RMS	11850	-61.15	-25	Pass	9002
12000	26000	1	RMS	26000	-46.25	-25	Pass	14002




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.63	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.86	-25	Pass	2986
30	1000	0.1	RMS	864.91	-63.57	-25	Pass	9701
1000	2490	1	RMS	2490	-49.72	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.61	60	Pass	401
2580	3000	1	RMS	2957	-48.63	-25	Pass	421
3000	12000	1	RMS	11851	-61.26	-25	Pass	9002
12000	26000	1	RMS	25997	-46.26	-25	Pass	14002




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.64	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.66	-25	Pass	2986
30	1000	0.1	RMS	569.9	-63.19	-25	Pass	9701
1000	2490	1	RMS	2489	-50.32	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.22	60	Pass	401
2580	3000	1	RMS	2954	-48.62	-25	Pass	421
3000	12000	1	RMS	11849	-61.2	-25	Pass	9002
12000	26000	1	RMS	25993	-46.22	-25	Pass	14002




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.03	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.05	-25	Pass	2986
30	1000	0.1	RMS	852.202	-63.52	-25	Pass	9701
1000	2490	1	RMS	2489	-50.36	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.09	60	Pass	401
2580	3000	1	RMS	2958	-48.63	-25	Pass	421
3000	12000	1	RMS	11854	-61.2	-25	Pass	9002
12000	26000	1	RMS	25992	-46.29	-25	Pass	14002




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.1	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.68	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.59	-25	Pass	9701
1000	2490	1	RMS	2421	-49.98	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.12	60	Pass	401
2580	3000	1	RMS	2951	-48.59	-25	Pass	421
3000	12000	1	RMS	11845	-61.21	-25	Pass	9002
12000	26000	1	RMS	25990	-46.18	-25	Pass	14002




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.2	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.26	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.76	-25	Pass	9701
1000	2490	1	RMS	2483	-50.37	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.4	60	Pass	401
2580	3000	1	RMS	2954	-48.6	-25	Pass	421
3000	12000	1	RMS	11850	-61.28	-25	Pass	9002
12000	26000	1	RMS	25987	-46.23	-25	Pass	14002




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.75	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.27	-25	Pass	2986
30	1000	0.1	RMS	862.409	-63.49	-25	Pass	9701
1000	2490	1	RMS	2490	-49.64	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.14	60	Pass	401
2580	3000	1	RMS	2958	-48.57	-25	Pass	421
3000	12000	1	RMS	11846	-61.24	-25	Pass	9002
12000	26000	1	RMS	25987	-46.23	-25	Pass	14002




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.65	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.34	-25	Pass	2986
30	1000	0.1	RMS	844.8	-63.51	-25	Pass	9701
1000	2490	1	RMS	2490	-49.86	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.7	60	Pass	401
2580	3000	1	RMS	2947	-48.63	-25	Pass	421
3000	12000	1	RMS	11845	-61.23	-25	Pass	9002
12000	26000	1	RMS	25999	-46.18	-25	Pass	14002




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.53	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.37	-25	Pass	2986
30	1000	0.1	RMS	847.7	-63.56	-25	Pass	9701
1000	2490	1	RMS	2486	-50.27	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.03	60	Pass	401
2580	3000	1	RMS	2957	-48.62	-25	Pass	421
3000	12000	1	RMS	11852	-61.23	-25	Pass	9002
12000	26000	1	RMS	25992	-46.19	-25	Pass	14002




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.21	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.6	-25	Pass	2986
30	1000	0.1	RMS	852.302	-63.57	-25	Pass	9701
1000	2490	1	RMS	2489	-50.29	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.23	60	Pass	401
2580	3000	1	RMS	2957	-48.62	-25	Pass	421
3000	12000	1	RMS	11855	-61.2	-25	Pass	9002
12000	26000	1	RMS	25999	-46.18	-25	Pass	14002




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.76	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.91	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.04	-25	Pass	9701
1000	2490	1	RMS	2489	-50.38	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.76	60	Pass	401
2580	3000	1	RMS	2954	-48.63	-25	Pass	421
3000	12000	1	RMS	11850	-61.18	-25	Pass	9002
12000	26000	1	RMS	25996	-46.03	-25	Pass	14002




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.51	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.12	-25	Pass	2986
30	1000	0.1	RMS	595.1	-62.98	-25	Pass	9701
1000	2490	1	RMS	2487	-50.34	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.11	60	Pass	401
2580	3000	1	RMS	2954	-48.63	-25	Pass	421
3000	12000	1	RMS	11840	-61.17	-25	Pass	9002
12000	26000	1	RMS	26000	-46.24	-25	Pass	14002




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.86	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.41	-25	Pass	2986
30	1000	0.1	RMS	859.207	-63.5	-25	Pass	9701
1000	2490	1	RMS	2490	-47.2	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.29	60	Pass	401
2580	3000	1	RMS	2948	-48.6	-25	Pass	421
3000	12000	1	RMS	11851	-61.26	-25	Pass	9002
12000	26000	1	RMS	25996	-46.24	-25	Pass	14002




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.69	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.63	-25	Pass	2986
30	1000	0.1	RMS	856.905	-63.55	-25	Pass	9701
1000	2490	1	RMS	2490	-48.61	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.7	60	Pass	401
2580	3000	1	RMS	2949	-48.62	-25	Pass	421
3000	12000	1	RMS	11850	-61.18	-25	Pass	9002
12000	26000	1	RMS	25992	-46.2	-25	Pass	14002




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.23	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.06	-25	Pass	2986
30	1000	0.1	RMS	833.8	-63.56	-25	Pass	9701
1000	2490	1	RMS	2487	-50.35	-25	Pass	1491
2490	2580	1	RMS	2526	23.14	60	Pass	401
2580	3000	1	RMS	2950	-48.63	-25	Pass	421
3000	12000	1	RMS	11850	-61.18	-25	Pass	9002
12000	26000	1	RMS	25995	-46.19	-25	Pass	14002




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.24	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.17	-25	Pass	2986
30	1000	0.1	RMS	830.1	-63.53	-25	Pass	9701
1000	2490	1	RMS	2487	-50.29	-25	Pass	1491
2490	2580	1	RMS	2526	22.21	60	Pass	401
2580	3000	1	RMS	2948	-48.64	-25	Pass	421
3000	12000	1	RMS	11855	-61.21	-25	Pass	9002
12000	26000	1	RMS	25998	-46.17	-25	Pass	14002




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.98	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.8	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.29	-25	Pass	9701
1000	2490	1	RMS	2490	-50.32	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.89	60	Pass	401
2580	3000	1	RMS	2958	-48.61	-25	Pass	421
3000	12000	1	RMS	11846	-61.23	-25	Pass	9002
12000	26000	1	RMS	25999	-46.17	-25	Pass	14002




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.95	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.79	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.66	-25	Pass	9701
1000	2490	1	RMS	2488	-50.28	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.14	60	Pass	401
2580	3000	1	RMS	2955	-48.59	-25	Pass	421
3000	12000	1	RMS	11851	-61.13	-25	Pass	9002
12000	26000	1	RMS	25999	-46.11	-25	Pass	14002




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.06	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.54	-25	Pass	2986
30	1000	0.1	RMS	850.801	-63.38	-25	Pass	9701
1000	2490	1	RMS	2490	-49.65	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.28	60	Pass	401
2580	3000	1	RMS	2951	-48.57	-25	Pass	421
3000	12000	1	RMS	11851	-61.22	-25	Pass	9002
12000	26000	1	RMS	26000	-46.62	-25	Pass	14002




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.52	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.06	-25	Pass	2986
30	1000	0.1	RMS	853.303	-63.44	-25	Pass	9701
1000	2490	1	RMS	2490	-49.83	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.58	60	Pass	401
2580	3000	1	RMS	2952	-48.59	-25	Pass	421
3000	12000	1	RMS	11853	-61.24	-25	Pass	9002
12000	26000	1	RMS	25997	-46.11	-25	Pass	14002




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.72	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.8	-25	Pass	2986
30	1000	0.1	RMS	853.903	-63.43	-25	Pass	9701
1000	2490	1	RMS	2490	-50.31	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.35	60	Pass	401
2580	3000	1	RMS	2957	-48.61	-25	Pass	421
3000	12000	1	RMS	11838	-61.18	-25	Pass	9002
12000	26000	1	RMS	25999	-46.1	-25	Pass	14002




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.67	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.75	-25	Pass	2986
30	1000	0.1	RMS	851.802	-63.62	-25	Pass	9701
1000	2490	1	RMS	2489	-50.32	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.6	60	Pass	401
2580	3000	1	RMS	2955	-48.61	-25	Pass	421
3000	12000	1	RMS	11852	-61.19	-25	Pass	9002
12000	26000	1	RMS	25994	-46.18	-25	Pass	14002




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.45	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.53	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.04	-25	Pass	9701
1000	2490	1	RMS	2486	-50.35	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.17	60	Pass	401
2580	3000	1	RMS	2947	-48.6	-25	Pass	421
3000	12000	1	RMS	11851	-61.19	-25	Pass	9002
12000	26000	1	RMS	25999	-46.19	-25	Pass	14002




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.61	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.6	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.23	-25	Pass	9701
1000	2490	1	RMS	2488	-50.32	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.4	60	Pass	401
2580	3000	1	RMS	2956	-48.56	-25	Pass	421
3000	12000	1	RMS	11852	-61.15	-25	Pass	9002
12000	26000	1	RMS	25985	-46.24	-25	Pass	14002




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.42	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.61	-25	Pass	2986
30	1000	0.1	RMS	850.701	-63.48	-25	Pass	9701
1000	2490	1	RMS	2490	-49.79	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.05	60	Pass	401
2580	3000	1	RMS	2945	-48.61	-25	Pass	421
3000	12000	1	RMS	11840	-61.23	-25	Pass	9002
12000	26000	1	RMS	25997	-46.17	-25	Pass	14002




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.79	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.14	-25	Pass	2986
30	1000	0.1	RMS	849.901	-63.56	-25	Pass	9701
1000	2490	1	RMS	2490	-49.87	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.75	60	Pass	401
2580	3000	1	RMS	2949	-48.6	-25	Pass	421
3000	12000	1	RMS	11850	-61.15	-25	Pass	9002
12000	26000	1	RMS	25999	-46.19	-25	Pass	14002




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.2	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.85	-25	Pass	2986
30	1000	0.1	RMS	858.206	-63.46	-25	Pass	9701
1000	2490	1	RMS	2489	-50.24	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.31	60	Pass	401
2580	3000	1	RMS	2955	-48.61	-25	Pass	421
3000	12000	1	RMS	11849	-61.14	-25	Pass	9002
12000	26000	1	RMS	25993	-46.12	-25	Pass	14002




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.99	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.53	-25	Pass	2986
30	1000	0.1	RMS	846.6	-63.61	-25	Pass	9701
1000	2490	1	RMS	2486	-50.31	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.34	60	Pass	401
2580	3000	1	RMS	2948	-48.6	-25	Pass	421
3000	12000	1	RMS	11842	-61.19	-25	Pass	9002
12000	26000	1	RMS	25978	-46.23	-25	Pass	14002




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.54	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.06	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.39	-25	Pass	9701
1000	2490	1	RMS	2483	-50.34	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.02	60	Pass	401
2580	3000	1	RMS	2955	-48.58	-25	Pass	421
3000	12000	1	RMS	11846	-61.2	-25	Pass	9002
12000	26000	1	RMS	25992	-46.23	-25	Pass	14002




2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.23	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.37	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.18	-25	Pass	9701
1000	2490	1	RMS	2488	-50.37	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.27	60	Pass	401
2580	3000	1	RMS	2954	-48.57	-25	Pass	421
3000	12000	1	RMS	11849	-61.15	-25	Pass	9002
12000	26000	1	RMS	25997	-46.21	-25	Pass	14002




2.37. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.62	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.59	-25	Pass	2986
30	1000	0.1	RMS	843	-63.63	-25	Pass	9701
1000	2490	1	RMS	2490	-49.54	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.17	60	Pass	401
2580	3000	1	RMS	2959	-48.62	-25	Pass	421
3000	12000	1	RMS	11849	-61.2	-25	Pass	9002
12000	26000	1	RMS	25994	-46.18	-25	Pass	14002




2.38. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.09	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.21	-25	Pass	2986
30	1000	0.1	RMS	846.7	-63.62	-25	Pass	9701
1000	2490	1	RMS	2490	-49.72	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.51	60	Pass	401
2580	3000	1	RMS	2957	-48.58	-25	Pass	421
3000	12000	1	RMS	11852	-61.19	-25	Pass	9002
12000	26000	1	RMS	26000	-46.21	-25	Pass	14002




2.39. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.36	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.64	-25	Pass	2986
30	1000	0.1	RMS	842.8	-63.4	-25	Pass	9701
1000	2490	1	RMS	2490	-50.31	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.09	60	Pass	401
2580	3000	1	RMS	2956	-48.6	-25	Pass	421
3000	12000	1	RMS	11840	-61.2	-25	Pass	9002
12000	26000	1	RMS	25993	-46.22	-25	Pass	14002




2.40. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.29	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.26	-25	Pass	2986
30	1000	0.1	RMS	833.5	-63.31	-25	Pass	9701
1000	2490	1	RMS	2490	-50.29	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.57	60	Pass	401
2580	3000	1	RMS	2955	-48.59	-25	Pass	421
3000	12000	1	RMS	11849	-61.2	-25	Pass	9002
12000	26000	1	RMS	26000	-46.07	-25	Pass	14002




2.41. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.31	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.26	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.06	-25	Pass	9701
1000	2490	1	RMS	2489	-50.26	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.67	60	Pass	401
2580	3000	1	RMS	2959	-48.58	-25	Pass	421
3000	12000	1	RMS	11847	-61.19	-25	Pass	9002
12000	26000	1	RMS	25998	-46.19	-25	Pass	14002




2.42. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.75	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.59	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.21	-25	Pass	9701
1000	2490	1	RMS	2490	-50.3	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.02	60	Pass	401
2580	3000	1	RMS	2958	-48.58	-25	Pass	421
3000	12000	1	RMS	11857	-61.12	-25	Pass	9002
12000	26000	1	RMS	25993	-46.19	-25	Pass	14002




2.43. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.85	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.51	-25	Pass	2986
30	1000	0.1	RMS	859.107	-63.53	-25	Pass	9701
1000	2490	1	RMS	2490	-46.49	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.14	60	Pass	401
2580	3000	1	RMS	2950	-48.6	-25	Pass	421
3000	12000	1	RMS	11853	-61.19	-25	Pass	9002
12000	26000	1	RMS	25993	-46.26	-25	Pass	14002




2.44. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.78	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.06	-25	Pass	2986
30	1000	0.1	RMS	835.1	-63.56	-25	Pass	9701
1000	2490	1	RMS	2490	-49.42	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.68	60	Pass	401
2580	3000	1	RMS	2955	-48.6	-25	Pass	421
3000	12000	1	RMS	11857	-61.2	-25	Pass	9002
12000	26000	1	RMS	26000	-46.15	-25	Pass	14002




2.45. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.3	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.49	-25	Pass	2986
30	1000	0.1	RMS	851.201	-63.5	-25	Pass	9701
1000	2490	1	RMS	2476	-50.34	-25	Pass	1491
2490	2580	1	RMS	2526	23.06	60	Pass	401
2580	3000	1	RMS	2950	-48.6	-25	Pass	421
3000	12000	1	RMS	11852	-61.18	-25	Pass	9002
12000	26000	1	RMS	25997	-46.19	-25	Pass	14002




2.46. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.24	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.28	-25	Pass	2986
30	1000	0.1	RMS	860.307	-63.56	-25	Pass	9701
1000	2490	1	RMS	2489	-50.33	-25	Pass	1491
2490	2580	1	RMS	2526	22.29	60	Pass	401
2580	3000	1	RMS	2961	-48.6	-25	Pass	421
3000	12000	1	RMS	11850	-61.18	-25	Pass	9002
12000	26000	1	RMS	26000	-46.22	-25	Pass	14002




2.47. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.66	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.67	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.33	-25	Pass	9701
1000	2490	1	RMS	2488	-50.32	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.83	60	Pass	401
2580	3000	1	RMS	2956	-48.6	-25	Pass	421
3000	12000	1	RMS	11855	-61.15	-25	Pass	9002
12000	26000	1	RMS	25999	-46.2	-25	Pass	14002



2.48. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.35	-25	Pass	401
0.15	30	0.01	RMS	0.6	-64.66	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.67	-25	Pass	9701
1000	2490	1	RMS	2490	-50.35	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.21	60	Pass	401
2580	3000	1	RMS	2950	-48.59	-25	Pass	421
3000	12000	1	RMS	11864	-61.17	-25	Pass	9002
12000	26000	1	RMS	25990	-46.08	-25	Pass	14002



7. LTE_Band12


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.32	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.93	-13	Pass	6591
689	726	0.1	RMS	699.268	20.54	60	Pass	401
726	1000	0.1	RMS	865.4	-63.41	-13	Pass	2741
1000	3000	1	RMS	2946	-48.3	-13	Pass	2001
3000	10000	1	RMS	6965	-41.11	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.94	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.58	-13	Pass	6591
689	726	0.1	RMS	699.268	19.6	60	Pass	401
726	1000	0.1	RMS	845.3	-63.42	-13	Pass	2741
1000	3000	1	RMS	2957	-48.29	-13	Pass	2001
3000	10000	1	RMS	6961	-41.04	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.77	-13	Pass	2986
30	689	0.1	RMS	487	-64.35	-13	Pass	6591
689	726	0.1	RMS	707.038	20.71	60	Pass	401
726	1000	0.1	RMS	858.5	-63.39	-13	Pass	2741
1000	3000	1	RMS	2952	-48.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.04	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.97	-13	Pass	2986
30	689	0.1	RMS	498	-64.29	-13	Pass	6591
689	726	0.1	RMS	707.038	19.94	60	Pass	401
726	1000	0.1	RMS	828.6	-63.38	-13	Pass	2741
1000	3000	1	RMS	2957	-48.31	-13	Pass	2001
3000	10000	1	RMS	6959	-41.06	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.1	-13	Pass	2986
30	689	0.1	RMS	503.8	-64.28	-13	Pass	6591
689	726	0.1	RMS	714.808	20.33	60	Pass	401
726	1000	0.1	RMS	853.4	-63.52	-13	Pass	2741
1000	3000	1	RMS	2951	-48.36	-13	Pass	2001
3000	10000	1	RMS	6963	-41.16	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.33	-13	Pass	2986
30	689	0.1	RMS	484.8	-64.3	-13	Pass	6591
689	726	0.1	RMS	714.808	19.48	60	Pass	401
726	1000	0.1	RMS	852.9	-63.42	-13	Pass	2741
1000	3000	1	RMS	2954	-48.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.09	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.98	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.84	-13	Pass	6591
689	726	0.1	RMS	699.268	20.41	60	Pass	401
726	1000	0.1	RMS	842.4	-63.51	-13	Pass	2741
1000	3000	1	RMS	2954	-48.34	-13	Pass	2001
3000	10000	1	RMS	6961	-41.05	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.21	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.37	-13	Pass	6591
689	726	0.1	RMS	699.268	19.75	60	Pass	401
726	1000	0.1	RMS	854.1	-63.47	-13	Pass	2741
1000	3000	1	RMS	2953	-48.36	-13	Pass	2001
3000	10000	1	RMS	6960	-41.06	-13	Pass	7001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.35	-13	Pass	2986
30	689	0.1	RMS	491.9	-64.16	-13	Pass	6591
689	726	0.1	RMS	706.205	20.61	60	Pass	401
726	1000	0.1	RMS	841.1	-63.5	-13	Pass	2741
1000	3000	1	RMS	2956	-48.36	-13	Pass	2001
3000	10000	1	RMS	6961	-41	-13	Pass	7001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.18	-13	Pass	2986
30	689	0.1	RMS	482.2	-64.31	-13	Pass	6591
689	726	0.1	RMS	706.205	19.91	60	Pass	401
726	1000	0.1	RMS	849.9	-63.4	-13	Pass	2741
1000	3000	1	RMS	2955	-48.37	-13	Pass	2001
3000	10000	1	RMS	6960	-41.04	-13	Pass	7001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.65	-13	Pass	2986
30	689	0.1	RMS	490.9	-64.41	-13	Pass	6591
689	726	0.1	RMS	713.235	20.8	60	Pass	401
726	1000	0.1	RMS	828.2	-63.4	-13	Pass	2741
1000	3000	1	RMS	2949	-48.35	-13	Pass	2001
3000	10000	1	RMS	6959	-41.13	-13	Pass	7001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.43	-13	Pass	2986
30	689	0.1	RMS	634.4	-64.37	-13	Pass	6591
689	726	0.1	RMS	713.235	20.09	60	Pass	401
726	1000	0.1	RMS	843.6	-63.62	-13	Pass	2741
1000	3000	1	RMS	2944	-48.35	-13	Pass	2001
3000	10000	1	RMS	6960	-41.05	-13	Pass	7001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.94	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.93	-13	Pass	6591
689	726	0.1	RMS	699.36	20.47	60	Pass	401
726	1000	0.1	RMS	847.9	-63.44	-13	Pass	2741
1000	3000	1	RMS	2958	-48.34	-13	Pass	2001
3000	10000	1	RMS	6961	-41.15	-13	Pass	7001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.63	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.32	-13	Pass	6591
689	726	0.1	RMS	699.36	19.84	60	Pass	401
726	1000	0.1	RMS	846.4	-63.42	-13	Pass	2741
1000	3000	1	RMS	2945	-48.36	-13	Pass	2001
3000	10000	1	RMS	6963	-41.09	-13	Pass	7001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.94	-13	Pass	2986
30	689	0.1	RMS	501.8	-64.14	-13	Pass	6591
689	726	0.1	RMS	705.373	20.49	60	Pass	401
726	1000	0.1	RMS	863.8	-63.55	-13	Pass	2741
1000	3000	1	RMS	2955	-48.31	-13	Pass	2001
3000	10000	1	RMS	6961	-40.99	-13	Pass	7001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.84	-13	Pass	2986
30	689	0.1	RMS	521	-64.1	-13	Pass	6591
689	726	0.1	RMS	705.373	19.73	60	Pass	401
726	1000	0.1	RMS	865.2	-63.41	-13	Pass	2741
1000	3000	1	RMS	2951	-48.31	-13	Pass	2001
3000	10000	1	RMS	6961	-41.02	-13	Pass	7001




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.26	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.83	-13	Pass	2986
30	689	0.1	RMS	481.6	-64.24	-13	Pass	6591
689	726	0.1	RMS	711.293	20.42	60	Pass	401
726	1000	0.1	RMS	857.1	-63.42	-13	Pass	2741
1000	3000	1	RMS	1422	-48.27	-13	Pass	2001
3000	10000	1	RMS	6960	-41.02	-13	Pass	7001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.88	-13	Pass	2986
30	689	0.1	RMS	494.8	-64.24	-13	Pass	6591
689	726	0.1	RMS	711.385	19.45	60	Pass	401
726	1000	0.1	RMS	848.9	-63.35	-13	Pass	2741
1000	3000	1	RMS	2958	-48.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.03	-13	Pass	7001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.55	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.62	-13	Pass	6591
689	726	0.1	RMS	699.545	20.17	60	Pass	401
726	1000	0.1	RMS	854.5	-63.5	-13	Pass	2741
1000	3000	1	RMS	2956	-48.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.09	-13	Pass	7001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.96	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.64	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.88	-13	Pass	6591
689	726	0.1	RMS	699.545	19.87	60	Pass	401
726	1000	0.1	RMS	867.6	-63.52	-13	Pass	2741
1000	3000	1	RMS	2950	-48.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41	-13	Pass	7001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.48	-13	Pass	2986
30	689	0.1	RMS	490.3	-64.21	-13	Pass	6591
689	726	0.1	RMS	703.06	20.52	60	Pass	401
726	1000	0.1	RMS	910.2	-63.35	-13	Pass	2741
1000	3000	1	RMS	2950	-48.34	-13	Pass	2001
3000	10000	1	RMS	6962	-41.08	-13	Pass	7001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.79	-13	Pass	2986
30	689	0.1	RMS	479.3	-64.33	-13	Pass	6591
689	726	0.1	RMS	703.06	19.68	60	Pass	401
726	1000	0.1	RMS	843.2	-63.36	-13	Pass	2741
1000	3000	1	RMS	2954	-48.29	-13	Pass	2001
3000	10000	1	RMS	6959	-41.08	-13	Pass	7001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.05	-13	Pass	2986
30	689	0.1	RMS	492.6	-64.3	-13	Pass	6591
689	726	0.1	RMS	706.575	20.91	60	Pass	401
726	1000	0.1	RMS	848.3	-63.52	-13	Pass	2741
1000	3000	1	RMS	2949	-48.27	-13	Pass	2001
3000	10000	1	RMS	6963	-41.1	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.48	-13	Pass	2986
30	689	0.1	RMS	486.8	-64.28	-13	Pass	6591
689	726	0.1	RMS	706.575	20.01	60	Pass	401
726	1000	0.1	RMS	853.6	-63.41	-13	Pass	2741
1000	3000	1	RMS	2955	-48.29	-13	Pass	2001
3000	10000	1	RMS	6959	-41.09	-13	Pass	7001



8. LTE_Band13


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.5	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.83	-13	Pass	7371
767	797	0.1	RMS	777.35	20.97	60	Pass	401
797	1000	0.1	RMS	797.9	-63.18	-13	Pass	2031
1000	3000	1	RMS	1554	-47.85	-13	Pass	2001
3000	10000	1	RMS	6962	-41.1	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.6	-13	Pass	2986
30	767	0.1	RMS	766.7	-63.22	-13	Pass	7371
767	797	0.1	RMS	777.35	20.2	60	Pass	401
797	1000	0.1	RMS	797.9	-63.33	-13	Pass	2031
1000	3000	1	RMS	2945	-48.32	-13	Pass	2001
3000	10000	1	RMS	6962	-41.07	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.89	-13	Pass	2986
30	767	0.1	RMS	734.6	-64.05	-13	Pass	7371
767	797	0.1	RMS	779.825	20.87	60	Pass	401
797	1000	0.1	RMS	797.1	-63.35	-13	Pass	2031
1000	3000	1	RMS	1559	-47.81	-13	Pass	2001
3000	10000	1	RMS	6962	-41.07	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.53	-13	Pass	2986
30	767	0.1	RMS	711	-64.15	-13	Pass	7371
767	797	0.1	RMS	779.825	20.07	60	Pass	401
797	1000	0.1	RMS	798.9	-63.61	-13	Pass	2031
1000	3000	1	RMS	2944	-48.36	-13	Pass	2001
3000	10000	1	RMS	6960	-41.04	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.15	-13	Pass	2986
30	767	0.1	RMS	758.2	-64.21	-13	Pass	7371
767	797	0.1	RMS	782.3	20.69	60	Pass	401
797	1000	0.1	RMS	797.4	-63.42	-13	Pass	2031
1000	3000	1	RMS	1564	-48.21	-13	Pass	2001
3000	10000	1	RMS	6963	-41.06	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.02	-13	Pass	2986
30	767	0.1	RMS	751.6	-64.1	-13	Pass	7371
767	797	0.1	RMS	782.375	19.81	60	Pass	401
797	1000	0.1	RMS	849.8	-63.36	-13	Pass	2031
1000	3000	1	RMS	2955	-48.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41.09	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.85	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.19	-13	Pass	7371
767	797	0.1	RMS	777.575	21	60	Pass	401
797	1000	0.1	RMS	798.5	-62.98	-13	Pass	2031
1000	3000	1	RMS	1555	-48.3	-13	Pass	2001
3000	10000	1	RMS	6959	-41.08	-13	Pass	7001



8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.25	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.25	-13	Pass	7371
767	797	0.1	RMS	777.575	20.25	60	Pass	401
797	1000	0.1	RMS	798.5	-63.31	-13	Pass	2031
1000	3000	1	RMS	2952	-48.31	-13	Pass	2001
3000	10000	1	RMS	6962	-41.03	-13	Pass	7001



9. LTE_Band14


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.35	-13	Pass	2986
30	778	0.1	RMS	777.6	-62.26	-13	Pass	7481
778	808	0.1	RMS	788.35	20.95	60	Pass	401
808	1000	0.1	RMS	858.5	-63.47	-13	Pass	1921
1000	3000	1	RMS	1576	-47.37	-13	Pass	2001
3000	10000	1	RMS	6962	-41.09	-13	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.11	-13	Pass	2986
30	778	0.1	RMS	777.6	-62.94	-13	Pass	7481
778	808	0.1	RMS	788.35	20.18	60	Pass	401
808	1000	0.1	RMS	857.5	-63.59	-13	Pass	1921
1000	3000	1	RMS	1576	-48.11	-13	Pass	2001
3000	10000	1	RMS	6961	-41.04	-13	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.66	-13	Pass	2986
30	778	0.1	RMS	777.1	-63.89	-13	Pass	7481
778	808	0.1	RMS	790.825	20.95	60	Pass	401
808	1000	0.1	RMS	847.6	-63.42	-13	Pass	1921
1000	3000	1	RMS	1581	-47.82	-13	Pass	2001
3000	10000	1	RMS	6960	-41.02	-13	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.19	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.43	-13	Pass	2986
30	778	0.1	RMS	777.1	-63.99	-13	Pass	7481
778	808	0.1	RMS	790.825	20.24	60	Pass	401
808	1000	0.1	RMS	854.7	-63.59	-13	Pass	1921
1000	3000	1	RMS	2957	-48.31	-13	Pass	2001
3000	10000	1	RMS	6963	-41.02	-13	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.25	-13	Pass	2986
30	778	0.1	RMS	726.7	-64.1	-13	Pass	7481
778	808	0.1	RMS	793.3	20.63	60	Pass	401
808	1000	0.1	RMS	847.7	-63.41	-13	Pass	1921
1000	3000	1	RMS	1586	-48.21	-13	Pass	2001
3000	10000	1	RMS	6961	-41.05	-13	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.08	-13	Pass	2986
30	778	0.1	RMS	777.5	-63.91	-13	Pass	7481
778	808	0.1	RMS	793.375	19.95	60	Pass	401
808	1000	0.1	RMS	852.4	-63.54	-13	Pass	1921
1000	3000	1	RMS	2953	-48.31	-13	Pass	2001
3000	10000	1	RMS	6959	-41.1	-13	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.08	-13	Pass	2986
30	778	0.1	RMS	777.9	-61.63	-13	Pass	7481
778	808	0.1	RMS	788.575	20.98	60	Pass	401
808	1000	0.1	RMS	848.2	-63.62	-13	Pass	1921
1000	3000	1	RMS	1577	-47.82	-13	Pass	2001
3000	10000	1	RMS	6961	-41.04	-13	Pass	7001



9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.24	-13	Pass	2986
30	778	0.1	RMS	777.9	-62.19	-13	Pass	7481
778	808	0.1	RMS	788.575	20.22	60	Pass	401
808	1000	0.1	RMS	863.8	-63.57	-13	Pass	1921
1000	3000	1	RMS	1577	-48.26	-13	Pass	2001
3000	10000	1	RMS	6963	-41.02	-13	Pass	7001



10. LTE_Band17


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.13	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.02	-13	Pass	6641
694	726	0.1	RMS	704.32	20.88	60	Pass	401
726	1000	0.1	RMS	851.6	-63.52	-13	Pass	2741
1000	3000	1	RMS	2955	-48.31	-13	Pass	2001
3000	10000	1	RMS	6961	-40.99	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.12	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.75	-13	Pass	6641
694	726	0.1	RMS	704.32	20.01	60	Pass	401
726	1000	0.1	RMS	850.1	-63.33	-13	Pass	2741
1000	3000	1	RMS	2953	-48.33	-13	Pass	2001
3000	10000	1	RMS	6960	-41.04	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.46	-13	Pass	2986
30	694	0.1	RMS	399.1	-64.3	-13	Pass	6641
694	726	0.1	RMS	707.84	20.99	60	Pass	401
726	1000	0.1	RMS	843.4	-63.57	-13	Pass	2741
1000	3000	1	RMS	1415	-48.1	-13	Pass	2001
3000	10000	1	RMS	6960	-41.06	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.54	-13	Pass	2986
30	694	0.1	RMS	693.1	-64.1	-13	Pass	6641
694	726	0.1	RMS	707.84	20.23	60	Pass	401
726	1000	0.1	RMS	850	-63.44	-13	Pass	2741
1000	3000	1	RMS	2958	-48.32	-13	Pass	2001
3000	10000	1	RMS	6960	-41.04	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.57	-13	Pass	2986
30	694	0.1	RMS	495.9	-64.19	-13	Pass	6641
694	726	0.1	RMS	711.36	20.75	60	Pass	401
726	1000	0.1	RMS	851.3	-63.47	-13	Pass	2741
1000	3000	1	RMS	1422	-48.28	-13	Pass	2001
3000	10000	1	RMS	6962	-41.08	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.78	-13	Pass	2986
30	694	0.1	RMS	693.7	-64.17	-13	Pass	6641
694	726	0.1	RMS	711.36	20.37	60	Pass	401
726	1000	0.1	RMS	852.1	-63.39	-13	Pass	2741
1000	3000	1	RMS	2957	-48.3	-13	Pass	2001
3000	10000	1	RMS	6960	-41.07	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.28	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.11	-13	Pass	6641
694	726	0.1	RMS	704.56	20.61	60	Pass	401
726	1000	0.1	RMS	852.5	-63.53	-13	Pass	2741
1000	3000	1	RMS	2947	-48.31	-13	Pass	2001
3000	10000	1	RMS	6958	-41.05	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.32	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.74	-13	Pass	6641
694	726	0.1	RMS	704.56	19.77	60	Pass	401
726	1000	0.1	RMS	827.8	-63.32	-13	Pass	2741
1000	3000	1	RMS	2952	-48.32	-13	Pass	2001
3000	10000	1	RMS	6960	-41.04	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.56	-13	Pass	2986
30	694	0.1	RMS	693	-64.13	-13	Pass	6641
694	726	0.1	RMS	705.6	20.96	60	Pass	401
726	1000	0.1	RMS	849.5	-63.32	-13	Pass	2741
1000	3000	1	RMS	2953	-48.27	-13	Pass	2001
3000	10000	1	RMS	6960	-41.04	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.54	-13	Pass	2986
30	694	0.1	RMS	693.9	-64.18	-13	Pass	6641
694	726	0.1	RMS	705.6	20.08	60	Pass	401
726	1000	0.1	RMS	848.6	-63.47	-13	Pass	2741
1000	3000	1	RMS	2951	-48.28	-13	Pass	2001
3000	10000	1	RMS	6962	-41	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.14	-13	Pass	2986
30	694	0.1	RMS	693.5	-64.19	-13	Pass	6641
694	726	0.1	RMS	706.56	20.68	60	Pass	401
726	1000	0.1	RMS	854.9	-63.44	-13	Pass	2741
1000	3000	1	RMS	2952	-48.27	-13	Pass	2001
3000	10000	1	RMS	6960	-41.1	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna Terminals_Part22-24-

27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.38	-13	Pass	2986
30	694	0.1	RMS	498.2	-64.25	-13	Pass	6641
694	726	0.1	RMS	706.56	20	60	Pass	401
726	1000	0.1	RMS	846.6	-63.34	-13	Pass	2741
1000	3000	1	RMS	2951	-48.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41.02	-13	Pass	7001



4. LTE_Band25


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.18	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.75	-13	Pass	2986
30	1000	0.1	RMS	890.928	-53.28	-13	Pass	9701
1000	1840	1	RMS	1840	-51.09	-13	Pass	841
1840	1925	1	RMS	1850.2	24.12	60	Pass	401
1925	3000	1	RMS	2956	-48.65	-13	Pass	1076
3000	12000	1	RMS	11950	-40.03	-13	Pass	9002
12000	20000	1	RMS	19400	-30.91	-13	Pass	8001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	Pass	2986
30	1000	0.1	RMS	841.8	-63.65	-13	Pass	9701
1000	1840	1	RMS	1840	-51.38	-13	Pass	841
1840	1925	1	RMS	1850.2	23.12	60	Pass	401
1925	3000	1	RMS	2952	-48.64	-13	Pass	1076
3000	12000	1	RMS	11949	-40.11	-13	Pass	9002
12000	20000	1	RMS	19402	-30.94	-13	Pass	8001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.44	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.55	-13	Pass	9701
1000	1840	1	RMS	1813	-52.11	-13	Pass	841
1840	1925	1	RMS	1881.863	23.92	60	Pass	401
1925	3000	1	RMS	2950	-48.65	-13	Pass	1076
3000	12000	1	RMS	11850	-40.1	-13	Pass	9002
12000	20000	1	RMS	19397	-31.02	-13	Pass	8001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2986
30	1000	0.1	RMS	858.006	-63.52	-13	Pass	9701
1000	1840	1	RMS	1803	-52.1	-13	Pass	841
1840	1925	1	RMS	1881.863	23.19	60	Pass	401
1925	3000	1	RMS	2950	-48.64	-13	Pass	1076
3000	12000	1	RMS	11850	-40.05	-13	Pass	9002
12000	20000	1	RMS	19403	-30.99	-13	Pass	8001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.66	-13	Pass	9701
1000	1840	1	RMS	1808	-52.09	-13	Pass	841
1840	1925	1	RMS	1913.738	24.1	60	Pass	401
1925	3000	1	RMS	2957	-48.65	-13	Pass	1076
3000	12000	1	RMS	11953	-40.1	-13	Pass	9002
12000	20000	1	RMS	19404	-30.98	-13	Pass	8001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.31	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.12	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.64	-13	Pass	9701
1000	1840	1	RMS	1814	-52.13	-13	Pass	841
1840	1925	1	RMS	1913.738	23.26	60	Pass	401
1925	3000	1	RMS	2952	-48.61	-13	Pass	1076
3000	12000	1	RMS	11949	-40.04	-13	Pass	9002
12000	20000	1	RMS	19401	-31.01	-13	Pass	8001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.76	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.08	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.3	-13	Pass	9701
1000	1840	1	RMS	1840	-51.08	-13	Pass	841
1840	1925	1	RMS	1850.2	24.27	60	Pass	401
1925	3000	1	RMS	2953	-48.6	-13	Pass	1076
3000	12000	1	RMS	11950	-40.06	-13	Pass	9002
12000	20000	1	RMS	19402	-30.92	-13	Pass	8001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	1000	0.1	RMS	828.9	-56.89	-13	Pass	9701
1000	1840	1	RMS	1840	-51.25	-13	Pass	841
1840	1925	1	RMS	1850.2	23.22	60	Pass	401
1925	3000	1	RMS	2946	-48.64	-13	Pass	1076
3000	12000	1	RMS	11950	-40.04	-13	Pass	9002
12000	20000	1	RMS	19400	-31.01	-13	Pass	8001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2986
30	1000	0.1	RMS	828.9	-62.37	-13	Pass	9701
1000	1840	1	RMS	1814	-52.1	-13	Pass	841
1840	1925	1	RMS	1881.225	24.15	60	Pass	401
1925	3000	1	RMS	2957	-48.66	-13	Pass	1076
3000	12000	1	RMS	11949	-40.05	-13	Pass	9002
12000	20000	1	RMS	19399	-30.95	-13	Pass	8001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2986
30	1000	0.1	RMS	859.507	-63.57	-13	Pass	9701
1000	1840	1	RMS	1804	-52.11	-13	Pass	841
1840	1925	1	RMS	1881.225	23.22	60	Pass	401
1925	3000	1	RMS	2947	-48.67	-13	Pass	1076
3000	12000	1	RMS	11952	-40.08	-13	Pass	9002
12000	20000	1	RMS	19402	-31	-13	Pass	8001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2986
30	1000	0.1	RMS	834.2	-63.56	-13	Pass	9701
1000	1840	1	RMS	1839	-52.11	-13	Pass	841
1840	1925	1	RMS	1912.038	24.05	60	Pass	401
1925	3000	1	RMS	2957	-48.62	-13	Pass	1076
3000	12000	1	RMS	7649	-39.82	-13	Pass	9002
12000	20000	1	RMS	19408	-31.02	-13	Pass	8001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2986
30	1000	0.1	RMS	952.869	-63.68	-13	Pass	9701
1000	1840	1	RMS	1810	-52.09	-13	Pass	841
1840	1925	1	RMS	1912.038	23.22	60	Pass	401
1925	3000	1	RMS	2957	-48.61	-13	Pass	1076
3000	12000	1	RMS	11946	-40.07	-13	Pass	9002
12000	20000	1	RMS	19408	-31.03	-13	Pass	8001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	1000	0.1	RMS	841.6	-63.4	-13	Pass	9701
1000	1840	1	RMS	1840	-50.94	-13	Pass	841
1840	1925	1	RMS	1850.2	24.23	60	Pass	401
1925	3000	1	RMS	2960	-48.67	-13	Pass	1076
3000	12000	1	RMS	11954	-40.04	-13	Pass	9002
12000	20000	1	RMS	19400	-31	-13	Pass	8001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2986
30	1000	0.1	RMS	842.8	-63.72	-13	Pass	9701
1000	1840	1	RMS	1840	-51.21	-13	Pass	841
1840	1925	1	RMS	1850.2	23.45	60	Pass	401
1925	3000	1	RMS	2957	-48.63	-13	Pass	1076
3000	12000	1	RMS	11849	-40.11	-13	Pass	9002
12000	20000	1	RMS	19408	-31.01	-13	Pass	8001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2986
30	1000	0.1	RMS	854.704	-63.56	-13	Pass	9701
1000	1840	1	RMS	1809	-52.09	-13	Pass	841
1840	1925	1	RMS	1880.163	24.14	60	Pass	401
1925	3000	1	RMS	2955	-48.6	-13	Pass	1076
3000	12000	1	RMS	11949	-40	-13	Pass	9002
12000	20000	1	RMS	19400	-30.95	-13	Pass	8001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	Pass	2986
30	1000	0.1	RMS	829.3	-63.56	-13	Pass	9701
1000	1840	1	RMS	1810	-52.11	-13	Pass	841
1840	1925	1	RMS	1880.163	23.44	60	Pass	401
1925	3000	1	RMS	2958	-48.65	-13	Pass	1076
3000	12000	1	RMS	11950	-40.06	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	1000	0.1	RMS	836.3	-63.73	-13	Pass	9701
1000	1840	1	RMS	1809	-52.1	-13	Pass	841
1840	1925	1	RMS	1910.125	24	60	Pass	401
1925	3000	1	RMS	2954	-48.68	-13	Pass	1076
3000	12000	1	RMS	11953	-40.07	-13	Pass	9002
12000	20000	1	RMS	19411	-30.98	-13	Pass	8001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2986
30	1000	0.1	RMS	863.109	-63.67	-13	Pass	9701
1000	1840	1	RMS	1805	-52.12	-13	Pass	841
1840	1925	1	RMS	1910.338	23.26	60	Pass	401
1925	3000	1	RMS	2958	-48.6	-13	Pass	1076
3000	12000	1	RMS	11950	-40.09	-13	Pass	9002
12000	20000	1	RMS	19399	-31.05	-13	Pass	8001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.64	-13	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	Pass	841
1840	1925	1	RMS	1850.413	24.33	60	Pass	401
1925	3000	1	RMS	2957	-48.66	-13	Pass	1076
3000	12000	1	RMS	11942	-40.11	-13	Pass	9002
12000	20000	1	RMS	19398	-30.99	-13	Pass	8001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	844.5	-63.41	-13	Pass	9701
1000	1840	1	RMS	1840	-50.93	-13	Pass	841
1840	1925	1	RMS	1850.413	23.62	60	Pass	401
1925	3000	1	RMS	2957	-48.65	-13	Pass	1076
3000	12000	1	RMS	11849	-39.97	-13	Pass	9002
12000	20000	1	RMS	19395	-31.03	-13	Pass	8001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2986
30	1000	0.1	RMS	858.706	-63.6	-13	Pass	9701
1000	1840	1	RMS	1807	-52.13	-13	Pass	841
1840	1925	1	RMS	1878.038	24.12	60	Pass	401
1925	3000	1	RMS	2953	-48.64	-13	Pass	1076
3000	12000	1	RMS	11950	-40.01	-13	Pass	9002
12000	20000	1	RMS	19399	-31.02	-13	Pass	8001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2986
30	1000	0.1	RMS	846.5	-63.63	-13	Pass	9701
1000	1840	1	RMS	1812	-52.11	-13	Pass	841
1840	1925	1	RMS	1878.038	23.25	60	Pass	401
1925	3000	1	RMS	2957	-48.65	-13	Pass	1076
3000	12000	1	RMS	11952	-40.12	-13	Pass	9002
12000	20000	1	RMS	19404	-30.97	-13	Pass	8001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.87	-13	Pass	2986
30	1000	0.1	RMS	862.309	-63.65	-13	Pass	9701
1000	1840	1	RMS	1814	-52.13	-13	Pass	841
1840	1925	1	RMS	1905.45	24.12	60	Pass	401
1925	3000	1	RMS	2957	-48.67	-13	Pass	1076
3000	12000	1	RMS	11846	-40.04	-13	Pass	9002
12000	20000	1	RMS	19400	-31.02	-13	Pass	8001




4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.51	-13	Pass	9701
1000	1840	1	RMS	1783	-52.11	-13	Pass	841
1840	1925	1	RMS	1905.45	23.18	60	Pass	401
1925	3000	1	RMS	2950	-48.64	-13	Pass	1076
3000	12000	1	RMS	11946	-40.08	-13	Pass	9002
12000	20000	1	RMS	19400	-31.01	-13	Pass	8001




4.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.42	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.45	-13	Pass	2986
30	1000	0.1	RMS	853.303	-63.51	-13	Pass	9701
1000	1840	1	RMS	1840	-50.84	-13	Pass	841
1840	1925	1	RMS	1850.625	24.07	60	Pass	401
1925	3000	1	RMS	2951	-48.64	-13	Pass	1076
3000	12000	1	RMS	11939	-40.11	-13	Pass	9002
12000	20000	1	RMS	19403	-31.01	-13	Pass	8001




4.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.06	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.62	-13	Pass	2986
30	1000	0.1	RMS	853.403	-63.5	-13	Pass	9701
1000	1840	1	RMS	1840	-51.09	-13	Pass	841
1840	1925	1	RMS	1850.838	23.55	60	Pass	401
1925	3000	1	RMS	2958	-48.69	-13	Pass	1076
3000	12000	1	RMS	11949	-40.05	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001




4.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.21	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.52	-13	Pass	2986
30	1000	0.1	RMS	838	-63.56	-13	Pass	9701
1000	1840	1	RMS	1808	-52.12	-13	Pass	841
1840	1925	1	RMS	1875.7	24.27	60	Pass	401
1925	3000	1	RMS	2948	-48.65	-13	Pass	1076
3000	12000	1	RMS	11950	-40.05	-13	Pass	9002
12000	20000	1	RMS	19395	-31.05	-13	Pass	8001




4.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.63	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.05	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.45	-13	Pass	9701
1000	1840	1	RMS	1840	-52.09	-13	Pass	841
1840	1925	1	RMS	1875.7	23.33	60	Pass	401
1925	3000	1	RMS	2949	-48.62	-13	Pass	1076
3000	12000	1	RMS	11845	-40.03	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001




4.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.26	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.75	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-52.07	-13	Pass	841
1840	1925	1	RMS	1900.775	24.03	60	Pass	401
1925	3000	1	RMS	2957	-48.68	-13	Pass	1076
3000	12000	1	RMS	11956	-40.09	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001




4.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.53	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.24	-13	Pass	2986
30	1000	0.1	RMS	837.4	-63.53	-13	Pass	9701
1000	1840	1	RMS	1811	-52.1	-13	Pass	841
1840	1925	1	RMS	1900.775	23.32	60	Pass	401
1925	3000	1	RMS	2953	-48.65	-13	Pass	1076
3000	12000	1	RMS	11849	-40.13	-13	Pass	9002
12000	20000	1	RMS	19397	-31.04	-13	Pass	8001




4.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.19	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.51	-13	Pass	2986
30	1000	0.1	RMS	840.3	-63.53	-13	Pass	9701
1000	1840	1	RMS	1840	-49.05	-13	Pass	841
1840	1925	1	RMS	1851.05	24.13	60	Pass	401
1925	3000	1	RMS	2949	-48.65	-13	Pass	1076
3000	12000	1	RMS	11851	-40.09	-13	Pass	9002
12000	20000	1	RMS	19401	-31.02	-13	Pass	8001




4.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.39	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.65	-13	Pass	2986
30	1000	0.1	RMS	858.406	-63.66	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1925	1	RMS	1851.05	23.44	60	Pass	401
1925	3000	1	RMS	2951	-48.66	-13	Pass	1076
3000	12000	1	RMS	11956	-40.13	-13	Pass	9002
12000	20000	1	RMS	19400	-31.02	-13	Pass	8001




4.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.69	-13	Pass	2986
30	1000	0.1	RMS	913.943	-63.57	-13	Pass	9701
1000	1840	1	RMS	1807	-52.1	-13	Pass	841
1840	1925	1	RMS	1873.575	24.11	60	Pass	401
1925	3000	1	RMS	2953	-48.62	-13	Pass	1076
3000	12000	1	RMS	11950	-40.09	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001




4.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.36	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.88	-13	Pass	2986
30	1000	0.1	RMS	871.115	-63.45	-13	Pass	9701
1000	1840	1	RMS	1808	-52.09	-13	Pass	841
1840	1925	1	RMS	1873.575	23.18	60	Pass	401
1925	3000	1	RMS	2956	-48.62	-13	Pass	1076
3000	12000	1	RMS	11944	-40.11	-13	Pass	9002
12000	20000	1	RMS	19403	-30.94	-13	Pass	8001




4.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.17	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.54	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.52	-13	Pass	9701
1000	1840	1	RMS	1798	-52.13	-13	Pass	841
1840	1925	1	RMS	1895.888	23.98	60	Pass	401
1925	3000	1	RMS	2951	-48.61	-13	Pass	1076
3000	12000	1	RMS	11950	-40.09	-13	Pass	9002
12000	20000	1	RMS	19400	-31	-13	Pass	8001



4.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.19	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.46	-13	Pass	2986
30	1000	0.1	RMS	855.804	-63.51	-13	Pass	9701
1000	1840	1	RMS	1810	-52.1	-13	Pass	841
1840	1925	1	RMS	1895.888	23	60	Pass	401
1925	3000	1	RMS	2951	-48.67	-13	Pass	1076
3000	12000	1	RMS	11948	-40.06	-13	Pass	9002
12000	20000	1	RMS	19399	-30.96	-13	Pass	8001



11. LTE_Band26(part22)


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.03	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.16	-13	Pass	7841
814	860	0.1	RMS	824.2	20.11	60	Pass	461
860	1000	0.1	RMS	968.8	-63.71	-13	Pass	1401
1000	3000	1	RMS	1648	-47.39	-13	Pass	2001
3000	10000	1	RMS	6960	-41.09	-13	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.14	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.44	-13	Pass	7841
814	860	0.1	RMS	824.2	19.32	60	Pass	461
860	1000	0.1	RMS	864.7	-63.78	-13	Pass	1401
1000	3000	1	RMS	1648	-48	-13	Pass	2001
3000	10000	1	RMS	6960	-40.98	-13	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.15	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.85	-13	Pass	7841
814	860	0.1	RMS	836	20.11	60	Pass	461
860	1000	0.1	RMS	861.3	-63.82	-13	Pass	1401
1000	3000	1	RMS	2957	-48.3	-13	Pass	2001
3000	10000	1	RMS	6960	-40.99	-13	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.11	-13	Pass	2986
30	814	0.1	RMS	811.9	-63.16	-13	Pass	7841
814	860	0.1	RMS	836.1	19.16	60	Pass	461
860	1000	0.1	RMS	878.7	-63.71	-13	Pass	1401
1000	3000	1	RMS	2960	-48.33	-13	Pass	2001
3000	10000	1	RMS	6960	-41	-13	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.57	-13	Pass	2986
30	814	0.1	RMS	810.5	-63.33	-13	Pass	7841
814	860	0.1	RMS	847.8	20.11	60	Pass	461
860	1000	0.1	RMS	863.1	-63.82	-13	Pass	1401
1000	3000	1	RMS	2953	-48.29	-13	Pass	2001
3000	10000	1	RMS	6960	-41.05	-13	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.33	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.93	-13	Pass	7841
814	860	0.1	RMS	847.8	19.15	60	Pass	461
860	1000	0.1	RMS	864.4	-63.77	-13	Pass	1401
1000	3000	1	RMS	2946	-48.32	-13	Pass	2001
3000	10000	1	RMS	6960	-41.02	-13	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.22	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.86	-13	Pass	7841
814	860	0.1	RMS	824.2	20.52	60	Pass	461
860	1000	0.1	RMS	860.4	-63.57	-13	Pass	1401
1000	3000	1	RMS	1648	-47.24	-13	Pass	2001
3000	10000	1	RMS	6962	-41.03	-13	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.67	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.21	-13	Pass	7841
814	860	0.1	RMS	824.2	19.93	60	Pass	461
860	1000	0.1	RMS	862.9	-63.72	-13	Pass	1401
1000	3000	1	RMS	1648	-47.82	-13	Pass	2001
3000	10000	1	RMS	6963	-41.03	-13	Pass	7001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.23	-13	Pass	2986
30	814	0.1	RMS	810.3	-62.78	-13	Pass	7841
814	860	0.1	RMS	835.2	20.51	60	Pass	461
860	1000	0.1	RMS	862.4	-63.78	-13	Pass	1401
1000	3000	1	RMS	2956	-48.3	-13	Pass	2001
3000	10000	1	RMS	6961	-41.03	-13	Pass	7001



11.10. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.93	-13	Pass	2986
30	814	0.1	RMS	812	-62.86	-13	Pass	7841
814	860	0.1	RMS	835.2	19.65	60	Pass	461
860	1000	0.1	RMS	862.4	-63.85	-13	Pass	1401
1000	3000	1	RMS	2953	-48.24	-13	Pass	2001
3000	10000	1	RMS	6961	-41.05	-13	Pass	7001




11.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.28	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.97	-13	Pass	7841
814	860	0.1	RMS	846.2	20.73	60	Pass	461
860	1000	0.1	RMS	950.1	-63.83	-13	Pass	1401
1000	3000	1	RMS	1692	-46.81	-13	Pass	2001
3000	10000	1	RMS	6962	-41.03	-13	Pass	7001




11.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.78	-13	Pass	2986
30	814	0.1	RMS	813.7	-60.24	-13	Pass	7841
814	860	0.1	RMS	846.2	19.7	60	Pass	461
860	1000	0.1	RMS	865.5	-63.74	-13	Pass	1401
1000	3000	1	RMS	1692	-47.34	-13	Pass	2001
3000	10000	1	RMS	6960	-40.97	-13	Pass	7001



11.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.32	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.86	-13	Pass	7841
814	860	0.1	RMS	824.3	20.56	60	Pass	461
860	1000	0.1	RMS	860.2	-63.83	-13	Pass	1401
1000	3000	1	RMS	1648	-47.37	-13	Pass	2001
3000	10000	1	RMS	6962	-41.07	-13	Pass	7001



11.14. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.46	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.1	-13	Pass	7841
814	860	0.1	RMS	824.3	19.53	60	Pass	461
860	1000	0.1	RMS	860.1	-63.81	-13	Pass	1401
1000	3000	1	RMS	1648	-47.8	-13	Pass	2001
3000	10000	1	RMS	6962	-41.11	-13	Pass	7001



11.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.5	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.45	-13	Pass	7841
814	860	0.1	RMS	834.3	20.51	60	Pass	461
860	1000	0.1	RMS	980.3	-63.82	-13	Pass	1401
1000	3000	1	RMS	1668	-48.35	-13	Pass	2001
3000	10000	1	RMS	6959	-41.03	-13	Pass	7001



11.16. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.7	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.81	-13	Pass	7841
814	860	0.1	RMS	834.3	19.74	60	Pass	461
860	1000	0.1	RMS	861.7	-63.7	-13	Pass	1401
1000	3000	1	RMS	2950	-48.33	-13	Pass	2001
3000	10000	1	RMS	6959	-41.1	-13	Pass	7001



11.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.53	-13	Pass	2986
30	814	0.1	RMS	812	-60.91	-13	Pass	7841
814	860	0.1	RMS	844.3	20.64	60	Pass	461
860	1000	0.1	RMS	956.7	-63.88	-13	Pass	1401
1000	3000	1	RMS	1688	-46.22	-13	Pass	2001
3000	10000	1	RMS	6958	-41.11	-13	Pass	7001



11.18. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.01	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.12	-13	Pass	7841
814	860	0.1	RMS	844.3	19.65	60	Pass	461
860	1000	0.1	RMS	863.4	-63.77	-13	Pass	1401
1000	3000	1	RMS	1688	-47.05	-13	Pass	2001
3000	10000	1	RMS	6959	-41.02	-13	Pass	7001



11.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.22	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.32	-13	Pass	7841
814	860	0.1	RMS	824.6	20.94	60	Pass	461
860	1000	0.1	RMS	963.3	-63.8	-13	Pass	1401
1000	3000	1	RMS	1649	-47.39	-13	Pass	2001
3000	10000	1	RMS	6961	-41.06	-13	Pass	7001



11.20. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.28	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.6	20.41	60	Pass	461
860	1000	0.1	RMS	871.7	-63.69	-13	Pass	1401
1000	3000	1	RMS	1649	-48.25	-13	Pass	2001
3000	10000	1	RMS	6962	-41.03	-13	Pass	7001



11.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.87	-13	Pass	2986
30	814	0.1	RMS	811.5	-62.25	-13	Pass	7841
814	860	0.1	RMS	832.1	20.92	60	Pass	461
860	1000	0.1	RMS	861.8	-63.68	-13	Pass	1401
1000	3000	1	RMS	1664	-47.74	-13	Pass	2001
3000	10000	1	RMS	6965	-41.06	-13	Pass	7001



11.22. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.75	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.3	-13	Pass	7841
814	860	0.1	RMS	832.1	20.05	60	Pass	461
860	1000	0.1	RMS	865.3	-63.8	-13	Pass	1401
1000	3000	1	RMS	2959	-48.29	-13	Pass	2001
3000	10000	1	RMS	6963	-41.05	-13	Pass	7001



11.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.63	-13	Pass	2986
30	814	0.1	RMS	810.3	-61.44	-13	Pass	7841
814	860	0.1	RMS	839.6	21.07	60	Pass	461
860	1000	0.1	RMS	947	-63.83	-13	Pass	1401
1000	3000	1	RMS	2959	-48.35	-13	Pass	2001
3000	10000	1	RMS	6963	-41.07	-13	Pass	7001



11.24. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.88	-13	Pass	2986
30	814	0.1	RMS	810.2	-61.78	-13	Pass	7841
814	860	0.1	RMS	839.6	20.12	60	Pass	461
860	1000	0.1	RMS	860.3	-63.68	-13	Pass	1401
1000	3000	1	RMS	2949	-48.29	-13	Pass	2001
3000	10000	1	RMS	6961	-41.07	-13	Pass	7001



11.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.47	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.74	-13	Pass	7841
814	860	0.1	RMS	824.8	20.37	60	Pass	461
860	1000	0.1	RMS	876.5	-63.79	-13	Pass	1401
1000	3000	1	RMS	1649	-47.44	-13	Pass	2001
3000	10000	1	RMS	6962	-41.03	-13	Pass	7001



11.26. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.53	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.93	-13	Pass	7841
814	860	0.1	RMS	824.8	19.53	60	Pass	461
860	1000	0.1	RMS	928	-63.76	-13	Pass	1401
1000	3000	1	RMS	1649	-48.15	-13	Pass	2001
3000	10000	1	RMS	6960	-41.02	-13	Pass	7001



11.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.53	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.44	-13	Pass	7841
814	860	0.1	RMS	829.8	20.3	60	Pass	461
860	1000	0.1	RMS	874.9	-63.79	-13	Pass	1401
1000	3000	1	RMS	1659	-47.15	-13	Pass	2001
3000	10000	1	RMS	6965	-41.04	-13	Pass	7001



11.28. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.78	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.98	-13	Pass	7841
814	860	0.1	RMS	829.8	19.49	60	Pass	461
860	1000	0.1	RMS	881.5	-63.76	-13	Pass	1401
1000	3000	1	RMS	1659	-48.17	-13	Pass	2001
3000	10000	1	RMS	6961	-41.01	-13	Pass	7001



11.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.6	-64.56	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.12	-13	Pass	7841
814	860	0.1	RMS	834.8	20.15	60	Pass	461
860	1000	0.1	RMS	860.2	-63.76	-13	Pass	1401
1000	3000	1	RMS	2958	-48.3	-13	Pass	2001
3000	10000	1	RMS	6963	-41.05	-13	Pass	7001



11.30. LTE Spurious Emission at Antenna Terminals_Part22-24-

27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.6	-65.63	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.23	-13	Pass	7841
814	860	0.1	RMS	834.8	19.48	60	Pass	461
860	1000	0.1	RMS	862.1	-63.73	-13	Pass	1401
1000	3000	1	RMS	2950	-48.29	-13	Pass	2001
3000	10000	1	RMS	6963	-41.02	-13	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.41	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.22	-13	Pass	2986
30	809	0.1	Peak	808.3	-51.09	-13	Pass	7791
809	829	0.1	Peak	814.3	25.52	60	Pass	401
829	1000	0.1	Peak	843.6	-40.71	-13	Pass	1711
1000	3000	1	Peak	2948	-36.87	-13	Pass	2001
3000	10000	1	Peak	7176	-29.95	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.4	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.2	-13	Pass	2986
30	809	0.1	Peak	808.9	-52.94	-13	Pass	7791
809	829	0.1	Peak	814.2	26.12	60	Pass	401
829	1000	0.1	Peak	843.5	-40.88	-13	Pass	1711
1000	3000	1	Peak	2949	-37.06	-13	Pass	2001
3000	10000	1	Peak	8663	-29.98	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.62	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.79	-13	Pass	2986
30	809	0.1	Peak	808.8	-51.41	-13	Pass	7791
809	829	0.1	Peak	818.6	25.29	60	Pass	401
829	1000	0.1	Peak	847.9	-40.72	-13	Pass	1711
1000	3000	1	Peak	2912	-36.88	-13	Pass	2001
3000	10000	1	Peak	7072	-29.36	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.79	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.67	-13	Pass	2986
30	809	0.1	Peak	526.2	-53.15	-13	Pass	7791
809	829	0.1	Peak	818.55	26.15	60	Pass	401
829	1000	0.1	Peak	850.8	-42.47	-13	Pass	1711
1000	3000	1	Peak	2711	-36.35	-13	Pass	2001
3000	10000	1	Peak	7613	-29.82	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.63	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.37	-13	Pass	2986
30	809	0.1	Peak	687.8	-52.9	-13	Pass	7791
809	829	0.1	Peak	822.95	25.22	60	Pass	401
829	1000	0.1	Peak	852.2	-41.9	-13	Pass	1711
1000	3000	1	Peak	2981	-36.07	-13	Pass	2001
3000	10000	1	Peak	7257	-29.71	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-66.63	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.41	-13	Pass	2986
30	809	0.1	Peak	808.5	-52.75	-13	Pass	7791
809	829	0.1	Peak	822.85	26.03	60	Pass	401
829	1000	0.1	Peak	832.8	-33.61	-13	Pass	1711
1000	3000	1	Peak	2979	-37.11	-13	Pass	2001
3000	10000	1	Peak	7362	-29.74	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.51	-13	Pass	401
0.15	30	0.01	Peak	0.6	-59.99	-13	Pass	2986
30	809	0.1	Peak	808.8	-51.36	-13	Pass	7791
809	829	0.1	Peak	814.2	25.56	60	Pass	401
829	1000	0.1	Peak	843.6	-39.49	-13	Pass	1711
1000	3000	1	Peak	2933	-37.03	-13	Pass	2001
3000	10000	1	Peak	6968	-29.18	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.71	-13	Pass	401
0.15	30	0.01	Peak	0.6	-62.01	-13	Pass	2986
30	809	0.1	Peak	803.5	-52.54	-13	Pass	7791
809	829	0.1	Peak	814.2	26.48	60	Pass	401
829	1000	0.1	Peak	843.8	-38.84	-13	Pass	1711
1000	3000	1	Peak	2945	-36.82	-13	Pass	2001
3000	10000	1	Peak	7211	-28.82	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.43	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.67	-13	Pass	2986
30	809	0.1	Peak	804.2	-52.74	-13	Pass	7791
809	829	0.1	Peak	817.75	25.55	60	Pass	401
829	1000	0.1	Peak	847.1	-40.9	-13	Pass	1711
1000	3000	1	Peak	2948	-36.32	-13	Pass	2001
3000	10000	1	Peak	7602	-29.83	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.57	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.36	-13	Pass	2986
30	809	0.1	Peak	716.8	-51.98	-13	Pass	7791
809	829	0.1	Peak	817.8	25.86	60	Pass	401
829	1000	0.1	Peak	846.8	-40.57	-13	Pass	1711
1000	3000	1	Peak	2993	-37.13	-13	Pass	2001
3000	10000	1	Peak	7210	-29.58	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.11	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.1	-13	Pass	2986
30	809	0.1	Peak	808.5	-49.57	-13	Pass	7791
809	829	0.1	Peak	821.3	25.52	60	Pass	401
829	1000	0.1	Peak	850.8	-41.12	-13	Pass	1711
1000	3000	1	Peak	2951	-36.53	-13	Pass	2001
3000	10000	1	Peak	6970	-29.54	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.57	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.2	-13	Pass	2986
30	809	0.1	Peak	808.9	-50.63	-13	Pass	7791
809	829	0.1	Peak	821.25	26.21	60	Pass	401
829	1000	0.1	Peak	841.4	-41.38	-13	Pass	1711
1000	3000	1	Peak	2953	-37.05	-13	Pass	2001
3000	10000	1	Peak	8976	-30.08	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-66.48	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.77	-13	Pass	2986
30	809	0.1	Peak	808.5	-52.94	-13	Pass	7791
809	829	0.1	Peak	814.3	25.77	60	Pass	401
829	1000	0.1	Peak	846.5	-40.49	-13	Pass	1711
1000	3000	1	Peak	2947	-37.08	-13	Pass	2001
3000	10000	1	Peak	7182	-29.65	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.83	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.14	-13	Pass	2986
30	809	0.1	Peak	707.7	-53.1	-13	Pass	7791
809	829	0.1	Peak	814.3	26.36	60	Pass	401
829	1000	0.1	Peak	843.9	-39.79	-13	Pass	1711
1000	3000	1	Peak	1629	-36.91	-13	Pass	2001
3000	10000	1	Peak	7126	-29.96	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.5	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.6	-13	Pass	2986
30	809	0.1	Peak	601.9	-52.85	-13	Pass	7791
809	829	0.1	Peak	816.85	25.9	60	Pass	401
829	1000	0.1	Peak	846.2	-39.88	-13	Pass	1711
1000	3000	1	Peak	2985	-36.95	-13	Pass	2001
3000	10000	1	Peak	6970	-30.09	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.35	-13	Pass	2986
30	809	0.1	Peak	529	-52.84	-13	Pass	7791
809	829	0.1	Peak	816.8	26.34	60	Pass	401
829	1000	0.1	Peak	846	-40.61	-13	Pass	1711
1000	3000	1	Peak	2990	-36.95	-13	Pass	2001
3000	10000	1	Peak	6968	-29.88	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.66	-13	Pass	401
0.15	30	0.01	Peak	0.6	-62	-13	Pass	2986
30	809	0.1	Peak	738.7	-53.23	-13	Pass	7791
809	829	0.1	Peak	819.3	25.51	60	Pass	401
829	1000	0.1	Peak	848.2	-41.17	-13	Pass	1711
1000	3000	1	Peak	2954	-37.06	-13	Pass	2001
3000	10000	1	Peak	7300	-29.62	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.02	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.29	-13	Pass	2986
30	809	0.1	Peak	809	-51.41	-13	Pass	7791
809	829	0.1	Peak	819.3	26.33	60	Pass	401
829	1000	0.1	Peak	848.2	-41.89	-13	Pass	1711
1000	3000	1	Peak	2917	-36.63	-13	Pass	2001
3000	10000	1	Peak	7719	-29.9	-13	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.1	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.24	-13	Pass	2986
30	809	0.1	Peak	808.1	-52.37	-13	Pass	7791
809	829	0.1	Peak	814.55	25.73	60	Pass	401
829	1000	0.1	Peak	846.9	-40.8	-13	Pass	1711
1000	3000	1	Peak	2930	-37.17	-13	Pass	2001
3000	10000	1	Peak	6970	-29.53	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.38	-13	Pass	401
0.15	30	0.01	Peak	0.6	-60.02	-13	Pass	2986
30	809	0.1	Peak	808.2	-48.9	-13	Pass	7791
809	829	0.1	Peak	814.55	26.45	60	Pass	401
829	1000	0.1	Peak	843.9	-39.47	-13	Pass	1711
1000	3000	1	Peak	2922	-35.9	-13	Pass	2001
3000	10000	1	Peak	7265	-30.09	-13	Pass	7001



3. LTE_Band38


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.81	-25	Pass	2986
30	1000	0.1	RMS	841.6	-59.69	-25	Pass	9701
1000	2560	1	RMS	2560	-42.61	-25	Pass	1561
2560	2630	1	RMS	2570.15	23.17	60	Pass	401
2630	3000	1	RMS	2956.525	-44.66	-25	Pass	401
3000	12000	1	RMS	11851	-47.13	-25	Pass	9002
12000	26500	1	RMS	26005	-42.6	-25	Pass	14502




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.92	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.74	-25	Pass	2986
30	1000	0.1	RMS	846.9	-59.66	-25	Pass	9701
1000	2560	1	RMS	2558	-43.85	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.15	60	Pass	401
2630	3000	1	RMS	2948.2	-44.7	-25	Pass	401
3000	12000	1	RMS	11848	-47.22	-25	Pass	9002
12000	26500	1	RMS	26001	-42.54	-25	Pass	14502




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.79	-25	Pass	401
0.15	30	0.01	RMS	0.6	-60.08	-25	Pass	2986
30	1000	0.1	RMS	847.5	-59.55	-25	Pass	9701
1000	2560	1	RMS	2560	-45.83	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.81	60	Pass	401
2630	3000	1	RMS	2951.9	-44.68	-25	Pass	401
3000	12000	1	RMS	11852	-47.25	-25	Pass	9002
12000	26500	1	RMS	26001	-42.44	-25	Pass	14502




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.14	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.81	-25	Pass	2986
30	1000	0.1	RMS	852.102	-59.64	-25	Pass	9701
1000	2560	1	RMS	2557	-45.77	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.17	60	Pass	401
2630	3000	1	RMS	2952.825	-44.7	-25	Pass	401
3000	12000	1	RMS	11843	-47.17	-25	Pass	9002
12000	26500	1	RMS	25990	-42.56	-25	Pass	14502




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.65	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.53	-25	Pass	2986
30	1000	0.1	RMS	852.102	-59.7	-25	Pass	9701
1000	2560	1	RMS	2554	-46.1	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.44	60	Pass	401
2630	3000	1	RMS	2630	-44.01	-25	Pass	401
3000	12000	1	RMS	11848	-47.15	-25	Pass	9002
12000	26500	1	RMS	26002	-42.59	-25	Pass	14502




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.05	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.95	-25	Pass	2986
30	1000	0.1	RMS	846.8	-59.73	-25	Pass	9701
1000	2560	1	RMS	2559	-46.12	-25	Pass	1561
2560	2630	1	RMS	2615.125	22.35	60	Pass	401
2630	3000	1	RMS	2630	-44.22	-25	Pass	401
3000	12000	1	RMS	11850	-47.16	-25	Pass	9002
12000	26500	1	RMS	26007	-42.56	-25	Pass	14502




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.02	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.91	-25	Pass	2986
30	1000	0.1	RMS	855.204	-59.64	-25	Pass	9701
1000	2560	1	RMS	2558	-42.65	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.85	60	Pass	401
2630	3000	1	RMS	2951.9	-44.7	-25	Pass	401
3000	12000	1	RMS	11852	-47.23	-25	Pass	9002
12000	26500	1	RMS	26004	-42.62	-25	Pass	14502




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.53	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.47	-25	Pass	2986
30	1000	0.1	RMS	849.901	-59.4	-25	Pass	9701
1000	2560	1	RMS	2560	-40.82	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.14	60	Pass	401
2630	3000	1	RMS	2954.675	-44.66	-25	Pass	401
3000	12000	1	RMS	11854	-47.19	-25	Pass	9002
12000	26500	1	RMS	26001	-42.53	-25	Pass	14502




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.77	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.22	-25	Pass	2986
30	1000	0.1	RMS	831.5	-59.63	-25	Pass	9701
1000	2560	1	RMS	2560	-45.47	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.52	60	Pass	401
2630	3000	1	RMS	2954.675	-44.7	-25	Pass	401
3000	12000	1	RMS	11849	-47.24	-25	Pass	9002
12000	26500	1	RMS	26009	-42.59	-25	Pass	14502




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.53	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.88	-25	Pass	2986
30	1000	0.1	RMS	835.2	-59.73	-25	Pass	9701
1000	2560	1	RMS	2560	-45.88	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.75	60	Pass	401
2630	3000	1	RMS	2958.375	-44.71	-25	Pass	401
3000	12000	1	RMS	11854	-47.21	-25	Pass	9002
12000	26500	1	RMS	26004	-42.6	-25	Pass	14502



3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.17	-25	Pass	2986
30	1000	0.1	RMS	858.106	-59.59	-25	Pass	9701
1000	2560	1	RMS	2558	-45.99	-25	Pass	1561
2560	2630	1	RMS	2610.4	23.71	60	Pass	401
2630	3000	1	RMS	2954.675	-44.65	-25	Pass	401
3000	12000	1	RMS	11857	-47.22	-25	Pass	9002
12000	26500	1	RMS	25996	-42.55	-25	Pass	14502



3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.83	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.32	-25	Pass	2986
30	1000	0.1	RMS	857.205	-59.48	-25	Pass	9701
1000	2560	1	RMS	2556	-46.03	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.2	60	Pass	401
2630	3000	1	RMS	2630	-44.54	-25	Pass	401
3000	12000	1	RMS	11850	-47.18	-25	Pass	9002
12000	26500	1	RMS	25993	-42.6	-25	Pass	14502

