



3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-60.53	-13	47.53	Pass	401
0.15	30	0.01	RMS	0.52	-42.28	-13	29.28	Pass	2986
30	1000	0.1	RMS	904.937	-60.39	-13	47.39	Pass	9701
1000	1840	1	RMS	1840	-49.14	-13	36.14	Pass	841
1840	1925	1	RMS	1850.2	20.11	60	39.89	Pass	401
1925	3000	1	RMS	2969	-46.16	-13	33.16	Pass	1076
3000	7000	1	RMS	5551	-54.21	-13	41.21	Pass	4001
7000	20000	1	RMS	17496	-48.5	-13	35.5	Pass	13002




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-63.81	-13	50.81	Pass	401
0.15	30	0.01	RMS	3.95	-45.48	-13	32.48	Pass	2986
30	1000	0.1	RMS	901.535	-60.36	-13	47.36	Pass	9701
1000	1840	1	RMS	1808	-48.94	-13	35.94	Pass	841
1840	1925	1	RMS	1854.45	20.06	60	39.94	Pass	401
1925	3000	1	RMS	2969	-46.04	-13	33.04	Pass	1076
3000	7000	1	RMS	5564	-55.81	-13	42.81	Pass	4001
7000	20000	1	RMS	17499	-48.8	-13	35.8	Pass	13002




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-55.38	-13	42.38	Pass	401
0.15	30	0.01	RMS	3.95	-43.17	-13	30.17	Pass	2986
30	1000	0.1	RMS	902.335	-60.24	-13	47.24	Pass	9701
1000	1840	1	RMS	1809	-48.97	-13	35.97	Pass	841
1840	1925	1	RMS	1881.225	13.7	60	46.3	Pass	401
1925	3000	1	RMS	2970	-45.89	-13	32.89	Pass	1076
3000	7000	1	RMS	6978	-58.61	-13	45.61	Pass	4001
7000	20000	1	RMS	17500	-48.59	-13	35.59	Pass	13002




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-60.25	-13	47.25	Pass	401
0.15	30	0.01	RMS	4.36	-43.53	-13	30.53	Pass	2986
30	1000	0.1	RMS	873.616	-60.4	-13	47.4	Pass	9701
1000	1840	1	RMS	1808	-48.95	-13	35.95	Pass	841
1840	1925	1	RMS	1880.163	20.04	60	39.96	Pass	401
1925	3000	1	RMS	2970	-46.11	-13	33.11	Pass	1076
3000	7000	1	RMS	5641	-54.16	-13	41.16	Pass	4001
7000	20000	1	RMS	17498	-48.58	-13	35.58	Pass	13002




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-61.18	-13	48.18	Pass	401
0.15	30	0.01	RMS	4.01	-42.43	-13	29.43	Pass	2986
30	1000	0.1	RMS	1000	-60.4	-13	47.4	Pass	9701
1000	1840	1	RMS	1801	-48.97	-13	35.97	Pass	841
1840	1925	1	RMS	1884.625	19.86	60	40.14	Pass	401
1925	3000	1	RMS	2980	-45.9	-13	32.9	Pass	1076
3000	7000	1	RMS	5654	-56.53	-13	43.53	Pass	4001
7000	20000	1	RMS	17498	-48.68	-13	35.68	Pass	13002




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-59.1	-13	46.1	Pass	401
0.15	30	0.01	RMS	4.03	-42.81	-13	29.81	Pass	2986
30	1000	0.1	RMS	901.435	-60.29	-13	47.29	Pass	9701
1000	1840	1	RMS	1796	-49.01	-13	36.01	Pass	841
1840	1925	1	RMS	1910.975	13.74	60	46.26	Pass	401
1925	3000	1	RMS	2973	-45.93	-13	32.93	Pass	1076
3000	7000	1	RMS	5738	-55.65	-13	42.65	Pass	4001
7000	20000	1	RMS	17501	-48.52	-13	35.52	Pass	13002




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.129	-63.71	-13	50.71	Pass	401
0.15	30	0.01	RMS	3.98	-44.45	-13	31.45	Pass	2986
30	1000	0.1	RMS	911.241	-60.35	-13	47.35	Pass	9701
1000	1840	1	RMS	1831	-49.15	-13	36.15	Pass	841
1840	1925	1	RMS	1910.125	19.66	60	40.34	Pass	401
1925	3000	1	RMS	2973	-45.94	-13	32.94	Pass	1076
3000	7000	1	RMS	5731	-52.26	-13	39.26	Pass	4001
7000	20000	1	RMS	17499	-48.74	-13	35.74	Pass	13002




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.125	-64.43	-13	51.43	Pass	401
0.15	30	0.01	RMS	0.52	-45.22	-13	32.22	Pass	2986
30	1000	0.1	RMS	899.233	-60.34	-13	47.34	Pass	9701
1000	1840	1	RMS	1780	-49.1	-13	36.1	Pass	841
1840	1925	1	RMS	1914.588	19.77	60	40.23	Pass	401
1925	3000	1	RMS	2972	-45.91	-13	32.91	Pass	1076
3000	7000	1	RMS	5744	-48.45	-13	35.45	Pass	4001
7000	20000	1	RMS	17499	-48.7	-13	35.7	Pass	13002




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-65.87	-13	52.87	Pass	401
0.15	30	0.01	RMS	4.21	-47.77	-13	34.77	Pass	2986
30	1000	0.1	RMS	898.032	-60.41	-13	47.41	Pass	9701
1000	1840	1	RMS	1840	-39.74	-13	26.74	Pass	841
1840	1925	1	RMS	1854.238	8.95	60	51.05	Pass	401
1925	3000	1	RMS	2965	-46.13	-13	33.13	Pass	1076
3000	7000	1	RMS	6982	-58.65	-13	45.65	Pass	4001
7000	20000	1	RMS	17499	-48.52	-13	35.52	Pass	13002




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-61.71	-13	48.71	Pass	401
0.15	30	0.01	RMS	0.52	-42.95	-13	29.95	Pass	2986
30	1000	0.1	RMS	993.996	-60.31	-13	47.31	Pass	9701
1000	1840	1	RMS	1840	-48.87	-13	35.87	Pass	841
1840	1925	1	RMS	1850.413	20.14	60	39.86	Pass	401
1925	3000	1	RMS	2965	-45.96	-13	32.96	Pass	1076
3000	7000	1	RMS	5551	-55.6	-13	42.6	Pass	4001
7000	20000	1	RMS	17499	-48.61	-13	35.61	Pass	13002




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-64.39	-13	51.39	Pass	401
0.15	30	0.01	RMS	0.52	-44.68	-13	31.68	Pass	2986
30	1000	0.1	RMS	901.535	-60.3	-13	47.3	Pass	9701
1000	1840	1	RMS	1781	-49.08	-13	36.08	Pass	841
1840	1925	1	RMS	1864.438	19.97	60	40.03	Pass	401
1925	3000	1	RMS	2966	-45.92	-13	32.92	Pass	1076
3000	7000	1	RMS	5594	-55.91	-13	42.91	Pass	4001
7000	20000	1	RMS	17499	-48.58	-13	35.58	Pass	13002




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-60.94	-13	47.94	Pass	401
0.15	30	0.01	RMS	4.06	-43.84	-13	30.84	Pass	2986
30	1000	0.1	RMS	883.923	-60.07	-13	47.07	Pass	9701
1000	1840	1	RMS	1840	-48.83	-13	35.83	Pass	841
1840	1925	1	RMS	1879.1	8.79	60	51.21	Pass	401
1925	3000	1	RMS	2977	-45.79	-13	32.79	Pass	1076
3000	7000	1	RMS	6979	-58.35	-13	45.35	Pass	4001
7000	20000	1	RMS	17497	-48.75	-13	35.75	Pass	13002




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-64.75	-13	51.75	Pass	401
0.15	30	0.01	RMS	4.2	-48.53	-13	35.53	Pass	2986
30	1000	0.1	RMS	981.588	-58.92	-13	45.92	Pass	9701
1000	1840	1	RMS	1812	-48.92	-13	35.92	Pass	841
1840	1925	1	RMS	1875.275	19.96	60	40.04	Pass	401
1925	3000	1	RMS	2969	-45.75	-13	32.75	Pass	1076
3000	7000	1	RMS	5626	-54.72	-13	41.72	Pass	4001
7000	20000	1	RMS	17500	-48.43	-13	35.43	Pass	13002




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-68.03	-13	55.03	Pass	401
0.15	30	0.01	RMS	4.03	-46.91	-13	33.91	Pass	2986
30	1000	0.1	RMS	910.641	-58.84	-13	45.84	Pass	9701
1000	1840	1	RMS	1800	-48.89	-13	35.89	Pass	841
1840	1925	1	RMS	1889.513	19.79	60	40.21	Pass	401
1925	3000	1	RMS	2978	-45.89	-13	32.89	Pass	1076
3000	7000	1	RMS	5669	-57.07	-13	44.07	Pass	4001
7000	20000	1	RMS	17502	-48.62	-13	35.62	Pass	13002




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-64.47	-13	51.47	Pass	401
0.15	30	0.01	RMS	4.04	-44.9	-13	31.9	Pass	2986
30	1000	0.1	RMS	502.4	-59.1	-13	46.1	Pass	9701
1000	1840	1	RMS	1779	-48.99	-13	35.99	Pass	841
1840	1925	1	RMS	1901.625	9.67	60	50.33	Pass	401
1925	3000	1	RMS	2969	-45.89	-13	32.89	Pass	1076
3000	7000	1	RMS	6977	-58.64	-13	45.64	Pass	4001
7000	20000	1	RMS	17500	-48.35	-13	35.35	Pass	13002




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-62.37	-13	49.37	Pass	401
0.15	30	0.01	RMS	3.94	-43.61	-13	30.61	Pass	2986
30	1000	0.1	RMS	741.8	-59.14	-13	46.14	Pass	9701
1000	1840	1	RMS	1811	-48.85	-13	35.85	Pass	841
1840	1925	1	RMS	1900.35	19.86	60	40.14	Pass	401
1925	3000	1	RMS	2970	-45.94	-13	32.94	Pass	1076
3000	7000	1	RMS	5701	-53.44	-13	40.44	Pass	4001
7000	20000	1	RMS	17495	-48.65	-13	35.65	Pass	13002




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-65.65	-13	52.65	Pass	401
0.15	30	0.01	RMS	3.98	-45.61	-13	32.61	Pass	2986
30	1000	0.1	RMS	901.034	-58.82	-13	45.82	Pass	9701
1000	1840	1	RMS	1831	-49.02	-13	36.02	Pass	841
1840	1925	1	RMS	1914.375	19.76	60	40.24	Pass	401
1925	3000	1	RMS	2973	-45.78	-13	32.78	Pass	1076
3000	7000	1	RMS	5744	-50.15	-13	37.15	Pass	4001
7000	20000	1	RMS	17501	-48.6	-13	35.6	Pass	13002




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-62.25	-13	49.25	Pass	401
0.15	30	0.01	RMS	3.96	-42.73	-13	29.73	Pass	2986
30	1000	0.1	RMS	894.83	-58.71	-13	45.71	Pass	9701
1000	1840	1	RMS	1840	-39.41	-13	26.41	Pass	841
1840	1925	1	RMS	1854.238	7.94	60	52.06	Pass	401
1925	3000	1	RMS	2970	-45.75	-13	32.75	Pass	1076
3000	7000	1	RMS	6976	-58.54	-13	45.54	Pass	4001
7000	20000	1	RMS	17496	-48.79	-13	35.79	Pass	13002




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-63.18	-13	50.18	Pass	401
0.15	30	0.01	RMS	3.95	-45.37	-13	32.37	Pass	2986
30	1000	0.1	RMS	897.032	-58.64	-13	45.64	Pass	9701
1000	1840	1	RMS	1840	-48.75	-13	35.75	Pass	841
1840	1925	1	RMS	1850.413	20.03	60	39.97	Pass	401
1925	3000	1	RMS	2972	-45.73	-13	32.73	Pass	1076
3000	7000	1	RMS	5552	-55.34	-13	42.34	Pass	4001
7000	20000	1	RMS	17500	-48.16	-13	35.16	Pass	13002




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-65.43	-13	52.43	Pass	401
0.15	30	0.01	RMS	3.98	-46.9	-13	33.9	Pass	2986
30	1000	0.1	RMS	912.142	-58.77	-13	45.77	Pass	9701
1000	1840	1	RMS	1811	-48.86	-13	35.86	Pass	841
1840	1925	1	RMS	1869.325	19.94	60	40.06	Pass	401
1925	3000	1	RMS	2975	-46.09	-13	33.09	Pass	1076
3000	7000	1	RMS	5608	-53.47	-13	40.47	Pass	4001
7000	20000	1	RMS	17503	-48.54	-13	35.54	Pass	13002




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-62.49	-13	49.49	Pass	401
0.15	30	0.01	RMS	3.98	-45.34	-13	32.34	Pass	2986
30	1000	0.1	RMS	975.884	-58.68	-13	45.68	Pass	9701
1000	1840	1	RMS	1840	-47.09	-13	34.09	Pass	841
1840	1925	1	RMS	1882.713	7.71	60	52.29	Pass	401
1925	3000	1	RMS	2969	-45.98	-13	32.98	Pass	1076
3000	7000	1	RMS	6980	-58.53	-13	45.53	Pass	4001
7000	20000	1	RMS	17500	-48.24	-13	35.24	Pass	13002




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-61.67	-13	48.67	Pass	401
0.15	30	0.01	RMS	3.98	-44.57	-13	31.57	Pass	2986
30	1000	0.1	RMS	914.744	-58.73	-13	45.73	Pass	9701
1000	1840	1	RMS	1809	-48.94	-13	35.94	Pass	841
1840	1925	1	RMS	1872.938	20.08	60	39.92	Pass	401
1925	3000	1	RMS	2971	-45.86	-13	32.86	Pass	1076
3000	7000	1	RMS	5619	-53.42	-13	40.42	Pass	4001
7000	20000	1	RMS	17503	-48.6	-13	35.6	Pass	13002




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.15	-65.83	-13	52.83	Pass	401
0.15	30	0.01	RMS	3.94	-45.32	-13	32.32	Pass	2986
30	1000	0.1	RMS	990.394	-58.88	-13	45.88	Pass	9701
1000	1840	1	RMS	1808	-49.05	-13	36.05	Pass	841
1840	1925	1	RMS	1891.85	19.84	60	40.16	Pass	401
1925	3000	1	RMS	2968	-45.87	-13	32.87	Pass	1076
3000	7000	1	RMS	5676	-56.53	-13	43.53	Pass	4001
7000	20000	1	RMS	17500	-48.55	-13	35.55	Pass	13002




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-64.82	-13	51.82	Pass	401
0.15	30	0.01	RMS	4.21	-47.04	-13	34.04	Pass	2986
30	1000	0.1	RMS	873.216	-58.76	-13	45.76	Pass	9701
1000	1840	1	RMS	1837	-48.94	-13	35.94	Pass	841
1840	1925	1	RMS	1898.65	7.97	60	52.03	Pass	401
1925	3000	1	RMS	2972	-45.75	-13	32.75	Pass	1076
3000	7000	1	RMS	6980	-58.51	-13	45.51	Pass	4001
7000	20000	1	RMS	17500	-48.52	-13	35.52	Pass	13002




3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.11	-65.59	-13	52.59	Pass	401
0.15	30	0.01	RMS	4.07	-49.04	-13	36.04	Pass	2986
30	1000	0.1	RMS	735.2	-59.29	-13	46.29	Pass	9701
1000	1840	1	RMS	1799	-49	-13	36	Pass	841
1840	1925	1	RMS	1895.463	19.78	60	40.22	Pass	401
1925	3000	1	RMS	2971	-45.79	-13	32.79	Pass	1076
3000	7000	1	RMS	5687	-54.48	-13	41.48	Pass	4001
7000	20000	1	RMS	17499	-48.46	-13	35.46	Pass	13002



3.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-62.67	-13	49.67	Pass	401
0.15	30	0.01	RMS	0.52	-43.73	-13	30.73	Pass	2986
30	1000	0.1	RMS	465.3	-59.18	-13	46.18	Pass	9701
1000	1840	1	RMS	1780	-49.05	-13	36.05	Pass	841
1840	1925	1	RMS	1914.375	19.78	60	40.22	Pass	401
1925	3000	1	RMS	2968	-45.85	-13	32.85	Pass	1076
3000	7000	1	RMS	5743	-49.03	-13	36.03	Pass	4001
7000	20000	1	RMS	17501	-48.54	-13	35.54	Pass	13002



7. n26 15kHz_Part22


7.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.88	-13	54.88	Pass	401
0.15	30	0.01	RMS	0.59	-70.42	-13	57.42	Pass	2986
30	814	0.1	RMS	808.2	-60.67	-13	47.67	Pass	7841
814	859	0.1	RMS	825.1	3.51	60	56.49	Pass	451
859	1000	0.1	RMS	901.6	-60.34	-13	47.34	Pass	1411
1000	3000	1	RMS	2983	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7097	-56.03	-13	43.03	Pass	7001




7.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	1.25	-70.53	-13	57.53	Pass	2986
30	814	0.1	RMS	811.6	-60.36	-13	47.36	Pass	7841
814	859	0.1	RMS	824.3	16.72	60	43.28	Pass	451
859	1000	0.1	RMS	999.6	-60.14	-13	47.14	Pass	1411
1000	3000	1	RMS	2974	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7105	-55.84	-13	42.84	Pass	7001




7.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-13	57.01	Pass	2986
30	814	0.1	RMS	809.1	-60.11	-13	47.11	Pass	7841
814	859	0.1	RMS	828.6	16.26	60	43.74	Pass	451
859	1000	0.1	RMS	884	-60.35	-13	47.35	Pass	1411
1000	3000	1	RMS	2978	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7103	-55.85	-13	42.85	Pass	7001




7.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.28	-69.79	-13	56.79	Pass	2986
30	814	0.1	RMS	809.5	-60.47	-13	47.47	Pass	7841
814	859	0.1	RMS	835.3	3.59	60	56.41	Pass	451
859	1000	0.1	RMS	898.4	-60.29	-13	47.29	Pass	1411
1000	3000	1	RMS	2982	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7125	-55.89	-13	42.89	Pass	7001




7.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.45	-69.6	-13	56.6	Pass	2986
30	814	0.1	RMS	813.9	-59.84	-13	46.84	Pass	7841
814	859	0.1	RMS	834.3	16.55	60	43.45	Pass	451
859	1000	0.1	RMS	860.6	-60.53	-13	47.53	Pass	1411
1000	3000	1	RMS	2969	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	7150	-55.96	-13	42.96	Pass	7001




7.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.19	-70.43	-13	57.43	Pass	2986
30	814	0.1	RMS	810.5	-58.62	-13	45.62	Pass	7841
814	859	0.1	RMS	838.7	16.17	60	43.83	Pass	451
859	1000	0.1	RMS	901.4	-60.35	-13	47.35	Pass	1411
1000	3000	1	RMS	2971	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	7099	-56.14	-13	43.14	Pass	7001




7.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.73	-13	55.73	Pass	401
0.15	30	0.01	RMS	0.16	-69.87	-13	56.87	Pass	2986
30	814	0.1	RMS	487.2	-60.7	-13	47.7	Pass	7841
814	859	0.1	RMS	844.8	3.68	60	56.32	Pass	451
859	1000	0.1	RMS	983.4	-60.58	-13	47.58	Pass	1411
1000	3000	1	RMS	2978	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7102	-55.72	-13	42.72	Pass	7001




7.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.68	-13	56.68	Pass	401
0.15	30	0.01	RMS	0.36	-69.86	-13	56.86	Pass	2986
30	814	0.1	RMS	812.8	-58.06	-13	45.06	Pass	7841
814	859	0.1	RMS	844.3	16.68	60	43.32	Pass	451
859	1000	0.1	RMS	996.7	-60.24	-13	47.24	Pass	1411
1000	3000	1	RMS	2970	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	7128	-56.04	-13	43.04	Pass	7001




7.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.29	-69.91	-13	56.91	Pass	2986
30	814	0.1	RMS	812.7	-60.28	-13	47.28	Pass	7841
814	859	0.1	RMS	848.6	16.17	60	43.83	Pass	451
859	1000	0.1	RMS	899.4	-60.37	-13	47.37	Pass	1411
1000	3000	1	RMS	2965	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	7110	-56.1	-13	43.1	Pass	7001




7.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.36	-69.76	-13	56.76	Pass	2986
30	814	0.1	RMS	813.9	-48.65	-13	35.65	Pass	7841
814	859	0.1	RMS	827.4	-1.38	60	61.38	Pass	451
859	1000	0.1	RMS	868.9	-60.42	-13	47.42	Pass	1411
1000	3000	1	RMS	2977	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7090	-55.96	-13	42.96	Pass	7001




7.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.16	-69.81	-13	56.81	Pass	2986
30	814	0.1	RMS	812.6	-60.61	-13	47.61	Pass	7841
814	859	0.1	RMS	824.5	16.61	60	43.39	Pass	451
859	1000	0.1	RMS	909	-60.32	-13	47.32	Pass	1411
1000	3000	1	RMS	2972	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7121	-55.95	-13	42.95	Pass	7001




7.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	56.92	Pass	2986
30	814	0.1	RMS	810	-58.77	-13	45.77	Pass	7841
814	859	0.1	RMS	838.5	16.85	60	43.15	Pass	451
859	1000	0.1	RMS	882.9	-60.37	-13	47.37	Pass	1411
1000	3000	1	RMS	2972	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7105	-55.93	-13	42.93	Pass	7001




7.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-59.09	-13	46.09	Pass	401
0.15	30	0.01	RMS	0.34	-69.75	-13	56.75	Pass	2986
30	814	0.1	RMS	814	-54.08	-13	41.08	Pass	7841
814	859	0.1	RMS	832.2	-1.32	60	61.32	Pass	451
859	1000	0.1	RMS	914.5	-60.51	-13	47.51	Pass	1411
1000	3000	1	RMS	2975	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	7066	-48.03	-13	35.03	Pass	7001




7.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-56.85	-13	43.85	Pass	401
0.15	30	0.01	RMS	0.49	-69.69	-13	56.69	Pass	2986
30	814	0.1	RMS	809.7	-59.9	-13	46.9	Pass	7841
814	859	0.1	RMS	829.5	16.8	60	43.2	Pass	451
859	1000	0.1	RMS	871.4	-60.46	-13	47.46	Pass	1411
1000	3000	1	RMS	2981	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	7104	-55.94	-13	42.94	Pass	7001




7.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.53	-13	42.53	Pass	401
0.15	30	0.01	RMS	0.17	-69.92	-13	56.92	Pass	2986
30	814	0.1	RMS	812.3	-58.22	-13	45.22	Pass	7841
814	859	0.1	RMS	843.5	16.87	60	43.13	Pass	451
859	1000	0.1	RMS	986.1	-60.43	-13	47.43	Pass	1411
1000	3000	1	RMS	2964	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7144	-56.07	-13	43.07	Pass	7001




7.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.85	-13	45.85	Pass	401
0.15	30	0.01	RMS	0.17	-69.38	-13	56.38	Pass	2986
30	814	0.1	RMS	813.9	-57.13	-13	44.13	Pass	7841
814	859	0.1	RMS	837.3	-1.26	60	61.26	Pass	451
859	1000	0.1	RMS	902.2	-60.55	-13	47.55	Pass	1411
1000	3000	1	RMS	2972	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	7086	-56.21	-13	43.21	Pass	7001




7.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.08	-13	44.08	Pass	401
0.15	30	0.01	RMS	0.19	-69.43	-13	56.43	Pass	2986
30	814	0.1	RMS	810.9	-59.83	-13	46.83	Pass	7841
814	859	0.1	RMS	834.5	16.69	60	43.31	Pass	451
859	1000	0.1	RMS	905.6	-60.47	-13	47.47	Pass	1411
1000	3000	1	RMS	2971	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7096	-56.01	-13	43.01	Pass	7001




7.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.01	-13	42.01	Pass	401
0.15	30	0.01	RMS	0.15	-69.12	-13	56.12	Pass	2986
30	814	0.1	RMS	812.4	-60.73	-13	47.73	Pass	7841
814	859	0.1	RMS	848.5	16.85	60	43.15	Pass	451
859	1000	0.1	RMS	909.5	-60.55	-13	47.55	Pass	1411
1000	3000	1	RMS	2976	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	7102	-56.2	-13	43.2	Pass	7001




7.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-59.43	-13	46.43	Pass	401
0.15	30	0.01	RMS	0.16	-69.11	-13	56.11	Pass	2986
30	814	0.1	RMS	813.2	-47.5	-13	34.5	Pass	7841
814	859	0.1	RMS	828.1	-2.5	60	62.5	Pass	451
859	1000	0.1	RMS	895.3	-60.51	-13	47.51	Pass	1411
1000	3000	1	RMS	2980	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	7071	-48.95	-13	35.95	Pass	7001




7.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.66	-13	42.66	Pass	401
0.15	30	0.01	RMS	0.39	-70.01	-13	57.01	Pass	2986
30	814	0.1	RMS	811.9	-60.44	-13	47.44	Pass	7841
814	859	0.1	RMS	824.5	16.53	60	43.47	Pass	451
859	1000	0.1	RMS	906.1	-60.49	-13	47.49	Pass	1411
1000	3000	1	RMS	2974	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7104	-56.11	-13	43.11	Pass	7001




7.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.61	-13	42.61	Pass	401
0.15	30	0.01	RMS	0.23	-69.7	-13	56.7	Pass	2986
30	814	0.1	RMS	812.1	-58.26	-13	45.26	Pass	7841
814	859	0.1	RMS	843.4	16.48	60	43.52	Pass	451
859	1000	0.1	RMS	914.1	-60.39	-13	47.39	Pass	1411
1000	3000	1	RMS	2973	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7115	-56.16	-13	43.16	Pass	7001




7.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.61	-13	45.61	Pass	401
0.15	30	0.01	RMS	0.23	-69.6	-13	56.6	Pass	2986
30	814	0.1	RMS	813.6	-49.29	-13	36.29	Pass	7841
814	859	0.1	RMS	832	-2.47	60	62.47	Pass	451
859	1000	0.1	RMS	907.6	-60.49	-13	47.49	Pass	1411
1000	3000	1	RMS	2970	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7101	-56	-13	43	Pass	7001




7.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-56.76	-13	43.76	Pass	401
0.15	30	0.01	RMS	0.17	-69.59	-13	56.59	Pass	2986
30	814	0.1	RMS	811	-60.11	-13	47.11	Pass	7841
814	859	0.1	RMS	827	16.5	60	43.5	Pass	451
859	1000	0.1	RMS	874.2	-60.39	-13	47.39	Pass	1411
1000	3000	1	RMS	2974	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7107	-56.18	-13	43.18	Pass	7001




7.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.24	-13	42.24	Pass	401
0.15	30	0.01	RMS	0.16	-69.81	-13	56.81	Pass	2986
30	814	0.1	RMS	813.9	-58.89	-13	45.89	Pass	7841
814	859	0.1	RMS	845.9	16.43	60	43.57	Pass	451
859	1000	0.1	RMS	910.9	-60.62	-13	47.62	Pass	1411
1000	3000	1	RMS	2969	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7102	-55.81	-13	42.81	Pass	7001




7.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-59.44	-13	46.44	Pass	401
0.15	30	0.01	RMS	0.23	-69.63	-13	56.63	Pass	2986
30	814	0.1	RMS	814	-51.5	-13	38.5	Pass	7841
814	859	0.1	RMS	839.1	-2.36	60	62.36	Pass	451
859	1000	0.1	RMS	986.1	-60.43	-13	47.43	Pass	1411
1000	3000	1	RMS	2969	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7073	-48.13	-13	35.13	Pass	7001




7.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.76	-13	43.76	Pass	401
0.15	30	0.01	RMS	0.29	-70.29	-13	57.29	Pass	2986
30	814	0.1	RMS	809.8	-60.19	-13	47.19	Pass	7841
814	859	0.1	RMS	829.5	16.51	60	43.49	Pass	451
859	1000	0.1	RMS	899.3	-60.42	-13	47.42	Pass	1411
1000	3000	1	RMS	2970	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7096	-56.08	-13	43.08	Pass	7001



7.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.81	-13	41.81	Pass	401
0.15	30	0.01	RMS	0.15	-69.47	-13	56.47	Pass	2986
30	814	0.1	RMS	812	-60.65	-13	47.65	Pass	7841
814	859	0.1	RMS	848.4	16.32	60	43.68	Pass	451
859	1000	0.1	RMS	876.6	-60.46	-13	47.46	Pass	1411
1000	3000	1	RMS	2972	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	7101	-56.17	-13	43.17	Pass	7001



1. n26 15kHz_Part90


1.1. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-59.24	-13	46.24	Pass	401
0.15	30	0.01	RMS	0.2	-69.51	-13	56.51	Pass	2986
30	804	0.1	RMS	479.9	-60.9	-13	47.9	Pass	7741
804	834	0.1	RMS	817.875	3.68	60	56.32	Pass	401
834	1000	0.1	RMS	849.4	-60.11	-13	47.11	Pass	1661
1000	3000	1	RMS	2971	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7102	-56.1	-13	43.1	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-56.17	-13	43.17	Pass	401
0.15	30	0.01	RMS	0.33	-69.32	-13	56.32	Pass	2986
30	804	0.1	RMS	485.7	-60.7	-13	47.7	Pass	7741
804	834	0.1	RMS	814.35	16.98	60	43.02	Pass	401
834	1000	0.1	RMS	842.6	-58.7	-13	45.7	Pass	1661
1000	3000	1	RMS	2971	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7124	-56.01	-13	43.01	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-13	41.7	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-13	55.72	Pass	2986
30	804	0.1	RMS	468.8	-60.77	-13	47.77	Pass	7741
804	834	0.1	RMS	818.625	16.91	60	43.09	Pass	401
834	1000	0.1	RMS	847.2	-58.72	-13	45.72	Pass	1661
1000	3000	1	RMS	2972	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7106	-56.2	-13	43.2	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.57	-13	45.57	Pass	401
0.15	30	0.01	RMS	0.2	-69.99	-13	56.99	Pass	2986
30	804	0.1	RMS	471.5	-60.78	-13	47.78	Pass	7741
804	834	0.1	RMS	820.35	3.59	60	56.41	Pass	401
834	1000	0.1	RMS	849.4	-60.37	-13	47.37	Pass	1661
1000	3000	1	RMS	2968	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7067	-47.7	-13	34.7	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-55.54	-13	42.54	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-13	55.5	Pass	2986
30	804	0.1	RMS	736.6	-60.84	-13	47.84	Pass	7741
804	834	0.1	RMS	816.825	17.13	60	42.87	Pass	401
834	1000	0.1	RMS	845.2	-58.84	-13	45.84	Pass	1661
1000	3000	1	RMS	2971	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7111	-56	-13	43	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.47	-13	44.47	Pass	401
0.15	30	0.01	RMS	0.16	-69.15	-13	56.15	Pass	2986
30	804	0.1	RMS	640.7	-60.81	-13	47.81	Pass	7741
804	834	0.1	RMS	821.175	16.91	60	43.09	Pass	401
834	1000	0.1	RMS	849.4	-58.96	-13	45.96	Pass	1661
1000	3000	1	RMS	2984	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7139	-56.1	-13	43.1	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.99	-13	45.99	Pass	401
0.15	30	0.01	RMS	0.2	-68.65	-13	55.65	Pass	2986
30	804	0.1	RMS	471	-60.76	-13	47.76	Pass	7741
804	834	0.1	RMS	822.975	3.75	60	56.25	Pass	401
834	1000	0.1	RMS	835.7	-60.23	-13	47.23	Pass	1661
1000	3000	1	RMS	2970	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7104	-56.11	-13	43.11	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.81	-13	41.81	Pass	401
0.15	30	0.01	RMS	0.15	-69.19	-13	56.19	Pass	2986
30	804	0.1	RMS	723.2	-60.78	-13	47.78	Pass	7741
804	834	0.1	RMS	819.3	16.86	60	43.14	Pass	401
834	1000	0.1	RMS	847.6	-58.82	-13	45.82	Pass	1661
1000	3000	1	RMS	2970	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7107	-56.14	-13	43.14	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.97	-13	41.97	Pass	401
0.15	30	0.01	RMS	0.22	-69.54	-13	56.54	Pass	2986
30	804	0.1	RMS	482.4	-60.69	-13	47.69	Pass	7741
804	834	0.1	RMS	823.65	17.09	60	42.91	Pass	401
834	1000	0.1	RMS	852.3	-59.34	-13	46.34	Pass	1661
1000	3000	1	RMS	2974	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7113	-56.23	-13	43.23	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-59.62	-13	46.62	Pass	401
0.15	30	0.01	RMS	0.15	-69.46	-13	56.46	Pass	2986
30	804	0.1	RMS	804	-59.99	-13	46.99	Pass	7741
804	834	0.1	RMS	821.25	0.49	60	59.51	Pass	401
834	1000	0.1	RMS	834	-50.59	-13	37.59	Pass	1661
1000	3000	1	RMS	2971	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7063	-48.71	-13	35.71	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-55.47	-13	42.47	Pass	401
0.15	30	0.01	RMS	0.27	-69.57	-13	56.57	Pass	2986
30	804	0.1	RMS	473.2	-60.85	-13	47.85	Pass	7741
804	834	0.1	RMS	814.425	16.87	60	43.13	Pass	401
834	1000	0.1	RMS	845.8	-58.8	-13	45.8	Pass	1661
1000	3000	1	RMS	2979	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7127	-55.91	-13	42.91	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.48	-13	42.48	Pass	401
0.15	30	0.01	RMS	0.15	-69.49	-13	56.49	Pass	2986
30	804	0.1	RMS	496.9	-60.78	-13	47.78	Pass	7741
804	834	0.1	RMS	823.575	17.03	60	42.97	Pass	401
834	1000	0.1	RMS	851.7	-59.2	-13	46.2	Pass	1661
1000	3000	1	RMS	2974	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7111	-55.91	-13	42.91	Pass	7001



1. n38_PC3


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-68.97	-25	43.97	Pass	401
0.15	30	0.01	RMS	0.19	-62.83	-25	37.83	Pass	2986
30	1000	0.1	RMS	853.003	-52.44	-25	27.44	Pass	9701
1000	2550	1	RMS	2549	-40.35	-25	15.35	Pass	1551
2550	2640	1	RMS	2571.825	8.7	60	51.3	Pass	401
2640	3000	1	RMS	2979.3	-42.18	-25	17.18	Pass	401
3000	7000	1	RMS	6971	-52.62	-25	27.62	Pass	4001
7000	26500	1	RMS	25097	-40.23	-25	15.23	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.81	-25	42.81	Pass	401
0.15	30	0.01	RMS	27.63	-62.88	-25	37.88	Pass	2986
30	1000	0.1	RMS	785.4	-52.86	-25	27.86	Pass	9701
1000	2550	1	RMS	2498	-43.01	-25	18.01	Pass	1551
2550	2640	1	RMS	2570.925	20.49	60	39.51	Pass	401
2640	3000	1	RMS	2975.7	-42	-25	17	Pass	401
3000	7000	1	RMS	6988	-53.09	-25	28.09	Pass	4001
7000	26500	1	RMS	26122	-41.33	-25	16.33	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.35	-25	43.35	Pass	401
0.15	30	0.01	RMS	19.48	-63.01	-25	38.01	Pass	2986
30	1000	0.1	RMS	907.839	-52.8	-25	27.8	Pass	9701
1000	2550	1	RMS	2547	-43.09	-25	18.09	Pass	1551
2550	2640	1	RMS	2588.925	20.49	60	39.51	Pass	401
2640	3000	1	RMS	2973	-42.04	-25	17.04	Pass	401
3000	7000	1	RMS	6982	-53.24	-25	28.24	Pass	4001
7000	26500	1	RMS	25176	-41.56	-25	16.56	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	7.24	-63	-25	38	Pass	2986
30	1000	0.1	RMS	384.1	-52.56	-25	27.56	Pass	9701
1000	2550	1	RMS	2548	-42.74	-25	17.74	Pass	1551
2550	2640	1	RMS	2589.15	8.6	60	51.4	Pass	401
2640	3000	1	RMS	2976.6	-42.27	-25	17.27	Pass	401
3000	7000	1	RMS	6971	-52.8	-25	27.8	Pass	4001
7000	26500	1	RMS	25429	-41.31	-25	16.31	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.17	-25	42.17	Pass	401
0.15	30	0.01	RMS	18.67	-62.16	-25	37.16	Pass	2986
30	1000	0.1	RMS	381.2	-53.17	-25	28.17	Pass	9701
1000	2550	1	RMS	2531	-43.05	-25	18.05	Pass	1551
2550	2640	1	RMS	2586	20.57	60	39.43	Pass	401
2640	3000	1	RMS	2982	-42.23	-25	17.23	Pass	401
3000	7000	1	RMS	6995	-53.13	-25	28.13	Pass	4001
7000	26500	1	RMS	26190	-41.42	-25	16.42	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.34	-25	42.34	Pass	401
0.15	30	0.01	RMS	17.34	-63.03	-25	38.03	Pass	2986
30	1000	0.1	RMS	906.138	-52.6	-25	27.6	Pass	9701
1000	2550	1	RMS	2502	-43.1	-25	18.1	Pass	1551
2550	2640	1	RMS	2604	20.66	60	39.34	Pass	401
2640	3000	1	RMS	2977.5	-42.18	-25	17.18	Pass	401
3000	7000	1	RMS	6962	-53.22	-25	28.22	Pass	4001
7000	26500	1	RMS	25367	-41.68	-25	16.68	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.86	-25	42.86	Pass	401
0.15	30	0.01	RMS	19.75	-62.3	-25	37.3	Pass	2986
30	1000	0.1	RMS	800.9	-53.12	-25	28.12	Pass	9701
1000	2550	1	RMS	2511	-42.81	-25	17.81	Pass	1551
2550	2640	1	RMS	2604.225	8.73	60	51.27	Pass	401
2640	3000	1	RMS	2640	-39.21	-25	14.21	Pass	401
3000	7000	1	RMS	6927	-53.3	-25	28.3	Pass	4001
7000	26500	1	RMS	25161	-41.71	-25	16.71	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.16	-25	43.16	Pass	401
0.15	30	0.01	RMS	0.56	-63.37	-25	38.37	Pass	2986
30	1000	0.1	RMS	791.9	-52.99	-25	27.99	Pass	9701
1000	2550	1	RMS	2488	-43.26	-25	18.26	Pass	1551
2550	2640	1	RMS	2601.075	20.6	60	39.4	Pass	401
2640	3000	1	RMS	2973	-42.2	-25	17.2	Pass	401
3000	7000	1	RMS	6974	-52.83	-25	27.83	Pass	4001
7000	26500	1	RMS	25802	-41.41	-25	16.41	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.04	-25	42.04	Pass	401
0.15	30	0.01	RMS	0.76	-63.05	-25	38.05	Pass	2986
30	1000	0.1	RMS	897.932	-51.84	-25	26.84	Pass	9701
1000	2550	1	RMS	2502	-43.01	-25	18.01	Pass	1551
2550	2640	1	RMS	2619.075	20.7	60	39.3	Pass	401
2640	3000	1	RMS	2977.5	-42.11	-25	17.11	Pass	401
3000	7000	1	RMS	6961	-53.24	-25	28.24	Pass	4001
7000	26500	1	RMS	24478	-40.93	-25	15.93	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	20.13	-63.23	-25	38.23	Pass	2986
30	1000	0.1	RMS	867.512	-53.69	-25	28.69	Pass	9701
1000	2540	1	RMS	2540	-41.25	-25	16.25	Pass	1541
2540	2650	1	RMS	2573.55	6.98	60	53.02	Pass	401
2650	3000	1	RMS	2970.25	-42.27	-25	17.27	Pass	401
3000	7000	1	RMS	6921	-53.49	-25	28.49	Pass	4001
7000	26500	1	RMS	25149	-41.43	-25	16.43	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.7	-25	43.7	Pass	401
0.15	30	0.01	RMS	27.37	-63.04	-25	38.04	Pass	2986
30	1000	0.1	RMS	941.661	-52.65	-25	27.65	Pass	9701
1000	2540	1	RMS	2491	-42.98	-25	17.98	Pass	1541
2540	2650	1	RMS	2571.075	20.68	60	39.32	Pass	401
2650	3000	1	RMS	2973.75	-42.11	-25	17.11	Pass	401
3000	7000	1	RMS	6989	-52.93	-25	27.93	Pass	4001
7000	26500	1	RMS	25074	-41.49	-25	16.49	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.1	-25	41.1	Pass	401
0.15	30	0.01	RMS	28.63	-63	-25	38	Pass	2986
30	1000	0.1	RMS	718.8	-52.54	-25	27.54	Pass	9701
1000	2540	1	RMS	2493	-43.07	-25	18.07	Pass	1541
2540	2650	1	RMS	2598.85	20.61	60	39.39	Pass	401
2650	3000	1	RMS	2979	-42.21	-25	17.21	Pass	401
3000	7000	1	RMS	6997	-53.46	-25	28.46	Pass	4001
7000	26500	1	RMS	25121	-40.64	-25	15.64	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	4.33	-62.41	-25	37.41	Pass	2986
30	1000	0.1	RMS	894.13	-52.6	-25	27.6	Pass	9701
1000	2540	1	RMS	2539	-42.28	-25	17.28	Pass	1541
2540	2650	1	RMS	2582.075	6.93	60	53.07	Pass	401
2650	3000	1	RMS	2651.75	-41.88	-25	16.88	Pass	401
3000	7000	1	RMS	6990	-53.36	-25	28.36	Pass	4001
7000	26500	1	RMS	25483	-40.85	-25	15.85	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.25	-25	43.25	Pass	401
0.15	30	0.01	RMS	15.43	-63.29	-25	38.29	Pass	2986
30	1000	0.1	RMS	358.9	-53.01	-25	28.01	Pass	9701
1000	2540	1	RMS	2502	-42.82	-25	17.82	Pass	1541
2540	2650	1	RMS	2581.25	20.54	60	39.46	Pass	401
2650	3000	1	RMS	2972.875	-42.14	-25	17.14	Pass	401
3000	7000	1	RMS	6976	-52.86	-25	27.86	Pass	4001
7000	26500	1	RMS	25395	-41.49	-25	16.49	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	2.58	-63.44	-25	38.44	Pass	2986
30	1000	0.1	RMS	825.1	-53.74	-25	28.74	Pass	9701
1000	2540	1	RMS	2494	-43.17	-25	18.17	Pass	1541
2540	2650	1	RMS	2608.75	20.74	60	39.26	Pass	401
2650	3000	1	RMS	2966.75	-42.09	-25	17.09	Pass	401
3000	7000	1	RMS	6993	-53.34	-25	28.34	Pass	4001
7000	26500	1	RMS	24101	-40.15	-25	15.15	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.15	-25	41.15	Pass	401
0.15	30	0.01	RMS	20.92	-62.61	-25	37.61	Pass	2986
30	1000	0.1	RMS	813.6	-53.02	-25	28.02	Pass	9701
1000	2540	1	RMS	2535	-43	-25	18	Pass	1541
2540	2650	1	RMS	2592.25	6.78	60	53.22	Pass	401
2650	3000	1	RMS	2650	-39.88	-25	14.88	Pass	401
3000	7000	1	RMS	7000	-52.93	-25	27.93	Pass	4001
7000	26500	1	RMS	25113	-40.62	-25	15.62	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	27.85	-61.84	-25	36.84	Pass	2986
30	1000	0.1	RMS	894.33	-52.79	-25	27.79	Pass	9701
1000	2540	1	RMS	2511	-43.32	-25	18.32	Pass	1541
2540	2650	1	RMS	2591.15	20.7	60	39.3	Pass	401
2650	3000	1	RMS	2974.625	-42.23	-25	17.23	Pass	401
3000	7000	1	RMS	6972	-53.33	-25	28.33	Pass	4001
7000	26500	1	RMS	24097	-41.12	-25	16.12	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.95	-25	42.95	Pass	401
0.15	30	0.01	RMS	11.78	-62.19	-25	37.19	Pass	2986
30	1000	0.1	RMS	878.019	-53.34	-25	28.34	Pass	9701
1000	2540	1	RMS	2506	-43.22	-25	18.22	Pass	1541
2540	2650	1	RMS	2618.925	20.82	60	39.18	Pass	401
2650	3000	1	RMS	2969.375	-42.11	-25	17.11	Pass	401
3000	7000	1	RMS	6998	-52.99	-25	27.99	Pass	4001
7000	26500	1	RMS	24096	-40.83	-25	15.83	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	10.46	-63.14	-25	38.14	Pass	2986
30	1000	0.1	RMS	470.8	-53.64	-25	28.64	Pass	9701
1000	2530	1	RMS	2530	-41.78	-25	16.78	Pass	1531
2530	2660	1	RMS	2572.575	5.63	60	54.37	Pass	401
2660	3000	1	RMS	2660.85	-42.05	-25	17.05	Pass	401
3000	7000	1	RMS	6969	-53.05	-25	28.05	Pass	4001
7000	26500	1	RMS	25024	-41.47	-25	16.47	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.98	-25	42.98	Pass	401
0.15	30	0.01	RMS	17.09	-62.28	-25	37.28	Pass	2986
30	1000	0.1	RMS	918.346	-53.07	-25	28.07	Pass	9701
1000	2530	1	RMS	2519	-43.08	-25	18.08	Pass	1531
2530	2660	1	RMS	2570.95	20.56	60	39.44	Pass	401
2660	3000	1	RMS	2969.4	-42.05	-25	17.05	Pass	401
3000	7000	1	RMS	6969	-52.89	-25	27.89	Pass	4001
7000	26500	1	RMS	25789	-41.46	-25	16.46	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	24.34	-62.71	-25	37.71	Pass	2986
30	1000	0.1	RMS	470.2	-52.98	-25	27.98	Pass	9701
1000	2530	1	RMS	2507	-42.99	-25	17.99	Pass	1531
2530	2660	1	RMS	2608.975	20.7	60	39.3	Pass	401
2660	3000	1	RMS	2978.75	-42.17	-25	17.17	Pass	401
3000	7000	1	RMS	6984	-53.16	-25	28.16	Pass	4001
7000	26500	1	RMS	25170	-41.12	-25	16.12	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.26	-25	41.26	Pass	401
0.15	30	0.01	RMS	0.63	-62.65	-25	37.65	Pass	2986
30	1000	0.1	RMS	898.733	-53.02	-25	28.02	Pass	9701
1000	2530	1	RMS	2528	-42.19	-25	17.19	Pass	1531
2530	2660	1	RMS	2581.025	5.68	60	54.32	Pass	401
2660	3000	1	RMS	2660.85	-41.6	-25	16.6	Pass	401
3000	7000	1	RMS	6973	-53.29	-25	28.29	Pass	4001
7000	26500	1	RMS	25375	-41.63	-25	16.63	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.85	-25	42.85	Pass	401
0.15	30	0.01	RMS	19.61	-62.85	-25	37.85	Pass	2986
30	1000	0.1	RMS	971.281	-52.59	-25	27.59	Pass	9701
1000	2530	1	RMS	2483	-42.97	-25	17.97	Pass	1531
2530	2660	1	RMS	2576.15	20.7	60	39.3	Pass	401
2660	3000	1	RMS	2976.2	-42.15	-25	17.15	Pass	401
3000	7000	1	RMS	6985	-53.46	-25	28.46	Pass	4001
7000	26500	1	RMS	25087	-41.21	-25	16.21	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-68.96	-25	43.96	Pass	401
0.15	30	0.01	RMS	0.71	-62.91	-25	37.91	Pass	2986
30	1000	0.1	RMS	671.7	-52.87	-25	27.87	Pass	9701
1000	2530	1	RMS	2499	-43.26	-25	18.26	Pass	1531
2530	2660	1	RMS	2613.85	20.72	60	39.28	Pass	401
2660	3000	1	RMS	2970.25	-41.96	-25	16.96	Pass	401
3000	7000	1	RMS	6976	-52.51	-25	27.51	Pass	4001
7000	26500	1	RMS	24456	-40.74	-25	15.74	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.29	-25	44.29	Pass	401
0.15	30	0.01	RMS	7.85	-62.86	-25	37.86	Pass	2986
30	1000	0.1	RMS	825.9	-52.88	-25	27.88	Pass	9701
1000	2530	1	RMS	2529	-42.65	-25	17.65	Pass	1531
2530	2660	1	RMS	2585.9	5.55	60	54.45	Pass	401
2660	3000	1	RMS	2660	-40.78	-25	15.78	Pass	401
3000	7000	1	RMS	6999	-53.32	-25	28.32	Pass	4001
7000	26500	1	RMS	25826	-40.68	-25	15.68	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.96	-25	42.96	Pass	401
0.15	30	0.01	RMS	23.57	-62.92	-25	37.92	Pass	2986
30	1000	0.1	RMS	905.137	-52.02	-25	27.02	Pass	9701
1000	2530	1	RMS	2515	-43.05	-25	18.05	Pass	1531
2530	2660	1	RMS	2581.025	20.68	60	39.32	Pass	401
2660	3000	1	RMS	2965.15	-42.13	-25	17.13	Pass	401
3000	7000	1	RMS	6913	-53.43	-25	28.43	Pass	4001
7000	26500	1	RMS	25417	-41.31	-25	16.31	Pass	19503



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	20.13	-63.22	-25	38.22	Pass	2986
30	1000	0.1	RMS	384.7	-53.08	-25	28.08	Pass	9701
1000	2530	1	RMS	2516	-43.01	-25	18.01	Pass	1531
2530	2660	1	RMS	2618.725	20.56	60	39.44	Pass	401
2660	3000	1	RMS	2932	-42.25	-25	17.25	Pass	401
3000	7000	1	RMS	6976	-52.72	-25	27.72	Pass	4001
7000	26500	1	RMS	24082	-41.21	-25	16.21	Pass	19503



1. n41


1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.2	-69.93	-25	44.93	Pass	2986
30	1000	0.1	RMS	881.221	-60.66	-25	35.66	Pass	9701
1000	2476	1	RMS	2476	-35.54	-25	10.54	Pass	1477
2476	2710	1	RMS	2513.44	12.15	60	47.85	Pass	401
2710	3000	1	RMS	2968.825	-46.21	-25	21.21	Pass	401
3000	7000	1	RMS	6981	-58.83	-25	33.83	Pass	4001
7000	26500	1	RMS	25092	-47.29	-25	22.29	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.37	-25	48.37	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-25	45.13	Pass	2986
30	1000	0.1	RMS	878.62	-60.59	-25	35.59	Pass	9701
1000	2476	1	RMS	2476	-47.82	-25	22.82	Pass	1477
2476	2710	1	RMS	2496.475	23.02	60	36.98	Pass	401
2710	3000	1	RMS	2971	-46.19	-25	21.19	Pass	401
3000	7000	1	RMS	6980	-58.88	-25	33.88	Pass	4001
7000	26500	1	RMS	24102	-47.32	-25	22.32	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.74	-25	47.74	Pass	401
0.15	30	0.01	RMS	0.24	-69.86	-25	44.86	Pass	2986
30	1000	0.1	RMS	915.044	-60.54	-25	35.54	Pass	9701
1000	2476	1	RMS	2476	-47.8	-25	22.8	Pass	1477
2476	2710	1	RMS	2514.61	23.95	60	36.05	Pass	401
2710	3000	1	RMS	2968.825	-46.08	-25	21.08	Pass	401
3000	7000	1	RMS	6981	-58.88	-25	33.88	Pass	4001
7000	26500	1	RMS	25108	-47.46	-25	22.46	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-25	46.9	Pass	401
0.15	30	0.01	RMS	0.91	-69.71	-25	44.71	Pass	2986
30	1000	0.1	RMS	484.3	-60.61	-25	35.61	Pass	9701
1000	2476	1	RMS	2443	-47.96	-25	22.96	Pass	1477
2476	2710	1	RMS	2600.02	12.76	60	47.24	Pass	401
2710	3000	1	RMS	2968.825	-46.22	-25	21.22	Pass	401
3000	7000	1	RMS	6973	-58.76	-25	33.76	Pass	4001
7000	26500	1	RMS	25095	-47.41	-25	22.41	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	47.25	Pass	401
0.15	30	0.01	RMS	0.19	-70.15	-25	45.15	Pass	2986
30	1000	0.1	RMS	884.624	-60.55	-25	35.55	Pass	9701
1000	2476	1	RMS	2439	-47.94	-25	22.94	Pass	1477
2476	2710	1	RMS	2583.64	24.03	60	35.97	Pass	401
2710	3000	1	RMS	2971.725	-46.13	-25	21.13	Pass	401
3000	7000	1	RMS	6975	-58.76	-25	33.76	Pass	4001
7000	26500	1	RMS	25101	-47.36	-25	22.36	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.93	-25	46.93	Pass	401
0.15	30	0.01	RMS	0.6	-68.79	-25	43.79	Pass	2986
30	1000	0.1	RMS	906.638	-60.65	-25	35.65	Pass	9701
1000	2476	1	RMS	2470	-48.03	-25	23.03	Pass	1477
2476	2710	1	RMS	2601.775	24.22	60	35.78	Pass	401
2710	3000	1	RMS	2967.375	-46.21	-25	21.21	Pass	401
3000	7000	1	RMS	6980	-58.73	-25	33.73	Pass	4001
7000	26500	1	RMS	24120	-47.38	-25	22.38	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	47.98	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-25	44.65	Pass	2986
30	1000	0.1	RMS	886.825	-60.67	-25	35.67	Pass	9701
1000	2476	1	RMS	2472	-48.02	-25	23.02	Pass	1477
2476	2710	1	RMS	2687.185	12.35	60	47.65	Pass	401
2710	3000	1	RMS	2710	-30.52	-25	5.52	Pass	401
3000	7000	1	RMS	6978	-58.91	-25	33.91	Pass	4001
7000	26500	1	RMS	24120	-47.49	-25	22.49	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.06	-25	47.06	Pass	401
0.15	30	0.01	RMS	0.37	-70.14	-25	45.14	Pass	2986
30	1000	0.1	RMS	880.721	-60.78	-25	35.78	Pass	9701
1000	2476	1	RMS	2472	-47.92	-25	22.92	Pass	1477
2476	2710	1	RMS	2670.805	23.67	60	36.33	Pass	401
2710	3000	1	RMS	2974.625	-46.24	-25	21.24	Pass	401
3000	7000	1	RMS	6978	-58.76	-25	33.76	Pass	4001
7000	26500	1	RMS	25099	-47.31	-25	22.31	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.53	-25	46.53	Pass	401
0.15	30	0.01	RMS	0.23	-69.7	-25	44.7	Pass	2986
30	1000	0.1	RMS	924.05	-60.77	-25	35.77	Pass	9701
1000	2476	1	RMS	2475	-47.88	-25	22.88	Pass	1477
2476	2710	1	RMS	2688.94	23.18	60	36.82	Pass	401
2710	3000	1	RMS	2970.275	-46.21	-25	21.21	Pass	401
3000	7000	1	RMS	6983	-58.94	-25	33.94	Pass	4001
7000	26500	1	RMS	25117	-47.37	-25	22.37	Pass	19503




1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-25	48.78	Pass	401
0.15	30	0.01	RMS	0.16	-71.29	-25	46.29	Pass	2986
30	1000	0.1	RMS	887.826	-64.11	-25	39.11	Pass	9701
1000	2436	1	RMS	2425	-50.52	-25	25.52	Pass	1437
2436	2750	1	RMS	2552.965	9.15	60	50.85	Pass	401
2750	3000	1	RMS	2868.125	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	5790	-57.2	-25	32.2	Pass	4001
7000	26500	1	RMS	25191	-46.4	-25	21.4	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-25	47.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-25	46.25	Pass	2986
30	1000	0.1	RMS	892.629	-63.88	-25	38.88	Pass	9701
1000	2436	1	RMS	2435	-51.16	-25	26.16	Pass	1437
2436	2750	1	RMS	2496.445	23.93	60	36.07	Pass	401
2750	3000	1	RMS	2868.75	-48.92	-25	23.92	Pass	401
3000	7000	1	RMS	6920	-61.56	-25	36.56	Pass	4001
7000	26500	1	RMS	25200	-46.45	-25	21.45	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-25	47.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-25	46.1	Pass	2986
30	1000	0.1	RMS	594.3	-62.57	-25	37.57	Pass	9701
1000	2436	1	RMS	2434	-51.14	-25	26.14	Pass	1437
2436	2750	1	RMS	2554.535	24.63	60	35.37	Pass	401
2750	3000	1	RMS	2868.75	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	6924	-61.51	-25	36.51	Pass	4001
7000	26500	1	RMS	25196	-46.52	-25	21.52	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.4	-25	45.4	Pass	401
0.15	30	0.01	RMS	0.6	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	911.842	-60.57	-25	35.57	Pass	9701
1000	2436	1	RMS	2178	-48.13	-25	23.13	Pass	1437
2436	2750	1	RMS	2618.12	8.44	60	51.56	Pass	401
2750	3000	1	RMS	2969.375	-46	-25	21	Pass	401
3000	7000	1	RMS	3028	-57.13	-25	32.13	Pass	4001
7000	26500	1	RMS	19279	-46.67	-25	21.67	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.24	-25	45.24	Pass	401
0.15	30	0.01	RMS	0.6	-66.73	-25	41.73	Pass	2986
30	1000	0.1	RMS	925.451	-60.69	-25	35.69	Pass	9701
1000	2436	1	RMS	2423	-48.15	-25	23.15	Pass	1437
2436	2750	1	RMS	2563.955	23.22	60	36.78	Pass	401
2750	3000	1	RMS	2976.25	-46.07	-25	21.07	Pass	401
3000	7000	1	RMS	6628	-58.25	-25	33.25	Pass	4001
7000	26500	1	RMS	19279	-45.88	-25	20.88	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.06	-25	44.06	Pass	401
0.15	30	0.01	RMS	0.6	-67.32	-25	42.32	Pass	2986
30	1000	0.1	RMS	882.922	-60.63	-25	35.63	Pass	9701
1000	2436	1	RMS	2186	-48.14	-25	23.14	Pass	1437
2436	2750	1	RMS	2621.26	23.6	60	36.4	Pass	401
2750	3000	1	RMS	2975	-45.99	-25	20.99	Pass	401
3000	7000	1	RMS	3029	-56.8	-25	31.8	Pass	4001
7000	26500	1	RMS	19281	-42.14	-25	17.14	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.49	-25	45.49	Pass	401
0.15	30	0.01	RMS	0.6	-66.7	-25	41.7	Pass	2986
30	1000	0.1	RMS	910.241	-60.55	-25	35.55	Pass	9701
1000	2436	1	RMS	2202	-47.91	-25	22.91	Pass	1437
2436	2750	1	RMS	2632.25	8.13	60	51.87	Pass	401
2750	3000	1	RMS	2750	-41.84	-25	16.84	Pass	401
3000	7000	1	RMS	6981	-58.41	-25	33.41	Pass	4001
7000	26500	1	RMS	19271	-43.91	-25	18.91	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.93	-25	45.93	Pass	401
0.15	30	0.01	RMS	0.6	-67.21	-25	42.21	Pass	2986
30	1000	0.1	RMS	892.929	-60.37	-25	35.37	Pass	9701
1000	2436	1	RMS	2182	-47.97	-25	22.97	Pass	1437
2436	2750	1	RMS	2630.68	24.02	60	35.98	Pass	401
2750	3000	1	RMS	2972.5	-45.97	-25	20.97	Pass	401
3000	7000	1	RMS	6979	-58.5	-25	33.5	Pass	4001
7000	26500	1	RMS	19269	-46.03	-25	21.03	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.41	-25	45.41	Pass	401
0.15	30	0.01	RMS	0.6	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	867.912	-60.49	-25	35.49	Pass	9701
1000	2436	1	RMS	2182	-47.96	-25	22.96	Pass	1437
2436	2750	1	RMS	2688.77	23.38	60	36.62	Pass	401
2750	3000	1	RMS	2970.625	-45.89	-25	20.89	Pass	401
3000	7000	1	RMS	6980	-58.39	-25	33.39	Pass	4001
7000	26500	1	RMS	25103	-46.97	-25	21.97	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.33	-25	45.33	Pass	401
0.15	30	0.01	RMS	0.6	-67.78	-25	42.78	Pass	2986
30	1000	0.1	RMS	900.134	-60.38	-25	35.38	Pass	9701
1000	2396	1	RMS	2189	-48.02	-25	23.02	Pass	1397
2396	2790	1	RMS	2591.03	6.75	60	53.25	Pass	401
2790	3000	1	RMS	2970.6	-45.81	-25	20.81	Pass	401
3000	7000	1	RMS	6979	-58.37	-25	33.37	Pass	4001
7000	26500	1	RMS	25098	-46.86	-25	21.86	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.23	-25	44.23	Pass	401
0.15	30	0.01	RMS	0.6	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	899.834	-60.4	-25	35.4	Pass	9701
1000	2396	1	RMS	2200	-47.88	-25	22.88	Pass	1397
2396	2790	1	RMS	2496.47	22.81	60	37.19	Pass	401
2790	3000	1	RMS	2974.275	-45.83	-25	20.83	Pass	401
3000	7000	1	RMS	6976	-58.42	-25	33.42	Pass	4001
7000	26500	1	RMS	19266	-43.57	-25	18.57	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.61	-25	41.61	Pass	401
0.15	30	0.01	RMS	0.6	-67.64	-25	42.64	Pass	2986
30	1000	0.1	RMS	996.298	-60.34	-25	35.34	Pass	9701
1000	2396	1	RMS	2208	-47.91	-25	22.91	Pass	1397
2396	2790	1	RMS	2593.985	22.11	60	37.89	Pass	401
2790	3000	1	RMS	2974.275	-45.8	-25	20.8	Pass	401
3000	7000	1	RMS	6980	-58.42	-25	33.42	Pass	4001
7000	26500	1	RMS	19266	-43.59	-25	18.59	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.47	-25	26.47	Pass	401
0.15	30	0.01	RMS	0.6	-67.49	-25	42.49	Pass	2986
30	1000	0.1	RMS	876.618	-60.37	-25	35.37	Pass	9701
1000	2396	1	RMS	2188	-47.95	-25	22.95	Pass	1397
2396	2790	1	RMS	2620.58	6.11	60	53.89	Pass	401
2790	3000	1	RMS	2971.125	-45.86	-25	20.86	Pass	401
3000	7000	1	RMS	6624	-57.29	-25	32.29	Pass	4001
7000	26500	1	RMS	19267	-46.8	-25	21.8	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.34	-25	26.34	Pass	401
0.15	30	0.01	RMS	0.6	-67.57	-25	42.57	Pass	2986
30	1000	0.1	RMS	905.237	-60.32	-25	35.32	Pass	9701
1000	2396	1	RMS	2200	-47.89	-25	22.89	Pass	1397
2396	2790	1	RMS	2543.75	23.51	60	36.49	Pass	401
2790	3000	1	RMS	2973.225	-45.88	-25	20.88	Pass	401
3000	7000	1	RMS	6980	-58.3	-25	33.3	Pass	4001
7000	26500	1	RMS	19267	-44.68	-25	19.68	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-25	27.72	Pass	401
0.15	30	0.01	RMS	0.6	-67.83	-25	42.83	Pass	2986
30	1000	0.1	RMS	901.535	-60.32	-25	35.32	Pass	9701
1000	2396	1	RMS	2205	-48.02	-25	23.02	Pass	1397
2396	2790	1	RMS	2641.265	23.05	60	36.95	Pass	401
2790	3000	1	RMS	2968.5	-45.89	-25	20.89	Pass	401
3000	7000	1	RMS	6981	-58.35	-25	33.35	Pass	4001
7000	26500	1	RMS	19266	-46.36	-25	21.36	Pass	19503




1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.88	-25	27.88	Pass	401
0.15	30	0.01	RMS	0.6	-67.3	-25	42.3	Pass	2986
30	1000	0.1	RMS	904.437	-60.3	-25	35.3	Pass	9701
1000	2396	1	RMS	2182	-47.9	-25	22.9	Pass	1397
2396	2790	1	RMS	2616.64	5.73	60	54.27	Pass	401
2790	3000	1	RMS	2976.9	-45.85	-25	20.85	Pass	401
3000	7000	1	RMS	6623	-58.31	-25	33.31	Pass	4001
7000	26500	1	RMS	19266	-44.62	-25	19.62	Pass	19503




1.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-25	28.47	Pass	401
0.15	30	0.01	RMS	0.6	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	998.199	-60.43	-25	35.43	Pass	9701
1000	2396	1	RMS	2185	-47.82	-25	22.82	Pass	1397
2396	2790	1	RMS	2590.045	21.73	60	38.27	Pass	401
2790	3000	1	RMS	2977.95	-45.88	-25	20.88	Pass	401
3000	7000	1	RMS	6973	-58.36	-25	33.36	Pass	4001
7000	26500	1	RMS	19268	-45.14	-25	20.14	Pass	19503



1.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.36	-25	28.36	Pass	401
0.15	30	0.01	RMS	0.6	-67.16	-25	42.16	Pass	2986
30	1000	0.1	RMS	885.924	-60.35	-25	35.35	Pass	9701
1000	2396	1	RMS	2193	-47.91	-25	22.91	Pass	1397
2396	2790	1	RMS	2688.545	23.06	60	36.94	Pass	401
2790	3000	1	RMS	2970.6	-45.93	-25	20.93	Pass	401
3000	7000	1	RMS	6980	-58.36	-25	33.36	Pass	4001
7000	26500	1	RMS	25101	-47.12	-25	22.12	Pass	19503



1. n48 30kHz


1.3. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-64.88	-40	24.88	Pass	401
0.15	30	0.01	RMS	0.23	-73.92	-40	33.92	Pass	2986
30	1000	0.1	RMS	932.956	-65.63	-40	25.63	Pass	9701
1000	3000	1	RMS	2867	-52.67	-40	12.67	Pass	2001
3000	3500	1	RMS	3003	-47.78	-40	7.78	Pass	501
3500	3750	1	RMS	3558.125	10.26	60	49.74	Pass	401
3750	7000	1	RMS	3860	-67.45	-40	27.45	Pass	3251
7000	26500	1	RMS	25207	-55.62	-40	15.62	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-64.03	-40	24.03	Pass	401
0.15	30	0.01	RMS	0.15	-73.47	-40	33.47	Pass	2986
30	1000	0.1	RMS	984.39	-65.23	-40	25.23	Pass	9701
1000	3000	1	RMS	2860	-52.66	-40	12.66	Pass	2001
3000	3500	1	RMS	3010	-47.77	-40	7.77	Pass	501
3500	3750	1	RMS	3550.625	18.27	60	41.73	Pass	401
3750	7000	1	RMS	3858	-65.17	-40	25.17	Pass	3251
7000	26500	1	RMS	25185	-55.5	-40	15.5	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-64.26	-40	24.26	Pass	401
0.15	30	0.01	RMS	0.31	-73.57	-40	33.57	Pass	2986
30	1000	0.1	RMS	899.734	-65.2	-40	25.2	Pass	9701
1000	3000	1	RMS	2877	-52.47	-40	12.47	Pass	2001
3000	3500	1	RMS	3030	-47.74	-40	7.74	Pass	501
3500	3750	1	RMS	3559.375	18.25	60	41.75	Pass	401
3750	7000	1	RMS	3866	-64.62	-40	24.62	Pass	3251
7000	26500	1	RMS	25205	-55.63	-40	15.63	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-64.01	-40	24.01	Pass	401
0.15	30	0.01	RMS	0.38	-74.14	-40	34.14	Pass	2986
30	1000	0.1	RMS	506.5	-65.31	-40	25.31	Pass	9701
1000	3000	1	RMS	2872	-52.59	-40	12.59	Pass	2001
3000	3500	1	RMS	3030	-47.82	-40	7.82	Pass	501
3500	3750	1	RMS	3628.125	10.71	60	49.29	Pass	401
3750	7000	1	RMS	3754	-66.11	-40	26.11	Pass	3251
7000	26500	1	RMS	25870	-55.38	-40	15.38	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.87	-40	23.87	Pass	401
0.15	30	0.01	RMS	0.3	-74.01	-40	34.01	Pass	2986
30	1000	0.1	RMS	886.825	-65.56	-40	25.56	Pass	9701
1000	3000	1	RMS	2871	-52.56	-40	12.56	Pass	2001
3000	3500	1	RMS	3029	-47.76	-40	7.76	Pass	501
3500	3750	1	RMS	3620.625	18.77	60	41.23	Pass	401
3750	7000	1	RMS	3928	-63.46	-40	23.46	Pass	3251
7000	26500	1	RMS	25199	-55.4	-40	15.4	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.96	-40	23.96	Pass	401
0.15	30	0.01	RMS	0.23	-74.14	-40	34.14	Pass	2986
30	1000	0.1	RMS	904.937	-65.57	-40	25.57	Pass	9701
1000	3000	1	RMS	2868	-52.64	-40	12.64	Pass	2001
3000	3500	1	RMS	3029	-47.74	-40	7.74	Pass	501
3500	3750	1	RMS	3629.375	18.52	60	41.48	Pass	401
3750	7000	1	RMS	3754	-64.84	-40	24.84	Pass	3251
7000	26500	1	RMS	25205	-55.53	-40	15.53	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.28	-40	23.28	Pass	401
0.15	30	0.01	RMS	0.6	-73.24	-40	33.24	Pass	2986
30	1000	0.1	RMS	743.1	-65.05	-40	25.05	Pass	9701
1000	3000	1	RMS	2866	-52.63	-40	12.63	Pass	2001
3000	3500	1	RMS	3034	-47.78	-40	7.78	Pass	501
3500	3750	1	RMS	3698.125	11.14	60	48.86	Pass	401
3750	7000	1	RMS	3752	-54.12	-40	14.12	Pass	3251
7000	26500	1	RMS	25923	-55.37	-40	15.37	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.93	-40	23.93	Pass	401
0.15	30	0.01	RMS	0.6	-74.67	-40	34.67	Pass	2986
30	1000	0.1	RMS	878.419	-65.21	-40	25.21	Pass	9701
1000	3000	1	RMS	2886	-52.56	-40	12.56	Pass	2001
3000	3500	1	RMS	3029	-47.76	-40	7.76	Pass	501
3500	3750	1	RMS	3690.625	19.15	60	40.85	Pass	401
3750	7000	1	RMS	3750	-51.44	-40	11.44	Pass	3251
7000	26500	1	RMS	25183	-55.13	-40	15.13	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-64.79	-40	24.79	Pass	401
0.15	30	0.01	RMS	0.6	-73.97	-40	33.97	Pass	2986
30	1000	0.1	RMS	888.126	-65.81	-40	25.81	Pass	9701
1000	3000	1	RMS	2879	-52.61	-40	12.61	Pass	2001
3000	3500	1	RMS	3029	-47.74	-40	7.74	Pass	501
3500	3750	1	RMS	3699.375	19.05	60	40.95	Pass	401
3750	7000	1	RMS	3752	-49.98	-40	9.98	Pass	3251
7000	26500	1	RMS	25192	-55.47	-40	15.47	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-64.03	-40	24.03	Pass	401
0.15	30	0.01	RMS	0.52	-73.84	-40	33.84	Pass	2986
30	1000	0.1	RMS	933.756	-65.21	-40	25.21	Pass	9701
1000	3000	1	RMS	2863	-52.42	-40	12.42	Pass	2001
3000	3500	1	RMS	3031	-47.73	-40	7.73	Pass	501
3500	3750	1	RMS	3564.375	7.08	60	52.92	Pass	401
3750	7000	1	RMS	3776	-67.7	-40	27.7	Pass	3251
7000	26500	1	RMS	25857	-55.64	-40	15.64	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-64.92	-40	24.92	Pass	401
0.15	30	0.01	RMS	0.3	-73.87	-40	33.87	Pass	2986
30	1000	0.1	RMS	896.331	-65.19	-40	25.19	Pass	9701
1000	3000	1	RMS	2869	-52.59	-40	12.59	Pass	2001
3000	3500	1	RMS	3029	-47.78	-40	7.78	Pass	501
3500	3750	1	RMS	3551.25	18.24	60	41.76	Pass	401
3750	7000	1	RMS	3858	-64.49	-40	24.49	Pass	3251
7000	26500	1	RMS	25208	-55.68	-40	15.68	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.77	-40	23.77	Pass	401
0.15	30	0.01	RMS	0.31	-74.07	-40	34.07	Pass	2986
30	1000	0.1	RMS	991.895	-65.13	-40	25.13	Pass	9701
1000	3000	1	RMS	2862	-52.62	-40	12.62	Pass	2001
3000	3500	1	RMS	3032	-47.78	-40	7.78	Pass	501
3500	3750	1	RMS	3568.75	18.41	60	41.59	Pass	401
3750	7000	1	RMS	3876	-64.1	-40	24.1	Pass	3251
7000	26500	1	RMS	25495	-55.69	-40	15.69	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.96	-40	23.96	Pass	401
0.15	30	0.01	RMS	0.18	-73.9	-40	33.9	Pass	2986
30	1000	0.1	RMS	907.339	-65.58	-40	25.58	Pass	9701
1000	3000	1	RMS	2869	-52.67	-40	12.67	Pass	2001
3000	3500	1	RMS	3030	-47.77	-40	7.77	Pass	501
3500	3750	1	RMS	3630	7.41	60	52.59	Pass	401
3750	7000	1	RMS	3753	-65.72	-40	25.72	Pass	3251
7000	26500	1	RMS	25470	-55.45	-40	15.45	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-64.77	-40	24.77	Pass	401
0.15	30	0.01	RMS	0.34	-74.55	-40	34.55	Pass	2986
30	1000	0.1	RMS	884.423	-65.62	-40	25.62	Pass	9701
1000	3000	1	RMS	2876	-52.67	-40	12.67	Pass	2001
3000	3500	1	RMS	3031	-47.62	-40	7.62	Pass	501
3500	3750	1	RMS	3616.25	18.36	60	41.64	Pass	401
3750	7000	1	RMS	3923	-64.82	-40	24.82	Pass	3251
7000	26500	1	RMS	25193	-55.48	-40	15.48	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-64.21	-40	24.21	Pass	401
0.15	30	0.01	RMS	0.27	-73.38	-40	33.38	Pass	2986
30	1000	0.1	RMS	372.7	-65.14	-40	25.14	Pass	9701
1000	3000	1	RMS	2868	-52.65	-40	12.65	Pass	2001
3000	3500	1	RMS	3029	-47.71	-40	7.71	Pass	501
3500	3750	1	RMS	3633.75	18.89	60	41.11	Pass	401
3750	7000	1	RMS	3751	-63.7	-40	23.7	Pass	3251
7000	26500	1	RMS	25466	-55.63	-40	15.63	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.98	-40	22.98	Pass	401
0.15	30	0.01	RMS	0.22	-73.96	-40	33.96	Pass	2986
30	1000	0.1	RMS	733.5	-65.51	-40	25.51	Pass	9701
1000	3000	1	RMS	2886	-52.66	-40	12.66	Pass	2001
3000	3500	1	RMS	3030	-47.67	-40	7.67	Pass	501
3500	3750	1	RMS	3695	7.82	60	52.18	Pass	401
3750	7000	1	RMS	3753	-54.37	-40	14.37	Pass	3251
7000	26500	1	RMS	25758	-55.42	-40	15.42	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-65.24	-40	25.24	Pass	401
0.15	30	0.01	RMS	0.33	-72.52	-40	32.52	Pass	2986
30	1000	0.1	RMS	998.799	-65.52	-40	25.52	Pass	9701
1000	3000	1	RMS	2869	-52.6	-40	12.6	Pass	2001
3000	3500	1	RMS	3031	-47.76	-40	7.76	Pass	501
3500	3750	1	RMS	3681.25	18.8	60	41.2	Pass	401
3750	7000	1	RMS	3751	-53.65	-40	13.65	Pass	3251
7000	26500	1	RMS	25164	-55.61	-40	15.61	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-65.37	-40	25.37	Pass	401
0.15	30	0.01	RMS	0.15	-74.07	-40	34.07	Pass	2986
30	1000	0.1	RMS	873.216	-64.82	-40	24.82	Pass	9701
1000	3000	1	RMS	2876	-52.56	-40	12.56	Pass	2001
3000	3500	1	RMS	3034	-47.72	-40	7.72	Pass	501
3500	3750	1	RMS	3698.75	19.09	60	40.91	Pass	401
3750	7000	1	RMS	3752	-52.39	-40	12.39	Pass	3251
7000	26500	1	RMS	25175	-55.28	-40	15.28	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-63.52	-40	23.52	Pass	401
0.15	30	0.01	RMS	0.23	-73.9	-40	33.9	Pass	2986
30	1000	0.1	RMS	894.93	-64.99	-40	24.99	Pass	9701
1000	3000	1	RMS	2860	-52.46	-40	12.46	Pass	2001
3000	3500	1	RMS	3030	-47.73	-40	7.73	Pass	501
3500	3750	1	RMS	3558.75	4	60	56	Pass	401
3750	7000	1	RMS	3777	-67.93	-40	27.93	Pass	3251
7000	26500	1	RMS	25192	-55.11	-40	15.11	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-64.25	-40	24.25	Pass	401
0.15	30	0.01	RMS	0.3	-73.71	-40	33.71	Pass	2986
30	1000	0.1	RMS	864.61	-65.65	-40	25.65	Pass	9701
1000	3000	1	RMS	2865	-52.76	-40	12.76	Pass	2001
3000	3500	1	RMS	3032	-47.69	-40	7.69	Pass	501
3500	3750	1	RMS	3551.25	18.67	60	41.33	Pass	401
3750	7000	1	RMS	3858	-63.57	-40	23.57	Pass	3251
7000	26500	1	RMS	25201	-55.35	-40	15.35	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-63.28	-40	23.28	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-40	32.48	Pass	2986
30	1000	0.1	RMS	643.6	-65.62	-40	25.62	Pass	9701
1000	3000	1	RMS	2879	-52.6	-40	12.6	Pass	2001
3000	3500	1	RMS	3026	-47.73	-40	7.73	Pass	501
3500	3750	1	RMS	3588.75	18.9	60	41.1	Pass	401
3750	7000	1	RMS	3896	-63.41	-40	23.41	Pass	3251
7000	26500	1	RMS	25184	-55.58	-40	15.58	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-64.22	-40	24.22	Pass	401
0.15	30	0.01	RMS	0.24	-72.4	-40	32.4	Pass	2986
30	1000	0.1	RMS	876.318	-65.6	-40	25.6	Pass	9701
1000	3000	1	RMS	2868	-52.53	-40	12.53	Pass	2001
3000	3500	1	RMS	3029	-47.79	-40	7.79	Pass	501
3500	3750	1	RMS	3635.625	4.25	60	55.75	Pass	401
3750	7000	1	RMS	3752	-67.38	-40	27.38	Pass	3251
7000	26500	1	RMS	25189	-55.68	-40	15.68	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-64.19	-40	24.19	Pass	401
0.15	30	0.01	RMS	0.28	-74.68	-40	34.68	Pass	2986
30	1000	0.1	RMS	936.558	-65.52	-40	25.52	Pass	9701
1000	3000	1	RMS	2873	-52.61	-40	12.61	Pass	2001
3000	3500	1	RMS	3036	-47.84	-40	7.84	Pass	501
3500	3750	1	RMS	3606.25	18.69	60	41.31	Pass	401
3750	7000	1	RMS	3913	-64.82	-40	24.82	Pass	3251
7000	26500	1	RMS	25189	-55.76	-40	15.76	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-64.42	-40	24.42	Pass	401
0.15	30	0.01	RMS	0.17	-73.32	-40	33.32	Pass	2986
30	1000	0.1	RMS	985.39	-64.87	-40	24.87	Pass	9701
1000	3000	1	RMS	2885	-52.66	-40	12.66	Pass	2001
3000	3500	1	RMS	3029	-47.82	-40	7.82	Pass	501
3500	3750	1	RMS	3643.75	19.43	60	40.57	Pass	401
3750	7000	1	RMS	3951	-60.32	-40	20.32	Pass	3251
7000	26500	1	RMS	25492	-55.23	-40	15.23	Pass	19503




1.27. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-64.17	-40	24.17	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-40	32.85	Pass	2986
30	1000	0.1	RMS	875.918	-65.78	-40	25.78	Pass	9701
1000	3000	1	RMS	2876	-52.74	-40	12.74	Pass	2001
3000	3500	1	RMS	3031	-47.8	-40	7.8	Pass	501
3500	3750	1	RMS	3695	4.56	60	55.44	Pass	401
3750	7000	1	RMS	3752	-59.43	-40	19.43	Pass	3251
7000	26500	1	RMS	25200	-55.81	-40	15.81	Pass	19503




1.28. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.98	-40	23.98	Pass	401
0.15	30	0.01	RMS	0.28	-74.62	-40	34.62	Pass	2986
30	1000	0.1	RMS	980.287	-65.54	-40	25.54	Pass	9701
1000	3000	1	RMS	2871	-52.59	-40	12.59	Pass	2001
3000	3500	1	RMS	3031	-47.78	-40	7.78	Pass	501
3500	3750	1	RMS	3661.25	19.09	60	40.91	Pass	401
3750	7000	1	RMS	3968	-60.71	-40	20.71	Pass	3251
7000	26500	1	RMS	25221	-55.26	-40	15.26	Pass	19503



1.29. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.08	-40	23.08	Pass	401
0.15	30	0.01	RMS	0.23	-73.57	-40	33.57	Pass	2986
30	1000	0.1	RMS	803.5	-65.91	-40	25.91	Pass	9701
1000	3000	1	RMS	2867	-52.6	-40	12.6	Pass	2001
3000	3500	1	RMS	3030	-47.8	-40	7.8	Pass	501
3500	3750	1	RMS	3698.75	19.72	60	40.28	Pass	401
3750	7000	1	RMS	3752	-56.06	-40	16.06	Pass	3251
7000	26500	1	RMS	25201	-55.19	-40	15.19	Pass	19503



1. n66 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.78	-13	39.78	Pass	401
0.15	30	0.01	RMS	0.6	-33.11	-13	20.11	Pass	2986
30	1000	0.1	RMS	909.94	-60.52	-13	47.52	Pass	9701
1000	1700	1	RMS	1700	-46.56	-13	33.56	Pass	701
1700	1790	1	RMS	1711.25	12.2	60	47.8	Pass	401
1790	3000	1	RMS	2975	-46.14	-13	33.14	Pass	1211
3000	7000	1	RMS	3425	-58.27	-13	45.27	Pass	4001
7000	20000	1	RMS	17503	-48.94	-13	35.94	Pass	13002




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.3	-13	40.3	Pass	401
0.15	30	0.01	RMS	0.6	-35.42	-13	22.42	Pass	2986
30	1000	0.1	RMS	994.496	-60.38	-13	47.38	Pass	9701
1000	1700	1	RMS	1697	-49.56	-13	36.56	Pass	701
1700	1790	1	RMS	1710.125	18.24	60	41.76	Pass	401
1790	3000	1	RMS	2970	-46.06	-13	33.06	Pass	1211
3000	7000	1	RMS	5131	-56.96	-13	43.96	Pass	4001
7000	20000	1	RMS	17502	-48.84	-13	35.84	Pass	13002




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.31	-13	40.31	Pass	401
0.15	30	0.01	RMS	0.6	-36.04	-13	23.04	Pass	2986
30	1000	0.1	RMS	983.589	-60.49	-13	47.49	Pass	9701
1000	1700	1	RMS	1679	-49.65	-13	36.65	Pass	701
1700	1790	1	RMS	1714.625	18.4	60	41.6	Pass	401
1790	3000	1	RMS	2980	-46.03	-13	33.03	Pass	1211
3000	7000	1	RMS	5144	-57.03	-13	44.03	Pass	4001
7000	20000	1	RMS	17504	-48.86	-13	35.86	Pass	13002




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.46	-13	40.46	Pass	401
0.15	30	0.01	RMS	0.6	-35.93	-13	22.93	Pass	2986
30	1000	0.1	RMS	999.199	-60.23	-13	47.23	Pass	9701
1000	1700	1	RMS	1699	-49.66	-13	36.66	Pass	701
1700	1790	1	RMS	1743.875	13.52	60	46.48	Pass	401
1790	3000	1	RMS	2965	-46.03	-13	33.03	Pass	1211
3000	7000	1	RMS	6982	-58.53	-13	45.53	Pass	4001
7000	20000	1	RMS	17501	-48.99	-13	35.99	Pass	13002




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.38	-13	40.38	Pass	401
0.15	30	0.01	RMS	0.6	-35.99	-13	22.99	Pass	2986
30	1000	0.1	RMS	895.431	-60.45	-13	47.45	Pass	9701
1000	1700	1	RMS	1692	-49.72	-13	36.72	Pass	701
1700	1790	1	RMS	1742.75	19.71	60	40.29	Pass	401
1790	3000	1	RMS	2973	-46.19	-13	33.19	Pass	1211
3000	7000	1	RMS	6971	-57.74	-13	44.74	Pass	4001
7000	20000	1	RMS	17499	-48.7	-13	35.7	Pass	13002




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.47	-13	40.47	Pass	401
0.15	30	0.01	RMS	0.6	-36.03	-13	23.03	Pass	2986
30	1000	0.1	RMS	897.432	-60.29	-13	47.29	Pass	9701
1000	1700	1	RMS	1698	-49.68	-13	36.68	Pass	701
1700	1790	1	RMS	1747.025	19.71	60	40.29	Pass	401
1790	3000	1	RMS	2971	-46.06	-13	33.06	Pass	1211
3000	7000	1	RMS	6989	-57.2	-13	44.2	Pass	4001
7000	20000	1	RMS	17500	-48.74	-13	35.74	Pass	13002




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.27	-13	40.27	Pass	401
0.15	30	0.01	RMS	0.6	-35.94	-13	22.94	Pass	2986
30	1000	0.1	RMS	892.329	-60.48	-13	47.48	Pass	9701
1000	1700	1	RMS	1696	-49.7	-13	36.7	Pass	701
1700	1790	1	RMS	1776.05	13.87	60	46.13	Pass	401
1790	3000	1	RMS	1790	-44.33	-13	31.33	Pass	1211
3000	7000	1	RMS	6974	-58.7	-13	45.7	Pass	4001
7000	20000	1	RMS	17500	-48.84	-13	35.84	Pass	13002




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.09	-13	40.09	Pass	401
0.15	30	0.01	RMS	0.6	-35.99	-13	22.99	Pass	2986
30	1000	0.1	RMS	873.616	-60.39	-13	47.39	Pass	9701
1000	1700	1	RMS	1700	-49.65	-13	36.65	Pass	701
1700	1790	1	RMS	1775.15	19.73	60	40.27	Pass	401
1790	3000	1	RMS	2971	-46.26	-13	33.26	Pass	1211
3000	7000	1	RMS	6974	-58.59	-13	45.59	Pass	4001
7000	20000	1	RMS	17501	-48.55	-13	35.55	Pass	13002




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.36	-13	40.36	Pass	401
0.15	30	0.01	RMS	0.6	-36.08	-13	23.08	Pass	2986
30	1000	0.1	RMS	872.215	-60.36	-13	47.36	Pass	9701
1000	1700	1	RMS	1650	-49.77	-13	36.77	Pass	701
1700	1790	1	RMS	1779.425	19.74	60	40.26	Pass	401
1790	3000	1	RMS	2970	-46.07	-13	33.07	Pass	1211
3000	7000	1	RMS	5339	-57.46	-13	44.46	Pass	4001
7000	20000	1	RMS	17500	-48.42	-13	35.42	Pass	13002




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.36	-13	40.36	Pass	401
0.15	30	0.01	RMS	0.6	-36.14	-13	23.14	Pass	2986
30	1000	0.1	RMS	995.397	-60.47	-13	47.47	Pass	9701
1000	1700	1	RMS	1700	-36.66	-13	23.66	Pass	701
1700	1790	1	RMS	1711.475	7.53	60	52.47	Pass	401
1790	3000	1	RMS	2979	-45.99	-13	32.99	Pass	1211
3000	7000	1	RMS	6977	-58.65	-13	45.65	Pass	4001
7000	20000	1	RMS	17503	-48.93	-13	35.93	Pass	13002




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.1	-13	40.1	Pass	401
0.15	30	0.01	RMS	0.6	-36.25	-13	23.25	Pass	2986
30	1000	0.1	RMS	991.094	-60.19	-13	47.19	Pass	9701
1000	1700	1	RMS	1700	-49.39	-13	36.39	Pass	701
1700	1790	1	RMS	1710.35	18.42	60	41.58	Pass	401
1790	3000	1	RMS	2969	-46.08	-13	33.08	Pass	1211
3000	7000	1	RMS	3421	-56.98	-13	43.98	Pass	4001
7000	20000	1	RMS	17499	-48.92	-13	35.92	Pass	13002




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.15	-13	40.15	Pass	401
0.15	30	0.01	RMS	0.6	-36.27	-13	23.27	Pass	2986
30	1000	0.1	RMS	906.038	-60.36	-13	47.36	Pass	9701
1000	1700	1	RMS	1697	-49.59	-13	36.59	Pass	701
1700	1790	1	RMS	1724.3	18.49	60	41.51	Pass	401
1790	3000	1	RMS	2970	-46.19	-13	33.19	Pass	1211
3000	7000	1	RMS	6898	-58.12	-13	45.12	Pass	4001
7000	20000	1	RMS	17497	-48.7	-13	35.7	Pass	13002




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.33	-13	40.33	Pass	401
0.15	30	0.01	RMS	0.6	-36.25	-13	23.25	Pass	2986
30	1000	0.1	RMS	902.836	-60.35	-13	47.35	Pass	9701
1000	1700	1	RMS	1700	-49.29	-13	36.29	Pass	701
1700	1790	1	RMS	1740.95	8.63	60	51.37	Pass	401
1790	3000	1	RMS	2961	-46.15	-13	33.15	Pass	1211
3000	7000	1	RMS	6974	-58.68	-13	45.68	Pass	4001
7000	20000	1	RMS	17500	-48.54	-13	35.54	Pass	13002




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.52	-13	40.52	Pass	401
0.15	30	0.01	RMS	0.6	-36.38	-13	23.38	Pass	2986
30	1000	0.1	RMS	887.125	-60.23	-13	47.23	Pass	9701
1000	1700	1	RMS	1695	-49.79	-13	36.79	Pass	701
1700	1790	1	RMS	1737.8	19.55	60	40.45	Pass	401
1790	3000	1	RMS	2974	-45.89	-13	32.89	Pass	1211
3000	7000	1	RMS	6952	-57.99	-13	44.99	Pass	4001
7000	20000	1	RMS	17498	-48.68	-13	35.68	Pass	13002




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.25	-13	40.25	Pass	401
0.15	30	0.01	RMS	0.6	-36.5	-13	23.5	Pass	2986
30	1000	0.1	RMS	911.942	-60.43	-13	47.43	Pass	9701
1000	1700	1	RMS	1695	-49.56	-13	36.56	Pass	701
1700	1790	1	RMS	1751.975	19.51	60	40.49	Pass	401
1790	3000	1	RMS	2969	-46.1	-13	33.1	Pass	1211
3000	7000	1	RMS	5256	-58.04	-13	45.04	Pass	4001
7000	20000	1	RMS	17499	-48.66	-13	35.66	Pass	13002




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.47	-13	40.47	Pass	401
0.15	30	0.01	RMS	0.6	-36.42	-13	23.42	Pass	2986
30	1000	0.1	RMS	929.954	-60.24	-13	47.24	Pass	9701
1000	1700	1	RMS	1699	-49.39	-13	36.39	Pass	701
1700	1790	1	RMS	1771.1	8.72	60	51.28	Pass	401
1790	3000	1	RMS	1790	-36.35	-13	23.35	Pass	1211
3000	7000	1	RMS	6976	-58.66	-13	45.66	Pass	4001
7000	20000	1	RMS	17500	-48.7	-13	35.7	Pass	13002




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.26	-13	40.26	Pass	401
0.15	30	0.01	RMS	0.6	-36.51	-13	23.51	Pass	2986
30	1000	0.1	RMS	915.144	-60.5	-13	47.5	Pass	9701
1000	1700	1	RMS	1698	-49.51	-13	36.51	Pass	701
1700	1790	1	RMS	1765.25	19.6	60	40.4	Pass	401
1790	3000	1	RMS	2972	-45.96	-13	32.96	Pass	1211
3000	7000	1	RMS	6975	-58.63	-13	45.63	Pass	4001
7000	20000	1	RMS	17503	-48.74	-13	35.74	Pass	13002




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.15	-13	40.15	Pass	401
0.15	30	0.01	RMS	0.6	-36.57	-13	23.57	Pass	2986
30	1000	0.1	RMS	899.133	-60.33	-13	47.33	Pass	9701
1000	1700	1	RMS	1662	-49.7	-13	36.7	Pass	701
1700	1790	1	RMS	1779.425	19.83	60	40.17	Pass	401
1790	3000	1	RMS	2974	-45.93	-13	32.93	Pass	1211
3000	7000	1	RMS	6978	-58.57	-13	45.57	Pass	4001
7000	20000	1	RMS	17496	-48.78	-13	35.78	Pass	13002




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.41	-13	40.41	Pass	401
0.15	30	0.01	RMS	0.6	-36.41	-13	23.41	Pass	2986
30	1000	0.1	RMS	992.095	-60.31	-13	47.31	Pass	9701
1000	1700	1	RMS	1700	-35.91	-13	22.91	Pass	701
1700	1790	1	RMS	1728.35	6.58	60	53.42	Pass	401
1790	3000	1	RMS	2970	-46.16	-13	33.16	Pass	1211
3000	7000	1	RMS	6980	-58.55	-13	45.55	Pass	4001
7000	20000	1	RMS	17494	-48.76	-13	35.76	Pass	13002




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.45	-13	40.45	Pass	401
0.15	30	0.01	RMS	0.6	-36.78	-13	23.78	Pass	2986
30	1000	0.1	RMS	897.832	-60.16	-13	47.16	Pass	9701
1000	1700	1	RMS	1700	-49.4	-13	36.4	Pass	701
1700	1790	1	RMS	1710.35	18.39	60	41.61	Pass	401
1790	3000	1	RMS	2975	-46.1	-13	33.1	Pass	1211
3000	7000	1	RMS	3421	-55.45	-13	42.45	Pass	4001
7000	20000	1	RMS	17502	-48.56	-13	35.56	Pass	13002




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.99	-13	39.99	Pass	401
0.15	30	0.01	RMS	0.6	-36.75	-13	23.75	Pass	2986
30	1000	0.1	RMS	993.195	-60.44	-13	47.44	Pass	9701
1000	1700	1	RMS	1697	-49.58	-13	36.58	Pass	701
1700	1790	1	RMS	1729.25	18.66	60	41.34	Pass	401
1790	3000	1	RMS	2970	-46.13	-13	33.13	Pass	1211
3000	7000	1	RMS	5188	-57.81	-13	44.81	Pass	4001
7000	20000	1	RMS	17500	-48.5	-13	35.5	Pass	13002




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.74	-13	40.74	Pass	401
0.15	30	0.01	RMS	0.6	-36.29	-13	23.29	Pass	2986
30	1000	0.1	RMS	896.932	-60.46	-13	47.46	Pass	9701
1000	1700	1	RMS	1700	-47.27	-13	34.27	Pass	701
1700	1790	1	RMS	1738.7	7.42	60	52.58	Pass	401
1790	3000	1	RMS	2976	-46.13	-13	33.13	Pass	1211
3000	7000	1	RMS	6977	-58.47	-13	45.47	Pass	4001
7000	20000	1	RMS	17499	-48.41	-13	35.41	Pass	13002




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.31	-13	40.31	Pass	401
0.15	30	0.01	RMS	0.6	-36.49	-13	23.49	Pass	2986
30	1000	0.1	RMS	920.147	-60.29	-13	47.29	Pass	9701
1000	1700	1	RMS	1695	-49.6	-13	36.6	Pass	701
1700	1790	1	RMS	1735.325	19.56	60	40.44	Pass	401
1790	3000	1	RMS	2971	-46.07	-13	33.07	Pass	1211
3000	7000	1	RMS	6942	-58.3	-13	45.3	Pass	4001
7000	20000	1	RMS	17496	-48.47	-13	35.47	Pass	13002




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.48	-13	40.48	Pass	401
0.15	30	0.01	RMS	0.6	-36.6	-13	23.6	Pass	2986
30	1000	0.1	RMS	921.948	-60.28	-13	47.28	Pass	9701
1000	1700	1	RMS	1664	-49.75	-13	36.75	Pass	701
1700	1790	1	RMS	1754.225	19.62	60	40.38	Pass	401
1790	3000	1	RMS	2970	-45.95	-13	32.95	Pass	1211
3000	7000	1	RMS	5263	-58.65	-13	45.65	Pass	4001
7000	20000	1	RMS	17500	-48.77	-13	35.77	Pass	13002




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.56	-13	40.56	Pass	401
0.15	30	0.01	RMS	0.6	-35.71	-13	22.71	Pass	2986
30	1000	0.1	RMS	907.539	-60.32	-13	47.32	Pass	9701
1000	1700	1	RMS	1696	-49.51	-13	36.51	Pass	701
1700	1790	1	RMS	1772.45	7.63	60	52.37	Pass	401
1790	3000	1	RMS	1790	-35.72	-13	22.72	Pass	1211
3000	7000	1	RMS	6978	-58.51	-13	45.51	Pass	4001
7000	20000	1	RMS	17496	-48.69	-13	35.69	Pass	13002




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.54	-13	40.54	Pass	401
0.15	30	0.01	RMS	0.6	-36.6	-13	23.6	Pass	2986
30	1000	0.1	RMS	907.339	-60.23	-13	47.23	Pass	9701
1000	1700	1	RMS	1696	-49.59	-13	36.59	Pass	701
1700	1790	1	RMS	1760.525	19.6	60	40.4	Pass	401
1790	3000	1	RMS	2972	-46.12	-13	33.12	Pass	1211
3000	7000	1	RMS	6980	-58.58	-13	45.58	Pass	4001
7000	20000	1	RMS	17501	-48.69	-13	35.69	Pass	13002



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.38	-13	40.38	Pass	401
0.15	30	0.01	RMS	0.6	-36.85	-13	23.85	Pass	2986
30	1000	0.1	RMS	906.038	-60.09	-13	47.09	Pass	9701
1000	1700	1	RMS	1670	-49.63	-13	36.63	Pass	701
1700	1790	1	RMS	1779.425	19.79	60	40.21	Pass	401
1790	3000	1	RMS	2969	-45.81	-13	32.81	Pass	1211
3000	7000	1	RMS	5338	-58.29	-13	45.29	Pass	4001
7000	20000	1	RMS	17499	-48.9	-13	35.9	Pass	13002



2. n71 15kHz


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.72	-13	41.72	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	43.48	Pass	2986
30	653	0.1	RMS	518	-62.61	-13	49.61	Pass	6231
653	708	0.1	RMS	667.5	6.02	60	53.98	Pass	551
708	1000	0.1	RMS	937.3	-61.85	-13	48.85	Pass	2921
1000	3000	1	RMS	2641	-46.76	-13	33.76	Pass	2001
3000	10000	1	RMS	9732	-64.13	-13	51.13	Pass	7001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	39.76	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	43.57	Pass	2986
30	653	0.1	RMS	480.4	-62.62	-13	49.62	Pass	6231
653	708	0.1	RMS	663.3	18.8	60	41.2	Pass	551
708	1000	0.1	RMS	931.1	-61.75	-13	48.75	Pass	2921
1000	3000	1	RMS	2642	-46.73	-13	33.73	Pass	2001
3000	10000	1	RMS	9708	-64.13	-13	51.13	Pass	7001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-13	40.61	Pass	401
0.15	30	0.01	RMS	0.15	-56.97	-13	43.97	Pass	2986
30	653	0.1	RMS	479.5	-62.62	-13	49.62	Pass	6231
653	708	0.1	RMS	667.7	18.6	60	41.4	Pass	551
708	1000	0.1	RMS	910.4	-61.87	-13	48.87	Pass	2921
1000	3000	1	RMS	2648	-46.75	-13	33.75	Pass	2001
3000	10000	1	RMS	9744	-64.09	-13	51.09	Pass	7001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-13	41.04	Pass	401
0.15	30	0.01	RMS	0.15	-57.88	-13	44.88	Pass	2986
30	653	0.1	RMS	497	-62.47	-13	49.47	Pass	6231
653	708	0.1	RMS	678.9	5.9	60	54.1	Pass	551
708	1000	0.1	RMS	953.4	-61.84	-13	48.84	Pass	2921
1000	3000	1	RMS	2641	-46.76	-13	33.76	Pass	2001
3000	10000	1	RMS	9731	-64.06	-13	51.06	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	40.01	Pass	401
0.15	30	0.01	RMS	0.16	-56.38	-13	43.38	Pass	2986
30	653	0.1	RMS	490.6	-62.52	-13	49.52	Pass	6231
653	708	0.1	RMS	678.3	18.84	60	41.16	Pass	551
708	1000	0.1	RMS	937.5	-61.8	-13	48.8	Pass	2921
1000	3000	1	RMS	2644	-46.7	-13	33.7	Pass	2001
3000	10000	1	RMS	9742	-64.08	-13	51.08	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	40.17	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	42.96	Pass	2986
30	653	0.1	RMS	499	-62.6	-13	49.6	Pass	6231
653	708	0.1	RMS	682.6	18.35	60	41.65	Pass	551
708	1000	0.1	RMS	916.5	-61.99	-13	48.99	Pass	2921
1000	3000	1	RMS	2651	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	9701	-64.06	-13	51.06	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-57.07	-13	44.07	Pass	2986
30	653	0.1	RMS	480.9	-62.52	-13	49.52	Pass	6231
653	708	0.1	RMS	694.3	5.69	60	54.31	Pass	551
708	1000	0.1	RMS	708	-55.67	-13	42.67	Pass	2921
1000	3000	1	RMS	2648	-46.75	-13	33.75	Pass	2001
3000	10000	1	RMS	9750	-64.15	-13	51.15	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.73	-13	40.73	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	42.61	Pass	2986
30	653	0.1	RMS	496	-62.53	-13	49.53	Pass	6231
653	708	0.1	RMS	693.3	18.77	60	41.23	Pass	551
708	1000	0.1	RMS	917.6	-61.82	-13	48.82	Pass	2921
1000	3000	1	RMS	2649	-46.76	-13	33.76	Pass	2001
3000	10000	1	RMS	9715	-64.11	-13	51.11	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	40.03	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	42.6	Pass	2986
30	653	0.1	RMS	487.9	-62.58	-13	49.58	Pass	6231
653	708	0.1	RMS	697.7	18.28	60	41.72	Pass	551
708	1000	0.1	RMS	908.4	-61.8	-13	48.8	Pass	2921
1000	3000	1	RMS	2645	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	9706	-64.09	-13	51.09	Pass	7001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	41	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-13	43.62	Pass	2986
30	653	0.1	RMS	652.7	-62.64	-13	49.64	Pass	6231
653	708	0.1	RMS	667.5	0.79	60	59.21	Pass	551
708	1000	0.1	RMS	708	-55.35	-13	42.35	Pass	2921
1000	3000	1	RMS	2650	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	9731	-64.27	-13	51.27	Pass	7001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-13	40.37	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	42.78	Pass	2986
30	653	0.1	RMS	489.5	-62.6	-13	49.6	Pass	6231
653	708	0.1	RMS	663.5	18.78	60	41.22	Pass	551
708	1000	0.1	RMS	935.7	-61.88	-13	48.88	Pass	2921
1000	3000	1	RMS	2648	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9709	-64.26	-13	51.26	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	40.39	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	44.45	Pass	2986
30	653	0.1	RMS	483.9	-62.62	-13	49.62	Pass	6231
653	708	0.1	RMS	677.5	18.86	60	41.14	Pass	551
708	1000	0.1	RMS	937.1	-61.81	-13	48.81	Pass	2921
1000	3000	1	RMS	2643	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9750	-64.23	-13	51.23	Pass	7001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	39.77	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	43.14	Pass	2986
30	653	0.1	RMS	502.5	-62.65	-13	49.65	Pass	6231
653	708	0.1	RMS	676.4	0.95	60	59.05	Pass	551
708	1000	0.1	RMS	708	-50.91	-13	37.91	Pass	2921
1000	3000	1	RMS	2641	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9749	-64.23	-13	51.23	Pass	7001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.73	-13	40.73	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-13	43.53	Pass	2986
30	653	0.1	RMS	642.7	-62.54	-13	49.54	Pass	6231
653	708	0.1	RMS	673.5	18.67	60	41.33	Pass	551
708	1000	0.1	RMS	947.7	-61.82	-13	48.82	Pass	2921
1000	3000	1	RMS	2640	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9734	-64.27	-13	51.27	Pass	7001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	40.36	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-13	44.42	Pass	2986
30	653	0.1	RMS	485	-62.6	-13	49.6	Pass	6231
653	708	0.1	RMS	687.5	19.1	60	40.9	Pass	551
708	1000	0.1	RMS	885.2	-61.76	-13	48.76	Pass	2921
1000	3000	1	RMS	2649	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9749	-64.24	-13	51.24	Pass	7001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	41.16	Pass	401
0.15	30	0.01	RMS	0.15	-57.4	-13	44.4	Pass	2986
30	653	0.1	RMS	494.6	-62.68	-13	49.68	Pass	6231
653	708	0.1	RMS	684.1	1.09	60	58.91	Pass	551
708	1000	0.1	RMS	708	-41.04	-13	28.04	Pass	2921
1000	3000	1	RMS	2645	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9719	-64.25	-13	51.25	Pass	7001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.77	-13	41.77	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	42.91	Pass	2986
30	653	0.1	RMS	482.6	-62.45	-13	49.45	Pass	6231
653	708	0.1	RMS	683.5	18.95	60	41.05	Pass	551
708	1000	0.1	RMS	904.2	-61.89	-13	48.89	Pass	2921
1000	3000	1	RMS	2640	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9725	-64.27	-13	51.27	Pass	7001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	39.84	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	42.94	Pass	2986
30	653	0.1	RMS	641.3	-62.64	-13	49.64	Pass	6231
653	708	0.1	RMS	697.5	18.82	60	41.18	Pass	551
708	1000	0.1	RMS	926.1	-61.89	-13	48.89	Pass	2921
1000	3000	1	RMS	2642	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9732	-64.22	-13	51.22	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.75	-13	41.75	Pass	401
0.15	30	0.01	RMS	0.15	-57.02	-13	44.02	Pass	2986
30	653	0.1	RMS	494.4	-62.64	-13	49.64	Pass	6231
653	708	0.1	RMS	669.8	-0.24	60	60.24	Pass	551
708	1000	0.1	RMS	708.4	-50.35	-13	37.35	Pass	2921
1000	3000	1	RMS	2649	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9741	-64.25	-13	51.25	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.77	-13	40.77	Pass	401
0.15	30	0.01	RMS	0.16	-57.19	-13	44.19	Pass	2986
30	653	0.1	RMS	472.8	-62.63	-13	49.63	Pass	6231
653	708	0.1	RMS	663.5	18.59	60	41.41	Pass	551
708	1000	0.1	RMS	908.4	-62.02	-13	49.02	Pass	2921
1000	3000	1	RMS	1327	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	9750	-64.31	-13	51.31	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.96	-13	40.96	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-13	43.75	Pass	2986
30	653	0.1	RMS	503.9	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	682.4	18.52	60	41.48	Pass	551
708	1000	0.1	RMS	931.1	-61.92	-13	48.92	Pass	2921
1000	3000	1	RMS	2647	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9717	-64.27	-13	51.27	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-13	40.74	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	43.39	Pass	2986
30	653	0.1	RMS	487.8	-62.61	-13	49.61	Pass	6231
653	708	0.1	RMS	678.1	-0.27	60	60.27	Pass	551
708	1000	0.1	RMS	708	-47.49	-13	34.49	Pass	2921
1000	3000	1	RMS	2647	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9728	-64.28	-13	51.28	Pass	7001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	40.66	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	42.65	Pass	2986
30	653	0.1	RMS	499.5	-62.59	-13	49.59	Pass	6231
653	708	0.1	RMS	671	18.52	60	41.48	Pass	551
708	1000	0.1	RMS	918.7	-61.76	-13	48.76	Pass	2921
1000	3000	1	RMS	2646	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9703	-64.27	-13	51.27	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	39.51	Pass	401
0.15	30	0.01	RMS	0.16	-56.88	-13	43.88	Pass	2986
30	653	0.1	RMS	483.8	-62.64	-13	49.64	Pass	6231
653	708	0.1	RMS	689.9	18.48	60	41.52	Pass	551
708	1000	0.1	RMS	940	-61.76	-13	48.76	Pass	2921
1000	3000	1	RMS	2646	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	9712	-64.23	-13	51.23	Pass	7001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.78	-13	41.78	Pass	401
0.15	30	0.01	RMS	0.15	-56.64	-13	43.64	Pass	2986
30	653	0.1	RMS	478.8	-62.61	-13	49.61	Pass	6231
653	708	0.1	RMS	682.9	-0.12	60	60.12	Pass	551
708	1000	0.1	RMS	708.3	-39.63	-13	26.63	Pass	2921
1000	3000	1	RMS	2642	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	9748	-64.26	-13	51.26	Pass	7001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-13	40.76	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-13	44.42	Pass	2986
30	653	0.1	RMS	489.8	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	678.5	18.61	60	41.39	Pass	551
708	1000	0.1	RMS	954.9	-61.84	-13	48.84	Pass	2921
1000	3000	1	RMS	2647	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9754	-64.25	-13	51.25	Pass	7001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-13	39.62	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-13	43.83	Pass	2986
30	653	0.1	RMS	514.8	-62.53	-13	49.53	Pass	6231
653	708	0.1	RMS	697.4	18.45	60	41.55	Pass	551
708	1000	0.1	RMS	878.5	-61.85	-13	48.85	Pass	2921
1000	3000	1	RMS	2645	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9716	-64.27	-13	51.27	Pass	7001



2. n77 30kHz(3450-3550)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.73	-66.21	-13	53.21	Pass	2986
30	1000	0.1	RMS	609.6	-56.9	-13	43.9	Pass	9701
1000	3000	1	RMS	2915	-45.14	-13	32.14	Pass	2001
3000	3440	1	RMS	3440	-31.46	-13	18.46	Pass	441
3440	3560	1	RMS	3453.5	12.93	60	47.07	Pass	401
3560	7000	1	RMS	3563	-57.65	-13	44.65	Pass	3441
7000	26500	1	RMS	24139	-45.72	-13	32.72	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	11.23	-65.71	-13	52.71	Pass	2986
30	1000	0.1	RMS	899.533	-56.75	-13	43.75	Pass	9701
1000	3000	1	RMS	2972	-45	-13	32	Pass	2001
3000	3440	1	RMS	3440	-35.98	-13	22.98	Pass	441
3440	3560	1	RMS	3451.1	24.59	60	35.41	Pass	401
3560	7000	1	RMS	6902	-55.71	-13	42.71	Pass	3441
7000	26500	1	RMS	25116	-45.58	-13	32.58	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	27.61	-66.21	-13	53.21	Pass	2986
30	1000	0.1	RMS	919.347	-56.48	-13	43.48	Pass	9701
1000	3000	1	RMS	2786	-45.68	-13	32.68	Pass	2001
3000	3440	1	RMS	3433	-40.45	-13	27.45	Pass	441
3440	3560	1	RMS	3469.1	24.15	60	35.85	Pass	401
3560	7000	1	RMS	6938	-56.21	-13	43.21	Pass	3441
7000	26500	1	RMS	24400	-45.87	-13	32.87	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	2.94	-66.25	-13	53.25	Pass	2986
30	1000	0.1	RMS	640.3	-56.5	-13	43.5	Pass	9701
1000	3000	1	RMS	2888	-45.59	-13	32.59	Pass	2001
3000	3440	1	RMS	3421	-41.44	-13	28.44	Pass	441
3440	3560	1	RMS	3496.4	12.07	60	47.93	Pass	401
3560	7000	1	RMS	3563	-49.99	-13	36.99	Pass	3441
7000	26500	1	RMS	26271	-45.99	-13	32.99	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	0.43	-65.9	-13	52.9	Pass	2986
30	1000	0.1	RMS	714	-56.69	-13	43.69	Pass	9701
1000	3000	1	RMS	2971	-45.17	-13	32.17	Pass	2001
3000	3440	1	RMS	3413	-41.47	-13	28.47	Pass	441
3440	3560	1	RMS	3491	23.82	60	36.18	Pass	401
3560	7000	1	RMS	3562	-55.59	-13	42.59	Pass	3441
7000	26500	1	RMS	25085	-45.79	-13	32.79	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.74	-66.39	-13	53.39	Pass	2986
30	1000	0.1	RMS	983.089	-56.02	-13	43.02	Pass	9701
1000	3000	1	RMS	2977	-45.56	-13	32.56	Pass	2001
3000	3440	1	RMS	3407	-41.6	-13	28.6	Pass	441
3440	3560	1	RMS	3509	23.43	60	36.57	Pass	401
3560	7000	1	RMS	3570	-53.67	-13	40.67	Pass	3441
7000	26500	1	RMS	26009	-45.91	-13	32.91	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	16.89	-66.35	-13	53.35	Pass	2986
30	1000	0.1	RMS	920.447	-56	-13	43	Pass	9701
1000	3000	1	RMS	2984	-45.17	-13	32.17	Pass	2001
3000	3440	1	RMS	3397	-41.33	-13	28.33	Pass	441
3440	3560	1	RMS	3533.3	11.82	60	48.18	Pass	401
3560	7000	1	RMS	3560	-33.11	-13	20.11	Pass	3441
7000	26500	1	RMS	25908	-45.8	-13	32.8	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.23	-66.54	-13	53.54	Pass	2986
30	1000	0.1	RMS	776.6	-56.33	-13	43.33	Pass	9701
1000	3000	1	RMS	2975	-45.4	-13	32.4	Pass	2001
3000	3440	1	RMS	3412	-41.69	-13	28.69	Pass	441
3440	3560	1	RMS	3530.9	23.34	60	36.66	Pass	401
3560	7000	1	RMS	3564	-44.56	-13	31.56	Pass	3441
7000	26500	1	RMS	24091	-45.85	-13	32.85	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.51	-13	57.51	Pass	401
0.15	30	0.01	RMS	20.32	-66.64	-13	53.64	Pass	2986
30	1000	0.1	RMS	965.077	-56.45	-13	43.45	Pass	9701
1000	3000	1	RMS	2985	-45.22	-13	32.22	Pass	2001
3000	3440	1	RMS	3400	-41.62	-13	28.62	Pass	441
3440	3560	1	RMS	3548.9	23.09	60	36.91	Pass	401
3560	7000	1	RMS	3565	-37.25	-13	24.25	Pass	3441
7000	26500	1	RMS	25046	-45.4	-13	32.4	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	7.09	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	886.525	-55.48	-13	42.48	Pass	9701
1000	3000	1	RMS	2985	-45.29	-13	32.29	Pass	2001
3000	3440	1	RMS	3438	-31.43	-13	18.43	Pass	441
3440	3560	1	RMS	3452.9	7.7	60	52.3	Pass	401
3560	7000	1	RMS	3560	-47.75	-13	34.75	Pass	3441
7000	26500	1	RMS	25881	-46.02	-13	33.02	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.62	-66.29	-13	53.29	Pass	2986
30	1000	0.1	RMS	818.7	-56.02	-13	43.02	Pass	9701
1000	3000	1	RMS	2984	-45.42	-13	32.42	Pass	2001
3000	3440	1	RMS	3439	-36.99	-13	23.99	Pass	441
3440	3560	1	RMS	3451.1	24.2	60	35.8	Pass	401
3560	7000	1	RMS	3567	-55.6	-13	42.6	Pass	3441
7000	26500	1	RMS	24103	-45.81	-13	32.81	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.87	-66.71	-13	53.71	Pass	2986
30	1000	0.1	RMS	883.623	-55.76	-13	42.76	Pass	9701
1000	3000	1	RMS	2972	-45.12	-13	32.12	Pass	2001
3000	3440	1	RMS	3434	-41.38	-13	28.38	Pass	441
3440	3560	1	RMS	3509	23.23	60	36.77	Pass	401
3560	7000	1	RMS	3563	-49.18	-13	36.18	Pass	3441
7000	26500	1	RMS	25493	-45.95	-13	32.95	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	21.18	-66.22	-13	53.22	Pass	2986
30	1000	0.1	RMS	959.673	-56.44	-13	43.44	Pass	9701
1000	3000	1	RMS	2968	-45.02	-13	32.02	Pass	2001
3000	3440	1	RMS	3440	-34.8	-13	21.8	Pass	441
3440	3560	1	RMS	3475.1	7.28	60	52.72	Pass	401
3560	7000	1	RMS	3560	-37.83	-13	24.83	Pass	3441
7000	26500	1	RMS	25721	-46.03	-13	33.03	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	26.57	-65.61	-13	52.61	Pass	2986
30	1000	0.1	RMS	947.865	-56.38	-13	43.38	Pass	9701
1000	3000	1	RMS	2920	-45.42	-13	32.42	Pass	2001
3000	3440	1	RMS	3413	-39.61	-13	26.61	Pass	441
3440	3560	1	RMS	3470.9	23.71	60	36.29	Pass	401
3560	7000	1	RMS	3587	-55.55	-13	42.55	Pass	3441
7000	26500	1	RMS	25465	-45.75	-13	32.75	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.33	-66.16	-13	53.16	Pass	2986
30	1000	0.1	RMS	489.8	-56.19	-13	43.19	Pass	9701
1000	3000	1	RMS	2971	-45.4	-13	32.4	Pass	2001
3000	3440	1	RMS	3413	-41.2	-13	28.2	Pass	441
3440	3560	1	RMS	3529.1	22.87	60	37.13	Pass	401
3560	7000	1	RMS	3563	-43.91	-13	30.91	Pass	3441
7000	26500	1	RMS	24084	-45.7	-13	32.7	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.6	-65.17	-13	52.17	Pass	2986
30	1000	0.1	RMS	930.754	-56.09	-13	43.09	Pass	9701
1000	3000	1	RMS	2996	-45.6	-13	32.6	Pass	2001
3000	3440	1	RMS	3440	-39.89	-13	26.89	Pass	441
3440	3560	1	RMS	3495.2	6.75	60	53.25	Pass	401
3560	7000	1	RMS	3560	-33.59	-13	20.59	Pass	3441
7000	26500	1	RMS	24807	-46.35	-13	33.35	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	12.37	-66.48	-13	53.48	Pass	2986
30	1000	0.1	RMS	774.5	-55.67	-13	42.67	Pass	9701
1000	3000	1	RMS	2975	-45.09	-13	32.09	Pass	2001
3000	3440	1	RMS	3433	-39.72	-13	26.72	Pass	441
3440	3560	1	RMS	3491	23.36	60	36.64	Pass	401
3560	7000	1	RMS	3564	-51.9	-13	38.9	Pass	3441
7000	26500	1	RMS	25168	-45.98	-13	32.98	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.26	-13	58.26	Pass	401
0.15	30	0.01	RMS	1.19	-67.86	-13	54.86	Pass	2986
30	1000	0.1	RMS	933.356	-56.26	-13	43.26	Pass	9701
1000	3000	1	RMS	2984	-45.54	-13	32.54	Pass	2001
3000	3440	1	RMS	3419	-41.52	-13	28.52	Pass	441
3440	3560	1	RMS	3548.9	22.92	60	37.08	Pass	401
3560	7000	1	RMS	3563	-38.77	-13	25.77	Pass	3441
7000	26500	1	RMS	25472	-45.99	-13	32.99	Pass	19503




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	28.45	-67.1	-13	54.1	Pass	2986
30	1000	0.1	RMS	987.592	-56.9	-13	43.9	Pass	9701
1000	3000	1	RMS	2958	-45.67	-13	32.67	Pass	2001
3000	3440	1	RMS	3439	-33.32	-13	20.32	Pass	441
3440	3560	1	RMS	3453.8	4.94	60	55.06	Pass	401
3560	7000	1	RMS	3560	-35.75	-13	22.75	Pass	3441
7000	26500	1	RMS	25100	-45.86	-13	32.86	Pass	19503




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	29.6	-65.9	-13	52.9	Pass	2986
30	1000	0.1	RMS	452.6	-56.76	-13	43.76	Pass	9701
1000	3000	1	RMS	2963	-45.63	-13	32.63	Pass	2001
3000	3440	1	RMS	3440	-38.03	-13	25.03	Pass	441
3440	3560	1	RMS	3451.1	23.84	60	36.16	Pass	401
3560	7000	1	RMS	3598	-53.61	-13	40.61	Pass	3441
7000	26500	1	RMS	26137	-45.98	-13	32.98	Pass	19503



2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	20.89	-66.64	-13	53.64	Pass	2986
30	1000	0.1	RMS	918.946	-55.27	-13	42.27	Pass	9701
1000	3000	1	RMS	2944	-45.36	-13	32.36	Pass	2001
3000	3440	1	RMS	3432	-41.4	-13	28.4	Pass	441
3440	3560	1	RMS	3548.9	22.92	60	37.08	Pass	401
3560	7000	1	RMS	3564	-34	-13	21	Pass	3441
7000	26500	1	RMS	26064	-45.99	-13	32.99	Pass	19503



3. n77 30kHz(3700-3980)


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	28.82	-65.4	-13	52.4	Pass	2986
30	1000	0.1	RMS	920.848	-56.5	-13	43.5	Pass	9701
1000	3000	1	RMS	2968	-45.59	-13	32.59	Pass	2001
3000	3690	1	RMS	3690	-35.48	-13	22.48	Pass	691
3690	3990	1	RMS	3703.5	11.44	60	48.56	Pass	401
3990	7000	1	RMS	6989	-57.78	-13	44.78	Pass	3011
7000	26500	1	RMS	25394	-45.65	-13	32.65	Pass	19503




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	22.57	-64.53	-13	51.53	Pass	2986
30	1000	0.1	RMS	937.559	-56.72	-13	43.72	Pass	9701
1000	3000	1	RMS	2974	-45.3	-13	32.3	Pass	2001
3000	3690	1	RMS	3689	-36.31	-13	23.31	Pass	691
3690	3990	1	RMS	3701.25	22	60	38	Pass	401
3990	7000	1	RMS	6982	-57.2	-13	44.2	Pass	3011
7000	26500	1	RMS	25077	-45.15	-13	32.15	Pass	19503




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.46	-13	57.46	Pass	401
0.15	30	0.01	RMS	2	-66.55	-13	53.55	Pass	2986
30	1000	0.1	RMS	858.606	-56.52	-13	43.52	Pass	9701
1000	3000	1	RMS	2972	-44.87	-13	31.87	Pass	2001
3000	3690	1	RMS	3415	-41.2	-13	28.2	Pass	691
3690	3990	1	RMS	3719.25	21.81	60	38.19	Pass	401
3990	7000	1	RMS	4026	-57.63	-13	44.63	Pass	3011
7000	26500	1	RMS	25107	-45.77	-13	32.77	Pass	19503




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	13.51	-66.9	-13	53.9	Pass	2986
30	1000	0.1	RMS	861.708	-56.86	-13	43.86	Pass	9701
1000	3000	1	RMS	2978	-45.54	-13	32.54	Pass	2001
3000	3690	1	RMS	3372	-41.55	-13	28.55	Pass	691
3690	3990	1	RMS	3834	11.8	60	48.2	Pass	401
3990	7000	1	RMS	6988	-57.66	-13	44.66	Pass	3011
7000	26500	1	RMS	25106	-46.32	-13	33.32	Pass	19503




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	22.61	-64.09	-13	51.09	Pass	2986
30	1000	0.1	RMS	845.1	-56.11	-13	43.11	Pass	9701
1000	3000	1	RMS	2982	-45.48	-13	32.48	Pass	2001
3000	3690	1	RMS	3414	-41.17	-13	28.17	Pass	691
3690	3990	1	RMS	3831	22.74	60	37.26	Pass	401
3990	7000	1	RMS	4138	-56.96	-13	43.96	Pass	3011
7000	26500	1	RMS	25039	-45.92	-13	32.92	Pass	19503




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.93	-13	57.93	Pass	401
0.15	30	0.01	RMS	0.6	-65.15	-13	52.15	Pass	2986
30	1000	0.1	RMS	879.72	-55.95	-13	42.95	Pass	9701
1000	3000	1	RMS	2970	-45.25	-13	32.25	Pass	2001
3000	3690	1	RMS	3423	-41.51	-13	28.51	Pass	691
3690	3990	1	RMS	3849	22.78	60	37.22	Pass	401
3990	7000	1	RMS	6976	-57.62	-13	44.62	Pass	3011
7000	26500	1	RMS	24794	-46.24	-13	33.24	Pass	19503




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	14.74	-66.12	-13	53.12	Pass	2986
30	1000	0.1	RMS	361.6	-57.04	-13	44.04	Pass	9701
1000	3000	1	RMS	2925	-45.81	-13	32.81	Pass	2001
3000	3690	1	RMS	3435	-41.43	-13	28.43	Pass	691
3690	3990	1	RMS	3964.5	11.56	60	48.44	Pass	401
3990	7000	1	RMS	3998	-37.16	-13	24.16	Pass	3011
7000	26500	1	RMS	25744	-45.96	-13	32.96	Pass	19503




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	20.59	-66.72	-13	53.72	Pass	2986
30	1000	0.1	RMS	854.203	-55.93	-13	42.93	Pass	9701
1000	3000	1	RMS	2975	-45.51	-13	32.51	Pass	2001
3000	3690	1	RMS	3369	-41.58	-13	28.58	Pass	691
3690	3990	1	RMS	3960.75	22.23	60	37.77	Pass	401
3990	7000	1	RMS	3997	-43.41	-13	30.41	Pass	3011
7000	26500	1	RMS	26164	-46	-13	33	Pass	19503




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	1	-66.83	-13	53.83	Pass	2986
30	1000	0.1	RMS	836.5	-56.02	-13	43.02	Pass	9701
1000	3000	1	RMS	2998	-45.51	-13	32.51	Pass	2001
3000	3690	1	RMS	3429	-41.62	-13	28.62	Pass	691
3690	3990	1	RMS	3978.75	22.14	60	37.86	Pass	401
3990	7000	1	RMS	3994	-35.3	-13	22.3	Pass	3011
7000	26500	1	RMS	25072	-45.73	-13	32.73	Pass	19503




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	2.78	-66.81	-13	53.81	Pass	2986
30	1000	0.1	RMS	624.4	-56.75	-13	43.75	Pass	9701
1000	3000	1	RMS	2971	-45.68	-13	32.68	Pass	2001
3000	3690	1	RMS	3690	-36.29	-13	23.29	Pass	691
3690	3990	1	RMS	3746.25	5.87	60	54.13	Pass	401
3990	7000	1	RMS	6980	-57.93	-13	44.93	Pass	3011
7000	26500	1	RMS	24147	-46.22	-13	33.22	Pass	19503




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	16.73	-66.79	-13	53.79	Pass	2986
30	1000	0.1	RMS	840.2	-56.52	-13	43.52	Pass	9701
1000	3000	1	RMS	2966	-45.51	-13	32.51	Pass	2001
3000	3690	1	RMS	3689	-37.24	-13	24.24	Pass	691
3690	3990	1	RMS	3701.25	21.6	60	38.4	Pass	401
3990	7000	1	RMS	6952	-57.67	-13	44.67	Pass	3011
7000	26500	1	RMS	25929	-45.92	-13	32.92	Pass	19503




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	28.71	-65.97	-13	52.97	Pass	2986
30	1000	0.1	RMS	403.7	-56.53	-13	43.53	Pass	9701
1000	3000	1	RMS	2842	-45.65	-13	32.65	Pass	2001
3000	3690	1	RMS	3421	-41.4	-13	28.4	Pass	691
3690	3990	1	RMS	3759	22	60	38	Pass	401
3990	7000	1	RMS	6994	-58.06	-13	45.06	Pass	3011
7000	26500	1	RMS	25428	-46.13	-13	33.13	Pass	19503




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	18.12	-66.84	-13	53.84	Pass	2986
30	1000	0.1	RMS	882.122	-56.24	-13	43.24	Pass	9701
1000	3000	1	RMS	2971	-45.07	-13	32.07	Pass	2001
3000	3690	1	RMS	3410	-41.22	-13	28.22	Pass	691
3690	3990	1	RMS	3826.5	6.65	60	53.35	Pass	401
3990	7000	1	RMS	6963	-57.63	-13	44.63	Pass	3011
7000	26500	1	RMS	26091	-45.96	-13	32.96	Pass	19503




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	2.24	-66.25	-13	53.25	Pass	2986
30	1000	0.1	RMS	575.5	-56.54	-13	43.54	Pass	9701
1000	3000	1	RMS	2980	-45.7	-13	32.7	Pass	2001
3000	3690	1	RMS	3426	-41.38	-13	28.38	Pass	691
3690	3990	1	RMS	3810.75	21.78	60	38.22	Pass	401
3990	7000	1	RMS	4118	-57.58	-13	44.58	Pass	3011
7000	26500	1	RMS	25109	-45.34	-13	32.34	Pass	19503




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.9	-13	57.9	Pass	401
0.15	30	0.01	RMS	23.57	-66.16	-13	53.16	Pass	2986
30	1000	0.1	RMS	909.84	-56.52	-13	43.52	Pass	9701
1000	3000	1	RMS	2967	-45.21	-13	32.21	Pass	2001
3000	3690	1	RMS	3422	-41.6	-13	28.6	Pass	691
3690	3990	1	RMS	3869.25	21.7	60	38.3	Pass	401
3990	7000	1	RMS	6946	-58.13	-13	45.13	Pass	3011
7000	26500	1	RMS	24120	-45.52	-13	32.52	Pass	19503




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	2.33	-67.03	-13	54.03	Pass	2986
30	1000	0.1	RMS	645.7	-56.58	-13	43.58	Pass	9701
1000	3000	1	RMS	2952	-45.22	-13	32.22	Pass	2001
3000	3690	1	RMS	3407	-41.32	-13	28.32	Pass	691
3690	3990	1	RMS	3939	6.64	60	53.36	Pass	401
3990	7000	1	RMS	3994	-37.76	-13	24.76	Pass	3011
7000	26500	1	RMS	25163	-45.75	-13	32.75	Pass	19503




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.56	-13	57.56	Pass	401
0.15	30	0.01	RMS	27.31	-67.3	-13	54.3	Pass	2986
30	1000	0.1	RMS	722.9	-55.27	-13	42.27	Pass	9701
1000	3000	1	RMS	2979	-45.66	-13	32.66	Pass	2001
3000	3690	1	RMS	3415	-41.35	-13	28.35	Pass	691
3690	3990	1	RMS	3921	22.55	60	37.45	Pass	401
3990	7000	1	RMS	3997	-53.78	-13	40.78	Pass	3011
7000	26500	1	RMS	25337	-46.12	-13	33.12	Pass	19503




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	24.98	-66	-13	53	Pass	2986
30	1000	0.1	RMS	838.1	-55.77	-13	42.77	Pass	9701
1000	3000	1	RMS	2939	-45.42	-13	32.42	Pass	2001
3000	3690	1	RMS	3408	-41.51	-13	28.51	Pass	691
3690	3990	1	RMS	3978.75	22.15	60	37.85	Pass	401
3990	7000	1	RMS	6979	-57.69	-13	44.69	Pass	3011
7000	26500	1	RMS	25163	-45.75	-13	32.75	Pass	19503




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	0.26	-67.19	-13	54.19	Pass	2986
30	1000	0.1	RMS	889.427	-56.55	-13	43.55	Pass	9701
1000	3000	1	RMS	2980	-45.49	-13	32.49	Pass	2001
3000	3690	1	RMS	3690	-37.38	-13	24.38	Pass	691
3690	3990	1	RMS	3788.25	3.58	60	56.42	Pass	401
3990	7000	1	RMS	6979	-57.69	-13	44.69	Pass	3011
7000	26500	1	RMS	25168	-46.07	-13	33.07	Pass	19503




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	14.47	-66.57	-13	53.57	Pass	2986
30	1000	0.1	RMS	914.243	-56.65	-13	43.65	Pass	9701
1000	3000	1	RMS	2979	-44.99	-13	31.99	Pass	2001
3000	3690	1	RMS	3689	-37.29	-13	24.29	Pass	691
3690	3990	1	RMS	3701.25	21.25	60	38.75	Pass	401
3990	7000	1	RMS	6984	-57.07	-13	44.07	Pass	3011
7000	26500	1	RMS	25748	-45.6	-13	32.6	Pass	19503




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	7.58	-65.77	-13	52.77	Pass	2986
30	1000	0.1	RMS	864.81	-56.12	-13	43.12	Pass	9701
1000	3000	1	RMS	2985	-45.23	-13	32.23	Pass	2001
3000	3690	1	RMS	3421	-41.22	-13	28.22	Pass	691
3690	3990	1	RMS	3798.75	21.87	60	38.13	Pass	401
3990	7000	1	RMS	4106	-57.51	-13	44.51	Pass	3011
7000	26500	1	RMS	24114	-46.06	-13	33.06	Pass	19503




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.33	-66.02	-13	53.02	Pass	2986
30	1000	0.1	RMS	995.597	-56.69	-13	43.69	Pass	9701
1000	3000	1	RMS	2938	-45.18	-13	32.18	Pass	2001
3000	3690	1	RMS	3414	-41.45	-13	28.45	Pass	691
3690	3990	1	RMS	3804.75	4.26	60	55.74	Pass	401
3990	7000	1	RMS	3992	-52.5	-13	39.5	Pass	3011
7000	26500	1	RMS	26207	-46.01	-13	33.01	Pass	19503




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.98	-13	56.98	Pass	401
0.15	30	0.01	RMS	4.58	-65.29	-13	52.29	Pass	2986
30	1000	0.1	RMS	390.7	-56.34	-13	43.34	Pass	9701
1000	3000	1	RMS	2957	-45.22	-13	32.22	Pass	2001
3000	3690	1	RMS	3430	-41.21	-13	28.21	Pass	691
3690	3990	1	RMS	3791.25	21.79	60	38.21	Pass	401
3990	7000	1	RMS	6932	-57.65	-13	44.65	Pass	3011
7000	26500	1	RMS	25500	-46.18	-13	33.18	Pass	19503




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	29.17	-66.35	-13	53.35	Pass	2986
30	1000	0.1	RMS	909.84	-56.01	-13	43.01	Pass	9701
1000	3000	1	RMS	2964	-45.8	-13	32.8	Pass	2001
3000	3690	1	RMS	3396	-41.5	-13	28.5	Pass	691
3690	3990	1	RMS	3888.75	22.25	60	37.75	Pass	401
3990	7000	1	RMS	4103	-57.35	-13	44.35	Pass	3011
7000	26500	1	RMS	24115	-45.74	-13	32.74	Pass	19503




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	12.2	-66.96	-13	53.96	Pass	2986
30	1000	0.1	RMS	984.49	-56.68	-13	43.68	Pass	9701
1000	3000	1	RMS	2977	-45.51	-13	32.51	Pass	2001
3000	3690	1	RMS	3422	-41.4	-13	28.4	Pass	691
3690	3990	1	RMS	3907.5	4.34	60	55.66	Pass	401
3990	7000	1	RMS	3993	-39.35	-13	26.35	Pass	3011
7000	26500	1	RMS	25119	-45.89	-13	32.89	Pass	19503




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71	-13	58	Pass	401
0.15	30	0.01	RMS	20.15	-65.56	-13	52.56	Pass	2986
30	1000	0.1	RMS	899.433	-56.72	-13	43.72	Pass	9701
1000	3000	1	RMS	2970	-45.03	-13	32.03	Pass	2001
3000	3690	1	RMS	3397	-41.23	-13	28.23	Pass	691
3690	3990	1	RMS	3881.25	22	60	38	Pass	401
3990	7000	1	RMS	4028	-52.9	-13	39.9	Pass	3011
7000	26500	1	RMS	25772	-45.36	-13	32.36	Pass	19503



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	8.34	-66.64	-13	53.64	Pass	2986
30	1000	0.1	RMS	864.81	-56.41	-13	43.41	Pass	9701
1000	3000	1	RMS	2920	-45.49	-13	32.49	Pass	2001
3000	3690	1	RMS	3418	-41.34	-13	28.34	Pass	691
3690	3990	1	RMS	3978.75	22.09	60	37.91	Pass	401
3990	7000	1	RMS	3992	-35.57	-13	22.57	Pass	3011
7000	26500	1	RMS	26037	-46.12	-13	33.12	Pass	19503



5. n78 30kHz(3450-3550)


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	24.48	-66.73	-13	53.73	Pass	2986
30	1000	0.1	RMS	616.5	-56.6	-13	43.6	Pass	9701
1000	3000	1	RMS	2973	-44.95	-13	31.95	Pass	2001
3000	3440	1	RMS	3440	-30.77	-13	17.77	Pass	441
3440	3560	1	RMS	3453.8	13.37	60	46.63	Pass	401
3560	7000	1	RMS	7000	-57.58	-13	44.58	Pass	3441
7000	26500	1	RMS	25672	-45.59	-13	32.59	Pass	19503




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	18.56	-66.7	-13	53.7	Pass	2986
30	1000	0.1	RMS	995.797	-55.96	-13	42.96	Pass	9701
1000	3000	1	RMS	2973	-45.46	-13	32.46	Pass	2001
3000	3440	1	RMS	3439	-34.32	-13	21.32	Pass	441
3440	3560	1	RMS	3451.1	24.73	60	35.27	Pass	401
3560	7000	1	RMS	6902	-54.88	-13	41.88	Pass	3441
7000	26500	1	RMS	25056	-44.82	-13	31.82	Pass	19503




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.42	-66.46	-13	53.46	Pass	2986
30	1000	0.1	RMS	907.239	-56.7	-13	43.7	Pass	9701
1000	3000	1	RMS	2927	-45.51	-13	32.51	Pass	2001
3000	3440	1	RMS	3440	-40	-13	27	Pass	441
3440	3560	1	RMS	3469.1	24.35	60	35.65	Pass	401
3560	7000	1	RMS	3776	-53.43	-13	40.43	Pass	3441
7000	26500	1	RMS	25454	-45.75	-13	32.75	Pass	19503




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	12.51	-65.39	-13	52.39	Pass	2986
30	1000	0.1	RMS	693.3	-56.73	-13	43.73	Pass	9701
1000	3000	1	RMS	2967	-45.32	-13	32.32	Pass	2001
3000	3440	1	RMS	3414	-41.56	-13	28.56	Pass	441
3440	3560	1	RMS	3492.8	12.34	60	47.66	Pass	401
3560	7000	1	RMS	3560	-50.38	-13	37.38	Pass	3441
7000	26500	1	RMS	25120	-45.71	-13	32.71	Pass	19503




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	14.86	-66.41	-13	53.41	Pass	2986
30	1000	0.1	RMS	527.5	-56.61	-13	43.61	Pass	9701
1000	3000	1	RMS	2996	-45.5	-13	32.5	Pass	2001
3000	3440	1	RMS	3425	-41.43	-13	28.43	Pass	441
3440	3560	1	RMS	3491	23.99	60	36.01	Pass	401
3560	7000	1	RMS	3560	-53.09	-13	40.09	Pass	3441
7000	26500	1	RMS	25819	-45.85	-13	32.85	Pass	19503




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.23	-64.83	-13	51.83	Pass	2986
30	1000	0.1	RMS	920.948	-56.53	-13	43.53	Pass	9701
1000	3000	1	RMS	2980	-45.58	-13	32.58	Pass	2001
3000	3440	1	RMS	3404	-41.61	-13	28.61	Pass	441
3440	3560	1	RMS	3509	23.73	60	36.27	Pass	401
3560	7000	1	RMS	3560	-49	-13	36	Pass	3441
7000	26500	1	RMS	25450	-45.76	-13	32.76	Pass	19503




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	6.74	-66.52	-13	53.52	Pass	2986
30	1000	0.1	RMS	845.2	-55.57	-13	42.57	Pass	9701
1000	3000	1	RMS	2968	-45.66	-13	32.66	Pass	2001
3000	3440	1	RMS	3409	-41.41	-13	28.41	Pass	441
3440	3560	1	RMS	3533	12.13	60	47.87	Pass	401
3560	7000	1	RMS	3560	-32	-13	19	Pass	3441
7000	26500	1	RMS	25472	-45.96	-13	32.96	Pass	19503




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	1.58	-66.58	-13	53.58	Pass	2986
30	1000	0.1	RMS	927.652	-56.4	-13	43.4	Pass	9701
1000	3000	1	RMS	2968	-45.47	-13	32.47	Pass	2001
3000	3440	1	RMS	3412	-41.55	-13	28.55	Pass	441
3440	3560	1	RMS	3530.9	23.66	60	36.34	Pass	401
3560	7000	1	RMS	3562	-42.43	-13	29.43	Pass	3441
7000	26500	1	RMS	26233	-45.51	-13	32.51	Pass	19503




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.68	-13	57.68	Pass	401
0.15	30	0.01	RMS	21.4	-65.82	-13	52.82	Pass	2986
30	1000	0.1	RMS	744.9	-57.25	-13	44.25	Pass	9701
1000	3000	1	RMS	2924	-45.6	-13	32.6	Pass	2001
3000	3440	1	RMS	3427	-41.58	-13	28.58	Pass	441
3440	3560	1	RMS	3548.9	23.44	60	36.56	Pass	401
3560	7000	1	RMS	3564	-34.84	-13	21.84	Pass	3441
7000	26500	1	RMS	25804	-45.57	-13	32.57	Pass	19503




5.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	15.01	-66.05	-13	53.05	Pass	2986
30	1000	0.1	RMS	991.394	-56.48	-13	43.48	Pass	9701
1000	3000	1	RMS	2989	-45.45	-13	32.45	Pass	2001
3000	3440	1	RMS	3440	-30.68	-13	17.68	Pass	441
3440	3560	1	RMS	3452.9	8.78	60	51.22	Pass	401
3560	7000	1	RMS	3563	-53.15	-13	40.15	Pass	3441
7000	26500	1	RMS	25399	-45.18	-13	32.18	Pass	19503




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	5.95	-66.68	-13	53.68	Pass	2986
30	1000	0.1	RMS	866.512	-55.71	-13	42.71	Pass	9701
1000	3000	1	RMS	2958	-45.5	-13	32.5	Pass	2001
3000	3440	1	RMS	3440	-38.02	-13	25.02	Pass	441
3440	3560	1	RMS	3451.4	24.43	60	35.57	Pass	401
3560	7000	1	RMS	6903	-55.54	-13	42.54	Pass	3441
7000	26500	1	RMS	25103	-45.6	-13	32.6	Pass	19503




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	27.05	-64.73	-13	51.73	Pass	2986
30	1000	0.1	RMS	478.3	-56.95	-13	43.95	Pass	9701
1000	3000	1	RMS	2970	-45.64	-13	32.64	Pass	2001
3000	3440	1	RMS	3404	-41.29	-13	28.29	Pass	441
3440	3560	1	RMS	3498.8	23.89	60	36.11	Pass	401
3560	7000	1	RMS	3563	-54.09	-13	41.09	Pass	3441
7000	26500	1	RMS	24130	-45.49	-13	32.49	Pass	19503




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	26.94	-65.76	-13	52.76	Pass	2986
30	1000	0.1	RMS	925.851	-55.84	-13	42.84	Pass	9701
1000	3000	1	RMS	2963	-45.21	-13	32.21	Pass	2001
3000	3440	1	RMS	3440	-37.86	-13	24.86	Pass	441
3440	3560	1	RMS	3477.8	8.56	60	51.44	Pass	401
3560	7000	1	RMS	3560	-41.07	-13	28.07	Pass	3441
7000	26500	1	RMS	24203	-45.77	-13	32.77	Pass	19503




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	6	-66.1	-13	53.1	Pass	2986
30	1000	0.1	RMS	488.9	-55.76	-13	42.76	Pass	9701
1000	3000	1	RMS	2925	-45.37	-13	32.37	Pass	2001
3000	3440	1	RMS	3429	-40.1	-13	27.1	Pass	441
3440	3560	1	RMS	3476.3	24.16	60	35.84	Pass	401
3560	7000	1	RMS	3571	-55.43	-13	42.43	Pass	3441
7000	26500	1	RMS	25471	-45.57	-13	32.57	Pass	19503




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	29.58	-66.6	-13	53.6	Pass	2986
30	1000	0.1	RMS	381.1	-56.48	-13	43.48	Pass	9701
1000	3000	1	RMS	2966	-45.21	-13	32.21	Pass	2001
3000	3440	1	RMS	3428	-41.35	-13	28.35	Pass	441
3440	3560	1	RMS	3523.7	23.69	60	36.31	Pass	401
3560	7000	1	RMS	3560	-47.93	-13	34.93	Pass	3441
7000	26500	1	RMS	24102	-45.6	-13	32.6	Pass	19503




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.88	-13	56.88	Pass	401
0.15	30	0.01	RMS	6.45	-66.36	-13	53.36	Pass	2986
30	1000	0.1	RMS	745.1	-56.65	-13	43.65	Pass	9701
1000	3000	1	RMS	2969	-45.35	-13	32.35	Pass	2001
3000	3440	1	RMS	3437	-41.33	-13	28.33	Pass	441
3440	3560	1	RMS	3503.6	8.11	60	51.89	Pass	401
3560	7000	1	RMS	3560	-32.14	-13	19.14	Pass	3441
7000	26500	1	RMS	25127	-45.32	-13	32.32	Pass	19503




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	28.63	-64.84	-13	51.84	Pass	2986
30	1000	0.1	RMS	870.914	-56.39	-13	43.39	Pass	9701
1000	3000	1	RMS	2967	-45.54	-13	32.54	Pass	2001
3000	3440	1	RMS	3430	-41.46	-13	28.46	Pass	441
3440	3560	1	RMS	3501.2	23.89	60	36.11	Pass	401
3560	7000	1	RMS	3560	-52.62	-13	39.62	Pass	3441
7000	26500	1	RMS	25029	-46.08	-13	33.08	Pass	19503




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	4.73	-65.63	-13	52.63	Pass	2986
30	1000	0.1	RMS	899.934	-56.62	-13	43.62	Pass	9701
1000	3000	1	RMS	2967	-45.47	-13	32.47	Pass	2001
3000	3440	1	RMS	3410	-41.56	-13	28.56	Pass	441
3440	3560	1	RMS	3548.6	23.05	60	36.95	Pass	401
3560	7000	1	RMS	3563	-38.89	-13	25.89	Pass	3441
7000	26500	1	RMS	25446	-45.71	-13	32.71	Pass	19503




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.15	-13	57.15	Pass	401
0.15	30	0.01	RMS	0.58	-66.17	-13	53.17	Pass	2986
30	1000	0.1	RMS	899.233	-56.22	-13	43.22	Pass	9701
1000	3000	1	RMS	2931	-45.44	-13	32.44	Pass	2001
3000	3440	1	RMS	3439	-32.45	-13	19.45	Pass	441
3440	3560	1	RMS	3454.1	5.65	60	54.35	Pass	401
3560	7000	1	RMS	3560	-34.84	-13	21.84	Pass	3441
7000	26500	1	RMS	25738	-45.28	-13	32.28	Pass	19503




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	3.52	-66.99	-13	53.99	Pass	2986
30	1000	0.1	RMS	876.918	-56.25	-13	43.25	Pass	9701
1000	3000	1	RMS	2980	-45.35	-13	32.35	Pass	2001
3000	3440	1	RMS	3440	-38.82	-13	25.82	Pass	441
3440	3560	1	RMS	3451.1	24.38	60	35.62	Pass	401
3560	7000	1	RMS	3598	-53.61	-13	40.61	Pass	3441
7000	26500	1	RMS	25403	-45.32	-13	32.32	Pass	19503



5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	25.32	-66.48	-13	53.48	Pass	2986
30	1000	0.1	RMS	978.386	-56.31	-13	43.31	Pass	9701
1000	3000	1	RMS	2975	-45.07	-13	32.07	Pass	2001
3000	3440	1	RMS	3404	-41.21	-13	28.21	Pass	441
3440	3560	1	RMS	3548.9	23.21	60	36.79	Pass	401
3560	7000	1	RMS	3563	-43.83	-13	30.83	Pass	3441
7000	26500	1	RMS	26038	-45.24	-13	32.24	Pass	19503



6. n78 30kHz(3700-3800)


6.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	17.71	-65.14	-13	52.14	Pass	2986
30	1000	0.1	RMS	728.8	-56.68	-13	43.68	Pass	9701
1000	3000	1	RMS	2975	-45.2	-13	32.2	Pass	2001
3000	3690	1	RMS	3690	-35.25	-13	22.25	Pass	691
3690	3810	1	RMS	3703.5	12	60	48	Pass	401
3810	7000	1	RMS	6972	-56.9	-13	43.9	Pass	3191
7000	26500	1	RMS	25409	-45.85	-13	32.85	Pass	19503




6.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	2.56	-65.97	-13	52.97	Pass	2986
30	1000	0.1	RMS	644.1	-56.84	-13	43.84	Pass	9701
1000	3000	1	RMS	2972	-45.35	-13	32.35	Pass	2001
3000	3690	1	RMS	3690	-35.52	-13	22.52	Pass	691
3690	3810	1	RMS	3701.1	23.4	60	36.6	Pass	401
3810	7000	1	RMS	4008	-56.84	-13	43.84	Pass	3191
7000	26500	1	RMS	25103	-45.46	-13	32.46	Pass	19503




6.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.49	-66.65	-13	53.65	Pass	2986
30	1000	0.1	RMS	979.887	-56.98	-13	43.98	Pass	9701
1000	3000	1	RMS	2972	-45.28	-13	32.28	Pass	2001
3000	3690	1	RMS	3423	-41.6	-13	28.6	Pass	691
3690	3810	1	RMS	3719.1	23.08	60	36.92	Pass	401
3810	7000	1	RMS	3816	-57.33	-13	44.33	Pass	3191
7000	26500	1	RMS	24090	-45.7	-13	32.7	Pass	19503




6.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	5.07	-64.65	-13	51.65	Pass	2986
30	1000	0.1	RMS	858.306	-56.73	-13	43.73	Pass	9701
1000	3000	1	RMS	2943	-45.45	-13	32.45	Pass	2001
3000	3690	1	RMS	3396	-41.39	-13	28.39	Pass	691
3690	3810	1	RMS	3743.1	11.74	60	48.26	Pass	401
3810	7000	1	RMS	3810	-49.25	-13	36.25	Pass	3191
7000	26500	1	RMS	24094	-46.21	-13	33.21	Pass	19503




6.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	27.19	-66.72	-13	53.72	Pass	2986
30	1000	0.1	RMS	594.6	-56.83	-13	43.83	Pass	9701
1000	3000	1	RMS	2959	-45.52	-13	32.52	Pass	2001
3000	3690	1	RMS	3411	-41.45	-13	28.45	Pass	691
3690	3810	1	RMS	3741	23.4	60	36.6	Pass	401
3810	7000	1	RMS	3816	-52.4	-13	39.4	Pass	3191
7000	26500	1	RMS	25097	-45.51	-13	32.51	Pass	19503




6.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	8.57	-67.08	-13	54.08	Pass	2986
30	1000	0.1	RMS	977.185	-56.78	-13	43.78	Pass	9701
1000	3000	1	RMS	2971	-45.39	-13	32.39	Pass	2001
3000	3690	1	RMS	3425	-41.42	-13	28.42	Pass	691
3690	3810	1	RMS	3759	23.2	60	36.8	Pass	401
3810	7000	1	RMS	3811	-49.1	-13	36.1	Pass	3191
7000	26500	1	RMS	25680	-45.84	-13	32.84	Pass	19503




6.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	1.49	-65.51	-13	52.51	Pass	2986
30	1000	0.1	RMS	936.058	-56.43	-13	43.43	Pass	9701
1000	3000	1	RMS	2973	-45.46	-13	32.46	Pass	2001
3000	3690	1	RMS	3398	-41.68	-13	28.68	Pass	691
3690	3810	1	RMS	3797.1	11.96	60	48.04	Pass	401
3810	7000	1	RMS	3811	-34.36	-13	21.36	Pass	3191
7000	26500	1	RMS	25130	-45.87	-13	32.87	Pass	19503




6.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	21.64	-66.31	-13	53.31	Pass	2986
30	1000	0.1	RMS	869.013	-56.67	-13	43.67	Pass	9701
1000	3000	1	RMS	2935	-45.58	-13	32.58	Pass	2001
3000	3690	1	RMS	3419	-41.48	-13	28.48	Pass	691
3690	3810	1	RMS	3780.9	23.58	60	36.42	Pass	401
3810	7000	1	RMS	3814	-43.37	-13	30.37	Pass	3191
7000	26500	1	RMS	25107	-45.95	-13	32.95	Pass	19503




6.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	1.34	-66.39	-13	53.39	Pass	2986
30	1000	0.1	RMS	911.641	-55.65	-13	42.65	Pass	9701
1000	3000	1	RMS	2971	-45.4	-13	32.4	Pass	2001
3000	3690	1	RMS	3402	-41.58	-13	28.58	Pass	691
3690	3810	1	RMS	3798.9	23.59	60	36.41	Pass	401
3810	7000	1	RMS	3811	-33.95	-13	20.95	Pass	3191
7000	26500	1	RMS	25695	-45.92	-13	32.92	Pass	19503




6.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	7.41	-66.91	-13	53.91	Pass	2986
30	1000	0.1	RMS	714.1	-56.42	-13	43.42	Pass	9701
1000	3000	1	RMS	2945	-45.42	-13	32.42	Pass	2001
3000	3690	1	RMS	3689	-35.43	-13	22.43	Pass	691
3690	3810	1	RMS	3711	7.26	60	52.74	Pass	401
3810	7000	1	RMS	3811	-51.52	-13	38.52	Pass	3191
7000	26500	1	RMS	25679	-45.47	-13	32.47	Pass	19503




6.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	18.51	-66.88	-13	53.88	Pass	2986
30	1000	0.1	RMS	845	-56.47	-13	43.47	Pass	9701
1000	3000	1	RMS	2980	-45.23	-13	32.23	Pass	2001
3000	3690	1	RMS	3689	-37.13	-13	24.13	Pass	691
3690	3810	1	RMS	3701.1	22.75	60	37.25	Pass	401
3810	7000	1	RMS	6988	-57.55	-13	44.55	Pass	3191
7000	26500	1	RMS	25056	-45.19	-13	32.19	Pass	19503




6.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	26.52	-66.76	-13	53.76	Pass	2986
30	1000	0.1	RMS	483.1	-56.38	-13	43.38	Pass	9701
1000	3000	1	RMS	2978	-45.43	-13	32.43	Pass	2001
3000	3690	1	RMS	3409	-41.46	-13	28.46	Pass	691
3690	3810	1	RMS	3748.8	23.03	60	36.97	Pass	401
3810	7000	1	RMS	3813	-53.02	-13	40.02	Pass	3191
7000	26500	1	RMS	24153	-45.54	-13	32.54	Pass	19503




6.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	2.41	-65.99	-13	52.99	Pass	2986
30	1000	0.1	RMS	990.594	-56.55	-13	43.55	Pass	9701
1000	3000	1	RMS	2969	-45.55	-13	32.55	Pass	2001
3000	3690	1	RMS	3688	-41.42	-13	28.42	Pass	691
3690	3810	1	RMS	3737.7	7.47	60	52.53	Pass	401
3810	7000	1	RMS	3812	-43.12	-13	30.12	Pass	3191
7000	26500	1	RMS	25088	-45.08	-13	32.08	Pass	19503




6.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	17.43	-66.61	-13	53.61	Pass	2986
30	1000	0.1	RMS	647.8	-56.79	-13	43.79	Pass	9701
1000	3000	1	RMS	2991	-45.56	-13	32.56	Pass	2001
3000	3690	1	RMS	3413	-41.47	-13	28.47	Pass	691
3690	3810	1	RMS	3726.3	22.8	60	37.2	Pass	401
3810	7000	1	RMS	3821	-53.03	-13	40.03	Pass	3191
7000	26500	1	RMS	24940	-45.85	-13	32.85	Pass	19503




6.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	18.39	-67.7	-13	54.7	Pass	2986
30	1000	0.1	RMS	923.249	-55.42	-13	42.42	Pass	9701
1000	3000	1	RMS	2984	-45.42	-13	32.42	Pass	2001
3000	3690	1	RMS	3412	-41.45	-13	28.45	Pass	691
3690	3810	1	RMS	3773.7	23.18	60	36.82	Pass	401
3810	7000	1	RMS	3810	-48.1	-13	35.1	Pass	3191
7000	26500	1	RMS	24160	-45.59	-13	32.59	Pass	19503



6.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	22.27	-66.64	-13	53.64	Pass	2986
30	1000	0.1	RMS	870.514	-56.32	-13	43.32	Pass	9701
1000	3000	1	RMS	2938	-45.55	-13	32.55	Pass	2001
3000	3690	1	RMS	3432	-41.46	-13	28.46	Pass	691
3690	3810	1	RMS	3787.8	7.75	60	52.25	Pass	401
3810	7000	1	RMS	3810	-35.93	-13	22.93	Pass	3191
7000	26500	1	RMS	25096	-45.6	-13	32.6	Pass	19503



6.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	19.32	-66.83	-13	53.83	Pass	2986
30	1000	0.1	RMS	986.491	-56.28	-13	43.28	Pass	9701
1000	3000	1	RMS	2983	-45.49	-13	32.49	Pass	2001
3000	3690	1	RMS	3412	-41.48	-13	28.48	Pass	691
3690	3810	1	RMS	3751.2	23.16	60	36.84	Pass	401
3810	7000	1	RMS	3846	-52.69	-13	39.69	Pass	3191
7000	26500	1	RMS	25105	-45.48	-13	32.48	Pass	19503

