

		256QAM	50	25	18.98	0.095	2.000	Pass
			1	1	18.31	0.081	2.000	Pass
			1	104	17.64	0.070	2.000	Pass
	MCH	QPSK	50	25	22.81	0.229	2.000	Pass
			1	1	21.37	0.164	2.000	Pass
			1	104	23.11	0.245	2.000	Pass
		16QAM	50	25	21.88	0.185	2.000	Pass
			1	1	20.39	0.131	2.000	Pass
			1	104	21.96	0.188	2.000	Pass
		64QAM	50	25	20.57	0.137	2.000	Pass
			1	1	19.16	0.099	2.000	Pass
			1	104	20.85	0.146	2.000	Pass
		256QAM	50	25	18.61	0.087	2.000	Pass
			1	1	17.23	0.063	2.000	Pass
			1	104	18.16	0.079	2.000	Pass
	HCH	QPSK	50	25	22.7	0.223	2.000	Pass
			1	1	22.85	0.231	2.000	Pass
			1	104	23.22	0.252	2.000	Pass
		16QAM	50	25	21.8	0.182	2.000	Pass
			1	1	21.92	0.187	2.000	Pass
			1	104	21.98	0.189	2.000	Pass
		64QAM	50	25	20.52	0.135	2.000	Pass
			1	1	20.78	0.144	2.000	Pass
			1	104	20.85	0.146	2.000	Pass
		256QAM	50	25	18.86	0.092	2.000	Pass
			1	1	18.37	0.082	2.000	Pass
			1	104	18.32	0.081	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12								
5 MHz	LCH	QPSK	12	6	23.27	0.055	3.000	Pass
			1	1	23.37	0.057	3.000	Pass
			1	23	23.27	0.055	3.000	Pass
		16QAM	12	6	22.36	0.045	3.000	Pass
			1	1	22.4	0.045	3.000	Pass
			1	23	22.23	0.044	3.000	Pass
		64QAM	12	6	20.89	0.032	3.000	Pass
			1	1	21.01	0.033	3.000	Pass
			1	23	20.99	0.033	3.000	Pass
		256QAM	12	6	18.82	0.020	3.000	Pass
			1	1	18.27	0.017	3.000	Pass
			1	23	18.2	0.017	3.000	Pass
	MCH	QPSK	12	6	23.17	0.054	3.000	Pass
			1	1	23.2	0.054	3.000	Pass
			1	23	23.17	0.054	3.000	Pass
		16QAM	12	6	22.19	0.043	3.000	Pass
			1	1	22.39	0.045	3.000	Pass
			1	23	22.34	0.045	3.000	Pass
		64QAM	12	6	20.78	0.031	3.000	Pass
			1	1	20.38	0.028	3.000	Pass
			1	23	20.28	0.028	3.000	Pass
		256QAM	12	6	18.66	0.019	3.000	Pass
			1	1	18.15	0.017	3.000	Pass
			1	23	18.06	0.017	3.000	Pass
	HCH	QPSK	12	6	23.06	0.053	3.000	Pass
			1	1	23.14	0.054	3.000	Pass
			1	23	23.08	0.053	3.000	Pass
		16QAM	12	6	22.07	0.042	3.000	Pass
			1	1	22.24	0.044	3.000	Pass
			1	23	22.19	0.043	3.000	Pass
		64QAM	12	6	20.65	0.030	3.000	Pass
			1	1	20.26	0.028	3.000	Pass
			1	23	20.19	0.027	3.000	Pass
		256QAM	12	6	18.5	0.018	3.000	Pass
			1	1	18.02	0.017	3.000	Pass
			1	23	17.96	0.016	3.000	Pass
10 MHz	LCH	QPSK	25	12	23.29	0.056	3.000	Pass
			1	1	23.41	0.057	3.000	Pass

		16QAM	1	50	23.17	0.054	3.000	Pass
			25	12	22.12	0.042	3.000	Pass
			1	1	22.62	0.048	3.000	Pass
		64QAM	1	50	22.32	0.044	3.000	Pass
			25	12	20.8	0.031	3.000	Pass
			1	1	20.53	0.029	3.000	Pass
		256QAM	1	50	20.33	0.028	3.000	Pass
			25	12	18.76	0.020	3.000	Pass
			1	1	18.2	0.017	3.000	Pass
		MCH	1	50	18.16	0.017	3.000	Pass
			25	12	23.23	0.055	3.000	Pass
			1	1	23.38	0.057	3.000	Pass
			1	50	23.11	0.053	3.000	Pass
			25	12	22.14	0.043	3.000	Pass
			1	1	22.43	0.046	3.000	Pass
			1	50	22.19	0.043	3.000	Pass
			25	12	20.78	0.031	3.000	Pass
			1	1	20.39	0.029	3.000	Pass
			1	50	20.18	0.027	3.000	Pass
	HCH	QPSK	25	12	23.12	0.053	3.000	Pass
			1	1	23.19	0.054	3.000	Pass
			1	50	22.97	0.052	3.000	Pass
		16QAM	25	12	22.08	0.042	3.000	Pass
			1	1	22.44	0.046	3.000	Pass
			1	50	22.27	0.044	3.000	Pass
		64QAM	25	12	20.7	0.031	3.000	Pass
			1	1	20.33	0.028	3.000	Pass
			1	50	20.2	0.027	3.000	Pass
		256QAM	25	12	18.55	0.019	3.000	Pass
			1	1	18.05	0.017	3.000	Pass
			1	50	18.03	0.017	3.000	Pass
15 MHz	LCH	QPSK	36	18	23.32	0.056	3.000	Pass
			1	1	23.31	0.056	3.000	Pass
			1	77	23.01	0.052	3.000	Pass
		16QAM	36	18	22.14	0.043	3.000	Pass
			1	1	22.51	0.046	3.000	Pass
			1	77	22.21	0.043	3.000	Pass
		64QAM	36	18	20.64	0.030	3.000	Pass
			1	1	20.45	0.029	3.000	Pass
			1	77	20.14	0.027	3.000	Pass

		256QAM	36	18	18.57	0.019	3.000	Pass
			1	1	18.24	0.017	3.000	Pass
			1	77	18.05	0.017	3.000	Pass
	MCH	QPSK	36	18	23.18	0.054	3.000	Pass
			1	1	23.35	0.056	3.000	Pass
			1	77	23.01	0.052	3.000	Pass
		16QAM	36	18	22.11	0.042	3.000	Pass
			1	1	22.47	0.046	3.000	Pass
			1	77	22.15	0.043	3.000	Pass
		64QAM	36	18	20.6	0.030	3.000	Pass
			1	1	20.4	0.029	3.000	Pass
			1	77	20.11	0.027	3.000	Pass
		256QAM	36	18	18.56	0.019	3.000	Pass
			1	1	18.19	0.017	3.000	Pass
			1	77	18	0.016	3.000	Pass
	HCH	QPSK	36	18	23.23	0.055	3.000	Pass
			1	1	23.28	0.055	3.000	Pass
			1	77	22.99	0.052	3.000	Pass
		16QAM	36	18	22.11	0.042	3.000	Pass
			1	1	22.49	0.046	3.000	Pass
			1	77	22.12	0.042	3.000	Pass
		64QAM	36	18	20.61	0.030	3.000	Pass
			1	1	20.38	0.028	3.000	Pass
			1	77	20.11	0.027	3.000	Pass
		256QAM	36	18	18.46	0.018	3.000	Pass
			1	1	18.17	0.017	3.000	Pass
			1	77	17.98	0.016	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n13								
5 MHz	LCH	QPSK	12	6	22.78	0.047	3.000	Pass
			1	1	22.79	0.047	3.000	Pass
			1	23	22.81	0.047	3.000	Pass
		16QAM	12	6	21.91	0.038	3.000	Pass
			1	1	21.82	0.037	3.000	Pass
			1	23	21.78	0.037	3.000	Pass
		64QAM	12	6	20.38	0.027	3.000	Pass
			1	1	20.53	0.028	3.000	Pass
			1	23	20.38	0.027	3.000	Pass
		256QAM	12	6	18.32	0.017	3.000	Pass
			1	1	17.77	0.015	3.000	Pass
			1	23	17.71	0.015	3.000	Pass
	MCH	QPSK	12	6	22.77	0.047	3.000	Pass
			1	1	22.7	0.046	3.000	Pass
			1	23	22.76	0.046	3.000	Pass
		16QAM	12	6	21.86	0.038	3.000	Pass
			1	1	21.68	0.036	3.000	Pass
			1	23	21.75	0.037	3.000	Pass
		64QAM	12	6	20.39	0.027	3.000	Pass
			1	1	20.4	0.027	3.000	Pass
			1	23	20.42	0.027	3.000	Pass
		256QAM	12	6	18.25	0.016	3.000	Pass
			1	1	17.69	0.014	3.000	Pass
			1	23	17.8	0.015	3.000	Pass
	HCH	QPSK	12	6	22.73	0.046	3.000	Pass
			1	1	22.81	0.047	3.000	Pass
			1	23	22.7	0.046	3.000	Pass
		16QAM	12	6	21.82	0.037	3.000	Pass
			1	1	21.77	0.037	3.000	Pass
			1	23	21.74	0.037	3.000	Pass
		64QAM	12	6	20.31	0.026	3.000	Pass
			1	1	20.43	0.027	3.000	Pass
			1	23	20.35	0.027	3.000	Pass
		256QAM	12	6	18.19	0.016	3.000	Pass
			1	1	17.76	0.015	3.000	Pass
			1	23	17.71	0.015	3.000	Pass
10 MHz	MCH	QPSK	25	12	22.78	0.047	3.000	Pass
			1	1	22.81	0.047	3.000	Pass

			1	50	22.77	0.047	3.000	Pass
		16QAM	25	12	21.87	0.038	3.000	Pass
			1	1	21.78	0.037	3.000	Pass
			1	50	21.79	0.037	3.000	Pass
		64QAM	25	12	20.35	0.027	3.000	Pass
			1	1	20.47	0.027	3.000	Pass
			1	50	20.43	0.027	3.000	Pass
		256QAM	25	12	18.22	0.016	3.000	Pass
			1	1	17.73	0.015	3.000	Pass
			1	50	17.81	0.015	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n14								
5 MHz	LCH	QPSK	12	6	24.76	0.070	3.000	Pass
			1	1	24.92	0.072	3.000	Pass
			1	23	24.81	0.070	3.000	Pass
		16QAM	12	6	23.74	0.055	3.000	Pass
			1	1	24.04	0.059	3.000	Pass
			1	23	23.91	0.057	3.000	Pass
		64QAM	12	6	22.23	0.039	3.000	Pass
			1	1	22.45	0.041	3.000	Pass
			1	23	22.36	0.040	3.000	Pass
		256QAM	12	6	20.23	0.024	3.000	Pass
			1	1	20.18	0.024	3.000	Pass
			1	23	20.19	0.024	3.000	Pass
	MCH	QPSK	12	6	24.76	0.070	3.000	Pass
			1	1	24.89	0.072	3.000	Pass
			1	23	24.79	0.070	3.000	Pass
		16QAM	12	6	23.7	0.054	3.000	Pass
			1	1	23.98	0.058	3.000	Pass
			1	23	23.92	0.057	3.000	Pass
		64QAM	12	6	22.23	0.039	3.000	Pass
			1	1	22.43	0.041	3.000	Pass
			1	23	22.31	0.040	3.000	Pass
		256QAM	12	6	20.21	0.024	3.000	Pass
			1	1	20.16	0.024	3.000	Pass
			1	23	20.12	0.024	3.000	Pass
	HCH	QPSK	12	6	24.71	0.069	3.000	Pass
			1	1	24.87	0.071	3.000	Pass
			1	23	24.61	0.067	3.000	Pass
		16QAM	12	6	23.69	0.054	3.000	Pass
			1	1	23.94	0.058	3.000	Pass
			1	23	23.78	0.055	3.000	Pass
		64QAM	12	6	22.18	0.038	3.000	Pass
			1	1	22.38	0.040	3.000	Pass
			1	23	22.19	0.038	3.000	Pass
		256QAM	12	6	20.17	0.024	3.000	Pass
			1	1	20.12	0.024	3.000	Pass
			1	23	19.99	0.023	3.000	Pass
10 MHz	MCH	QPSK	25	12	24.78	0.070	3.000	Pass
			1	1	25.06	0.074	3.000	Pass

			1	50	24.86	0.071	3.000	Pass
		16QAM	25	12	23.79	0.056	3.000	Pass
			1	1	24.02	0.059	3.000	Pass
			1	50	23.83	0.056	3.000	Pass
			1	50	23.83	0.056	3.000	Pass
		64QAM	25	12	22.26	0.039	3.000	Pass
			1	1	22.43	0.041	3.000	Pass
			1	50	22.27	0.039	3.000	Pass
			1	50	22.27	0.039	3.000	Pass
		256QAM	25	12	20.28	0.025	3.000	Pass
			1	1	20.05	0.023	3.000	Pass
			1	50	20.16	0.024	3.000	Pass
			1	50	20.16	0.024	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25								
5 MHz	LCH	QPSK	12	6	23.25	0.266	2.000	Pass
			1	1	23.43	0.277	2.000	Pass
			1	23	23.43	0.277	2.000	Pass
		16QAM	12	6	22.28	0.213	2.000	Pass
			1	1	22.51	0.224	2.000	Pass
			1	23	22.55	0.226	2.000	Pass
		64QAM	12	6	20.77	0.150	2.000	Pass
			1	1	20.93	0.156	2.000	Pass
			1	23	20.97	0.157	2.000	Pass
		256QAM	12	6	18.69	0.093	2.000	Pass
			1	1	18.77	0.095	2.000	Pass
			1	23	18.74	0.094	2.000	Pass
	MCH	QPSK	12	6	23.28	0.268	2.000	Pass
			1	1	23.51	0.282	2.000	Pass
			1	23	23.43	0.277	2.000	Pass
		16QAM	12	6	22.28	0.213	2.000	Pass
			1	1	22.52	0.225	2.000	Pass
			1	23	13.55	0.029	2.000	Pass
		64QAM	12	6	20.77	0.150	2.000	Pass
			1	1	20.99	0.158	2.000	Pass
			1	23	21	0.158	2.000	Pass
		256QAM	12	6	18.74	0.094	2.000	Pass
			1	1	18.78	0.095	2.000	Pass
			1	23	18.79	0.095	2.000	Pass
	HCH	QPSK	12	6	23.33	0.271	2.000	Pass
			1	1	23.43	0.277	2.000	Pass
			1	23	23.45	0.279	2.000	Pass
		16QAM	12	6	22.29	0.213	2.000	Pass
			1	1	22.54	0.226	2.000	Pass
			1	23	22.5	0.224	2.000	Pass
		64QAM	12	6	20.8	0.151	2.000	Pass
			1	1	20.93	0.156	2.000	Pass
			1	23	20.96	0.157	2.000	Pass
		256QAM	12	6	18.85	0.097	2.000	Pass
			1	1	18.68	0.093	2.000	Pass
			1	23	18.58	0.091	2.000	Pass
15 MHz	LCH	QPSK	36	18	23.37	0.274	2.000	Pass
			1	1	23.32	0.270	2.000	Pass

		16QAM	1	77	23.28	0.268	2.000	Pass
			36	18	22.33	0.215	2.000	Pass
			1	1	22.37	0.217	2.000	Pass
		64QAM	1	77	22.32	0.215	2.000	Pass
			36	18	20.74	0.149	2.000	Pass
			1	1	20.82	0.152	2.000	Pass
		256QAM	1	77	20.81	0.152	2.000	Pass
			36	18	18.8	0.095	2.000	Pass
			1	1	18.63	0.092	2.000	Pass
		MCH	1	77	18.65	0.092	2.000	Pass
			36	18	23.39	0.275	2.000	Pass
			1	1	23.47	0.280	2.000	Pass
			1	77	23.43	0.277	2.000	Pass
			36	18	22.49	0.223	2.000	Pass
			1	1	22.43	0.220	2.000	Pass
			1	77	22.47	0.222	2.000	Pass
			36	18	20.88	0.154	2.000	Pass
			1	1	20.86	0.153	2.000	Pass
			1	77	20.89	0.155	2.000	Pass
	HCH	QPSK	36	18	23.33	0.271	2.000	Pass
			1	1	23.36	0.273	2.000	Pass
			1	77	23.28	0.268	2.000	Pass
		16QAM	36	18	22.41	0.219	2.000	Pass
			1	1	22.38	0.218	2.000	Pass
			1	77	22.3	0.214	2.000	Pass
		64QAM	36	18	20.81	0.152	2.000	Pass
			1	1	20.83	0.152	2.000	Pass
			1	77	20.75	0.150	2.000	Pass
		256QAM	36	18	18.8	0.095	2.000	Pass
			1	1	18.74	0.094	2.000	Pass
			1	77	18.65	0.092	2.000	Pass
20 MHz	LCH	QPSK	50	25	23.46	0.279	2.000	Pass
			1	1	23.37	0.274	2.000	Pass
			1	104	23.28	0.268	2.000	Pass
		16QAM	50	25	22.35	0.216	2.000	Pass
			1	1	22.36	0.217	2.000	Pass
			1	104	22.29	0.213	2.000	Pass
		64QAM	50	25	20.84	0.153	2.000	Pass
			1	1	20.81	0.152	2.000	Pass
			1	104	20.76	0.150	2.000	Pass

		256QAM	50	25	18.91	0.098	2.000	Pass
			1	1	18.76	0.095	2.000	Pass
			1	104	18.72	0.094	2.000	Pass
	MCH	QPSK	50	25	23.42	0.277	2.000	Pass
			1	1	23.17	0.261	2.000	Pass
			1	104	23.24	0.265	2.000	Pass
		16QAM	50	25	22.44	0.221	2.000	Pass
			1	1	22.38	0.218	2.000	Pass
			1	104	22.44	0.221	2.000	Pass
		64QAM	50	25	20.92	0.156	2.000	Pass
			1	1	20.71	0.148	2.000	Pass
			1	104	20.69	0.148	2.000	Pass
		256QAM	50	25	18.88	0.097	2.000	Pass
			1	1	18.85	0.097	2.000	Pass
			1	104	18.82	0.096	2.000	Pass
	HCH	QPSK	50	25	23.36	0.273	2.000	Pass
			1	1	23.28	0.268	2.000	Pass
			1	104	23.29	0.269	2.000	Pass
		16QAM	50	25	22.37	0.217	2.000	Pass
			1	1	22.38	0.218	2.000	Pass
			1	104	22.32	0.215	2.000	Pass
		64QAM	50	25	20.85	0.153	2.000	Pass
			1	1	20.83	0.152	2.000	Pass
			1	104	20.78	0.151	2.000	Pass
		256QAM	50	25	18.82	0.096	2.000	Pass
			1	1	18.73	0.094	2.000	Pass
			1	104	18.72	0.094	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n26 (Part22)								
5 MHz	LCH	QPSK	12	6	22.64	0.063	7.000	Pass
			1	1	22.67	0.064	7.000	Pass
			1	23	22.67	0.064	7.000	Pass
		16QAM	12	6	21.58	0.050	7.000	Pass
			1	1	21.79	0.052	7.000	Pass
			1	23	21.81	0.052	7.000	Pass
		64QAM	12	6	20.09	0.035	7.000	Pass
			1	1	20.17	0.036	7.000	Pass
			1	23	20.2	0.036	7.000	Pass
		256QAM	12	6	18.09	0.022	7.000	Pass
			1	1	17.98	0.022	7.000	Pass
			1	23	18.02	0.022	7.000	Pass
	MCH	QPSK	12	6	22.57	0.062	7.000	Pass
			1	1	22.66	0.064	7.000	Pass
			1	23	22.63	0.063	7.000	Pass
		16QAM	12	6	21.57	0.050	7.000	Pass
			1	1	21.79	0.052	7.000	Pass
			1	23	21.7	0.051	7.000	Pass
		64QAM	12	6	20.07	0.035	7.000	Pass
			1	1	20.18	0.036	7.000	Pass
			1	23	20.16	0.036	7.000	Pass
		256QAM	12	6	18.01	0.022	7.000	Pass
			1	1	17.99	0.022	7.000	Pass
			1	23	17.96	0.022	7.000	Pass
	HCH	QPSK	12	6	22.49	0.061	7.000	Pass
			1	1	22.67	0.064	7.000	Pass
			1	23	22.59	0.063	7.000	Pass
		16QAM	12	6	21.49	0.049	7.000	Pass
			1	1	21.72	0.051	7.000	Pass
			1	23	21.67	0.051	7.000	Pass
		64QAM	12	6	19.97	0.034	7.000	Pass
			1	1	20.19	0.036	7.000	Pass
			1	23	20.13	0.036	7.000	Pass
		256QAM	12	6	17.98	0.022	7.000	Pass
			1	1	17.91	0.021	7.000	Pass
			1	23	17.83	0.021	7.000	Pass
15 MHz	LCH	QPSK	36	18	22.59	0.063	7.000	Pass
			1	1	22.65	0.064	7.000	Pass

		16QAM	1	77	22.49	0.061	7.000	Pass
			36	18	21.69	0.051	7.000	Pass
			1	1	21.69	0.051	7.000	Pass
		64QAM	1	77	21.52	0.049	7.000	Pass
			36	18	20.11	0.035	7.000	Pass
			1	1	20.16	0.036	7.000	Pass
		256QAM	1	77	20	0.035	7.000	Pass
			36	18	18.07	0.022	7.000	Pass
			1	1	17.97	0.022	7.000	Pass
		MCH	1	77	17.93	0.021	7.000	Pass
			36	18	22.51	0.062	7.000	Pass
			1	1	22.61	0.063	7.000	Pass
			1	77	22.44	0.061	7.000	Pass
			36	18	21.61	0.050	7.000	Pass
			1	1	21.69	0.051	7.000	Pass
			1	77	21.48	0.049	7.000	Pass
			36	18	20.02	0.035	7.000	Pass
			1	1	20.16	0.036	7.000	Pass
			1	77	19.89	0.034	7.000	Pass
	HCH	QPSK	36	18	17.96	0.022	7.000	Pass
			1	1	18.02	0.022	7.000	Pass
			1	77	17.82	0.021	7.000	Pass
		16QAM	36	18	22.44	0.061	7.000	Pass
			1	1	22.54	0.062	7.000	Pass
			1	77	22.44	0.061	7.000	Pass
		64QAM	36	18	21.51	0.049	7.000	Pass
			1	1	21.64	0.050	7.000	Pass
			1	77	21.48	0.049	7.000	Pass
		256QAM	36	18	19.92	0.034	7.000	Pass
			1	1	20.05	0.035	7.000	Pass
			1	77	19.92	0.034	7.000	Pass
20 MHz	LCH	QPSK	36	18	17.89	0.021	7.000	Pass
			1	1	17.89	0.021	7.000	Pass
			1	77	17.8	0.021	7.000	Pass
		16QAM	50	25	22.59	0.063	7.000	Pass
			1	1	22.65	0.064	7.000	Pass
			1	104	22.43	0.060	7.000	Pass
		64QAM	50	25	21.58	0.050	7.000	Pass
			1	1	21.7	0.051	7.000	Pass
			1	104	21.5	0.049	7.000	Pass
			50	25	20.11	0.035	7.000	Pass
			1	1	20.13	0.036	7.000	Pass
			1	104	19.9	0.034	7.000	Pass

		256QAM	50	25	18.08	0.022	7.000	Pass
			1	1	17.96	0.022	7.000	Pass
			1	104	17.81	0.021	7.000	Pass
	MCH	QPSK	50	25	22.55	0.062	7.000	Pass
			1	1	22.58	0.063	7.000	Pass
			1	104	22.49	0.061	7.000	Pass
		16QAM	50	25	21.5	0.049	7.000	Pass
			1	1	21.63	0.050	7.000	Pass
			1	104	21.53	0.049	7.000	Pass
		64QAM	50	25	20.02	0.035	7.000	Pass
			1	1	20.04	0.035	7.000	Pass
			1	104	20.01	0.035	7.000	Pass
		256QAM	50	25	18.01	0.022	7.000	Pass
			1	1	17.85	0.021	7.000	Pass
			1	104	17.85	0.021	7.000	Pass
	HCH	QPSK	50	25	22.49	0.061	7.000	Pass
			1	1	22.61	0.063	7.000	Pass
			1	104	22.44	0.061	7.000	Pass
		16QAM	50	25	21.47	0.048	7.000	Pass
			1	1	21.66	0.051	7.000	Pass
			1	104	21.47	0.048	7.000	Pass
		64QAM	50	25	19.99	0.034	7.000	Pass
			1	1	20.16	0.036	7.000	Pass
			1	104	19.93	0.034	7.000	Pass
		256QAM	50	25	17.99	0.022	7.000	Pass
			1	1	17.94	0.021	7.000	Pass
			1	104	17.85	0.021	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n26 (Part90)								
5 MHz	LCH	QPSK	12	6	22.49	0.041	100.000	Pass
			1	1	22.63	0.042	100.000	Pass
			1	23	22.59	0.041	100.000	Pass
		16QAM	12	6	21.5	0.032	100.000	Pass
			1	1	21.73	0.034	100.000	Pass
			1	23	21.63	0.033	100.000	Pass
		64QAM	12	6	19.99	0.023	100.000	Pass
			1	1	20.2	0.024	100.000	Pass
			1	23	20.1	0.023	100.000	Pass
		256QAM	12	6	17.94	0.014	100.000	Pass
			1	1	17.98	0.014	100.000	Pass
			1	23	17.93	0.014	100.000	Pass
	MCH	QPSK	12	6	22.53	0.041	100.000	Pass
			1	1	22.59	0.041	100.000	Pass
			1	23	22.61	0.042	100.000	Pass
		16QAM	12	6	21.44	0.032	100.000	Pass
			1	1	21.64	0.033	100.000	Pass
			1	23	21.7	0.034	100.000	Pass
		64QAM	12	6	19.9	0.022	100.000	Pass
			1	1	20.1	0.023	100.000	Pass
			1	23	20.12	0.023	100.000	Pass
		256QAM	12	6	18.02	0.014	100.000	Pass
			1	1	17.87	0.014	100.000	Pass
			1	23	17.95	0.014	100.000	Pass
	HCH	QPSK	12	6	22.59	0.041	100.000	Pass
			1	1	22.75	0.043	100.000	Pass
			1	23	22.66	0.042	100.000	Pass
		16QAM	12	6	21.61	0.033	100.000	Pass
			1	1	21.84	0.035	100.000	Pass
			1	23	21.79	0.035	100.000	Pass
		64QAM	12	6	20.13	0.024	100.000	Pass
			1	1	20.25	0.024	100.000	Pass
			1	23	20.2	0.024	100.000	Pass
		256QAM	12	6	18.07	0.015	100.000	Pass
			1	1	18.06	0.015	100.000	Pass
			1	23	18	0.014	100.000	Pass
10 MHz	MCH	QPSK	25	12	22.6	0.042	100.000	Pass
			1	1	22.65	0.042	100.000	Pass

			1	50	22.66	0.042	100.000	Pass
		16QAM	25	12	21.5	0.032	100.000	Pass
			1	1	21.76	0.034	100.000	Pass
			1	50	21.76	0.034	100.000	Pass
		64QAM	25	12	19.98	0.023	100.000	Pass
			1	1	20.23	0.024	100.000	Pass
			1	50	20.17	0.024	100.000	Pass
		256QAM	25	12	17.99	0.014	100.000	Pass
			1	1	17.95	0.014	100.000	Pass
			1	50	17.95	0.014	100.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38								
20 MHz	LCH	QPSK	25	12	23.73	0.372	2.000	Pass
			1	1	23.45	0.349	2.000	Pass
			1	49	23.87	0.385	2.000	Pass
		16QAM	25	12	22.57	0.285	2.000	Pass
			1	1	22.61	0.288	2.000	Pass
			1	49	22.93	0.310	2.000	Pass
		64QAM	25	12	21.11	0.204	2.000	Pass
			1	1	21.03	0.200	2.000	Pass
			1	49	21.27	0.211	2.000	Pass
		256QAM	25	12	19.04	0.126	2.000	Pass
			1	1	18.8	0.120	2.000	Pass
			1	49	19.19	0.131	2.000	Pass
	MCH	QPSK	25	12	23.91	0.388	2.000	Pass
			1	1	23.7	0.370	2.000	Pass
			1	49	23.88	0.385	2.000	Pass
		16QAM	25	12	22.95	0.311	2.000	Pass
			1	1	22.76	0.298	2.000	Pass
			1	49	22.95	0.311	2.000	Pass
		64QAM	25	12	21.46	0.221	2.000	Pass
			1	1	21.16	0.206	2.000	Pass
			1	49	21.39	0.217	2.000	Pass
		256QAM	25	12	19.45	0.139	2.000	Pass
			1	1	19.02	0.126	2.000	Pass
			1	49	19.21	0.132	2.000	Pass
	HCH	QPSK	25	12	23.93	0.390	2.000	Pass
			1	1	23.88	0.385	2.000	Pass
			1	49	23.89	0.386	2.000	Pass
		16QAM	25	12	22.96	0.312	2.000	Pass
			1	1	23.03	0.317	2.000	Pass
			1	49	23.07	0.320	2.000	Pass
		64QAM	25	12	21.47	0.221	2.000	Pass
			1	1	21.42	0.219	2.000	Pass
			1	49	21.46	0.221	2.000	Pass
		256QAM	25	12	19.34	0.136	2.000	Pass
			1	1	19.19	0.131	2.000	Pass
			1	49	19.2	0.131	2.000	Pass
30 MHz	LCH	QPSK	36	18	23.75	0.374	2.000	Pass
			1	1	23.54	0.356	2.000	Pass

		16QAM	1	76	23.99	0.395	2.000	Pass
			36	18	22.79	0.300	2.000	Pass
			1	1	22.72	0.295	2.000	Pass
		64QAM	1	76	23.13	0.324	2.000	Pass
			36	18	21.29	0.212	2.000	Pass
			1	1	21.02	0.200	2.000	Pass
		256QAM	1	76	21.46	0.221	2.000	Pass
			36	18	19.25	0.133	2.000	Pass
			1	1	18.95	0.124	2.000	Pass
		QPSK	1	76	19.21	0.132	2.000	Pass
			36	18	23.87	0.385	2.000	Pass
			1	1	23.77	0.376	2.000	Pass
40 MHz	MCH	16QAM	1	76	24.09	0.405	2.000	Pass
			36	18	22.92	0.309	2.000	Pass
			1	1	22.81	0.301	2.000	Pass
		64QAM	1	76	23.12	0.324	2.000	Pass
			36	18	21.35	0.215	2.000	Pass
			1	1	21.26	0.211	2.000	Pass
		256QAM	1	76	21.61	0.229	2.000	Pass
			36	18	19.32	0.135	2.000	Pass
			1	1	18.97	0.124	2.000	Pass
	HCH	16QAM	1	76	19.3	0.134	2.000	Pass
			36	18	24.02	0.398	2.000	Pass
			1	1	23.95	0.392	2.000	Pass
		64QAM	1	76	24.12	0.407	2.000	Pass
			36	18	23.04	0.318	2.000	Pass
			1	1	23.05	0.318	2.000	Pass
		256QAM	1	76	23.18	0.328	2.000	Pass
			36	18	21.39	0.217	2.000	Pass
			1	1	21.5	0.223	2.000	Pass
	LCH	16QAM	1	76	21.62	0.229	2.000	Pass
			36	18	19.44	0.139	2.000	Pass
			1	1	19.31	0.135	2.000	Pass
		64QAM	1	76	19.51	0.141	2.000	Pass
			50	25	23.84	0.382	2.000	Pass
			1	1	23.6	0.361	2.000	Pass
		256QAM	1	104	24.13	0.408	2.000	Pass
			50	25	22.84	0.303	2.000	Pass
			1	1	22.78	0.299	2.000	Pass
		16QAM	1	104	23.25	0.333	2.000	Pass
			50	25	21.39	0.217	2.000	Pass
			1	1	21.06	0.201	2.000	Pass
		64QAM	1	104	21.61	0.229	2.000	Pass

		256QAM	50	25	19.29	0.134	2.000	Pass
			1	1	19.11	0.129	2.000	Pass
			1	104	19.38	0.137	2.000	Pass
	MCH	QPSK	50	25	23.85	0.383	2.000	Pass
			1	1	23.67	0.367	2.000	Pass
			1	104	24.1	0.406	2.000	Pass
		16QAM	50	25	22.82	0.302	2.000	Pass
			1	1	22.76	0.298	2.000	Pass
			1	104	23.2	0.330	2.000	Pass
		64QAM	50	25	21.39	0.217	2.000	Pass
			1	1	21.2	0.208	2.000	Pass
			1	104	21.59	0.228	2.000	Pass
		256QAM	50	25	19.39	0.137	2.000	Pass
			1	1	18.93	0.123	2.000	Pass
			1	104	19.49	0.140	2.000	Pass
	HCH	QPSK	50	25	23.95	0.392	2.000	Pass
			1	1	23.83	0.381	2.000	Pass
			1	104	24.14	0.409	2.000	Pass
		16QAM	50	25	22.95	0.311	2.000	Pass
			1	1	22.91	0.308	2.000	Pass
			1	104	23.29	0.337	2.000	Pass
		64QAM	50	25	21.46	0.221	2.000	Pass
			1	1	21.32	0.214	2.000	Pass
			1	104	21.7	0.233	2.000	Pass
		256QAM	50	25	19.43	0.138	2.000	Pass
			1	1	19.17	0.130	2.000	Pass
			1	104	19.44	0.139	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41								
20 MHz	LCH	QPSK	25	12	26.59	0.774	2.000	Pass
			1	1	26.19	0.706	2.000	Pass
			1	49	26.65	0.785	2.000	Pass
		16QAM	25	12	25.7	0.631	2.000	Pass
			1	1	25.37	0.585	2.000	Pass
			1	49	25.84	0.652	2.000	Pass
		64QAM	25	12	24.6	0.490	2.000	Pass
			1	1	24.32	0.459	2.000	Pass
			1	49	24.76	0.508	2.000	Pass
		256QAM	25	12	23.31	0.364	2.000	Pass
			1	1	22.87	0.329	2.000	Pass
			1	49	23.27	0.361	2.000	Pass
	MCH	QPSK	25	12	28.09	1.094	2.000	Pass
			1	1	28.22	1.127	2.000	Pass
			1	49	28.11	1.099	2.000	Pass
		16QAM	25	12	27.1	0.871	2.000	Pass
			1	1	27.29	0.910	2.000	Pass
			1	49	27.16	0.883	2.000	Pass
		64QAM	25	12	25.6	0.617	2.000	Pass
			1	1	25.69	0.630	2.000	Pass
			1	49	25.61	0.618	2.000	Pass
		256QAM	25	12	23.54	0.384	2.000	Pass
			1	1	23.41	0.372	2.000	Pass
			1	49	23.3	0.363	2.000	Pass
	HCH	QPSK	25	12	27.94	1.057	2.000	Pass
			1	1	28.05	1.084	2.000	Pass
			1	49	27.82	1.028	2.000	Pass
		16QAM	25	12	26.95	0.841	2.000	Pass
			1	1	27.11	0.873	2.000	Pass
			1	49	27.03	0.857	2.000	Pass
		64QAM	25	12	25.45	0.596	2.000	Pass
			1	1	25.53	0.607	2.000	Pass
			1	49	25.49	0.601	2.000	Pass
		256QAM	25	12	23.39	0.371	2.000	Pass
			1	1	23.25	0.359	2.000	Pass
			1	49	23.14	0.350	2.000	Pass
60 MHz	LCH	QPSK	81	40	27.07	0.865	2.000	Pass
			1	1	26.18	0.705	2.000	Pass

		16QAM	1	160	27.79	1.021	2.000	Pass
			81	40	26.15	0.700	2.000	Pass
			1	1	25.4	0.589	2.000	Pass
		64QAM	1	160	27.02	0.855	2.000	Pass
			81	40	24.92	0.527	2.000	Pass
			1	1	24.34	0.461	2.000	Pass
		256QAM	1	160	25.61	0.618	2.000	Pass
			81	40	23.68	0.396	2.000	Pass
			1	1	22.99	0.338	2.000	Pass
		MCH	1	160	23.37	0.369	2.000	Pass
			81	40	28.04	1.081	2.000	Pass
			1	1	28.12	1.102	2.000	Pass
			1	160	28.03	1.079	2.000	Pass
			81	40	27.08	0.867	2.000	Pass
			1	1	27.25	0.902	2.000	Pass
			1	160	27.14	0.879	2.000	Pass
			81	40	25.56	0.611	2.000	Pass
			1	1	25.67	0.627	2.000	Pass
			1	160	25.56	0.611	2.000	Pass
	HCH	QPSK	81	40	27.91	1.050	2.000	Pass
			1	1	28.09	1.094	2.000	Pass
			1	160	27.77	1.016	2.000	Pass
		16QAM	81	40	26.96	0.843	2.000	Pass
			1	1	27.2	0.891	2.000	Pass
			1	160	26.95	0.841	2.000	Pass
		64QAM	81	40	25.42	0.592	2.000	Pass
			1	1	25.58	0.614	2.000	Pass
			1	160	25.29	0.574	2.000	Pass
		256QAM	81	40	23.39	0.371	2.000	Pass
			1	1	23.35	0.367	2.000	Pass
			1	160	23.06	0.344	2.000	Pass
100 MHz	LCH	QPSK	135	67	27.23	0.897	2.000	Pass
			1	1	25.89	0.659	2.000	Pass
			1	271	27.95	1.059	2.000	Pass
		16QAM	135	67	26.32	0.728	2.000	Pass
			1	1	25.02	0.540	2.000	Pass
			1	271	26.96	0.843	2.000	Pass
		64QAM	135	67	25.13	0.553	2.000	Pass
			1	1	23.95	0.422	2.000	Pass
			1	271	25.46	0.597	2.000	Pass

		256QAM	135	67	23.33	0.366	2.000	Pass
			1	1	22.42	0.296	2.000	Pass
			1	271	23.07	0.344	2.000	Pass
	MCH	QPSK	135	67	27.93	1.054	2.000	Pass
			1	1	27.19	0.889	2.000	Pass
			1	271	27.85	1.035	2.000	Pass
		16QAM	135	67	26.93	0.838	2.000	Pass
			1	1	26.36	0.735	2.000	Pass
			1	271	26.94	0.839	2.000	Pass
		64QAM	135	67	25.46	0.597	2.000	Pass
			1	1	25.13	0.553	2.000	Pass
			1	271	25.3	0.575	2.000	Pass
		256QAM	135	67	23.41	0.372	2.000	Pass
			1	1	23.08	0.345	2.000	Pass
			1	271	23.05	0.343	2.000	Pass
	HCH	QPSK	135	67	27.9	1.047	2.000	Pass
			1	1	28.03	1.079	2.000	Pass
			1	271	27.73	1.007	2.000	Pass
		16QAM	135	67	26.92	0.836	2.000	Pass
			1	1	27.22	0.895	2.000	Pass
			1	271	27	0.851	2.000	Pass
		64QAM	135	67	25.42	0.592	2.000	Pass
			1	1	25.45	0.596	2.000	Pass
			1	271	25.15	0.556	2.000	Pass
		256QAM	135	67	23.38	0.370	2.000	Pass
			1	1	23.23	0.357	2.000	Pass
			1	271	22.91	0.332	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n48								
10 MHz	LCH	QPSK	12	6	21.42	0.166	0.200	Pass
			1	1	21.56	0.172	0.200	Pass
			1	22	21.51	0.170	0.200	Pass
		16QAM	12	6	20.41	0.132	0.200	Pass
			1	1	20.53	0.136	0.200	Pass
			1	22	20.5	0.135	0.200	Pass
		64QAM	12	6	18.95	0.094	0.200	Pass
			1	1	19.1	0.097	0.200	Pass
			1	22	19.06	0.097	0.200	Pass
		256QAM	12	6	16.89	0.059	0.200	Pass
			1	1	16.93	0.059	0.200	Pass
			1	22	16.96	0.060	0.200	Pass
	MCH	QPSK	12	6	21.37	0.164	0.200	Pass
			1	1	21.47	0.168	0.200	Pass
			1	22	21.57	0.172	0.200	Pass
		16QAM	12	6	20.33	0.129	0.200	Pass
			1	1	20.55	0.136	0.200	Pass
			1	22	20.68	0.140	0.200	Pass
		64QAM	12	6	18.8	0.091	0.200	Pass
			1	1	19	0.095	0.200	Pass
			1	22	19.05	0.096	0.200	Pass
		256QAM	12	6	16.93	0.059	0.200	Pass
			1	1	16.81	0.058	0.200	Pass
			1	22	16.96	0.060	0.200	Pass
	HCH	QPSK	12	6	21.35	0.164	0.200	Pass
			1	1	21.48	0.169	0.200	Pass
			1	22	21.63	0.175	0.200	Pass
		16QAM	12	6	20.32	0.129	0.200	Pass
			1	1	20.52	0.135	0.200	Pass
			1	22	20.66	0.140	0.200	Pass
		64QAM	12	6	18.82	0.091	0.200	Pass
			1	1	18.99	0.095	0.200	Pass
			1	22	19.11	0.098	0.200	Pass
		256QAM	12	6	16.8	0.057	0.200	Pass
			1	1	16.85	0.058	0.200	Pass
			1	22	16.88	0.058	0.200	Pass
20 MHz	LCH	QPSK	25	12	21.31	0.162	0.200	Pass
			1	1	21.25	0.160	0.200	Pass

		16QAM	1	49	21.22	0.159	0.200	Pass
			25	12	20.29	0.128	0.200	Pass
			1	1	20.18	0.125	0.200	Pass
		64QAM	1	49	20.2	0.126	0.200	Pass
			25	12	18.8	0.091	0.200	Pass
			1	1	18.77	0.090	0.200	Pass
		256QAM	1	49	18.74	0.090	0.200	Pass
			25	12	16.75	0.057	0.200	Pass
			1	1	16.66	0.056	0.200	Pass
		QPSK	1	49	16.55	0.054	0.200	Pass
			25	12	21.4	0.166	0.200	Pass
			1	1	21.36	0.164	0.200	Pass
40 MHz	MCH	16QAM	1	49	21.35	0.164	0.200	Pass
			25	12	20.39	0.131	0.200	Pass
			1	1	20.36	0.130	0.200	Pass
		64QAM	1	49	20.34	0.130	0.200	Pass
			25	12	18.9	0.093	0.200	Pass
			1	1	18.9	0.093	0.200	Pass
		256QAM	1	49	18.87	0.092	0.200	Pass
			25	12	16.84	0.058	0.200	Pass
			1	1	16.67	0.056	0.200	Pass
		QPSK	1	49	16.68	0.056	0.200	Pass
			25	12	21.3	0.162	0.200	Pass
			1	1	21.37	0.164	0.200	Pass
40 MHz	HCH	16QAM	1	49	21.23	0.159	0.200	Pass
			25	12	20.27	0.128	0.200	Pass
			1	1	20.26	0.127	0.200	Pass
		64QAM	1	49	20.15	0.124	0.200	Pass
			25	12	18.82	0.091	0.200	Pass
			1	1	18.82	0.091	0.200	Pass
		256QAM	1	49	18.72	0.089	0.200	Pass
			25	12	16.73	0.056	0.200	Pass
			1	1	16.66	0.056	0.200	Pass
		QPSK	1	49	16.58	0.055	0.200	Pass
			50	25	21.35	0.164	0.200	Pass
			1	1	21.45	0.167	0.200	Pass
40 MHz	LCH	16QAM	1	104	21.32	0.163	0.200	Pass
			50	25	20.29	0.128	0.200	Pass
			1	1	20.5	0.135	0.200	Pass
		64QAM	1	104	20.38	0.131	0.200	Pass
			50	25	18.81	0.091	0.200	Pass
			1	1	18.96	0.094	0.200	Pass
		QPSK	1	104	18.83	0.092	0.200	Pass
			50	25	21.35	0.164	0.200	Pass
			1	1	21.45	0.167	0.200	Pass

		256QAM	50	25	16.81	0.058	0.200	Pass
			1	1	16.81	0.058	0.200	Pass
			1	104	16.61	0.055	0.200	Pass
	MCH	QPSK	50	25	21.42	0.166	0.200	Pass
			1	1	21.53	0.171	0.200	Pass
			1	104	21.53	0.171	0.200	Pass
		16QAM	50	25	20.42	0.132	0.200	Pass
			1	1	20.5	0.135	0.200	Pass
			1	104	20.59	0.137	0.200	Pass
		64QAM	50	25	18.89	0.093	0.200	Pass
			1	1	19.1	0.097	0.200	Pass
			1	104	19.02	0.096	0.200	Pass
		256QAM	50	25	16.88	0.058	0.200	Pass
			1	1	16.94	0.059	0.200	Pass
			1	104	16.89	0.059	0.200	Pass
	HCH	QPSK	50	25	21.3	0.162	0.200	Pass
			1	1	21.5	0.169	0.200	Pass
			1	104	21.4	0.166	0.200	Pass
		16QAM	50	25	20.27	0.128	0.200	Pass
			1	1	20.58	0.137	0.200	Pass
			1	104	20.46	0.133	0.200	Pass
		64QAM	50	25	18.8	0.091	0.200	Pass
			1	1	19.09	0.097	0.200	Pass
			1	104	18.93	0.094	0.200	Pass
		256QAM	50	25	16.83	0.058	0.200	Pass
			1	1	16.86	0.058	0.200	Pass
			1	104	16.74	0.057	0.200	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66								
5 MHz	LCH	QPSK	12	6	21.61	0.222	1.000	Pass
			1	1	21.85	0.235	1.000	Pass
			1	23	21.62	0.223	1.000	Pass
		16QAM	12	6	20.62	0.177	1.000	Pass
			1	1	20.8	0.185	1.000	Pass
			1	23	20.62	0.177	1.000	Pass
		64QAM	12	6	19.15	0.126	1.000	Pass
			1	1	19.42	0.134	1.000	Pass
			1	23	19.26	0.129	1.000	Pass
		256QAM	12	6	17.6	0.088	1.000	Pass
			1	1	17.2	0.081	1.000	Pass
			1	23	17.09	0.079	1.000	Pass
	MCH	QPSK	12	6	23.01	0.307	1.000	Pass
			1	1	23.02	0.308	1.000	Pass
			1	23	23	0.306	1.000	Pass
		16QAM	12	6	22.18	0.254	1.000	Pass
			1	1	21.96	0.241	1.000	Pass
			1	23	22.07	0.247	1.000	Pass
		64QAM	12	6	20.53	0.173	1.000	Pass
			1	1	20.63	0.177	1.000	Pass
			1	23	20.63	0.177	1.000	Pass
		256QAM	12	6	18.44	0.107	1.000	Pass
			1	1	17.94	0.095	1.000	Pass
			1	23	17.99	0.097	1.000	Pass
	HCH	QPSK	12	6	23.06	0.310	1.000	Pass
			1	1	23.02	0.308	1.000	Pass
			1	23	23.04	0.309	1.000	Pass
		16QAM	12	6	22.14	0.251	1.000	Pass
			1	1	22.06	0.247	1.000	Pass
			1	23	22.12	0.250	1.000	Pass
		64QAM	12	6	20.58	0.175	1.000	Pass
			1	1	20.6	0.176	1.000	Pass
			1	23	20.63	0.177	1.000	Pass
		256QAM	12	6	18.48	0.108	1.000	Pass
			1	1	17.97	0.096	1.000	Pass
			1	23	17.9	0.095	1.000	Pass
15 MHz	LCH	QPSK	36	18	21.52	0.218	1.000	Pass
			1	1	21.86	0.236	1.000	Pass

		16QAM	1	77	21.74	0.229	1.000	Pass
			36	18	20.53	0.173	1.000	Pass
			1	1	20.81	0.185	1.000	Pass
		64QAM	1	77	20.72	0.181	1.000	Pass
			36	18	19.06	0.124	1.000	Pass
			1	1	19.47	0.136	1.000	Pass
		256QAM	1	77	19.36	0.132	1.000	Pass
			36	18	17.53	0.087	1.000	Pass
			1	1	17.14	0.079	1.000	Pass
		MCH	1	77	17.24	0.081	1.000	Pass
			36	18	23.02	0.308	1.000	Pass
			1	1	23.08	0.312	1.000	Pass
			1	77	23.03	0.308	1.000	Pass
			36	18	21.99	0.243	1.000	Pass
			1	1	22.04	0.245	1.000	Pass
			1	77	21.98	0.242	1.000	Pass
			36	18	20.52	0.173	1.000	Pass
			1	1	20.71	0.181	1.000	Pass
			1	77	20.64	0.178	1.000	Pass
	HCH	QPSK	36	18	18.42	0.107	1.000	Pass
			1	1	18.02	0.097	1.000	Pass
			1	77	17.97	0.096	1.000	Pass
		16QAM	36	18	23.03	0.308	1.000	Pass
			1	1	23.05	0.310	1.000	Pass
			1	77	23.05	0.310	1.000	Pass
		64QAM	36	18	22.02	0.244	1.000	Pass
			1	1	21.98	0.242	1.000	Pass
			1	77	22.04	0.245	1.000	Pass
		256QAM	36	18	20.6	0.176	1.000	Pass
			1	1	20.63	0.177	1.000	Pass
			1	77	20.65	0.178	1.000	Pass
20 MHz	LCH	QPSK	36	18	18.43	0.107	1.000	Pass
			1	1	17.92	0.095	1.000	Pass
			1	77	17.94	0.095	1.000	Pass
		16QAM	50	25	21.59	0.221	1.000	Pass
			1	1	21.86	0.236	1.000	Pass
			1	104	22.08	0.248	1.000	Pass
		64QAM	50	25	20.6	0.176	1.000	Pass
			1	1	20.83	0.186	1.000	Pass
			1	104	20.94	0.191	1.000	Pass

		256QAM	50	25	17.59	0.088	1.000	Pass
			1	1	17.15	0.080	1.000	Pass
			1	104	17.36	0.084	1.000	Pass
	MCH	QPSK	50	25	23.03	0.308	1.000	Pass
			1	1	23.14	0.316	1.000	Pass
			1	104	23	0.306	1.000	Pass
		16QAM	50	25	22.04	0.245	1.000	Pass
			1	1	22.08	0.248	1.000	Pass
			1	104	21.98	0.242	1.000	Pass
		64QAM	50	25	20.6	0.176	1.000	Pass
			1	1	20.74	0.182	1.000	Pass
			1	104	20.64	0.178	1.000	Pass
		256QAM	50	25	18.5	0.109	1.000	Pass
			1	1	17.96	0.096	1.000	Pass
			1	104	17.9	0.095	1.000	Pass
	HCH	QPSK	50	25	23.14	0.316	1.000	Pass
			1	1	23.14	0.316	1.000	Pass
			1	104	23.16	0.318	1.000	Pass
		16QAM	50	25	22.14	0.251	1.000	Pass
			1	1	22.12	0.250	1.000	Pass
			1	104	22.15	0.252	1.000	Pass
		64QAM	50	25	20.72	0.181	1.000	Pass
			1	1	20.8	0.185	1.000	Pass
			1	104	20.8	0.185	1.000	Pass
		256QAM	50	25	18.64	0.112	1.000	Pass
			1	1	18.09	0.099	1.000	Pass
			1	104	18.14	0.100	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n71								
5 MHz	LCH	QPSK	12	6	24.87	0.081	3.000	Pass
			1	1	24.86	0.081	3.000	Pass
			1	23	24.87	0.081	3.000	Pass
		16QAM	12	6	24.03	0.067	3.000	Pass
			1	1	24.47	0.074	3.000	Pass
			1	23	24.35	0.072	3.000	Pass
		64QAM	12	6	22.51	0.047	3.000	Pass
			1	1	22.25	0.045	3.000	Pass
			1	23	22.08	0.043	3.000	Pass
		256QAM	12	6	20.51	0.030	3.000	Pass
			1	1	19.89	0.026	3.000	Pass
			1	23	19.85	0.026	3.000	Pass
	MCH	QPSK	12	6	24.85	0.081	3.000	Pass
			1	1	24.81	0.080	3.000	Pass
			1	23	24.86	0.081	3.000	Pass
		16QAM	12	6	23.82	0.064	3.000	Pass
			1	1	24.16	0.069	3.000	Pass
			1	23	24.19	0.070	3.000	Pass
		64QAM	12	6	22.4	0.046	3.000	Pass
			1	1	21.97	0.042	3.000	Pass
			1	23	22.03	0.042	3.000	Pass
		256QAM	12	6	20.35	0.029	3.000	Pass
			1	1	19.8	0.025	3.000	Pass
			1	23	19.82	0.025	3.000	Pass
	HCH	QPSK	12	6	24.75	0.079	3.000	Pass
			1	1	24.82	0.081	3.000	Pass
			1	23	24.68	0.078	3.000	Pass
		16QAM	12	6	23.79	0.064	3.000	Pass
			1	1	24.12	0.069	3.000	Pass
			1	23	23.96	0.066	3.000	Pass
		64QAM	12	6	22.37	0.046	3.000	Pass
			1	1	21.95	0.042	3.000	Pass
			1	23	21.87	0.041	3.000	Pass
		256QAM	12	6	20.31	0.029	3.000	Pass
			1	1	19.79	0.025	3.000	Pass
			1	23	19.73	0.025	3.000	Pass
15 MHz	LCH	QPSK	36	18	24.8	0.080	3.000	Pass
			1	1	24.82	0.081	3.000	Pass

		16QAM	1	77	24.75	0.079	3.000	Pass
			36	18	23.86	0.065	3.000	Pass
			1	1	24.37	0.073	3.000	Pass
		64QAM	1	77	24.04	0.067	3.000	Pass
			36	18	22.3	0.045	3.000	Pass
			1	1	22.13	0.043	3.000	Pass
		256QAM	1	77	21.89	0.041	3.000	Pass
			36	18	20.23	0.028	3.000	Pass
			1	1	19.9	0.026	3.000	Pass
		MCH	1	77	19.76	0.025	3.000	Pass
			36	18	24.76	0.079	3.000	Pass
			1	1	24.69	0.078	3.000	Pass
			1	77	24.75	0.079	3.000	Pass
			36	18	23.79	0.064	3.000	Pass
			1	1	24.13	0.069	3.000	Pass
			1	77	24.09	0.068	3.000	Pass
			36	18	22.36	0.046	3.000	Pass
			1	1	21.91	0.041	3.000	Pass
			1	77	21.8	0.040	3.000	Pass
	HCH	QPSK	36	18	20.27	0.028	3.000	Pass
			1	1	19.75	0.025	3.000	Pass
			1	77	19.73	0.025	3.000	Pass
		16QAM	36	18	24.66	0.078	3.000	Pass
			1	1	24.7	0.078	3.000	Pass
			1	77	24.64	0.077	3.000	Pass
		64QAM	36	18	23.59	0.061	3.000	Pass
			1	1	23.99	0.067	3.000	Pass
			1	77	23.73	0.063	3.000	Pass
		256QAM	36	18	22.08	0.043	3.000	Pass
			1	1	21.88	0.041	3.000	Pass
			1	77	21.64	0.039	3.000	Pass
20 MHz	LCH	QPSK	36	18	20.04	0.027	3.000	Pass
			1	1	19.69	0.025	3.000	Pass
			1	77	19.54	0.024	3.000	Pass
		16QAM	50	25	24.77	0.080	3.000	Pass
			1	1	24.95	0.083	3.000	Pass
			1	104	24.72	0.079	3.000	Pass
		64QAM	50	25	23.7	0.062	3.000	Pass
			1	1	24.32	0.072	3.000	Pass
			1	104	24.03	0.067	3.000	Pass

		256QAM	50	25	20.25	0.028	3.000	Pass
			1	1	19.8	0.025	3.000	Pass
			1	104	19.72	0.025	3.000	Pass
	MCH	QPSK	50	25	24.78	0.080	3.000	Pass
			1	1	24.8	0.080	3.000	Pass
			1	104	24.71	0.079	3.000	Pass
		16QAM	50	25	23.76	0.063	3.000	Pass
			1	1	24.2	0.070	3.000	Pass
			1	104	24	0.067	3.000	Pass
		64QAM	50	25	22.31	0.045	3.000	Pass
			1	1	22	0.042	3.000	Pass
			1	104	21.86	0.041	3.000	Pass
		256QAM	50	25	20.27	0.028	3.000	Pass
			1	1	19.69	0.025	3.000	Pass
			1	104	19.8	0.025	3.000	Pass
	HCH	QPSK	50	25	24.7	0.078	3.000	Pass
			1	1	24.75	0.079	3.000	Pass
			1	104	24.57	0.076	3.000	Pass
		16QAM	50	25	23.65	0.062	3.000	Pass
			1	1	23.69	0.062	3.000	Pass
			1	104	23.47	0.059	3.000	Pass
		64QAM	50	25	22.2	0.044	3.000	Pass
			1	1	22.31	0.045	3.000	Pass
			1	104	22.14	0.043	3.000	Pass
		256QAM	50	25	20.12	0.027	3.000	Pass
			1	1	19.66	0.025	3.000	Pass
			1	104	19.52	0.024	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77 (3450-3550MHz)								
20 MHz	LCH	QPSK	25	12	26.59	0.390	1.000	Pass
			1	1	26.78	0.407	1.000	Pass
			1	49	26.66	0.396	1.000	Pass
		16QAM	25	12	25.68	0.316	1.000	Pass
			1	1	25.83	0.327	1.000	Pass
			1	49	25.71	0.318	1.000	Pass
		64QAM	25	12	24.15	0.222	1.000	Pass
			1	1	24.16	0.223	1.000	Pass
			1	49	24.12	0.221	1.000	Pass
		256QAM	25	12	22.14	0.140	1.000	Pass
			1	1	22.38	0.148	1.000	Pass
			1	49	22.22	0.143	1.000	Pass
	MCH	QPSK	25	12	26.73	0.403	1.000	Pass
			1	1	26.7	0.400	1.000	Pass
			1	49	26.82	0.411	1.000	Pass
		16QAM	25	12	25.8	0.325	1.000	Pass
			1	1	25.79	0.324	1.000	Pass
			1	49	25.9	0.333	1.000	Pass
		64QAM	25	12	24.31	0.231	1.000	Pass
			1	1	23.87	0.208	1.000	Pass
			1	49	23.97	0.213	1.000	Pass
		256QAM	25	12	22.26	0.144	1.000	Pass
			1	1	22.27	0.144	1.000	Pass
			1	49	22.41	0.149	1.000	Pass
	HCH	QPSK	25	12	27	0.429	1.000	Pass
			1	1	26.93	0.422	1.000	Pass
			1	49	27	0.429	1.000	Pass
		16QAM	25	12	26.03	0.343	1.000	Pass
			1	1	25.93	0.335	1.000	Pass
			1	49	25.99	0.340	1.000	Pass
		64QAM	25	12	24.52	0.242	1.000	Pass
			1	1	24.16	0.223	1.000	Pass
			1	49	24.23	0.226	1.000	Pass
		256QAM	25	12	22.5	0.152	1.000	Pass
			1	1	22.55	0.154	1.000	Pass
			1	49	22.59	0.155	1.000	Pass
60 MHz	LCH	QPSK	81	40	26.62	0.393	1.000	Pass
			1	1	26.51	0.383	1.000	Pass

		16QAM	1	160	26.53	0.385	1.000	Pass
			81	40	25.66	0.315	1.000	Pass
			1	1	25.61	0.311	1.000	Pass
			1	160	25.62	0.312	1.000	Pass
		64QAM	81	40	24.14	0.222	1.000	Pass
			1	1	23.69	0.200	1.000	Pass
			1	160	23.71	0.201	1.000	Pass
		256QAM	81	40	22.21	0.142	1.000	Pass
			1	1	22.08	0.138	1.000	Pass
			1	160	22.07	0.138	1.000	Pass
	MCH	QPSK	81	40	26.64	0.394	1.000	Pass
			1	1	26.68	0.398	1.000	Pass
			1	160	26.81	0.410	1.000	Pass
		16QAM	81	40	25.74	0.321	1.000	Pass
			1	1	25.75	0.321	1.000	Pass
			1	160	25.76	0.322	1.000	Pass
		64QAM	81	40	24.19	0.224	1.000	Pass
			1	1	23.94	0.212	1.000	Pass
			1	160	23.93	0.211	1.000	Pass
		256QAM	81	40	22.22	0.143	1.000	Pass
			1	1	22.31	0.146	1.000	Pass
			1	160	22.3	0.145	1.000	Pass
	HCH	QPSK	81	40	26.74	0.404	1.000	Pass
			1	1	26.61	0.392	1.000	Pass
			1	160	26.77	0.406	1.000	Pass
		16QAM	81	40	25.81	0.326	1.000	Pass
			1	1	25.64	0.313	1.000	Pass
			1	160	25.82	0.327	1.000	Pass
		64QAM	81	40	24.26	0.228	1.000	Pass
			1	1	23.87	0.208	1.000	Pass
			1	160	24.01	0.215	1.000	Pass
		256QAM	81	40	22.33	0.146	1.000	Pass
			1	1	22.2	0.142	1.000	Pass
			1	160	22.37	0.148	1.000	Pass
100 MHz	MCH	QPSK	135	67	26.64	0.394	1.000	Pass
			1	1	26.42	0.375	1.000	Pass
			1	271	26.86	0.415	1.000	Pass
		16QAM	135	67	25.55	0.307	1.000	Pass
			1	1	25.57	0.308	1.000	Pass
			1	271	25.93	0.335	1.000	Pass
		64QAM	135	67	24.07	0.218	1.000	Pass
			1	1	23.62	0.197	1.000	Pass
			1	271	24.03	0.216	1.000	Pass

		256QAM	135	67	22.04	0.137	1.000	Pass
			1	1	21.95	0.134	1.000	Pass
			1	271	22.41	0.149	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77 (3700-3980MHz)								
20 MHz	LCH	QPSK	25	12	27.17	0.652	1.000	Pass
			1	1	27.19	0.655	1.000	Pass
			1	49	27.27	0.667	1.000	Pass
		16QAM	25	12	26.25	0.527	1.000	Pass
			1	1	26.24	0.526	1.000	Pass
			1	49	26.19	0.520	1.000	Pass
		64QAM	25	12	24.72	0.371	1.000	Pass
			1	1	24.44	0.348	1.000	Pass
			1	49	24.38	0.343	1.000	Pass
		256QAM	25	12	22.68	0.232	1.000	Pass
			1	1	22.77	0.237	1.000	Pass
			1	49	22.87	0.242	1.000	Pass
	MCH	QPSK	25	12	27.35	0.679	1.000	Pass
			1	1	27.29	0.670	1.000	Pass
			1	49	27.31	0.673	1.000	Pass
		16QAM	25	12	26.38	0.543	1.000	Pass
			1	1	26.4	0.546	1.000	Pass
			1	49	26.45	0.552	1.000	Pass
		64QAM	25	12	24.86	0.383	1.000	Pass
			1	1	24.46	0.349	1.000	Pass
			1	49	24.51	0.353	1.000	Pass
		256QAM	25	12	22.87	0.242	1.000	Pass
			1	1	22.87	0.242	1.000	Pass
			1	49	22.89	0.243	1.000	Pass
	HCH	QPSK	25	12	26.5	0.558	1.000	Pass
			1	1	26.67	0.581	1.000	Pass
			1	49	26.1	0.509	1.000	Pass
		16QAM	25	12	25.46	0.440	1.000	Pass
			1	1	25.74	0.469	1.000	Pass
			1	49	25.16	0.410	1.000	Pass
		64QAM	25	12	23.91	0.308	1.000	Pass
			1	1	23.82	0.301	1.000	Pass
			1	49	23.22	0.262	1.000	Pass
		256QAM	25	12	22.37	0.216	1.000	Pass
			1	1	22.7	0.233	1.000	Pass
			1	49	22.02	0.199	1.000	Pass
60 MHz	LCH	QPSK	81	40	27.05	0.634	1.000	Pass
			1	1	27.08	0.638	1.000	Pass