

		16QAM	1	160	26.9	0.612	1.000	Pass
			81	40	26.08	0.507	1.000	Pass
			1	1	26.25	0.527	1.000	Pass
			1	160	26.02	0.500	1.000	Pass
		64QAM	81	40	24.57	0.358	1.000	Pass
			1	1	24.27	0.334	1.000	Pass
			1	160	24.09	0.321	1.000	Pass
			1	160	22.49	0.222	1.000	Pass
		256QAM	81	40	22.58	0.226	1.000	Pass
			1	1	22.61	0.228	1.000	Pass
			1	160	22.49	0.222	1.000	Pass
			1	160	22.49	0.222	1.000	Pass
	MCH	QPSK	81	40	27.2	0.656	1.000	Pass
			1	1	27.14	0.647	1.000	Pass
			1	160	27.2	0.656	1.000	Pass
			1	160	27.2	0.656	1.000	Pass
		16QAM	81	40	26.17	0.518	1.000	Pass
			1	1	26.19	0.520	1.000	Pass
			1	160	26.27	0.530	1.000	Pass
			1	160	26.27	0.530	1.000	Pass
		64QAM	81	40	24.7	0.369	1.000	Pass
			1	1	24.27	0.334	1.000	Pass
			1	160	24.32	0.338	1.000	Pass
			1	160	24.32	0.338	1.000	Pass
		256QAM	81	40	22.74	0.235	1.000	Pass
			1	1	22.75	0.236	1.000	Pass
			1	160	22.75	0.236	1.000	Pass
			1	160	22.75	0.236	1.000	Pass
	HCH	QPSK	81	40	27.27	0.667	1.000	Pass
			1	1	27.21	0.658	1.000	Pass
			1	160	27.17	0.652	1.000	Pass
			1	160	27.17	0.652	1.000	Pass
		16QAM	81	40	26.3	0.533	1.000	Pass
			1	1	26.38	0.543	1.000	Pass
			1	160	26.34	0.538	1.000	Pass
			1	160	26.34	0.538	1.000	Pass
		64QAM	81	40	24.8	0.378	1.000	Pass
			1	1	24.46	0.349	1.000	Pass
			1	160	24.43	0.347	1.000	Pass
			1	160	24.43	0.347	1.000	Pass
		256QAM	81	40	22.8	0.238	1.000	Pass
			1	1	22.82	0.239	1.000	Pass
			1	160	22.81	0.239	1.000	Pass
			1	160	22.81	0.239	1.000	Pass
100 MHz	LCH	QPSK	135	67	26.83	0.603	1.000	Pass
			1	1	26.91	0.614	1.000	Pass
			1	271	26.73	0.589	1.000	Pass
		16QAM	135	67	25.83	0.479	1.000	Pass
			1	1	26.02	0.500	1.000	Pass
			1	271	25.83	0.479	1.000	Pass
		64QAM	135	67	24.38	0.343	1.000	Pass
			1	1	24.16	0.326	1.000	Pass
			1	271	23.96	0.311	1.000	Pass

		256QAM	135	67	22.42	0.218	1.000	Pass
			1	1	22.58	0.226	1.000	Pass
			1	271	22.31	0.213	1.000	Pass
	MCH	QPSK	135	67	27.03	0.631	1.000	Pass
			1	1	26.9	0.612	1.000	Pass
			1	271	27.12	0.644	1.000	Pass
		16QAM	135	67	26.02	0.500	1.000	Pass
			1	1	26.01	0.499	1.000	Pass
			1	271	26.19	0.520	1.000	Pass
		64QAM	135	67	24.56	0.357	1.000	Pass
			1	1	24.04	0.317	1.000	Pass
			1	271	24.3	0.337	1.000	Pass
		256QAM	135	67	22.55	0.225	1.000	Pass
			1	1	22.45	0.220	1.000	Pass
			1	271	22.59	0.227	1.000	Pass
	HCH	QPSK	135	67	27.21	0.658	1.000	Pass
			1	1	27.03	0.631	1.000	Pass
			1	271	27.16	0.650	1.000	Pass
		16QAM	135	67	26.14	0.514	1.000	Pass
			1	1	26.08	0.507	1.000	Pass
			1	271	26.19	0.520	1.000	Pass
		64QAM	135	67	24.62	0.362	1.000	Pass
			1	1	24.21	0.330	1.000	Pass
			1	271	24.39	0.344	1.000	Pass
		256QAM	135	67	22.64	0.230	1.000	Pass
			1	1	22.65	0.230	1.000	Pass
			1	271	22.65	0.230	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78 (3450-3550MHz)								
20 MHz	LCH	QPSK	25	12	26.61	0.392	1.000	Pass
			1	1	26.52	0.384	1.000	Pass
			1	49	26.27	0.362	1.000	Pass
		16QAM	25	12	25.52	0.305	1.000	Pass
			1	1	25.56	0.308	1.000	Pass
			1	49	25.33	0.292	1.000	Pass
		64QAM	25	12	23.99	0.214	1.000	Pass
			1	1	23.94	0.212	1.000	Pass
			1	49	23.72	0.201	1.000	Pass
		256QAM	25	12	22.24	0.143	1.000	Pass
			1	1	22.28	0.145	1.000	Pass
			1	49	22.07	0.138	1.000	Pass
	MCH	QPSK	25	12	26.43	0.376	1.000	Pass
			1	1	26.32	0.366	1.000	Pass
			1	49	26.18	0.355	1.000	Pass
		16QAM	25	12	25.35	0.293	1.000	Pass
			1	1	25.39	0.296	1.000	Pass
			1	49	25.23	0.285	1.000	Pass
		64QAM	25	12	23.84	0.207	1.000	Pass
			1	1	23.77	0.204	1.000	Pass
			1	49	23.64	0.198	1.000	Pass
		256QAM	25	12	22.26	0.144	1.000	Pass
			1	1	22.18	0.141	1.000	Pass
			1	49	22.01	0.136	1.000	Pass
	HCH	QPSK	25	12	26.28	0.363	1.000	Pass
			1	1	26.08	0.347	1.000	Pass
			1	49	26.07	0.346	1.000	Pass
		16QAM	25	12	25.21	0.284	1.000	Pass
			1	1	25.07	0.275	1.000	Pass
			1	49	25.06	0.274	1.000	Pass
		64QAM	25	12	23.7	0.200	1.000	Pass
			1	1	23.6	0.196	1.000	Pass
			1	49	23.58	0.195	1.000	Pass
		256QAM	25	12	22.23	0.143	1.000	Pass
			1	1	21.94	0.134	1.000	Pass
			1	49	21.9	0.132	1.000	Pass
50 MHz	LCH	QPSK	64	32	26.47	0.379	1.000	Pass
			1	1	26.36	0.370	1.000	Pass

		16QAM	1	131	26.35	0.369	1.000	Pass
			64	32	25.41	0.297	1.000	Pass
			1	1	25.32	0.291	1.000	Pass
		64QAM	1	131	25.33	0.292	1.000	Pass
			64	32	23.91	0.210	1.000	Pass
			1	1	23.86	0.208	1.000	Pass
		256QAM	1	131	23.87	0.208	1.000	Pass
			64	32	22.24	0.143	1.000	Pass
			1	1	22.03	0.136	1.000	Pass
		MCH	1	131	22.03	0.136	1.000	Pass
			64	32	26.52	0.384	1.000	Pass
			1	1	26.1	0.348	1.000	Pass
			1	131	26.3	0.365	1.000	Pass
			64	32	25.46	0.301	1.000	Pass
			1	1	25.15	0.280	1.000	Pass
			1	131	25.37	0.294	1.000	Pass
			64	32	23.97	0.213	1.000	Pass
			1	1	23.55	0.194	1.000	Pass
			1	131	23.75	0.203	1.000	Pass
	HCH	QPSK	64	32	22.32	0.146	1.000	Pass
			1	1	21.96	0.134	1.000	Pass
			1	131	22.06	0.137	1.000	Pass
		16QAM	64	32	26.43	0.376	1.000	Pass
			1	1	26.22	0.358	1.000	Pass
			1	131	26.18	0.355	1.000	Pass
		64QAM	64	32	25.37	0.294	1.000	Pass
			1	1	25.19	0.282	1.000	Pass
			1	131	25.16	0.281	1.000	Pass
		256QAM	64	32	23.88	0.209	1.000	Pass
			1	1	23.73	0.202	1.000	Pass
			1	131	23.7	0.200	1.000	Pass
100 MHz	MCH	QPSK	64	32	22.33	0.146	1.000	Pass
			1	1	22.08	0.138	1.000	Pass
			1	131	22.01	0.136	1.000	Pass
		16QAM	135	67	26.45	0.378	1.000	Pass
			1	1	26.07	0.346	1.000	Pass
			1	271	26.18	0.355	1.000	Pass
		64QAM	135	67	25.4	0.296	1.000	Pass
			1	1	25.02	0.272	1.000	Pass
			1	271	25.14	0.279	1.000	Pass
			135	67	23.9	0.210	1.000	Pass
			1	1	23.56	0.194	1.000	Pass
			1	271	23.66	0.199	1.000	Pass

		256QAM	135	67	22.21	0.142	1.000	Pass
			1	1	21.91	0.133	1.000	Pass
			1	271	21.99	0.135	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78 (3700-3800MHz)								
20 MHz	LCH	QPSK	25	12	27.26	0.638	1.000	Pass
			1	1	27.27	0.640	1.000	Pass
			1	49	26.87	0.583	1.000	Pass
		16QAM	25	12	26.2	0.500	1.000	Pass
			1	1	26.32	0.514	1.000	Pass
			1	49	25.94	0.471	1.000	Pass
		64QAM	25	12	24.69	0.353	1.000	Pass
			1	1	24.72	0.356	1.000	Pass
			1	49	24.35	0.327	1.000	Pass
		256QAM	25	12	22.74	0.225	1.000	Pass
			1	1	22.84	0.231	1.000	Pass
			1	49	22.54	0.215	1.000	Pass
	MCH	QPSK	25	12	26.98	0.598	1.000	Pass
			1	1	26.91	0.589	1.000	Pass
			1	49	26.6	0.548	1.000	Pass
		16QAM	25	12	25.9	0.467	1.000	Pass
			1	1	25.97	0.474	1.000	Pass
			1	49	25.67	0.443	1.000	Pass
		64QAM	25	12	24.4	0.330	1.000	Pass
			1	1	24.36	0.327	1.000	Pass
			1	49	24.06	0.305	1.000	Pass
		256QAM	25	12	22.77	0.227	1.000	Pass
			1	1	22.62	0.219	1.000	Pass
			1	49	22.29	0.203	1.000	Pass
	HCH	QPSK	25	12	27.01	0.603	1.000	Pass
			1	1	26.8	0.574	1.000	Pass
			1	49	26.65	0.555	1.000	Pass
		16QAM	25	12	25.92	0.469	1.000	Pass
			1	1	25.8	0.456	1.000	Pass
			1	49	25.65	0.441	1.000	Pass
		64QAM	25	12	24.42	0.332	1.000	Pass
			1	1	24.19	0.315	1.000	Pass
			1	49	24.04	0.304	1.000	Pass
		256QAM	25	12	22.66	0.221	1.000	Pass
			1	1	22.68	0.222	1.000	Pass
			1	49	22.52	0.214	1.000	Pass
50 MHz	LCH	QPSK	64	32	27.14	0.621	1.000	Pass
			1	1	27.42	0.662	1.000	Pass

		16QAM	1	131	27.12	0.618	1.000	Pass
			64	32	26.17	0.497	1.000	Pass
			1	1	26.5	0.536	1.000	Pass
		64QAM	1	131	26.2	0.500	1.000	Pass
			64	32	24.72	0.356	1.000	Pass
			1	1	24.92	0.372	1.000	Pass
		256QAM	1	131	24.65	0.350	1.000	Pass
			64	32	22.73	0.225	1.000	Pass
			1	1	22.74	0.225	1.000	Pass
		MCH	1	131	22.52	0.214	1.000	Pass
			64	32	27.09	0.614	1.000	Pass
			1	1	27.12	0.618	1.000	Pass
			1	131	26.92	0.590	1.000	Pass
			64	32	26.13	0.492	1.000	Pass
			1	1	26.19	0.499	1.000	Pass
			1	131	25.99	0.476	1.000	Pass
			64	32	24.64	0.349	1.000	Pass
			1	1	24.61	0.347	1.000	Pass
			1	131	24.41	0.331	1.000	Pass
	HCH	QPSK	64	32	27.01	0.603	1.000	Pass
			1	1	27.08	0.612	1.000	Pass
			1	131	26.78	0.571	1.000	Pass
		16QAM	64	32	26.02	0.480	1.000	Pass
			1	1	26.06	0.484	1.000	Pass
			1	131	25.78	0.454	1.000	Pass
		64QAM	64	32	24.58	0.344	1.000	Pass
			1	1	24.47	0.336	1.000	Pass
			1	131	24.21	0.316	1.000	Pass
		256QAM	64	32	22.57	0.217	1.000	Pass
			1	1	22.36	0.207	1.000	Pass
			1	131	22.2	0.199	1.000	Pass
100 MHz	MCH	QPSK	135	67	27.03	0.605	1.000	Pass
			1	1	27.06	0.610	1.000	Pass
			1	271	26.91	0.589	1.000	Pass
		16QAM	135	67	26.07	0.485	1.000	Pass
			1	1	26.08	0.486	1.000	Pass
			1	271	25.9	0.467	1.000	Pass
		64QAM	135	67	24.56	0.343	1.000	Pass
			1	1	24.49	0.337	1.000	Pass
			1	271	24.29	0.322	1.000	Pass

		256QAM	135	67	22.51	0.214	1.000	Pass
			1	1	22.5	0.213	1.000	Pass
			1	271	22.47	0.212	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_2A_n5A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	19.11	20.18	22.69	0.159	2.000	Pass
			12	6	8	0	19.06	20.14	22.64	0.158	2.000	Pass
	MCH		12	6	8	0	18.97	20.29	22.69	0.162	2.000	Pass
	HCH		1	23	1	24	18.75	20.21	22.55	0.158	2.000	Pass
			12	6	8	0	18.86	20.26	22.63	0.160	2.000	Pass
	LCH	16QAM	1	1	1	0	19.22	20.31	22.81	0.164	2.000	Pass
			12	6	8	0	19.01	20.22	22.67	0.160	2.000	Pass
	MCH		12	6	8	0	18.98	20.18	22.63	0.159	2.000	Pass
	HCH		1	23	1	24	18.92	20.14	22.58	0.157	2.000	Pass
			12	6	8	0	18.83	20.21	22.58	0.158	2.000	Pass
	LCH	64QAM	1	1	1	0	19.05	20.18	22.66	0.159	2.000	Pass
			12	6	8	0	19.16	20.18	22.71	0.160	2.000	Pass
	MCH		12	6	8	0	19.1	20.23	22.71	0.161	2.000	Pass
	HCH		1	23	1	24	18.73	20.11	22.48	0.155	2.000	Pass
			12	6	8	0	19	20.26	22.69	0.161	2.000	Pass
	LCH	256QAM	1	1	1	0	17.81	20.18	22.17	0.152	2.000	Pass
			12	6	8	0	18.19	20.21	22.33	0.155	2.000	Pass
	MCH		12	6	8	0	18.09	20.17	22.26	0.153	2.000	Pass
	HCH		1	23	1	24	17.55	20.18	22.07	0.151	2.000	Pass
			12	6	8	0	17.92	20.2	22.22	0.153	2.000	Pass
20MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	18.96	20.07	22.56	0.155	2.000	Pass
			50	25	18	0	18.92	20.07	22.54	0.155	2.000	Pass
	MCH		50	25	18	0	18.95	20.03	22.53	0.154	2.000	Pass
	HCH		1	104	1	99	18.78	20.07	22.48	0.154	2.000	Pass
			50	25	18	0	18.91	20.1	22.56	0.156	2.000	Pass
	LCH	16QAM	1	1	1	0	19.13	20.13	22.67	0.158	2.000	Pass
			50	25	18	0	18.9	20.13	22.57	0.157	2.000	Pass
	MCH		50	25	18	0	19.01	20.06	22.58	0.155	2.000	Pass
	HCH		1	104	1	99	18.87	20.15	22.57	0.157	2.000	Pass
			50	25	18	0	18.94	20.02	22.52	0.154	2.000	Pass
	LCH	64QAM	1	1	1	0	18.88	20.07	22.53	0.155	2.000	Pass
			50	25	18	0	18.94	20.03	22.53	0.154	2.000	Pass
	MCH		50	25	18	0	19.07	20.08	22.61	0.156	2.000	Pass
	HCH		1	104	1	99	18.7	20.04	22.43	0.153	2.000	Pass
			50	25	18	0	18.96	19.99	22.52	0.153	2.000	Pass
	LCH	256QAM	1	1	1	0	17.87	20.04	22.1	0.148	2.000	Pass

			50	25	18	0	17.9	20.08	22.14	0.150	2.000	Pass
	MCH		50	25	18	0	17.99	20.06	22.16	0.149	2.000	Pass
	HCH		1	104	1	99	17.51	20.09	22	0.148	2.000	Pass
			50	25	18	0	17.97	20.07	22.16	0.150	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_2A_n41A												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	22.49	23.53	26.05	0.585	2.000	Pass
			25	12	8	0	22.7	23.48	26.12	0.597	2.000	Pass
	MCH		25	12	8	0	22.06	23.23	25.69	0.538	2.000	Pass
	HCH		1	49	1	24	21.43	23.2	25.41	0.499	2.000	Pass
			25	12	8	0	21.51	23.29	25.5	0.509	2.000	Pass
	LCH	16QAM	1	1	1	0	22.15	23.57	25.93	0.565	2.000	Pass
			25	12	8	0	22.45	23.54	26.04	0.583	2.000	Pass
	MCH		25	12	8	0	22.1	23.29	25.75	0.544	2.000	Pass
	HCH		1	49	1	24	21.19	23.17	25.3	0.485	2.000	Pass
			25	12	8	0	21.51	23.25	25.48	0.507	2.000	Pass
	LCH	64QAM	1	1	1	0	22.27	23.47	25.92	0.566	2.000	Pass
			25	12	8	0	22.64	23.51	26.11	0.594	2.000	Pass
	MCH		25	12	8	0	22.09	23.26	25.72	0.541	2.000	Pass
	HCH		1	49	1	24	21.47	23.14	25.4	0.498	2.000	Pass
			25	12	8	0	21.68	23.24	25.54	0.515	2.000	Pass
	LCH	256QAM	1	1	1	0	22.31	23.57	26	0.575	2.000	Pass
			25	12	8	0	22.46	23.55	26.05	0.584	2.000	Pass
	MCH		25	12	8	0	22.21	23.24	25.77	0.548	2.000	Pass
	HCH		1	49	1	24	21.46	23.28	25.47	0.506	2.000	Pass
			25	12	8	0	21.46	23.18	25.41	0.500	2.000	Pass
20MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	22.17	23.47	25.88	0.560	2.000	Pass
			135	67	18	0	22.19	23.58	25.95	0.568	2.000	Pass
	MCH		135	67	18	0	22.04	23.49	25.84	0.553	2.000	Pass
	HCH		1	271	1	99	21.32	23.08	25.3	0.486	2.000	Pass
			135	67	18	0	21.73	23.24	25.56	0.518	2.000	Pass
	LCH	16QAM	1	1	1	0	22.31	23.61	26.02	0.578	2.000	Pass
			135	67	18	0	22.15	23.63	25.96	0.569	2.000	Pass
	MCH		135	67	18	0	21.96	23.55	25.84	0.552	2.000	Pass
	HCH		1	271	1	99	21.04	23.24	25.29	0.481	2.000	Pass
			135	67	18	0	21.74	23.2	25.54	0.517	2.000	Pass
	LCH	64QAM	1	1	1	0	22.19	23.63	25.98	0.572	2.000	Pass
			135	67	18	0	22.13	23.61	25.94	0.566	2.000	Pass
	MCH		135	67	18	0	22.14	23.53	25.9	0.562	2.000	Pass
	HCH		1	271	1	99	21.14	23.2	25.3	0.484	2.000	Pass
			135	67	18	0	21.71	23.18	25.52	0.514	2.000	Pass
	LCH	256QAM	1	1	1	0	22.17	23.73	26.03	0.577	2.000	Pass

			135	67	18	0	22.31	23.49	25.95	0.570	2.000	Pass
	MCH		135	67	18	0	22.04	23.5	25.84	0.553	2.000	Pass
	HCH		1	271	1	99	21.01	23.13	25.21	0.473	2.000	Pass
			135	67	18	0	21.75	23.16	25.52	0.515	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_2A_n66A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	20	20.51	23.27	0.295	1.000	Pass
			12	6	8	0	20.14	20.46	23.31	0.298	1.000	Pass
	MCH		12	6	8	0	20.11	20.38	23.26	0.295	1.000	Pass
	HCH		1	23	1	24	20.14	20.51	23.34	0.300	1.000	Pass
			12	6	8	0	20.24	20.45	23.36	0.302	1.000	Pass
	LCH	16QAM	1	1	1	0	20.14	20.5	23.33	0.300	1.000	Pass
			12	6	8	0	20.15	20.52	23.35	0.301	1.000	Pass
	MCH		12	6	8	0	20.19	20.58	23.4	0.304	1.000	Pass
	HCH		1	23	1	24	20.3	20.48	23.4	0.305	1.000	Pass
			12	6	8	0	20.23	20.6	23.43	0.306	1.000	Pass
	LCH	64QAM	1	1	1	0	19.95	20.38	23.18	0.289	1.000	Pass
			12	6	8	0	20.29	20.5	23.41	0.305	1.000	Pass
	MCH		12	6	8	0	20.22	20.49	23.37	0.302	1.000	Pass
	HCH		1	23	1	24	20.22	20.5	23.37	0.303	1.000	Pass
			12	6	8	0	20.23	20.65	23.46	0.308	1.000	Pass
	LCH	256QAM	1	1	1	0	18.35	20.47	22.55	0.245	1.000	Pass
			12	6	8	0	18.77	20.49	22.72	0.257	1.000	Pass
	MCH		12	6	8	0	18.71	20.47	22.69	0.254	1.000	Pass
	HCH		1	23	1	24	18.54	20.47	22.62	0.250	1.000	Pass
			12	6	8	0	18.73	20.61	22.78	0.259	1.000	Pass
20MHz (LTE) + 30MHz (NR)	LCH	QPSK	1	1	1	0	20.07	20.67	23.39	0.303	1.000	Pass
			80	40	18	0	20.09	20.61	23.37	0.302	1.000	Pass
	MCH		80	40	18	0	20.06	20.68	23.39	0.303	1.000	Pass
	HCH		1	158	1	99	20.17	20.5	23.35	0.301	1.000	Pass
			80	40	18	0	20.13	20.64	23.4	0.304	1.000	Pass
	LCH	16QAM	1	1	1	0	20.16	20.66	23.43	0.306	1.000	Pass
			80	40	18	0	20.1	20.71	23.43	0.305	1.000	Pass
	MCH		80	40	18	0	20.1	20.75	23.45	0.307	1.000	Pass
	HCH		1	158	1	99	20.32	20.67	23.51	0.312	1.000	Pass
			80	40	18	0	20.14	20.68	23.43	0.306	1.000	Pass
	LCH	64QAM	1	1	1	0	19.95	20.57	23.28	0.295	1.000	Pass
			80	40	18	0	20.13	20.72	23.45	0.307	1.000	Pass
	MCH		80	40	18	0	20.12	20.81	23.49	0.309	1.000	Pass
	HCH		1	158	1	99	20.04	20.74	23.41	0.304	1.000	Pass
			80	40	18	0	20.19	20.64	23.43	0.306	1.000	Pass
	LCH	256QAM	1	1	1	0	18.24	20.59	22.58	0.247	1.000	Pass

			80	40	18	0	18.66	20.65	22.78	0.259	1.000	Pass
	MCH		80	40	18	0	18.66	20.8	22.87	0.264	1.000	Pass
	HCH		1	158	1	99	18.38	20.67	22.68	0.253	1.000	Pass
			80	40	18	0	18.67	20.65	22.78	0.259	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict	
DC_2A_n71A													
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	20.41	20.37	23.4	0.166	2.000	Pass	
			12	6	8	0	20.39	20.27	23.34	0.163	2.000	Pass	
	MCH		12	6	8	0	20.38	20.08	23.24	0.157	2.000	Pass	
	HCH		1	23	1	24	20.08	20.31	23.21	0.162	2.000	Pass	
			12	6	8	0	20.06	20.32	23.2	0.162	2.000	Pass	
	LCH	16QAM	1	1	1	0	20.62	20.35	23.5	0.167	2.000	Pass	
			12	6	8	0	20.37	20.29	23.34	0.163	2.000	Pass	
	MCH		12	6	8	0	20.39	20.11	23.26	0.158	2.000	Pass	
	HCH		1	23	1	24	20.24	20.28	23.27	0.162	2.000	Pass	
			12	6	8	0	20.09	20.29	23.2	0.162	2.000	Pass	
	LCH	64QAM	1	1	1	0	20.37	20.29	23.34	0.163	2.000	Pass	
			12	6	8	0	20.49	20.31	23.41	0.165	2.000	Pass	
	MCH		12	6	8	0	20.54	20.13	23.35	0.160	2.000	Pass	
	HCH		1	23	1	24	19.97	20.27	23.13	0.160	2.000	Pass	
			12	6	8	0	20.2	20.21	23.22	0.160	2.000	Pass	
	LCH	256QAM	1	1	1	0	18.69	20.38	22.63	0.157	2.000	Pass	
			12	6	8	0	18.98	20.24	22.67	0.154	2.000	Pass	
			MCH	12	6	8	0	19.04	20.04	22.58	0.148	2.000	Pass
			HCH	1	23	1	24	18.38	20.32	22.47	0.154	2.000	Pass
				12	6	8	0	18.78	20.3	22.62	0.155	2.000	Pass
20MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	20.3	20.09	23.21	0.157	2.000	Pass	
			50	25	18	0	20.23	20.07	23.16	0.156	2.000	Pass	
			MCH	50	25	18	0	20.37	19.97	23.18	0.154	2.000	Pass
			HCH	1	104	1	99	20.02	20.08	23.06	0.155	2.000	Pass
				50	25	18	0	20.34	20.11	23.24	0.158	2.000	Pass
	LCH	16QAM	1	1	1	0	20.47	19.98	23.24	0.155	2.000	Pass	
			50	25	18	0	20.31	20.06	23.2	0.156	2.000	Pass	
			MCH	50	25	18	0	20.37	19.96	23.18	0.154	2.000	Pass
			HCH	1	104	1	99	20.14	20.08	23.12	0.156	2.000	Pass
				50	25	18	0	20.35	20.21	23.29	0.161	2.000	Pass
	LCH	64QAM	1	1	1	0	20.22	20.15	23.2	0.158	2.000	Pass	
			50	25	18	0	20.31	19.98	23.16	0.154	2.000	Pass	
			MCH	50	25	18	0	20.44	20.09	23.28	0.158	2.000	Pass
			HCH	1	104	1	99	19.97	20.08	23.04	0.155	2.000	Pass
				50	25	18	0	20.34	20.11	23.24	0.158	2.000	Pass
LCH	256QAM	1	1	1	0	18.47	19.98	22.3	0.144	2.000	Pass		

			50	25	18	0	18.87	20.02	22.49	0.147	2.000	Pass
	MCH		50	25	18	0	18.96	20.08	22.57	0.149	2.000	Pass
	HCH		1	104	1	99	18.32	20.04	22.27	0.145	2.000	Pass
			50	25	18	0	18.93	20.15	22.59	0.151	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_2A_n78A (3450-3550MHz)												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	21.07	23.67	25.57	0.402	1.000	Pass
			25	12	8	0	20.87	23.58	25.44	0.392	1.000	Pass
	MCH		25	12	8	0	21.01	23.58	25.49	0.395	1.000	Pass
	HCH		1	49	1	24	21.56	23.47	25.63	0.402	1.000	Pass
			25	12	8	0	21.29	23.6	25.61	0.403	1.000	Pass
	LCH	16QAM	1	1	1	0	20.96	23.66	25.53	0.399	1.000	Pass
			25	12	8	0	21.12	23.65	25.58	0.402	1.000	Pass
	MCH		25	12	8	0	21.14	23.55	25.52	0.396	1.000	Pass
	HCH		1	49	1	24	21.25	23.46	25.5	0.393	1.000	Pass
			25	12	8	0	21.36	23.62	25.65	0.407	1.000	Pass
	LCH	64QAM	1	1	1	0	21.19	23.64	25.6	0.404	1.000	Pass
			25	12	8	0	20.87	23.67	25.5	0.398	1.000	Pass
	MCH		25	12	8	0	21.05	23.62	25.53	0.399	1.000	Pass
	HCH		1	49	1	24	21.67	23.45	25.66	0.404	1.000	Pass
			25	12	8	0	21.41	23.62	25.66	0.408	1.000	Pass
	LCH	256QAM	1	1	1	0	20.97	23.68	25.54	0.401	1.000	Pass
			25	12	8	0	20.93	23.69	25.54	0.400	1.000	Pass
	MCH		25	12	8	0	21.01	23.61	25.51	0.397	1.000	Pass
	HCH		1	49	1	24	21.48	23.39	25.55	0.395	1.000	Pass
			25	12	8	0	21.21	23.66	25.62	0.405	1.000	Pass
20MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	20.92	23.85	25.64	0.411	1.000	Pass
			135	67	18	0	20.75	23.95	25.65	0.414	1.000	Pass
	MCH		135	67	18	0	20.86	23.88	25.64	0.412	1.000	Pass
	HCH		1	271	1	99	21.33	23.45	25.53	0.395	1.000	Pass
			135	67	18	0	20.69	23.47	25.31	0.380	1.000	Pass
	LCH	16QAM	1	1	1	0	20.61	23.89	25.56	0.407	1.000	Pass
			135	67	18	0	20.67	23.95	25.62	0.412	1.000	Pass
	MCH		135	67	18	0	20.77	23.85	25.59	0.408	1.000	Pass
	HCH		1	271	1	99	21.07	23.5	25.46	0.391	1.000	Pass
			135	67	18	0	20.76	23.48	25.34	0.382	1.000	Pass
	LCH	64QAM	1	1	1	0	20.55	23.82	25.5	0.400	1.000	Pass
			135	67	18	0	20.72	24	25.67	0.417	1.000	Pass
	MCH		135	67	18	0	20.73	23.86	25.58	0.407	1.000	Pass
	HCH		1	271	1	99	21.01	23.46	25.42	0.387	1.000	Pass
			135	67	18	0	20.76	23.53	25.37	0.386	1.000	Pass
	LCH	256QAM	1	1	1	0	20.78	23.95	25.66	0.415	1.000	Pass

			135	67	18	0	20.8	24.04	25.73	0.422	1.000	Pass
	MCH		135	67	18	0	20.71	23.91	25.61	0.410	1.000	Pass
	HCH		1	271	1	99	21.27	23.39	25.47	0.389	1.000	Pass
			135	67	18	0	20.76	23.54	25.38	0.386	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_2A_n78A (3700-3800MHz)												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	21.87	23.96	26.05	0.498	1.000	Pass
			25	12	8	0	21.7	23.87	25.93	0.484	1.000	Pass
	MCH		25	12	8	0	21.56	23.79	25.83	0.473	1.000	Pass
	HCH		1	49	1	24	21.66	23.77	25.85	0.476	1.000	Pass
			25	12	8	0	21.68	23.67	25.8	0.470	1.000	Pass
	LCH	16QAM	1	1	1	0	21.55	24.01	25.96	0.488	1.000	Pass
			25	12	8	0	21.59	23.95	25.94	0.486	1.000	Pass
	MCH		25	12	8	0	21.58	23.74	25.8	0.470	1.000	Pass
	HCH		1	49	1	24	21.46	23.53	25.63	0.452	1.000	Pass
			25	12	8	0	21.72	23.61	25.78	0.467	1.000	Pass
	LCH	64QAM	1	1	1	0	21.59	23.87	25.89	0.480	1.000	Pass
			25	12	8	0	21.56	23.84	25.86	0.477	1.000	Pass
	MCH		25	12	8	0	21.44	23.82	25.8	0.470	1.000	Pass
	HCH		1	49	1	24	21.26	23.61	25.6	0.449	1.000	Pass
			25	12	8	0	21.6	23.77	25.83	0.473	1.000	Pass
	LCH	256QAM	1	1	1	0	21.81	23.99	26.05	0.497	1.000	Pass
			25	12	8	0	21.6	23.86	25.89	0.480	1.000	Pass
	MCH		25	12	8	0	21.65	23.73	25.82	0.473	1.000	Pass
	HCH		1	49	1	24	21.62	23.72	25.81	0.471	1.000	Pass
			25	12	8	0	21.65	23.74	25.83	0.473	1.000	Pass
20MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	21.5	23.79	25.8	0.471	1.000	Pass
			135	67	18	0	21.32	23.76	25.72	0.462	1.000	Pass
	MCH		135	67	18	0	21.41	23.97	25.89	0.480	1.000	Pass
	HCH		1	271	1	99	21.53	23.58	25.69	0.458	1.000	Pass
			135	67	18	0	21.31	23.56	25.59	0.448	1.000	Pass
	LCH	16QAM	1	1	1	0	21.18	23.82	25.71	0.461	1.000	Pass
			135	67	18	0	21.3	23.76	25.71	0.461	1.000	Pass
	MCH		135	67	18	0	21.31	23.99	25.86	0.478	1.000	Pass
	HCH		1	271	1	99	21.22	23.49	25.51	0.440	1.000	Pass
			135	67	18	0	21.27	23.54	25.56	0.445	1.000	Pass
	LCH	64QAM	1	1	1	0	21.1	23.83	25.69	0.459	1.000	Pass
			135	67	18	0	21.29	23.83	25.75	0.466	1.000	Pass
	MCH		135	67	18	0	21.31	23.98	25.86	0.477	1.000	Pass
	HCH		1	271	1	99	21.06	23.43	25.42	0.430	1.000	Pass
			135	67	18	0	21.39	23.61	25.65	0.454	1.000	Pass
	LCH	256QAM	1	1	1	0	21.23	23.67	25.63	0.452	1.000	Pass

			135	67	18	0	21.27	23.82	25.74	0.464	1.000	Pass
	MCH		135	67	18	0	21.19	23.95	25.8	0.470	1.000	Pass
	HCH		1	271	1	99	21.3	23.45	25.52	0.440	1.000	Pass
			135	67	18	0	21.34	23.55	25.59	0.448	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n2A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	19.2	20.42	22.86	0.143	2.000	Pass
			12	6	8	0	19.3	20.49	22.95	0.146	2.000	Pass
	MCH		12	6	8	0	19.22	20.38	22.85	0.143	2.000	Pass
	HCH		1	23	1	24	19.25	20.44	22.9	0.144	2.000	Pass
			12	6	8	0	19.36	20.38	22.91	0.146	2.000	Pass
	LCH	16QAM	1	1	1	0	19.35	20.62	23.04	0.148	2.000	Pass
			12	6	8	0	19.26	20.5	22.93	0.145	2.000	Pass
	MCH		12	6	8	0	19.3	20.31	22.84	0.144	2.000	Pass
	HCH		1	23	1	24	19.38	20.39	22.92	0.147	2.000	Pass
			12	6	8	0	19.35	20.47	22.96	0.147	2.000	Pass
	LCH	64QAM	1	1	1	0	19.15	20.63	22.96	0.143	2.000	Pass
			12	6	8	0	19.36	20.49	22.97	0.147	2.000	Pass
	MCH		12	6	8	0	19.42	20.34	22.91	0.147	2.000	Pass
	HCH		1	23	1	24	19.17	20.33	22.8	0.141	2.000	Pass
			12	6	8	0	19.51	20.37	22.97	0.150	2.000	Pass
	LCH	256QAM	1	1	1	0	17.96	20.52	22.44	0.118	2.000	Pass
			12	6	8	0	18.31	20.4	22.49	0.123	2.000	Pass
	MCH		12	6	8	0	18.41	20.31	22.47	0.124	2.000	Pass
	HCH		1	23	1	24	18.07	20.37	22.38	0.118	2.000	Pass
			12	6	8	0	18.48	20.36	22.53	0.126	2.000	Pass
10MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	19.2	20.51	22.91	0.144	2.000	Pass
			50	25	12	0	19.08	20.44	22.82	0.140	2.000	Pass
	MCH		50	25	12	0	19.21	20.45	22.88	0.143	2.000	Pass
	HCH		1	104	1	49	19.1	20.36	22.79	0.140	2.000	Pass
			50	25	12	0	19.34	20.39	22.91	0.146	2.000	Pass
	LCH	16QAM	1	1	1	0	19.24	20.41	22.87	0.144	2.000	Pass
			50	25	12	0	19.09	20.43	22.82	0.140	2.000	Pass
	MCH		50	25	12	0	19.28	20.46	22.92	0.145	2.000	Pass
	HCH		1	104	1	49	19.34	20.46	22.95	0.147	2.000	Pass
			50	25	12	0	19.34	20.35	22.88	0.146	2.000	Pass
	LCH	64QAM	1	1	1	0	19.07	20.4	22.8	0.139	2.000	Pass
			50	25	12	0	19.17	20.44	22.86	0.142	2.000	Pass
	MCH		50	25	12	0	19.26	20.44	22.9	0.144	2.000	Pass
	HCH		1	104	1	49	19.07	20.43	22.81	0.140	2.000	Pass
			50	25	12	0	19.4	20.39	22.93	0.147	2.000	Pass
	LCH	256QAM	1	1	1	0	17.98	20.48	22.42	0.118	2.000	Pass

			50	25	12	0	18.16	20.4	22.43	0.120	2.000	Pass
	MCH		50	25	12	0	18.29	20.53	22.56	0.124	2.000	Pass
	HCH		1	104	1	49	17.94	20.42	22.36	0.116	2.000	Pass
			50	25	12	0	18.37	20.36	22.49	0.124	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	20.56	20.79	23.69	0.178	2.000	Pass
			12	6	8	0	20.61	20.7	23.67	0.179	2.000	Pass
	MCH		12	6	8	0	20.45	20.64	23.56	0.173	2.000	Pass
	HCH		1	23	1	24	20.55	20.76	23.67	0.177	2.000	Pass
			12	6	8	0	20.58	20.58	23.59	0.177	2.000	Pass
	LCH	16QAM	1	1	1	0	19.97	20.8	23.42	0.161	2.000	Pass
			12	6	8	0	19.64	20.73	23.23	0.151	2.000	Pass
	MCH		12	6	8	0	20.52	20.61	23.58	0.175	2.000	Pass
	HCH		1	23	1	24	20.49	20.6	23.56	0.174	2.000	Pass
			12	6	8	0	20.38	20.55	23.48	0.170	2.000	Pass
	LCH	64QAM	1	1	1	0	18.35	20.79	22.75	0.123	2.000	Pass
			12	6	8	0	18.31	20.68	22.67	0.122	2.000	Pass
	MCH		12	6	8	0	19.54	20.62	23.12	0.148	2.000	Pass
	HCH		1	23	1	24	19.04	20.68	22.95	0.137	2.000	Pass
			12	6	8	0	19.22	20.58	22.96	0.140	2.000	Pass
	LCH	256QAM	1	1	1	0	16.65	20.87	22.26	0.098	2.000	Pass
			12	6	8	0	16.76	20.75	22.21	0.098	2.000	Pass
	MCH		12	6	8	0	17.99	20.6	22.5	0.115	2.000	Pass
	HCH		1	23	1	24	17.58	20.7	22.42	0.109	2.000	Pass
			12	6	8	0	17.8	20.57	22.41	0.112	2.000	Pass
10MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	20.39	20.81	23.62	0.173	2.000	Pass
			50	25	12	0	20.61	20.76	23.7	0.179	2.000	Pass
	MCH		50	25	12	0	20.45	20.6	23.54	0.173	2.000	Pass
	HCH		1	104	1	49	20.37	20.49	23.44	0.169	2.000	Pass
			50	25	12	0	20.67	20.59	23.64	0.179	2.000	Pass
	LCH	16QAM	1	1	1	0	19.89	20.71	23.33	0.158	2.000	Pass
			50	25	12	0	19.66	20.69	23.22	0.151	2.000	Pass
	MCH		50	25	12	0	20.5	20.6	23.56	0.174	2.000	Pass
	HCH		1	104	1	49	20.41	20.68	23.56	0.172	2.000	Pass
			50	25	12	0	20.62	20.57	23.61	0.178	2.000	Pass
	LCH	64QAM	1	1	1	0	18.18	20.79	22.69	0.120	2.000	Pass
			50	25	12	0	18.21	20.67	22.62	0.120	2.000	Pass
	MCH		50	25	12	0	19.45	20.71	23.14	0.146	2.000	Pass
	HCH		1	104	1	49	18.93	20.67	22.9	0.134	2.000	Pass
			50	25	12	0	19.31	20.58	23	0.142	2.000	Pass
	LCH	256QAM	1	1	1	0	16.58	20.62	22.06	0.094	2.000	Pass

			50	25	12	0	16.72	20.69	22.15	0.097	2.000	Pass
	MCH		50	25	12	0	17.95	20.71	22.56	0.115	2.000	Pass
	HCH		1	104	1	49	17.66	20.56	22.36	0.109	2.000	Pass
			50	25	12	0	17.82	20.57	22.42	0.112	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n48A												
5MHz (LTE) + 10MHz (NR)	LCH	QPSK	1	1	1	0	19.03	20.3	22.72	0.133	0.200	Pass
			12	6	8	0	19.06	20.23	22.69	0.133	0.200	Pass
	MCH		12	6	8	0	19.56	20.12	22.86	0.144	0.200	Pass
	HCH		1	22	1	24	19.42	20.16	22.82	0.141	0.200	Pass
			12	6	8	0	19.58	20.08	22.85	0.144	0.200	Pass
	LCH	16QAM	1	1	1	0	18.94	20.28	22.67	0.131	0.200	Pass
			12	6	8	0	19.05	20.23	22.69	0.133	0.200	Pass
	MCH		12	6	8	0	19.48	20.24	22.89	0.143	0.200	Pass
	HCH		1	22	1	24	19.09	20.16	22.67	0.133	0.200	Pass
			12	6	8	0	19.53	20.08	22.82	0.143	0.200	Pass
	LCH	64QAM	1	1	1	0	18.9	20.26	22.64	0.130	0.200	Pass
			12	6	8	0	19.07	20.32	22.75	0.134	0.200	Pass
	MCH		12	6	8	0	19.59	20.13	22.88	0.145	0.200	Pass
	HCH		1	22	1	24	19.19	20.2	22.73	0.136	0.200	Pass
			12	6	8	0	19.51	20.08	22.81	0.142	0.200	Pass
	LCH	256QAM	1	1	1	0	17.63	20.32	22.19	0.107	0.200	Pass
			12	6	8	0	17.73	20.33	22.23	0.108	0.200	Pass
	MCH		12	6	8	0	18.16	20.11	22.25	0.114	0.200	Pass
	HCH		1	22	1	24	17.96	19.98	22.1	0.109	0.200	Pass
			12	6	8	0	18.16	20.07	22.23	0.114	0.200	Pass
10MHz (LTE) + 40MHz (NR)	LCH	QPSK	1	1	1	0	19.1	20.14	22.66	0.133	0.200	Pass
			50	25	12	0	19.25	20.34	22.84	0.138	0.200	Pass
	MCH		50	25	12	0	19.65	20.16	22.92	0.146	0.200	Pass
	HCH		1	104	1	49	19.5	19.99	22.76	0.141	0.200	Pass
			50	25	12	0	19.52	20.26	22.92	0.144	0.200	Pass
	LCH	16QAM	1	1	1	0	19	20.28	22.7	0.132	0.200	Pass
			50	25	12	0	19.1	20.17	22.68	0.133	0.200	Pass
	MCH		50	25	12	0	19.66	20.12	22.91	0.146	0.200	Pass
	HCH		1	104	1	49	19.14	20.07	22.64	0.133	0.200	Pass
			50	25	12	0	19.6	20.18	22.91	0.145	0.200	Pass
	LCH	64QAM	1	1	1	0	18.91	20.22	22.62	0.130	0.200	Pass
			50	25	12	0	19.1	20.18	22.68	0.133	0.200	Pass
	MCH		50	25	12	0	19.6	20.22	22.93	0.146	0.200	Pass
	HCH		1	104	1	49	19.26	19.99	22.65	0.136	0.200	Pass
			50	25	12	0	19.49	20.17	22.85	0.143	0.200	Pass
	LCH	256QAM	1	1	1	0	17.52	20.24	22.1	0.104	0.200	Pass

			50	25	12	0	17.75	20.24	22.18	0.108	0.200	Pass
	MCH		50	25	12	0	18.23	20.2	22.34	0.116	0.200	Pass
	HCH		1	104	1	49	17.96	19.98	22.1	0.109	0.200	Pass
			50	25	12	0	18.11	20.24	22.31	0.114	0.200	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n66A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	20	21.32	23.72	0.200	1.000	Pass
			12	6	8	0	20.14	21.2	23.71	0.204	1.000	Pass
	MCH		12	6	8	0	20.01	21.04	23.57	0.198	1.000	Pass
	HCH		1	23	1	24	20.11	20.85	23.51	0.199	1.000	Pass
			12	6	8	0	20.19	20.93	23.59	0.203	1.000	Pass
	LCH	16QAM	1	1	1	0	20.13	21.31	23.77	0.205	1.000	Pass
			12	6	8	0	20.14	21.21	23.72	0.204	1.000	Pass
	MCH		12	6	8	0	20.01	21.05	23.57	0.198	1.000	Pass
	HCH		1	23	1	24	20.25	20.97	23.64	0.206	1.000	Pass
			12	6	8	0	20.21	20.91	23.58	0.204	1.000	Pass
	LCH	64QAM	1	1	1	0	19.97	21.28	23.68	0.199	1.000	Pass
			12	6	8	0	20.22	21.23	23.76	0.207	1.000	Pass
	MCH		12	6	8	0	20.14	21.02	23.61	0.202	1.000	Pass
	HCH		1	23	1	24	20.21	20.89	23.57	0.203	1.000	Pass
			12	6	8	0	20.34	20.92	23.65	0.209	1.000	Pass
	LCH	256QAM	1	1	1	0	18.28	21.29	23.05	0.150	1.000	Pass
			12	6	8	0	18.72	21.22	23.16	0.160	1.000	Pass
	MCH		12	6	8	0	18.59	21.01	22.98	0.154	1.000	Pass
	HCH		1	23	1	24	18.46	20.83	22.82	0.149	1.000	Pass
			12	6	8	0	18.86	20.91	23.02	0.161	1.000	Pass
10MHz (LTE) + 30MHz (NR)	LCH	QPSK	1	1	1	0	20	21.13	23.61	0.198	1.000	Pass
			80	40	12	0	20	21.11	23.6	0.198	1.000	Pass
	MCH		80	40	12	0	19.99	21.04	23.56	0.197	1.000	Pass
	HCH		1	158	1	49	20.05	20.84	23.47	0.197	1.000	Pass
			80	40	12	0	20.27	20.88	23.6	0.206	1.000	Pass
	LCH	16QAM	1	1	1	0	20.11	21.2	23.7	0.203	1.000	Pass
			80	40	12	0	19.93	21.1	23.56	0.195	1.000	Pass
	MCH		80	40	12	0	19.97	21.13	23.6	0.197	1.000	Pass
	HCH		1	158	1	49	20.24	20.82	23.55	0.204	1.000	Pass
			80	40	12	0	20.12	20.88	23.53	0.200	1.000	Pass
	LCH	64QAM	1	1	1	0	19.93	21.06	23.54	0.195	1.000	Pass
			80	40	12	0	20.04	21.14	23.64	0.200	1.000	Pass
	MCH		80	40	12	0	19.97	21.16	23.62	0.197	1.000	Pass
	HCH		1	158	1	49	20.02	20.89	23.49	0.197	1.000	Pass
			80	40	12	0	20.21	20.92	23.59	0.204	1.000	Pass

	LCH	256QAM	1	1	1	0	18.32	21.21	23.01	0.150	1.000	Pass
			80	40	12	0	18.62	21.13	23.06	0.156	1.000	Pass
	MCH		80	40	12	0	18.53	21.06	22.99	0.153	1.000	Pass
	HCH		1	158	1	49	18.54	20.99	22.95	0.153	1.000	Pass
			80	40	12	0	18.73	20.92	22.97	0.157	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A (3450-3550MHz)												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	21.07	23.24	25.3	0.182	1.000	Pass
			25	12	8	0	21.16	23.25	25.34	0.185	1.000	Pass
	MCH		25	12	8	0	21.12	23.2	25.29	0.183	1.000	Pass
	HCH		1	49	1	24	21.21	23.21	25.33	0.185	1.000	Pass
			25	12	8	0	21.27	23.09	25.28	0.185	1.000	Pass
	LCH	16QAM	1	1	1	0	20.93	23.26	25.26	0.179	1.000	Pass
			25	12	8	0	21.14	23.27	25.34	0.184	1.000	Pass
	MCH		25	12	8	0	21.17	23.15	25.28	0.183	1.000	Pass
	HCH		1	49	1	24	20.99	23.07	25.16	0.177	1.000	Pass
			25	12	8	0	21.38	23.06	25.31	0.187	1.000	Pass
	LCH	64QAM	1	1	1	0	21.28	23.3	25.42	0.189	1.000	Pass
			25	12	8	0	21.01	23.25	25.28	0.181	1.000	Pass
	MCH		25	12	8	0	21.19	23.21	25.33	0.185	1.000	Pass
	HCH		1	49	1	24	21.42	22.96	25.27	0.187	1.000	Pass
			25	12	8	0	21.33	23.06	25.29	0.186	1.000	Pass
	LCH	256QAM	1	1	1	0	21.08	23.29	25.33	0.183	1.000	Pass
			25	12	8	0	20.95	23.09	25.16	0.177	1.000	Pass
	MCH		25	12	8	0	21.16	23.15	25.28	0.183	1.000	Pass
	HCH		1	49	1	24	21.25	23	25.22	0.183	1.000	Pass
			25	12	8	0	21.22	23.06	25.25	0.183	1.000	Pass
10MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	20.95	23.24	25.25	0.179	1.000	Pass
			135	67	12	0	20.99	23.21	25.25	0.180	1.000	Pass
	MCH		135	67	12	0	20.9	23.19	25.2	0.177	1.000	Pass
	HCH		1	271	1	49	21.05	23.04	25.17	0.178	1.000	Pass
			135	67	12	0	20.83	23.14	25.15	0.175	1.000	Pass
	LCH	16QAM	1	1	1	0	20.55	23.29	25.14	0.171	1.000	Pass
			135	67	12	0	20.95	23.26	25.27	0.180	1.000	Pass
	MCH		135	67	12	0	20.95	23.23	25.25	0.179	1.000	Pass
	HCH		1	271	1	49	20.73	23.14	25.11	0.172	1.000	Pass
			135	67	12	0	20.99	23.2	25.24	0.180	1.000	Pass
	LCH	64QAM	1	1	1	0	20.6	23.26	25.14	0.171	1.000	Pass
			135	67	12	0	20.96	23.19	25.23	0.179	1.000	Pass
	MCH		135	67	12	0	21.01	23.23	25.27	0.181	1.000	Pass
	HCH		1	271	1	49	20.72	23.13	25.1	0.172	1.000	Pass
			135	67	12	0	20.96	23.16	25.21	0.178	1.000	Pass
	LCH	256QAM	1	1	1	0	20.81	23.24	25.2	0.176	1.000	Pass

			135	67	12	0	20.94	23.23	25.24	0.179	1.000	Pass
	MCH		135	67	12	0	21	23.18	25.24	0.179	1.000	Pass
	HCH		1	271	1	49	20.89	23.26	25.25	0.178	1.000	Pass
			135	67	12	0	20.95	23.15	25.2	0.178	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A (3700-3800MHz)												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	21.59	23.41	25.6	0.249	1.000	Pass
			25	12	8	0	21.52	23.37	25.55	0.245	1.000	Pass
	MCH		25	12	8	0	21.36	23.11	25.33	0.235	1.000	Pass
	HCH		1	49	1	24	21.42	23.07	25.33	0.236	1.000	Pass
			25	12	8	0	21.54	23.13	25.42	0.242	1.000	Pass
	LCH	16QAM	1	1	1	0	21.51	23.45	25.6	0.246	1.000	Pass
			25	12	8	0	21.48	23.4	25.56	0.244	1.000	Pass
	MCH		25	12	8	0	21.4	23.11	25.35	0.236	1.000	Pass
	HCH		1	49	1	24	21.24	23.12	25.29	0.230	1.000	Pass
			25	12	8	0	21.62	23.08	25.42	0.244	1.000	Pass
	LCH	64QAM	1	1	1	0	21.31	23.56	25.59	0.241	1.000	Pass
			25	12	8	0	21.55	23.43	25.6	0.247	1.000	Pass
	MCH		25	12	8	0	21.45	23.16	25.4	0.239	1.000	Pass
	HCH		1	49	1	24	21.45	23.09	25.36	0.238	1.000	Pass
			25	12	8	0	21.44	23.08	25.35	0.237	1.000	Pass
	LCH	256QAM	1	1	1	0	21.52	23.39	25.57	0.246	1.000	Pass
			25	12	8	0	21.44	23.39	25.53	0.242	1.000	Pass
	MCH		25	12	8	0	21.47	23.12	25.38	0.239	1.000	Pass
	HCH		1	49	1	24	21.45	23.13	25.38	0.238	1.000	Pass
			25	12	8	0	21.38	23.2	25.39	0.237	1.000	Pass
10MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	21.02	23.29	25.31	0.225	1.000	Pass
			135	67	12	0	21.26	23.22	25.36	0.233	1.000	Pass
	MCH		135	67	12	0	21.17	23.28	25.36	0.230	1.000	Pass
	HCH		1	271	1	49	21.24	23.22	25.35	0.232	1.000	Pass
			135	67	12	0	21.26	23.2	25.35	0.232	1.000	Pass
	LCH	16QAM	1	1	1	0	20.93	23.09	25.15	0.219	1.000	Pass
			135	67	12	0	21.25	23.2	25.34	0.232	1.000	Pass
	MCH		135	67	12	0	21.27	23.21	25.36	0.233	1.000	Pass
	HCH		1	271	1	49	21.05	23.22	25.28	0.225	1.000	Pass
			135	67	12	0	21.23	23.22	25.35	0.232	1.000	Pass
	LCH	64QAM	1	1	1	0	21.23	23.19	25.33	0.231	1.000	Pass
			135	67	12	0	21.25	23.31	25.41	0.234	1.000	Pass
	MCH		135	67	12	0	21.26	23.22	25.36	0.233	1.000	Pass
	HCH		1	271	1	49	21.32	23.11	25.32	0.233	1.000	Pass
			135	67	12	0	21.14	23.22	25.31	0.228	1.000	Pass
	LCH	256QAM	1	1	1	0	20.97	23.14	25.2	0.221	1.000	Pass

			135	67	12	0	21.14	23.32	25.38	0.230	1.000	Pass
	MCH		135	67	12	0	21.26	23.21	25.35	0.233	1.000	Pass
	HCH		1	271	1	49	21.07	23.18	25.26	0.225	1.000	Pass
			135	67	12	0	21.25	23.31	25.41	0.234	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_7A_n5A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	19.7	19.91	22.82	0.150	2.000	Pass
			12	6	8	0	19.7	19.75	22.74	0.145	2.000	Pass
	MCH		12	6	8	0	19.49	19.77	22.64	0.144	2.000	Pass
	HCH		1	23	1	24	19.47	19.96	22.73	0.149	2.000	Pass
			12	6	8	0	19.52	20	22.78	0.151	2.000	Pass
	LCH	16QAM	1	1	1	0	19.83	19.89	22.87	0.150	2.000	Pass
			12	6	8	0	19.67	19.85	22.77	0.148	2.000	Pass
	MCH		12	6	8	0	19.51	19.85	22.69	0.147	2.000	Pass
	HCH		1	23	1	24	19.58	20	22.81	0.151	2.000	Pass
			12	6	8	0	19.5	19.95	22.74	0.149	2.000	Pass
	LCH	64QAM	1	1	1	0	19.61	20.02	22.83	0.152	2.000	Pass
			12	6	8	0	19.78	19.9	22.85	0.150	2.000	Pass
	MCH		12	6	8	0	19.59	19.65	22.63	0.142	2.000	Pass
	HCH		1	23	1	24	19.42	19.96	22.71	0.149	2.000	Pass
			12	6	8	0	19.63	19.84	22.75	0.147	2.000	Pass
	LCH	256QAM	1	1	1	0	18.47	19.85	22.22	0.140	2.000	Pass
			12	6	8	0	18.8	19.92	22.41	0.144	2.000	Pass
	MCH		12	6	8	0	18.63	19.73	22.23	0.138	2.000	Pass
	HCH		1	23	1	24	18.18	20.03	22.21	0.143	2.000	Pass
			12	6	8	0	18.53	20	22.34	0.145	2.000	Pass
20MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	19.63	19.96	22.81	0.151	2.000	Pass
			50	25	18	0	19.51	19.78	22.66	0.145	2.000	Pass
	MCH		50	25	18	0	19.62	19.75	22.7	0.145	2.000	Pass
	HCH		1	104	1	99	19.44	19.63	22.55	0.140	2.000	Pass
			50	25	18	0	19.54	20.07	22.82	0.153	2.000	Pass
	LCH	16QAM	1	1	1	0	19.79	19.79	22.8	0.147	2.000	Pass
			50	25	18	0	19.61	19.87	22.75	0.148	2.000	Pass
	MCH		50	25	18	0	19.6	19.84	22.73	0.147	2.000	Pass
	HCH		1	104	1	99	19.53	19.73	22.64	0.144	2.000	Pass
			50	25	18	0	19.59	20.03	22.83	0.152	2.000	Pass
	LCH	64QAM	1	1	1	0	19.59	19.87	22.74	0.148	2.000	Pass
			50	25	18	0	19.6	19.86	22.74	0.148	2.000	Pass
	MCH		50	25	18	0	19.63	19.75	22.7	0.145	2.000	Pass
	HCH		1	104	1	99	19.25	19.75	22.52	0.142	2.000	Pass
			50	25	18	0	19.63	20.04	22.85	0.153	2.000	Pass

	LCH	256QAM	1	1	1	0	18.43	19.79	22.17	0.138	2.000	Pass
			50	25	18	0	18.56	19.84	22.26	0.140	2.000	Pass
	MCH		50	25	18	0	18.67	19.73	22.24	0.138	2.000	Pass
	HCH		1	104	1	99	18.12	19.81	22.06	0.137	2.000	Pass
			50	25	18	0	18.59	20	22.36	0.145	2.000	Pass