

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_7A_n66A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	20.55	19.75	23.18	0.287	1.000	Pass
			12	6	8	0	20.69	19.53	23.16	0.288	1.000	Pass
	MCH		12	6	8	0	20.25	19.85	23.06	0.278	1.000	Pass
	HCH		1	23	1	24	20.38	19.61	23.02	0.277	1.000	Pass
			12	6	8	0	20.33	19.64	23.01	0.276	1.000	Pass
	LCH	16QAM	1	1	1	0	20.67	19.91	23.32	0.297	1.000	Pass
			12	6	8	0	20.27	19.62	22.97	0.273	1.000	Pass
	MCH		12	6	8	0	20.14	19.85	23.01	0.274	1.000	Pass
	HCH		1	23	1	24	20.49	19.79	23.16	0.286	1.000	Pass
			12	6	8	0	20.47	19.68	23.1	0.282	1.000	Pass
	LCH	64QAM	1	1	1	0	19.43	19.7	22.58	0.247	1.000	Pass
			12	6	8	0	19.22	19.69	22.47	0.240	1.000	Pass
	MCH		12	6	8	0	20.3	19.8	23.07	0.279	1.000	Pass
	HCH		1	23	1	24	20.3	19.74	23.04	0.277	1.000	Pass
			12	6	8	0	20.53	19.69	23.14	0.285	1.000	Pass
	LCH	256QAM	1	1	1	0	17.72	19.75	21.86	0.204	1.000	Pass
			12	6	8	0	17.66	19.67	21.79	0.201	1.000	Pass
	MCH		12	6	8	0	18.89	19.82	22.39	0.234	1.000	Pass
	HCH		1	23	1	24	18.66	19.75	22.25	0.226	1.000	Pass
			12	6	8	0	18.99	19.74	22.39	0.235	1.000	Pass
20MHz (LTE) + 30MHz (NR)	LCH	QPSK	1	1	1	0	20.54	19.67	23.14	0.285	1.000	Pass
			80	40	18	0	20.58	19.63	23.14	0.286	1.000	Pass
	MCH		80	40	18	0	20.27	19.86	23.08	0.279	1.000	Pass
	HCH		1	158	1	99	20.25	19.52	22.91	0.270	1.000	Pass
			80	40	18	0	20.47	19.96	23.23	0.290	1.000	Pass
	LCH	16QAM	1	1	1	0	20.66	19.74	23.23	0.292	1.000	Pass
			80	40	18	0	20.58	19.62	23.14	0.285	1.000	Pass
	MCH		80	40	18	0	20.28	19.97	23.14	0.283	1.000	Pass
	HCH		1	158	1	99	20.47	19.54	23.04	0.279	1.000	Pass
			80	40	18	0	20.47	19.91	23.21	0.288	1.000	Pass
	LCH	64QAM	1	1	1	0	20.48	19.6	23.07	0.281	1.000	Pass
			80	40	18	0	19.76	19.66	22.72	0.256	1.000	Pass
	MCH		80	40	18	0	20.4	19.88	23.16	0.285	1.000	Pass
	HCH		1	158	1	99	20.28	19.36	22.85	0.267	1.000	Pass
			80	40	18	0	20.46	19.86	23.18	0.287	1.000	Pass

	LCH	256QAM	1	1	1	0	18.87	19.71	22.32	0.231	1.000	Pass
			80	40	18	0	18.3	19.63	22.03	0.214	1.000	Pass
	MCH		80	40	18	0	18.93	19.95	22.48	0.239	1.000	Pass
	HCH		1	158	1	99	18.68	19.54	22.14	0.221	1.000	Pass
			80	40	18	0	19.07	19.84	22.48	0.239	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_7A_n77A (3450-3550MHz)												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	23.23	22.33	25.81	0.385	1.000	Pass
			25	12	8	0	23.19	22.27	25.76	0.381	1.000	Pass
	MCH		25	12	8	0	23.06	22.25	25.68	0.374	1.000	Pass
	HCH		1	49	1	24	23.18	22.33	25.79	0.383	1.000	Pass
			25	12	8	0	23.13	22.14	25.67	0.372	1.000	Pass
	LCH	16QAM	1	1	1	0	22.94	22.46	25.72	0.380	1.000	Pass
			25	12	8	0	23.15	22.18	25.7	0.375	1.000	Pass
	MCH		25	12	8	0	23.2	22.18	25.73	0.377	1.000	Pass
	HCH		1	49	1	24	22.79	22.34	25.58	0.368	1.000	Pass
			25	12	8	0	23.14	22.25	25.73	0.378	1.000	Pass
	LCH	64QAM	1	1	1	0	22.92	22.39	25.67	0.375	1.000	Pass
			25	12	8	0	23.19	22.2	25.73	0.377	1.000	Pass
	MCH		25	12	8	0	23.11	22.29	25.73	0.378	1.000	Pass
	HCH		1	49	1	24	22.82	22.35	25.6	0.370	1.000	Pass
			25	12	8	0	23.04	22.27	25.68	0.374	1.000	Pass
	LCH	256QAM	1	1	1	0	23.1	22.32	25.74	0.379	1.000	Pass
			25	12	8	0	23.08	22.3	25.72	0.377	1.000	Pass
	MCH		25	12	8	0	23.08	22.19	25.67	0.372	1.000	Pass
	HCH		1	49	1	24	22.99	22.21	25.63	0.370	1.000	Pass
			25	12	8	0	23.02	22.17	25.63	0.369	1.000	Pass
20MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	22.84	22.63	25.75	0.384	1.000	Pass
			135	67	18	0	23.08	22.73	25.92	0.399	1.000	Pass
	MCH		135	67	18	0	22.87	22.67	25.78	0.387	1.000	Pass
	HCH		1	271	1	99	22.79	22.51	25.66	0.376	1.000	Pass
			135	67	18	0	22.93	22.69	25.82	0.391	1.000	Pass
	LCH	16QAM	1	1	1	0	22.56	22.56	25.57	0.370	1.000	Pass
			135	67	18	0	22.99	22.66	25.84	0.392	1.000	Pass
	MCH		135	67	18	0	22.79	22.62	25.72	0.382	1.000	Pass
	HCH		1	271	1	99	22.55	22.49	25.53	0.367	1.000	Pass
			135	67	18	0	22.95	22.69	25.83	0.391	1.000	Pass
	LCH	64QAM	1	1	1	0	22.68	22.48	25.59	0.371	1.000	Pass
			135	67	18	0	22.95	22.71	25.84	0.393	1.000	Pass
	MCH		135	67	18	0	22.98	22.6	25.8	0.388	1.000	Pass
	HCH		1	271	1	99	22.58	22.35	25.48	0.361	1.000	Pass
			135	67	18	0	22.91	22.73	25.83	0.392	1.000	Pass
	LCH	256QAM	1	1	1	0	22.94	22.91	25.94	0.403	1.000	Pass

			135	67	18	0	22.93	22.67	25.81	0.390	1.000	Pass
	MCH		135	67	18	0	22.85	22.6	25.74	0.383	1.000	Pass
	HCH		1	271	1	99	22.76	22.63	25.71	0.381	1.000	Pass
			135	67	18	0	22.83	22.74	25.8	0.389	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_7A_n77A (3700-3980MHz)												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	23.41	22.41	25.95	0.483	1.000	Pass
			25	12	8	0	23.35	22.19	25.82	0.469	1.000	Pass
	MCH		25	12	8	0	23.02	22.37	25.72	0.458	1.000	Pass
	HCH		1	49	1	24	22.56	22.37	25.48	0.432	1.000	Pass
			25	12	8	0	22.67	22.27	25.48	0.434	1.000	Pass
	LCH	16QAM	1	1	1	0	23.11	22.23	25.7	0.456	1.000	Pass
			25	12	8	0	23.4	22.28	25.89	0.476	1.000	Pass
	MCH		25	12	8	0	22.99	22.31	25.67	0.453	1.000	Pass
	HCH		1	49	1	24	22.31	22.47	25.4	0.425	1.000	Pass
			25	12	8	0	22.39	22.29	25.35	0.420	1.000	Pass
	LCH	64QAM	1	1	1	0	23.13	22.48	25.83	0.469	1.000	Pass
			25	12	8	0	23.34	22.26	25.84	0.472	1.000	Pass
	MCH		25	12	8	0	22.98	22.35	25.69	0.454	1.000	Pass
	HCH		1	49	1	24	22.21	22.33	25.28	0.413	1.000	Pass
			25	12	8	0	22.51	22.42	25.48	0.432	1.000	Pass
	LCH	256QAM	1	1	1	0	23.3	22.25	25.82	0.469	1.000	Pass
			25	12	8	0	23.32	22.4	25.89	0.477	1.000	Pass
	MCH		25	12	8	0	22.96	22.31	25.66	0.451	1.000	Pass
	HCH		1	49	1	24	20.97	22.33	24.71	0.361	1.000	Pass
			25	12	8	0	21.15	22.42	24.84	0.372	1.000	Pass
20MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	22.89	22.1	25.52	0.438	1.000	Pass
			135	67	18	0	23.04	22.37	25.73	0.459	1.000	Pass
	MCH		135	67	18	0	22.69	22.32	25.52	0.437	1.000	Pass
	HCH		1	271	1	99	22.83	22.2	25.54	0.439	1.000	Pass
			135	67	18	0	22.85	22.44	25.66	0.451	1.000	Pass
	LCH	16QAM	1	1	1	0	22.85	22.28	25.58	0.444	1.000	Pass
			135	67	18	0	22.92	22.4	25.68	0.453	1.000	Pass
	MCH		135	67	18	0	22.73	22.29	25.53	0.438	1.000	Pass
	HCH		1	271	1	99	22.67	22.36	25.53	0.438	1.000	Pass
			135	67	18	0	22.8	22.43	25.63	0.448	1.000	Pass
	LCH	64QAM	1	1	1	0	22.97	22.29	25.65	0.451	1.000	Pass
			135	67	18	0	23.02	22.4	25.73	0.459	1.000	Pass
	MCH		135	67	18	0	22.71	22.39	25.56	0.441	1.000	Pass
	HCH		1	271	1	99	22.52	22.23	25.39	0.424	1.000	Pass
			135	67	18	0	22.79	22.41	25.61	0.447	1.000	Pass
	LCH	256QAM	1	1	1	0	22.84	22.42	25.65	0.450	1.000	Pass

			135	67	18	0	23.09	22.34	25.74	0.460	1.000	Pass
	MCH		135	67	18	0	22.67	22.35	25.52	0.437	1.000	Pass
	HCH		1	271	1	99	22.63	22.4	25.53	0.438	1.000	Pass
			135	67	18	0	22.8	22.39	25.61	0.446	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_7A_n78A (3450-3550MHz)												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	23.2	22.38	25.82	0.386	1.000	Pass
			25	12	8	0	23.16	22.27	25.75	0.379	1.000	Pass
	MCH		25	12	8	0	23.19	22.22	25.74	0.378	1.000	Pass
	HCH		1	49	1	24	23.35	22.3	25.87	0.389	1.000	Pass
			25	12	8	0	23.33	22.38	25.89	0.392	1.000	Pass
	LCH	16QAM	1	1	1	0	23.34	22.38	25.9	0.392	1.000	Pass
			25	12	8	0	23.24	22.3	25.81	0.384	1.000	Pass
	MCH		25	12	8	0	23.15	22.29	25.75	0.380	1.000	Pass
	HCH		1	49	1	24	23.11	22.43	25.79	0.385	1.000	Pass
			25	12	8	0	23.18	22.34	25.79	0.383	1.000	Pass
	LCH	64QAM	1	1	1	0	23.59	22.46	26.07	0.407	1.000	Pass
			25	12	8	0	23.1	22.31	25.73	0.379	1.000	Pass
	MCH		25	12	8	0	23.16	22.25	25.74	0.378	1.000	Pass
	HCH		1	49	1	24	22.97	22.37	25.69	0.376	1.000	Pass
			25	12	8	0	23.2	22.35	25.81	0.385	1.000	Pass
	LCH	256QAM	1	1	1	0	23	22.25	25.65	0.372	1.000	Pass
			25	12	8	0	23.1	22.23	25.7	0.375	1.000	Pass
	MCH		25	12	8	0	23.13	22.28	25.74	0.379	1.000	Pass
	HCH		1	49	1	24	23.11	22.39	25.78	0.383	1.000	Pass
			25	12	8	0	23.26	22.29	25.81	0.384	1.000	Pass
20MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	22.89	22.52	25.72	0.381	1.000	Pass
			135	67	18	0	22.92	22.71	25.83	0.391	1.000	Pass
	MCH		135	67	18	0	22.88	22.65	25.78	0.387	1.000	Pass
	HCH		1	271	1	99	22.85	22.43	25.66	0.375	1.000	Pass
			135	67	18	0	22.91	22.7	25.82	0.390	1.000	Pass
	LCH	16QAM	1	1	1	0	22.62	22.6	25.62	0.375	1.000	Pass
			135	67	18	0	22.88	22.64	25.77	0.386	1.000	Pass
	MCH		135	67	18	0	22.9	22.72	25.82	0.391	1.000	Pass
	HCH		1	271	1	99	22.53	22.48	25.52	0.365	1.000	Pass
			135	67	18	0	22.96	22.74	25.86	0.394	1.000	Pass
	LCH	64QAM	1	1	1	0	22.55	22.51	25.54	0.368	1.000	Pass
			135	67	18	0	22.93	22.73	25.84	0.393	1.000	Pass
	MCH		135	67	18	0	23.06	22.64	25.87	0.393	1.000	Pass
	HCH		1	271	1	99	22.57	22.6	25.6	0.373	1.000	Pass
			135	67	18	0	22.92	22.78	25.86	0.395	1.000	Pass
	LCH	256QAM	1	1	1	0	22.71	22.58	25.66	0.377	1.000	Pass

			135	67	18	0	23	22.72	25.87	0.395	1.000	Pass
	MCH		135	67	18	0	22.9	22.69	25.81	0.390	1.000	Pass
	HCH		1	271	1	99	22.81	22.51	25.67	0.377	1.000	Pass
			135	67	18	0	22.89	22.75	25.83	0.392	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_7A_n78A (3700-3800MHz)												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	23.42	22.4	25.95	0.472	1.000	Pass
			25	12	8	0	23.27	22.38	25.86	0.462	1.000	Pass
	MCH		25	12	8	0	23.11	22.23	25.7	0.446	1.000	Pass
	HCH		1	49	1	24	22.8	22.3	25.57	0.432	1.000	Pass
			25	12	8	0	22.89	22.43	25.68	0.443	1.000	Pass
	LCH	16QAM	1	1	1	0	23.04	22.44	25.76	0.452	1.000	Pass
			25	12	8	0	23.4	22.23	25.86	0.463	1.000	Pass
	MCH		25	12	8	0	23.14	22.24	25.72	0.448	1.000	Pass
	HCH		1	49	1	24	22.65	22.58	25.63	0.438	1.000	Pass
			25	12	8	0	22.99	22.32	25.68	0.443	1.000	Pass
	LCH	64QAM	1	1	1	0	23.07	22.52	25.81	0.458	1.000	Pass
			25	12	8	0	23.29	22.31	25.84	0.460	1.000	Pass
	MCH		25	12	8	0	23.04	22.41	25.75	0.450	1.000	Pass
	HCH		1	49	1	24	22.63	22.51	25.58	0.434	1.000	Pass
			25	12	8	0	22.88	22.4	25.66	0.441	1.000	Pass
	LCH	256QAM	1	1	1	0	23.27	22.48	25.9	0.467	1.000	Pass
			25	12	8	0	23.31	22.39	25.88	0.465	1.000	Pass
	MCH		25	12	8	0	23.03	22.34	25.71	0.447	1.000	Pass
	HCH		1	49	1	24	22.86	22.54	25.71	0.447	1.000	Pass
			25	12	8	0	22.87	22.37	25.64	0.439	1.000	Pass
20MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	23.02	22.31	25.69	0.445	1.000	Pass
			135	67	18	0	22.85	22.3	25.59	0.435	1.000	Pass
	MCH		135	67	18	0	22.87	22.28	25.6	0.435	1.000	Pass
	HCH		1	271	1	99	22.64	22.24	25.45	0.421	1.000	Pass
			135	67	18	0	22.81	22.25	25.55	0.430	1.000	Pass
	LCH	16QAM	1	1	1	0	22.73	22.32	25.54	0.430	1.000	Pass
			135	67	18	0	22.76	22.38	25.58	0.434	1.000	Pass
	MCH		135	67	18	0	22.99	22.25	25.65	0.440	1.000	Pass
	HCH		1	271	1	99	22.28	22.06	25.18	0.396	1.000	Pass
			135	67	18	0	22.87	22.22	25.57	0.432	1.000	Pass
	LCH	64QAM	1	1	1	0	22.85	22.37	25.63	0.438	1.000	Pass
			135	67	18	0	22.83	22.42	25.64	0.440	1.000	Pass
	MCH		135	67	18	0	22.79	22.3	25.56	0.432	1.000	Pass
	HCH		1	271	1	99	22.44	22.36	25.41	0.417	1.000	Pass
			135	67	18	0	22.84	22.36	25.62	0.437	1.000	Pass
	LCH	256QAM	1	1	1	0	23.06	22.56	25.83	0.459	1.000	Pass

			135	67	18	0	22.9	22.43	25.68	0.444	1.000	Pass
	MCH		135	67	18	0	22.73	22.29	25.53	0.428	1.000	Pass
	HCH		1	271	1	99	22.55	22.1	25.34	0.410	1.000	Pass
			135	67	18	0	22.92	22.34	25.65	0.441	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n2A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	19.01	20.06	22.58	0.127	2.000	Pass
			12	6	8	0	19.02	20.11	22.61	0.127	2.000	Pass
	MCH		12	6	8	0	19.2	20	22.63	0.131	2.000	Pass
	HCH		1	23	1	24	18.96	20.13	22.59	0.126	2.000	Pass
			12	6	8	0	19.07	19.95	22.54	0.127	2.000	Pass
	LCH	16QAM	1	1	1	0	19.23	20.03	22.66	0.132	2.000	Pass
			12	6	8	0	19.15	19.96	22.58	0.129	2.000	Pass
	MCH		12	6	8	0	19.22	19.97	22.62	0.131	2.000	Pass
	HCH		1	23	1	24	19.16	19.92	22.57	0.129	2.000	Pass
			12	6	8	0	19.24	20.04	22.67	0.132	2.000	Pass
	LCH	64QAM	1	1	1	0	18.88	20.07	22.53	0.124	2.000	Pass
			12	6	8	0	19.08	19.97	22.56	0.128	2.000	Pass
	MCH		12	6	8	0	19.23	19.98	22.63	0.131	2.000	Pass
	HCH		1	23	1	24	18.85	20.03	22.49	0.123	2.000	Pass
			12	6	8	0	19.16	20.03	22.63	0.130	2.000	Pass
	LCH	256QAM	1	1	1	0	17.81	19.96	22.03	0.102	2.000	Pass
			12	6	8	0	18.17	19.92	22.14	0.108	2.000	Pass
	MCH		12	6	8	0	18.26	20.04	22.25	0.111	2.000	Pass
	HCH		1	23	1	24	17.77	19.99	22.03	0.101	2.000	Pass
			12	6	8	0	18.25	20.03	22.24	0.110	2.000	Pass
10MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	19	20	22.54	0.126	2.000	Pass
			50	25	12	0	19.15	19.94	22.57	0.129	2.000	Pass
	MCH		50	25	12	0	19.24	20.1	22.7	0.132	2.000	Pass
	HCH		1	104	1	49	19.02	19.88	22.48	0.126	2.000	Pass
			50	25	12	0	19.14	20.01	22.61	0.129	2.000	Pass
	LCH	16QAM	1	1	1	0	19.23	19.96	22.62	0.131	2.000	Pass
			50	25	12	0	19.06	19.97	22.55	0.127	2.000	Pass
	MCH		50	25	12	0	19.13	20.1	22.65	0.130	2.000	Pass
	HCH		1	104	1	49	19.22	19.79	22.52	0.130	2.000	Pass
			50	25	12	0	19.06	20.07	22.6	0.128	2.000	Pass
	LCH	64QAM	1	1	1	0	18.96	20.07	22.56	0.126	2.000	Pass
			50	25	12	0	19.1	20.05	22.61	0.129	2.000	Pass
	MCH		50	25	12	0	19.21	20.18	22.73	0.132	2.000	Pass
	HCH		1	104	1	49	18.93	19.89	22.45	0.124	2.000	Pass
			50	25	12	0	19.16	20.18	22.71	0.131	2.000	Pass
	LCH	256QAM	1	1	1	0	17.79	20.03	22.06	0.102	2.000	Pass

			50	25	12	0	18.18	20.04	22.22	0.109	2.000	Pass
	MCH		50	25	12	0	18.28	20.05	22.26	0.111	2.000	Pass
	HCH		1	104	1	49	17.83	19.99	22.05	0.102	2.000	Pass
			50	25	12	0	18.28	19.96	22.21	0.111	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n25A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	20	20.81	23.43	0.157	2.000	Pass
			12	6	8	0	20.03	20.59	23.33	0.157	2.000	Pass
	MCH		12	6	8	0	19.98	20.65	23.34	0.156	2.000	Pass
	HCH		1	23	1	24	20.41	20.46	23.45	0.167	2.000	Pass
			12	6	8	0	20.08	20.55	23.33	0.158	2.000	Pass
	LCH	16QAM	1	1	1	0	20.09	20.66	23.39	0.159	2.000	Pass
			12	6	8	0	19.93	20.63	23.3	0.154	2.000	Pass
	MCH		12	6	8	0	20.05	20.61	23.35	0.157	2.000	Pass
	HCH		1	23	1	24	20.1	20.51	23.32	0.158	2.000	Pass
			12	6	8	0	20.06	20.54	23.32	0.157	2.000	Pass
	LCH	64QAM	1	1	1	0	19.92	20.59	23.28	0.153	2.000	Pass
			12	6	8	0	20.03	20.65	23.36	0.157	2.000	Pass
	MCH		12	6	8	0	20.05	20.64	23.37	0.158	2.000	Pass
	HCH		1	23	1	24	20.01	20.57	23.31	0.156	2.000	Pass
			12	6	8	0	20.11	20.61	23.38	0.159	2.000	Pass
	LCH	256QAM	1	1	1	0	18.23	20.82	22.73	0.115	2.000	Pass
			12	6	8	0	18.51	20.64	22.71	0.120	2.000	Pass
	MCH		12	6	8	0	18.57	20.7	22.77	0.121	2.000	Pass
	HCH		1	23	1	24	18.34	20.58	22.61	0.116	2.000	Pass
			12	6	8	0	18.72	20.59	22.77	0.124	2.000	Pass
10MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	19.96	20.72	23.37	0.155	2.000	Pass
			50	25	12	0	20	20.64	23.34	0.156	2.000	Pass
	MCH		50	25	12	0	20.07	20.76	23.44	0.159	2.000	Pass
	HCH		1	104	1	49	19.86	20.4	23.15	0.150	2.000	Pass
			50	25	12	0	20.15	20.65	23.42	0.161	2.000	Pass
	LCH	16QAM	1	1	1	0	20.09	20.84	23.49	0.160	2.000	Pass
			50	25	12	0	20.12	20.59	23.37	0.159	2.000	Pass
	MCH		50	25	12	0	20.09	20.79	23.46	0.160	2.000	Pass
	HCH		1	104	1	49	20.02	20.41	23.23	0.155	2.000	Pass
			50	25	12	0	20.2	20.65	23.44	0.162	2.000	Pass
	LCH	64QAM	1	1	1	0	19.94	20.84	23.42	0.156	2.000	Pass
			50	25	12	0	20.09	20.57	23.35	0.158	2.000	Pass
	MCH		50	25	12	0	20.06	20.75	23.43	0.159	2.000	Pass
	HCH		1	104	1	49	19.89	20.51	23.22	0.152	2.000	Pass
			50	25	12	0	20.18	20.76	23.49	0.162	2.000	Pass
LCH	256QAM	1	1	1	0	18.32	20.72	22.69	0.116	2.000	Pass	

			50	25	12	0	18.62	20.56	22.71	0.121	2.000	Pass
	MCH		50	25	12	0	18.47	20.82	22.81	0.120	2.000	Pass
	HCH		1	104	1	49	18.26	20.42	22.48	0.113	2.000	Pass
			50	25	12	0	18.72	20.64	22.8	0.124	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	20.06	19.87	22.98	0.181	1.000	Pass
			12	6	8	0	20.11	19.83	22.98	0.182	1.000	Pass
	MCH		12	6	8	0	20.14	20.01	23.09	0.185	1.000	Pass
	HCH		1	23	1	24	20.14	19.9	23.03	0.184	1.000	Pass
			12	6	8	0	20.26	19.93	23.11	0.189	1.000	Pass
	LCH	16QAM	1	1	1	0	20.19	19.92	23.07	0.186	1.000	Pass
			12	6	8	0	20.13	19.75	22.95	0.183	1.000	Pass
	MCH		12	6	8	0	20.15	19.85	23.01	0.184	1.000	Pass
	HCH		1	23	1	24	20.31	19.93	23.13	0.190	1.000	Pass
			12	6	8	0	20.26	19.86	23.07	0.188	1.000	Pass
	LCH	64QAM	1	1	1	0	20.04	19.91	22.99	0.180	1.000	Pass
			12	6	8	0	20.32	19.88	23.12	0.191	1.000	Pass
	MCH		12	6	8	0	20.26	19.92	23.1	0.189	1.000	Pass
	HCH		1	23	1	24	20.17	19.89	23.04	0.185	1.000	Pass
			12	6	8	0	20.41	19.95	23.2	0.194	1.000	Pass
	LCH	256QAM	1	1	1	0	18.42	19.76	22.15	0.131	1.000	Pass
			12	6	8	0	18.76	19.87	22.36	0.141	1.000	Pass
	MCH		12	6	8	0	18.79	19.9	22.39	0.142	1.000	Pass
	HCH		1	23	1	24	18.45	19.87	22.23	0.133	1.000	Pass
			12	6	8	0	18.88	19.86	22.41	0.144	1.000	Pass
10MHz (LTE) + 30MHz (NR)	LCH	QPSK	1	1	1	0	20.04	19.92	22.99	0.180	1.000	Pass
			80	40	12	0	20.11	19.92	23.03	0.183	1.000	Pass
	MCH		80	40	12	0	20.04	19.92	22.99	0.180	1.000	Pass
	HCH		1	158	1	49	20.19	19.92	23.07	0.186	1.000	Pass
			80	40	12	0	20.1	20.05	23.09	0.183	1.000	Pass
	LCH	16QAM	1	1	1	0	20.18	19.84	23.02	0.185	1.000	Pass
			80	40	12	0	20.19	20	23.11	0.186	1.000	Pass
	MCH		80	40	12	0	20.1	19.89	23.01	0.182	1.000	Pass
	HCH		1	158	1	49	20.26	20.04	23.16	0.189	1.000	Pass
			80	40	12	0	20.15	20.12	23.15	0.186	1.000	Pass
	LCH	64QAM	1	1	1	0	19.98	20	23	0.179	1.000	Pass
			80	40	12	0	20.22	19.89	23.07	0.187	1.000	Pass
	MCH		80	40	12	0	20.14	19.97	23.07	0.184	1.000	Pass
	HCH		1	158	1	49	20.13	19.95	23.05	0.184	1.000	Pass
			80	40	12	0	20.23	20.06	23.16	0.188	1.000	Pass
LCH	256QAM	1	1	1	0	18.29	19.94	22.2	0.129	1.000	Pass	

			80	40	12	0	18.73	19.94	22.39	0.140	1.000	Pass
	MCH		80	40	12	0	18.64	19.96	22.36	0.138	1.000	Pass
	HCH		1	158	1	49	18.44	20.03	22.32	0.133	1.000	Pass
			80	40	12	0	18.75	20	22.43	0.141	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict	
DC_13A_n2A													
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	19.07	20.15	22.65	0.127	2.000	Pass	
			12	6	8	0	19.08	20.1	22.63	0.127	2.000	Pass	
	MCH		12	6	8	0	19.15	20.04	22.63	0.128	2.000	Pass	
	HCH		1	23	1	24	18.95	20.07	22.56	0.124	2.000	Pass	
			12	6	8	0	19.22	20.06	22.67	0.130	2.000	Pass	
	LCH	16QAM	1	1	1	0	19.26	20.31	22.83	0.133	2.000	Pass	
			12	6	8	0	19.1	20.1	22.64	0.128	2.000	Pass	
	MCH		12	6	8	0	19.28	20.17	22.76	0.132	2.000	Pass	
	HCH		1	23	1	24	19.24	20.09	22.7	0.131	2.000	Pass	
			12	6	8	0	19.22	20	22.64	0.130	2.000	Pass	
	LCH	64QAM	1	1	1	0	18.89	20.15	22.58	0.123	2.000	Pass	
			12	6	8	0	19.07	20.01	22.58	0.126	2.000	Pass	
	MCH		12	6	8	0	19.25	20.19	22.76	0.132	2.000	Pass	
	HCH		1	23	1	24	18.87	20.07	22.52	0.122	2.000	Pass	
			12	6	8	0	19.18	20.17	22.71	0.130	2.000	Pass	
	LCH	256QAM	1	1	1	0	17.81	20.16	22.15	0.102	2.000	Pass	
			12	6	8	0	18.16	20.07	22.23	0.107	2.000	Pass	
	MCH		12	6	8	0	18.29	20.2	22.36	0.111	2.000	Pass	
	HCH		1	23	1	24	17.81	20.02	22.06	0.101	2.000	Pass	
			12	6	8	0	18.21	20.11	22.27	0.109	2.000	Pass	
10MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	19.02	20.27	22.7	0.127	2.000	Pass	
			50	25	12	0	19.09	20.22	22.7	0.128	2.000	Pass	
	MCH		50	25	12	0	19.18	20.19	22.72	0.130	2.000	Pass	
	HCH		1	104	1	49	19.03	20.09	22.6	0.126	2.000	Pass	
			50	25	12	0	19.16	20.24	22.74	0.130	2.000	Pass	
	LCH	16QAM	1	1	1	0	19.24	20.2	22.76	0.131	2.000	Pass	
			50	25	12	0	19.04	20.23	22.69	0.127	2.000	Pass	
	MCH		50	25	12	0	19.13	20.37	22.8	0.130	2.000	Pass	
	HCH		1	104	1	49	19.24	20.05	22.67	0.131	2.000	Pass	
			50	25	12	0	19.11	20.23	22.72	0.129	2.000	Pass	
	LCH	64QAM	1	1	1	0	18.92	20.24	22.64	0.124	2.000	Pass	
			50	25	12	0	19.01	20.14	22.62	0.126	2.000	Pass	
	MCH		50	25	12	0	19.25	20.36	22.85	0.133	2.000	Pass	
	HCH		1	104	1	49	18.94	19.99	22.51	0.123	2.000	Pass	
			50	25	12	0	19.22	20.35	22.83	0.132	2.000	Pass	
	LCH	256QAM	1	1	1	0	17.89	20.3	22.27	0.104	2.000	Pass	

			50	25	12	0	18.11	20.47	22.46	0.109	2.000	Pass
	MCH		50	25	12	0	18.26	20.24	22.37	0.110	2.000	Pass
	HCH		1	104	1	49	17.75	19.94	21.99	0.099	2.000	Pass
			50	25	12	0	18.2	20.27	22.37	0.109	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_13A_n48A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	19.09	20.16	22.67	0.123	0.200	Pass
			12	6	8	0	19.07	20.21	22.69	0.123	0.200	Pass
	MCH		12	6	8	0	19.63	20.12	22.89	0.135	0.200	Pass
	HCH		1	22	1	24	19.47	20.22	22.87	0.132	0.200	Pass
			12	6	8	0	19.56	20.16	22.88	0.134	0.200	Pass
	LCH	16QAM	1	1	1	0	18.7	20.19	22.52	0.115	0.200	Pass
			12	6	8	0	19.07	20.21	22.69	0.123	0.200	Pass
	MCH		12	6	8	0	19.46	20.11	22.81	0.131	0.200	Pass
	HCH		1	22	1	24	19.1	20.52	22.88	0.125	0.200	Pass
			12	6	8	0	19.51	20.13	22.84	0.133	0.200	Pass
	LCH	64QAM	1	1	1	0	18.81	20.13	22.53	0.117	0.200	Pass
			12	6	8	0	19.18	20.21	22.74	0.125	0.200	Pass
	MCH		12	6	8	0	19.49	20.22	22.88	0.133	0.200	Pass
	HCH		1	22	1	24	19.19	20.21	22.74	0.125	0.200	Pass
			12	6	8	0	19.59	20.14	22.88	0.135	0.200	Pass
	LCH	256QAM	1	1	1	0	17.59	20.2	22.1	0.095	0.200	Pass
			12	6	8	0	17.73	20.08	22.07	0.096	0.200	Pass
	MCH		12	6	8	0	18.13	20.24	22.32	0.104	0.200	Pass
	HCH		1	22	1	24	18.01	20.04	22.15	0.101	0.200	Pass
			12	6	8	0	18.14	20.15	22.27	0.104	0.200	Pass
10MHz (LTE) + 40MHz (NR)	LCH	QPSK	1	1	1	0	19.18	20.37	22.83	0.126	0.200	Pass
			50	25	12	0	19.2	20.29	22.79	0.126	0.200	Pass
	MCH		50	25	12	0	19.66	20.25	22.98	0.137	0.200	Pass
	HCH		1	104	1	49	19.51	19.72	22.63	0.130	0.200	Pass
			50	25	12	0	19.43	20.17	22.83	0.131	0.200	Pass
	LCH	16QAM	1	1	1	0	18.87	20.35	22.68	0.119	0.200	Pass
			50	25	12	0	19.09	20.27	22.73	0.123	0.200	Pass
	MCH		50	25	12	0	19.65	20.26	22.98	0.137	0.200	Pass
	HCH		1	104	1	49	19.32	19.93	22.65	0.127	0.200	Pass
			50	25	12	0	19.53	20.17	22.87	0.133	0.200	Pass
	LCH	64QAM	1	1	1	0	18.84	20.29	22.64	0.118	0.200	Pass
			50	25	12	0	19.16	20.24	22.74	0.125	0.200	Pass
	MCH		50	25	12	0	19.6	20.25	22.95	0.135	0.200	Pass
	HCH		1	104	1	49	19.26	19.98	22.65	0.126	0.200	Pass
			50	25	12	0	19.51	20.22	22.89	0.133	0.200	Pass
	LCH	256QAM	1	1	1	0	17.67	20.22	22.14	0.096	0.200	Pass

			50	25	12	0	17.91	20.33	22.3	0.101	0.200	Pass
	MCH		50	25	12	0	18.23	20.22	22.35	0.106	0.200	Pass
	HCH		1	104	1	49	18.07	19.93	22.11	0.101	0.200	Pass
			50	25	12	0	18.13	20.29	22.35	0.104	0.200	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_13A_n66A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	20.26	20.57	23.43	0.191	1.000	Pass
			12	6	8	0	20.31	20.3	23.32	0.191	1.000	Pass
	MCH		12	6	8	0	20.61	20.34	23.49	0.203	1.000	Pass
	HCH		1	23	1	24	21.03	20.2	23.65	0.220	1.000	Pass
			12	6	8	0	21.1	20.2	23.68	0.223	1.000	Pass
	LCH	16QAM	1	1	1	0	20.46	20.46	23.47	0.198	1.000	Pass
			12	6	8	0	20.36	20.27	23.33	0.193	1.000	Pass
	MCH		12	6	8	0	20.73	20.39	23.57	0.208	1.000	Pass
	HCH		1	23	1	24	21.2	20.08	23.69	0.227	1.000	Pass
			12	6	8	0	21.12	20.24	23.71	0.225	1.000	Pass
	LCH	64QAM	1	1	1	0	20.15	20.38	23.28	0.186	1.000	Pass
			12	6	8	0	20.34	20.35	23.36	0.193	1.000	Pass
	MCH		12	6	8	0	20.75	20.25	23.52	0.208	1.000	Pass
	HCH		1	23	1	24	20.96	20.13	23.58	0.217	1.000	Pass
			12	6	8	0	21.1	20.24	23.7	0.224	1.000	Pass
	LCH	256QAM	1	1	1	0	18.52	20.5	22.63	0.137	1.000	Pass
			12	6	8	0	18.91	20.49	22.78	0.147	1.000	Pass
	MCH		12	6	8	0	19.23	20.28	22.8	0.155	1.000	Pass
	HCH		1	23	1	24	19.37	20.05	22.73	0.158	1.000	Pass
			12	6	8	0	19.74	20.18	22.98	0.170	1.000	Pass
10MHz (LTE) + 30MHz (NR)	LCH	QPSK	1	1	1	0	20.3	20.56	23.44	0.192	1.000	Pass
			80	40	12	0	20.29	20.54	23.43	0.192	1.000	Pass
	MCH		80	40	12	0	20.65	20.46	23.57	0.206	1.000	Pass
	HCH		1	158	1	49	20.97	19.95	23.5	0.216	1.000	Pass
			80	40	12	0	20.86	20.48	23.68	0.215	1.000	Pass
	LCH	16QAM	1	1	1	0	20.51	20.53	23.53	0.200	1.000	Pass
			80	40	12	0	20.25	20.57	23.42	0.191	1.000	Pass
	MCH		80	40	12	0	20.68	20.5	23.6	0.207	1.000	Pass
	HCH		1	158	1	49	21.18	20.16	23.71	0.227	1.000	Pass
			80	40	12	0	20.79	20.55	23.68	0.212	1.000	Pass
	LCH	64QAM	1	1	1	0	20.21	20.46	23.35	0.188	1.000	Pass
			80	40	12	0	20.2	20.36	23.29	0.187	1.000	Pass
	MCH		80	40	12	0	20.65	20.49	23.58	0.206	1.000	Pass
	HCH		1	158	1	49	20.85	20.04	23.47	0.211	1.000	Pass
			80	40	12	0	20.85	20.53	23.7	0.214	1.000	Pass
	LCH	256QAM	1	1	1	0	18.64	20.49	22.67	0.140	1.000	Pass

			80	40	12	0	18.81	20.48	22.74	0.144	1.000	Pass
	MCH		80	40	12	0	19.23	20.51	22.93	0.156	1.000	Pass
	HCH		1	158	1	49	19.45	19.99	22.74	0.160	1.000	Pass
			80	40	12	0	19.48	20.54	23.05	0.164	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_14A_n2A												
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	19.13	20.15	22.68	0.127	2.000	Pass
			12	6	8	0	19.11	20.15	22.67	0.127	2.000	Pass
	MCH		12	6	8	0	19.23	20.14	22.72	0.129	2.000	Pass
	HCH		1	23	1	24	19.03	19.94	22.52	0.124	2.000	Pass
			12	6	8	0	19.18	20.1	22.67	0.128	2.000	Pass
	LCH	16QAM	1	1	1	0	19.33	20.15	22.77	0.132	2.000	Pass
			12	6	8	0	19.12	20.2	22.7	0.127	2.000	Pass
	MCH		12	6	8	0	19.18	20.06	22.65	0.128	2.000	Pass
	HCH		1	23	1	24	19.22	19.96	22.62	0.128	2.000	Pass
			12	6	8	0	19.18	20.14	22.7	0.128	2.000	Pass
	LCH	64QAM	1	1	1	0	19.03	20.25	22.69	0.125	2.000	Pass
			12	6	8	0	19.08	20.23	22.7	0.126	2.000	Pass
	MCH		12	6	8	0	19.17	20.13	22.69	0.128	2.000	Pass
	HCH		1	23	1	24	18.88	19.87	22.41	0.120	2.000	Pass
			12	6	8	0	19.16	20.04	22.63	0.127	2.000	Pass
	LCH	256QAM	1	1	1	0	17.78	20.26	22.2	0.100	2.000	Pass
			12	6	8	0	18.21	20.2	22.33	0.108	2.000	Pass
	MCH		12	6	8	0	18.27	20.18	22.34	0.109	2.000	Pass
	HCH		1	23	1	24	17.82	19.95	22.02	0.099	2.000	Pass
			12	6	8	0	18.29	20.02	22.25	0.108	2.000	Pass
10MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	19.04	20.14	22.64	0.125	2.000	Pass
			50	25	12	0	19.08	20.19	22.68	0.126	2.000	Pass
	MCH		50	25	12	0	19.19	20.17	22.72	0.129	2.000	Pass
	HCH		1	104	1	49	19.03	20.26	22.7	0.125	2.000	Pass
			50	25	12	0	19.19	20.15	22.71	0.129	2.000	Pass
	LCH	16QAM	1	1	1	0	19.27	20.2	22.77	0.131	2.000	Pass
			50	25	12	0	18.95	20.21	22.64	0.123	2.000	Pass
	MCH		50	25	12	0	19.07	20.21	22.69	0.126	2.000	Pass
	HCH		1	104	1	49	19.3	20.04	22.7	0.131	2.000	Pass
			50	25	12	0	19.16	20.16	22.7	0.128	2.000	Pass
	LCH	64QAM	1	1	1	0	18.9	20.22	22.62	0.122	2.000	Pass
			50	25	12	0	19.01	20.3	22.71	0.125	2.000	Pass
	MCH		50	25	12	0	19.19	20.15	22.71	0.129	2.000	Pass
	HCH		1	104	1	49	18.82	19.96	22.44	0.119	2.000	Pass
			50	25	12	0	19.15	20.18	22.71	0.128	2.000	Pass
	LCH	256QAM	1	1	1	0	17.93	20.28	22.27	0.103	2.000	Pass

			50	25	12	0	18.07	20.17	22.26	0.105	2.000	Pass
	MCH		50	25	12	0	18.22	20.28	22.38	0.108	2.000	Pass
	HCH		1	104	1	49	17.76	20	22.03	0.098	2.000	Pass
			50	25	12	0	18.22	20.25	22.36	0.108	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict	
DC_14A_n66A													
5MHz (LTE) + 5MHz (NR)	LCH	QPSK	1	1	1	0	20.64	20.39	23.53	0.203	1.000	Pass	
			12	6	8	0	20.73	20.28	23.52	0.206	1.000	Pass	
	MCH		12	6	8	0	20.56	20.29	23.44	0.199	1.000	Pass	
	HCH		1	23	1	24	20.29	20.16	23.24	0.188	1.000	Pass	
			12	6	8	0	20.41	20.16	23.3	0.193	1.000	Pass	
	LCH	16QAM	1	1	1	0	20.74	20.39	23.58	0.207	1.000	Pass	
			12	6	8	0	20.65	20.31	23.49	0.203	1.000	Pass	
	MCH		12	6	8	0	20.54	20.35	23.46	0.199	1.000	Pass	
	HCH		1	23	1	24	20.47	20.25	23.37	0.196	1.000	Pass	
			12	6	8	0	20.37	20.17	23.28	0.191	1.000	Pass	
	LCH	64QAM	1	1	1	0	20.44	20.41	23.44	0.195	1.000	Pass	
			12	6	8	0	20.74	20.44	23.6	0.208	1.000	Pass	
	MCH		12	6	8	0	20.48	20.34	23.42	0.197	1.000	Pass	
	HCH		1	23	1	24	20.55	20.25	23.41	0.199	1.000	Pass	
			12	6	8	0	20.46	20.25	23.37	0.195	1.000	Pass	
	LCH	256QAM	1	1	1	0	18.89	20.3	22.66	0.144	1.000	Pass	
			12	6	8	0	19.3	20.31	22.84	0.156	1.000	Pass	
	MCH		12	6	8	0	19.15	20.39	22.82	0.152	1.000	Pass	
	HCH		1	23	1	24	18.99	20.16	22.62	0.146	1.000	Pass	
			12	6	8	0	18.93	20.32	22.69	0.145	1.000	Pass	
10MHz (LTE) + 30MHz (NR)	LCH	QPSK	1	1	1	0	20.63	20.51	23.58	0.204	1.000	Pass	
			80	40	12	0	20.54	20.34	23.45	0.199	1.000	Pass	
	MCH		80	40	12	0	20.49	20.37	23.44	0.197	1.000	Pass	
	HCH		1	158	1	49	20.34	20.01	23.19	0.189	1.000	Pass	
			80	40	12	0	20.52	20.26	23.4	0.198	1.000	Pass	
	LCH	16QAM	1	1	1	0	20.87	20.45	23.68	0.213	1.000	Pass	
			80	40	12	0	20.49	20.36	23.44	0.197	1.000	Pass	
	MCH		80	40	12	0	20.46	20.34	23.41	0.196	1.000	Pass	
	HCH		1	158	1	49	20.48	20.14	23.32	0.195	1.000	Pass	
			80	40	12	0	20.51	20.25	23.39	0.197	1.000	Pass	
	LCH	64QAM	1	1	1	0	20.64	20.41	23.54	0.203	1.000	Pass	
			80	40	12	0	20.59	20.33	23.47	0.201	1.000	Pass	
	MCH		80	40	12	0	20.48	20.42	23.46	0.197	1.000	Pass	
	HCH		1	158	1	49	20.29	20.16	23.24	0.188	1.000	Pass	
			80	40	12	0	20.52	20.3	23.42	0.198	1.000	Pass	
	LCH	256QAM	1	1	1	0	19.02	20.26	22.69	0.147	1.000	Pass	

			80	40	12	0	19.12	20.3	22.76	0.150	1.000	Pass
	MCH		80	40	12	0	19.09	20.45	22.83	0.150	1.000	Pass
	HCH		1	158	1	49	18.8	20.15	22.54	0.140	1.000	Pass
			80	40	12	0	19.12	20.24	22.73	0.150	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_25A_n41A												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	22.76	23.28	26.04	0.589	2.000	Pass
			25	12	8	0	22.77	23.15	25.97	0.581	2.000	Pass
	MCH		25	12	8	0	22.64	23.25	25.97	0.578	2.000	Pass
	HCH		1	49	1	24	21.76	23.34	25.63	0.526	2.000	Pass
			25	12	8	0	21.83	23.37	25.68	0.532	2.000	Pass
	LCH	16QAM	1	1	1	0	22.68	23.24	25.98	0.580	2.000	Pass
			25	12	8	0	22.89	23.25	26.08	0.596	2.000	Pass
	MCH		25	12	8	0	22.54	23.27	25.93	0.572	2.000	Pass
	HCH		1	49	1	24	21.54	23.21	25.47	0.506	2.000	Pass
			25	12	8	0	21.88	23.27	25.64	0.529	2.000	Pass
	LCH	64QAM	1	1	1	0	22.69	23.34	26.04	0.587	2.000	Pass
			25	12	8	0	22.92	23.24	26.09	0.598	2.000	Pass
	MCH		25	12	8	0	22.63	23.23	25.95	0.576	2.000	Pass
	HCH		1	49	1	24	21.82	23.46	25.73	0.537	2.000	Pass
			25	12	8	0	21.82	23.27	25.62	0.526	2.000	Pass
	LCH	256QAM	1	1	1	0	22.62	23.25	25.96	0.577	2.000	Pass
			25	12	8	0	22.8	23.26	26.05	0.590	2.000	Pass
	MCH		25	12	8	0	22.55	23.25	25.92	0.572	2.000	Pass
	HCH		1	49	1	24	21.64	23.26	25.54	0.514	2.000	Pass
			25	12	8	0	21.74	23.26	25.58	0.520	2.000	Pass
20MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	22.76	23.27	26.03	0.588	2.000	Pass
			135	67	18	0	22.61	23.37	26.02	0.583	2.000	Pass
	MCH		135	67	18	0	22.61	23.48	26.08	0.590	2.000	Pass
	HCH		1	271	1	99	21.67	23.3	25.57	0.519	2.000	Pass
			135	67	18	0	22.04	23.25	25.7	0.538	2.000	Pass
	LCH	16QAM	1	1	1	0	22.49	23.19	25.86	0.564	2.000	Pass
			135	67	18	0	22.52	23.34	25.96	0.575	2.000	Pass
	MCH		135	67	18	0	22.48	23.44	26	0.579	2.000	Pass
	HCH		1	271	1	99	21.44	23.28	25.47	0.505	2.000	Pass
			135	67	18	0	22.09	23.31	25.75	0.545	2.000	Pass
	LCH	64QAM	1	1	1	0	22.66	23.24	25.97	0.579	2.000	Pass
			135	67	18	0	22.49	23.33	25.94	0.572	2.000	Pass
	MCH		135	67	18	0	22.58	23.43	26.04	0.585	2.000	Pass
	HCH		1	271	1	99	21.52	23.25	25.48	0.507	2.000	Pass
			135	67	18	0	21.96	23.25	25.66	0.533	2.000	Pass
	LCH	256QAM	1	1	1	0	22.48	23.72	26.15	0.597	2.000	Pass

			135	67	18	0	22.49	23.2	25.87	0.564	2.000	Pass
	MCH		135	67	18	0	22.49	23.53	26.05	0.585	2.000	Pass
	HCH		1	271	1	99	21.47	23.4	25.55	0.514	2.000	Pass
			135	67	18	0	22.1	23.31	25.76	0.545	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_26A_n41A												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	22.16	23.45	25.86	0.330	2.000	Pass
			25	12	8	0	22.23	23.5	25.92	0.335	2.000	Pass
	MCH		25	12	8	0	22.63	23.49	26.09	0.362	2.000	Pass
	HCH		1	49	1	24	22.52	23.5	26.05	0.355	2.000	Pass
			25	12	8	0	22.55	23.38	26	0.355	2.000	Pass
	LCH	16QAM	1	1	1	0	21.8	23.54	25.77	0.309	2.000	Pass
			25	12	8	0	22.22	23.48	25.91	0.334	2.000	Pass
	MCH		25	12	8	0	22.58	23.53	26.09	0.359	2.000	Pass
	HCH		1	49	1	24	22.37	23.44	25.95	0.344	2.000	Pass
			25	12	8	0	22.64	23.32	26	0.361	2.000	Pass
	LCH	64QAM	1	1	1	0	21.85	23.58	25.81	0.312	2.000	Pass
			25	12	8	0	22.21	23.51	25.92	0.334	2.000	Pass
	MCH		25	12	8	0	22.59	23.55	26.11	0.360	2.000	Pass
	HCH		1	49	1	24	22.45	23.67	26.11	0.352	2.000	Pass
			25	12	8	0	22.58	23.36	26	0.357	2.000	Pass
	LCH	256QAM	1	1	1	0	21.97	23.56	25.85	0.319	2.000	Pass
			25	12	8	0	22.1	23.44	25.83	0.326	2.000	Pass
	MCH		25	12	8	0	22.59	23.43	26.04	0.359	2.000	Pass
	HCH		1	49	1	24	22.37	23.34	25.89	0.342	2.000	Pass
			25	12	8	0	22.53	23.55	26.08	0.356	2.000	Pass
15MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	21.98	23.35	25.73	0.317	2.000	Pass
			135	67	16	0	21.99	23.35	25.73	0.318	2.000	Pass
	MCH		135	67	16	0	22.43	23.49	26	0.348	2.000	Pass
	HCH		1	271	1	74	22.31	23.21	25.79	0.337	2.000	Pass
			135	67	16	0	22.54	23.39	26	0.355	2.000	Pass
	LCH	16QAM	1	1	1	0	21.89	23.33	25.68	0.312	2.000	Pass
			135	67	16	0	21.93	23.39	25.73	0.315	2.000	Pass
	MCH		135	67	16	0	22.43	23.48	26	0.348	2.000	Pass
	HCH		1	271	1	74	22.31	23.58	26	0.341	2.000	Pass
			135	67	16	0	22.54	23.39	26	0.355	2.000	Pass
	LCH	64QAM	1	1	1	0	21.7	23.31	25.59	0.300	2.000	Pass
			135	67	16	0	21.89	23.34	25.69	0.312	2.000	Pass
	MCH		135	67	16	0	22.38	23.55	26.01	0.346	2.000	Pass
	HCH		1	271	1	74	22.41	23.23	25.85	0.344	2.000	Pass
			135	67	16	0	22.53	23.4	26	0.354	2.000	Pass
	LCH	256QAM	1	1	1	0	21.98	23.41	25.76	0.318	2.000	Pass

			135	67	16	0	21.97	23.33	25.71	0.317	2.000	Pass
	MCH		135	67	16	0	22.35	23.51	25.98	0.343	2.000	Pass
	HCH		1	271	1	74	22.28	23.16	25.75	0.334	2.000	Pass
			135	67	16	0	22.54	23.27	25.93	0.353	2.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_26A_n78A (3450-3550MHz)												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	21.2	23.1	25.26	0.159	1.000	Pass
			25	12	8	0	21.1	23.05	25.19	0.156	1.000	Pass
	MCH		25	12	8	0	21.18	23.17	25.3	0.160	1.000	Pass
	HCH		1	49	1	24	21.38	23.11	25.34	0.164	1.000	Pass
			25	12	8	0	21.37	23.18	25.38	0.165	1.000	Pass
	LCH	16QAM	1	1	1	0	20.91	23.2	25.21	0.153	1.000	Pass
			25	12	8	0	21.1	23.09	25.22	0.157	1.000	Pass
	MCH		25	12	8	0	21.15	23.1	25.24	0.158	1.000	Pass
	HCH		1	49	1	24	21.03	23	25.14	0.154	1.000	Pass
			25	12	8	0	21.42	23.21	25.42	0.166	1.000	Pass
	LCH	64QAM	1	1	1	0	20.95	23.11	25.17	0.153	1.000	Pass
			25	12	8	0	21.02	23.15	25.22	0.155	1.000	Pass
	MCH		25	12	8	0	21.01	23.15	25.22	0.155	1.000	Pass
	HCH		1	49	1	24	21.04	23.15	25.23	0.156	1.000	Pass
			25	12	8	0	21.21	23.21	25.33	0.161	1.000	Pass
	LCH	256QAM	1	1	1	0	20.99	23.27	25.29	0.156	1.000	Pass
			25	12	8	0	20.99	23.14	25.21	0.154	1.000	Pass
	MCH		25	12	8	0	21.2	23.15	25.29	0.160	1.000	Pass
	HCH		1	49	1	24	21.28	23.07	25.28	0.161	1.000	Pass
			25	12	8	0	21.38	23.19	25.39	0.165	1.000	Pass
15MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	20.87	23.18	25.19	0.152	1.000	Pass
			135	67	16	0	20.88	23.09	25.13	0.151	1.000	Pass
	MCH		135	67	16	0	20.92	23.2	25.22	0.153	1.000	Pass
	HCH		1	271	1	74	21.03	23.01	25.14	0.154	1.000	Pass
			135	67	16	0	20.85	23.08	25.12	0.150	1.000	Pass
	LCH	16QAM	1	1	1	0	20.65	23.18	25.11	0.147	1.000	Pass
			135	67	16	0	20.88	23.12	25.15	0.152	1.000	Pass
	MCH		135	67	16	0	20.89	23.14	25.17	0.152	1.000	Pass
	HCH		1	271	1	74	20.8	22.96	25.02	0.148	1.000	Pass
			135	67	16	0	20.95	23.16	25.2	0.154	1.000	Pass
	LCH	64QAM	1	1	1	0	20.57	23.24	25.12	0.146	1.000	Pass
			135	67	16	0	20.92	23.11	25.16	0.152	1.000	Pass
	MCH		135	67	16	0	20.94	23.22	25.24	0.154	1.000	Pass
	HCH		1	271	1	74	20.77	23.01	25.04	0.148	1.000	Pass
			135	67	16	0	20.92	23.13	25.17	0.153	1.000	Pass
	LCH	256QAM	1	1	1	0	20.7	23.13	25.09	0.147	1.000	Pass

			135	67	16	0	21.01	23.19	25.25	0.156	1.000	Pass
	MCH		135	67	16	0	20.87	23.17	25.18	0.152	1.000	Pass
	HCH		1	271	1	74	20.93	23.03	25.12	0.152	1.000	Pass
			135	67	16	0	21.01	23.07	25.17	0.154	1.000	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	EIRP (W)	Limit (W)	Verdict
DC_26A_n78A (3700-3800MHz)												
5MHz (LTE) + 20MHz (NR)	LCH	QPSK	1	1	1	0	21.35	23.25	25.41	0.212	1.000	Pass
			25	12	8	0	21.34	23.08	25.31	0.210	1.000	Pass
	MCH		25	12	8	0	21.48	23.2	25.43	0.216	1.000	Pass
	HCH		1	49	1	24	21.41	23.11	25.35	0.213	1.000	Pass
			25	12	8	0	21.58	23.12	25.43	0.219	1.000	Pass
	LCH	16QAM	1	1	1	0	21.27	23.22	25.36	0.209	1.000	Pass
			25	12	8	0	21.53	23.21	25.46	0.218	1.000	Pass
	MCH		25	12	8	0	21.54	23.13	25.42	0.218	1.000	Pass
	HCH		1	49	1	24	21.24	23.03	25.24	0.206	1.000	Pass
			25	12	8	0	21.62	23.09	25.43	0.221	1.000	Pass
	LCH	64QAM	1	1	1	0	21.55	23.11	25.41	0.218	1.000	Pass
			25	12	8	0	21.41	23.2	25.41	0.214	1.000	Pass
	MCH		25	12	8	0	21.36	23.14	25.35	0.211	1.000	Pass
	HCH		1	49	1	24	21.62	23.14	25.46	0.221	1.000	Pass
			25	12	8	0	3	23.13	25.38	0.049	1.000	Pass
	LCH	256QAM	1	1	1	0	21.53	23.31	25.52	0.220	1.000	Pass
			25	12	8	0	21.24	23.2	25.34	0.207	1.000	Pass
	MCH		25	12	8	0	21.39	23.15	25.37	0.212	1.000	Pass
	HCH		1	49	1	24	21.42	23.13	25.37	0.213	1.000	Pass
			25	12	8	0	21.47	23.03	25.33	0.214	1.000	Pass
15MHz (LTE) + 100MHz (NR)	LCH	QPSK	1	1	1	0	21.03	23.35	25.35	0.201	1.000	Pass
			135	67	16	0	21.06	23.15	25.24	0.200	1.000	Pass
	MCH		135	67	16	0	21.19	23.1	25.26	0.204	1.000	Pass
	HCH		1	271	1	74	21.37	23.03	25.29	0.210	1.000	Pass
			135	67	16	0	21.28	23.08	25.28	0.208	1.000	Pass
	LCH	16QAM	1	1	1	0	20.78	23.3	25.23	0.192	1.000	Pass
			135	67	16	0	21.18	23.3	25.38	0.206	1.000	Pass
	MCH		135	67	16	0	21.19	23.07	25.24	0.204	1.000	Pass
	HCH		1	271	1	74	21	23.01	25.13	0.197	1.000	Pass
			135	67	16	0	21.12	23.16	25.27	0.203	1.000	Pass
	LCH	64QAM	1	1	1	0	20.92	23.25	25.25	0.197	1.000	Pass
			135	67	16	0	21.17	23.14	25.28	0.204	1.000	Pass
	MCH		135	67	16	0	21.19	23.13	25.28	0.205	1.000	Pass
	HCH		1	271	1	74	20.93	23	25.1	0.194	1.000	Pass
			135	67	16	0	21.24	23.12	25.29	0.206	1.000	Pass
	LCH	256QAM	1	1	1	0	20.95	23.42	25.37	0.200	1.000	Pass

			135	67	16	0	21.22	23.14	25.3	0.206	1.000	Pass
	MCH		135	67	16	0	21.17	23.21	25.32	0.205	1.000	Pass
	HCH		1	271	1	74	21.26	22.99	25.22	0.206	1.000	Pass
			135	67	16	0	21.32	23.08	25.3	0.209	1.000	Pass