

1.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.74	10	Pass



1.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.29	9.77	10	Pass



1.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.28	9.78	10	Pass



1.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.09	14.59	15	Pass



1.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.08	14.57	15	Pass



1.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.08	14.55	15	Pass



1.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.08	14.59	15	Pass



1.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.07	14.55	15	Pass



1.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.07	14.52	15	Pass



1.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.09	14.6	15	Pass



1.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.09	14.54	15	Pass



1.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.08	14.56	15	Pass



1.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.08	14.57	15	Pass



1.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.08	14.66	15	Pass




1.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.07	14.62	15	Pass




5. n13 15kHz

5.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




5.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.5	5.05	5	Pass




5.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




5.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.52	5.04	5	Pass




5.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.51	5.02	5	Pass




5.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.51	5.07	5	Pass




5.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.5	5	5	Pass




5.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




5.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.5	5.03	5	Pass




5.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




5.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.52	5.05	5	Pass




5.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.51	5.07	5	Pass




5.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



5.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)




5.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




5.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.03	Peak	9.25	9.65	10	Pass




1. n14


1.1. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.2. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.3. Occupied Bandwidth for SA_Part90(NTNV)(Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.4. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.5. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.6. Occupied Bandwidth for SA_Part90(NTNV)(Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.7. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




1.8. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




1.9. Occupied Bandwidth for SA_Part90(NTNV)(Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)



1.10. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




1.11. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)



1.12. Occupied Bandwidth for SA_Part90(NTNV)(Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




1.13. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




1.14. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.03	Peak	9.25	9.7	10	Pass




1.15. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.03	Peak	9.27	9.73	10	Pass




1.16. Occupied Bandwidth for SA_Part90(NTNV)(Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)



3. n25 15kHz


3.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



3.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


3.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.5	5.04	5	Pass




3.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.48	4.99	5	Pass




3.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.5	5.02	5	Pass




3.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.48	4.98	5	Pass




3.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.49	5.01	5	Pass




3.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.48	5.02	5	Pass




3.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.49	5.06	5	Pass




3.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.49	5.01	5	Pass




3.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.5	5.07	5	Pass




3.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.5	5.04	5	Pass




3.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




3.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	9.25	9.73	10	Pass




3.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	9.26	9.66	10	Pass




3.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.26	9.71	10	Pass




3.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	9.26	9.7	10	Pass




3.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	9.26	9.67	10	Pass




3.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.27	9.71	10	Pass




3.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




3.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	9.28	9.68	10	Pass




3.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.26	9.72	10	Pass




3.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	9.28	9.75	10	Pass




3.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	9.28	9.69	10	Pass




3.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.06	14.57	15	Pass




3.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	14.06	14.6	15	Pass




3.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	14.06	14.6	15	Pass




3.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.06	14.53	15	Pass




3.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	14.07	14.5	15	Pass




3.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	14.06	14.49	15	Pass




3.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.07	14.59	15	Pass




3.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	14.07	14.59	15	Pass




3.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	14.04	14.57	15	Pass




3.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.07	14.49	15	Pass




3.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	14.07	14.53	15	Pass




3.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	14.06	14.52	15	Pass




3.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.86	19.43	20	Pass




3.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	18.85	19.49	20	Pass




3.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	18.84	19.39	20	Pass




3.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.89	19.41	20	Pass




3.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	18.87	19.45	20	Pass




3.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	18.87	19.41	20	Pass




3.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.87	19.46	20	Pass




3.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	18.86	19.49	20	Pass




3.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	18.85	19.54	20	Pass




3.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.87	19.43	20	Pass




3.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	18.87	19.39	20	Pass




3.48. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	18.86	19.41	20	Pass




2. n26 15kHz(814-824)


2.1. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




2.2. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




2.3. Occupied Bandwidth for SA_Part90(NTNV)(Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




2.4. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




2.5. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




2.6. Occupied Bandwidth for SA_Part90(NTNV)(Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




2.7. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




2.9. Occupied Bandwidth for SA_Part90(NTNV)(Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




2.10. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)



2.11. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




2.12. Occupied Bandwidth for SA_Part90(NTNV)(Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




2.13. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.03	Peak	9.25	9.7	10	Pass




2.14. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.03	Peak	9.25	9.68	10	Pass




2.15. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.03	Peak	9.27	9.69	10	Pass




2.16. Occupied Bandwidth for SA_Part90(NTNV)(Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)




3. n26 15kHz(824-849)

3.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




3.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	5.05	5	Pass




3.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.5	5.03	5	Pass




3.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.51	5.04	5	Pass




3.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.52	5.03	5	Pass




3.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.02	5	Pass




3.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	5.01	5	Pass




3.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.48	5.02	5	Pass




3.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.48	5	5	Pass




3.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.08	5	Pass




3.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	5.02	5	Pass




3.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.04	5	Pass




3.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



3.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




3.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




3.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.25	9.68	10	Pass




3.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)




3.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.25	9.67	10	Pass




3.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




3.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.28	9.7	10	Pass




3.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.27	9.7	10	Pass




3.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.26	9.72	10	Pass




3.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)




3.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.26	9.7	10	Pass




3.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.59	15	Pass




3.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.09	14.61	15	Pass




3.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.07	14.57	15	Pass




3.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.06	14.54	15	Pass




3.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.07	14.62	15	Pass




3.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




3.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.07	14.62	15	Pass




3.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.07	14.59	15	Pass




3.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.06	14.58	15	Pass




3.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.51	15	Pass




3.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.5	15	Pass




3.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.07	14.48	15	Pass




3.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.85	19.5	20	Pass




3.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.85	19.41	20	Pass




3.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.84	19.41	20	Pass




3.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




3.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.88	19.39	20	Pass




3.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.86	19.43	20	Pass




3.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.86	19.48	20	Pass




3.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.85	19.41	20	Pass




3.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.86	19.44	20	Pass




3.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.87	19.39	20	Pass




3.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.86	19.41	20	Pass




3.48. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.86	19.38	20	Pass




4. n38_PC3

4.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




4.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	18.18	18.94	20	Pass




4.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.03	Peak	18.18	19.03	20	Pass




4.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.03	Peak	18.19	18.97	20	Pass




4.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	18.17	18.9	20	Pass




4.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




4.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.03	Peak	18.18	19.13	20	Pass




4.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	18.2	19.13	20	Pass




4.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.03	Peak	18.18	19.14	20	Pass




4.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




4.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	18.16	18.8	20	Pass




4.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.03	Peak	18.17	18.94	20	Pass




4.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2585	99	26	1	Peak	28.1	30.54	30	Pass




4.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	28.16	30.52	30	Pass




4.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	1	Peak	28.16	30.59	30	Pass




4.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2585	99	26	1	Peak	28.22	30.54	30	Pass




4.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	28.24	30.6	30	Pass




4.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	1	Peak	28.11	30.65	30	Pass




4.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2585	99	26	1	Peak	28.2	32.86	30	Pass




4.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	28.33	33.78	30	Pass




4.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	1	Peak	28.31	31.59	30	Pass




4.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2585	99	26	1	Peak	28.2	30.6	30	Pass




4.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	28.23	30.71	30	Pass




4.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)




4.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2590	99	26	1	Peak	37.94	40.55	40	Pass




4.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	37.91	40.49	40	Pass




4.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2600	99	26	1	Peak	37.92	40.68	40	Pass




4.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2590	99	26	1	Peak	38.23	40.8	40	Pass




4.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	38.18	40.77	40	Pass




4.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2600	99	26	1	Peak	38.18	40.74	40	Pass




4.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2590	99	26	1	Peak	38.13	40.73	40	Pass




4.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	38.11	40.83	40	Pass




4.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2600	99	26	1	Peak	38.12	40.76	40	Pass




4.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2590	99	26	1	Peak	38.03	40.74	40	Pass




4.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	38.05	40.63	40	Pass




4.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2600	99	26	1	Peak	38.03	40.71	40	Pass




6. n41

6.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




6.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.23	24.91	20	Pass




6.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




6.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	18.26	30.24	20	Pass




6.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.24	28.93	20	Pass



6.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




6.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




6.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.24	23.4	20	Pass




6.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.25	27.67	20	Pass




6.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	18.17	18.87	20	Pass




6.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.17	18.9	20	Pass




6.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.18	18.98	20	Pass




6.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2511	99	26	1	Peak	28.48	47.21	30	Pass




6.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	28.5	51.27	30	Pass




6.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2674.98	99	26	1	Peak	28.43	54.03	30	Pass




6.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2511	99	26	1	Peak	28.47	45.12	30	Pass




6.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	28.55	50.65	30	Pass




6.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2674.98	99	26	1	Peak	28.72	56.01	30	Pass




6.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2511	99	26	1	Peak	28.61	45.15	30	Pass




6.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	28.55	43.52	30	Pass




6.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2674.98	99	26	1	Peak	28.68	48.54	30	Pass




6.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2511	99	26	1	Peak	28.31	33.25	30	Pass




6.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	28.27	31.73	30	Pass




6.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2674.98	99	26	1	Peak	28.31	32.56	30	Pass




6.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	38.33	62.33	40	Pass




6.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.49	73.03	40	Pass




6.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.45	61.56	40	Pass




6.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	38.58	66.22	40	Pass




6.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.5	68.58	40	Pass




6.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.37	64.9	40	Pass




6.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	38.35	61.27	40	Pass




6.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.3	58.6	40	Pass




6.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.07	40.79	40	Pass




6.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	38.09	40.71	40	Pass




6.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.14	40.79	40	Pass




6.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.02	99	26	1	Peak	47.84	68.06	50	Pass




6.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	47.86	69.52	50	Pass




6.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	48.05	87.31	50	Pass




6.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.02	99	26	1	Peak	47.93	68.59	50	Pass




6.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	47.93	70.72	50	Pass




6.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	48.1	84.37	50	Pass




6.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.02	99	26	1	Peak	48.01	66.32	50	Pass




6.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	47.91	61.09	50	Pass




6.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	48.09	67.25	50	Pass




6.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.02	99	26	1	Peak	47.68	52.85	50	Pass




6.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	47.66	50.44	50	Pass




6.48. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	47.85	50.47	50	Pass




6.49. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	58.08	89.98	60	Pass




6.50. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	58.03	89.6	60	Pass




6.51. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	58.21	81.74	60	Pass




6.52. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	58.17	89.02	60	Pass




6.53. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	58.1	92.65	60	Pass




6.54. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	58.36	105.48	60	Pass




6.55. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	58.08	72.45	60	Pass




6.56. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.97	72.47	60	Pass




6.57. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	58.17	88.76	60	Pass




6.58. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	58.09	60.78	60	Pass




6.59. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	58.02	60.74	60	Pass




6.60. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	58.11	60.78	60	Pass




1.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)




1.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)




1.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)



1.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




1.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




1.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2655	99	26	1	Peak	68	105.61	70	Pass




1.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2531.01	99	26	1	Peak	67.71	89.27	70	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	67.57	85.59	70	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2655	99	26	1	Peak	67.8	96.9	70	Pass




1.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2531.01	99	26	1	Peak	67.29	70.52	70	Pass




1.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	67.23	70.41	70	Pass




1.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2655	99	26	1	Peak	67.3	70.45	70	Pass




6.61. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)




6.62. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.48	96.28	80	Pass




6.63. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.77	110.58	80	Pass




6.64. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.6	99.45	80	Pass




6.65. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.41	94.65	80	Pass




6.66. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.73	115.52	80	Pass




6.67. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.71	113.56	80	Pass




6.68. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.51	86.35	80	Pass




6.69. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.67	100.75	80	Pass




6.70. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.46	80.42	80	Pass




6.71. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.34	80.43	80	Pass




6.72. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.5	80.55	80	Pass




6.73. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.61	122.1	90	Pass




6.74. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)




6.75. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.66	126.99	90	Pass




6.76. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.89	132.6	90	Pass




6.77. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	87.7	103.97	90	Pass




6.78. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.94	142.15	90	Pass




6.79. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.69	128.79	90	Pass




6.80. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	87.48	110.09	90	Pass




6.81. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.75	105.36	90	Pass




6.82. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.39	90.58	90	Pass




6.83. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	87.04	90.62	90	Pass




6.84. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.46	90.73	90	Pass




6.85. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)




6.86. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	97.32	114.89	100	Pass




6.87. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2640	99	26	1	Peak	97.54	130.47	100	Pass




6.88. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




6.89. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)



6.90. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




6.91. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




6.92. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	97.29	100.92	100	Pass




6.93. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2640	99	26	1	Peak	97.51	105.23	100	Pass



6.94. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)




6.95. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)




6.96. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2640	99	26	1	Peak	97.54	100.74	100	Pass




1. n48 30kHz


1.1. Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




1.2. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




1.3. Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)



1.4. Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




1.5. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




1.6. Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.03	Peak	8.57	9.45	10	Pass




1.7. Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




1.8. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




1.9. Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




1.10. Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)



1.11. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




1.12. Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




1.13. Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.03	Peak	18.17	19.28	20	Pass




1.14. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.03	Peak	18.17	18.96	20	Pass




1.15. Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.03	Peak	18.17	18.84	20	Pass



1.16. Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




1.17. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




1.18. Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.03	Peak	18.18	18.97	20	Pass




1.19. Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




1.20. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




1.21. Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




1.22. Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)



1.23. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




1.24. Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




1.25. Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.16	45.44	40	Pass




1.26. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.13	46.46	40	Pass




1.27. Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.02	43.85	40	Pass



1.28. Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




1.29. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




1.30. Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.22	43.51	40	Pass




1.31. Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.05	47.2	40	Pass




1.32. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.26	48.27	40	Pass




1.33. Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




1.34. Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.26	49.84	40	Pass




1.35. Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




1.36. Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.22	52.34	40	Pass




4. n66 15kHz

4.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




4.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.5	5.04	5	Pass




4.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.49	5.02	5	Pass




4.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	4.99	5	Pass




4.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.5	4.97	5	Pass




4.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.5	4.95	5	Pass




4.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	5.02	5	Pass




4.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.48	5.03	5	Pass




4.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.48	5.03	5	Pass




4.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	5.04	5	Pass




4.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




4.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.5	5.06	5	Pass




4.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




4.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.26	9.72	10	Pass




4.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.03	Peak	9.26	9.68	10	Pass




4.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.03	Peak	9.27	9.7	10	Pass




4.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.26	9.68	10	Pass




4.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)




4.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.03	Peak	9.29	9.68	10	Pass




4.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.28	9.71	10	Pass




4.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.03	Peak	9.26	9.71	10	Pass




4.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.03	Peak	9.28	9.8	10	Pass




4.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	9.26	9.73	10	Pass




4.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.03	Peak	9.27	9.68	10	Pass




4.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.1	14.67	15	Pass




4.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.07	14.59	15	Pass




4.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.06	14.57	15	Pass




4.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.09	14.63	15	Pass




4.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.07	14.56	15	Pass




4.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.06	14.5	15	Pass




4.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.1	14.61	15	Pass




4.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.07	14.58	15	Pass




4.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.06	14.54	15	Pass




4.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.03	Peak	14.09	14.54	15	Pass




4.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	14.08	14.51	15	Pass




4.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.03	Peak	14.07	14.53	15	Pass




4.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.9	19.47	20	Pass



4.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




4.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




4.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.91	19.53	20	Pass




4.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.88	19.38	20	Pass




4.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.03	Peak	18.88	19.44	20	Pass




4.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.92	19.48	20	Pass




4.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.88	19.43	20	Pass




4.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




4.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.03	Peak	18.92	19.45	20	Pass




4.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.03	Peak	18.88	19.43	20	Pass



4.48. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)



2.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	5.09	5	Pass



2.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.5	5.02	5	Pass



2.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.53	6.49	5	Pass



2.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.49	5.02	5	Pass



2.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	5.01	5	Pass



2.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	5.39	5	Pass



2.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	5.02	5	Pass



2.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.5	5.04	5	Pass



2.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	5.06	5	Pass



2.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	5.04	5	Pass



2.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.51	5.02	5	Pass



2.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.28	10.93	10	Pass

