



6.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	4.83	-66.53	-13	53.53	Pass	2986
30	1000	0.1	RMS	772.8	-55.47	-13	42.47	Pass	9701
1000	3000	1	RMS	2969	-45.09	-13	32.09	Pass	2001
3000	3690	1	RMS	3406	-41.61	-13	28.61	Pass	691
3690	3810	1	RMS	3798.6	23.23	60	36.77	Pass	401
3810	7000	1	RMS	3812	-38.83	-13	25.83	Pass	3191
7000	26500	1	RMS	25812	-45.88	-13	32.88	Pass	19503




6.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	13.15	-67.42	-13	54.42	Pass	2986
30	1000	0.1	RMS	959.173	-56.54	-13	43.54	Pass	9701
1000	3000	1	RMS	2974	-45.26	-13	32.26	Pass	2001
3000	3690	1	RMS	3689	-36.76	-13	23.76	Pass	691
3690	3810	1	RMS	3707.1	4.34	60	55.66	Pass	401
3810	7000	1	RMS	3810	-38.73	-13	25.73	Pass	3191
7000	26500	1	RMS	25103	-45.72	-13	32.72	Pass	19503




6.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	26.75	-66.36	-13	53.36	Pass	2986
30	1000	0.1	RMS	911.641	-55	-13	42	Pass	9701
1000	3000	1	RMS	2966	-45.31	-13	32.31	Pass	2001
3000	3690	1	RMS	3690	-37.78	-13	24.78	Pass	691
3690	3810	1	RMS	3701.1	22.81	60	37.19	Pass	401
3810	7000	1	RMS	3897	-53.25	-13	40.25	Pass	3191
7000	26500	1	RMS	25827	-45.94	-13	32.94	Pass	19503



6.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	1.55	-65.5	-13	52.5	Pass	2986
30	1000	0.1	RMS	976.785	-55.82	-13	42.82	Pass	9701
1000	3000	1	RMS	2970	-45.58	-13	32.58	Pass	2001
3000	3690	1	RMS	3423	-41.34	-13	28.34	Pass	691
3690	3810	1	RMS	3798.9	23.3	60	36.7	Pass	401
3810	7000	1	RMS	3816	-34.7	-13	21.7	Pass	3191
7000	26500	1	RMS	24086	-45.75	-13	32.75	Pass	19503



--BLANK BELOW--